BOOK-A-115

OK

Examined by M. F. Furgess. C.C.

1 C. Description list made.

Field notes of the Survey of the 5th Standard Parallel South in Ranges 1 and 2 East of the Salt Lake Meridian in the Territory of Utah by J. C. Pailey U.S. Dep. Sur. under joint Contract No. 73 dated Sept 4th 1876.

Survey Commenced Sept 30th 1876
" Completed Oct. 7th 1876

BOOK-A-115

OK

Examined by M. F. Furgess. C.C.

1 C. Description list made.

Field notes of the Survey of the 5th Standard Parallel South in Ranges 1 and 2 East of the Salt Lake Meridian in the Territory of Utah by J. C. Pailey U.S. Dep. Sur. under joint Contract No. 73 dated Sept 4th 1876.

Survey Commenced Sept 30th 1876
" Completed Oct. 7th 1876

John's

FOR AXEMAN.

I, James D. Woods

do solemnly swear that I will well and truly perform the duties of axeman, according to instructions given me, and to the best of my skill and ability.

James D. Woods

Subscribed and sworn to before me this 11th day of October, 1874.

T. C. Bailey
U. S. Dept. Surveyor.

BOOK-A-145

FOR CHAINMEN.

We Guy Foote
and Hans M. Hanson
do solemnly swear that we will faithfully execute the duties of chain carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Guy Foote
Hans M. Hanson

Subscribed and sworn to before me this 11th day of October, 1876

T. C. Bailey
U. S. Dep. Surveyor.

BOOK-A-145

FOR CHAINMEN.

We John O. Mitchell
and Adolph Jessen
do solemnly swear that we will faithfully execute the duties of chain carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

John O. Mitchell.
Adolph Jessen.

Subscribed and sworn to before me this 29th day of September, 1876

T. C. Bailey
U.S. Dep. Surveyor

BOOK-A-145

FOR FLAGMAN.

I, Dan. H. Alred

do solemnly swear that I will well and truly perform the duties of flagman, according to instructions given me, and to the best of my skill and ability.

Dan H. Alred

Subscribed and sworn to before me this 11th day of October, 1876

Thos. C. Bailey
U.S. Deputy Surveyor.

FOR AXEMAN.

I, Polk Sampson

do solemnly swear that I will well and truly perform the duties of axeman, according to instructions given me, and to the best of my skill and ability.

Witness T. C. Bailey Polk his X mark Sampson

Subscribed and sworn to before me this 29th day of September, 1876

T. C. Bailey
U. S. Dep. Surveyor

Fifth Standard Parallel South R. 1 E.

Survey Commenced Saturday September 30th 1876 by J. C. Bailey.

Note: John A. Mitchell and Adolph Jessen acted as Chainmen and Polk Samson as axemen on this line.

After Examination I find the most practicable route to connect Rabbit Valley (which we now change to Fremont in honor of that great Explorer) with the public Surveys, is to Extend the 5th Standard Parallel East from the Standard Corner to Secs. 32 and 33 T. 25 S. R. 1 E. This Corner being located in thick timber, triangulation over Fish Lake Mountain over which the line will run

BOOK-A-145

Township 2 S. South R. 1. East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36
		2	11	5	7

5th Standard Parallel South

7

Fifth Standard Parallel South

Chains is impracticable for want of a proper base, and as the line will pass through heavy timber of Commercial Value, I therefore run it by direct measurement with a ~~two~~ pole chain — the said Corner I find standing and is identified as the true Corner set by me in July 1874.

East on the Sout. side of Sec. 33

Var. by Burts improved Solar Compass. 16° 10' East.

20,00 Spur of Ridge bears South 15 Chains to Canon. Drains W.

30,00 Ravine drains E.

40,00 Set Track pole 30 x 6 x 4 in. 24 in. deep. marked 1/4 on N. side with mound of Stones for 1/4 Sec. Cor.

BOO

Range

Chains

41,5

49,3

61,2

80,0

BOOK-A-145

Range 1 East Salt Lake Meridian

Chains From which

A cedar 16 in. dia. bears S. 60 E 35 lks. dist. marked 1/4 S. B. T.

41,50 Large boulder 10 x 6 x 6 ft in line.

49,30 Foot of ledge 30 ft. high bears N. W. and S. E.

61,25 Wash in bottom of Cañon drains S. W.

80,00 Set a Trachyte 20 x 11 x 6 in. 15 in. deep marked 6 notches on N. 3 on E. and W. edges with mound of stones for Standard Corner to Secs. 33, and 34. from which

An aspen 8 in. dia. bears S. 60 E. 25 lks. dist. marked S. 3 T. 26 S. R. 1 E. B. T.

An Aspen 3 in. dia. bears N. 45 E. 20 lks. dist. marked S. 34 B. T.

An Aspen 5 in dia. bears N. 45 W. 25 lks. dist. marked S. 33 T. 25 S. R. 1 E. B. T.

5th Standard Parallel South

10 chains. Land Mountainous and rocky.
Soil 2nd rate.
Timber Cedar, pine aspen,
and fir, of Commercial Value

East along South side of Sec. 34
Var. 16° 13' East.

30.50 Wash in Cañon drains Westerly.

40.00 Set a Trachyte stone 18x16x9
in. 12 in. deep marked 1/4 on N.
side with mound of stones for
1/4 Sec. Cor. from which
An Aspen 4 in. dia, bears S.5°
W. 25 lks. dist, marked 1/4 S.B.T.

65.00 Top of ridge bears N and S.

70.00 Ravine drains N.

80.00 Set a Trachyte stone 18x15x7
in. 12 in. deep marked 2 notches
on E. 4 on W. and 6 on N. edges

BOOK A 145

Range 1 East Salt Lake Meridian
with mound of stones for
Standard Corner to Sec. 34 and 35
from which,
An Aspen 8 in. dia. bears S. 45 E.
48 lks. dist. marked S. 2. T. 26. S.
R. 1 E. B.T.
An Aspen 4 in. dia. bears N. 43 E.
36 lks. dist. marked S. 35 T. 25 S.
R. 1 E. B.T.
Land Mountainous and rocky
Soil 2nd rate.
Timber Aspen and pine of Commer-
cial Value.
From this Corner a Spring or
basin of Water bears South
about 30 chs. dist.

East along South side Sec. 35.
Var. 16° 50' E.

6

5th Standard Parallel South

Chains

40,00 Set a Trachyte Stone 16x12x10 in. 11 in deep. marked 1/4 on N. side with mound of Stone for 1/4 Sec. Cor. from which,

An Aspen 5 in. dia bears N. 5 W. 20 lks. dist. marked 1/4 S. B. T.

80,00 Set a Trachyte stone 16x10x5 in. 11 in deep. marked 1 notch on E. 5 on W. and 6 on N. Edges with mound of Stones for Standard Corner to Secs. 35 and 36. from which,

A pine 24 in. dia. bears N. 85 E. 5 lks. dist. marked S. 36. B. T.

A pine 22 in. dia. bears S. 80 W. 10 lks. dist. marked S. 2. T 26. S. R. 1 E. B. T.

A pine 16 in dia bears N. 45 W. 110 lks dist. marked S. 35 T.

BOOK

Range

Chains

40.00

52,80

80.00

BOOK-A-145

Range 1 East, Salt Lake Meridian.

Chains 25 S. R. 1 E. S. L.

Land Mountainous & rocky.

Soil 2nd rate.

Timber, pine and Aspen, of "Commercial Value."

East along South side of Sec. 26.

Var. 17° East.

40.00 Set a Trachyte 16×10×10 in. 11 in. deep marked 1/4 on N. side with mound of stone for 1/4 Sec. Cor.

52.80 Top of Mountain bears N. and S.

80.00 Set a Trachyte stone 25×14×4 in., 18 in. deep marked 6 notches on N. E. and W. Edges for Standard Corner to Tps. 25 S. Rs. 1 and 2 E. from which

A pine 8 in. dia. bears N. 85 E. 125 lks. dist. marked S. 31 T. 25.

BOOK-A-145

Township 25 South **R.** 2 East

6	5	4	3	2	1		
7	8	9	10	11	12		
18	17	16	15	14	13		
19	20	21	22	23	38	24	25
				39		37	
30	29	28	45 27	40 26	36	25	24
			43	32		33	
31	32	33	34	30 35		36	
1	10	11	12	14		16	

5th Standard Parallel South.

8

5th Standard Parallel South.

Chains R. 2 E. P. T.

A pine 15 in. dia. bears S. 5° W.

25 lks. dist. marked S. 1. T. 26 S.

R. 1 E. P. T.

Land Mountainous

Soil 2nd rate.

Timber pine & fir of Commercial Value,

Sept. 30th

T. C. Bailey

X

Oct. 2nd 1876. By T. C. Bailey.

Through Range 2 East.

East along the South side of Sec. 31,

Var. 16° 30' East.

30,00 Descend

40,00 Set a slate rock 20 x 15 x 2 in.

15 in. deep, marked 1/4 on N.

BOOK-A-145

Range 2 East Salt Lake Meridian

Chains side with mound of rocks for
1/4 Sec. Cor.

49.25 Spring branch in bottom of East
fork of Starvation Canon runs S.

66.00 Foot of Mountain bears N. and S.E.

80.00 Set a Trachyte stone 12x10x5 in.
8 in. deep, marked 5 notches E.
1 W. 6 N. with mound of stones
for Standard Corner to Secs. 31 & 32
from which,

A pine 20 in. dia. bears S. 1° W 30
lks. dist, marked S. 6. T. 26. S.
R. 2 E. B. T.

A pine 18 in. dia. bears N. 85° E.
27 lks. dist. marked S. 32 T. 25
R. 2 E. B. T.

A pine 10 in. dia. bears N. 45 W.
60 lks. dist. marked S. 31 B.T.

Land Mountainous & rocky.

Soil 2nd rate.

10

5th Standard Parallel South

Chains | Timber pine and Aspen of Commercial Value.

East along the South side of Sec. 32.

Var. 16° E.

5,00 Top of Mountain and timber plateau,

40.00 Set a Trachyte stone 14 × 12 × 6 in, 8 in, deep marked 1/4 on N. side with mound of stone for 1/4 Sec. Cor. from which,
A pine 10 in. dia. bears [illegible]
26 lks. dist.
A pine 30 in. dia. bears S. 2° N.
20 lks. dist. Both marked 1/4 S.B.T.

48,00 Descend.

80.00 Set a Trachyte 14 × 10 × 4 in 8 in. deep marked 4 notches

BOOK-A-145

Range 2 East Salt Lake Meridian.

Chains on E. 2 on W. and 6 on N. Edges with mound of Stone for Standard Cor. to Secs. 32 and 33. from which.

A balsam 6 in. dia bears N. 85 E. 8 lks. dist. marked S. 33 T. 25 S. R. 2 E. B. T.

An Aspen 4 in. dia. bears S. 60 W. 6 lks. dist. marked S. 5 T. 26 S. R. 2 E. B. T.

An Aspen 4 in. dia, bears N. 75 W. 4 lks. dist. marked S. 32 B. T.

Land Mountainous.

Soil 2nd rate.

Timber heavy pine fir & Aspen of Commercial Value.

East along the South side of Sec 33

Var. 16° E.

40.00 Set a Trachyte 12 × 10 × 6 in. 8 in.

1st

5th Standard Parallel South

Chains deep marked 1/4 on N. side with mound of rock for 1/4 Sec. Cor.

55,00 Foot of Mountain bears N. and S.

75,00 Leave Timber

78,30 Road bears N. and S.

80,00 Set a Trachyte 16×10×10 in. 11 in deep marked 3 notches on E. & W. and 6 on North Edges with mound of Stones for Standard Corner to Secs 33 & 34

Land East slope of mountain soil 2nd rate.

Timber pine & Aspen of Commercial Value on 75 chains W. part.

Oct. 2nd T. C. Bailey.

Oct 3rd 1876.

by T. C. Bailey

East along the South side Sec. 34.

BOOK-A-145

Range 2 East. Salt Lake Meridian

chains Var 16° East.

1.10 Enter Meadow bears N. and S.

24.90 West edge of pond bears N. and S. and set a charred Aspen Stake 4x4 in. 11 ft. long 2 ft. deep—no pits. Marshy—marked 1/4 S.M.C. on N side for Witness 1/4 Sec. Cor.

40.00 Falls in pond and the 1/4 Sec. Cor. therefore cannot be established.

48.28 East side of pond bears N. and S.

50.50 Outlet of Pahguah, or Fish Lake. 30 lks. wide, 15 inches deep runs N.

56.00 Foot of Mountains bears N. and S. and Enter timber and ascend.

80.00 Set a Trachyte 16x10x8 in. 11 in. deep marked 2 notches on the E 4 on W. and 6 on N. Edges, with mound of rocks for Standard Corner to Secs. 34 and 35 from which, An Aspen 4 in. diar. bears N. 40 E

5th Standard Parallel South

Chains 15 lks. dist, marked S. 35 T. 25 S
R. 2 E. P.T.
An Aspen 5 in. dia, bears N. 1 W.
20 lks. dist, marked S. 34. P.T.
Land swampy bottom and pond
can be drained for 56.00 chs.
West part, Soil 1st rate, balance
Mountainous, Soil 2nd rate.
Timber heavy pine Aspen and balsam
of Commercial Value on E. 24 chs.
Oct. 3rd 1876.

J. C. Bailey

Oct. 4th.

By J. C. Bailey

East along South side Sec 35.
Var. 15° 28' E.

40,00 Set a Trachyte 20 x 14 x 12 in.
13 in. deep. marked 1/4 on N. side

BOOK-A-145

Range 2 East Salt Lake Meridian,

aints with mound of stones for 1/4 Sec. Cor.
from which,

An Aspen 4 in. dia, bears N. 45 E.
12 lks. dist.

An Aspen 5 in. dia, bears S. 15 W.
25 lks. dist. Both marked 1/4 S. B. T.

80,00 Marked a Volcanic rock in place
4 x 2 x 2 ft. 1 notch on E. side on W. and on
N. edges, with mound of stones for Stan-
-dard Corner to Secs. 35 and 36. from
which

A fir 6 in. dia bears S. 80 W. 10 lks. dist
marked S. 2. T. 26 S. R. 2 E. B. T.

An Aspen 4 in. dia bears N. 45 W. 6 lks.
dist, marked S. 35 T. 25 S. R. 2 E. B. T.

Land Mountainous and rocky. Soil Poor.
Timber heavy pine and Aspen of Commercial Value.

Oct 4th. 1876. J. C. Bailey

5th Standard Parallel South

Chains Oct 7th By J. C. Bailey

East along South side Sec. 36,

Var. 16° 50' East.

2,00 Top of ridge bears N.E. and S.W. and descend.

40,00 Set a Trachyte stone 12×7×6 in. 8 in. deep, marked 1/4 on N. side with mound of stones for 1/4 Sec. Cor. from which

An Aspen 6 in. dia. bears N.5W 15 lks. dist.

An Aspen 6 in. dia. bears S. 50 E, 8 lks. dist. Both marked 1/4 S. B. T. in bottom of hollow drains S.W. into Mud Lake basin 60 chs. dist.

Thence Ascend.

70,00 Enter Plateau (timbered)

80,00 Set a Trachyte stone 16×10×10 in. 11 in deep, marked 6 notches on E. W. S and N edges with Monument of stone 4 feet base, 4 feet high,

BOOK-A-145

Range 2 East Salt Lake Meridian

for Corner Common to Ts. 25 and 26 S.
Rs. 2 and 3 E. from which,
An Aspen 5 in. dia. bears N. 45 E. 10
lks. dist. marked S. 31 T. 25, R. 3 E. B. T.
An Aspen 4 in. dia. bears S. 50 W. 25 lks.
dist. marked S. 1 T. 26 S. R. 2 E. B. T.
A Balsam 6 in. dia. bears S. 45 E.
10 lks. dist. marked S. 6 B. T.
Land Mountainous Soil 2nd rate,
Timber heavy pine Aspen and fir of
Commercial Value.

Oct 9th

J. C. Bailey.

General Description

The East portions of Ts. 25 and 26
S. R. 1 E. lie in the Mountains and
Cannot be subdivided at present rates

The greater portions of Tps. 25
and 26 S. R 2 E, also lie in the
Mountains, Covered with timb
Pahguah or Fish Lake is i
the Central portion of Tp 2
S. R. 2 E. and is about 6 m
long N. and S. by two wide E. and
Tp 25 S. R. 2 E. Contains
Ferrons prairie and other sma
meadows lying in the South
East portion which can be subdivi
The Mountains are Covered
with excellent bunch gras
all along the line, The land
are arable.

T. C. Bailey
Deputy Surveyor

B

U. S. SU

Salt Lak

The foreg

5th Sta

~~Township~~

Executed b

Under J

day of S

Sep & C

examined,

planations

surveys th

BOOK-A-145

U. S. SURVEYOR GENERAL'S OFFICE

Salt Lake City, Utah, December 22d 1876

The foregoing field notes of the survey of 5th Standard Parallel South

~~*Township No.*~~ In *Ranges No.* 1 and 2 East

Executed by T. C. Bailey

Under Joint *contract of the* 4th

day of Sept. 1876, *in the month of* Sep & Oct 1876, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

Blank

Page

Blank

Page

Blank

Page

BOOK-A-145

No. 3

B Examined by M. F. Burgess. C.C.

2a C.

Transcript made by
Jak

Field Notes
of
the Survey of the
East boundary of Tp. 25 South
Range 2 East
Salt Lake Meridian
By
J. G. Burrill U. S. Dep. Sur.
Under Joint Contract No. 73
dated Sept. 4th 1876.

Survey Commenced Oct. 4th 1876
Survey Completed Oct 4th 1876

East boundary Township 25.

Chains	
	October 4th 1876 by J. G. Burnie
	From the corner established in survey of subs. of this township to sects 24 & 25, viz: a trachyte stone 20 x 12 x 12 in., with mound of stones, 2 rds South between secs. 25 & 30
	Var: 15° 30' E.
	Descend
24,75	Trail bears E. & W.
25,00	Fremont River 50 links wide runs E. formed by the confluence of Ferron & Summit Creeks
	Ascend
40,00	Set trachyte 16 x 10 x 6 in. 11 in deep marked 1/4 on W.

BOOK-A-145

South Range 2 East S. L. M.

Chains	side with mound of stones for 1/4 sec. cor. Line becomes impracticable Land mountainous. Soil 2nd rate. Timber – pine, fir & aspen.
40.00	From the corner to secs. 24 & 25 2 mi. North betw. secs 19 & 24 Var: 16° 30' E. Ascend through timber Set trachyte 17 x 11 x 9 in., 12 in. deep, marked 1/4 on W. side with mound of stones for 1/4 sec. cor. The line becoming impracticable on account of the mountains I abandon it here. Land S. slope, rocky.

29

Soil 2nd rate
Timber – pine & aspen

October 4th 1876.
J. G. Burrill

Note:
For general description and approval see End of subdivision notes of this township. –

BOOK 016 2 Description Lists 31 29
Examined by M. T. Burgess C.C.

3a C Transcript made J. A. K.

Field Notes of the Survey of the Subdivision Lines of Township No. 25 South Range No. 2 East, of the Salt Lake Meridian, Utah Territory,

By

Bailey & Burrill
U. S. Dep. Surveyors,
Under their joint Contract
No. 73.
Dated Sept. 4th 1876.

Survey Commenced Oct. 4th 1876.
" Completed Oct. 4th 1876.

Chains	
	Survey commenced October 4th 1876 by T. C. Bailey. On account of the mountains I begin at the standard corner to secs. 34 & 35 and run North bet. said secs. Var: 15° 28' E. Descend through timber
40.00	Set trachyte stone 14 x 12 x 6 in., 10 in deep marked 1/4 on W. side with mound of stones for 1/4 sec. cor. from which an aspen 4 in dia. bears S. 20 W. 28 links distant An aspen 6 in. in dia. bears S. 15 E. 56 links distant. Both trees marked 1/4 S. B. T.
55.25	Road at foot of mountain

South, Range 2 East S. L. M.

Chains	
	bears N. E. & S. W. leave timber.
66.00	Right bank of pond formed by outlet from lake bears N. E. & S. W.
76.00	Left bank of same
77.00	Road bears N. E. & S. W.
80.00	Set a trachyte stone 16 x 10 x 8 in., 11 in deep marked 1 notch on S. and 2 on E edges with mound of stones for cor to secs 26, 27, 34 & 35.
	Land S. 55, 25 chains mount, arrows and timbered.
	Soil 2nd rate.
	Balance level and marshy can be drained.
	Soil 1st rate.
	Timber pine, fir & aspen.

Subdivisions T. 25 S. R. 2 E.

Chains	
	East on a true line bet. secs. 36 & 35.
	Var: 14° 30' E.
6.30	Road N. E. & S. W.
10.00	Left bank of lake outlet bears N. E. & S. W.
20.17	Right bank of same thence ascend.
25.00	Road bears N. E & S. W.
30.00	Enter timber bears N. & S.
40.00	Set a slate stone 20 × 12 × 3 in., 15 in. deep marked 1/4 on N. side with mound of stone for 1/4 sec. cor. from which A red pine 10 in dia. bears S. 50 W. 29 links dist. Red pine 8 in. dia. bears N. 60 E. 15 links dist. Both trees marked 1/4 S. B. T

Salt Lake Meridian.

Chains	
50.00	Leave timber bears N. & S.
58.00	Enter timber & descend
75.00	Leave timber
80.00	Set a trachyte stone 16 x 12 x 10 in., 11 in deep marked 1 notch on S. & E. edges with mound of stones for cor. to secs. 25, 26, 35 & 36. Land broken arable. Soil 2nd rate. Timber pine & aspen
	East on a true line bet. secs. 25 & 36 Var. 16° 35' E.
3.00	Indian trail bears N.E. & S.W.
5.00	Ravine drains N. E ascend.
6.50	Enter timber.

Subdivisions T. 25 S. R. 2. E

Chains	
4000	Set a trachyte stone 16 x 12 x 7 in., ~~deep~~ 11 in. deep, marked 1/4 on N. side with mound of stones for 1/4 sec. cor. from which An aspen 8 in. dia. bears N. 25 W. 48 links dist. An aspen 4 in. dia. bears S. 30 W. 64 links dist. Both trees marked 1/4 S. B. T. Line becomes impracticable. Land broken, arable. Soil 2nd rate. Timber - pine & aspen.
	North betw. secs. 25 & 26. Var: 16° 35 E.

Salt Lake Meridian

Chains	
	As this line runs over a rocky hill 2 offset East
	10.00 chains thence
	North on offset line
	40.00 chains thence
	West
	10.00 chains to true line at
40.00	Set a trachyte stone 14 x 10 x 10 in., 10 in. deep marked 1/4 on W. Side with mound of stones for 1/4 sec. cor. at foot of N. slope
	from which corner
	L. D. Ferrous South cabin bears N. 83° 30' E.
	North cabin bears N. 11° 15' E.
	West " " N. 19° 35 W.
	East " " N. 47° 35 E.
43.00	Trail bears E. & W. enter meadow.

Subdivisions T. 25 S. R. 2 E.

Chains		Chains
46.50	Ferrous Creek 20 links wide 12 in. deep, gravel bottom, clear, fresh, cool water runs E.	
47.00	Same creek runs N. W.	
49.50	" " " S. E.	
80.00	Set a trachyte stone 18 x 12 x 12 in., 12 in. deep marked 2 notches on south & 1 on East edges for corn. to secs. 23, 24, 25 & 26, marshy, pits impracticable.	40.00
	Land S ½ rocky hill — Soil 2nd rate. Pine, aspen timber.	44.50
	N ½ level.	50.50
	Soil 1st rate, good grass. No timber.	52.00
	From this corner bears A. O.	58.00

BOOK-A-145

Salt Lake Meridian

Chains	
	Ferrous south cabin S. 48° E.
	North cabin bears N. 25° 30' E.
	West " " S. 64 W.
	East " " N. 78 E.
	East on a true line bet. secs. 24 & 25. Var. 15° 15' E.
40.00	Set a trachyte stone 13 x 10 x 5 in., 9 in deep, marked 1/4 on N. side for 1/4 sec. cor. no pits - marshy.
44.50	Summit Creek, 30 links wide, 16 in. deep, runs S.
51.50	Same creek runs N. E.
52.00	" " " S. & leave meadow.
58.00	Trail bears N. W. & S. E. and

Subdivisions T. 25 S. R. 2 E.

Chains	
	ascend.
80.00	Set a trachyte stone 20 x 12 x 12 in. 15 in. deep, marked 4 notches on N. & 2 on S. edges with mound of stones for cor. to secs. 24 & 25 on East boundary of township. Land W. 3/4 level prairie Soil 1st rate & no timber. Balance broken & rocky, soil 2nd rate, timber aspen & pine.
	North bet. secs 23 & 24. Var: 15° 15' E.
21.50	Road bears N. E. & S. W. leave
	Meadow bears N. E. & S. W.
32.00	Foot of mountains & ascend bears N. E. & S. W.

	Chains	
	4000	Set a trachyte stone 16 x 12 x 6 in., 11 in deep, marked 1/4 on W. side with mound of stones for 1/4 sec. cor. from which An aspen 8 in. dia. bears S 4 W. 80 links dist. Marked 1/4 S. B.T. Land mostly level prairie Soil 1st rate. No timber except near the corner. Line becomes impracticable on account of the mountains
	13.50	West betw. secs. 23 & 26. Var. 15° 15' E. Road bears N. & S and leaves meadow at foot of hill

Subdivisions T. 25 S. R. 2 E.

Chains	
	Ascend.
23.50	Foot of cliff.
40.00	Point on north slope of mountain and inaccessable, therefore at 23.50 chains I set a trachyte stone 14 x 12 x 8 in., 9 in deep and marked W. C. with mound of stone for witness to ¼ sec cor. from which An aspen 5 in. dia. bears S. 85 E. 12 links dist. marked W. C. to ¼ S. B. T. Land mostly mountanous Soil 2nd rate, good grass. Scattering pine & aspen.
	North betw secs 26 & 27. Var. 14° 30' E.

BOOK-A-145

Chains	
30.00	Ascend S. E. slope
40.00	Set trachyte stone 16 x 9 x 7 in., 11 in. deep, marked 1/4 on W. side with mound of stone for 1/4 sec. cor.
	Line here becomes impracticable. Land 30 chains south part meadow.
	Soil 1st rate.
	No Timber.
	T. C. Bailey-
	By J. G. Burrill
	North from the standard cor. to secs. 33 & 34
	Var. 16° East.
6.00	Road bears N.E. & S.W.
15.00	Creek at foot of bench, 5

Chains	links wide, 6 in. deep, runs S. 2	Cha
40.00	Set a trachyte stone 14 x 12 x 8 in., 9 in. deep, marked 1/4 on W. side with mound of stones for 1/4 sec. cor.	
50.00	Ascend east slope.	
80.00	Set a trachyte stone 22 x 17 x 6 in., 17 in. deep, marked 1 notch on S and 3 on east edges with mound of stones for cor to secs. 27, 28, 33 & 34 from which	
	An aspen 10 in. dia. bears S. 5 W. 15 links dist. marked S. 34 B. T.	5.
	An aspen 4 in. dia. bears N. 85° E. 7 links dist. marked S. 27 B. T.	9. 30. 38.
	An aspen 7 in. dia. bears N. 75 W. 24 links dist.	40,

	Chains	marked S. 28 B. T.
		Land S ½ level bottom & bench.
		Soil 1st rate.
		No timber.
		N. ½ mountainous soil 2nd rate.
		No timber
		East on a random line betw. secs. 27 & 34
		Var. 16° E.
	5.00	Creek 5 links wide 4 in. deep runs S. E.
	9.00	Foot of slope, bears N. & S.
	30.00	Enter meadow bears N.W. & S.E.
	38.90	Creek 7 links wide, 10 in. deep runs S.
	40.00	Leave meadow at foot of

Subdivisions T. 25 S. R. 2. E.

Chains	
	hill which bears N. & S., set temp. 1/4 sec. cor.
52.00	Top of S. spur of mountain extends S. 15 chs.
70.00	Enter meadow, at foot of hill bears N. E. & S. W.
80,04	Intersect N. & S. line at the corn. to secs 26, 27, 34 & 35 from which West on a true line bet: secs. 27 & 34.
40,02	Set a trachyte stone 19 x 16 x 12 in, 14 in deep marked 1/4 on N. side with mound of stone for 1/4 sec. cor. from which A pine 30 in. dia. bears S. 88 E. 4 30 links dist., marked 1/4 S. B. T.
80,04	The cor. to secs. 27, 28, 33 &

Chains	34
	Land rolling
	Soil 1st & 2nd rate.
	Timber scattering pine & aspen
	North bet. secs 27 & 28.
	Var: 16° E.
8.00	Spring branch runs S & E.
40.00	Set a trachyte stone 13 x 8 x 7 in., 8 in. deep, marked 1/4 on W. side with mound of stones for 1/4 sec. cor.
	Line becomes impracticable on account of mountains.
	Land rolling.
	Soil 2nd rate.
	Timber scattering pine
	October 4th 1876
	J. G. Burrill

General Description.

The lands returned as surveyed in this township are all arable. Soil mostly first rate, with good meadow and grass.
The unsurveyed portion lies in the mountains covered with timber and cannot be subdivided at present rates.
The lands are agricultural.

J. C. Bailey
Deputy Surveyor.

BOOK-A-145

47 84

49

U. S. SURVEYOR GENERAL'S OFFICE

Salt Lake City, Utah, December 22 1876

The foregoing field notes of the survey of the East Boundary and Subdivision Lines in

Township No. 25 S *Range No.* 2 East

Executed by Bailey and Burrill

Under their first *contract of the* 4th

day of Sept *1876, in the month of*

October *1876, having been critically*

examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Nathan Kimball

Surveyor General for Utah.

Blank

Page

BOOK-A-145

No 2 ok 57

Examined by M. F. Burgess. C.F.

4 C [illegible]

2. Descriptive Lists made

Field Notes

of

the Survey of the

Fremont Valley Guide Meridian

Through,

Townships Nos 26. 27. & 28 South,

Between

Ranges 2 and 3 East of the

Salt Lake Meridian,

by

Bailey and Burrell

Under their joint Contract No. 73

dated Sept 4th 1876,

Survey Commenced Oct. 7th 76.

Survey Completed Oct. 11th 76.

4

Blank

Page

Blank

Page

54

Fremont Valley Guide Meridian

Chains Survey Commenced October 7th 1896. by J. G. Burrill

As the 5th Standard South was chained over Fish Lake Mountains and through heavy timber the measurement no doubt falls short about which the convergency of Meridian would be in this range, between the 5th and 6th Standard Parallels South, therefore I begin at the established Corner Common to Tps. 2. 5 and 26. S Rs. 2 and 3 E. and run,

South

between Secs. 1 and 6,

Var. 16° 30' East

Descend gently to

40,00 Marked a Tree to in place

BOOK 165

Township 26 South **R.** 2 East

6	5	4	3	2	1	54
7	8	9	10	11	12	56
18	17	16	15	14	13	58
19	20	21	22	23	24	59
30	29	28	27	26	25	60
31	32	33	34	35	36	61

Fourth Valley Guide Meridian.

BOOK-A-145

Through Tp. 26 S. Between Rs. 2 and 3 Each

Chains 3½ × 2½ × 2 ft. ¼ on W. side with mound of Stones for ¼ Sec. Cor. from which,

An Aspen 4 in. dia bears N. 5° W. 10 lks. dist.

An Aspen 6 in. dia. bears S. 45 W. 7 lks. dist. Both marked ¼ S. B. T.

55.00 Deep run drains S. E.

76.00 Deep run drains S. E.

80.00 Set a Trachyte stone 12×10×6 in. 8 in. deep marked 1 Notch on N. and 5 on South Edges with mound of Stones for Cor. to Secs. 1, 6, 7 & 12, from which,

A red pine 30 in. dia. bears S. 15 E. 5 lks dist marked S. 7 T. 26 S. R. 3 E. B. T.

A fir 14 in. dia. bears S. 60 W. 7 lks. dist marked S. 12 T. 26 S.

Fremont Valley Guide Meridian

Chains R. 2 E. B.T.

An Aspen 10 in. dia. bears N. 15 W. 20 lks. dist. marked S. 1 B.T.
Land Arable sloping S.
Soil 2nd rate,
Timber heavy pine fir and Aspen of Commercial Value,

South between Secs. 7 & 12
Var. 15° 30' East

38,00 Bottom of Horse Hollow drains S.E.
40,00 Set a trachyte stone 12×10×6 in. 8 in. deep marked 1/4 on W. side with Mound of stones for 1/4 sec. Cor. from which,
An Aspen 6 in. dia. bears S. 1 E. 150 lks. dist.
An Aspen 7 in dia bears S. 1 W. 155 lks dist, both marked 1/4 S.

BOOK-A-145

Through Tp. 26 S. between Rs. 2 and 3 East,
Chains B.S.

50,00 Ridge bears E. and W.

53,00 Gulch drains E into Hare Hollow.

80,00 Set a Trachyte stone 18x12x7 in. 12 in deep, marked 2 notches on N. and 4 on S. Edges, with mound of Stones for Cor. to Secs. 7.12.13 & 18. from which

An Aspen 8 in. dia. bears S. 15 W. 125 lks. dist. marked S. 13. T. 26. S. R. 2 E. B.T.

A pine 6 in. dia. bears N. 11 E. 16 lks. dist. marked S. 7. T 26. S. R 3. E. B.S.

An Aspen 4 in. dia. bears S. 45 E. 125 lks. dist. marked S. 18 B.T.

Level Arable, broken and rocky, Soil 2nd rate, Good grass, Timber Heavy pine, fir and Aspen of Commercial Value.

Fremont Valley Guide Meridian

Chains South between Secs. 13 and 18,
Var. 16° 05' East.

2,50 Deep ravine chains S. 60 E.

110,00 Marked a Trachyte 4×3×2 ft
in place, on N. side with mound
of rocks for 1/4 Sec. Cor from
which,
A pine 10 in. dia. bears S. 40 E.
15 lks. dist.
An Aspen 3 in. dia bears N. 45
W. 7 lks. dist, Both marked
1/4 S. B. T.

119,00 Ridge bears E. and W.

80,00 Set a Trachyte stone 18×10×7 in,
12 in deep, marked 3 notches on
on N. and S. edges with mound
of rocks, for Corner to Secs, 13. 18.
19 and 24 from which
An Aspen 8 in. dia bears N.
40 E. 65 lks. dist, marked S.
18. T. 26. S. R. 3 E. B. T.

Three
Chain

140,0

Through Sec. 26 South between Ranges 2 & 3 E.

Chains An Aspen 5 in dia, bears N. 45 W. 48 lks, dist, marked S. 13 S. 26 S. R. 2 E. B. S.

Land arable broken & rocky.

Soil 2nd rate, good grass.

Timber pine and Aspen of Commercial Value,

Oct 4th 1876. J. G. Burrill

Oct. 5th 1876.

By. J. G. Burrill.

South between Secs. 19 and 24.

Var. 16° 20' East.

14.00 Set a Trachyte stone 15 x 14 x 10 in, 12 in. deep marked 1/4 on N. side with mound of rocks for 1/4 Sec. Cor, from which,

An Aspen 15 in. dia. bears N. 45 E 225 lks, dist, marked 1/4 S. B. S.

Prescott Valley Guide Meridian

Chains

60.00 Rocky hollow drains East,

80.00 Marked a Trachyte stone in place 2×2×2 ft, 4 notches on N. and 2 on S. Edges with mound of rocks for Cor. to Secs. 19, 24, 25 and 30.

Land sloping S.E. arable, Soil 2nd rate, good grass, Timber pine, fir and Aspen of Commercial Value.

South between Secs. 25 and 30

Var. 16° 37' East.

10.00 Ledge 50 feet high trers E. and W.

30.00 Ravine drains S.E.,

40.00 Set a Trachyte stone 24×15×12, in 18 in. deep marked 1/4 on N. side with mound of stones for

through Sec. 26 S. Between Rs. 2 and 3 East,

Chains, 1/4 Sec. Cor,

75,00 Ravine drains E,

80,00 Set a Trachyte stone 18x12x6 in 12 in deep, marked 5 notches on N, and 1 on S, Edges, with mound of stones for Cor, to Secs, 25, 30, 31 and 36,

Land arable sloping S.E,

Soil 2nd rate, 2nd grass,

Timber Cedar of Commercial value,

South between Secs, 31 and 36,

Var, 15° 30' East

Leave timber enter a plateau

40,00 Set a Trachyte stone 16x14x3 in, 11 in, deep, marked 1/4 on W, edge with mound of stones for 1/4 Sec. Cor,

66,50 Ravine at foot higher plateau

Township 26

Chains drains N.E.

80,00 Set a Trachyte stone 20×14×10 in, 15 in, deep, marked 6 notches on S.E., N and W, with Monu-ment of Stones 4 feet base and 4 feet high for Corner to Townships 26 and 27 S. Ranges 2 and 3 East, from which,

A Cedar 12 in. dia bears N.45 E. 110 lks, dist, marked S.31. T.26. S. R.3 E. B.T.

A Mahogany 6 in. dia, bears N.10 W. 52 lks, dist, marked S.36. T. 26 S. R. 2 E. B.T.

Land arable, terraced plateau, Soil 2nd rate, fine grazing No timber

---

Township 27 South R. 2 East

6	5	4	3	2	1	63
7	8	9	10	11	12	63
18	17	16	15	14	13	64
19	20	21	22	23	24	66
30	29	28	93 / 92	27 / 88	26 / 89	25 / 85 / 67
31	32	33	91 / 90	34 / 86	35 / 87	36 / 83 / 68

Mount Diablo Meridian.

Township 27

chains South between Secs. 1 and 6
Var. 15° 45' East

40.00 Set a Trachyte stone 18x12x9 in. 12 in. deep, marked 1/4 on W. side with mound of stone for 1/4 Sec. Cor.

80.00 Set a Trachyte stone 22x14x14 in. 16 in. deep marked 1 Notch on N and 5 on S. Edge with mound of Stones for Cor. to Secs 1, 6, 7 and 12.

Land Arable, level plateau Soil Good rate, good grass No timber.

South bet. Secs. 7 and 12
Var 16° 30' East

40.00 Set a Trachyte stone 15x10x8 in. 10 in. deep marked 1/4 on

Fremont Valley Guide Meridian west side with Mound of Stones for 1/4 Sec. Cor.

75.00 Head of rocky ravine drains S.E.

80.00 Set a Trachyte Stone 17x8x8 in. 11 in deep marked 2 on N & 4 notches on S. Edges with Mound of rocks for Cor. to Secs. 7.12.13 and 18.

Land mostly level. arable soil 2nd rate, good grass, No timber.

Oct. 8th 1876. J.G. Burrill

Oct 10th 1876.

By T.C. Bailey

South between Secs. 13 and 18.

Var 14° 55' East

1050 Enter Cedars and Pinion pine

through Tp. 27 S. between Rs. 2 and 3 East

Chains and rocky breaks,

22,50 Head of rocky Canon trains S.E.

40,00 Set a trachyte stone 22x12x6 in, 7 in deep, marked 2 notches on W. side with mound of stones for 1/4 Sec. Cor. from which, Ponderosa pine 30 in. dia. bears S. 45 E. 45 lks. dist. marked 1/4 S. B.T.

62,50 Leave rocky breaks and descend, leave timber

80,00 Set a Trachyte stone 18x12x6 in. 12 in deep, marked 3 notches on N. and S. edges with mound of stone for Cor. to Secs. 13.18.19 & 24

Land mostly broken & rocky

Soil 2nd rate,

Timber 52 chs. pine & Cedar, of Commercial Value.

Fremont Valley Guide Meridian

Chains	South between Secs. 19 and 24 Var. 16° East.
11,50	Leave Hill and Enter Fremont Valley
31,00	"Trail Cañon" wash drains S.E.
40,00	Set Trachyte Stone 12×8×6 in. 8 in. deep, marked 1/4 on W. side and raised a Mound of earth from 4 pits each 24×12×12 in. for 1/4 Sec. Cor.
77,50	Indian Trail bears N.E. and S.W.
80,00	Set a trachyte stone 13×8×5 in. 9 in. deep marked 4 Notches on N. and 2 on S. Edges and raised a Mound of Earth from 4 pits each 24×12×12 in. for Cor. to Secs. 19. 24 25 and 30, 25 Chs. W. of Fremont Springs.
	Land level, Soil 1st rate, Timber, Artemisia of Commercial Value.

Throug

Chains.
20,50
37,60
40,00
44,00
51,00
70,00
77,50
80,00

BOOK-A-145

Through Tp. 27 S. between Rs 2 and 3 East
Chains. Search between Secs. 25 and 30.
Var. 16° East.

20.00 Road bears E. and W.

37.60 Fremont Creek, 20 lks. wide, 16 in. deep, clear and cold, gravel bottom runs E. 12 chs. thence S. Thence ascend

40.00 Set Trachyte stone 13 x 8 x 7 in. 9 in. deep, marked 1/4 on N. side with mound of stones for 1/4 Sec. Cor.

44.00 Top of E. point of ridge bears N.E. & W.

51.00 Foot of ridge

70.00 Fremont Creek, 20 lks wide runs S.W. Cross same creek three times to

77.50 Where it runs S.E.

80.00 Set Trachyte stone 13 x 8 x 6 in 9 in. deep marked 5 notches on N and on S. Edges, (No mound or pits, Marshes) for Cor. to Secs.

Fremont Valley Guide Meridian

Chains, 25, 30, 31 and 36,
Land level, Except across ridge,
Soil 1st rate, No Timber,

South between Secs. 31 and 36,
Var. 16° East,

0,30	Fremont Creek runs S.W.
40,00	Deposited a small Trachyte stone marked with a cross (+) 6 in deep, in mound of Earth raised from 4 pits, each 24×12×12 in, for 1/4 Sec. Cor.
48,80	Road bears N.E. and S.W.
80,00	Set a Trachyte stone 16×10×10 in. 11 in. deep, marked 6 notches on N.E. S and W. edges and raised a mound of earth from 4 pits, each 24×12×12 in. for Cor. to Tps. 27 and 28, S. Rs 2 and 3 E.

through
Chain
32,00
37,00
38,50
40,00
40,75
46,00
51,50
71,00
80,00

BOOK-A-145

through Tp. 28 S. between Rs. 2 and 3 E.

Chains. Land level prairie, Soil 1st rate,

Good grass,

Timber, Cottonwood,

Township 28 S. Rs. 2 & 3 E.

Bounds between Secs. 1 and 6.

Var. 16° East.

32.00 Fremont Creek 20 lks. wide runs E.

37.00 Same runs N.

38.50 Same runs S.E.

40.00 Deposited a small stone marked with a Cross (+) 6 in. deep in mound of Earth raised from 4 pits each 24 x 12 x 12 in. for 1/4 Sec. Cor.

46.75 Fremont Creek runs S.W.

46.00 " " " S.E.

51.50 " " " S.W.

71.00 " " " S.E.

80.00 Set a Trachyte stone 12 x 8 x 7 in. 8 in. deep, marked 1 Notch on N.

Township 28 South R. 2. East -



			148		146		145		144
6	5	4	164	3	161	2	158	1	69
		165		163		160		157	
7	8	9	164	10	160	11	156	12	70
						159		155	
18	17	16		15		14	154	13	71
								153	
19	20	21		22		23		24	72
30	29	28		27		26		25	73
31	32	33		34		35		36	74

Fremont Valley Guide Meridian.

70

Vermont Valley Guide Meridian

and 6 on S. Edge, raised a mound of Earth from two pits each 24 x 12 x 12, on right bank of Creek. (No other pits practicable) for Cor. to Secs. 1, 6, 7 and 12.

Land level, Marshy along creek.

Soil 1st rate.

No timber,

Track between Secs. 7 and 12.

Var. 16° East,

3,50 Vermont Creek runs S.W.

26,00 Enter Creek and follow same,

29,50 Bird's road bears E. and N.

40,00 Deposited small Stone marked with a Cross (+) bin. dak, on E side of Creek, 5 lks. E. of the Corner point. raised a mound of Earth from two pits each

5,70

through Tp. 28 S. between Rs. 2 and 3 East.

Chains, 24 x 12 x 12 inches for 1/4 Sec. Cor.

48,50 Leave creek, runs S.W.

64,50 Same Creek runs S.E.

80,00 Set a Trachyte stone 12 x 8 x 8 in. 8 in. deep, marked 2 notches on N. and 4 on S. edges and raised a mound of Earth from 4 pits each 24 x 12 x 12 in. for Cor. to Secs. 7. 12. 13 and 18

Land level, Marshy along creek, Soil 1st rate,

Timber Artemisia

Oct. 10th 1876. J. C. Bailey

Oct. 11th 1876.

By J. G. Burrill

South between Secs. 13 and 18

Var. 15° 30' East

5,75 McClellan Creek 40 lks. wide 20 in. deep runs S.E.

3) 72

Fremont Valley Guide Meridian

Chains	
40,00	Set a Trachyte Stone 13×7×7 in 9 in. deep marked 1/4 on W. side, raised a Mound of Earth from four pits, each 24×12×12. in for 1/4 Sec. Cor.
80,00	Set a Trachyte stone 14×12×8 in. 10 in deep, marked 3 Notches on N. and S. Edges, with mound of Stones, for Cor. to Secs, 13, 18, 19, & 24 Land level, Soil 1st rate, Timber, Sage brush.

South between Secs. 19 and 24

Var. 16° East.

17,50	Foot of broken rocky ridge E & W.
40.00	Set a trachyte Stone. 18×12×4 in. 12 inches deep. marked 1/4 on W. side and raised a mound of

BOOK-A-145

through Tp. 28 S. between Rs. 2 and 3 East.

Chains Earth from 4 pits each 24x12x12 in for 1/4 Sec. Cor.

80.00 Set a Trachyte stone 18x15x8 in. 12. in deep marked 4 Notches on N. and 2 on S. Edges. with Mound of Stones for Corner to Secs. 19, 24, 25 and 30.

Land broken & rocky, Soil 2nd rate.

Timber, Cedar & Pinion pine, of Commercial Value.

South between Secs. 25 and 30
Var. 16° East.

40.00 Marked a Trachyte rock in place, 4x3x3 ft. 1/4 on W. side with mound of stones for 1/4 Sec. Cor.

80.00 Set a Trachyte stone 15x12x10

Fremont & Valley Guide Meridian

in, 10 in deep, marked 5 Notches on N. and 1 on S. Edges, with mound of stones for Cor to Secs 25. 30. 31 and 36.

Land broken & rocky, Soil 2nd rate Tin

Timber, Pinion pine of Commercial Value,

South between Secs. 31 and 36

Var. 16° East,

At this point I leave rocky breaks, and enter plateau,

40,00 Set Trachyte Stone 18x12x12 in, 12 in. deep, marked 1/4 on N. side with mound of stones for 1/4 Sec. Cor,

80,00 Set a trachyte stone 16x10x10 in, 11 in deep, marked 6 Notches on N. S. E and W. edges, with Monument

BOOK A-245

through Sec. 28 S. between Rs. 2nd & 3rd East.
of stones, 4 ft base and 4 ft high, for Cor.
to Secs. 28 & 29 S. Rs. 2nd & 3 E, near a
dry bed, on entrance of level spot on
plateau.

Land undulating plateau, Soil
2nd rate.

Timber, pine of Commercial Value

Oct. 1st 1876. J. G. Burrill.

General Description

The land in Township 26 South Rs.
2nd & 3 E, falls in timbered Mountains
Covered with good bunch grass;
The other Secs. through which this
line passes, are described at the end
of their respective Subdivision notes

J. G. Burrill,
Deputy Surveyor,

Blank

Page

BOOK-A-145

17

U. S. SURVEYOR GENERAL'S OFFICE

Salt Lake City, Utah December 22d 1876

The foregoing field notes of the survey of the Freemont Valley Guide meridian thru

Townships No. 26. 27. & 28 S *Ranges No.* 2 & 3 East

Executed by Bailey and Burrill

Under their first *contract of the* 4th

day of Sept. 1876, *in the month of*

October 1876, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

Blank

Page

Blank

Page

Blank

Page

BOOK-A-145

Examined by Mr. T. Forgles. C. C.

5 6

Field Notes
of
the Survey of the
Subdivision lines
of
Township 2 of South Range 2 East,
of the Salt Lake Meridian
Territory of Utah,
By
Bailey and Burrill
under their joint Contract No. 73,
dated Sept. 4th 1876.

Survey Commenced Oct. 17th 1876.
Survey Completed Oct. 17th 1876.

Subdivisions Township 27.
Survey Commenced Oct. 17th 187[illegible]
By T. C. Bailey,

From the established corner to Secs. 35 and 36, on the South boundary of the Township I run,

North between Secs. 35 and 36
Var. 16° 30' East.

40,00 Set a trachyte stone 30×12×8 in 20 in. deep marked 1/4 on W. side with mound of stones for 1/4 Sec. Cor.

70,00 Ridge bears N.E. and S.W.

80,00 Marked trachyte rock in place 3×2½×2½ ft. with 1 notch on S. and E. edges, with mound of stones for Corner to Secs. 25, 26 35 and 36.

Land rolling. Soil 2nd rate good grass.
No timber. T. C. Bailey,

South, Range 2 East, Salt Lake Meridian

By J.G. Burrill, Oct. 17th 1896

East on random line between Secs. 25 and 36

Var. 16° 30' East.

14,50 Ridge bears N.E. and S.W.

28,00 Head of ravine drains Easterly

40,00 Set temporary 1/4 Sec. Cor.

80,28 Intersect Fremont Valley Guide Meridian at Cor. to Secs. 25 & 36 from which,

West on true line bet secs. 25 & 36,

40,14 Set Trachyte stone 16 x 12 x 10 in 11 in deep marked 1/4 on N. side with mound of stones for 1/4 Sec. Cor.

80,28 The Cor. to Secs. 25, 26, 35 & 36,

Land rolling, soil 2nd rate

No timber,

J.G. Burrill.

54 Subdivisions Township 27 South

By J. L. Bailey, Oct. 17th 1876.

North between Secs. 25 and 26.

Var. 16° 30' E.

7,00 Road bears S.E. and S.W.

40,00 Set trachyte stone 12×10×8 in. 8 in deep, marked 1/4 on N. side, raised a mound of earth from 4 pits each 24×12×12 in, for 1/4 Sec. Cor.

75,00 Ravine at foot of bluffs bears S.E. Ascend.

80,00 Set a trachyte stone 36×12×12 in. 24 in. deep, marked 2 on S. and 1 on E. edges with mound of stones by a ledge of large rocks for Cor. to Secs. 23, 24, 25 and 26

Land 75 Chs. S. part level 1st rate. Balance rocky. Soil 2nd rate. No timber.

J. C. Bailey.

Ra

35,0

40,0

80,9

40,4

80,9

BOOK A-145

Range 2 East Salt Lake Meridian

By J. H. Burrill, Oct 17th 1876

East on random line between Secs. 24 and 25

Var. 16° 30' E.

35,00 Pint of stone bears N.E. and S.W.

Enter Fremont Spring and Meadow.

40,00 Set temporary 1/4 Sec. Cor.

80,90 Intersect Fremont Valley Guide Meridian, at the Cor. to Secs. 24 and 25 from which.

West on true line bet. Secs. 24 and 25.

40,45 Set trachyte 18 x 10 x 8 in. 12 in. deep marked 1/4 on N. side, in swampy ground, pits impracticable for 1/4 sec. Cor

80,90 The Cor. to Secs. 23. 24. 25 & 26.

Land E. 1/2 level, Soil 1st rate.

W. 1/2 rocky Soil 3rd rate

Noticed.

Subdivision Township 27 South

Stone Cor. to Secs. 34 and 35 on S. boundary. I run,

North bet. Secs. 34 and 35

Var. 10° 30' E.

20,00 Descend

31,00 Enter Spring hollow bears N.E. and S.W.

40,00 Set trachyte 12 x 10 x 6 in. 8 in deep, marked 1/4 on N side and raised a mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 Sec. Cor.

40,40 Road bears N.E. and S.W.

80,00 Set trachyte stone 14 x 10 x 8 in, 10 in. deep marked 1 notch on S. and 2 on E. edges, with mound of stones for Cor. to Secs. 26, 27, 34 & 35

Land mostly level.

Soil 1st rate

No timber.

Range 2 East Salt Lake Meridian

East on random line between
Secs. 26 and 35,

Var. 16° 30 E,

40,00 Set a temporary 1/4 sec. Cor.
66,00 Road bears N.E. and S.W.
80,10 Intersect N. and S. line 12 lks. N.
of Cor. to Secs. 25, 26, 35 and 36,
from which,
N. 89° 55 W. on true line
bet. Secs. 26 and 35,
40,05 Set trachyte stone 13x7x3 in,
9 in, deep, marked 1/4 on N. side,
and raised a mound of earth
from 4 pits each 24x12x12 in.
for 1/4 Sec. Cor.
80,10 The Cor. to Secs. 26, 27, 34 & 35
Land level,
Soil 1st rate
No timber.

Subdivisions Township 27 South Range 6

North bet. Secs. 26 and 27.

Var. 16° 30' E.

29,00 Wash Chains S.E.

32,50 Foot of hills

40,00 Set trachyte stone 18x18x10 in 12 in. deep marked 1/4 on W. side with mound of stones for 1/4 Sec. Cor.

55,00 Top of bluffs bears E. and W.

80,00 Set trachyte stone 18x16x15 in 12 in. deep marked 2 notches on S. and E. edges. with mound of stones for Cor. to Secs. 22, 23, 26, and 27.

Land S 1/2 level. Soil 1st rate.

N 1/2 broken & rocky.

Soil 2nd rate.

Timber,

J. G. Burrill.

26,00

40,00

54,15

75,10

80,17

40,08

80,17

BOOK-A-145

Range 2 East, Salt Lake Meridian
By J. C. Bailey, Oct. 17th 1876.
East on random line bet.
Secs. 23 and 26,
Var. 16° 30' E.

26,00 Descend,
40,00 Set temporary 1/4 Sec. Cor.,
54,15 Ravine trains S.E.,
75,00 " " S.E.
80,17 Intersect N. & S. line at the Cor. to
Secs. 23. 24. 25 & 26, from which,
West on true line bet. Secs. 23 & 26,
40,08 Set trachyte stone 24 x 18 x 16 in, 18
in deep marked 1/4 on N. side with
mound of stones for 1/4 Sec. Cor.
80,17 The Cor. to Secs. 22. 23. 26. and 27.
Land broken & rocky.
Soil 2nd rate, good grass,
No timber

J. C. Bailey,

90

Subdivisions Township 27 South

Chains By J. G. Barrill Oct. 17th 1876.

From the Cor. to Secs. 33 & 34 on the South boundary Drum.

North bet. Secs. 33 & 34

Var. 16° 30' E.

13,50 Springs (Marshy grass spot) drains easterly.

18,50 Foot of ridge bears N.E. & S.W.

30,00 Top of same.

40,00 Set trachyte stone 36×24×24 in 24 in. deep, marked 1/4 on N. side, with mound of stones for 1/4 sec. Cor.

43,50 Ravine drains N.E.

50,00 Deep wash on N. side of ravine drains N.E.

62,00 West branch of McClellan creek 10 lks wide 6 in deep, runs S.E. Ascend

78,00 Grass Valley road on top

Range 2 East, Salt Lake Meridian

Chains

80.00 of ridge bears N.W. and S.E.,
Set trachyte stone 13x9x7 in
9 in, deep marked ~~marked~~ 1
Notch on S. & 3 on E. edges,
with mound of stones for Cor to
Secs. 27, 28, 33 & 34.
Land broken, rolling,
Soil 2nd rate,
No timber,

East on random line bet. Secs.
27 and 34,
Var. 16° 30' E,

74.40 Enter Spring ravine drains N.E.,
40.00 Set temporary 1/4 Sec. Cor.
80.09 Intersect N. & S. line. 7 lks. S. of
the Cor. to Secs. 26, 27, 34 & 35
from which,
South 89° 57' W. on true line

92 Subdivision Township 27 South

Chains bet Secs. 27 & 34.

40,04 Set trachyte stone, 30×12×8 in, 24 in, deep, marked 1/4 on N. side, with mound of stones for 1/4 sec. Cor.

80,09 The cor. to secs. 27, 28, 33 & 34

Land mostly level,

Soil 1st rate,

No timber,

J G Burrill

Oct. 17th/76 By J. C. Bailey.

North between Secs. 27 & 28,

Var. 16° 30' E,

38,00 Gulch drains S.E.

40,00 Set trachyte stone 20×10×10 in, 15 in, deep, marked 1/4 on W. side, with mound of stones for 1/4 sec. Cor.

Ra

Chains

80,00

4,00

14,00

Subdivisions of T. 27 S. R. 3 E.

Chains	
	Survey commenced October 13th 1876 by J. G. Burrill
	On account of the mountains I begin at the established corner to secs 34 & 35, on the south boundary and run North bet: secs. 34 & 35
	Var: 16° 30' E.
40.00	Set trachyte stone 12 x 8 x 6 in., 8 in. deep, marked 1/4 on W. side with mound of stones for 1/4 sec. cor.
80.00	Set trachyte stone 13 x 9 x 7 in., 9 in. deep marked 1 notch on S. and 2 on E. edges with mound of stones for cor. to secs. 26, 27, 34 & 35. Land rolling, broken & rocky. Soil 2nd rate. good grass.

Salt Lake Meridian

Chains	Scattering pinion pine.
	North betw secs. 26 & 27.
	Var: 16° 30' E.
31.00	Branch runs S.W. Enter flat.
40.00	Set trachyte stone 13 x 6 x 6 in. 9 in. deep, marked 1/4 on W. side with mound of stones for 1/4 sec. cor.
70.00	Enter marshy ground.
80.00	Set trachyte stone 12 x 12 x 8 in., 8 in. deep, marked 2. notches on S. & E. edges in a spring marsh (pits impracticable) for cor. to secs. 22, 23, 26 & 27
	Land mostly level.
	Soil 1st rate.
	No timber.

Subdivision of T. 27 S. R. 3 E.

Chains	
	As the line will become impracticable in less than 80 chains I run East on a true line betw. secs. 23 & 26. (Var. 16° 30' E.
16.00	Leave spring marsh.
40.00	Set a trachyte stone 15 x 9 x 6 in., 10 in. deep, marked 1/4 on N. side with mound of stones for 1/4 sec. cor. at foot of Thousand Spring Mountains.
	Land level.
	Soil 1st rate.
	No timber. Sage Brush.

Salt Lake Meridian.

Chains	
	North betw. secs 22 & 23.
	Var: 16° 30' E.
11.00	Road bears E. & W.
21.00	Wash drains W.
30.00	Leave flat.
40.00	Set trachyte stone 14 x 11 x 7 in., 10 in. deep; marked 1/4 on W. side with mound of stones for 1/4 sec. cor.
61.00	Ravine drains N. W.
80.00	Set trachyte stone 12 x 9 x 7 in. 8 in. deep. marked 3 notches on S. and 2 on E. edges, with mound of stones for cor. to secs. 14, 15, 22 & 23. Land broken & 2nd rate. excepting in flat, level & 1st rate. No timber

Subdivisions of T. 27 S. R. 3 E.

Chains	
	East on true line betw. secs. 14 & 23. Var: 16° 30' E.
20.00	Ravine drains N. W.
40.00	Set trachyte stone 13 x 12 x 11 in., 9 in. deep, marked 1/4 on N. side with mound of stones for 1/4 sec. cor.
80.00	Set trachyte stone 16 x 12 x 10 in., 11 in. deep marked 3 notches on S. and 1 on E. edges with mound of stones for cor. to secs. 13, 14. 23 & 24 at foot of mountains bear N & S.
	Land broken & rocky. Soil 2nd rate, good grass Timber scattering pines & cedars.

Chains	
	North betw secs 14 & 15.
	Var: 16° 30' E.
1700	Ravine drains N W.
4000	Set trachyte stone 12 x 8 x 8 in., 8 in. deep, marked 1/4 on W. side with mound of stones for 1/4 sec. cor. at foot of Mountains bearing N. W. & S. E.
	Land broken.
	Soil 2nd rate. good grass.
	Timber – scattering pinion pine and cedars. Further line impracticable,
	October 13th 1876.
	J. G. Burrill

Subdivision of T. 27 S. R. 3 E.

Chains	
	October 14th 1876
	By J. G. Burrill.
	From the corner to secs. 33 & 34 on the south boundary 2 mm
	North betw. secs. 33 & 34.
	Var. 16° 30' E.
23.50	Enter flat bears N.E. & S.W.
27.50	Cedar Creek 10 links wide. 5 in. deep runs westerly.
37.50	Leave flat bears E. & W.
40.00	Set trachyte stone 18 x 12 x 8 in., 12 in. deep, marked 1/4 on W. side with mound of stone for 1/4 sec. cor.
45.00	Small hill at head of Spring runs westerly & enter flat
60.00	Leave flat.
80.00	Set trachyte stone 15 x 12 x

Chains	8 in., 10 in. deep, marked 1 notch on S & 3 on E. edges with mound of stones for cor. to secs. 27, 28, 33 & 34 Land broken & rolling. excepting in flats. Soil 2nd rate. No timber.
	East on random line betw. secs. 27 & 34. Var. 16° 30' E.
40.00	Set temp. 1/4 sec. cor.
58.00	Branch runs S.W.
80.30	Intersect N & S line 14 links N. of cor. to secs. 26 27, 34 & 35 from which N. 89° 54 W. on true line betw. secs. 27 & 34.

Subdivision of T. 27 S. R. 3 E.

Chains	
40.15	Set trachyte stone 15 x 9 x 6 in., 10 in. deep marked 1/4 on N. side with mound of stones for 1/4 sec. cor.
80.30	The cor. to secs 27, 28, 33 & 34.
	Land rolling & broken.
	Soil 2nd rate. Good grass.
	Scattering pine & cedars.

North betw. secs 27 & 28.
Var. 16° 30' E.

2.00	Ravine drains S.W.
40.00	Set trachyte stone 16 x 10 x 8 in., 11 in deep marked 1/4 on W. side with mound of stones for 1/4 sec. cor.
80.00	Set trachyte stone 12 x 10

Chains	8 in., 8 in. deep, marked 2 notches on S. & 3 on E. edges and mixed a mound of earth from 4 pits each 24 x 12 x 12 for cor. to secs. 21, 22, 27 & 28. Land flat, grazing land Soil 1st rate. No timber. —
	East on random line betw secs. 22 & 27. Var. 16° 30' E.
30.00	Low ridge bears N. & S.
40.00	Set a temp. 1/4 sec. cor.
71.00	Enter marshy ground.
79.60	Intersect N & S. line 20 links S. of cor to secs. 22, 23, 26 & 27 from which S.

Subdivision of T. 27 S. R. 3. E.

Chains		Chain
	89° 37' W. on true line betw secs. 22 & 27.	40.0
39.80	Deposited a small stone marked with a cross (+) in mound of earth raised from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.	
79.60	The corn. to secs 21, 22, 27 & 28.	69.
	Land mostly level	80.
	Soil 1st rate.	
	No timber.	

North betw. secs 21 & 22.
Var: 16° 30' E.

2.00	Monroe spring brook runs W.
5.00	Low ridge bears E. & W.
30.00	Enter Monroe flat bears

Chains	
	N.E. & S.W.
40.00	Set trachyte stone 12 x 10 x 6 in., 8 in. deep, marked ¼ on W. side with mound of earth raised from 4 pits each 24 x 12 x 12 in. for ¼ sec. cor.
69.75	Road bears E. & W.
80.00	Set trachyte stone 14 x 10 x 9 in., 10 in. deep, marked 3 notches on S & E. edges with mound of stones for cor. sects. 15 & 16, 21 & 22
	Land mostly level.
	Soil 1st rate.
	No timber.

East on random line betw. secs. 15 & 22.

Subdivision of T. 27 S. R. 3. E.

Chains	Var. 16° 30' E.
18.50	Level flat.
40.00	Set temp. 1/4 sec. cor.
57.00	Raving drains N. W.
80.10	Intersect N & S. line at cor to secs. 14, 15, 22 & 23 from which, West on a true line betw secs 15 & 22.
40.05	Set trachyte stone 24 x 10 x 10 in., 18 in. deep marked 1/4 on N. side with mound of stones for 1/4 sec. cor.
80.10	The cor. to secs 15, 16, 21 & 22. — Land broken, rocky. Soil 2nd rate. Good grass Scattering pine & cedar. —

Salt Lake Meridian.

Chains	
	North bet. secs 15 & 16
	Var. 16° 30' E.
33.00	Leave flat.
40.00	Set trachyte stone 15 x 9 x 7 in 10 in. deep marked 1/4 on W. Side with mound of stones for 1/4 sec cor.
80.00	Set a red sandstone boulder 15 x 10 x 7 in, 10 in deep marked 4 notches on S & 3 on E. edges with mound of stones for cor. to secs. 9, 10, 15 & 16 at foot of hills bearing N.E. & S.W.
	Land S. 1/2 level Soil 1st rate
	N 1/2 broken Soil 2nd rate
	No Timber

As the line will become impracticable in less than 80 chs I run East on true line between secs 10 & 15

Subdivision T. 27 S. R. 3 E.

Chains	Var. 16°30' E.
25.00	Ascend steep Mountains.
40.00	Set trachyte stone 12x8x6 in., 8 in deep marked 1/4 on N. side with mound of stone for 1/4 sec. cor. Land broken. Soil 2nd rate No timber

North betw secs 9 & 16
Var: 16°30' E

40.00	Set trachyte stone 12x10x8 in. 8 in deep marked 1/4 on W. side with mound of stones for 1/4 sec cor.
62.00	Foot of mountains 20 chs. E of mouth of Fremont River Canon
80.00	Set trachyte 13x9x8 in., 9 in. deep marked 5 notches on S. & 3 on E edges with mound of stones for cor. to secs 3 4, 9 & 10. Land mostly level.

chains	Soil 1st rate.
	No timber
	Note: The line is unpracticable further North & East.
	October 14th 1876
	J. G. Burrill
	October 17th 1876.
	By T. C. Bailey.
	From the corner to secs. 32 & 33 on the south boundary 2 run
	North bet: secs 32 & 33.
	Var. 16°30' E.
26.00	Wash drains S.W.
40.00	Foot of hills, set a trachyte stone 13 x 11 x 9 in. 9 in deep marked 1/4 on W. side with mound of stones

Subdivision of T. 27 S. R. 3 E.

Chains	
80.00	for ¼ sec. cor. Set a trachyte stone 20 x 17 x 15 in., 15 in. deep, marked 1 notch on S. & 4 on E. edges with mound of stones for cor to secs. 28, 29, 32 & 33
	Land S ½ level 1st rate. N ½ broken 2nd rate. No timber.
	East on random line betw secs 28 & 33. Var. 16° 30' E.
30.00	Wash drains S.W.
40.00	Set temp ¼ sec. cor.
47.00	Spring in same Wash runs N.W.
79.50	Ravine drains S.W.

Salt Lake Meridian

Chains	
80.96	Intersect N & S line 50 links N of cor. secs 27, 28, 33 & 34 from which N. 89° 39' W. on true line betw. secs 28 & 33.
40.48	Set trachyte stone 18 x 14 x 12 in., 12 in. deep, marked 1/4 on N. side with mound of stones for 1/4 sec. cor.
80.96	The cor. to secs. 28, 29, 32 & 33.
	Land broken hills. Soil 2nd rate. Good grass. Scattering pinion pine
	North betw secs 28 & 29. Var: 16° 30' E.
10.50	Ravine drains W.

Subdivision of T. 27 S. R. 3 E.

Chains		
40.00	Set trachyte stone 16 x 11 x 5 in., 11 in. deep, marked 1/4 on W. side and raised a mound of earth from 4 pits each 24 x 12 x 12 in. for 1/4 sec. cor. in ravine drains S.E.	39.5 40.0 69.5 73.0 75.0 80.0
80.00	Set trachyte stone 16 x 11 x 5 in., 11 in. deep, marked 2 notches on S & 4 on E. edges with mound of stones for cor. to secs. 20, 21, 28 & 29.	40.
	Land rolling arable hills Soil 2nd rate.	
	Scattering pine. —	80.0

East on random line betw. secs 21 & 28.

BOOK-A-145

Var: 16° 30' E.

39.50 Ravine drains N. W.

40.00 set temp. 1/4 sec. cor.

69.50 Wash drains N.

73.00 Brook runs N. W.

75.00 " " S. W.

80.50 Intersect N. & S. line at cor. to secs. 21, 22, 27 & 28, from which

West on true line

bet: secs 21 & 28.

40.25 Set trachyte stone 20 x 18 x 14 in., 15 in. deep (marked 1/4 on N. side with mound of stones for 1/4 sec. cor.

80.50 The corner to secs 20, 21, 28 & 29.

Land rolling hills

Soil second rate, arable.

Scattering pine

Subdivision of T. 27 S. R. 3 E.

Chains	
	North bet. secs 20 × 21.
	Var. 16° 30' E.
28.00	Ravine drains W.
40.00	Set trachyte stone 16 × 12 × 6 in., 10 in. deep, marked ¼ on W. side with mound of stones for ¼ sec. cor.
80.00	Set trachyte stone 12 × 10 × 6 in., 8 in. deep, marked 3 notches on S. & 4 on East edges with mound of stones for cor. to secs. 16, 17, 20 & 21.
	Land rolling hills
	Soil 2nd rate, arable
	Scattering pine.

East on random line
bet. Sects. 16 & 21
Var. 16° 30' E.

Chain
40.
57.
58.
80.9
40.4
80.9

Salt Lake Meridian

Chains	
40.00	Set temp. 1/4 sec. cor.
57.50	Road bears N.W. & S.E.
58.00	Brook runs N.W.
80.90	Intersect N & S. line 90 links N. of cor. to secs. 15, 16, 21 & 22.
	from which
	N 89°21' W. on true line bet. secs. 16 & 21.
40.45	Set trachyte stone 20 x 16 x 8 in., 15 in deep marked 1/4 on N. side with mound of stones for 1/4 sec. cor.
80.90	The cor. to secs. 15, 16, 20 & 21.
	Land broken hills.
	Soil 2nd rate, arable.
	Scattering pine.
	October 17th 1876. J. C. Bailey.

Subdivision of T. 27. S. R. 3 E.

Chains		Chains
	October 17th 1876.	
	By J. G. Burrill.	
	North bet. secs. 16 & 17.	
	Var. 16° 30' E.	
17.00	Foot of hills bears N.E. & S.W.	
18.50	Road N.E. & S.W.	
20.00	Dry bed of Monroe Creek,	
	Water sinks at mouth of canon.	
40.00	Set a trachyte stone 15 x 10	
	x 10 in., 10 in deep, marked	9.00
	1/4 on W. side with mound	
	of earth from 4 pits each	
	24 x 12 x 12 in. for 1/4 sec. cor.	40.0
41.00	Wash drains West.	79.5
47.00	Fremont river 50 links	
	wide, 18 in. deep runs S.W.	80.1
80.00	Set a trachyte stone 15 x	
	10 x 10 in., 10 in. deep, mark-	
	ed 4 notches on S. & E. edges	

Chains	
	with mound of stones for cor. to secs. 8, 9, 16 & 17. Land mostly level bottom. Soil 1st rate. No timber. —
	East on random line bet. secs 9 & 16. Var. 16° 30' E.
9.00	Fremont River 50 links wide, 8 in. deep, runs S.E. for 20 chs. thence S.W.
40.00	Set temp. 1/4 sec. cor.
79.50	Wash drains south at foot of hill
80.10	Intersect N & S. line, 11 links N. of cor. to secs. 9. 10, 15 & 16 from which N 89° 55' W. on true line

Subdivision of T. 27 S. R. 3. E.

Chains	
	bet. sec's. 9 & 16.
40.05.	set trachyte 12 x 12 x 10 in., 8 in. deep marked ¼ on N. side with mound of earth from 4 pits each 24 x 12 x 12 in for ¼ sec. cor.
80.10	The cor. to sec's, 8, 9, 16 & 17. Land level. Soil 1st rate. No timber. Further N & E. lines become impracticable.
	From the corner to sec's. 31 & 32 on the south boundary 2 min
	North bet. sec's. 31 & 32. Var: 16°30' E.
40.00	Set trachyte stone 24 x 16

Chain

65.0

80.0

BOOK-A-145

Salt Lake Meridian

Chains	
	x 14 in., 18 in. deep, marked 1/4 on W. side with mound of stones for 4 sec. cor.
65.00	—Enter W. slope of foot hills bears N.W. & S.E.
80.00	Set trachyte stone 18 x 18 x 15 in., 12 in. deep, marked 1 notch on S. & 5 on E. edges with mound of stones for cor. to secs 29, 30, 31 & 32 from which Wm Maxfields cabin bears S. 78° 30 W.
	A. J. Allreds cabin bears N. 36° 17' W.
	Land mostly level.
	Soil 1st rate.
	No timber.
	October 17th 1876.
	J. G. Burrill

Subdivision of T. 27 S. R. 3 E.

Chains		Chain
	October 17th 1876.	
	By T. C. Bailey.	
	East on random line	
	bet: secs. 29 & 32.	
	Var: 16° 30' E.	
	Ascend.	
25.00	Top of Butte.	
40.00	Set temp. ¼ sec. cor.	
57.00	Ravine drains S.	4.25
80.85	Intersect N. & S. line at	250
	cor. to sec's. 28, 29, 32 & 33,	320
	from which	400
	West on true line	440
	bet sec's. 29 & 32.	
40 42	Set trachyte 27 x 14 x 11 in.,	612
	20 in. deep, marked ¼ on	647
	N. sides with mound of	7800
	stones for ¼ sec. cor.	
80.85	The cor. to secs. 29, 30, 31	78 26
	& 32.	

Salt Lake Meridian

Chains	
	Land rolling hills
	Soil 2nd rate Good grass
	No Timber

West on random line
betw secs 30 & 31
Var: 16° 30' E.

4.25	Leave foot of hills bear N & S.
25.00	Road bears N & S.
32.00	Brook runs S.
40.00	Set temp 3/4 sec. cor.
44.00	Fremont River 50 lks wide runs S.
61.25	Wash drains S.
64.75	Road bears N & S.
78.00	Fremont creek 20 lks wide runs S.
78.26	Intersect Fremont Valley. Guide Meridian 40 lks N.

Subdivision T. 27 S R. 3 E.

Chains	of cor. to secs 30 & 31 from which	Chains
	N. 89° 43' E. on a true line betw Secs. 30 & 31.	51.7
38.26	Set a washed trachyte 13 x 11 x 10 in. 9 in. deep marked ¼ on N. side with mound of earth from 4 pits each 24 x 12 x 12 in. for ¼ sec cor.	
78.26	The corn. to secs 29, 30, 31 & 32.	59.0
	Land level. Soil 1st rate No timber	80.00
	T. C. Bailey	
	Oct 17th 1876 By J. G. Burnett North bet. secs 29 & 30. Var. 14° 30' E.	
40.00	Set a trachyte stone 16 x 12 x	

Salt Lake Meridian.

	Chains	
		10 in., 11 in. deep, marked 1/4 on W. side with mound of stones for 1/4 sec. cor.
	51.75	William Maxfields cabin bears S. 21° 45' W.
		A. J. Allreds cabin bears S. 63° 30' W.
		Guy Footes cabin bears N 11° 10' W
	59.00	Leave hill, slope bears N.E. & S.W.
	80.00	Set a trachyte stone 13 x 10 x 8 in., 9 in. deep marked 2 notches on S. and 5 on E. edges with mound of stone for cor. to secs. 19, 20, 29 & 30 from which Guy Footes cabin bears N 34° W.
		Land undulating hill side Soil 1st rate.
		No timber.
		Oct 17th 1876 J. G. Burrill.

Subdivisions of T. 27 S. R. 3 E.

Chains		Chains
	October 18th 1876.	
	By T. C. Bailey.	
	East on a random line	
	bet. sec's. 20 & 29.	
	Var: 16°.30 E.	
15.00	Enter foot hills	
40.00	Top of Butte, set temp. ¼	
	sec cor	
75.00	Ravine drains S. W.	14.50
80.00	Intersect N & S. line 140	16.50
	links N. of cor. to secs 20,	
	21, 28 & 29 from which	24.00
	N. 89° W. on true line betw.	40.00
	secs 20 & 29.	61.00
40.00	Set a trachyte stone 16 x	77.90
	12 x 10 in., 11 in. deep marked	
	¼ on N. side with mound	
	of stones for ¼ sec. cor.	
80.00	The corn. to secs. 19, 20,	
	29 & 30.	

Chains	
	Land East 65 chs. rolling foot hills. Balance level. Soil 2nd rate. No timber.
	West on a random line bet. secs 19 & 30. Var. 16° 30' E.
14.50	Road bears N & S.
16.50	Fremont river 50 lks wide 15 in. deep; runs S.
24.00	Wash drains S.
40.00	Set a temp. ¼ sec. cor.
61.00	Springs on N. side drains S.
77.90	Intersect the Fremont Valley Guide Meridian 140 lks S. of cor. to secs. 19 & 30 from which South 89° E on true line bet. sects. 19 & 30.

Subdivision of T. 27 S. R. 3 E.

Chains		Chains
37.90	Deposited a small stone marked with a cross (+) 12 in. deep in mound of earth raised from 4 pits each 24 x 12 x 12 in. for 4 sec. cor.	40.00
		51.00
77.90	The cor. to secs. 19, 20, 29 & 30.	
	Land level.	57.50
	Soil 1st rate.	80.00
	No timber.	
	Oct 18th 1876 J. C. Bixby.	

October 18th 1876.

By J. G. Russell

North betw secs. 19 & 20

Var. 16° 30' E.

30.15	Road bears N. E. & S. W.
37.00	Enter meadow & willows

Salt Lake Meridian.

Chains	
	bears N. E & S. W.
40.00	Set a trachyte stone 12 x 9 x 6 in. 8 in deep marked 1/4 on W. side no pits (marshy) for 1/4 sec. cor.
51.00	Fremont River 50 lks wide 18 in. deep thence follow River to
54.50	Leave river running S.W.
80.00	Set a trachyte stone 14 x 8 x 5 in 9 in. deep marked 3 notches on S. & 5 on E. edge with mound of stones for cor. to secs. 17, 18, 19 & 20
	Land level bottom
	Soil 1st rate.
	No timber

Subdivision of T. 27 S. R. 3. E.

Chains		Chains
	East on a random line bet. secs. 17 & 20. Var: 16°30 E.	
33.00	Fremont River 75 lks wide 18 in. deep, runs S. E. 10 chs.	80.76
40.00	Set a temp. 1/4 sec. cor.	
40.50	Road bears N. E. & S. W.	
66.00	Foot of hills, bears N. E. & S. W.	
80.76	Intersect N. & S. line at the cor. to sects 16, 17, 20 & 21	28.00
	from which West on true line bet secs. 17 & 20.	
40.38	Drove charred pine stake 4 x 4 in., 4 feet long, 2 feet deep marked 1/4 S. & raised mound of	40.00

Chains

earth from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.

80.76 The corner to secs 17, 18, 19 & 20.
Land mostly level bottom
Soil 1st rate.
No timber.

North betw secs 17 & 18.
Var. 16° 30' E.

28.00 Set a trachyte stone 12 x 12 x 5 in., 8 in. deep, (marked 1/4 W.C. with mound of stones for witness 1/4 sec. cor.

40.00 true corner falling on steep, rocky, inaccessible slope of high plateau

Subdivision of T. 27 S. R. 3. E.

Chains		Chains
	lands	
	Land mostly level.	
	Soil 1st rate.	
	No timber.	37.80
	Oct. 18th/76. J. G. Burrill	
	October 18th 1876.	77.80
	By T. C. Bailey.	
	West on a random line	
	bet. secs 18 & 19.	
	Var: 16° 30' E.	
40.00	Set temporary 1/4 sec.	
	cor.	
44.00	Foot of slope bears	
	N.E. & S.W.	
77.80	Intersect Fremont Valley	
	Guide Meridian 140 lks.	
	S. of corn. to secs 18 & 19	

Chains	
	from which
	South 89° E on true line
	bet secs 18 & 19
37.80	Set trachyte stone 18 x 15 x
	10 in. 12 in. deep. marked
	1/4 on N. side with mound
	of stones for 1/4 sec. cor.
77.80	The cor. to secs 17, 18, 19 &
	20.
	Land W. 1/2 rocky & hilly
	Soil 2nd rate.
	E 1/2 level
	Soil 1st rate.
	No timber.
	Oct 18th 1876. T. C. Bailey.

131/38

General Description.

The land surveyed in this township embraces the N. bottoms of Fremont Valley and the arable foot hills E. thereof. The balance of the Township falls to the W. on a high plateau, to the E in the Thousand Spring Mountains. The country rock is trachyte & sandstone. No indication of minerals, lands agricultural.

BOOK-A-145

139

132

U. S. SURVEYOR GENERAL'S OFFICE

Salt Lake City, Utah, December 22d 1876

The foregoing field notes of the survey of the Subdivision Lines of *Township No.* 27 S *Range No.* 3 East *Executed by* Bailey and Burrill *Under* their joint *contract of the* 4th *day of* Sept 1876, *in the month of* October 1876, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

BOOK-A-145

139

U. S. SURVEYOR GENERAL'S OFFICE

Salt Lake City, Utah, December 22d 1876

The foregoing field notes of the survey of the Subdivision Lines of

Township No. 275 *Range No.* 3 East

Executed by Bailey and Burrill

Under their first *contract of the* 4th

day of Sept *1876, in the month of* October *1876, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

Blank

Page

Blank

Page

Blank

Page

Blank

Page

Blank

Page

BOOK-A-145

Field Notes
of
the Survey of the
Subdivision lines
of
Township 28 South, Range 2 East,
of the Salt Lake Meridian
Territory of Utah.
By
Bailey and Burrill
Under their Joint Contract No 73,
dated Sept. 4th 1876.

Survey Commenced Oct 16th 1876.
Survey Completed Oct. 16th 1876.

Blank

Page

BOOK-A-145

Subdivisions Tp. 28 S. R. 2 E. S. L. M.

Chains | Survey Commenced Oct. 16th 1876. by J. G. Burrill,
The S. boundary not having been Surveyed I begin at the established Corner to Secs, 13 & 24, on Fremont Valley Guide Meridian and run, West on true line bet Secs, 13 & 24
Var. 16° 30 E,

40,00 | Set trachyte stone 14 x 12 x 10 in. 9 in. deep, marked 1/4 on N, side with mound of stones for 1/4 Sec. Cor.

65,00 | Foot of hills bears N. W. and S. E.
80,00 | marked a trachyte rock in place 6 x 5 x 5 ft. 3 notches on S. and 1 on E. edges, with mound of Stones, for Cor. to Secs, 13, 14, 23 & 24.—
Land mostly level, Soil 1st rate, No timber.

Subdivisions Township 28 South

Chains North between Secs. 13 & 14

Var. 16° 30' E.

15,00 Foot of hills bears N.W. and S.E.

40,00 Set trachyte stone 14×10×10 in 9 in deep marked 1/4 on W. side with mound of stones for 1/4 Sec. Cor.

67,00 Waste drains N.E.

80,00 Set trachyte 13×10×6 in 9 in deep marked 4 notches on S. and 1 on E. edges, raised a mound of earth from 4 pits each 24×12×12 in, for Cor. to Secs. 11. 12. 13 & 14

Land mostly level, soil 1st rate

No timber.

BOOK A-145

Range 2 East, Salt Lake Meridian

Chains East on random line bet. Secs. 12 & 13.
Var. 16° 30' E.

14,00 Set temporary 1/4 Sec. Cor.

77,55 McClellan Creek 25 L. wide runs S.

79,80 Intersect Fremont Valley Guide Meridian 29 chs. N. of Cor. to Secs. 12 and 13, from which,
N. 89° 45' W. on true line, bet. Secs. 12 and 13,

39,90 Set trachyte stone 12 x 10 x 8 in 8 in deep marked 1/4 on N. side, with mound of stones for 1/4 Sec. Cor.

79,80 The cor. to Secs. 11, 12, 13 & 14
Land level, Soil 1st rate.
No timber

156.

Subdivisions Township 28 South

Chains North between Secs. 11 and 12.
Var. 16° 30' East,

25,00 Enter Meadow land,

30,25 McLellan Creek 15 lks. wide
runs E.

40,00 Set trachyte stone 18 x 18 x 16 in,
12 in deep, marked 1/4 on W. side,
in marshy ground (no pits) for
1/4 Sec. Cor.

42,00 Leave Meadow.

75,60 Road bears N. W. and S. E.

80,00 Set trachyte stone 12 x 8 x 6 in
8 in. deep marked 5 notches on
S. & 1 on E. edges with mound
of earth from 4 pits, each 24 x
12 x 12, in for Cor. to Secs. 12. 11 & 12.
Land level. Soil 1st rate,
No timber.

J. G. Burrill.

Description list made

BOOK-A-145

No. 5. 171

Examined by M. T. Burgess C. C.

9a6 Omuscript made by J. A. K.

157

Field Notes
of the
Survey of the
South, East, and North
Boundaries
of
Township 28 South
Range 3 East
of the
Salt Lake Meridian
Utah Territory
By
Bailey & Burrill
U. S. Dep. Surveyors,
Under their joint Contract No. 73
Dated Sept. 4th 1876.
Survey Commenced Oct. 12th 1876.
" Completed Oct. 13th 1876.

9

Survey commenced
October 12th 1876.
By J. G. Burrill

From the established corner to
townships 28 & 29 south, range
2 & 3 east set by me on the
survey 2 rm east on a tra
line along the south side of sec
31.

Var: 16° 30' E.

38.84 (Allowing for convergency
of meridian) Set a trachyte
stone 16 x 10 x 10 in., 11 in de
marked 1/4 on N. side with
mound of stones for 1/4 sec cor

78.84 Set a trachyte stone 18 x 10 x
in., 12 in. deep marked 3 notch
on E. and 1 on W. edges with

10 00

40,00

70,00

80.0

South, Range 3 East S. L. M.

mound of stones for cor. to secs. 5, 6, 31 & 32.
Land nearly level
Soil 2nd rate, good grass
No timber.

East on a true line along south side of sec 32.
Var: 16° 30' E.

10.00 Enter hollow drains easterly

40.00 Set trachyte 14 x 10 x 7 in., 9 in deep, marked 1/4 on N. side with mound of stones for 1/4 sec. cor.

70.00 Bottom of "Devils Hole Canon" drains N. E.

80.00 Set trachyte stone 18 x 12 x 10 in., 12 in. deep, marked 4 on E and 2 on W. edges with

Chains		Chains
	mound of stones for cor to secs. 4, 5, 32 & 33.	
	Land broken & rocky	✓
	Soil 2nd rate.	
	No timber.	
	East on true line along S. side sec 33.	18.23
		35.00
	Var. 16° 30' E.	40.00
40.00	Marked a trachyte rock in place 24 x 18 x 18 in., 1/4 on N. side with mound of stones for 1/4 sec. cor.	57.00
80.00	Marked a trachyte stone in place 3 x 2 x 2 feet, 3 notches on E & W. Edges with mound of stones for cor. to secs. 3, 4, 33 & 34.	80.00
	Land rolling.	

Chains	
	Soil 2nd rate, good grass. No timber. 175
	East on true line along S. side of sec. 34. Var. 16°30' E.
18.25	Trail in ravine bears N.E.
35.00	Enter Fremont Valley bears N.W. & S.E.
40.00	Set a trachyte 12 x 8 x 8 in., 8 in. deep, marked 1/4 on N. side with mound of stones for 1/4 sec. cor. —
57.00	Fremont River 60 links wide, 18 in. deep runs S.
80.00	Set a trachyte stone 12 x 8 x 6 inches, 8 in. deep, marked 2 notches on E. and 4 on W. Edges and raised a mound of earth from 4 pits

South boundary T. 28 S. R. 3 E.

Chains

each 24 x 12 x 12 in. for cor. to secs 2, 3, 34 & 35.
Land mostly level
Soil 1st rate.
No timber.

East on true line along S. side of sec. 35.
Var: 16° 30' E.

40.00 Set a trachyte stone 12 x 10 x 9 in., 8 in. deep, marked 1/4 on N. side and raised a mound of earth from 4 pits each 24 x 12 x 12 in. for 1/4 sec. cor.

48.00 Road bears N.W. & S.E.

80.00 Set a trachyte stone 12 x 8 x 6 inches, 8 in. deep, marked 1 notch on E. & 5 on W. edges

Sal

40.00

80.00

Salt Lake Meridian

and raised a mound of earth from 4 pits each 24 x 12 x 12 in. for cor. to secs. 1, 2, 35 & 36.

Land level.

Soil 1st rate.

No timber.

East on true line along S. side of sec. 36.

Var. 16°30' E.

40.00 Set trachyte stone 12 x 10 x 10 in. 8 in. deep, marked 1/4 on N. side with mound of stones for 1/4 sec. cor.

80.00 Set trachyte stone 18 x 18 x 18 in., 12 in. deep, marked 6 notches on N. S. E. & W. edges with mound of stones 4

feet base, 4 feet high for
cor. to townships 28 & 29. S.
R. 3 & 4 E.
Land level.
Soil 1st rate.
No timber.
Oct. 12th 1876. J. G. Burrill.

Easi

10,00
40,0

67,5

73,5

80,0

BOOK-A-145

East Boundary T. 28 S. R. 3 E. 179

October 13th 1876. By J. G. Burrell

From the corner to townships 28 & 29 S., R. 3 & 4 E., established by myself, 2 rods North on E. side of sec 36.

Var. 16° 30' E.

10,00 Ascend.

40,00 Set a trachyte stone 12 x 10 x 10 in., 8 in deep marked 1/4 on W. side with mound of stones for 1/4 sec. cor.

67,50 Ridge bears E & W. 20 chs. each way.

73,50 Bottom of deep gulch drains S. 75 W.

80,00 Drove a charred pine stake 4 x 4 in., 4 feet long, 24 in. deep on steep S. slope covered

East Boundary T. 28 S. R. 3 E

Chains

with fine sliding schale rock pits impracticable, marked 5 notches on N & 1 on S. edges for cor. to secs. 25, 30, 31 & 36

Land rolling, broken.

Soil 2nd rate.

Scattering pinion pine.

Line becomes impracticable on account of the abrupt descent of the south end of Thousand Spring Mountain.

October 13th 1876.

J. G. Burrill

35. 5

38. 20

BOOK-A-145

Survey commenced
October 13th 1876.
By J. C. Bailey.

As the line will become impracticable in less than 6 miles from the corner to townships 27 & 28 S. Ranges 2 & 3 E. established by me on this survey I run

East on a true line betw secs. 6 & 31.
Var. 16° 30 E.

35.50 Enter willows.
38.26 (Allowing for convergency of meridians) Deposited a small stone marked 1/4, 12 in. deep in mound of earth raised from 4 pits each 24 x 12 x 12 in

North Boundary Township 28 South, R

Chains		Chains
	for 1/4 sec. cor.	
39.61	Fremont River 30 links wide 15 in. deep, runs S.E.	
43.76.	Leave willows	
50.76.	Road bears N.E. & S.W.	65,0
58.00	Foot of bench bears N.E & S.W.	8000
78.26	Set a boulder 15 x 15 x 9 in. 10 in. deep marked 5 notches on E & 1 on W. edges with mound of stones for cor. to secs. 5, 6, 31 & 32.	
	Land level	
	Soil ~~rate~~ first rate.	
	No timber.	
	East on true line betw. secs. 5 & 32. Var. 16° 30' E.	23,0
40,00	Set trachyte stone 12 x 8 x 6 in.	

...th, Range 3 East. S. L. M.

Chains	8 in. deep marked 1/4 on N. side raised a mound of earth from 4 pits each 24 x 12 x 12 in. for 1/4 sec. cor.
65,00	Wash drains S. W.
8000	Set trachyte stone 18 x 12 x 10 in 12 in. deep, marked 4 notches on E & 2 on W. edges with mound of stones for cor to secs. 4, 5, 32 & 33.
	Land level.
	Soil 1st rate.
	No timber. Sage Brush.
	East on true line bet. secs 4 & 33.
	Var: 16°30 E.
23,00	Enter hills at mouth of a ravine hills bear N. W & S. E.

North Boundary Township 28

Chains	
28.00	Cedar Creek 5 links wide, 6 in. deep runs S. W.
40.00	Set trachyte stone 20 x 20 x 16 in., 15 in deep, marked ~~1/4~~ on N. side with mound of stones for 1/4 sec. cor.
70.00	Ravine drains S. W.
80.00	Set trachyte stone 22 x 10 x 8 in. 16 in. deep, marked 3 notches on E. & W. edges with mound of stones for cor. to secs. 3, 4 33 & 34.
	Land rolling.
	Soil 2nd rate.
	Scattering pines

East on true line betw. secs. 3 & 34
Var. 16°30 E.

BOOK-A-145

South, R. 3 E. S. L. M. 185

Chains	
4.50	Ridge bears N & S.
17.00	Road bears N. W. & S. E.
38.50	Wash S. W.
40.00	Set a white boulder 19 x 15 x 8 in. 16 in. deep marked 1/4 on N. side with mound of stones for 1/4 sec. cor.
65.00	Foot of mountains bears N & S. Ascend.
80.00	Set trachyte stone 17 x 11 x 9 in., 11 in. deep marked 2 notches on E. and 4 on W. edges with mound of stones for corn. to secs 2, 3, 34 & 35.

Land broken & rocky
Soil 2nd rate, good grass
Scattering pinion pine
Line is cut short by the Thousand Spring Mountains which rise

abruptly to the height of about 11000 feet above the sea and about 4000 feet above Fremont Valley

October 13th 1876.

J. C. Bailey

Note

For general description and approval see end of subdivision notes of townships 28 S. R. 3. E.

BOOK-A-145

Township 28 South **R.** 3. East

181 182 183 184

6	232	5	215	4	203	3		2		1	
231		230		213		202					
7	228	8	212	9	201	10		11		12	
227		226		211		200					
18	225	17	210	16	199	15		14		13	
224		223		209		198					
19	222	20	208	21	198	22		23		24	
221		219		207		197					
30	219	29	206	28	196	27	193	26	191	25	
218		217		206		195		192		190	
31	216	32	205	33	194	34	191	35	189	36	179
172		173		174		175		176		177	

BOOK-A-145 OK 187

Examined in Lieu of Burgess 6/6

106 Transcript Made

Field Notes,

of

the Survey of the

Subdivision lines

of

Township 28 South, Range 3 East

of the Salt Lake Meridian

Territory of Utah,

By,

Bailey and Burrill,

Under their Joint Contract No. 73.

dated Sept 4th 1876.

Survey Commenced Oct. 13th 1876.

Survey Completed Oct. 20th 1876,

. . . . . .

Blank

Page

BOOK-A-145

Subdivisions Tp. 28 S. R. 3 E. ~~S. L. M.~~

Chains Survey commenced Oct. 13th 1876,
by J. G. Burrill,
From the established corner to secs,
35 and 36, on S. boundary Iron,
North between Secs. 35 & 36,
Var. 16° 30' E

40.00 Set a trachyte stone 13×8×7
in, 9 in. deep, marked 1/4 on W.
side, with mound of stones for
1/4 Sec. Cor.

80.00 Set a trachyte 16×10×8 in. 11 in.
deep marked 1 Notch on S. & E.
edges with mound of earth
from 4 pits, each 24×12×12 in.
for cor. to Secs. 25. 26. 35 & 36,
Land level,
Soil 1st rate
No timber.

Subdivisions Township 28 South

Chains East on random line between
Secs. 25 & 36,
Var. 16° 30' E,
40,00 Set a temporary 1/4 Sec. Cor,
65,00 Leave flat, thence over broken ridges, to
N.E. and S.W.
80,10 Intersect E. boundary at Cor,
to Secs. 25 & 36. from which,
West on true line bet. Secs. 25 & 36,
40,05 Set a tracky to 14x8x6 in, 9 in deep,
marked 1/4 on N. side with mound
of earth from 4 pits each 24x12x
in, for 1/4 Sec. Cor,
80,10 The cor. to Secs. 25. 26. 35 & 36
Land mostly level,
Soil, 1st rate
No timber

BOOK-A-145

Range 3 East, Salt Lake Meridian

Chains, North between Secs. 25 and 26,

Var. 16° 30' E,

40,00 Set a trachyte stone 16x10x9 in, 11 in. deep, marked 1/4 on W. side, with mound of stones, for 1/4 Sec. Cor, at foot of Thousand Spring Mountains, Balance of line therefore impracticable,

Land level,

Soil 2nd rate,

No timber,

From the Corner to Secs. 34 and 35 on S. Boundary,

North bet. Secs. 34 and 35,

Var. 16° 30' E,

31,00 Gully drains N. into Dement River,

38,00 Road bears N.W. and S.E.

40,00 Set a boulder 12x8x6 in, 8 in deep

Subdivision Township 28 South,

Chains

marked 1/4 on N. side, with mound of Earth from 4 pits each 24×12×12 in, for 1/4 Sec. Cor,

80,00 Set a trachyte 12×10×8 in, 8 in deep with mound of earth from 4 pits each 24×12×12 in for Cor. to Secs, 26. 27. 34 and 35,

Land level,

Soil 1st rate

No timber,

East on random line bet. Secs. 26 & 35.

(Var, 16° 30' E,

40,00 Set temporary 1/4 Sec. Cor,

80,60 Intersect N. and S. line at the Cor to secs, 25. 26. 35 and 36. from which,

West on true line bet Secs, 26 and 35,

40,30 Set a trachyte stone 12×10×10 in,

BOOK-A-145

Range 3 East, Salt Lake Meridian,

Chains, 8 in. deep, marked 1/4 on N. side,
with mound of earth from 4 pits,
each 24 x 12 x 12 in. for 1/4 Sec. Cor,
80,60 The Cor. to Secs. 26, 27, 34 and 35,
Land level,
Soil Pr rate,
No timber,

North bet. Secs. 26 and 27,
Var. 16° 30' E,
25,00 Foot of rocky bench bears E & W,
40,00 Set a trachyte stone 12 x 10 x 10 in,
8 in. deep, marked 1/4 on W. side,
with mound of stones for 1/4
Sec. Cor,
80,00 Set a trachyte stone 16 x 9 x 7 in,
11 in. deep, marked 2 notched on
S. & E. edges with mound of stones
for Cor. to Secs. 22, 23, 26 & 27,

Subdivisions Township 28 South,

Land mostly rocky,
Soil 2nd rate,
Scattering Cedar & pinion pine,

Note; This corner falling near foot of Mountains I discontinue N. and E. lines,

---

From the Corner to Secs. 33 & 34 on S. boundary I run,
North bet. Secs. 33 & 34,
Var. 16° 30' E.

20,00 Ravine drains E.
32,00 Ridge bears E. and W.
40,00 Set trachyte stone 20 x 16 x 12 in. 15 in. deep marked 1/4 on W. side with mound of stones for 1/4 sec. Cor.
60,00 Mouth of Canon opens E.
80,00 Set trachyte stone 20 x 14 x 10 in.

BOOK A-145

Range 3 East Salt Lake Meridian

15 in. deep marked 1 Notch on S. and 3 on E. edges, with mound of stones for Cor. to Secs. 27. 28 33 & 34.
Land broken & rocky.
Soil 2nd rate,
No timber,

East on random line bet Secs. 27 & 34
Var. 16°30' E.

15,25 Fremont River 40 lks. wide 18 in. deep runs S.E. at foot of rocky slope.

36,50 Road bears N.W. & S.E.

40,00 Set temporary 1/4 Sec. Cor.

80,19 Intersect N. & S. line 10 chs. N. of Cor. to Secs. 26. 27. 34 and 35, from which,
N. 89° 56' W. on true line bet. Secs. 27 & 34.

Subdivisions Township 28 South.

Chains	
40,09	Set trachyte stone 16x10x8 in., 11 in. deep, marked 1/4 on N. side, with mound of stones for 1/4 Sec. Cor,
80,19	The Cor. to Secs. 27, 28, 33 & 34. Land mostly level, Soil poor rate, No timber.

North bet. Secs. 27 and 28, Var. 16° 30' E.

27,00	Dumont River 50 lks. wide 3 ft. deep, runs S.E.
40,00	Set a boulder 12x10x8 in., 8 in deep, marked 1/4 on W. side, with mound of earth from 4 pits, each 24x12x12 in. for 1/4 Sec. Cor,
41,00	Road bears N.W. and S.E.
80,00	Set a boulder 16x12x8 in. 11 in deep, marked 2 notches on S. and

Chain

40,

79,

39,

79,

Range 3 East, Salt Lake Meridian

chains,	3 on E. edges, with mound of stones for Cor. to Secs. 21, 22, 27 & 28, Land S. 1/4 rocky, Soil 2nd rate, N. 3/4 level, Soil 1st rate, No timber,
	East on random line bet Secs. 22 & 27, Var. 16° 30' E,
4,00	Set temporary 1/4 Sec. Cor,
79,80	Intersect N. and S. line at the Cor. to Secs. 22, 23, 26 and 27. from which, West on true line bet Secs. 22 & 27.
39,90	Set trachyte stone 16x8x8, 11 in deep, with mound of stones for 1/4 Sec. Cor.
79,80	The Cor to Secs. 21, 22, 27 & 28 Land rocky, Soil 2nd rate, Scattering cedar & pine,

Subdivisions Township 28 South

Chains	
	North bet Secs. 21 and 22,
	Var. 16° 30' E,
40,00	Set trachyte stone 18x12x10, in 12 in. deep, marked 1/4 on W. side with mound of stones for 1/4 sec. Cor,
80,00	Set trachyte Stone. 20x14x14 in, 15 in. deep, marked 3 notches on S. and E. edges with mound of stones for Cor to secs, 15, 16, 21 & 22, Land level, Soil 2nd rate good grass, No timber,

The line will strike in the Mountains in less than 80 chs.

	East on true line bet. Secs. 15 & 22,
	Var. 16° 30' E,
32,50	Foot of Mountains bears N. & S,
40,00	Set a trachyte stone 12x12x10 in 8 in deep, marked 1/4 on N. side,

Range 3 East Salt Lake Meridian

Chains with mound of stones for 1/4 Sec, Cor,
Land mostly level,
Soil 2nd rate,
No timber
Oct. 13th 1876, J.G. Burrill,

Oct 19th 1876 By J.G. Burrill,
North bet. Secs. 15 & 16.
Var. 16° 30' E,

40.00 Set trachyte stone 16x10x10 in, 11 in deep, marked 1/4 on W, side with mound of stone for 1/4 Sec. Cor,

80.00 Set trachyte stone 12x12x10 in, 8 in. deep, marked 4 notches on S. & 3 on E. edges, with mound of earth raised from 4 pits each 24x12x12 in, for Cor to

Subdivisions Township 28 South

Chains Secs. 9, 10, 15 & 16,
Land level,
Soil 1st rate,
No timber

The line will strike the Mountains in less than 80 chs. therefore I run,
East on true line bt. Secs. 10 & 15.
Var. 16° 30' E.

23,00 Foot of Mountains bears N. & S.

40,00 Set a trachyte stone 15 x 10 x 7, 10 in. deep, marked 1/4 on N. side with mound of stones for 1/4 Sec. Cor.
Land level and broken,
Soil 1st rate.
No timber.

Range 3 East Salt Lake Meridian

Chains	North bet secs, 9 & 10.
	Var. 16° 30' E
6,50	Gully drains W,
36,50	Foot hills bear N.W. and S.E.
40,00	marked trachyte rock in place 3x2x2 ft, marked 1/4 on W, side with mound of stone for 1/4 sec. Cor.
80,00	Set a trachyte stone 18x12x12 in, 12 in. deep marked 5 notches on S. & 3 on E. edges, with mound of stones for Cor. to Secs. 3, 4, 9 & 10. Land S 1/2 level, Soil 1st rate, N 1/2 broken, Soil 2nd rate, Timber, Scattering pinion pine, Oct. 19 1876. by J. G. Burrill.

Oct 19 1876.

By T. C. Bailey

Subdivisions Township 28 South.

Chains East on true line bet. Secs. 3 & 10,
Var. 16° 30' E,

40,00 Set trachyte stone 14×12×10 in, 9 in. deep, marked 1/4 on N. side with mound of stones for 1/4 Sec. Cor,

80,00 Set trachyte stone 17×11×9 in, 11 in. deep, marked 3 notches on S, & 2 on E, edges with mound of stones for Cor, to Secs. 2, 3, 10 & 11,
Land broken,
Soil 2nd rate,
Scattering pinion pine,

North on random line bet. Secs. 2 & 3,
Var. 16° 30' E,

40,00 Set temporary 1/4 Sec. Cor,

80,70 Intersect N. boundary 20 lks. E. of Cor, to Secs. 2 & 3, from

Range 3 East, Salt Lake Meridian

Chains	which,
	South 0° 9' East on true line bet. Secs. 2 & 3,
40.70	Set trachyte stone 13 x 9 x 7 9 in. deep, marked 1/4 on N. side with mound of stones for 1/4 Sec. Cor.
80.70	The Cor. to Secs. 2.3.10 & 11.
	Land broken,
	Soil 2nd rate,
	Scattering pinion pine.
	North on random line bet. Secs. 3 & 4,
	Var. 16° 30' E.
6.00	Wash drains W.
10.00	Road E. & W.
11.00	Wash drains S.W.
15.00	Road bears E. & W.
20.00	Road bears S.W.

Subdivision Township 28 South

Chains	
23.50	Road bears N.
29.00	Port of hill bears E. & W.
	Ascend
40.00	Set temporary 1/4 Sec. Cor.
80.65	Intersect N. boundary 28 chs.
	E. of Cor. to Secs. 3 & 4, from
	which
	S 0° 12' E. on true line bet.
	Secs. 3 & 4,
40.65	Marked trachyte rock in place.
	3 x 2 1/2 x 2 ft. 1/4 on N. side
	with mound of stones for 1/4 Sec.
	Cor.
80.65	The Cor. to Secs. 3, 4, 9 & 10.
	Land broken.
	Soil 2nd rate.
	Scattering pinion pine.
	Oct 19th 1876.
	J. C. Bailey.

BOOK A-145

Range 3 East Salt Lake Meridian.

Chains, Oct. 20th 1876, by F. C. Bailey,
From Cor. to Secs. 32 & 33,
on South boundary,
North bet. Secs. 32, & 33,
Var. 16° 30' E.

20,00 Deep rocky "Devils Hole" Cañon drains N.E.

40,00 Set trachyte stone 16×13×9 in, 11 in. deep, marked 1/4 on W. side, with mound of stones for 1/4 Sec. Cor.

80,00 Set trachyte stone 18×11×9 in. 12 in deep, marked 1 on S. & 4 notches on E. edges with mound of stones for Cor. to Secs. 28, 29, 32 & 33,
Land broken rocky,
Soil 2nd rate good grass,
No timber

Subdivision Township 28 South

Chains East on random line bet.
Secs. 28 and 33,
Var. 16° 30' E.

40,00 Set temporary 1/4 Sec. Cor.

80,50 Intersect N. & S. line at the Cor.
to Secs. 27.28.33 & 34, from which,
W. on true line bet. Secs. 28 & 33,

40,20 Set trachyte stone 17x11x9 in. 12
in. deep, marked 1/4 on N. side, with
mound of stones for 1/4 Sec. Cor.

80,50 The Cor. to Secs. 28.29.32 & 33.
Land broken & rocky.
Soil 2nd rate good grass,
No timber.

North bet Secs. 28 & 29.
Var. 16° 30' E.

40,00 Set trachyte stone 17x11x8 in. 11
in. deep, marked 1/4 on W. side

Range 3 East Salt Lake Meridian.

Chains with mound of stones for 1/4 Sec. Cor,

68,00 Fremont River, 40 links wide Runs E, in Canon,

80,00 Set trachyte stone 4 x 2½ x 2 ft, in rocky ground, in mound of stones marked 2 notches on S. & 4 on E. edges, for cor. to Secs, 20, 21, 28 & 29,

Land broken & rocky,

Soil 2nd rate, good grass,

Scattering pinion pine,

East on random line bet Secs, 21 & 28

Var, 16° 30' E,

40,00 Leave hills set temporary 1/4 Sec. Cor,

54,00 Road bears N.W. & S.E,

Subdivisions Township 28 South

Chains.
80,00 Intersect N. & S. line at the Cor. to Secs. 21. 22. 27 & 28, from which, West on true line bet. Secs. 21 & 28,
40,00 Set trachyte stone 20 x 14 x 8 in 15 in. deep, marked 1/4 on N. side with mound of earth raised from 4 pits each 24 x 12 x 12. in for 1/4 Sec. Cor.
80,00 The cor. to Secs. 20. 21, 28 & 29
Land mostly level,
Soil 2nd rate
No timber,

North bet. Secs. 20 & 21
Var. 16° 30' E.
15,00 Leave hills Vers. E. and W.
40,00 Set boulder 13 x 10 x 10 in. 9 in deep, marked 1/4 on W. side with mound of stones for

BOOK-A-145

Range 3 East Salt Lake Meridian

Chains 1/4 Sec. Cor,

62,00 Road bears N.W. and S.E.

80,00 Set a boulder 12x10x7 in. 8 in. deep, marked 3 notches on S. & 4 on E. edges with mound of earth from 4 pits, each 24 x 12 x 12 in, for Cor. to Secs. 16. 17. 20 & 21,

Land N. 65 chs, level 1st rate,

Balance rocky. 2nd rate,

No timber,

East on random line bet Secs, 16 & 21,

Var. 16° 30' E,

40,00 Set temporary 1/4 Sec. Cor,

80,00 Intersect N. & S. line at the Cor. to Secs. 15, 16, 21 & 22, from which

Subdivisions. Township 28 South

Chains West on true line bet. secs. 16 & 21.

40,00 Set trachyte stone 14 x 8 x 7 in, 9 in. deep, marked 1/4 on N. side, with mound of earth from 4 pits, each 24 x 12 x 12 in, for 1/4 Sec. Cor,

80,00 The Cor. to Secs, 16, 17, 20, & 21, Land Gentle Ascent to East, Soil 2nd rate,

No timber,

North bet. secs. 16° & 17.

Var. 16° 30' E,

40,00 Deposited a small stone 6 in. deep, marked with a cross (+) in a mound of earth raised from 4 pits each 24 x 12 x 12 in, for 1/4 Sec. Cor,

BOOK-A-145

Range 3 East, Inter Lake Meridian.

Chains

80,00 Set a trachyte stone 14×12×9 in, 9 in. deep marked 4 Notches on S. & 4 on E. edges, with mound of earth raised from 4 pits each 24×12×12 in, for cor, to secs, 8, 9, 16 & 17.

Land level, soil 1st rate, grassy. No timber,

Easton random line bet. secs. 9 & 16,

Var, 16° 30' E,

40,00 Set temporary 1/4 Sec. Cor,

79,90 Intersect N. & S. line 48 chs. S. of Cor, to Secs, 9, 10, 15 & 16, from which,

S. 89° 39' W on true line bet, Secs. 9 & 16,

Subdivisions Township 28 South

Chains,

39,95 Set trachyte Stone 15x10x8 in, 8 in. deep, marked 1/4 on N. side with mound of earth from 4 pits, each 24x12x12 in, for 1/4 Sec. Cor,

79,90 The Cor to Secs, 8.9.16 & 17,
Land level,
Soil 2nd rate,
No timber
Oct. 20th 1876, D. H. Bailey,

Oct. 20th 1876. By A. C. Bailey
North bet Secs. 8 & 9,
Var. 16° 30' E.

24,50 Wash drains S.W.,

40,00 Deposited a small washed boulder, 6 in. deep marked with a cross (+) in mound of

Range 3 East Salt Lake Meridian

Chains, earth raised from 4 pits each 24x12x12 in, for 1/4 Sec. Cor,

45,00 Wash drains S.W,

57,25 Road bears N.E. & S.W.

69,00 Wash drains S.W.

84,00 Set a boulder 13x12x10 in, 9 in deep, marked 5 notches on S, & 4 on E. edges, with mound of earth raised from 4 pits each 24x12x12 in, for Cor to Secs, 4, 5, 8, & 9.

Land level,

Soil 1st rate

No timber,

East on random line bet secs, 4 & 9,

Var. 16° 30' E,

27,30, Road bears N.E. & S.W.

Subdivisions Township 28 South

Chains,	
40,00	Set temporary 1/4 Sec. Cor,
57,00	Wash at foot of Butte drains S.W.
80,00	Intersect N & S line 35 lks,
	N. of Cor. to Secs, 3.4.9 & 10,
	from which,
	N. 89°45' W. on true line
	bet. Secs. 4 & 9.
40,00	Set trachyte stone 13 x 9 x 7 in,
	9 in. deep, marked 1/4 on N. side,
	with mound of earth raised from 4
	pits each 24 x 12 x 12 in, for
	1/4 Sec. Cor,
80,00	The Cor. to Secs, 4,5,8 & 9
	Land N. 57 chs, level,
	Soil 1st rate,
	Balance foothills,
	Soil 2nd rate
	No timber

Range 3 East, Salt Lake Meridian

Chains North on random line bet. Secs. 4 and 5,

Var. 16° 30' E,

36.00 Cedar Brook runs S.W,

40.00 Set temporary 1/4 Sec. Cor,

43.50 Wash drains S.W,

80.40 Intersect N. boundary at the Cor. to Secs. 4 & 5 from which South on true line bet Secs. 4 & 5,

40.40 Set boulder 15 x 12 x 6 in, 10 in deep, marked 1/4 on W. side with mound of earth raised from 4 pits, each 24 x 12 x 12 in, for 1/4 Sec. Cor,

80.40 The Cor. to Secs. 4, 5 8 & 9, Land level, Soil 1st rate, No timber,

Subdivision Township 28 South

Chains, From Cor. to Secs. 31 and 32 on the South boundary.

From,

North bet Secs. 31 & 32,

Var. 16° 30' E.

4,00 Ravine bears S.E.

40,00 Marked a granite rock in place, 5 x 3 x 2½ ft. ¼ on N. side, with mound of stones for ¼ Sec. Cor.

80,00 Set a granite stone 14 x 12 x 10, 9 in. deep, marked 1 Notch on S. and 5 on E. edges, with mound of earth raised from 4 pits each 24 x 12 x 12 in. for Cor. to Secs. 29, 30, 31 & 32.

Land broken, soil 2nd rate

Good grass,

Scattering pinion pine.

BOOK-A-145

Range 3 East, Salt Lake Meridian

Chains East on random line bet. Secs. 29 & 32

Var 16°30' E

40.00 Set temporary 1/4 Sec. Cor.

80.30 Intersect N. & S. line 35 links N. of Corner to Secs. 28, 29, 32 & 33 from which N. 89°45' W. on true line bet. Secs. 29 & 32

40.15 Set trachyte stone 17 x 11 x 9 in. 11 in. deep, marked 1/4 on N. side with mound of stones for 1/4 Sec. Cor.

80.30 The Cor. to Secs. 29, 30, 31 & 32

Land broken & rocky,

Soil 2nd rate,

Scattering pinion pine.

Subdivisions Township 28 South

Chains,	
	West on random line bet, Secs, 30 & 31
	Var, 16°30' E
	Over rocky surface,
40.00	Set temporary 1/4 Sec. Cor,
78,70	Intersect Fremont Valley Guide Meridian 70 lks. N, of Cor. to Secs, 30 & 31, from which,
	N, 89° 30' E, on true line bet Secs. 30 & 31,
38,70	Set trachyte stone 18x16x12 in, 12 in. deep, marked 1/4 on N. side, with mound of stones for 1/4 Sec. Cor,
78,70	The Cor. to Secs, 29, 30, 31 & 32,
	Land broken, rocky
	Soil 2nd rate,
	Scattering ~~Pinion~~ Pine,

Range 3 East Salt Lake Meridian

Chains North bet Secs. 29 & 30,
Var. 16° 30' E,
Descend,
40,00 Set a trachyte rock, 36 x 14 x 11 in, 24 in, deep, marked 1/4 on W, side, with mound of stones for 1/4 Sec. Cor,
80,00 Set a granite stone 20 x 14 x 12 in, 15 in deep, marked 2 Notches on S, & 5 on E, edges, with mound of stones for Cor, to Secs, 19, 20, 29 & 30,
Land broken & rocky,
So il 2nd rate, good grass,
Scattering pinion pine,

East on random line bet. Secs, 20 & 29,
Var. 16° 30' E,

Subdivision Township 28 South

Chains,	
40,00	Set temporary 1/4 Sec. Cor,
53,00	Fremont River 50 lks, wide runs S.E. in Canon,
79,90	Intersect N. & S. line at Cor. to Secs, 20, 21, 28 & 29, from which,
	West on true line bet. Secs, 20 & 29,
39,95	marked a trachyte rock in place, 4 x 2½ x 2 ft. 2 ft above ground 1/4 on N. side, with mound of stones, for 1/4 Sec. Cor,
79,90	The Cor. to Secs, 19, 20, 29 & 30, Land broken & rocky, Soil 2nd rate, Good grass, No timber

Range 3 East Salt Lake Meridian

West on random line bet,
Secs 19 and 30,
Var. 16° 30' E,

40,00 Set temporary 1/4 Sec. Cor,
78,70 Intersect Fremont Valley Guide
Meridian at Cor. to Secs. 19 & 30,
from which,
E, on true line bet.
Secs. 19 & 30,
38,70 Set trachyte stone 17.x11x9. in
11 in dept, marked 1/4 on N. side
with mound of stones for 1/4 Sec,
Cor,
78,70 The Cor to Secs. 19. 20. 29 & 30,
Land broken & rocky,
Soil 2nd rate, Good grass,
Scattering pine,

Subdivisions Township 28 South.

Chains	North bet. Secs. 19 & 20, Var. 16° 30' E.
40.00	Set Granite 14×12×10 in. 9 in. deep, marked 1/4 on W. side with mound of earth from 4 pits, each 24×12×12 in. for 1/4 Sec. Cor.
	Enter Fremont Valley, bears N.W. and S.E.
53.00	Enter Meadow bears E. & W.
54.00	Road bears N.W. & S.E.
54.10	Fremont river 50 lks. wide runs E.
56.50	Same River runs S.W.
60.35	" " " S.E.
65.00	Leave Meadow bears N.W. & S.E.
80.00	Set Grey Granite stone 17×12×6 in. 11 in deep marked 3 notches on S. & 5 on E. edges, with mound of earth from

Range 3 East Salt Lake Meridian.

Chains 4 pits each 24 x 12 x 12 in, for
Cor. to Secs, 17, 18, 19 & 20,
Land S½ rocky. 2nd rate,
N. ½ level, Soil 1st rate,
Timber.

East on random line bet Secs,
17 & 20,
Var. 16°30' E
40,00 Set a temporary ¼ Sec. Cor,
65,50 Road bears N.W. & S.E,
80,00 Intersect N. & S. line at the
Cor. to Secs. 16, 17, 20 & 21
from which
West on true line
bet Secs. 17 & 20,
40,00 Deposited a small stone 6 in,
deep, marked with a cross (+)
in a mound of earth raised

Subdivisions Township 28 South

Chains		Chain
	from 4 pits each 24×12×12 in,	
	for 1/4 sec. Cor,	
80,00	The Cor. to Secs. 17.18.19 & 20,	
	Land nearly level,	
	Soil 2nd rate,	38,7
	No timber,	

	West on random line bet secs,	
	18 & 19	78,7
	Var. 16° 30' E,	
15,60	Fremont River 5 lks. wide runs	
	S.E, enter meadow,	
27,50	Fremont Creek 25 lks, wide runs S,	
29,00	Fremont Creek runs N.E,	
37,00	" " " S.E,	
38,50	Leave Meadow — road bears	40,
	N.W. and S.E,	
40,00	Set temporary 1/4 sec. Cor,	
78,78	Intersect Fremont Valley	

Range 3 East. Salt Lake Meridian

Chains Guide Meridian at the Cor. to Secs. 18 & 19 from which,
East on true line bet. Secs. 18 & 19,

38,78 Set a granite 17×12×7 in, 11 in. deep marked 1/4 on N. side, with mound of earth from 4 pits Each 24×12×12 in for 1/4 Sec. Cor.

78,78 The Cor to Secs. 17. 18. 19 & 20, Land level, soil 1st rate, No timber.

North bet Secs. 17 & 18,
Var. 16°.30' E.

40,00 Set charred pine post 4×4 in. 4 ft. long, 2 ft. deep marked 1/4 S. on W. side in mound of earth packed from 4 pits.

Subdivisions Township 28 South Range

(Chains	Each 24×12×12 in. for 1/4 Sec, Cor,	Chains,
80,00	Set trachyte 13×13×12 in. 9 in. deep marked 4 notches on S, & 5 on E. edges, with mound of earth raised from 4 pits, Each 24×12×12 in. for Cor. to Secs, 7. 8. 17 & 18,	40,00
	Land level. Soil 1st rate, No timber,	80,00
	Oct 20th 1876. J. C. Bailey,	
	East on random line bet. Secs, 8 & 17, Var, 16° 30' E,	
11,00	Road bears N.W. & S.E,	
40,00	Set a temporary 1/4 Sec. Cor,	8,30
80,00	Intersect N & S line at the Cor, to Secs, 8, 9, 16, & 17,	23,80

Range 3 East, Salt Lake Meridian

Chains, from which,

West on true line

bet. Secs. 8 & 17.

40,00 Set trachyte stone 15 x 12 x 10 in, 10 in deep, marked 1/4 on N. side, with mound of earth raised from 4 pits each 24 x 12 x 12 in, for 1/4 Sec. Cor.

80,00 The Cor. to Secs. 7, 8, 17 & 18.

Land level, Soil 1st rate,

No timber.

West on random line bet. Secs. 7 & 18.

Var. 16° 30' E.

Over level Ground,

8,30 Road trav. N. & S.

23,80 Fremont River 50 lks. wide runs S. and enters meadow,

Subdivisions Township 28 South

Chains.	
40,00	Set temporary 1/4 Sec. Cor,
73,00	Fremont Creek 12 lks. wide
	runs S. leave meadow,
78,30	Intersect Fremont Valley
	Guide Meridian at the Cor,
	to Secs, 7 & 18 from which
	East on true line bet,
	Secs, 7 & 18.
38,30	Deposited a small stone 6
	in deep marked with a cross
	(+) in mound of earth, raised
	from 4 pits, each 24 x 12 x 12 in,
	for 1/4 Sec. Cor,
78,30	The Cor to Secs, 7, 8, 17, & 18.
	Land level, Soil 1st rate.
	No timber.

North bet Secs, 7 & 8
Var, 16° 30' E

Range 3 East Salt Lake Meridian

Chains.

13,50 Road bears N.W. and S.E.,

40,00 Set chained Aspen post 4×4 in. 4 ft. long 2 ft. deep marked 1/4 S. on N. side in mound of earth from 4 pits, each 24×12×12 in., for 1/4 Sec. Cor. from which,

McClellans old cabin bears S. 73½° W. 45 chs. dist.

80,00 Set a boulder 13×10×8 in. 9 in. deep, marked 5 notches on S. & E. edges, with mound of earth from 4 pits, each 24×12×12 in., for Cor. to Secs. 5.6.7 & 8.

Land level, Soil 2nd rate, No timber.

Subdivisions, Township 28, South.

Chains		Chains.
	East on random line bet. Secs 5 and 8,	
	Var. 16° 30' E,	
40,00	Set temporary 1/4 Sec. Cor,	12,50
51,00	Wash Grains S.W.,	40,00
80,00	Intersect N. & S. line at the Cor. to Secs, 4, 5, 8 & 9, from which,	48,80
		78,00
	West on a true line bet Secs, 5 & 8,	78,30
40,00	Set a boulder 13 x 10 x 7 in 9 in, deep, marked 1/4 on N. side, with mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 Sec. Cor,	38,3
80,00	The Cor. to Secs, 5, 6, 7 & 8, Land level, soil 1st rate, No timber.	

Range 3 East, Salt Lake Meridian

Chains.	
	West on random line bet. Secs. 6 & 7,
	Var. 16° 30' E,
12,50	Road bears N.W. & S.E.
40,00	Set temporary 1/4 Sec. Cor.
48,80	Fremont river 50 lks. wide runs S,
78,00	Fremont Creek, 12 links wide runs S.W,
78,30	Intersect Fremont Valley Guide Meridian at Cor. to Secs. 6 & 7. from which,
	East on true line bet Secs. 6 & 7,
38,30	Set a trachyte boulder 18x12x6 in, 9 in. deep, marked 1/4 on N. side, with mound of earth from 4 pits each 24x12x12 in, for 1/4 Sec. Cor. from which, Two log foundations bear S.W. about 5 Chs. dist. on W. side

Subdivisions. Township 28 South.

Chains,	of river
78,30	The Cor. to Secs, 5, 6, 7 & 8, Land level, Soil 1st rate No timber,

---

North on random line bet, Secs. 5 & 6,

Var. 16° 30' E,

40,00	Set temporary 1/4 Sec. Cor,
81,24	Intersect N. boundary of township 40 lks. E, of Cor, to Secs. 5 & 6, from which, S 0° 15' E on true line bet, Secs. 5 & 6,
40,24	Set a boxeder 12 x 10 x 9 in 8 in, deep marked 1/4 on W, side with mound of earth from 4 pits each 24 x 12 x 12 in, for 1/4 Sec. Cor from

81,24

BOOK-A-145

Range 3 East, Salt Lake Meridian

which

Blackburns cabin bears
N. 75 1/4 W, 45 chs. dist,
8 11,24 The Cor, to secs. 5, 6, 7 & 8,
Land level bench,
Soil 1st rate,
No timber,
Oct 20th 1876,

J. C. Bailey

General Description,

The surveyed portion of this Tp. embraces the major portion of Fremont Valley — Soil generally 1st rate. There are several settlers now located.

The unsurveyed portion

falls in the Thousand Spring Mountains on the East, The County rock is trachyte & Sand Stone, No indication of Minerals. The lands are agricultural,

J. C. Bailey
Deputy Surveyor,

235

BOOK-A-145

U. S. SURVEYOR GENERAL'S OFFICE

Salt Lake City, Utah, December 22 1876

The foregoing field notes of the survey of the South East and north boundaries and 1 Subdivision Lines of

Township No. 28 S *Range No.* 3 East

Executed by Bailey & Bonnell

Under the first contract of the 4th

day of Sept *1876, in the month of* October *1876, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

Blank

Page

Blank

Page

Blank

Page

2 Descriptive lists made

BOOK-A-145

OK 239

Examined by Wm. F. Burgess. B.C.C.

11a6

Field Notes

of

the Survey of the
East Boundary of
Township 29 South,
Range 3 East
of the
Salt Lake Meridian
Utah Territory,

By

J. G. Burrill
U. S. Deputy Surveyor,
Under joint Contract No. 73
Dated Sept. 4th 1876.

Surveyed Oct. 12th 1876

12

Township 24 South R. 3 East

6	5	4	264	3	256	2	251	1	240
				263		255		250	
7	8	9	262	10	254	11	248	12	241
				261		252		246	
18	17	16	260	15	258	14	247	13	242
				259					
19	20	21		22		23		24	
30	29	28		27		26		25	
31	32	33		34		35		36	

East boundary T. 29 S. R. 3. E

Chains		Chains
	October 12th 1876 by J. L. Parri	
	As the south boundary of this township is not surveyed therefore begin at the cor. to Townships 28 & 29 S. R. 3 & 4 E. established by me the day 2 nxt	
	South on E. side of sec 1.	15,00
	Var. 16° 30' E.	20,75
4000	Set a trachyte stone 14 x 14 x 14 in., 9 in. deep, mar ed 1/4 on W. side with mon of stones for 1/4 sec. cor.	40,00
8000	Set trachyte stone 12 x 10 x 1 in., 8 in. deep, marked 1 mi on N. & 5 on S. edges and raised a mound of earth from 4 pits each 24 x 12 x 1	80,00

B. & S. Salt Lake Meridian.

Chains in. for cor. to secs. 1, 6, 7 & 12.

Land mostly level.
Soil 1st rate.
No timber.

South on E. side of sec 12.
Var: 16° 30' E.

15,00 Enter swing bottom bears E & W.
20,75 Fremont River 50 links wide 5 feet deep runs easterly.
40,00 Set trachyte stone 12 x 8 x 8 in. 8 in. deep, marked 1/4 on W side and raised a mound of earth from 4 pits each 24 x 12 x 12 in. for 1/4 sec. cor.
80,00 Set a white sandstone 20 x 20 x 15 in. 15 in deep marked 2 notches on N. & 4 on

242 East boundary T. 29 S. R. 3

Chains S. edge with mound of stone for cor. to secs 7, 12, 13 & 18
Land level
Soil 2nd rate
No timber

South on E. side sec 13
Var 16°30' E.

19.00 Foot of aquarius plateau slope bears NE & SW.

40.00 Set trachyte stone 18 x 10 x 10 in. 12 in. deep marked 1/4 on W side with mound of stones for 1/4 sec cor.
Abrupt ascend cuts off further progress on this line
Land mostly broken
Soil 2nd rate

BOOK-A-145

3 E. Salt Lake Meridian.

No timber
October 12th 1876.
J. G. Burrill

Note: For General Description and approval see end of Subdivision Notes of this township.

"

Blank

Page

BOOK A-145 245

Examined by Mr. [illegible] C. C.

12 C

Transcript made

Field Notes

of the

Survey of the

Subdivision Lines of

Township No. 29 South

Range No. 8. East

of the

Salt Lake Meridian

Utah Territory

By

Bailey & Burrill

U. S. Dep. Surveyors

Under their Joint contract

No. 73.

Dated Sept. 4th 1876.

Survey commenced Oct. 21st 1876

" completed Oct. 21st 1876.

Subdivisions T. 29 S. R. 3 E.

Chains	October 21st 1876	Cha
	By J. G. Burrill	400
	As no part of the south boundary and only 2½ miles of the east boundary have been run I begin at the cor. to secs 12 & 13 on the east boundary and run	80.0
	West on a true line betw secs. 12 & 13.	
	Var: 16° 30' E.	
10.75	Road bears N & S.	
11.00	" N. W. & S. E — junction 3 chs S.	
13.50	Brook runs N. heads in mountains about 2 miles south.	
21.50	Foot of spur of mountains extends northerly about 15 chs.	40.0
23.87	B. Lewis cabin bears	

BOOK A-145

Chains

N. 16° 35' W. 47 chs. dist.

40.00 Set trachyte stone 18 x 16 x 12 in. 12 in. deep marked ¼ on N. side with mound of stones for ¼ sec. cor on top of ridge bears N. W 8 chs.

80.00 Marked a trachyte rock in place 2 x 1½ x 1 feet, 4 notches on S. & 1 on E. edges with mound of stones for cor. to secs. 11, 12, 13 & 14.

Land mostly broken & rocky. Soil 1st rate. Good grass. Scattering pinion pine.

South betw. secs. 13 & 14

Var: 16° 30' E.

40.00 Set a trachyte stone 13 x 12 x 10 in., 9 in. deep, marked

Subdivisions of 29 S. R. 3 E.

Chains		Chains
	¼ on W. Side with mound of stones for ¼ sec. cor. Further line impracticable. Land rocky & broken Soil 3rd rate. Scattering pinion pine. J. G. Burrill	
	By T. J. Bailey North betw secs 11 & 12. Var: 16° 30' E.	46.00
	Descend	
4.00	Foot of hills bear N. E. & S. W.	80.00
15.00	Road bears N. E & S. W.	
18.00	Brook runs E.	
24.00	Bailey's Creek 30 links wide 3 feet deep run N. E. enter swamp impassable	

Chains	Set flag on N. side of Fremont River being the N. side of said swamp measure a base west 22 chs. to point from which the flag bears N. 45 E. which gives the distance 22 chains across the swamp to the flag.
46.00	N. side of Fremont River runs E. leave swamp. Note. The 1/4 sec. cor falling in swamp cannot be established
80.00	Set trachyte stone in west end of meadow 16 x 12 x 6 in; 11 in deep, marked 5 notches on S. x 1 on E. edges with mound of earth raised from 4 pits each 24 x 12 x 12 in. for cor. to secs 1, 2, 11 & 12.

250

Subdivisions T. 29 S. R. 3 E

Chains		Cha
	Land level & swampy can be drained Soil 1st rate. No Timber.	79.9
	East on random line bet: secs. 1 & 12 Var: 16° 30' E.	
5.00	Road bears N. W. & S. E.	
40.00	Set temp. 1/4 sec. cor.	
79.90	Intersect east boundary 25 links North of the corn to secs 1 & 12 from which N. 89° 49' W. on true line betw secs. 1 & 12	10.00 40.00 80.10
39.95	Set trachyte stone 12 x 10 x 6 in., 8 in deep marked 1/4 on N. side with mound of earth raised from 4 pits	40.10

Spans	each 24 x 12 x 12 in for 1/4 sec. cor.
79.90	The cor. to secs 1, 2, 11 & 12. Land wet meadow. Soil 1st rate. No timber.
	North on random line betw. secs. 1 & 2 Var. 16° 30' E.
10.00	Road bears N.W. & S.E.
40.00	Set temp. 1/4 sec. cor.
80.10	Inter, sect N. boundary at the corn. to sects. 1 & 2. from which.
	South on true line betw secs 1 & 2.
40.10	Set trachyte stone 16 x 12 x 6 in., 11 in. deep marked 1/4

Subdivisions T. 29 S. R. 3 E.

Chains

on W. side with mound of earth raised from 4 pits each 24 x 12 x 12 in. for 1/4 sec. cor.

80.10 The corn. to secs. 1, 2, 11 & 12.

Land level

Soil 1st rate.

No timber

J. C. Bailey.

By J. G. Burrill.

West on true line betw secs 11 & 14

Var: 16° 30' E.

18.00 Road N. E & S. W. at foot of hills.

19.00 East edge of pond 5 chs across on line & 10 chs.

Chains	
	long, enter swampy bottom.
40.00	Set trachyte stone 12 x 8 x 6 in., 8 in deep marked 1/4 on N. side - in swampy ground - no pits - for 1/4 sec. cor.
66.00	Baileys Creek 30 links wide runs N.
75.00	Foot of hills leave swamp Ascend
80.00	Set trachyte stone 20 x 12 x 10 in., 15 in. deep, marked 4 notches on S. & 2 on E. edges with mound of stones for cor. to secs 10, 11, 14 & 15.

Land E 19 chs. hills.
Soil 2nd rate
Balance swampy bottom
Soil 1st rate.
No timber

J. G. Burnie

Subdivisions T. 29 S. R. 3 E.

Chains	By T. C. Bailey North betw. sec's. 10 & 11. Var: 16° 30' E.
	Along East slope of foot hills
40.00	Set trachyte stone 14 x 10 x 6 in. 9 in. deep marked 1/4 on W. side with mound of earth raised from 4 pits each 24 x 12 x 12 in., for 1/4 sec. cor.
80.00	Set trachyte stone 16 x 12 x 6 in., 11 in. deep marked 5 notches on S. & 2 on E edges with mound of stones for cor. to secs. 2 x 3 x 10 & 11
	Land rolling.
	Soil 2nd rate. good graze.
	No timber

Chains	
	East on sundown line bet: secs. 2 & 11. Var: 16° 30' E.
16.00	Enter wet meadow bears N. W.
25.00	Fremont River thence down stream to
36.50	River turns N. E.
39.00	" runs S. E., leave swamp
40.00	Set temp. 1/4 sec. cor.
80.00	Intersect N & S. line at the corn. to secs 1, 2, 11 & 12 from which West on true line betw sec. 2 & 11.
41.00	Set soft trachyte stone 12 x 10 x 6 in., 8 in. deep, marked W. C. 1/4 on N. Side with mound of earth raised from 4 pits each 24 x 12 x

Subdivision T. 29 S. R. 3 E.

Chains	
	12 in. for witness ¼ sec. cor. The true corner falling in River cannot be estab-lished
80.00	The cor. to secs 2 × 3 × 10 & 11.
	Land level.
	Soil 1st rate.
	No timber.

North on random line bet: secs. 2 & 3.
Var: 16° 30' E.

21.00	Leave foot hills & enter meadow S. W.
27.00	Slough 500 links wide formed from springs about 40 chs N. W.
40.00	Set temp. ¼ sec. cor.

BOOK A-145

Chains

58.00 Fremont River 100 links wide runs S. E. leave meadow, red bluff bank on N. side of river.

80.75 Intersect N. boundary of township 50 links W. of cor. to secs 2 & 3 from wich S. 0° 21' W. on true line betw secs. 2 & 3.

40.75 Set trachyte stone 12 x 10 x 6 in., 8 in. deep marked 1/4 on W. Side with mound of earth raised form 4 pits Each 24 x 12 x 12 in. for 1/4 sec. cor.

80.75 The corn. to secs 2, 3, 10 & 11.

Land level.

Soil 1st rate.

No timber.

Subdivision T. 29. S.R. 3 E.

Chains	
	From cor. to secs 10, 11, 14 & 15 2 mi south bet. secs 14 & 15. Var 16° 30' E.
10.00	Leave foot hills enter meadow bear N.E. & S.W.
38.50	Baileys Creek 40 links wide run N.E. leave meadow & enter bench land.
40.00	Set trachyte stone 13 x 12 x 6 in., 9 in. deep, marked 1/4 on W. side with mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.
80.00	Set trachyte stone 13 x 11 x 9 in 9 in. deep marked 3 notches on S. & 2 on E. Edges with mound of earth from 4 pits each 24 x 12 x 12 in. for cor.

Chai

40.0

50.00

80.00

Chains	to secs. 14, 15, 22 & 23 Land mostly level Soil 1st & 2nd rate. No timber. T. C. Bailey
	By J. G. Burrill. West on true line bet: secs 15 & 22. Var. 16° 30' E.
40.00	Set trachyte stone 13 x 10 x 9 in., 9 in. deep marked 1/4 on N. side with mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.
50.00	Baileys creek 40 links wide runs N. E.
80.00	Set trachyte stone 13 x 9 x 8 in. 9 in. deep marked 3 notches

Subdivision T. 29 S. R. 3 E.

Chains on S. & E. edges with mound of earth from 4 pits each 24 x 12 x 12 in. for cor. to secs 15, 16, 21 & 22

Land mostly level

Soil 1st rate

No timber

North bet sec 15 & 16

Var. 16° 30' E.

40.00 Set trachyte stone 14 x 12 x 9 in, 9 in. deep, marked 1/4 on W. side with mound of stones for 1/4 sec. cor.

80.00 Set trachyte stone 14 x 14 x 12 in., 9 in. deep, marked 4 notches on S. & 3 on E. edges with mound of stones for cor. to secs 9, 10, 15 & 16

Land rolling

Chains Soil 2nd rate Good grass
No timber.

East on random line
bet secs 10 & 15.
Var: 16°30' E.

25.00 Ridge bears N & S.

40.00 Set temp. 1/4 sec. cor.

80.10 Intersect N. & S. line at the corner to secs. 10, 11, 14 & 15 from which
West on true line
betw secs 10 & 15.

40.05 Set trachyte stone 12 x 12 x 10 in., 8 in. deep marked 1/4 on N. side with mound of stones for 1/4 sec cor.

80.10 The cor. to secs. 9, 10, 15 & 16.

Subdivision T. 29 S. R. 3 E.

Chains		Chai
	Land rolling. Soil 2nd rate. good grass No timber.	

North betw secs. 9 & 10
Var: 16° 30' E.

30.50	Rocky gulch drains E.	40.0
	10 chs thence N. E.	80.0
40.00	Set a trachyte stone 20 x 10 x 10 in., 15 in. deep marked 1/4 on W. side with mound of stones for 1/4 sec. cor.	
80.00	Set trachyte stone 18 x 12 x 12 in., 12 in. deep marked 5 notches on S. & 3 on E. edges with mound of stones for cor. to secs 3, 4, 9 & 10 —	40.2
	Land rolling	80.0

BOOK-A-145 263 = 281

1st Examined by C. H. Cranwell. C. C.

Field Notes
of the
Survey of the
Salt Lake Meridian
in
Townships 42 & 43 South
by
J. G. Burnee
U. S. Dep. Surveyor.
under joint contract of
Bailey & Burnee
No 73 –
dated Sep. 4th 1876.

Surveyed March 9th 1877.

52

BOOK-A-145

Salt Lake Meridian in T. 42 S.

Chains	
	Survey commenced March 9th 1877 by J. G. Burrill — from established corner to T. 42 & 43 S. R. 1 E & 1 W viz: "A sandstone 18 x 12 x 10 in 12 in. deep marked 6 notches on N. S. E & W. edges, with mound of earth raised from 4 pits each 24 x 12 x 12 in" I run
	North between secs 31 & 36 Var. 15° 30 E.
200	Wash drains S E.
1600	Same " S.W.
4000	Set sandstone 18 x 10 x 4 in 12 in deep marked 1/4 on W side, with mound of stones for 1/4 sec. cor.
4200	Road bears S E & N.W.

Chains	
44.00	Rocky ridge bears N W & S E. descend.
57.00	do. do.
77.50	Ridge bears E & W. descend
80.00	Set limestone 24 x 14 x 3 in. 18 in deep marked 5 notches on N & 1 on S. edges, with mound of stone for cor. to secs 25, 30, 31 & 36
	Land broken & rocky
	Soil 2nd rate - No timber

North between secs 25 & 30
Var. 15° 30' E

40.00	Set sandstone 15 x 10 x 5 in 10 in deep marked 1/4 on W side, with mound of stone for 1/4 sec cor.
80.00	Near foot of bluffs bear N E & W. set sandstone 18 x 10 x 4 in 13 in. deep marked 4 notches on N. & 2 on S. edges, with mound

Chain
24.0
40.0
57.0
75.0

Chains	
	of stones for cor. to secs 19, 24, 25 & 30.
	Land nearly level
	Soil 2nd rate. No timber
	Note: Abandon line here on account of mountains —
	I now return to the cor. to townships 42 & 43 S. Ranges 1 E & 1 W & run South between secs 1 & 6.
	Var. 15° 30' E.
24.00	Wash drains W.
40.00	Deposited five small stones one marked with a cross (+) in Mound of earth raised from 4 pits each 24 x 12 x 12 in for. 1/4 sec cor.
57.00	Wash drains S.W.
75.00	" " "

Chains	
80.00	Set sandstone 20 x 14 x 3 in 15 in. deep marked 1 notch on N & 5 on S. edges, with mound of stones for cor to secs 1.6.7 & 12 on point of rocky ledge
	Land undulating. Soil 2nd rate
	No timber

South between secs 7 & 12
Var. 15°30' E.

3.00	Bluff bears N.W. & S.E.
28.34	S. side of bluff bears N.E. & S.W.
40.00	Set sandstone 18 x 8 x 4 in 13 in deep marked 1/4 on W side with mound of stone for 1/4 sec cor
55.00	Navajo trail bears N.W. & S.E.
80.00	Set charred cedar post 48 x 4 x 4 in 12 in deep notched 2 on N & 4 on S. edges in mound of earth from 4 pits each 24 x 12 x 12 in for cor to secs 7.12.13 & 18
	Land mostly level.
	Soil 2nd rate — No timber

Chains	
	South between secs 13 & 18
	Var. 15° 30' E.
32.00	Wash drains S.W.
40.00	Set chamd cedar post 48 x 4 x 4 in 12 in deep marked 1/4 on W. side in mound of earth raised from 4 pits, each 24 x 12 x 12 in for 1/4 sec cor
52.00	Foot of breaks bear E & W.
56.00	This cor. falling in breaks not set thereon at 56.00 chs I set sandstone 16 x 10 x 4 in. 11 in. deep notched 3 on N & S edges & W.O., with mound of stone for witness cor to secs. 13. 18. 19 & 24
	Land broken. Soil 2nd rate. No timber
	Note: On account of rocky bluffs I abandon this line here —

For general description see subdivision notes of T. 42 & 43 S. R. 1 W & 1 E.
March 9th 1877 J. G. Burrill
U.S. Dep. Surveyor.

DTC
290

BOOK-A-145

269

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, June 21" 1877

The foregoing field notes of the survey of the Salt Lake Meridian in Township No. 42 + 43 S Range No. ——

Executed by O Bailey + O Russell

Under joint contract of the 4" day of Sept. 1876, in the month of March 1877, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Martin Kimball

Surveyor General for Utah.

2d Examined by C. H. Cranwell. C. C.

Field Notes
of the
East Boundary
Township 42 South Range 1 East
Salt Lake Meridian
Utah Territory
as surveyed by
T. C. Bailey
under joint contract Bailey & Burrill
No. 73. — dated Sept 14th 1876

Survey commenced Mar 14th 1877
" completed " " "

East Boundary T.42 S. R. 1 E.

Chains	
	Mar 14th 1877 by T. C. Bailey
	From the established cor.
	to T.s 42 & 43 S. R.s 1 & 2 E.
	North bet. secs. 31 & 36
	Va. 13° 30' E.
14.00	Ravine ~~drains~~ N. E.
40.00	Set Sandstone 15x10x5 in. 10
	in. deep marked 1/4 on W. side
	raised mound of stone for 1/4 sec. cor.
44.00	~~Equals~~ ~~drains~~ E.
80.00	Set Sandstone 16x13x4 in. 11 in.
	deep notched 10 on S. & 5 on N. edges
	raised mound of stone for cor.
	to secs. 25, 30, 31 & 36.
	Land rolling -
	Soil 2d rate - good grass -
	No Timber -
	Mar 14th 1877 - T. C. Bailey -

Note: For General Description & approval see end of subdivision notes T.42 S. R. 1 E.

Compared & Correct.

Copied. JHM
& compared

Sub 7.4 E. S. R. 1. E.

272

No. 25 South, Range 2 East; Nos. 27 & 28 South, Ranges 2 & 3 East, and 29 S. R. 3 East of the Salt Lake Meridian, as are represented in the foregoing field notes, as having been surveyed under my direction,

in the Territory aforesaid, and do further solemnly swear that all the corners of said surveys, have been established and perpetuated in strict accordance, with the Surveying manual and painted instructions, that the foregoing are the true and original Field Notes of such survey.

T. C. Bailey
U. S. Deputy Surveyor.

Subscribed by the said T. C. Bailey U. S. Deputy Surveyor and sworn to before me, a Justice of the Peace for the county of Sevier, in the Territory of Utah, this 25 day of October 1876

C P Anderson
J P

Field Notes
of the
Subdivision of
Township 42 South Range 1 East
Salt Lake Meridian
Utah Territory
as surveyed by
T. C. Bailey
under joint contract Bailey & Burrill
No 73 - dated Sept 4th 1876.

Survey commenced March 4th 1877
" completed " 14th "

Subdivisions T.42. S. R. 1. E.

Chains Mar 14th 1897 by T. C. Bailey
From the cor. to secs. 35 & 36 on
the south boundary of the
township
North bet. secs. 35 & 36
Va. 15° 30' E.

36.00 Ravine drains N. E.

40.00 Deposited small stone marked
with a cross (+) in mound of
earth from 4 pits, each 24 x 12 x 12 in
for 1/4 sec. cor.

80.00 Set sandstone 13 x 10 x 8 in 8 in
deep notched 1 on E. & S. edges &
raised mound of earth from
4 pits each 24 x 12 x 12 in for cor. to
secs. 25. 26. 35 & 36
Land rolling - soil 2nd rate
Sandy - fine grass. - No Timber -

Salt Lake Meridian

Chains	East on random line bet. secs. 25 & 36 Va. 15° 30' E.
40.00	Set temp. 1/4 sec. cor.
80.10	Intersect east boundary of township at the cor. to secs. 25 & 36 from which West on true line bet. secs. 25 & 36
40.05	Deposited small stone marked with a cross (+) in mound of earth from 4 pits each 2 x 12 x 12 in for 1/4 sec. cor.
80.10	The cor. to secs. 25. 26. 35 & 36 Land rolling - Soil 2° rate No Timber. —

North bet. secs. 25 & 26
Va. 15° 30' E.

Subdivisions T. 42. S. R. 1. E.

Chains	
28.00	Ravine drains E.
40.00	Near foot of Rocky Bluffs bear E & W. Set Sandstone 15×10×5 in 10 in deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor.
Note:	I abandon line here - Land broken - Soil 2 rate rocky - No Timber -

---

From the cor. to secs. 34 & 35 on the south boundary of the township North bet. secs. 34 & 35

Va. 15°. 30'. E.

7.50	Wash drains N. E.
21.00	Ravine " "
40.00	Set Sandstone 14×10×8 in 9 in deep marked 1/4 on W. side & raised mound of earth from

Salt Lake Meridian

Chains	4 pit 1 each 24x12x12 in for 1/4 sec. cor.
80.00	Set Sandstone 15x10x4 in 10 in deep notched 2 on E & 1 on S. edges & raised mound of stone for cor. to secs. 26.27.34 & 35 Land rolling - Soil 2d rate Sandy, good grass - No Timber
	East on random line bet. secs. 26 & 35. Va. 15°30' E.
40.00	Set temp. 1/4 sec. cor.
79.96	Intersect N & S. line 17 lks S. of cor. to secs. 26 & 35 from which S. 89°53' W. on true line bet. secs. 26 & 35
39.98	Set Sandstone 15x10x4 in 10 in deep marked 1/4 on N. side & raised

Subdivisions T. 42. S. R. 1. E.

Chains	
	mound of earth from 4 pits each 24×12×12 in for 1/4 sec. cor.
79.96	The cor. to secs. 26. 27. 34 & 35 Land. broken - Soil 2 rate - No Timber. -
	North bet. secs. 26 & 27 Va. 15° 30' E.
32.00	Gulch drains E.
40.00	Near foot of rocky bluffs bear E & W. set Sandstone 14×10×4 in 9 in deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor.
Note:	Abandon line here - Land. broken - Soil 2 rate - rocky - No Timber -
	From the cor. to secs. 33 & 34

Salt Lake Meridian

Chains	
	on the south boundary of the township
	North bet. secs. 33 & 34
	Va. 15°. 30' E.
10.00	Navajo Trail bears N.W. & S.E.
30.00	Wash. drains E.
40.00	Deposited small stone marked with a cross (+) in mound of earth from 4 pits each 24×12×12 in for 1/4 sec. cor.
75.00	Ridge bears E & W.
80.00	Set Sandstone 14×10×2 in 9 in deep notched 3 on E & 1 on S. edges & raised mound of earth from 4 pits each 24×12×12 in for cor to secs. 27. 28. 33 & 34
	Land, undulating, Soil Slate, Sandy good grass. No Timber.

Subdivisions T. 42. S. R. 1. E.

Chains	East bet. secs. 27 & 34
	Va. 15° 30' E.
40.00	Set temp. 1/4 sec. cor.
80.06	Intersect N & S. line 35 lks.
	S of cor. to secs. 27 & 34 from which
	S. 89° 45' W. on true line
	bet. secs. 27 & 34
40.03	Set Sandstone 15×10×4 in 10 in
	deep marked 1/4 on N. side raised
	mound of stone for 1/4 sec. cor.
80.06	The cor. to secs. 27. 28. 33 & 34
	Land - broken - Soil 2 rate
	rocky - No Timber -
	North bet. secs. 27 & 28
	Va. 15° 30' E.
24.00	Gulch drains E.
40.00	Near foot of bluffs bears E & W
	Set Sandstone 15×11×4 in 10 in

Salt Lake Meridian

1 chains	deep marked 1/4 on W. side raised mound of stone for 1/4 sec. cor.
Note:	I abandon line here — Land, broken rocky — Oil & Gas — No Timber —

From the cor. to secs. 32 & 33 on the south boundary of the township North ft. secs. 32 & 33

Va. 15° 30' E.

40.00	Deposited small stone marked with a cross (+) in mound of earth for 1/4 sec. cor.
50.50	Navajo trail bears N.W. & S.E.
70.00	Ridge bears E & W.
80.00	Set Sandstone 14 x 3 x 3 in 9 in deep notched 4 on E & 1 on S. edges & raised mound of earth from 4 pits each 24 x 12 x 12 in for cor. to secs 28, 29, 32 & 33.

Subdivisions 7.42. S. R. 1. E.

Chains	Land-undulating - Soil Lvate. sandy - good grass - No Timber -
	East on random line bet. secs. 28 & 33 Va. 15° 30' E.
40.00	Set temp. 1/4 sec. cor.
80.00	Intersect N & S. line at the cor. to secs. 28 & 33 from which West on true line bet. secs. 28 & 33
40.00	Set Sandstone 12×11×4 in 8 in deep marked 1/4 on N. side & raised mound of earth from 4 pits each 24×12×12 in for 1/4 sec. cor.
80.00	The cor. to secs. 28. 29. 32 & 33 Land. E 1/2 broken - W 1/2 rolling

Salt Lake Meridian

Chains Soil 2d rate - No Timber -

North bet. secs. 28 & 29
Va. 15° 30' E.

18.00 Gulch drains E.

40.00 Foot of rocky ledge bears E & W.
set sandstone 14x9x4in 9in deep
marked 1/4 on W. side raised mound
of earth from 4 pits each 24x12x12in
for 1/4 sec. cor.

Note: I abandon line here -
Land broken - Soil 2d rate,
rocky - No Timber. -

From the cor. to secs. 31 & 32
on south boundary of township
North bet. secs. 31 & 32
Va. 15° 30' E.

20.00 Road bears N.W. & S.E.

Township 42 South R. 1 West

6	5	4	3	2	1	
7	8	9	10	11	12	
18	17	16	15	14	13	
19	20	21	22	23	24	
30	29	28	27	26	25	284.
31	32	33	34	35	36	283.

Salt Lake Meridian

Subdivisions T. 42. S. R. 1. E.

Chains	
40.00	Deposited small stone marked with a cross (+) in mound of earth from 4 pits each 24×12×12 in for 1/4 sec. cor.
80.00	Set Sandstone 18×10×3 in 12 in deep notched 5 on E & 1 on S. edges & raised mound of earth from 4 pits each 24×12×12 in for cor. to secs. 29. 30. 31 & 32 from which The S. end of the Navajo Mountain bears S. 82°. 30'. E. South Point of Bluffs on E. side of Dry Creek bears S. 74°. 45'. E. Cathedral Peak bears N. 2°. E. South Point of Bluffs near the Colorado River bears S. 67°. 30'. E. Land, undulating - Soil 2d rate, good grass - No Timber -

Salt Lake Meridian

Chains	East on random line bet. secs. 29 & 32
	Var. 15°.30'.E.
20.00	Ravine drains N.E.
22.60	Navajo Trail bears N.W. & S.E.
28.00	Ravine drains N.
38.50	" " N.W.
39.50	" " "
40.00	Set temp. 1/4 sec. cor.
80.00	Intersect N & S. line at the cor. to secs. 29 & 32 from which west on true line bet. secs. 29 & 32
40.00	Set sandstone 12×12×3 in 8 in deep marked 1/4 on N. side & raised mound of earth from 4 pits each 24×12×12 in for 1/4 sec. cor.
80.00	The cor. to secs. 29.30.31 & 32

BOOK-A-145

Township 43 South **R.** 1 West

6	5	4	3	2	1	285
7	8	9	10	11	12	286
18	17	16	15	14	13	287
19	20	21	22	23	24	
30	29	28	27	26	25	
31	32	33	34	35	36	

Salt Lake Meridian

Subdivisions T. 42. S. R. 1. E.

Chains	Land, rolling - Soil 2nd rate - sandy - good grass - No Timber -
	West on random line
	Bet. secs. 30 & 31
	Va. 15° 30'. E.
12.00	Ravine drains N. E.
20.00	Gulch " " "
39.75	Small Ravine " " "
40.00	Set temp. 1/4 sec. cor.
59.50	Head of Gulch drains N. E.
	A sandstone point 50 feet high
	10 lks. S. of line -
62.00	Bluff bars N. & S. E.
75.00	Ridge " N. & S.
80.00	Intersect Salt Lake
	Meridian at the cor. to
	secs. 30 & 31 from which
	East on True line

Salt Lake Meridian

Chains	bet. secs. 30 & 31
40.00	Set Sandstone 13×12×3 in 8 in deep marked 1/4 on N. side & raised mound of earth from 4 pits each 24×12×12 in for 1/4 sec. cor.
80.00	The cor. to secs. 29. 30. 31 & 32 Land-broken. Soil 2d rate - No Timber. -

North bet. secs. 29 & 30
Va. 15°.30'.E.

10.00	Gulch drains E.
40.00	Set Sandstone 15×10×5 in 10 in deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor on S. edge of low rock bluff bears E & W. - About 1 mile north - high gray bluff bears E & W.
Note:	I abandon line here -

Subdivisions 7.42. S. R. 1. E.

Chains Land, broken rocky -
Soil 2d rate - No timber -
Mar 14th 1877 - T. C. Bailey

General Description -
The lands in the surveyed portion of this township consist of undulating grassy plains lying between Oak Ridge River on the west & Dry Creek on the East - Soil is 2d rate - Contains no settlement at present, timber near at hand in south part of the township adjoining on the south -
The lands are agricultural -
T. C. Bailey U. S. Dep. Sur.

BOOK-A-145

BOOK 311

289

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, June 21st 1877

The foregoing field notes of the survey of Exteriors & Subdivisions

Township No. 42 S *Range No.* 1 E

Executed by Bailey & Burrill

Under joint *contract of the* 4th

day of September 1876, *in the month of* March 1877, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

3d

Examined by C. H. Cranwell. C. C.

Field Notes
of the
North & East & South
Boundaries
Township 43 South Range 1 East
Salt Lake Meridian
Utah Territory
as surveyed by
J. G. Burrill
under joint contract Bailey & Burrill
No. 73 — dated Sept 4th 1876 —

Survey commenced Mar. 14th 1877
" completed " " "

55

North Boundary T. 43 S. R. 1 E.

Chains	
	Mar. 14th 1877 by J. H. Burrill
	From the established cor. to
	T. 42 & 43 S. R.s 1 E & 1 W. on the
	Salt Lake Meridian
	East on true line
	Bt. secs. 6 & 31
	Va. 15° 30' E.
0.50	Wash drains S.
40.00	Deposited a pint of small
	rocks in mound of earth
	raised from 4 pits each 24 x 12 x 12 in
	for 1/4 sec. cor.
80.00	Set Limestone 12 x 12 x 4 in. 8 in
	deep notched 5 on E & 1 on W. edges
	raised mound of earth from
	4 pits each 24 x 12 x 12 in. for cor. to
	secs. 5, 6, 31 & 32
	Land level, Soil Grate
	No Timber -

Salt Lake Meridian

292

Chains	
	East on true line
	bet. secs. 5 & 32
	Va. 15°30'E.
40.00	Deposited small stone marked with a cross (+) in mound of earth from 4 pits each 24x12x12 in. for 1/4 sec. cor.
74.00	Road bears N.E. & S.W.
80.00	Set Sandstone 14x10x3 in. 9 in. deep notched 4 on E & 2 on W. edges & mound of earth from 4 pits each 24x12x12 in. for cor. to secs. 4, 5, 32 & 33
	Land gently undulating - Soil 2nd rate - good grass
	No Timber -

East on true line
bet. secs. 4 & 33
Va. 15°30'E.

North Boundary 7.43. S. R. 1. E.

Chains		Cha
40.00	Deposited small stone marked with a cross (+) in mound of of earth from 4 pits each 24x12x12 in. for 1/4 sec. cor.	73. 80.
80.00	Set Sandstone 14x10x3 in. 9 in. deep notched 3 on E & W. edges & raised mound of earth from 4 pits each 24x12x12 in for cor. to secs. 3.4.33 & 34	
	Land gently undulating Soil 2 rate. Sandy, good grass No Timber —	
	East on true line bet. secs. 3 & 34 Va. 15° 30' E.	7. 19. 40.
23.50	Navajo Trail bears N.W. & S.E.	
39.00	Ravine drains N.E.	
40.00	Set Sandstone 20x12x8 in. 15 in. deep marked 1/4 on	80.

Salt Lake Meridian

Chains	N. side & raised mound of stone for 1/4 sec. cor.
73.50	Ravine drains N.E.
80.00	Set Sandstone 20×14×6 in. 15 in. deep notched 2 on E & 4 on W. edges & raised mound of stone for cor. to secs. 2. 3. 34 & 35.
	Land rolling Soil 2 Gate Sandy — No Timber —
	East on random line bet. secs. 2 & 35 Va. 15° 30' E.
7.50	Wash drains N.
19.40	" " "
40.00	Deposited small sandstone marked with a cross (+) in mound of earth from 4 pits each 24×12×12 in. for 1/4 sec. cor.
80.00	Set Sandstone 20×14×2 in. 15

Blank

Page

Blank

Page

Blank

Page

North Boundary T. 43 S. R. 1 E.

Chains	in. deep notched 1 on E & 5 on W. edges & raised mound of earth from 4 pits each 24 x 12 x 12 in. for cor. to secs 1, 2, 35 & 36	Sa
	Land rolling sandy soil 2d rate good grass No Timber	Cha
	East on true line bet. secs. 1 & 36 Va. 15° 30' E.	
40.00	Set Sandstone 28 x 15 x 8 in. 20 in. deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.	37. 40.
70.80	Wash drains N. E.	
80.00	Set Sandstone 18 x 14 x 6 in. 12 in. deep notched 6 on N. E. S & W. edges & raised mound of earth from 4 pits each 24 x	41. 80.

Salt Lake Meridian

Chains	12×12 in. for cor. to T.42 & 43 S. R.'s 1 & 2 E.
	Sand rolling
	Soil Grate
	No Timber

East Boundary T.43 S. R. 1 E.
From the cor. to T.s 42 & 43 S. R.'s 1 & 2 E.
South bet. secs. 1 & 6
Va. 15° 30' E.

37.25	Rocky Wash drains N. E.
40.00	Set Sandstone 16×7×7 in. 11 in. deep marked 1/4 on W. side & raised mound of earth from 4 pits each 24×12×12 in. for 1/4 sec. cor.
41.30	Ravine drains N. E.
80.00	Set Sandstone 16×6×2 in. 11 in. deep notched 1 on N. & 5 on S. edges & raised mound of

East Boundary 1.43. S. R. 1. E.

Chains	earth from 4 pits each 24×12 ×12 in for cor. to secs. 1.6.7 & 12	
	Land rolling	
	Soil 2d rate Sandy	
	No Timber —	40.0
	South bet. secs. 7 & 12	
	Va. 15° 30' E.	
30.00	Navajo Trail bears N.W. & S.E.	80.0
40.00	Set Sandstone 15×10×5 in. 10 in. deep marked ¼ on W. side & raised mound of earth from 4 pits each 24×12×12 in. for ¼ sec. cor.	
55.00	Bluffs bear E. & S.W. & enter timber	
80.00	Set Sandstone 18×11×4 in. 12 in deep notched 2 on N. & 5 on S. edges & raised mound of stone for cor. to secs 7.12.13 & 18	35.0
	Land rolling	40.0
	Soil 2d rate good grass	

Salt Lake Meridian

Av Timber.

South bet. secs. 13 & 18.
Va. 15° 30' E.

40.00 Set Sandstone 16×15×5 in. 11 in. deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor.

80.00 Set Sandstone 18×12×5 in. 12 in. deep notched 3 on N. & S. edges & raised mound of stone for cor. to secs. 13. 18. 19 & 24 — Land rolling. Soil & Fate Timber scattering Cedar

South bet. secs. 19 & 24
Va. 15° 30' E.

35.00 Ravine drains N.W.

40.00 Set Sandstone 15×14×4 in. 10 in. deep marked 1/4 on W. side

East Boundary T. 43. S. R. 1. E.

Chains	& raised mound of stone for 1/4 sec. cor.
80.00	Set Charred Cedar Post 48 x 4 x 4 in 12 in. deep marked 4 notches on N. & 2 on S. sides in mound of earth raised from 4 pits each 24 x 12 x 12 in. for cor. to secs. 19. 24. 25 & 30 –
	Land rolling – Soil 2 Water – Timber Scattering Cedar –
	South bet. secs. 25 & 30
	Va. 15° 30' E.
40.00	Set Charred Cedar Post 48 x 4 x 4 in. 12 in. deep marked 1/4 S. on W. side in mound of earth raised from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.
80.00	Set Charred Cedar Post 48 x 4 x 4 x in 12 in deep marked 5

Salt Lake Meridian

Chains	notches on N & S. sides in mound of earth raised from 4 pits each 24×12×12 in for cor to secs. 25.30.31 & 36 —
	Land rolling bench —
	Soil 2d rate —
	Timber scattering Cedar
	South bet. secs. 31 & 36
	Va. 15° 30' E.
10.00	Ridge bears N.W. & S.E.
21.00	Ravine drains W.
32.00	" " N.W.
40.00	Set Charred Cedar Post 48× 4×4 in. 12 in. deep marked 1/4 S. on W. side in mound of earth raised from 4 pits each 24×12× 12 in for 1/4 sec. cor.
80.00	Set Sandstone 16×15×5 in. 11 in. deep notched 6 on N. E. S. & W.

East Boundary T. 43. S. R. 1. E.

Chains	edges & raised mound of stone for cor. T's 43 & 44. S. R's 1 & 2. E.
	Land rolling
	Soil 2d rate –
	Timber – scattering Cedar –

South Boundary

As the S. W. cor. of this township is not established therefore I run West on true line bet. secs. 1 & 36

Va. 15°. 30'. E.

40.00	Set Sandstone 16 × 10 × 8 in 11 in. deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.
80.00	Set Charred Cedar Post

Salt Lake Meridian

Chains 48×4×4 in. 12 in. deep, marked 1 notch on E & 5 on W. sides in mound of earth raised from 4 pits each 24×12×12 in. for cor. to secs. 1, 2, 35 & 36 –

Land rolling bench –

Soil 2d rate –

Timber scattering Cedar

West on true line

bet secs. 2 & 35

Va. 15° 30' E.

32.00 Ravine drains N.

40.00 Set Charred Cedar Post 48×4×4 in. 12 in. deep marked 1/4 S. on N. side in mound of earth raised from 4 pits each 24×12×12 in for 1/4 sec. cor.

52.50 Ravine drains N. E.

80.00 Set Charred Cedar Post 48×4

South Boundary 7.43 S. R. 1. E

6 Chains 4 on 12 in deep marked 2 notches on E & 4 on W. edges & raised mound of earth from 4 pits each 24×12×12 in. for cor. to secs 2, 3, 34 & 35 —

Land rolling — Soil 2 Vale
Timber — Cedar & Pinon Pine

West on true line
pt. secs. 3 & 34
Va. 15°. 30'. E.

20.00 Ridge bears N. E & S. W.
40.00 Set Sandstone 12×12×6 in. 8 in. deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.
51.00 Gullie drains N. E.
80.00 Set Sandstone 16×14×8 in. 11 in. deep notched 3 on E & W. edges & raised mound

Chain

40.00

55.00

0.00

Salt Lake Meridian

Chains of stone for cor. to secs. 3.4.33 & 34.
Land rolling bench -
Soil 2d rate -
Timber - scattering Cedar -

West on true line
bet. secs. 4 & 33
Va. 15° 30' E.

40.00 Set Charred Cedar Post 48 x 4 x 4 in. 12 in. deep marked 1/4 S. on N. side in mound of earth raised from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.

55.00 Ravine drains N. E.

60.00 Set Charred Cedar Post 48 x 4 x 4 in 12 in. deep notched 4 on E. & 2 on W. sides in mound of earth raised from 4 pits each 24 x 12 x 12 in for cor. to secs 4. 5. 32 & 33,
Land rolling bench -

South Boundary T. 43. S. R. 1. E.

Chains Soil 2d rate
Timber-scattering Cedar.

Note: On account of Paria breaks I abandon line here.

For General Description & approval see end of subdivision notes of this Township —
Mar. 14th 1877.
J. G. Burrill

BOOK-A-145

Township 113 South **R.** 1. East

316		317		317		318		319		320	
6	377	5	371	4	360	3	350	2	340	1	321
376		375		370		359		349		339	
7	374	8	369	9	358	10	348	11	338	12	322
373		372		368		357		347		337	
18		17	367	16	356	15	346	14	337	13	323
				366		355		345		336	
19		20	365	21	354	22	345	23	335	24	323
				364		353		344		334	
30		29	363	28	353	27	343	26	333	25	324
				362		352		342		332	
31		32	361	33	351	34	341	35	332	36	325
				329		328		327		326	

See Bk 2437

BOOK-A-145

331. corrd corrd X

Field Notes
of the
Subdivisions of
Township 43 South Range 1 East
Salt Lake Meridian
Utah Territory
as surveyed by
Bailey & Burrill
under their joint contract
No 73.—
dated Sept. 4th 1876.

Survey commenced Mar 14th 1877
" completed " 17th 1877

Subdivisions T. 43 S. R. 1 E.

Chains Mar. 14th 1877 by T. H. Bailey

From the cor. to secs 35 & 36
on the south boundary of the
township I run
North bet. secs. 35 & 36
Va. 15° 30' E.

33.00 Ravine drains N.E.,

40.00 Set Sandstone 15x10x4 in. 10 in
deep marked 1/4 on W. side &
raised mound of stone for 1/4 sec. cor.

80.00 Set Sandstone 18x15x9 in. 12 in.
deep notched 1 on E & S. edges
raised mound of stone for
cor. to secs. 25. 26. 35 & 36
Land rolling bench
Soil Dark
Timber Cedar & Piñon Pine

East on random line
bet. secs. 25 & 36

Salt Lake Meridian

Chains	Va. 15°30'E.
40.00	Set temp. 1/4 sec. cor.
65.00	N.W. Point of ridge
80.00	Intersect east boundary of township at cor. to secs. 25 & 36 from which West on true line bet. secs. 25 & 36
40.00	Set Sandstone 16x11x4 in. 11 in. deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.
80.00	The cor. to secs 25.26.35 & 36 - Land rolling bench, Soil Grate Timber = Cedar & Pinon Pine -

North bet. secs. 25 & 26

Va. 15°30'E.

27.00	Ravine drains W.
40.00	Set Sandstone 18x9x9 in.

Subdivisions T. 43. S. R. 1. E.

Chains 12 in. deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor.

50.00 S. W. Point of ridge

80.00 Set Sandstone 18x9x4 in. 12 in. deep notched 1 on E & 2 on S. edges & raised mound of stone for cor. to secs 23. 24. 25 & 26.

Sand rolling bench, Soil 2d rate Timber = Cedar & Pinon Pine

East on random line pt. secs. 24 & 25

Va. 15°. 30'. E.

33.00 Ridge bears N. E. & S. W.

40.00 Set temp. 1/4 sec. cor.

80.04 Intersect E. boundary of township 16 lks. S. of cor. to secs. 24 & 25 from which

Salt Lake Meridian

Chains S. 89°.53'. W. on true line
bet. secs 24 & 25

40.02 Set Sandstone 15x10x4 in. 10 in.
deep marked 1/4 on N. side & raised
mound of stone for 1/4 sec. cor.

80.04 The cor. to secs. 23.24.25 & 26
Land rolling bench - Soil 2 Gate -
Timber - Cedar & Piñon Pine -

North bet. secs. 23 & 24
Va. 15°.30'. E.

40.00 Set Sandstone 16x10x4 in. 11 in.
deep marked 1/4 on W. side &
raised mound of stone for 1/4
sec. cor.

42.00 Ravine drains N.W.

80.00 Set Sandstone 18x11x10 in.
12 in. deep notched 1 on E & 3 on
S. edges & raised mound of
stone for cor. to secs. 13.14.23 & 24

Subdivisions T. 43. S. R. 1. E.

Chains Land rolling bench, Soil 2d rate
Timber Cedar & Piñon Pine

East on random line
bet. secs. 13 & 24
Va. 15° 30' E.

40.00 Set temp. 1/4 sec. cor.
48.00 Ravine drains N 10 W.
80.06 Intersect E. boundary of
township 35 lks. S. of cor. to
secs. 13 & 24 from which
S. 89° 45' W. on true line
bet. secs. 13 & 24
40.03 Set sandstone 16 x 10 x 7 in.
11 in. deep marked 1/4 on N.
side & raised mound of
stone for 1/4 sec. cor.
80.06 The cor. to secs 13. 14. 23. & 24
Land rolling bench, Soil 2d rate
Timber - Cedar & Piñon Pine

Salt Lake Meridian

Chains North bet. secs 13 & 14

Va. 15°30' E.

40.00 Leave bench at foot of bluffs bear N.E. & S.W. Set Sandstone 18 x 11 x 5 in. 12 in. deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor. Leave Timber —

80.00 Set Sandstone 19 x 6 x 5 in. 12 in. deep notched 1 on E & 4 on S. edges & raised mound of earth from 4 pits each 24 x 12 x 12 in for cor. to secs. 11. 12. 13 & 14

Land rolling — Soil 2 rate

Timber Cedar & Piñon Pine on S. 1/2

East on random line bet. secs. 12 & 13

Va. 15°30' E.

34.00 Intersect Steep Bluffs

Subdivisions 7.43.S.R.1.E.

Chains & enter timber thence offset S.10 chs Thence E.46.00 chs Thence N.10 chs. to

80.00 Intersect E. boundary of Township at cor. to secs. 12 & 13 from which West on true line with Offsets bet. secs. 12 & 13

40.00 The true cor. falling in bluffs is not set therefor at 34.00 chs. mark 1/4 W.C. on Sandstone ledge for witness 1/4 sec. cor.

80.00 The cor. to secs. 11.12.13 & 14. Sand broken Soil & rate Timber - Cedar & Piñon Pine on E.46. chs -

---

North bet. secs. 11 & 12

Va. 15°30' E.

Salt Lake Meridian

Chains

40.00 Set Sandstone 12×10×6 in. 8 in. deep, marked 1/4 on W. side & raised mound of earth from 4 pits each 24×12×12 in for 1/4 sec. cor.

61.00 Wash drains N. W.

65.00 " (same) " N. E.

73.50 Trail runs E & W.

80.00 Set Charred Cedar Post 4 ft × 4 × 4 in 12 in. deep marked 1 on E & 5 on S. sides & raised mound of earth from 4 pits each 24×12×12 in. for cor. to secs 1. 2. 11 & 12 –

Land level – Soil Rate – No Timber. –

East on random line bet. secs. 1 & 12

Va. 15° 30' E.

40.00 Set temp. 1/4 sec. cor.

Subdivisions T. 43. S. R. 1. E.

Chains		Chains
80.00	Intersect E. boundary of Township at cor. to secs. 1 & 12 from which Mst. on true line bet. secs. 1 & 12	80.00
40.00	Set Sandstone 16x8x4 in. 11 in deep marked 1/4 on E. side raised mound of stones for 1/4 sec. cor.	40.00
80.00	The cor. to secs. 1. 2. 11 & 12 Land - level - Soil Fair - No Timber -	80.00

North on random line bet. secs. 1 & 2

Va. 15° 30' E.

15.00	Wash drains N. E.
20.00	Trail bears E & W.
35.00	Road " "
40.00	Set temp. 1/4 sec. cor.

Salt Lake Meridian

Chains

80.00 Intersected N. boundary of the Township at the cor. to secs 1 & 2 from which
South on true line
Brt. secs. 1 & 2

40.00 Deposited a pint of pebbles in mound of earth raised from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.

80.00 The cor. to secs. 1, 2, 11 & 12 -
Land level - Soil 1st rate
No Timber
Mar. 14th 1877. T. B. Bailey

Mar 15th 1877 by J. H. Purrill
From the cor. to secs. 34 & 35 on the north boundary of township
North brt. secs. 34 & 35
Va. 13° 30'. E.

Subdivisions T. 43. S. R. 1. E.

Chains		Chain
30.00	On Ridge bears N. E. & S. W.	
40.00	At foot of same, set Sandstone 16x10x4 in. 11 in. deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor.	39.9
80.00	Set Sandstone 18x11x10 in. 12 in. deep notched 2 on E & 1 on S. edges & raised mound of stone for cor. to secs. 26. 27. 34 & 35	79.9
	Land rolling bench	
	Soil 2 rate.	
	Timber Cedar & Piñon Pine	
	East on random line bet. secs. 26 & 35	40.0
	Va. 15° 30' E.	
34.00	Ridge bears N. E. & S. W.	
40.00	Set temp. 1/4 sec. cor.	80.0
79.94	Intersect N & S. line 17 lks S. of cor. to secs. 25. 26. 35 & 36	

Salt Lake Meridian

Chains from which
S. 89°.53'. W. on true line
bet. secs. 26 & 35

39.97 Set Sandstone 18x17x8 in. 12 in. deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.

79.94 The cor. to secs. 26. 27. 34 & 35
Sand rolling bench, Soil 2 Rate
Timber Cedar & Piñon Pine -

North, bet. secs. 26 & 27
Va. 15°.30'. E.

40.00 Set Sandstone 18x10x4 in. 12 in. deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor.

80.00 Set Sandstone 15x10x4 in. 10 in deep notched 2 on E & S. edges & raised mound of stone for

Subdivisions 7.43. S. R. 1. E.

Chains cor. to secs. 22.23.26 & 27
Land rolling bench -
Soil 2d rate
Timber Cedar & Pinon Pine

East on random line
bet. secs. 23 & 26
Va. 15°.30'. E.

31.00 Ravine drains N 30. E.
40.00 Set temp. 1/4 sec. cor.
79.92 Intersect N & S. line 20 lks
S. of cor. to secs. 23.24.25 & 26
from which
S. 89°.51'. W. on true line
bet. secs. 23 & 26
39.96 Set Sandstone 18x11x4 in. 12
in. deep marked 1/4 on N.
side & raised mound of stone
for 1/4 sec. cor.
79.92 The cor. to secs. 22.23.26 & 27

BOOK-A-145

Salt Lake Meridian

Chains Land rolling bench, Soil 2d rate
Timber - Cedar scattering

North, bet. secs. 22 & 23
Va. 15°30' E.

40.00 Set Sandstone 15×11×5 in. 10 in. deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor.

80.00 Leave Bench & timber & at foot of bluff & bear E & W. set Sandstone 18×12×4 in. 12 in. deep notched 2 on E. & 3 on S. edges & raised mound of stone for cor. to secs. 14. 15. 22 & 23.

Land rolling bench, Soil 2d rate - Timber - scattering Cedar -

---

East on random line
bet. secs. 14 & 23
Va. 15°30' E.

Subdivisions T. 43. S. R. 1. E.

Chains	Ascend to
20.00	Top of bench bears off N. E. & enter timber
40.00	Set temp. 1/4 sec. cor
46.00	Ravine drains N.
79.90	Intersect N & S. line 30 lks. S. of cor. to secs. 13. 14. 23. & 24 from which S. 89° 47' W. on true line bet. secs. 14 & 23
39.95	Set sandstone 18 x 11 x 4 in. 12 in deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.
79.90	The cor. to secs. 14. 15. 22 & 23 Land N. slope of bench Soil 2 date, rocky — Timber scattering cedar —

North bet. secs. 14 & 15

Salt Lake Meridian

Chains Va. 15°30' E.

40.00 Set Sandstone 16×10×8 in. 11 in deep marked 1/4 on W. side raised mound of stone for 1/4 sec. cor.

80.00 On W. bank of Wash, drains N. E. deposited some small sandstone rocks in mound of earth from 4 pits each 24×12×12 in. & drove cedar stake 24×4×4 in 12 in. deep in S. E. pit notched 2 on E & 4 on S. sides for cor. to secs. 10. 11. 14 & 15 –

Land undulating – Soil 2 rate No Timber –

East on random line bet. secs. 11 & 14

Va. 15°30' E.

23.00 Wash in hollow drains N.

32.50 " " " " "

Subdivisions T. 43. S. R. 1. E.

Chains	
40.00	Set temp. 1/4 sec. cor.
51.00	Wash drains N.
67.00	" " "
80.00	Intersect N & S. line at cor. to secs. 11. 12. 13 & 14 from which West on true line bet secs. 11 & 14
40.00	Set Sandstone 14 x 8 x 5 in. 9 in deep marked 1/4 on N. side & raised mound of earth from 4 pits each 24 x 12 x 12 in. for 1/4 sec. cor.
80.00	The cor. to secs. 10. 11. 14 & 15 - Land undulating Soil 2d rate - No Timber -

---

North bet. secs. 10 & 11
Va. 15° 30' E.

40.00	Set Charred Cedar Post 48 x 4 x 4 in. 12 in deep marked 1/4 S. on W. side in mound of

Salt Lake Meridian

Chains. earth raised from 4 pits each 24x12x12 in for 1/4 sec. cor.

80.00 Set Charred Cedar Post 48x4x4 in. 12 in. deep notched 2 on E & 5 on S. edges in mound of earth raised from 4 pits each 24x12x12 in. for cor. to secs. 2.3.10 & 11.

Land level. Soil 1st rate - No Timber -

East on random line bet. secs. 2 & 11

Va. 15°30' E.

40.00 Set Temp. 1/4 sec. cor.

63.00 Wash drains N.E.

80.00 Intersect N & S. line at cor. to secs. 1.2.11 & 12 from which West on true line bet. secs. 2 & 11

40.00 Deposited some Bois-du-vic

Subdivisions T.43.S. R.1. E.

Chains	
	in mound of earth raised from 4 pits, each 24×12×12 in for 1/4 sec cor.
80.00	The cor. to secs. 2.3.10 & 11
	Land level - Soil 1st Rate - No Timber -
	North on random line
	pt. secs. 2 & 3
	Va. 15°30' E.
40.00	Set temp. 1/4 sec. cor.
42.00	Navajo trail bears N.W. & S.E.
80.00	Intersect N. boundary of township at cor. to secs. 2 & 3 from which
	South on true line
	pt. secs. 2 & 3
40.00	Set charred Cedar Post 48×4×4 in. 12 in. deep marked 1/4 S. on W. side in mound of earth

Salt Lake Meridian

Chains	raised from 4 pits each 24x12x12 in. for 1/4 sec. cor.
80.00	The cor. to secs. 2.3.10 & 11 Sand level, Soil 1st rate — No Timber —
	Mar 15th 1877 J. G. Burrill

Mar 15th 1877. by T. C. Bailey

From the cor. to secs. 33 & 34 on south boundary of township North bet. secs. 33 & 34

Va. 15° 30' E.

40.00	Set Sandstone 14x10x6 in. 9 in deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor.
54.00	Ridge bears N. E. & S. W.
80.00	Set Sandstone 20x10x10 in. 15 in. deep notched 3 on E & 1 on S. edges & raised mound of stone for cor. to secs. 27.28.33 & 34

Subdivisions T.43.S.R.1.E.

Chains Land rolling bench
Soil Dry
Timber - Cedar & Piñon Pine -

East on random line
bet. secs. 27 & 34
Va. 15°30' E.

22.50 Ravine drains N.E.

40.00 On ridge bears N.E. & S.W.
set temp. 1/4 sec. cor.

80.00 Intersect N & S line at
cor. to secs. 26.27.34 & 35 from
which
West on true line
bet. secs. 27 & 34

40.00 Set Sandstone 16x11x4 in.
in. deep marked 1/4 on N.
side & raised mound of stone
for 1/4 sec. cor.

80.00 The cor. to secs. 27.28.33 & 34

Salt Lake Meridian

Chains Sand rolling bench
Soil 2d rate -
Timber Cedar & Pinon Pine -

North bet. secs. 27 & 28
Va. 15°30' E.

34.00 Ravine drains N. E.

40.00 Set Sandstone 16×12×8 in. 11 in. deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor.

80.00 Set Sandstone 16×12×8 in. 11 in. deep notched 3 on E & 2 on S. edges & raised mound of stone for cor. to secs. 21. 22. 27 & 28 -
Sand rolling bench -
Soil 2d rate -
Timber - Cedar & Pinon Pine

East on random line bet. secs. 22 & 27

Subdivisions T.43.S.R.1.E.

Chains	Va. 15°30'E.
11.00	Ravine drains N.E.
22.00	Ridge bears N.E. & S.W.
40.00	Set temp. 1/4 sec. cor.
80.08	Intersect N & S. line 16 ths S. of cor. to secs. 22.23.26 & 27 from which S. 89°53' W. on true line bet. secs. 22 & 27
40.04	Set Sandstone 20×10×10 in. 15 in. deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.
80.08	The cor. to secs. 21.22.27 & 28 Land rolling - Soil 2 rate Timber Cedar & Pinon Pine -

---

North bet. secs. 21 & 22

Va. 15°30'E.

40.00	Set Conglomerate rock 16×16×8 in. 11 in. deep marked

Salt Lake Meridian

Chains	1/4 on W. side & raised mound of stone for 1/4 sec. cor.
67.00	Leave bench & timber at foot of bluff bears E & W.
80.00	Set Conglomerate rock 20 x 11 x 8 in. 15 in. deep notched 3 on E & S. edges & raised mound of stone for cor. to secs. 15. 16. 21 & 22
	Land gentle N. slope -
	Soil 2 rate -
	Timber - Cedar & Piñon Pine -
	East on random line bet. secs. 15 & 22
	Va. 15°30' E.
40.00	Set temp. 1/4 sec. cor.
44.00	Wash drains N. E.
80.10	Intersect N & S. line 35 lks. S. of cor. to secs. 14. 15. 22 & 23 from which

Subdivisions 1.43. S. R. 1. E.

Chains S. 89°45' W. on true line
bet. secs. 15 & 22

40.05 Set Sandstone 16×11×8 in.
11 in. deep marked 1/4 on W.
side & raised mound of stone
for 1/4 sec. cor.

80.10 The cor. to secs. 15. 16. 21 & 22
Land, undulating, Soil Gate
No Timber

North bet secs. 15 & 16
Va. 15°30' E.

40.00 Set Charred Cedar Post
48×4×4 in. 12 in. deep marked
1/4 S. on W. side in mound of
earth from 4 pits each 24×12×
12 in for 1/4 sec. cor.

80.00 Set Charred Cedar Post
48×4×4 in. 12 in. deep in stone
3 on E & 4 on S. sides in mound

Salt Lake Meridian

Chains of earth raised from 4 pits each 24×12×12 in. for cor. to secs. 9. 10. 15 & 16

Land, level, Soil Bate No Timber =

East on random line bet. secs. 10 & 15

Va. 15°30'E.

40.00 Set temp. 1/4 sec. cor.

47.00 Wash drains N.

80.00 Intersect N 15. line at cor. to secs. 10. 11. 14 & 15 from which West on true line bet. secs. 10 & 15

40.00 Set Sandstone 14×8×4 in. 9 in. deep marked 1/4 on N. side & raised mound of earth from 4 pits each 24×12×12 in for 1/4 sec. cor.

Subdivisions T. 43. S. R. 1. E.

Chains		Chain
80.00	The cor. to secs. 9. 10. 15 & 16	
	Land undulating Soil 1st Rate	
	No Timber —	
	North bet secs. 9 & 10	
	Va. 15°. 30'. E.	
40.00	Set Charred Cedar Post 48	40.00
	x4x4 in. 12 in. deep marked	80.00
	1/4 S. on W. side in mound of	
	earth raised from 4 pits	
	each 24x12x12 in for 1/4 sec cor.	
56.50	Descend into Cedar Hollow	40.00
62.50	Wash in hollow drains N. W.	
77.50	" " S. W	
80.00	Set Charred Cedar Post	
	48x4x4 in. 12 in. deep notched	80.00
	3 on E & 5 on S. sides & raised	
	mound of earth from 4 pits	
	each 24x12x12 in. for cor. to	
	secs. 3. 4. 9 & 10	

Salt Lake Meridian

Chains	Land-level-Soil 1st rate No Timber
	East on random line bet. secs. 3 & 10 Va. 15° 30' E.
40.00	Set temp. 1/4 sec. cor.
80.00	Intersect N & S. line at cor. to secs. 2, 3, 10 & 11 from which West on true line bet. secs. 3 & 10
40.00	Set Sandstone 12 x 12 x 8 in. 8 in. deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.
80.00	The cor. to secs. 3, 4, 9 & 10 Land-level-Soil 1st rate No Timber
	North on random line

Subdivisions T. 43. S. R. 1. E.

Chains Bt. secs. 3 & 4
Va. 15° 30'. E.

5.75 Wash drains S. E.
20.00 Large Wash " "
28.50 At foot of large Rock
30.00 Wash in hollow drains S. E.
37.00 Main Wash drains E.
40.00 Set temp. 1/4 sec. cor.
60.50 Road bears E & W
80.00 Intersect S. boundary
of township at cor. Secs.
3 & 4 from which
South on true line
Bt. secs. 3 & 4
40.00 Set Sandstone 14x10x6 in
9 in. deep marked 1/4 on N.
side marked mound of stone
for 1/4 sec. cor.
80.00 The cor. to secs. 3. 4. 9 & 10
Land mostly level

Salt Lake Meridian

Chains	
	Soil Gate - No Timber - Mar 15th 1877. T. C. Bailey
X	Mar. 16th 1877. by J. G. Burrill From the cor. to secs. 32 & 33 on the S. boundary of the township I run North bet. secs. 32 & 33 Va. 15° 30' E.
40.00	Set Sandstone 16x10x7 in. 11 in. deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor.
49.00	Gulch drains N. E.
65.00	Ascend S. E. slope
80.00	Set Sandstone 18x10x8 in. 12 in. deep notched 4 on E & 1 on S. edges & raised mound of stone for cor. to secs 28. 29. 32 & 33 -

Subdivision T.43. S.R.1.E.

Chains		Chain
	Land broken	
	Soil 2d rate	
	Timber - Cedar & Pine	
	East on random line between secs. 28 & 33	
	Va. 15°30'E	
	Descend to	10.0
35.00	Gulch drains N.E.	
40.00	Set temp. 1/4 sec. cor.	40.00
80.06	Intersect N & S. line 20 lks. N. of cor. to secs. 27. 28 33 & 34 from which N. 89°51'W. on true line bet. secs. 28 & 33	53.0
40.33	Set Sandstone 18x15x4 in. 12 in. deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.	80.0
80.06	The cor. to secs. 28, 29, 32 & 33.	

Salt Lake Meridian

Chains Sand, broken
Soil 2d rate
Timber - Scattering Cedar -

North bet. secs. 28 & 29
Va. 15°.30 E.

Ascend to

18.00 Top of Ridge bears N.E. & S.W.

40.00 Set Boulder 16×14×10 in. 11 in. deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor.

53.00 Foot of Ridge in Gulch drains N.E. Ascend

80.00 Set Boulder 14×14×11 in 9 in. deep notched 4 on E. & 2 on S. edges & raised mound of stone for cor. to secs. 20. 21. 28 & 29.

Subdivisions T. 43. S. R. 2. E.

Chains	
	Mar 16th 1877 by T. C. Bailey
	As the south & east boundary
	could not be established
	on account of the mountains
	I run
	South
	bet. secs. 3 & 4
	Va. 15° 30' E.
4.00	Mouth of Gulch heads W. ascend
9.00	Top
25.00	Gulch drains N. E.
40.00	Mark S. edge 1/4 & raise mound
	of stone for 1/4 sec. cor.
58.50	Gulch drains N. E.
60.00	" (same) " N. W.
65.00	" (") " N. E.
80.00	Set Redsandstone 18 x 10 x 3 in
	12 in deep notched 3 on E & 5 on
	& raised mound of stone
	S. edges for cor. to secs 3. 4. 9 & 10

Sa

Chai

39.0

40.0

80.00

Salt Lake Meridian

Chains	Land rocky - Soil 3rd rate No Timber. -
	South.
	bet. secs 9 & 10
	Va. 15°30' E.
39.00	Navajo Trail bears N.W & S.E. in Gulch drains S.E.
40.00	Set Sandstone 15x10x5 in 10 in deep marked 1/4 on W. side & raised mound of earth from 4 pits each 24x12x12 in for 1/4 sec cor.
80.00	Set Sandstone 18x10x4 in 12 in deep notched 3 on E & 4 on S. edges & raised mound of earth from 4 pits each 24x12x12 in for cor. to secs. 9. 10. 15 & 16
	Land E. slope. Soil 2nd rate

Subdivisions T. 43. S. R. 2. E.

Chains	No Timber. —
	As the east boundary could not be established I run East on true line bet. secs. 10 & 15
	Va. 15°. 30'. E.
40.00	Set Sandstone 15x10x4 in 10 in deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.
80.00	On edge of Bluff bears N. W. & S. E. Set Sandstone 15x10x5 in 10 in deep notched 2 on E & 4 on S. edges & raised mound of stone for cor. to secs 10. 11. 14 & 15 — Land broken & rocky Soil 2d rate — No Timber. —

Salt Lake Meridian

Chains East on true line
bet. secs. 11 & 14
Va. 15° 30' E.

10.00 Foot of Bluffs, bar N.W. & S.E.
Enter Bottom

22.00 Navajo Trail bears N.W. & S.E.

30.00 Dry Creek 20 lks wide runs S.E.

40.00 Set Sandstone 14x10x4 in 9 in deep
marked 1/4 on N. side & raised mound
of stone for 1/4 sec. cor.

80.00 Set Sandstone 15x8x4 in 10 in
deep notched 1 on E & 4 on S. edges
raised mound of stone for cor.
to secs. 11, 12, 13 & 14
Land mostly level, Soil Sandy
bottom — No Timber —

East on true line
bet. secs. 12 & 13.

Subdivisions T. 43 S. R. 2 E.

Chains	Va. 15° 30' E.
39.00	Leave bottom & enter broken ground –
40.00	Set Sandstone 15×9×6 in 10 in deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.
80.00	On east boundary of township set Sandstone 14×10×6 in 9 in deep notched 2 on N. & 4 on S. edges for cor. to secs 7. 12. 13 & 18 at foot of Bluffs bears N.W. & S.E.
	South point of Bluff bears S.E. about 50.00 chs. dist.
	Land W 1/2 level bottom –
	Soil 1st rate – E 1/2 broken
	Soil 2nd rate – No Timber –
Note:	On account of the rocky

Salt Lake Meridian

Chains bluff, it is impracticable to run any of the boundary line north between ranges 2 & 3 east - It can be run south to the Arizona line but the land is full of Alkali & worthless -

---

From the cor. to secs. 11.12.13 & 14
North bet. secs. 11 & 12
Va. 15.30 E.

20.00 Leave bottom bears N.W. & S.E. enter broken ground -

40.00 Set Sandstone 15×8×4 in 10 in deep marked 1/4 on W. side & raised mound stone for 1/4 sec. cor.

80.00 Set Sandstone 15×9×3 in 10 in deep notched 1 on E & 5 on S. edges & raised mound of stone

Subdivisions T. 43. S. R. 2. E.

Chains at foot of Bluffs bear N.W. & S.E. for cor. to secs. 1. 2. 11 & 12
Sand S. ½ level, Soil 1 Date
N. ½ broken " 2 Date,
No Timber –
Note: I abandon line here –

From the cor. to secs. 10. 11. 14 & 15. I run
North bet. secs. 10 & 11
Va. 15° 30' E.
12.00 Foot of Bluffs bear N.W. & S.E.
Enter Creek Bottom –
18.00 Navajo Trail bears N.W. & S.E.
40.00 South Bank Dry Creek 20 lks wide runs S.E. Set Sandstone 15×9×4 in 10 in deep & raised mound of stone for ¼ sec. cor.
80.00 Set Sandstone 16×10×4 in

Salt Lake Meridian

Chains 10 in deep notched 2 on E & 5 on S. edges raised mound of stone for cor. to secs. 2. 3. 10 & 11. Land mostly level bottom Civil State. — No Timber —

East on random line bet. secs. 2 & 11.
Va. 15°. 30'. E.

32.00 Lean Bottom, enter broken ground
40.00 set temp. 1/4 sec. cor.
79.90. Intersect N & S. line 17 lks. N. of cor. to secs 1. 2. 11 & 12 from which N. 89°. 53'. W. on true line bet. secs. 2 & 11

39.95 Set Sandstone 18 x 10 x 4 in 12 in deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.

Subdivisions T. 43. S. R. 2. E.

Chains	
79.90	The cor. to secs. 2. 3. 10 & 11
	Land W. 1/2 level. — portion
	of E. 1/2 broken. Soil 2nd rate
	No Timber. —
	As the line will strike
	the bluffs in less than
	80 chs. I run
	North on true line
	bet. secs. 2 & 3
	Va. 15° 30' E.
36.00	Leave bottom bears N.W. & S.E.
40.00	Set sandstone 16x10x4 in 10 in
	deep marked 1/4 on W. side &
	raised mound of stone for
	1/4 sec. cor. near foot of
	Bluffs bear N.W. & S.E.
Note:	I abandon line here —
	Land mostly level —

Salt Lake Meridian

Chains	
	Soil Gate - No Timber -
	Mar 16th 1877 T. C. Bailey -
	Mar 16th 1877 J. A. Burrill
	From the cor. to secs. 3.4.9&10
	I run
	East on random line
	bet. secs. 3&10
	Va. 15°. 30'. E.
30.00	Edge of Bluffs bears N. 79 S. E.
35.00	Foot " same
40.00	Set temp. 1/4 sec. cor.
57.00	Dry Brook 20 lks wide runs S. E.
80.10	Intersect N. & S. line 10 lks. N. of
	cor. to secs. 2, 3, 9 & 10 from which
	N. 89°. 56'. W. on true line
	bet. secs. 3&10
40.05	Set Sandstone 16x9x4 in 11 in
	deep marked 1/4 on N. side &
	raised mound of stone for 1/4
	sec. cor.

Subdivisions T.43.S. R.2.E.

Chains	
80.10	The cor. to secs. 3.4.9 & 10
	Land W. ½ broken, E. ½ level -
	bottom - Oak & Ash
	No timber. —
	As the south boundary has
	not been established from
	the cor. to secs 9, 10 15 & 16 I run
	West on true line
	bet. secs. 9 & 16
	Va. 15° 30' E.
	Ascend gently
40.00	Set Sandstone 15 x 10 x 4 in 10
	in deep marked ¼ on S. side
	raised mound of earth from
	4 pits each 24 x 12 x 12 in for ¼ sec. cor.
80.00	Top of rocky ridge bears N.E.
	& S.W. Set Sandstone 15 x 11 x 4
	in 10 in deep notched 4 on E.

Sal

Chains	
40.00	
48.3	
51.5	
80.0	

BOOK-A-145

Salt Lake Meridian

Chains	& S. edges & raised mound of stone for cor. to secs. 8. 9. 16 & 17 Land rocky Soil 2d rate No Timber. —
	North bet. secs. 8 & 9 Va. 15°. 30'. E.
	Descend — Chimney Rock bears N. 86°. 15'. E.
40.00	Deposit small sandstone marked with a cross (+) in mound of earth from 4 pits each 24×12×12 in for 1/4 sec cor.
48.30	Navajo Trail bears E & W.
51.50	Gulch drains N. E.
80.00	Set Red Sandstone 14×10×5 in 9 in deep notched 4 on E & 5 on S. edges & raised mound of earth from 4 pits each 24×12×12

Subdivisions T. 4 S. R. 2 E.

Chains		Chain
	in for cor. to secs. 4, 5, 8 & 9.	
	Land, broken - Soil 2nd rate	80.0
	grass - No Timber. —	
	East on random line	
	bet. secs. 4 & 9	
	Var. 15° 30' E.	
40.00	Set temp. 1/4 sec. cor.	
51.50	Gulch drains N. E.	35.0
	A Cedar tree 18 in. dia. 25 ft.	40.0
	S. of line.	80.2
80.00	Intersect N. & S. line at cor.	
	to secs. 3, 4, 9 & 10 from which	
	West on true line	
	bet. secs. 4 & 9	
40.00	Set Red Sandstone 14 x 12 x 5	40.0
	in 9 in. deep marked 1/4 on N.	
	side & raised mound of earth	
	from 4 pits each 2 x 12 x 12 in.	

Salt Lake Meridian

Chains	for 1/4 sec. cor.
80.00	The cor. to secs. 4. 5. 8 & 9
	Sand, rolling - Soil 2 rate
	No Timber. -
	North on random line
	bet. secs. 4 & 5
	Va. 15° 30' E.
35.00	Gulch drains E.
40.00	Set temp. 1/4 sec. cor.
80.20	Intersect north boundary of
	township 17 lks. W. of cor. to secs.
	4 & 5 from which
	S. 0° 07' W. on true line
	bet. secs. 4 & 5
40.20	Set Sandstone 15 x 10 x 5 in 10 in
	deep marked 1/4 on W. side &
	raised mound of earth from
	4 pits each 24 x 12 x 12 in for 1/4 sec. cor.

378.406

Subdivisions T.43.S.R.2.E.

Chains	
80.20	The cor. to secs. 4.5.8 & 9 Land rolling - Soil 2 rate grass - No Timber. -
	As the south boundary has not been established from the cor. to secs. 8.9.16 & 17 I run West on true line bet. secs. 8 & 17 Va. 15°30'E.
	Descend.
35.00	Gulch drains N.E.
40.00	Set Sandstone 15x10x5 in 10 in deep marked 1/4 on N. side & raised mound of earth from 4 pits each 24x12x12 in for 1/4 sec. cor.
50.00	Bluffs bears N & S. offset North 20.00 chs. thence W. 30.00

Salt Lake Meridian

Chains	chs. to point 20.00 chs N. of true cor. marked face of sand bluff. bears E & W.
	W.C. & raised mound of stone for witness cor. to secs. 7.8.17 & 18.
	Land - broken - Soil Ed Rate No Timber -
	North bet. secs. 7 & 8 from witness cor.
	Va. 15° 30' E.
29.00	(Counting distance back to true cor.) Wash drains N.E.
34.50	One fork of Navajo Trail bears E & W.
40.00	Set Sandstone 20x15x12 in 15 in deep marked 1/4 on W. side & raised mound of earth from 4 pits each 24x12x12 in for 1/4 sec. cor.
50.00	Navajo Trail bears E & W.

380 . . 408

Subdivisions T. 43. S. R. 2 E.

Chains	
80.00	Set Sandstone 18×10×7 in 12 in deep notched 5 on E & S. edges & raised mound of earth from 4 pits each 24×12×12 in for cor. to secs 5.6.7 & 8
	Land 3/4 rocky bluff balance rolling —
	Soil 2 rate. grass —
	No Timber. —
	East on random line bet. secs. 5 & 8
	Va. 15°30' E.
40.00	Set Temp. 1/4 sec cor.
80.00	Intersect N & S. line at cor. to secs 4.5, 8 & 9 from which
	West on true line bet. secs. 5 & 8
40.00	Deposited piece of soap

Salt Lake Meridian

Chains	root in mound of earth from 4 pits each 24×12×12 in for 1/4 sec cor.
80.00	The cor. to secs. 5-6.7 & 8
	Land level
	Soil Grate - Sandy -
	No Timber -
	West on random line bet. secs. 6 & 7
	Va. 15°30' E.
40.00	Set temp. 1/4 sec. cor.
80.00	Intersect west boundary of township at cor. to secs. 6 & 7 from which
	East on true line bet. secs. 6 & 7
40.00	set sandstone 18×8×4 in 12 in deep marked 1/4 on N. side

382 410

Subdivisions T.43.S.R.2.E.

Chains raised mound of earth
from 4 pits each 24×12×12
in for 1/4 sec. cor.

80.00 The cor. to secs. 5. 6. 7 & 8
Land nearly level
Soil 2 rate - sandy -
grass -
No timber -

North on random line
bet. secs. 5 & 6
Var. 15° 30' E.

40.00 Set temp. 1/4 sec. cor.

80.20 Intersect north bound-
ary of township at cor. to
secs. 5 & 6 from which
South on true line
bet. secs. 5 & 6

40.20 Set sandstone 15×10×5

in 10 in deep marked 1/4 on
W. side & raised mound of
earth from 4 pits each 24×12
×12 in for 1/4 sec. cor.
80.20 The cor. to secs. 5.6.7 & 8
Land gently undulating
Soil Drate-grass-sandy
No Timber —
Mar 16th 1877 J. G. Burrill

General Description
The lands in this town-
ship embrace a portion of
the grassy bench west of
Dry, "Wah-Weap" or Sentinel
Rock Creek and the narrow
bottoms along said creek
There is timber in

the bluffs in southwest part of the township —
The lands are agricultural —

J. G. Purrill
U. S. Dep. Surveyor —

2. E. Salt Lake Meridian

Chains East on true line
bet. secs. 5 & 32
Va. 15° 30' E.

40.00 Deposited small
stone marked with a
cross (+) in mound of
earth from 4 pits each
24 x 12 x 12 in for 1/4 sec. cor.

80.00 Set Grey Sandstone 20
x 16 x 5 in 15 in. deep marked
4 notches on E & 2 on W.
edges & raised mound
of earth from 4 pits each
24 x 12 x 12 in for cor. to secs
4. 5. 32 & 33 –
Land rolling
Soil & rate good
grass – No Timber –

East on true line

North Boundary T. 43. S.

Chains East on true line
bet. secs. 4 & 33
Va. 15.30 E.

40.00 Set Sandstone 20x10x
4 in. 15 in. deep marked
1/4 on N. side raised
mound of stone for 1/4
sec. cor.

74.00 Edge of Bluff bears N.W.
S.E.

80.00 Foot of dam -
Set Sandstone 18x14x
3 in 12 in. deep notched
3 on E & W. edges raised
mound of earth from
4 pits each 24x12x12 in
for cor. to secs 3.4.33 &
34 -
Dry Creek 150 lks. N.
runs E. from the cor.

R. 2

Chain

39.00

40.00

R. 2 E. Salt Lake Meridian

Chains I mark a cross (+) on E. point of Bluff bears S. 20. W. 15 2 lks. dist. Sand broken & rocky Soil 2 rate. No Timber.

East on true line bet. secs. 3 & 34
Va. 15° 30' E.

39.00 Dry Creek 20 lks wide 3 in. deep & muddy runs South

40.00 The 1/4 sec. cor. falling near the creek bank & liable to be washed away I measure on to 42.10 chs. & Marked Mural faced Sandstone Wall 1/4 xx. c. on W. side & raised Mound

North Boundary T. 43 S. R. 2. E.

Chains of stone for witness
1/4 sec. cor.

Note: On account of Bluff
I abandon line here
Land level bottom-
Soil 1st rate-
No Timber-
Mar 16 1877
T. C. Bailey

Note: For General Descrip-
tion & approval see
end of subdivision
notes of this town-
ship

BOOK A-145

C. R. I. E. Salt Lake Meridian

os

Huff
here
n —

Scrip
ue
n
—

Blank

Page

BOOK-A-145 Copied Corrected J. G. B. 391

Field Notes of the Subdivisions of Township 43 South Range 2 East Salt Lake Meridian Utah Territory as surveyed by Bailey & Burrill, under joint contract Bailey & Burrill No 73 dated Sept 4th 1876.

Survey commenced Mar 16th 1877

" completed " " "

Township 113 North R. 28 West

384 385 386 387

6 410	5 405	4 392	3 400	2	1
409	408	404	401	399	
7 409	8 403	9 393	10 398	11 397	12
	406	402	394	395	396
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

415

BOOK-A-145

413

U. S. SURVEYOR GENERAL'S OFFICE.

Salt Lake City, Utah, Jany 21st *1877*

The foregoing field notes of the survey of Exteriors & Subdivisions *Township No.* 43 S *Range No.* 2 East *Executed by* Bailey & Burrill *Under* Joint *contract of the* 4th *day of* September *1876, in the month of* March *1877, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

Blank

Page

Blank

Page

Blank

Page

BOOK-A-145

LIST OF NAMES.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of the Survey of Guide Meridian in T. 44 S. between Ranges 5 & 6 W. — The 9th Special Standard Parallel South in the 8th Standard S. in Rs. 1 & 2 W. Ranges 3, 4, 4½, 5, 6 & 7 W. — The exteriors and subdivision lines of the following Townships Viz. T. 44 S. Rs. 3, 4, 4½, 5, 6 & 7 W. — T. 43 S. Rs. 1, 3, 4, 4½ 5 & 6 W. & Rs. 1 & 2 E. — T. 42 S. Rs. 1, 2, 3, 4 & 5 W. & R. 16. — T. 41 S. Rs 1 & 2 W. of the Salt Lake Meridian Utah Territory, or so much thereof, as is represented in the foregoing field notes as having been surveyed by T. C. Bailey U. S. Dep. Sur.

415

showing the respective capacities i

which they acted.

Adolphus Young	*Chainman.*
Brigham L. Riggs	*Chainman.*
Adolph Jessen	*Flagman.* & *Axeman.*

We hereby certify that we have assisted

Thomas C. Bailey U. S.

Deputy Surveyor in surveying all those parts or portions of the Guide Meridian, in T. 44 S. bet. R's 5 & 6 W, — the 9th special standard Parallel South in R's, 3, 4, 4½, 5, 6 & 7 W — The 8th standard South in R's. 1 & 2 W, — The exterior & Subdivision lines of the following townships viz: T. 44 S. R's, 3. 4, 4½. 5, 6 & 7 W. — T. 43 S. R's. 1. 3. 4, 4½ 5 & 6 W. & R's. 1 & 2 E. — T. 42 S. R's. 1. 2. 3. 4 & 5 W. & R. 1 E. — T. 41 S. R's 1 & 2 W,

of the Salt Lake Meridian Utah Territory, as are represented in the foregoing field notes as having been surveyed by him & under his direction.

430

and that said lines & townships have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Adolphia. young Chainman.

attest A. Jessen

Brigham L. his Riggs Chainman.

mark

Adolph Jessen { Flagman. Axeman.

Subscribed and sworn to by the above named persons, before me, a U. S. Deputy Surveyor, for the County Surveying District, in the Territory of Utah, this 16th day of March 1877.

Thomas C. Bailey
U. S. Dep. Surv.

BOOK-A-145

431

I, Thomas C. Bailey U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with Nathan Kimball Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 14th day of September 1876, and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions furnished by the said Surveyor General, I have faithfully surveyed ~~the~~ all those parts or portions of the Guide Meridian in T. 44 S. bet R. 5 & 6 W. – The 9th Special Standard Parallel S. in R. 3, 4, 4½, 5, 6 & 7 W. – The 8th Standard South in R. 5 & 6 W. – The exterior & subdivision lines of the following townships viz T. 44 S. R. 3, 4, 4½, 5, 6 & 7 W. – T. 43 S.

R's 1, 3, 4, 4½, 5 & 6 N & R's 1 & 2 E. —
T. 42 S. R's 1, 2, 3, 4 & 5 N & R. 1 E.
of the Salt Lake Meridian
as are represented in the fore-
going field notes as having been
surveyed by me under my direction
in the Territory aforesaid, and do fur-
ther solemnly swear that the foregoing
are the true and original Field Notes of
such survey.

Thomas C. Bailey
Deputy Surveyor.

Subscribed by the said Thomas C.
Bailey Deputy Surveyor
and sworn to before me, a Notary
Public for the
county of Salt Lake, in the Terri-
tory of Utah, this 4th day of June
1877

James A. Kind
Notary Public

A list of the names of the individuals employed to assist John G. Burrill U. S. Dep. Surv. in running, measuring or marking the lines and corners described in the foregoing Field Notes of the Survey of the Guide Meridian in T. 44 S. Rs. 5 & 6 W. — The 4th Special Standard Parallel South, in Rs. 3, 4, 4½, 5, 6 & 7 W. — The 8th Standard South in Rs. 1 & 2 W. The Exterior and Subdivisional lines of the following townships, viz: T. 44 S. Rs. 3, 4, 4½, 5, 6 & 7 W. — T. 43 S. Rs. 1, 3, 4, 4½, 5 & 6 W. & Rs. 1, & 2 E. — T. 42 S. Rs. 1, 2, 3, 4 & 5 W. & R. 1 E. — T. 41 S. R. 1 & 2 W. of the Salt Lake Meridian Utah Territory, or so much thereof as is represented in said field notes, as having been surveyed by him & under his direction,

showing the respective capacities in which they acted.

John C. Tyler	*Chainman.*
John W. Beebe	*Chainman.*
John A. Mitchell	*Flagman.*
James O. Wilkins	*Axeman.*

BOOK-A-145

We hereby certify that we have assisted

John W Burnett R. S.

Deputy Surveyor in surveying all those parts or portions of the Guide Meridian in T. 44. S. R's 5 & 6 W. — The 9th Special Standard Parallel South in R's 3. 4. 4½. 5. 6 & 7 W. — The 8th Standard South in R's 1 & 2 W. — The Exterior & Subdivision line of the following townships viz: T. 44. S. R's 3. 4. 4½ 5. 6 & 7. W. — T. 43. S. R's 1. 3. 4. 4½. 5 & 6 W & R's 1 & 2. E. — T. 41. S. R's 1 & 2. W. of the Salt Lake Meridian Utah Territory, as are represented in the foregoing field notes as having been surveyed by him and under his direction. —

and that said lines & township have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

John C. Tyler — Chainman.
John W. Beck — Chainman.
John A. Mitchell, — Flagman.
James O. Wilkins — Axeman.

Subscribed and sworn to by the above named persons, before me, a U. S. Deputy Surveyor for the ~~County of~~ surveying District in the Territory of Utah, this 16th day of March 1877

John G. Burrill
U. S. Dep. Surveyor

BOOK-A-145

I, John G. Burrill U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with Nathan Kimball Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 4th day of September 1876, and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions furnished by the said Surveyor General, I have faithfully surveyed ~~the~~ all those parts or portions of the Guide Meridian in T. 44 S. bet. R's 5 & 6 W. – The 9th Special Standard Parallel S. in R's. 3. 4. 4½. 5. 6 & 7 W. – The 8th Standard South in R's 1 & 2 W. – The exterior & subdivision lines of the following townships Viz: The T. 44 S. R's 3. 4. 4½. 5. 6 & 7 W. – T. 44

478

S. R's 1.3.4.4½.5 & 6 W. R's 1
E. - T 42 S. R's 1.2.3.4 & 5 W. & R.
of the Salt Lake Meridian
as are represented in the f
going field notes as having
surveyed by me & under my direc
in the Territory aforesaid, and do fu
ther solemnly swear that the foregoi
are the true and original Field Notes
such survey.

John G. Burrill
U. S. Deputy Surveyor.

Subscribed by the said John G.
Burrill Deputy Survey
and sworn to before me, a Notary
Public for t
county of Salt Lake, in the Ter
tory of Utah, this 4th day of Jun
1877.

James N. Kim
Notary Public