BOOK-A-146

1. R: 1878

Filed December 10th, 1877.

Examined by C. H. Cranwell. C. C.

Compared by Nathan and John O. Kimball

FIELD NOTES

OF

THE SURVEY OF THE

South Boundary

of Township No 2 South, Range No 7 West

of the Salt Lake Meridian in Utah Territory.

BY

Joseph Gorlinski

U. S. DEPUTY SURVEYOR,

Under his Contract No. 74

dated September 4th 1876.

Survey commenced November 7th 1877.

Survey completed November 7th 1877.

BOOK-A-146

Township 2 South R. 7 West

South Boundary

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

BOO

South

Chains

5.50

12.5

34.0

40.00

BOOK-A-146

South Boundary T. 2 S. R. 7 W.

Chains

Begin at the established corner to Townships 2 and 3 South Ranges 7 and 8 West. - The corner stone is standing and agrees with the description furnished me by the office viz;
"A quartzite rock 24×16×14" in mound of stones
from which corner I run;
East on a true line, along the South boundary of Section 31.
Variation 16° 42' E.

5.50 Gully 30 links wide heads S.E. bears N.W.

12.50 foot of ridge bears N. and S.

34.00 top of same ridge bears N. and S.

40.00 Set a lime stone 18×15×6 in. 12 in. deep, marked 1/4 on the north side with 4 pits, each 24×12×12 in. for 1/4 sec. cor. from which corner

South Boundary T. 2 S. R. 7 W

Chains	
	A cedar 12 in. diam. bears N. 65° W. 50 links distant.
43.00	Grassy hollow land and Cedars bear N. and S.
47.60	Road from Dale's Ranch bears N.E. and South
80.00	Set a Quartzite stone 20 X 8 X 5 in. 12 in. deep, marked 1 notch on the west and 5 notches on the east edges with 4 pits each 2 4 X 12 X 12 in. for corners to sections 31, 32, 5 and 6. From which corner bear: A cedar 12 in. diam. S 72° W 37 links. A cedar 15 in. diam. N. 30° E. 46 links A cedar 14 in. diam N. 3° W 80 links. West half ridge land covered with sage brush and grass. Soil 2nd rate. and rocky — East part hollow land, well

covered with cedar timber of commercial value.

From this corner I find Dunaqui Range of mountains on the east about 1/4 mile distant, extending North and South: the land being all mountainous and unfit for cultivation.

Note. For general description of lands in this Township, reference is here made to the Field Notes of the survey of the Subdivision lines of the same. —

November 7th 1877.
Joseph Gorlinski
deputy surveyor

5

BOOK-A-146

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, January 2d 1878

The foregoing field notes of the survey of the South Boundary.

Township No 2 South Range No 7 West

Executed by S. L. M. Joseph Gorlinski

Under his Joint contract of the 4th day of September 1876, in the month of November 1877, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Spencer Kimball

U. S. Surveyor General for Utah.

6

2

Township 2 South R. 7 West



BOOK-A-146
R: 1878.

Filed December 10th, 1877.

Examined by C. H. Cranwell C. C.

Compared by Nathan and John A. Kimball

FIELD NOTES

OF

THE SURVEY OF THE

Subdivision lines

of Township No 2 S., Range No 7 W.

of the Salt Lake Meridian in Utah Territory.

BY

Joseph Gorlinski

U. S. DEPUTY SURVEYOR,

Under his Joint Contract No. 74

dated September 4th 1876.

Survey commenced November 8th 1877.

Survey completed November 8th 1877.

8

BOOK-A-146

Township 2 South R. 7 West

Subdivision Lines

6	13	5	4	3	2	1
12						
7	11	8	9	10	11	12
10						
18	9	17	16	15	14	13
8						
19	6	20	21	22	23	24
5						
30	4	29	28	27	26	25
3						
31	1	32	33	34	35	36

Subdivision lines T. 2 S. R. 7 W.

Chains. From the established corner to sections 31. 32. 5 and 6 on the South Boundary of the Township I run;
North, between sections 31 and 32.
Variation 16° 42' E.

18.75 Gulch 50 links wide bears E. bears N.W.
40.00 Set a quartzite stone, 14X12X8 in. 9 in. deep. marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.; leave cedars and enter foothill land sloping north
46.75 A gully 25 links bears N.W. and S.E.
50.50 A gully 30 links wide bears N.W. and S.E.
65.15 A gully 25 links wide, bears N.W. and S.E.
80.00 Set a lime stone 16X14X8 in. 10 in deep, marked 1 notch on the south and 5 notches on the east edges for corner to sections 29. 30. 31 and 32;

Subdivision T. 2 S. R 7 W

Chains

from which corner foot of Canyon Range of Mountains bears East about 1/4 mile distant and extends North and South.

Prairie Hollow and foothill land covered with sagebrush and bunch grass. South part covered with cedar timber of commercial value—

West on a random line, between sections 30 and 31.

Variation 16° 42' E.

7.75 A gully bears NW and SE.

10.50 A gully bears NW. and SE.

19.00 A gully bears NW. and SE.

23.60 Road from Dale's to Muskrat Springs

BOOK-A-146

Subdivision T. 2 S. R. 7 W

Chains	
	bears N.W. and S.E.
30.00	Small gully bears N.W. and S.E.
38.00	foot of ridge bears N. and S.
40.00	Set a stone for temporary 1/4 sec. cor.
42.50	Top of ridge bears N. and S.
79.38	Intersected the West Boundary of the township 30 links south from corner to sections 30. 31. 25 and 36; from which corner I run; S. 89° 47' E. on a true line, between sections 30 and 31.
39.38	Set a lime stone 16X10X5 in. 10 in. deep, marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
79.38	The corner to sections 29. 30. 31 and 32. East half, grassy foothill 2nd rate land West half ridge Soil 3rd rate. Sage and grass vegetation with some cedar timber —

Subdivision T. 2 S. R. 7 W.

Chains	North between sections 29 and 30. Variation 16° 42' E.
12.80.	A Gully 25 links wide bears N.W. and S.E.
27.75	A Gully 20 links wide bears N.W. and S.E.
40.00	Set a quartzite rock 30 X 16 X 8 in. 20 in. deep. marked 1/4 on the west side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
52.25	Gully 100 links wide bears N.W. and S.E.
65.50	Gully 100 links wide bears E. and W.
80.00	Set a lime stone 16 X 10 X 8 in. 10 in. deep marked 2 notches on the south and 5 notches on the east edges, with 4 pits. each 24 X 12 X 12 in. for corner to sections 19. 20. 29 and 30. - from which A Cedar tree 8 in. diam. bears N. 45 W. 183 links distant.

Arable foothill land. Soil 2nd rate Sage and grass vegetation with few cedars. Mountains bear East about 1/4 mile distant.

BOOK-A-146

Subdivision T. 2 S. R 7 W.

Chains West on a random line between sections 19 and 30.

Variation 16° 42' East.

15.50 A gully bears N.W. and S.E. leave foot-hills and enter valley bearing N. and S.

20.15 Wash bears N.W. and S.E.

25.00 Wash bears N.W. and S.E.

30.60 Road bears N.W. and S.E.

40.00 Set a stone for temporary 1/4 sec. cor.

79.50 Intersected the West boundary of the township 25 links south from corner to sections 19. 30. 24 and 25 from which corner I run;

S. 89° 49' E on a true line between sections 19 and 30.

39.50 Set a lime stone 15X10X8 in. 10 in. deep, marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

79.50 The corner to sections 19. 30. 24 and 25.

Subdivision T. 2 S. R. 7 W.

Chains	
	Gently sloping valley land from the east to west, covered with sage greasewood, shadscale and grass vegetation. — West end in the foothills of Osinaqui Range. Soil arable and 2nd rate. —
	North between sections 19 and 20. Variation 16° 42' E.
3.50	deep gulch 150 links wide bears NW and SE. and of a point of the ridge which ends West about 250 links distant and bears Easterly to the mountains
14.20	Top of the same at a rocky knoll
18.00	leave the ridge and enter cedars bearing NW and SE.
36.00	Open land bears E. and West.
40.00	Set a quartzite stone 15X10X8 in;

Subdivision T. 2 S. R. 7 W

Chains	
	10 in. deep. marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
44.00.	Rolling valley and hollow bears E. and W.
61.50	Small gully bears E. and W
71.50	Road and trail bears E. and W.
76.50	Small gully bears E. and W
80.00	Set a quartzite stone 20 X 12 X 8 in. 12 in. deep. marked 2 notches on the south and 5 notches on the east edges. with 4 pits each 24 X 12 X 12 in. for corners to sections 17. 18. 19. and 20: from which point Dunagui Mountains bear East about 1/2 mile distant through open hollow. and extend Northerly and Southerly.

Arable foot hill and hollow grassy land. Soil rocky and 2nd rate. Cedar timber in the South half.

8 16

Subdivision T 2 S. R 7 W

Chains	
	West on a random line between sections 18 and 19. Variation 16° 42' E.
15.00	Ravine bears N.W. and S.E.
33.50	Ravine bears N.W. and S.E
40.00	Set a stone for temporary 1/4 sec. cor.
79.64.	Intersected the West Boundary of the township at corner to sections 18.19.13 and 24; from which corner I run; East on a true line, between sections 18 and 19.
39.64	Set a quartzite stone 16X12X8 in. 10 in. deep, marked 1/4 on the north side with 4 pits, each 24X12X12 in for 1/4 sec. cor.
79.64	The corner to sections 17.18.19 and 20.

Arable gently rolling first rate land covered with sage, rabbitt brush and grass.

Subdivision T. 2 S. R. 7 W.

Chains North, between sections 17 and 18

Variation 16° 42' E.

25.50 Small ravine bears N.W. and S.E.

40.00 Set a quartzite stone 16X8X8 in. 10 in. deep, marked 1/4 on the west side, with 4 pits, each 24X12X12 in. for 1/4 sec. cor.

56.75 Road bears N.W. and S.E.

66.50 Ravine 50 links wide bears N.W. and S.E.

80.00 Set a limestone 14X8X6 in. 9 in. deep, marked 4 notches on the south and 5 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 7, 8, 17 and 18.

Arable gently rolling foothill land, covered with sage and grass. Soil 2nd rate. Quinaquis Range of Mountains bears East about 1/4 mile distant and extends North and South.

Subdivision T. 2 S. R. 7 W.

Chains	
	West on a random line, between sections 7 and 18
	Variation 16°42' E.
20.75	Ravine 25 links wide bears NW. and SE
40.00	Set a stone for temporary 1/4 sec. cor.
42.50	Ravine 25 links wide bears NW. and SE.
70.50	Burnt Spring Road bears NE. and SW.
79.60.	Intersected the West Boundary of the township. 28 links North from corner to sections 7. 18. 12 and 13; from which corner I run; N. 89°48' E on a true line between sections 7 and 18. –
39.60.	Set a quartzite stone 16X13X6 in. 10 in. deep, marked 1/4 on the north side, with 4 pits each 24X12X12 in for 1/4 sec. cor.
79.60.	The corner to sections 7. 8. 17 and 18.

Gently rolling valley arable land. Soil 1st rate. Sage, grass and greasewood vegetation.

BOOK-A-146

Subdivision T 2 S. R 7 W. 19

Chains	North between sections 7 and 8
	Variation 16° 42' E.
8.50	Small wash bears N.W. and S.E.
40.00	Set a lime stone 16 X 8 X 6 in. 10 in. deep marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
57.00	Small ravine bears N.W. and S.E.
73.00	Ravine 25 links wide bears N.W. and S.E.
80.00	Set a lime stone 16 X 10 X 8 in. 10 in. deep, marked 5 notches on the south and east edges with 4 pits each 24 X 12 X 12 in. for corner to sections 5 6 7 and 8.

Gently rolling foot hill land, covered with grass sage and rabbitt brush vegetation Soil 2nd rate. Dunaqui Mountains bear easterly along the foot hills about 1/4 mile dist. east, and extend North and South,

Subdivision T. 2 S. R. 7 W.

Chains	
	West on a random line, between sections 6 and 7. Var. 16° 42' E.
36.50.	Leave foot hills and enter low valley leaving N. and S. from which Burnt Springs bear Northerly about 10 chs distant.
40.00	Set a stone for temporary 1/4 sec. cor.
45.50	Road bear NE and SW.
60.50	Road bear NE and SW from Knowlton's Ranch.
79.40	Intersected the West Boundary of the township 35 links north from corner to sections 6. 7. 1 and 12: from which corner I run N. 89° 45' E on a true line between sections 6 and 7.
39.40	Set a Quartzite stone 18 X 8 X 6 in. 12 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
79.40	The corner to sections 5. 6. 7 and 8.

West part foot hill land Soil 2nd rate.
East part low valley Soil 1st rate.
Sage chaparral and grass vegetation

Subdivision T. 2 S. R. 7 W

Chains	
	North on a random line, between sections 5 and 6.
	Variation 16° 42' E.
20.50	deep gully bears N.W. and S.E.
36.50	Ravine bears N.W. and S.E.
40.00	Set a stone for temporary 1/4 sec. cor.
41.50	Gully 25 links wide bears N.W. and S.E.
46.40	Gully 20 links wide bears E. and W.
53.50	Gully 30 links wide bears N.W. and S.E.
69.00	Gully 25 links wide bears N.W. and S.E.
79.60	Intersected the North Boundary of the township 40 links west from corner to sections 5. 6. 31 and 32; from which corner I run; S. 0° 17' W. on a true line, between sections 5 and 6.
39.60	Set a limestone 16X10X8 in. 10 in. deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

Subdivision S. 2 S. R 7 W

Chains	
79.60	The corner to sections 5. 6. 7 and 8.

Arable foot hill land. covered with sage, shadscale and bunch grass. Soil 2nd rate. It adjoins immediately the foot of Quinaqui Range of Mountains on the east extending North and South.

November 8th 1877.
Joseph Gorlinski
Deputy Surveyor.

General description
The land surveyed in this township is situated in that part of the Skull valley, between Muskrat Springs and Quinaqui

BOOK-A-146

Range of Mountains on the East.
The quality of the soil is generally 2nd rate, with large proportion of excellent arable soil.
Cedar timber of commercial value is found in the southern portions of sections embraced in the field notes of survey of this township.
Burnt Springs situated in Section 6. have been recently located and fenced in for agricultural and grazing purposes.
No minerals found.—

24

BOOK-A-146

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Jany 2d 1878

The foregoing field notes of the survey of the ...

Subdivision Lines of

Township No 2 South *Range, No* 7 West

Salt Lake Meridian

Executed by Joseph Gorlinski

Under his joint *contract* 74 *of the* 4th

day of September 1876, *in the month of*

November 1877, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Nathan Kimball

U. S. Surveyor General for Utah.

25 & 26

Township 9 South, R. 8, West

6		5		4		3	62	2	48	1	
						72		61		47	
7		8		9	71	10	60	11	46	12	
				81		69		59		41	
18		17	80	16	69	15	58	14	43	13	
				79		68		56		41	
19		20	78	21	67	22	55	23	40	24	
				77		66		54		39	
30		29	76	28	65	27	53	26	37	25	
				74		64		51		36	
31		32	73	33	63	34	50	35	35	36	

BOOK R 213

3 R: 1878.

27

Filed December 10th, 1877.

Examined by C. H. Cranwell. C. C.

Compared by Nathan and John A. Kimball.

FIELD NOTES

OF

THE SURVEY OF THE

Subdivision lines

of Township No 2 S., Range No 8 W.

of the Salt Lake Meridian in Utah Territory.

BY

Joseph Gorlinski

U. S. DEPUTY SURVEYOR,

Under his Joint Contract No. 74,

dated September 4th 1876.

Survey commenced November 1st 1877.

Survey completed November 6th 1877.

28 BOOK-A-146

Township 2 South R. 8 west

Subdivision

6		5		4		3	28	2	14	1	
					38		27		13		
7		8		9	37	10	26	11	12	12	
			47		36		25		11		
18		17	46	16	35	15	24	14	9	13	
			45		34		23		8		
19		20	44	21	33	22	21	23	6	24	
			43		32		21		5		
30		29	42	28	31	27	19	26	3	25	
			41		30		18		2		
31		32	39	33	29	34	16	35	1	36	

28

BOOK-A-146

Township 2 South R. 8, West

6	5	4	3	62	2	48	1	
			72		61		47	
7	8	9	71	10	60	11	46	12
		81		69		59		44
18	17	80	16	69	15	58	14	43 13
		79		68		56		41
19	20	78	21	67	22	55	23	40 24
		77		66		54		39
30	29	76	28	65	27	53	26	38 25
		74		64		51		36
31	32	73	33	63	34	50	35	35 36

BOOK-A-140

FOR U. S. DEPUTY SURVEYOR.

I,

having been appointed a Deputy Surveyor of the lands of the United States, in the Territory of Utah, do solemnly swear that I will well and faithfully, and to the best of my skill and ability, execute the duties confided to me, pursuant to a contract with

Surveyor General of public lands in Utah Territory, bearing date the day of , 187 , according to the laws of the United States and the instructions received from said Surveyor General.

Subscribed and sworn to before me this day of , 187

30 BOOK-A-146

FOR CHAINMEN.

We George Chandler and William H. Golding do solemnly swear that we will faithfully execute the duties of chain carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Geo. Chandler
William H Golding

Subscribed and sworn to before me this 30th day of October, 1877

Joseph Gorlinski
deputy surveyor

BOOK-A-146

32

FOR FLAGMAN.

I, Joseph Turner

do solemnly swear that I will well and truly perform the duties of flagman, according to instructions given me, and to the best of my skill and ability.

~~Subscribed and sworn to before me this day of , 187~~

J Turner
Jos.

Subscribed and sworn to before me this 30th day of October 1877

Joseph Gorlinski
deputy Surveyor

nd

ve-

to

BOOK-A-146
34

FOR AXEMAN.

I, Louis Reich

do solemnly swear that I will well and truly perform the duties of axeman, according to instructions given me, and to the best of my skill and ability.

Louis Reich

Subscribed and sworn to before me this 30th day of October, 1877.

Joseph Gorlinski
deputy surveyor

Subdivision T. 2 S. R. 8 W. 35

Chains Beginning at the corner to sections 35. 36. 1 and 2 on the South Boundary of the township. I find the corner stone still standing and answering the description furnished me by the office viz;

"A lime stone 16X18X12 in. from which corner I run; North between sections 35 and 36.

Variation 16° 42' E.

40.00 Set a lime stone 16X14X12 in. 10 in. deep. marked 1/4 on the west side, with 4 pits, each 24X12X12 in. for 1/4 sec. cor.

65.00 Wash 25 links wide bear NW. head SE.

80.00 Set a lime stone 14X12X10 in. 9 in. deep. marked 1 notch on the south and east edges with 4 pits each 24X12X12 in. for corner to sections 25. 26. 35 and 36.-

36

Subdivision T. 2 S. R. 8 W.

Chains	
	Land gently sloping west.- Soil arable and of good quality. Sage and greasewood vegetation with some grass.
	East on a random line, between sections 25 and 36. Variation 16° 42' East.
40.00	Set a stone for temporary 1/4 sec. cor.
43.00	Small rock bears S.E. bears N.W.
54.00	Small rock heads S.E. bears N.W.
62.00	Small rock heads S.E. bears N.W.
78.00	foot of low ridge bears N. & S.
80.50	Intersected the East Boundary of the township 23 links north from corner to sections 25. 36. 30 and 31. established by former surveys. from which corner I run

BOOK-A-146

Subdivision T. 2 S. R. 8 W.

Chains. N. 89° 50' W on a true line between sections 25 and 36.

40.25 Set a quartzite stone 15 X 8 X 6 in. 10 in. deep, marked 1/4 on the north side, with 4 pits, each 24 X 12 X 12 in. for 1/4 sec. cor.

80.50. The corner to sections 25. 26. 35 and 36.

Arable gently sloping west valley land. Soil of good quality, covered with sage, greasewood, shadscale and grass vegetation. —

North between sections 25 and 26.

Variation 16° 42' E.

15.00 foot of a point of low ridge bears

Subdivision T. 2 S. R 8 W

Chains	
	easterly and ends westerly about 150 links from the line.
18.00	Top of same ridge bears E. and W.
21.50	Valley bears N.E. and S.W.
24.00	Road bears N.E. and S.W.
40.00	Set a limestone 12X10X8 in. 8 in. deep, marked 1/4 on the west side with 4 pits each 24X12X12 in for 1/4 sec. cor.
41.00	bottomlands bear N.E. and S.W.
61.00	Main Road bears N.E. and S.W.
80.00	Set a limestone 14X12X6 in. 9 in. deep, marked 2 notches on the south and 1 notch on the east edges, with 4 pits each 24X12X12 in. for corner to sections 23. 24 25 and 26.

South part gently sloping land North part bottom land. Soil 1st and 2nd rate

Subdivision T. 2 S. R 8 W

Chains East on a random line between sections 24 and 25
Variation 16° 42' East.

9.60 Main Skull valley road bears N.E. and S.W.; leave bottom lands and enter gently rolling valley.

25.10 Road bears N.E. and S.W.

33.00. Beach land bears N. and S.

40.00 Set a stone for temporary 1/4 sec. cor.

54.25 Wash 25 links wide bears N.W. and S.E.

67.25 Wash 25 links wide bears N.W. and S.E.

80.70. Intersected the East Boundary of the township 35 links North from corner to sections 24 25, 19 and 30; previously established by former surveys; from which corner I run N. 89° 45' W. on a true line between sections 24 and 25.

40.35 Set a quartzite stone 16X10X10 in

Subdivision S. 2 T. R 8 W

Chains 10 in. deep. marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec-cor.

80.76 The corner to sections 23. 24. 25 and 26.

Gently rolling valley and bench arable land, covered with sage, greasewood, shadscale and grass. Soil 2nd rate. Bottoms on the west end.—

North between sections 23 and 24

Variation 16° 42' E.

46.00 Set a lime stone 13 X 8 X 6 in. 8 in. deep. marked 1/4 on the west side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

50.00 Cross land bears N.E. and S.W.

BOOK-A-146

Subdivision T. 2 S. R 8 W

Chains	
80.00.	Set a lime stone 18 X 12 X 8 in. 12 in. deep. marked 3 notches on the south and 1 notch on the east edges, with 4 pits, each 24 X 12 X 12 in. for corner to sections 13. 14. 23 and 24.
	Arable bottom valley land. covered with greasewood and small grass. Soil 1st rate.
	East on a random line, between sections 13 and 24.
	Variation 16° 42' E.
40.00	Set a stone for temporary 1/4 sec. cor.
43.65.	Main Skull valley road bears NE and S.W.; leave Grass land and enter gently sloping valley, from the east to west.

Subdivision T. 2 S. R 8 W.

Chains	
48.00	Road to Dale's Ranch bears S.E and N.W.
80.16	Intersected the East Boundary of the township 65 links north from corner to sections 13. 24, 18 and 19; previously established by former surveys; from which corner I run; N. 89° 32' W on a true line between sections 13 and 24.
40.08	Set a limestone 20X16X5 in. 12 in. deep, marked ¼ on the north side with 4 pits each 24X12X12 in. for ¼ sec. cor. from which S.E corner of Wash-out fence, at the springs bears N.E. about 6.00 chs distant. and the N.E. corner of said fence bears N.E. about 18.00 chs distant.
80.16	The corner to sections 13. 14. 23.

Subdivision T. 2 S. R 8 W

Chains and 24

West part arable bottom grassy land Soil 1st rate. East part gently elevated valley land Soil 2nd rate; sage and grease-wood vegetation. –

November 1st 1877.

North between sections 13 and 14.

Variation 16°42' E.

26.15 S.W corner of Mushrat Spring's fence bears about S.60° E. and about 6.00 chs distant.

32.50 Mushrat Spring branch 20 links wide runs N.W. heads S.E.

40.00 Set a quartzite stone 16X12X8 in. 10 in. deep, marked 1/4 on the west side with 4 pits each 2 4 X

Subdivision T. 2 S. R 8 W

Chains	
	12 X 12 in. for ¼ sec. cor.
51.50	N.W. Corner Muskrat Spring fence bears S.E. about 16.00 chains distant.
66.50	Low land bears N.E. and S.W.
80.00	Set a quartzite rock 15 X 10 X 6 in. 10 in. deep. marked 4 notches on the south and 1 notch on the east edges, with 4 pits each 24 X 12 X 12 in. for corner to sections 11. 12 13 and 14.

Bottom low valley land covered with grass and greenwood vegetation. Soil of good quality North end low land.—

East on a random line between sections 12 and 13

Variation 16° 42' E.

Subdivision T. 2 S. R 8 W

Chains
27.00 Leave bottoms and enter gently elevated valley bearing N. and S.

X 40.00 Set a stone for temporary 1/4 sec. cor.

69.85 Hull valley road bears NE and SW.

79.90 Intersected the East Boundary of the township 40 links north from corner to sections 12. 13. 7 and 18; previously established by former surveys: from which corner Dran; N. 89° 43' W. on a true line between sections 12 and 13.

39.95 Set a Lime stone 18 X 12 X 5 in. 12 in. deep. marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

79.90 The corner to sections 11. 12. 13 and 14.

Arable valley land. Soil 2nd rate. — Shadscale vegetation West and bottom land. —

Subdivision T. 2 S. R 8 W.

Chains	North between sections 11 and 12 Variation 16° 42' E
40.00	Set a quartzite stone 12 X 10 X 6 in 8 in. deep. marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in for 1/4 sec. cor.
42.00	Elevated valley bears N.W. and S.E.
70.00	bottoms bear N.E. and S.W.
80.00	Set a lime stone 20 X 12 X 10 in. 12 in. deep. marked 5 notches on the south and 1 notch on the east edges with 4 pits, each 24 X 12 X 12 in. for corner to sections 1. 2. 11 and 12.
	Arable low valley land Soil 2nd rate. Shadscale and greasewood vegetation.

Subdivision T. 2 S. R 8 W

Chains	
	East on a random line between sections 1 and 12. Variation 16° 42' E.
15.50	leave bottom land and enter level valley bearing N.E. and S.W.
40.00	Set a stone for temporary 1/4 sec. cor.
79.80	Intersected the East Boundary of the township 15 links north from corner to sections 1. 12. 6 and 7: previously established by former surveys: from which corner I run: N. 89° 54' W. on a true line between sections 1 and 12
39.90	Set a lime stone 16X14X4 in. 10 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
79.80	The corner to sections 1. 2. 11. and 12. —

Subdivision T. 2 S. R 8 W

Chains	
	Arable level valley land, Soil 2nd rate. covered with greasewood and shadscale vegetation. West end bottom land.-
	North on a random line between sections 1 and 2 Variation 16° 42' E.
40.00	Set a stone for temporary 1/4 sec cor.
48.00.	Enter low land with alkali ~~heavily~~ bearing N.W. and East.
79.56	Intersected the North boundary of the township 12 links East from corner to sections 1. 2. 35 and 36; previously established by former surveys; from which corner I run;

Subdivision T. 2 S. R. 8 W.

Chains	
	S. 0° 05' E. on a true line between sections 1 and 2
39.56	Set a quartzite stone 18X8X5 in. 8 in deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
79.56	The corner to sections 1. 2. 11 and 12.
	Bottom land very low. North part mixed with alkali Soil 3d rate.

From the established corner to sections 34. 35. 2 and 3 on the South Boundary of the Township by former surveys, where I found Quartzite stone 20X18X12 standing

Subdivision T. 2 S. R 8 W.

Chains	
	and which answers the description of the corner furnished me by the office I run; North between sections 34 and 35. Variation 16° 42' E.
8.25	Wash, 20 links wide bears NW. heads SE.
40.00	Set a quartzite stone 12x10x5 in. 8 in. deep marked 1/4 on the west side, with 4 pits each 24x12x12 in. for 1/4 sec. cor.
56.35	Road from Hooper's Ranch to Salt Lake City bears NE and SW.
77.50	Bottom meadow land bears East and S.W.
80.00	Set a quartzite rock 14x8x5 in. 9 in. deep. marked 1 notch on the south and 2 notches on

Subdivision T. 2 S. R 8 W.

Chains the east edges with 4 pits each 24 X 12 X 12 in. for corners to sections 26. 27. 34 and 35.

Arable gently sloping valley land, covered with shadscale, greasewood, and white sage. Soil fine rate. Meadowland on the North end. —

East on a random line between sections 26 and 35

Variation 16° 42' E.

30.00 Leave grassland and enter valley bearing N.E and S.W.

34.65 Main Skull valley road bears N.E. and S.W

40.00 Set a stone for temporary 1/4 sec. cor.

71.00 Dale's Road bears N. and S.

Subdivision of T. 2 S. R 8 W.

Chains	
79.80	Intersected the N. and S. line 17 links north from corner to sections 25. 26 35 and 36.; from which corner I run; N. 89° 53' W on a true line, between sections 26 and 35
39.90	Set a lime stone 15 X 10 X 5 in. 10 in. deep, marked 1/4 on the north side, with 4 pits each. 24 X 12 X 12 in. for 1/4 sec. cor.
79.80	The corner to sections 26. 27. 34 and 35

Arable valley land, covered with sage chadscale and greasewood vegetation. — Soil 1st rate. West and bottom grassy land. —

November 2nd 1877.

Subdivision T. 2 S. R 8 W.

Chains	North between sections 26 and 27. Variation 16°42' E.
40.00	Set a quartzite stone 14X8X5 in. 9 in. deep. marked 1/4 on the west side, with 4 pits, each 24X12X12 in. for 1/4 sec. cor.
42.00	Meadow and prairie bears East and West
48.75.	Slough 10 links wide runs NW. heads East.
68.00	high meadow grass and rush bears SE. and West.
72.50	Spring branch 15 links wide runs W. heads SE. at Big Springs distant about 3/4 of a mile near Skull valley road.
80.00	Set a quartzite stone 14X8X6 in. 9 in. deep. marked 2 notches on the south and east edges, with 4 pits each 24X12X12 in. for corner to sections 22. 23. 26 and 27.

Subdivision T. 2 S. R. 8 W.

Chains	
	Bottom grassy land. Soil 1st rate. – North end in high meadow. –
	East on a random line between sections 23 and 26. Variation 16° 42' E.
16.00	leave meadow land; enter grassy bottoms bearing N.W. and S.E.
40.00	Set a stone for temporary 1/4 sec. cor.
65.00	Elevated valley land bears N.E. and S.W.
79.48	Intersected the N. and S. line, 12 links South from corner to sections 23. 24. 25 and 26; from which corner I run:
	S. 89° 55' W on a true line, between sections 23 and 26.

BOOK-A-146

Subdivision T. 2 S. R. 8 W.

Chains

39.74 Set a quartzite stone 18X16X8 in. 12 in. deep, marked 1/4 on the north side with 4 pits, each 24X12X12 in. for 1/4 sec. cor.

79.48 The corner to sections 22. 23. 26 and 27.

Arable bottom grassy land. Soil 1st rate. Meadow on the West end. Elevated valley on the east.

North between sections 22 and 23.

Variation 16°42' E.

10.00 Leave meadow, and enter black bottom land bearing NW. and SE.

40.00 Set a quartzite rock 16X12X4 in. 10 in. deep, marked 1/4 on the west

Subdivision T. 2 S. R. 8 W

Chains	
	side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.00	Set a quartzite stone 14X8X6 in. 9 in. deep. marked 3 notches on the south and 2 notches on the east edges. with 4 pits each 24X12X12 in. for corner to sections 14. 15. 22 and 23.
	Arable bottom land. Soil first rate. covered with small greasewood. Meander on the South end. —
	East on a random line between sections 14 and 23.
	Variation 16° 42' E.
30.75	Slough 15 links wide runs N.W heads. S.E.

Subdivision T. 2 S. R. 8 W

Chains

40.00 Set a stone for temporary 1/4 sec. cor.

79.60 Intersected the N. and S. line, 35 links South from corner to sections 13. 14. 23 and 24; from which corner I run:

S. 89° 45' W. on a true line, between sections 14 and 23.

39.80 Set a quartzite stone 16X10X8 in. 10 in. deep, marked 1/4 on the north side, with 4 pits, each 24X12X12 in. for 1/4 sec. cor.

79.60 The corner to sections 14. 15. 22 and 23.

Low bottom arable land, covered with greasewood and small grass. Soil 2nd rate, with moisture.—

Subdivision T. 2 S. R. 8 W.

Chains	North between sections 14 and 15 Variation 16° 42' E.
40.00	Set a quartzite stone 14X8X5 in. 9 in. deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.00	Set a quartzite stone 15X11X5 in. 10 in. deep, marked 4 notches on the south and 2 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 10. 11. 14 and 15.
	Arable bottom land - covered with greasewood and small grass vegetation. Soil 2nd rate and moist. -

Subdivision T. 2 S. R. 8 W

Chains	
	East on a random line between sections 11 and 14
	Variation 16° 42' E.
40.00	Set a stone for temporary 1/4 sec. cor.
80.22	Intersected the N. and S. line 23 links North from corner to sections 11. 12. 13 and 14; from which corner Drum; N. 89° 50' W. on a true line, between sections 11 and 14.
40.11.	Set a limestone 13 X 9 X 5 in. 8 in. deep, marked 1/4, on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.22	The corner to sections 10 11. 14 and 15.
	Arable low bottom land, covered with small grass and greasewood. Soil 2nd rate and moist. —

Subdivision T. 2 S. R. 8 W.

Chains	North, between sections 10 and 11. Variation 16°42' E.
40.00	Set a limestone 13X8X5 in. 8 in. deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.00	Set a quartzite stone 15X8X8 in. 10 in. deep, marked 5 notches on the south, and 2 notches on the east edges with 4 pits each 24X12X12 in. for corner to sections 2. 3. 10 and 11.
	Arable low bottom land, covered with small greasewood and grass. Soil 2nd rate

Subdivision T. 2 S. R 8 W

Chains East on a random line between sections 2 and 11.
Variation 16°42' E.

40.00 Set a stone for temporary 1/4 sec. cor.

79.64 Intersected the N. and S. line, 35 links north from corner to sections 1. 2. 11 and 12; from which corner I run;
N. 89° 45' W on a true line between sections 2 and 11.

39.82 Set a quartzite stone 12 X 12 X 8 in. 8 in. deep, marked 1/4 on the north side, with 4 pits, each 24 X 12 X 12 in. for 1/4 sec. cor.

79.64 The corner to sections 2. 3 10 and 11.

Low bottom arable land. Greasewood and grass vegetation. Soil 2nd & 3d rate slightly mixed with alkali.

Subdivision T. 2 S. R. 8 W

Chains	
	North on a random line between sections 2 and 3. Variation 16° 42' E.
40.00	Set a stone for temporary 1/4 sec. cor.
42.00	Meadow land bears NE and SW.
79.80	Intersected the North Boundary of the township 25 links East from corner to sections 2. 3. 34 and 35; from which corner I run: S. 0° 11' E. on a true line, between sections 2 and 3,
39.80	Set a limestone 12X8X6 in. 8 in. deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in for 1/4 sec. cor.
79.80	The corner to sections 2. 3. 10 and 11. South part low bottom land. Set 2nd quar 3d rate. North part in meadow.

November 3d 1877.

Subdivision T. 2 S. R. 8 W.

Chains	
	From the established corner to sections 33. 34. 3 and 4 on the South boundary of the township by former surveys Run; North, between sections 33 and 34.
	Variation 16° 42' E.
40.00	Set a quartzite stone 17 X 8 X 6 in. 11 in deep, marked 1/4 on the west side, with 4 pits, each 24 X 12 X 12 in. for 1/4 sec. cor
80.00	Set a quartzite stone 15 X 10 X 8 in. 10 in. deep, marked 1 with 3 on the south and 3 notches on the east edges, with 4 pits each 24 X 12 X 12 in. for corner to sections 27. 28. 33 and 34.
	Arable bottom and meadow land, soil 1st rate. —

Subdivision T. 2 S. R. 8 W.

Chains	
	East on a random line between sections 27 and 34. Variation 16° 42' E.
10.35	Spring branch 20 links wide runs N.W. heads S.E.
11.95	Spring branch 15 links wide runs N.W. & S.E.
22.00.	Enter bottoms bearing N. and S. leave Meadow
40.00	Set a stone for temporary 1/4 sec. cor.
80.10	Intersected the N. and S. line at corner to sections 26. 27. 33 and 34 from which corner I run; West on a true line between sections 27 and 34
40.05	Set a lime stone 15 X 10 X 6 in. 10 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.10	The corner to sections 27. 28. 33 and 34. Arable bottom and prairie land soil 1st rate.

Subdivision T. 2 S. R 8 W

Chains North between sections
27 and 28.
Variation 16°42' E.

28.00 Spring branch or slough 20 links wide runs N.W. heads S.E.

40.00 Set a cedar post 4X4 in. square, 4 feet long, 1 foot in the ground, marked 1/4 S on the west side, deposited marked stone, in a mound 2 feet high 4 feet diam. with 4 pits each 24X12X12 in. for 1/4 sec. cor.

80.00 Set a quartzite stone 16X12X10 in. 10 in deep, marked 2 notches on the south, and 3 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 21. 22. 27 and 28.

Arable meadow land
Soil first rate. —

Subdivision T. 2 S. R 8 W.

Chains	East on a random line between sections 22 and 27. Variation 16° 42' E.
1.25	Slough 10 links wide runs NW.
12.00	Spring Slough 8 links wide runs North, heads SE at Big Springs
40.00	Set a stone for temporary 1/4 sec. cor.
80.22	Intersected the N. and S. line. 18 links north from corner to sections 22. 23. 26 and 27; from which corner Iron; N. 89° 52' W on a true line, between sections 22 and 27.
40.11	Set a quartzite stone 18X10X6 in. 12 in. deep, marked 1/4 on the north side, with 4 pits each 24X12X12 in for 1/4 sec. cor.
80.22.	The corner to sections 21. 22. 27 and 28. First rate bottom and meadow arable land. —

BOOK-A-146

Subdivision T. 2 S. R 8 W

Chains	North, between sections 21 and 22 Variation 16° 42' E.
1.50	Slough 12 links wide, runs NW. heads SE.
40.00	Set an aspen charred post, 4 X 4 in. square, 4 feet long, 1 foot deep, marked 1/4 on the west side, deposited a marked stone, in mound 4 feet diam. 2 feet high, with 4 pits, each 24 X 12 X 12 in. for 1/4 sec. cor.
42.00	Slough 10 links wide runs NE heads SW.
80.00	Set a lime stone 15 X 12 X 4 in. 10 in. deep, marked 3 notches on the south and east edges, with 4 pits each 24 X 12 X 12 in. for corner to sections 15, 16, 21 and 22

First rate prairie and meadow arable land.—

Subdivision T. 2 S. R. 8 W.

Chains	East on a random line between sections 15 and 22 Var. 16° 42' E.
14.50	Spring slough 10 links wide runs North.
17.85.	Slough 10 links wide runs N. heads S.
25.35	Slough 15 links wide runs same.
36.50	leave meadow, Enter bottoms N and S.
40.00	Set a stone for temporary 1/4 sec. cor.
79.94.	Intersected the N. and S. Line. 12 links South from corner to sections 10. 11. 14 and 15: from which corner I run S. 89° 55' W on a true line between sections 15 and 22
39.97	Set a quartzite stone 14 X 8 X 5 in 9 in. deep. marked 1/4 on the north side. with 4 pits each 24 X 12 X 12 in: for 1/4 sec. cor.
79.94.	The corner to sections 15. 16. 21 and 22. West part Meadow land. East part bottom land. Soil 1st rate.

Subdivision T. 2 S. R 8 W 69

Chain North between sections
15 and 16.
Variation 16° 42' E.

15.00 Slough 10 links wide runs NE. heads SW.

40.00 Set a quartzite rock 12 X 8 X 6 in. 8 in. deep. marked ¼ on the west side, with 4 pits each 24 X 12 X 12 in. for ¼ sec. cor.

80.00 Set a quartzite rock 13 X 9 X 6 in. 8 in. deep. marked 4 notches on the south and 3 notches on the east edges. with 4 pits, each 24 X 12 X 12 in. for corner to sections 9. 10. 15 and 16

Fine prairie and meadow land soil first rate.—

East on a random line, between sections 10 and 15.

Subdivision T. 2 S. R 8 W.

Chains	Variation 16°42' East.
7.75	Slough 10 links wide runs N. heads S.
23.50	Slough 12 links wide runs N. heads S.
40.00	Set a stone for temporary 1/4 sec. cor.
42.00	Leave meadow. Enter bottoms bearing N. and S.
62.50	Elevated land bears NW. and SE.
68.00	bottoms bear N. and S.
79.58	Intersected the N. and S. line, 12 links south from corner to sections 10. 11. 14 and 15; from which corner I run; S. 89° 55' W. on a true line between sections 10 and 15
39.76	Set a quartzite stone 13X10X5 in 8 in. deep. marked 1/4 on the north side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
79.58	The corner to sections 9. 10. 15 and 16.

West part meadow land. East part low bottom land. Soil 2nd rate

BOOK-A-146

Subdivision T. 2 S. R 8 W.

Chains	
	North between sections 9 and 10.
	Variation 16° 42' East.
22.50	Slough 15 links wide, runs NE. heads SW.
40.00	Set a lime stone 12X9X6 in. 8 in. deep marked 1/4 on the west side with 4 pits, each 24X12X12 in for 1/4 sec. cor
46.00	Leave meadow and enter low alkali land bearing NE. and SW.
80.00	Set a limestone 13X8X7 in. 8 in deep, marked 5 notches on the south and 3 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 3. 4. 9. and 10.: from which corner I found the lands north and west unfit for cultivation very low and covered with alkali.—
	South part meadow land.
	North part low and flat covered with much of alkali. Soil 3d rate.

Subdivision T. 2 S. R 8 W

Chains	East on a random line, between sections 3 and 10. Variation 16° 42' E.
15.00	Meadow land bears N.E. and S.W.
28.70	Slough 20 links wide runs N. and S.W.
40.00	Set a stone for temporary 1/4 sec. cor.
46.25	Slough 15 links wide, runs N.E. heads S.W.
57.00	Low land bears N.E. and S.W.
80.38	Intersected the N. and S. line 35 links north from corner to sections 2.3.10 and 11.; from which corner I run; N. 89° 45' W. on a true line, between sections 3 and 10.
40.19	Set a lime stone 13X7X7 in. 8 in. deep, marked 1/4 on the north side with 4 pits, each 24X12X12 in for 1/4 sec. cor.
80.38	The corner to sections 3.4.9 and 10. Meadow land. East and West end low with some alkali; Soil 3rd rate. November 5th 1877.

Subdivision T. 2 S. R 8 W.

Chains From the established corner to sections 32. 33. 4 and 5 on the South boundary of the township, by former surveys, where I found "cobble stone corner 12X11X5" standing and answering the description furnished me by the office I run; North between sections 32 and 33.

Variation 16° 42' E.

40.00 Set a quaker roof charred post 4X4 in. square, 4 feet long, 1 foot deep, marked 1/4 S. on the west side, deposited a marked stone, in a mound 4 feet diam. 2 feet high, with 4 pits each 24X12X12 in. for 1/4 sec. cor.

62.00 Leave meadow, enter low land with some alkali which bears NE. and SW.

80.00 Set a quartzite stone 16X6X6 in. 10 in. deep, marked 1 notch on the south and 4 notches on the east edges with 4 pits, each 24X12X12 in.

Subdivision T. 2 S. R 8 W

Chains	
	for corner to sections 28. 29. 32. and 33.; from which corner I found the lands north and west, very low poor and mixed with alkali.—
	First rate bottom and meadow arable land.— North end low. poor soil and mixed with alkali.—
	East on a random line, between sections 28 and 33
	Variation 16° 42' E.
5.50	Meadow bears N. and SW.
8.50	Spring branch 8 links wide runs North heads South
12.50	Branch 10 links wide runs N. heads S.
26.60	Slough 15 links wide runs N. heads S.

Subdivision T. 2 S. R. 8 W

Chains	
36.15	Slough 15 links wide heads S. runs N.
40.00	Set a stone for temporary 1/4 sec. cor.
49.50	Slough 20 links wide runs N. heads S.
62.00	Slough 10 links wide runs N. heads S.
80.20	Intersected the N. and S. line, 20 links north, from corner to sections 27. 28. 33 and 34; from which corner I run:
	N. 89° 51' W. on a true line, between sections 28 and 33
40.10	Set a lime stone 12X8X6 in. 8 in. deep, marked 1/4 on the north side with 4 pits, each 24X12X12 inches for 1/4 sec. cor.
80.20	The corner to sections 28. 29. 32 and 33

First rate arable meadow land. West end is poor and mixed with alkali.—

Subdivision T. 2 S. R 8 W

Chains	North between sections 28 and 29. Variation 16° 42' E.
40.00.	Set a lime stone 18X8X5 in. 12 in. deep, marked 1/4 on the west side, with 4 pits each 24X12 X12 in. for 1/4 sec. cor.
48.00.	Meadow land bears NW. and SE.
80.00.	Set a quartzite stone 14X10X4 in. 9 in. deep, marked 2 notches on the south and 4 notches on the east edges with 4 pits each 24X12X12 in. for corner to sections 20. 21. 28 and 29. from which corner I find the lands west very poor and mixed with alkali except few chains in the meadow west from the corner.
	South part poor low land.
	North part in the meadow.

Subdivision T. 2 S. R 8 W 77

Chains East on a random line,
between sections 21 and 28.
Variation 16° 42' E.

4.50 Slough 15 links wide runs N.E. heads S.
31.50 Wide Slough 100 links across runs N. heads S.
34.50 branch 10 links wide runs N.W. heads S.E.
40.00 Set a stone for temporary 1/4 sec. cor.
77.00 Slough 10 links wide runs N.W. heads S.
79.50 Intersected the N. and S. line, at corner
to sections 21. 22. 27 and 28; from
which corner I run;
West on a true line,
between sections 21. and 28
39.75 Set a quaker wasp charred post 4 X 4 in.
square, 4 feet long, 1 foot deep, marked
1/4 S. on the north side, with 4 pits each
24 X 12 X 12 in. deposited a marked
stone in a mound 4 feet diam. 2
feet high, for 1/4 sec. cor.
79.50 The corner to sections 20. 21.

Subdivision T. 2 S. R 8 W

Chains	
	28 and 29.
	First rate meadow land.
	North between sections 20 and 21.
	Variation 16° 42' E.
26.50	Low land bears NE. and SW.
40.00	Set a quakenasp charred post 3X4 in. square, 4 feet long, 1 foot deep, marked 1/4 S. on the west side, deposited a marked stone in a mound 4 ft diam. 2 ft high with 4 pits, each 24X12X12 in. for 1/4 section corner in low bottoms.
80.00	Set a quartzite rock 14X10X5 in. 9 in deep, marked 3 notches on the south and 4 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 16, 17, 20 and 21, west of which, land is poor and alkali.
	South part meadow land. North part Sil 3d rate land flat.

Subdivision T. 2 S. R. 8 W. 79

Chains	
	East on a random line, between sections 16 and 21. Variation 16° 42' E.
22.00	Meadow land bears N.E. and S.W.
40.00	Set a stone for temporary 1/4 sec. cor.
42.00	Slough 20 links wide runs N.E. heads S.W.
49.50	Slough 25 links wide runs N. heads S.
51.50	Slough 10 links wide runs N. heads S.
79.40	Slough 6 links wide runs N.E. heads S.W.
79.80	Intersected the N. and S. line 23 links North from corner to sections 15. 16. 21. and 22; from which corner I run N. 89° 50' W. on a true line, between sections 16 and 21.
39.90	Set a quartzite stone 12X12X4 in. 8 in. deep, marked 1/4 on the north side, with 4 pits, each 24X12X12 in. for 1/4 sec. cor.
79.80	The corner to sections 16. 17. 20 and 21. First rate meadow land. West end low poor soil. —

Subdivision T. 2 S. R. 8 W.

Chains	North between sections 16 and 17. Variation 16° 42' E.
40.00	Set a limestone 12X8X6 in. 8 in. deep, marked 1/4 on the west side, with 4 pits, each 24X12X12 in. for 1/4 sec. cor.
80.00	Set a quartzite stone 13X8X6 in. 8 in. deep, marked 4 notches on the south and east edges, with 4 pits each 24X12X12 in. for corner to sections 9, 10, 15, and 16; from which corner, land north and west is very poor, unfit for cultivation. Soil ashy and mixed with alkali. — Cor land with small greasewood brush Soil 3d rate.

Subdivision T. 2 S. R 8 W

Chains	
	East on a random line between sections 9 and 16.
	Variation 16° 42' E.
8.50	dry slough 20 links wide bears N. and S. E.
12.15	dry slough 25 links wide bears N. and S. E.
40.00	Set a stone for temporary 1/4 sec. corner.
61.50	Meadow land bears N. E. and S. W.
62.50	Slough 15 links wide runs N. E. heads S. W.
79.66	Intersected the N. and S. line 28 links North from corner to sections 9. 10. 15 and 16; from which corner I run: N. 89° 48' W. on a true line between sections 9 and 16.
39.83	Set a quartzite stone 13 X 8 X 5 in. 8 in. deep, marked 1/4 on the north side with 4 pits, each 24 X 12 X 12 in. for 1/4 sec. cor.
79.66.	The corner to sections 8. 9. 16 and 17. East part first rate meadow land. West part low land Sil 3rd rate

Subdivision T. 2 S. R 8 W.

The lands north of the line are very low and mostly covered with alkali unfit for cultivation.

November 6th 1877.

Joseph Gerlinski
deputy surveyor.

General description

This township forms a principal portion of lands embraced in the Northern part of the Skull valley. Most of the lands embraced in the Eastern portion of the same are valuable, and are extensively used as meadow lands, and furnish most abundant grass for grazing and hay purposes.- The character of the soil immediately adjoining the

Eastern Boundary of the township, consist of a gently sloping and elevated valley; mostly well adapted to agriculture, if sufficient water could be obtained for irrigation.- Bottom lands which are described in these field notes, are generally considered of 1st rate quality, with sufficient moisture - and are well watered by natural springs. Meadow lands covering the middle portion of the township, are very extensive, and can furnish an abundance of hay, being well watered.- The western portion of this township which has not been subdivided is considered unfit for cultivation The lands being very low and mostly covered with alkali. No timber in this township, and no mineral found.-

BOOK-A-146

84

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 2d 1878

The foregoing field notes of the survey of the ...

Subdivision Lines

Township No. 2 South *Range No.* 8 West
East Salt Lake Meridian.

Executed by .... Joseph Kowlinski

Under his Joint *contract* 74 *of the* 4th

day of September 1876, *in the month of*

Nov 1877, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Patrick Connell

U. S. Surveyor General for Utah.

86

95 Blank

BOOK-A-140

Book No 3.

Dest Lists

9 mk.

Corr. Clk

87

Field Notes
of the survey of the
South Boundary
of Township No 6 South of
Range No 7 West of the
Salt Lake Meridian Utah
Territory. by.
Joseph Gorlinski. deputy
surveyor. under his joint contract
No 74 dated September 4th
1876.

Survey commenced September 30th 1876.
Survey completed September 30th 1876.

South Boundary T. 6 S. R. 7 W.

Chains Begin at the established corner to Townships 6 and 7 South Ranges 7 and 8 West by Andrew J. Stewart Surv. D. S.
The corner stone is standing and agrees with the description furnished me by the office viz.
A Grey Lime stone 18X18X8 in. in mound of earth and stone from which I run:
East on a true line, along the South Boundary of Section 31.
Variation 17° 00' E.

40 00 Set a sand stone 13X11X10 in. 8 in deep, marked 1/4 on the north side, with 4 pits each 24X12X12 in. for 1/4 sec cor.

80.00 Set a lime stone 14X8X6 in. 9 in deep marked 1 notche on the west and 5 notches on the east edges

South Boundary T. 6 S. R. 7 W.

Chains with 4 pits each 24X12X12 inches for corner to sections 31. 32. 5 and 6.

Level arable land. sage and shadscale undergrowth with grass. Soil 1st rate. No timber.

East on a true line, along the South boundary of section 32.

Variation 17° 00' E.

40.00 Set a lime stone 16X10X5 in. 10 in deep, marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

40.50 Road to Woodmansee Ranche bears N.E. and S.W.

80.00 Set a sand stone 16X8X8 in. 10 in deep, marked 2 notches on the

South Boundary T. 6 S. R. 7 W.

Chains west and 4 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 32. 33. 4 and 5.

Level arable land. Soil 1st rate. Vegetation sage brush chaparral and grass. No timber.

East on a true line along the South boundary of section 33.

Variation 17° 00' E.

18.75 Old road bears N. and S.

22.50 Wash bears NW. and SE.

40.00 Set a lime stone 13X8X6 in. 8 in deep, marked 1/4 on the north side with 4 pits each 24X12X12 inches for 1/4 sec. cor.

80.00 Set a lime stone 16X8X8 in. 10 in.

South Boundary T. 6 S. R. 7 W.

Chains deep, marked 3 notches on the west and east edges with 4 pits each 24 X 12 X 12 in. for corners to sections 33. 34. 3 and 4.

Level and gently rolling arable land. covered with sage chaparral and grass vegetation No timber.—

East on a true line, along the South Boundary of Section 34.
Variation 17° 00' East.

25 00 Foot of bench and cedars bear N. and S.

40 00 Set a lime stone 14 X 8 X 6 in. 9 in deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in for 1/4 sec. cor. from which

South Boundary T. 6 S. R 7 W

Chains	
	~~from which~~ A cedar 12 in dia. bears N 20° W. 45 links distant and a cedar 14 in dia. bears S. 37° E. 56 links distant
72.00.	Gully bears N.W. and S.E. and foot of ridge foothills.
80.00.	Set a lime stone 15 X 8 X 6 in. 10 in deep. marked 4 notches on the ~~east~~ West and 2 notches on the ~~west~~ East edges. with 4 pits each 30 X 18 X 18 inches. for corner to sections 2. 3. 34 and 35.
	from which corner a Cedar tree 12 in dia. bears S. 58 E. 11 links distant, and a cedar tree 8 in dia. bears N. 40° E. 18 links distant.
	Rolling bench and foothill land. Soil 2nd and 3d rate.

South Boundary T. 6 S. R. 7 W.

Chains. West end open arable bench land covered with sage brush and grass vegetation. balance covered with thick cedar timber.

On account of the proximity of high mountain on the east found impossible to extend this boundary any further at present rates.

September 30th Joseph Gorlinski
Deputy Surveyor.

Note. For general description of land in this Township, reference is here made to the field notes of the survey of Subdivision lines of the same.

Surveyor's Office at Salt Lake City
Utah Territory, April 30th 1877
The foregoing field notes of the
survey of the South Boundary of
T 6 S R 7 W executed by Joseph
Golinski under his joint contract
dated the 4th day of September 1876,
in the month of September 1876, having
been critically examined the
necessary corrections and explanations
made the said field notes and the
surveys they describe are hereby
approved

Nathan Kimball
Surveyor General

BOOK-A-146

98

96-97
Blank

BOOK-A-146

Book No. 4.

Field Notes
of the survey of the
Subdivision lines of
Township No. 6 S. Range No.
7 West of the Salt Lake
Meridian, Utah Territory
by
Joseph Gorlinski and William
A. Gorlinski, deputy surveyors
under their joint Contract
No. 74 bearing date the
4th day of September 1876.

Survey commenced October 2nd 1876.
Survey completed October 5th 1876.

100

Township 6. South R. 7. West

6	150	5	133	4	124	3	110	2	1
149		148		134		121		109	
7	147	8	131	9	120	10	107	11	12
146		145		130		119		108	
18	144	17	129	16	118	15	105	14	13
143		142		128		117		106	
19	141	20	127	21	116	22	104	23	24
140		139		126		115			
30	138	29	125	28	114	27	102	26	25
137		136		124		113			
31	135	32	123	33	112	34	101	35	36
89		90		91		92			

BOOK-A-146

Subdivision T. 6 S. R. 7 W.

Chains October 2nd 1876.

by Joseph Gorlinski D.S.

Begin at the established corner to sections 34. 35. 2 and 3 on the South Boundary of the township from which I run;

North, between sections 34 and 35.

Variation 17°00' E.

6.00 wash bears NW and S.E.

38.00 dry creek bed bears SE and NW 100 links wide.

40.00 A cedar 18 in. diam. marked 1/4 S on the west side as monument for 1/4 sec. cor.

51.75 Small wash bears NE and SW.

74.75 dry bed bears NW and S.E.

80.00 Set a lime stone 18X16X7 in. 12 in. deep, marked 1 notche on the south and 2 notches on the

Subdivision T. 6 S. R 7 W.

Chains east edges with 4 pits each 24 X 12 X 12 inches for corner to sections 26. 27. 34 and 35. from which a cedar 10 in. dia. bears N 23° W. 42 links distant, and a Cedar 12 in. dia. bears S 52° E. 47 links distant.

Bench and foothill land covered with thick cedar timber Soil 2nd and 3rd rate. Sage undergrowth. High mountain and ridge land covered with cedars adjoin on the east, and could not be subdivided at present rates.

North between sections 26 and 27.
Variation 17° 00' E.

5.00 Foot of bar ridge bears E. and W.

Subdivision T. 6 S. R. 7 W.

Chains	
32.25	gully bears NE and SW.
40.00	Set a lime stone 16X8X7 in. 10 in deep. marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
72.00	bench land bears E and W covered with scattered cedars
80.00	Set a lime stone 14X10X6 in. 8 in. deep marked 2 notches on the south and 2 notches on the east edges with 4 pits each 24X12X12 inches. for corner to sections 22. 23. 26 and 27.

Bench and ridge land Soil 2nd and 3d rate. Timber cedars. sage underwoods and grass. All land on the east is covered with cedars but too rocky and mountainous therefore could not be subdivided at present rates.

Subdivision E. to S. R 7 W.

Chains North between sections 22 and 23
Variation 17.00' East.

23.00 Gully bears NW and SE.

40.00 Set a lime stone 16X9X6 in. 10 in deep, marked ¼ on the west side with 4 pits each 24X12X12 in. for ¼ sec. cor.

49.00 Gully bears NW and SE

80.00 Set a lime stone 14X10X6 in 8 in deep, marked 3 notches on the south and 2 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 14. 15. 22 and 23.

Bench and foot hill land
Timber cedars. - Undergrowth sage and bunch grass. Soil 2nd and 3d rate. -

Subdivision T. 6 S. R. 7 W.

Chains	East on a true line between sections 14 and 23. Variation 17° 00' E.
15.50	Gully bears N.W. and S.E.
40.00	Set a lime stone 16 X 10 X 6 in. 10 in. deep, marked 1/4 on the north side in mound of stone for 1/4 sec. corner at the foot of high ridge.
	Ridge and hollow land. Soil 2nd and 3d rate. Timber: cedars.
	North between sections 14 and 15. Variation 17° 00' E.
5.25	Deep dry bed 50 links wide bears N.W. and S.E.
12.50	Wash bears E. and W.

Subdivision T. 6 S. R. 7 W.

Chains

40.00 Set a lime stone 16X12X5 in. 10 in deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor. from which a cedar 8 in. dia. bears N. 28° E. 37 links distant, and a cedar 13 in dia. bears S. 40° W. 45 links distant

57.00 Wash bears E. and W.

67.50 Wash bears E. and W.

76.00 Spring Creek 10 links wide runs S.W. heads N.E. in the gully

80.00 Set a lime stone 14X10X6 in. 9 in. deep. marked 4 notches on the south and 2 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 10. 11. 14 and 15.

Bench arable land, covered with sage brush and bunch grass.

Timber cedars. Soil 2nd rate

Subdivision T. 6 S. R. 7 W 107

Chains East on a true line,
between sections 11 and 14.
Variation 17° 00' E.

12.50 Spring Creek 10 links wide heads N.E.
runs S.W.

40.00 Set a lime stone 15 X 8 X 6 in. 10
in deep, marked ¼ on the north
side, with 4 pits each 24 X 12 X 12
inches for ¼ sec. cor. along the
edge of high ridge which bears
N. and S.

Bench land covered with
fine bunch grass, sage and
cedar timber. Soil 2nd rate

North between sections 10 and 11.
Variation 17° 00' E.

9.00 Woodmansee field and pasture

Subdivision T. 6 S. R. 7 W.

Chains	
	bears East about 5.00 chains distant
12.00	A house bears E about 20 chains distant.
17.25	Spring branch 10 links wide heads E. runs West, and end of pasture bears East about 4.00 chs distant.
24.40	Road bears NW. and SE.
36.00	S.E. corner of a field bears West 150 links distant.
38.25	a house bears W. 150 links distant
40.00	Set a lime stone 20X18X10 in. 13 in deep marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
42.00	Spring branch 5 links wide runs West and heads E. and Parker's buildings bear West about 3.50 chs. distant.
45.00	Spring branch 8 links wide runs W.
46.25	fence bears E and W
51.60	Wash bears NE and SW.
58.00	Wash bears NE. and SW

BOOK-A-146

Subdivision T. 6 S. R. 7 W.

Chains

64.75 Wash bears N.E. and S.W.

80.00 Set a lime stone 14X11X6 in. 9 in deep, marked 5 notches on the south and 2 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 2. 3. 10 and 11.

Beach: arable land, covered with sagebrush and bunch grass. Soil 1st and 2nd rate partly under cultivation. Timber cedars.

East on a true line between sections 2 and 11.

Variation 17° 00' E.

12.75 Wash bears N.E. and S.W.

22.00 Gully bears N.E. and S.W.

40.00 Set a lime stone 13X8X6 in. 8 in. deep, marked 1/4 on the north side

Subdivision T. 6 S. R. 7 W.

Chains in mound of stone for 1/4 sec. cor. near high ridge which bears N and S.

Beech arable land. Soil 2nd rate. Timber cedars. Undergrowth sage and bunch grass.

North on a true line between sections 2 and 3.

Variation 17° 00' E.

10.50 dry bed bears N.E. and S.W.

27.75 dry bed bears E and W.

37.25 dry bed bears N.E. and S.W.

40.00 Set a lime stone 14X10X6 in. 8 in deep marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

56.00 gully bears N.E and S.W.

80.48 Intersected the First Standard

Subdivision T. 6 S. R 7 W M

Parallel South, 70 links East from corner to sections 34 and 35 T. 5 S. R 7 W. where I set a line stone 17X10X8 in. 11 in deep. marked 2 notches on the east and 4 notches on the west side edges, for corner to sections 2 and 3 T. 6 S. R 7 W. with 3 pits each 30X18X18 inches from which a cedar tree 12 in dia. bears S. 56° E. 65 links distant.—

Bench land and foothills covered with cedar timber, sage and bunch grass undergrowth Soil 2nd rate.

Jos. Gorlinski D. S.

October 2nd by William A Gorlinski From the established corner to sections 33. 34. 3 and 4 on the

Subdivision T. 6 S. R. 7 W.

Chains	
	South Boundary of the township
	I run
	North between sections 33 and 34.
	Variation 17°00' E.
33.40	Wash 25 links wide bears NW and SE.
40.00	Set a lime stone 14X12X8 in. 8 in. deep marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
76.25	Wash bears N.W. and S.E.
80.00	Set a lime stone 16X10X8 in. 10 in deep, marked 1 notche on the south and 3 notches on the east edges with 4 pits each 24X12X12 in. for corner to sections 27. 28. 33 and 34.
	Gently rolling arable valley land. Soil 2nd rate, with sage, shadscale and grass vegetation.
	No Timber.

Subdivision T. 6 S. R. 7 W.

Chains East on a random line between sections 27 and 34.
Variation 17° 00' E.

28.50 Cedars bear N and S. and foot of bench

40.00 Set a stone for temporary ¼ sec. cor.

53.25 Oak bears NW and S.E.

80.46 Intersected the N. and S. line 40 links north from corner to sections 26. 27. 34 and 35. From which corner I run. N 89° 43' W on a true line, between sections 27 and 34.

40.23 Set a limestone 14X10X6 in. 9 in. deep marked ¼ on the north side with 4 pits each 24X12X12 in. for ¼ sec. cor. from which a cedar 14 in. dia. bears S 80° W 39 links distant.

80.46 The corner to sections 26. 27. 34 and 35. Bench land, covered with cedar timber West part arable valley land. Soil 2nd rate sage, and bunch grass undergrowth.

Subdivision T. 6 S. R. 7 W.

Chains North between sections 27 and 28
Variation 17°-00' E.

25.70 Wash bears NW. heads SE.

29.30 same wash bears NE and SW

36.75 same wash bears NW and SE.

40.00 Set a sand stone 16X8X4 in 10 in deep marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.

57.00 A shallow bed bears E. and W.

80.00 Set a limestone 12X10X6 in. 6 in. deep. marked 2 notches on the south and 3 notches on the east edges. for corner to sections 21. 22. 27 and 28. with 4 pits each 24X12X12 inches.—

Gently rolling arable land, covered with sage and bunch grass. Soil 2nd rate. No timber.

Subdivision T. 6 S. R. 7 W.

28 Chains East on a random line between sections 22 and 27.

Variation 16°55' E.

16.00 Wash bears NW and S.E.

40.00 Set a stone for temporary ¼ sec. cor.

46.00 Cedars bear NE and S.W.

80.38 Intersected the N. and S. line 25 links north from corner to sections 22. 23. 26 and 27; from which corner Iron; N 89° 49' W. on a true line, between sections 22 and 27.

40.19 Set a sandstone 16X8X5 in. 10 in deep, marked ¼ on the north side with 4 pits, each 24X12X12 in. for ¼ sec. cor.

80.38 The corner to sections 21. 22. 27 and 28.

West part gently rolling arable land. Soil 2nd rate with grass and sage. East part covered with cedar timber.—

Subdivision T. 6 S. R. 7 W.

Chains North between sections 21 and 22
Variation 17° 00' E.

16.45 A gully bears E. and W.

40.00 Set a lime stone 12 X 8 X 7 in. 8 in. deep, marked 1/4 on the west side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

44.50 small wash bears NW. and E.

51.60 small wash bears NW and SE.

58.25 gully bears E. and W.

69.90 deep wash bears E. and W.

77.00 Old road bears NE. and SW.

80.00 Set a lime stone 16 X 8 X 6 in 10 in deep marked 3 notches on the south and east edges, with 4 pits each 24 X 12 X 12 in. for corner to sections 15. 16. 21 and 22.

Level arable land, soil 1st rate with sage, shadscale brush and grass vegetation. No timber.

Subdivision T. 6 S. R. 7 W.

2 Chains East on a random line,
between sections 15 and 22
Variation 17° 00' E.

4.25 Road bears N.E. and S.W.

40.00 Set a stone for temporary ¼ sec. cor.

70.00 gully bears N.E. and S.W.

76.00 Cedars and bench land bear N. and S.

79.75 Gully bears N.E. and S.W.

80.56 Intersected the N. and S. line
20 links north from corner to sections
14. 15. 22 and 23; from which corner
I run: N. 89° 51' W on a true line,
between sections 15 and 22.

40.28 Set a lime stone 16X8X6 in. 10 in deep,
marked ¼ on the north side with 4
pits each 24X12X12 in. for ¼ sec. cor.

80.56 The corner to sections 15. 16. 21 and 22.
Level and rolling arable land. Soil
2nd rate. covered with sage and grass.
West end in cedar timber.—

Subdivision T. 6 S. R. 7 W.

Chains North between sections 15 and 16.
Variation 17° 00' E

22.65 small wash bears S.E. and W.

40.00 Set a lime stone 13X8X5 in. 8 in. deep marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

48.30 small wash bears N.E. and S.W.

65.40 Spring branch 10 links wide runs S.W. and heads N.E.

71.20 dry creek bed bears N.E. and S.W.

72.95 Road bears N.E. and S.W.

80.00 Set a lime stone 13X9X6 in. 8 in deep. marked 4 notches on the south and 3 notches on the east edges with 4 pits each 24X12X12 in. for corner to sections 9. 10. 15 and 16.

Level arable valley land covered with sage, shadscale and grass vegetation. Soil 1st rate No timber.

Subdivision T. 6 S. R. 7 W.

Chains East on a random line
between sections 10 and 15.
Variation 17° 00' E.

2.25 Road bears N.E. and S.W.

5.15 Spring branch 5 links wide runs S.W.

40.00 Set a stone for temporary 1/4 sec. cor.

41.80 Old Road bears N.E. and S.W.

45.30 Spring branch 6 links wide runs S.W.

61.00 Cedars and bench bear N. and S.

79.80 Intersected the N. and S. line 25 links
South from corner to sections 10. 11. 14
and 15; from which corner I run;
S. 89° 49' W. on a true line,
Between sections 10 and 15

39.90 Set a lime stone 12 X 8 X 6 in. 6 in deep.
marked 1/4 on the north side with 4 pits
each 24 X 12 X 12 in. for 1/4 sec. cor.

79.80 The corner to sections ~~10. 11. 14 and 15~~ 9. 10. 15 & 16.
Rolling arable land. Soil 1st rate
Timber cedars on the east end.—

Subdivision T. 6 S. R. 7 W.

Chains	North between sections 9 and 10. Variation 17°00' E.
25.00	Deep wash bears N.E. and S.W.
40.00	Set a lime stone 12X8X7 in. 8 in. deep marked 1/4 on the west side, with 4 pits, each 24X12X12 in. for 1/4 sec. cor.
44.70	Road bears N.W. and S.E.
48.50	Wash bears N.E. and S.W.
59.00	Scattering cedars bear N.E. and S.W. and enter rolling land.
80.00	Set a lime stone 16X10X6 in. 10 in. deep marked 5 notches on the south and 3 notches on the east edges with 4 pits each 24X12X12 in. for corner to sections 3. 4. 9 and 10.

Rolling land, soil 2nd rate arable, covered with rabbit sage and greasewood brush with grass. North end with scattered cedar timber.

Subdivision T. 6 S. R 7 W

Chains East on a random line,
between sections 3 and 10.
Variation 17°00' E.

30.75 deep wash 40 links wide bears NE and SW.
40.00 Set a stone for temporary 1/4 sec. cor.
40.90 Barlow Creek Road bears NW and SE.
45.00 Wash bears NE. and SW.
80.00 Intersected the N. and S. line 20
links south from corner to sections
2. 3. 10 and 11. From which corner Iron;
S. 89°51' W. on a true line
between sections 3 and 10.
40.00 Set a lime stone 14X8X6 in. 8 in. deep
marked 1/4 on the north side with 4
pits each 24X12X12 in. for 1/4 sec. cor.
80.00 The corner to sections 3. 4. 9 and 10.
Rolling arable sandy soil
covered with sage and rabbit brush
and grass. Timber scattered cedars.

Subdivision T. 6 S. R. 7 W.

Chains North on a true line between sections 3 and 4.

Variation 17°00' E.

2.20 Wash bears N.E. and S.W.

40.00 Set a sand stone 13 X 10 X 5 in. 8 in deep. marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in for 1/4 sec. cor. from which. A cedar 14 in. diam bears S. 8°30' E. 41 links distant.

61.40 trail bears N.W. and S.E.

65.60 gully bears N.E. and S.W.

73.50 Wash bears N.E. and S.W.

80.30 Intersected the First Standard Parallel South 30 links west from corner to sections 33 and 34 T. 5 S. R. 7 W., where I set a lime stone 12 X 10 X 6; 8 in deep, marked 3 notches on the east and west side edges with 4 pits each 24 X 12 X 12 in, for corner to sections 3 and 4 T. 6 S. R. 7 W.

Rolling arable sandy soil, covered with scattered cedar timber - sagebrush and grass-

William Aborlinski
Dep. Surveyor

Subdivision T. 6 S. R. 7 W.

Chains October 3rd 1876. by Joseph Gorlinski
From the established corner to
sections 32. 33. 4 and 5 on the South
Boundary of the township I run;
North between sections 32 and 33.
Variation 17° 00' E.

39.25 Road bears N.E. and S.W.

40.00 Set a sandstone 16X7X6 in. 10 in
deep. marked 1/4 on the west side,
with 4 pits each 24X12X12 in for
1/4 sec. cor.

52.25 dry bed bears E. and W.

80.00 Set a sand stone 16X10X5 in. 10 in
deep. marked 1 notche on the
south and 4 notches on the east edges
with 4 pits each 24X12X12 in. for corner
to sections 28. 29. 32 and 33.
Level arable land. Soil 1st rate;
sage shadscale brush and grass
vegetation. No timber.

Subdivision T. 6 S. R. 7 W.

Chains	
	East on a random line, between Sections 28 and 33 Variation 17°00' E.
30.55	Woodmansee's Road bears NE and SW.
35.40	Road bears North and South
40.00	Set a stone for temporary ¼ sec. cor.
79.66	Intersected the N. and S. line 40 links north from corner to sections 27. 28. 33 and 34; from which corner I run N. 89° 43' W on a true line between sections 28 and 33.
39.83	Set a sandstone 13X9X6 in. 8 in deep marked ¼ on the north side with 4 pits each 24X12X12 in for ¼ sec. cor.
79.66	The corner to sections 28. 29. 32 and 33.

First rate level arable land. Sage-shadscale brush and grass vegetation. No timber.

Subdivision T. 6 S. R 7 W

Chains	North between sections 28 and 29. Variation 17° 00' E.
2.75	wash bears N.E. and S.W.
32.50	a gully bears N.E. and S.W.
40.00	Set a sand stone 17 X 9 X 6 in. 11 in deep marked 1/4 on the west side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
48.25	dry bed bears N.W. and S.E.
58.50	dry bed bears N.W. and S.E.
79.00	dry bed bears N.W. and S.E.
80.00	Set a sand stone 15 X 14 X 6 in. 10 in deep, marked 2 notches on the south and 4 notches on the east edges, with 4 pits each 24 X 12 X 12 in. for corner to sections 20. 21. 28 and 29.
	First rate level arable land, covered with sage, shadscale brush and grass. No timber

Subdivision T. 6 S. R. 7 W.

Chains	
	East on a random line,
	Between sections 21 and 28
	Variation 17° 00' E.
22.25	Wash bears S.E. and N.W.
40.00	Set a stone for temporary 1/4 sec. cor.
55.10	Road bears N. and S.
79.72	Intersected the N. and S. line at corner to sections 21.22.27 and 28; from which corner I run;
	West on a true line,
	Between sections 21 and 28.
39.86.	Set a lime stone 12X8X6 in. 8 in deep, marked 1/4 on the north side with 4 pits each 24X12X12 inches. for 1/4 sec. cor.
79.72	The corner to sections 20.21.28 and 29.
	First rate level arable land covered with shadscale and grass vegetation. No timber.

Sub

Chains

9.00

32.50

40.00

55.00

60.73

80.00

Subdivision T. 6 S. R. 7 W.

Chains	North between sections 20 and 21. Variation 17° 00' E.
9.00	dry bed bears E. and W.
32.50	dry bed bears N.E. and S.W.
40.00	Set a sand stone 14 X 8 X 6 in. 9 in deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in for 1/4 sec. cor.
55.00	deep gully 40 links wide bears N.E. and S.W.
60.75	trail bears N.E. and S.W.
80.00	Set a lime stone 16 X 10 X 7 in. 10 in deep, marked 3 notches on the south and 4 notches on the east edges, with 4 pits each 24 X 12 X 12 in for corner to sections 16, 17, 20 and 21.

First-rate level arable land, covered with white sage and shadscale brush vegetation. No timber.

Subdivision T. 6 S. R. 7 W.

Chains	
	East on a random line, between sections 16 and 21. Variation 17° 00' East.
19.25	deep wash bears N.E. and S.W.
40.00	Set a lime stone for temporary 1/4 sec. cor.
77.00	Road bears N.E. and S.W.
79.58	Intersected the N. and S. line, 35 links south from corner to sections 15. 16. 21 and 22; from which corner I run, S. 89° 45' W. on a true line Between sections 16 and 21.
39.79	Set a lime stone 14 X 8 X 5 in. 9 in. deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.
79.58	The corner to sections 16. 17. 20 and 21. First rate arable level land, covered with abundant sage brush and grass vegetation. No timber.

Subdivision T. 6 S. R. 7 W.

Chains	North between sections 16 and 17. Variation 17° 00' East.
4.25	Small creek branch heads N.E. bears S.W. 10 links wide.
15.50	Road bears E. and W.
40.00	Set a limestone 14 X 12 X 6 in. 8 in. deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.
80.00	Set a limestone 14 X 12 X 8 in. 9 in. deep, marked 4 notches on the south and east edges, with 4 pits each 24 X 12 X 12 inches for corner to sections 8, 9, 16 and 17.

Level arable land, Soil 1st rate Sage, shadscale brush and grass vegetation. No timber.

Subdivision T. 6 S. R. 7 W.

Chains East on a random line between sections 9 and 16.
Variation 17° 00' E.

40.00 Set a lime stone for temporary 1/4 sec. cor.

79.92 Intersected the N. and S. line 12 links south from corner to sections 9. 10. 15 and 16; from which corner Iron;
S. 89° 55' W. on a true line between sections 9 and 16.

39.96 Set a lime stone 14 X 12 X 8 in. 9 in deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.

79.92 The corner to sections 8. 9. 16 and 17.

Level arable land. Soil sandy 2nd rate. Sage brush and grass vegetation. No timber.

Subdivision T. 6 S. R. 7 W.

Chains North between sections
8 and 9.
Variation 17° 00' E.

26.15 deep wash 40 links wide bears NE and SW.
40.00 Set a limestone 12 X 8 X 6 in. 8 in deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in for 1/4 sec. cor.
44.00 Road bears NE and SW.
65.00 Bedrock bear SW and SE.
80.00 Set a limestone 12 X 8 X 6 in. 8 in deep, marked 5 notches on the south and 4 notches on the east edges, with 4 pits each 24 X 12 X 12 in. for corner to sections 4. 5. 8 and 9. —
Gently rolling arable land. sandy soil, with sage rabbit brush and grass vegetation. — Scattered cedar timber on the north end. —

Subdivision T. 6 S. R. 7 W.

Chains East on a random line,
between sections 4 and 9
Variation 17°00' E.,

22.25 dry bed bears S.E. and N.W.

28.50 Road bears S.E. and N.W.

40.00 Set a post for temporary ¼ sec. cor.

53.25 Road bears N.E. and S.W.

76.50 dry creek bed 50 links wide bears
N.E. and S.W.

79.88 Intersected the N. and S. line 20 links
North from corner to sections 3. 4.
9 and 10; from which corner I run
N. 89° 51' W. on a true line,
between sections 4 and 9.

39.94 Set a cedar post 4 feet long 3X4 in.
square 1 foot in the ground, deposited
marked stone in a mound 3½ feet
diam. 1 foot high with 4 pits each
24X12X12 in. for ¼ sec. cor. from
which a cedar 14 in. dia. bears

Subdivision T. 6 S. R. 7 W.

Chains S. 65° W. 40 links distant.

79.88 The corner to sections 4. 5 8 and 9.
Rolling arable land, with grass and
sage vegetation Soil sandy 2nd rate
Timber cedars scattered.

North on a true line
Between sections 4 and 5
Variation 17° 00' E.

14.75 Road bears N.W. and S.E.

40.00 Set a lime stone 12X8X6 in. 8 in deep
marked 1/4 on the west side with 4
pits each 24X12X12 in. for 1/4 sec cor.

60.75 Road bears N.W. and S.E.

73.75 Road bears E. and W.

79.80 Intersected the first Standard
Parallel 22 links East from corner
to sections 32 and 33 T. 5 S. R. 7 W.

Subdivision T. 6 S. R. 7 W.

Chains where I set a lime stone 18 X 9 X 6; 8 in. deep marked 2 notches on the west and 4 notches on the east edges. with 3 pits each 24 X 12 X 12 inches for corner to sections 4 and 5. T. 6 S. R. 7 W.

Gently rolling arable land Soil 2nd rate with sagebrush and grass vegetation. Timber scattered cedars. –

Joseph Gorlinski D.S.

October 4th 1876 by William H. Gorlinski D.S.

From the established corner to sections 31. 32. 5. and 6 on the South Boundary of the township Drawn;

Subdivision T. 6 S. R. 7 W.

Chains North between sections 31 and 32.

Variation 17° 00' E.

2.25 small wash bears N.W. and S.E.

13.00 small wash bears N.W. and S.E.

40.00 Set a sand stone 16X8X6 in. 10 in. deep, marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

80.00 Set a sand stone 16X16X10 in. 10 in deep, marked 1 notche on the south and 5 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 29. 30. 31 and 32.

First rate level land, covered with greasewood sage-brush and grass vegetation. Soil arable. No timber.—

Subdivision T. 6 S. R. 7 W.

Chains	East on a random line between sections 29 and 32. Variation 17° 00' E.
3.40	small wash bears NW. and SE.
39.80	small wash bears NW. and SE.
40.00	set a stone for temporary 1/4 sec. cor.
55.75	Wash bears NW. and SE.
80.20	Intersected the N. and S. line at corner to sections 28. 29. 32 and 33; from which corner I run: West on a true line between sections 29 and 32.
40.10	Set a limestone 13 X 10 X 5 in. 8 in. deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.
80.20	The corner to sections 29. 30. 31 and 32.

First-rate level arable land, covered with greasewood and shadscale brush. No timber.

Subdivision T. 6 S. R. 7 W.

Chains West on a random line, between sections 30 and 31.
Variation 17°00' E.

40.00 Set a stone for temporary 1/4 sec. cor.

79.96 Intersected the West Boundary of the township 12 links south from corner to sections 30. 31. 25 and 36; from which corner Down. S. 89°55' E. on a true line, Between sections 30 and 31.

39.96 Set a lime stone 13X10X6; 8 in deep, marked 1/4 on the north side with 4 pits each 24X12X12 inches for 1/4 sec. cor.

79.96. The corner to sections 29. 30. 31 and 32.

Fine rate level arable land, covered with greasewood shadscale and grass vegetation. No timber.

138 38

Subdivision T. 6 S. R 70 W

Chains	North between sections 29 and 30. Variation 17°00' E.
5.00	Wash 12 links wide bears NW and SE
40.00	Set a sand stone 16X8X5 in. 10 in deep marked 1/4 on the west side with 4 pits each 24X12X12 inches. for 1/4 sec cor.
80.00	Set a sand stone 20X10X8 in. 12 in deep. marked 2 notches on the south and 3 notches on the east edges with 4 pits each 24X12X12 in. for corner to sections 19. 20. 29 and 30
	First Rate level arable land. with shoddy vegetation and grass. No timber.

Subdivision T. 6 S. R. 7 W.

Chains East on a random line
between sections 20 and 29.
Variation 17°00' E.

34.25 Wash bears N.W. and S.E.

40.00 Set a stone for temporary 1/4 sec. cor.

45.50 Wash bears N.W. and S.E.

58.30 Same wash bears N.E. and S.W.

80.00 Intersected the N. and S. line 64 links
south from corner to sections 20. 21.
28 and 29; from which corner
I run. S 89°33' W on a true line
between sections 20 and 29.

40.00 Set a lime stone 12X9X5 in. 8 in
deep, marked 1/4 on the north side, with
4 pits each 24X12X12 in. for 1/4 sec.
cor.

80.00 The corner to sections 19. 20. 29
and 30.

First rate level arable land. Sage, grass
and greasewood vegetation. No timber.

140 40

Subdivision T. 6 S. R. 7 W.

Chains West on a random line between sections 19 and 30
Variation 17°00' E.

40.00 Set a stone for temporary 1/4 sec. cor.

80.10. Intersected the West Boundary of the Township 52 links north from corner to sections 19. 30. 24 and 25; from which corner I run;

N. 89° 38' E on a true line, between sections 19 and 30.

40.10. Set a granite stone 12X10X6 in. 8 in. deep. marked 1/4 on the north side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.

80.10 The corner to sections 19. 20. 29 and 30.

First rate level arable land, covered with sage greasewood and shadscale vegetation. No timber.

Subdivision T. 6 S. R. 7 W.

Chains	North between sections 19 and 20. Variation 17° 00' E.
24.60	Dry creekbed 10 links wide heads NE. bears S. W.
40.00	Set a limestone 13X10X5 in. 8 in deep marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 cor.
58.00	Hay Road bears NE. and S. W.
80.00	Set a limestone 16X8X6 in. 10 in deep, marked 3 notches on the south and 5 notches on the East edges, with 4 pits each 24X12X12 in. for corner to sections 17. 18. 19 and 20.

1st rate level arable land, covered with white sage, shadscale and grass vegetation. No timber. -

Subdivision T. 6 S. R. 7 W

Chains East on a random line
between sections 17 and 20
Variation 17° 00' E

34.00 dry creek bed 25 links wide bears N.E
and S.W. and a road on the north
side of the same bearing N.E. and S.W.

40.00 Set a stone for temporary 1/4 sec. cor.

45.00. Spring branch 5 links wide runs S.W

80.30. Intersected the N. and S. line 35
links south from corner to sections
16. 17. 20 and 21.; from which corner
I run. S. 89° 45' W on a true line
between sections 17 and 20.

40.15 Set a lime stone 13 X 10 X 5 in. 8 in
deep. marked 1/4 on the north side
with 4 pits each 24 X 12 X 12 inches
for 1/4 sec. cor.

80.30 The corner to sections 17. 18. 19 and 20
1st rate level arable land. Sage chaparral
and grass vegetation. No timber

Subdivision T. 6 S. R. 7 W.

Chains West on a random line
between sections 18 and 19.
Variation 17° 00' E.

40.00 Set a stone for temporary 1/4 sec. cor.
46.25 Wash bears N.W. and S.E.
73.00 Wash bears N.W. and S.E.
79.84 Intersected the West Boundary of
the Township. 35 links North from
corner to sections 18. 19. 13 and 24.
From which corner I run;
N 89° 45' E. on a true line,
between sections 18 and 19.
39.84 Set a lime stone 13 X 9 X 5 in. 8 in deep,
marked 1/4 on the north side with 4 pits
each 24 X 12 X 12 in for 1/4 sec. cor.
79.84 The corner to sections 17. 18. 19 and 20.
Level arable first rate land -
Greasewood sage brush and grass
vegetation. No timber.

Wm. A. Gorlinski Dep. Sur.

Subdivision T. 6 S. R. 7 W.

Chains Oct. 5/1876. by Wm. A. Gorlinski

North between sections 17 and 18.

Variation 17°00' E.

40.00 Set a sand stone 12X10X5 in. 8 in deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.

73.00 Road bears N.E. and S.W.

79.00 Rolling land with cedars bears N.W. and S.E.

80.00 Set a lime stone 12X8X6 in. 8 in deep, marked 4 notches on the south and 5 notches on the east edges with 4 pits each 24X12X12 in. for corner to sections 7. 8. 17 and 18; from which A cedar 18 in. dia. bears S. 84° E 20 links distant, and a cedar 6 in. dia. bears N. 24° E. 46 links distant.

South part level first rate arable land.

North part rolling 2nd rate, sandy soil

Cedar timber on the North end.

Subdivision T. 6 S. R. 7 W

Chains East on a random line,
between sections 8 and 17.
Variation 17° 00' E.

15.25 Road bears N.E. and S.W.

25.00 leave cedars which bear N. and S.W.

40.00 Set a stone for temporary 1/4 sec. cor.

80.36 Intersected the N. and S. line. 20 links south from corner to sections 9. 8. 16 and 17; from which corner I run; S. 89° 51' W on a true line, Between sections 8 and 17.

40.18 Set a sand stone 16X16X6 in. 10 in deep. marked 1/4 on the north side, with 4 pits each 24X12X12 in. for 1/4 sec. cor

80.36 The corner to sections 7. 8. 17 and 18

2nd rate level Arable land.
West end overgrown by cedar timber.
Greasewood sagebrush and grass vegetation. —

Subdivision T. 6 S. R. 7 W.

Chains West on a random line, between sections 7 and 18
Variation 17°00' E.

5.00 leave cedars which bear NW and SE

40.00 set a stone for temporary 1/4 sec. cor

80.36 Intersected the West Boundary of the township. 40 links North from corner to sections 7. 18. 12 and 13; from which corner I run; N. 89° 43' E. on a true line between sections 7 and 18.

40.36 Set a lime stone 15X8X6 in. 10 in. deep. marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

80.36 The corner to sections 7. 8. 17 and 18.

2nd rate level arable land, covered with sage and grass vegetation Cedar timber on the east end.

Subdivision T. 6 S. R. 7 W.

Chains North between sections 7 and 8

Variation 17°00' E.

40.00 Set a lime stone 12X12X5 in. 8 in. deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

80.00 Set a lime stone 16X12X8 in 10 in. deep. marked 5 notches on the south and east edges with 4 pits each 24X12X12 in. for corner to sections 5. 6. 7 and 8

Rolling arable land. Soil 2nd rate sandy. covered with sage rabbit brush and bunch grass vegetation, with scattered cedar timber.—

148 40

Subdivision T. 6 S. R 7 W.

Chains East on a random line between sections 5 and 8.

Variation 17° 00' E.

40.00 Set a cedar post for temporary 1/4 sec. cor.

79.88 Intersected the N. and S. line. 50 links north from corner to sections 4. 5. 8 and 9. from which corner I run N. 89° 34' W on a true line between sections 5 and 8.

39.94 Set a cedar post 4 feet long. 4X4 in square. 1 foot in the ground, marked 1/4 S on the north side. deposited a marked stone in a mound 3 1/2 feet diam. 1 foot high with 4 pits each 24X12X12 in. for 1/4 sec. cor.

79.88 The corner to sections 5. 6. 7 and 8.

2nd rate rolling arable land, light sandy soil. covered with scattered cedar timber. and sage, rabbit brush and grass vegetation

Subdivision T. 6 S. R. 7 W

Chains West on a random line,
between sections 6 and 7.
Variation 17° 00' E.

40.00 Set a lime stone, for temporary 1/4 sec cor.
45.00 End of cedars bears NW and S.E.
78.28 Road bears NE. and S.W.
80.36 Intersected the West Boundary of the Township. 35 links North from corner to sections 6. 7. 1 and 12; from which corner I run;
N. 89° 45' E. on a true line,
between sections 6 and 7.
40.36 Set a limestone 12 X 8 X 6 in. 8 in deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in for 1/4 sec. cor.
80.36 The corner to sections 5. 6. 7 and 8.
East part rolling arable land with cedars Soil 2nd rate and sandy.
West part land first rate and level. Some undergrowth.

Subdivision T. 6 S. R 7 W.

Chains North on a true line between sections 5 and 6.

Variation 17° 00' E.

40.00 Set a sand stone 16X8X5 in. 10 in deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

70.50 Road bears NW. and SE.

79.52 Intersected the First Standard Parallel South 58 links East from corner to sections 31 and 32 in T. 5 S. R 7 W. where I set a lime stone 14X8X5 in. 8 in deep marked 1 notche on the west and 5 notches on the east side edges for corners sections 5. and 6. T. 6 S. R 7 W.

Rolling arable land with scattered cedar timber. Soil 2nd rate with sage and grass vegetation

William Alsorlinski.
Dep. Surveyor.

Subdivision T. 6 S. R. 7 W

General description

The land surveyed in this Township embraces the portion of bottom and arable foothills lands in the Skull Valley, also such portion of timbered and grazing land as adjoins high range of mountains on the East. The quality of arable soil is generally first rate, and covered with the usual vegetation of the valleys and excellent grass for grazing purposes. Few small streams are found along the mountains on the east, and only two settlements at present. But all arable lands in this township can be adapted for agricultural purposes, and timber for its commercial value.

No mineral found.-

Joseph Gorlinski
Dep. Sur.-

Surveyors Office at Salt Lake City
Utah Territory March 1877
The foregoing field notes of the
Survey of the Subdivision lines of
T 6 S R 7 W of the Salt Lake
Meridian Territory of Utah
executed by Joseph and William
A Golinski under their joint
contract of the 4th day of September
1876, in the month of October 1876
having been critically examined
the necessary corrections and
explanations made the said
field notes and the Surveys they
describe are hereby approved

Surveyor General.

Surveyors Office at Salt Lake City
Utah Territory ~~March 26~~ April 30th 1877
The foregoing field notes of the
Survey of the subdivision lines of
T 6 S R 7 W of the Salt Lake
Meridian, Territory of Utah
executed by Joseph and William
A Golinski under their joint
contract of the 4th day of September
1876, in the month of October
1876 having been critically examined, the necessary corrections
and explanations made, the
said field notes and the surveys
they describe are hereby approved

Martin Kimball
Surveyor General

BOOK-A-146 Book No 67.

Dest List

924 R

Com CHC

15/6

Field Notes
of the survey of the western portion of the South Boundary of Township No 6. South of Range No 8 West of the Salt Lake Meridian Utah Territory, by William A. Gorlinski. under his joint Contract No 74. dated September 4th 1876.

Survey commenced October 9th 1876.
Survey completed October 9th 1876.

156

South Boundary T. 6 S. R. 8 W.

Chains October 9th 1876 by William A Gorlinski Deputy Surveyor.

Begin at the established corner to sections 33. 34. 3 and 4 on the South Boundary of the township by Andrew J. Stewart Senior Deputy Surveyor. The corner stone is standing and agrees with the description furnished me by the office viz:

A grey lime stone 16X8X8 in. from which A cedar 8 in. dia. bears N. 20 E. 37 links; A cedar 18 in. dia. bears N. 16° W. 49 links, A cedar 8 in dia. bears S. 30° E. 40 links, and A cedar 24 in. dia. bears S. 45° W. 104 links distant.

and from which corner I run West on a true line, along the South Boundary of Section 33.

157A

BOOK-A-146

Township 6 South **R.** 8 West

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36
160	159	157			

South Boundary T.6S.R.8W.

Chains	
	Variation 17°00' E.
40.00	Set a black sand stone 12X8X6 in 8 in deep. marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor. from which a cedar 11 in dia. bears S. 22° 45' E. 66 links distant.
49.00	Ridge bears NW. and SE.
61.00	Top of same bears NW and SE.
67.00	hollow bears NW. and SE.
80.00	Set a sand stone 16X10X5 in 10 in deep. marked 4 notches on the east and 2 notches on the west. with 4 pits each 30 X18X18 inches. for corner to sections 32. 33. 4 and 5.
	Ridge land, and hollows with sandy soil. Timber Cedars. Sage Undergrowth and bunch grass.

South Boundary T. 6 S. R. 8 W.

Chains West on a true line, along the South Boundary of section 32.

Variation 17° 00' E.

40.00 Set a sand stone 20X6X6 in. 12 in deep, marked 1/4 on the north side with 4 pits each 24X12X12 inches for 1/4 sec. cor. from which a cedar 8 in dia. bears N. 35° W. 15 links distant.

55.50 Gully heads N. bears S. our foot of ridge

79.75 Wash heads North. bears South.

80.00 Set a sand stone 16X8X5 in. 10 in deep, marked 5 notches on the east and 1 notche on the west edges with 4 pits each 30X18X18 in for corner to sections 31. 32. 5 and 6; from which a Cedar 22 inches diameter bears N. 60° 30' W. 20 links distant.

South Boundary T. 6 S. R. 8 W.

Chains	
	Ridge land and hollows with sandy soil. Timber Cedars. Sage undergrowth and grass.
	West on a true line along the South boundary of Section 31. Variation 17° 00' E.
4.25	Deep gully heads N.W. bears S.E. and east of ridge.
18.00	Top of same ridge bears N.W. and ends S.E.
27.50	Top of another ridge bears N.E. and S.W.
39.50	Deep gully heads N.E. bears S.W.
40.00	Set a sand stone 16x12x5 in.

South Boundary T. 6 S. R. 8 W.

Chains	
	10 in deep. marked ¼ on the north side with 4 pits each 24 X 12 X 12 inches for ¼ sec. cor. from which a cedar 10 in. dia. bears N. 57° 30' E. 37 links distant.
52.50	Gully bears N. and S.
58.00	Gully bears N.W. and S.E. and foot of high ridge.
70.00	Top of same ridge bears N.W. and ends S.E.
77.00	Gully bears N. and S.
80.00	Set a sand stone 18 X 12 X 10 in. 12 in deep. marked 6 notches on the north, south, east and west edges in mound of stones. with 4 pits each 30 X 18 X 18 inches. for corner to Townships 6 and 7. South Ranges 8 and 9 West on South West corner of the Township.

South Boundary T. 6 S. R. 8 W.

Chains

Ridge and hollow broken land. Soil 3rd rate, gravely and sandy. Timber cedars, sagebrush undergrowth with bunch grass.

William A. Korliski,
Dep. Surveyor.

Note. For general description reference is here made to the field notes of the survey of the subdivisions of T. 7 S. R. 8 West.

Surveyor's Office at Salt Lake City
Utah Territory, ~~October 26~~ April 30th 1877
The foregoing field notes of the
Survey of the South Boundary of
Township No. 6 South of Range
No. 8 West of the Salt Lake Meridian
Territory of Utah executed by
William A Galinski under
his joint contract of the 14th day of
September 1876 in the month
of October 1876. having been
critically examined the
necessary corrections and ex-
planations made the said
field notes and the surveys
they describe are hereby
approved

Graham Kimball
Surveyor General.

164

166

164-165
Blank

BOOK-A-140

Book No 75 Dest Lists 16 cy

Com CHC

Field Notes

of the survey of the West Boundary of Township No 7 South of Range No 7 West of the Salt Lake Meridian in the Territory of Utah by William A. Gorlinski D. S. under his joint contract No 74. bearing date the 4th day of September 1876.

Survey commenced October 6th 1876

Survey completed October 6th 1876

Ch.

40.

80.

West Boundary T. 7 S. R. 7 W.

Chains October 6th 1876. by William A. Gorlinski D.S.

From the established corner to Townships 7 and 8 South Ranges 7 and 8 West by former surveys I run:

North, on a true line between sections 31 and 36.

Variation 16° 55' E.

40.00 Set a lime stone 12X8X6 in. 8 in deep, marked 1/4 on the west side with 4 pits each 24X12X12 inches for 1/4 sec. cor.

80.00 Set a lime stone 16X12X12 inches 10 in. deep marked 1 notche on the south and 5 notches on the north edges with 4 pits each 30X18X18 in. for corner to sections 25. 30. 31 and 36.

1st rate arable level land. White sage and grass vegetation. No timber.

170

West Boundary T. 7 S. R. 7 W.

Chains	
	North on a true line. between sections 25 and 30
	Variation 16°55' E.
39.90	Small wash bears NW and SE.
40.00	Set a lime stone 14X10X6 in. 8 in deep, marked 1/4 on the west side, with 4 pits each 24X12X12 inches for 1/4 sec. cor.
49.00	Small wash bears NW. and SE.
76.00	Small wash bears NW and SE.
80.00	Set a lime stone 16X8X6 inches, 10 in deep, marked 2 notches on the south and 4 notches on the north edges, with 4 pits each 30X18X18 inches. for corner to sections 19. 30. 24 and 25.

Footrate level arable land. White sage, shadscale and grass vegetation. No timber —

West Boundary T. 7 S. R. 7 W.

Chain North on a true line, between sections 19 and 24
Variation 16° 55' E.

40.00 Set a sand stone 10X10X6 in. 6 in. deep, marked 1/4 on the west side with 4 pits each 24X 12X12 inches for 1/4 sec. cor.

78.00 Foot of low rolling hills bears N.E. and S.W.

80.00 Set a Black sand stone 20X8 X6 in. 14 in. deep, marked 3 notches on the south and north edges, with 4 pits each 30X 18X18 inches for corner to sections 18. 19. 13 and 24.

Level fine sante arable land. White sage shadscale and grass vegetation. No timber. North end, rolling hill —

West Boundary T7 S.R 7 W.

Chains	North on a true line between sections 13 and 18. Variation 16°55 E.
10.00	Valley bears NW and SE.
31.00	Skull valley road bears NW. and SE.
40.00	Set a sand stone 14X10X6 in 8 in deep, marked 1/4 on the west side with 4 pits each 24X12 X12 inches for 1/4 sec. cor.
80.00	Set a sand stone 24X12X6 in. 18 in deep, marked 4 notches on the south and 2 notches on the north edges with 4 pits each 30X18X18 in. for corner to sections 7. 18. 12 and 13.
	Level valley arable land Soil 1st and 2nd rate. Sage. shadscale and grass vegetation Notimber. South end. rolling hills

West Boundary T. 7 S. R. 7 W.

Chains	North on a true line between sections 7 and 12
	Variation 16° 55' E.
40.00	Set a sand stone 16 X 8 X 6 in. 10 in deep, marked 1/4 on the west side, with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.
80.00	Set a sand stone 16 X 12 X 6 in. 10 in deep, marked 5 notches on the south and 1 notche on the north edges with 4 pits each 30 X 18 X 18 in. for corner to sections 1. 12. 6 and 7.
	Level arable land. Soil 2nd rate. Sage chaparral and greasewood vegetation with grass. No timber.

West Boundary T. 7 S. R. 7 W.

Chains

North on a true line between sections 1 and 6.

Variation 16°55' E

40.00 Set a sand stone 14 X 10 X 6 in. 8 in deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.

77.22 Intersected the North Boundary of the Township. East 9 chains 05 links from the South East corner of Township 6 South Range 8 West previously established by Andrew J. Stewart Senior Dep. Surveyor, where I set a sand stone 14 X 10 X 6 in. 8 in. deep in mound of stone, marked 6 notches on the south east and west edges, with 4 pits 30 X 18 X 18 inches for

West Boundary T. 7 S. R. 7 W.

Chains corner to sections 1 and 6. between ranges 7 and 8 West. Townships 7 and 6 South.

Level arable land. covered with high sage grass wood and shadscale brush vegetation. Soil 2nd rate.

William A Sorlinski.

Dep Surveyor.

General description

This township contains a large proportion of 1st and 2nd rate quality arable land. covered with usual vegetation of the valleys, also with ~~with~~ considerable quantity of cedar timber in the Eastern portion of the township. and it should be subdivided.—

William A Sorlinski.

Dep Surveyor.

Subdivided Oct 6. 1896

Surveyors Office at Salt Lake City
Utah Territory ~~26 March~~ April 30th 1877

The foregoing field notes of the Survey of the West boundary of T 7 S R 7 W of the Salt Lake Meridian in the Territory of Utah By William A Golinski under his print contract of the 4th day of September 1876, in the month of October 1876, having been critically examined the necessary corrections and explanations made the said field notes, and the Survey they describe are hereby approved.

Graham Kimball
Surveyor General.

Index

BOOK-A-146

Book No 6. 178

Dist 8 Lists

Field Notes
of the survey of the
Subdivision lines of
Township No 7 South of
Range No 7 West of the
Salt Lake Meridian. Utah
Territory, by Joseph and
William A. Gorlinski Dep-
uty Surveyors, under their
joint Contract No 74 bearing
date the 4th day of September
A.D. 1876.

Survey commenced October 6th 1876.
Survey completed October 11th 1876.

179

ownship 7. South R. 7. West.

174.	6	234.	5	215	4	202	3	190.	2		1
	233		232		214		201				
173	7	231	8	213	9	200.	10	189	11		12
	230.		229		211		198				
172	18	228	17	210	16	197	15	188	14		13
	226		225		209		196				
171	19	224	20	208	21	195	22	186	23		24
	222		221		207		194		185		
170	30	220	29	206	28	193.	27	184	26	181	25
	219		218		204		191		183		
169	31	216.	32	203	33	191.	34	182	35	180	36

179

BOOK-A-146

Township 7. South **R.** 7. West

174.	6	234.	5	215	4	202	3	190.	2		1
	233		232		214		201				
173	7	231	8	213	9	200.	10	189	11		12
	230.		229		211		198				
172	18	228	17	210	16	197	15	188	14		13
	226		225		209		196				
171	19	224	20	208	21	195	22	186	23		24
	222		221		207		194		185		
170	30	220	29	206	28	193	27	184	26	181	25
	219		218		204		192		183		
169	31	216.	32	203	33	191.	34	182	35	180.	36

Subdivision T. 7 S. R. 7 W.

Chains October 6th by Joseph Gorlinski D.S.
From the established corner to sections
35. 36. 1 and 2 on the south bound-
ary of the Township I run;
North, between sections
35 and 36. Variation 16°55' E.

13.25 Gully bears N.W. and S.E.

26.00 Gully bears N.E. and S.W.

40.00 Set a lime stone 14X10X8 in. 8 in. deep
marked 1/4 on the west side with 4
pits each 24X12X12 in for 1/4 sec. cor.

52.25 gully bears E. and W.

62.75 gully bears E. and W.

80.00 Set a lime stone 14X10X5 in. 8 in
deep marked 1 notche on the south
and east edges with 4 pits each 24
X12X12 in. for corner to sections 25,
26. 35 and 36. near high ridge on the
east side. — Broken rolling land
covered with bunch grass. Timber cedars

180

BOOK-A-146

Township 6. South R. 7. West

6	150	5	133	4	122	3	110	2		1	
149		148		134		121		109			
7	147	8	131	9	120	10	107	11		12	
146		145		130		119		108			
18	144	17	129	16	118	15	105	14		13	
143		142		128		117		106			
19	141	20	127	21	116	22	104	23		24	
140		139		126		115					
30	138	29	125	28	114	27	102	26		25	
137		136		124		113					
31	135	32	123	33	112	34	101	35		36	
89		90		91		92					

West

87 7..

87 7..

Subdivision T. 7 S. R. 7 W.

Chains North between sections 25 and 26.
Variation 16° 55' E.

7.00 gully bears N.W. and S.E.
18.00 gully bears N.W. and S.E.
26.75 gully bears N.W. and S.E.
40.00 Set a sand stone 13 X 9 X 6 in. 8 in deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in for 1/4 sec. cor.
62.00 Gully bears N.E. and S.W.
80.00 Set a sand stone 15 X 8 X 6 in. 10 in deep, marked 2 notches on the south and 1 notche on the east edges with 4 pits each 24 X 12 X 12 in. for corner to sections 23. 24. 25 and 26, near high ridge which bears N.W. and S.E. and from which corner, a cedar 14 in dia. bears N 15° E. 28 links. A cedar 10 in dia. bears N 48° W 38 links. A cedar 11 in dia. bears S 67° W. 52 links. and A Cedar 12 in dia. bears S. 43° E. 55 links distant

BOOK-A-146

Subdivision T 7 S. R 7 W

Chains Broken foothill land, covered with bunch grass and sage. Timber Cedars.

From the established corner to sections 34. 35. 2 and 3. on the South Boundary of the township I run;

North between sections 34 and 35

Variation 16° 55' E.

40.00 Set a sand stone 15 X 8 X 6 in. 10 in deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

59.75 Wash bears N.E. and S.W and Cedars. which bear NW and SE.

80.00 Set a lime stone 18 X 8 X 6 in. 8 in deep marked 1 notche on the south and 2 notches on the east edges, with 4 pits each 24 X 12 X 12 in. for corner to

Subdivision T. 7 S. R. 7 W.

Chains sections 26. 27. 34 and 35 at end of cedars which bear N.E. and S.W. Rolling arable land. covered with fine bunch grass. Soil 1st rate. Timber scattered cedars. –

East on a random line, between sections 26 and 35.
Variation 16° 55' E.

28.00 Wash bears N.E. and S.W.
40.00 set a stone for temporary 1/4 sec. cor.
61.50 gully bears N.W. and S.E.
79.70 Intersected the N. and S. line. 28 links north from corner to sections 25. 26. 35 and 36. from which corner I run,
N. 89° 48' W on a true line between sections 26 and 35 –
39.85 Set a sand stone 14X7X7 in. 8 in

Subdivision T. 7 S. R. 7 W.

Chains deep. marked 1/4 on the North side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

79.70 The corner to sections 26. 27. 34 and 35.

Rolling arable bench land, covered with bunch grass. Soil 2nd rate Timber scattered cedars

North between sections 26 and 27.

Variation 16°55' E.

21.25 Deep prach bears N.E. and S.W.

40.00 Set a lime stone 12X10X5 in. 8 in deep. marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

45.00 Cedars bear N.W and S.E.

80.00 Set a lime stone 13X8X6 in. 8 in deep. marked 2 notches on the south

Subdivision T. 7 S. R. 7 W.

Chains and east edges with 4 pits each 24 X 12 X 12 inches for corner to sections 22. 23. 26 and 27.

Rolling arable land, covered with bunch grass. Timber cedars in groves.

East on a random line between sections 23 and 26.

Variation 16° 55' E.

16.00 Foot of ridge covered with thick cedars bears NW. and SE.

40.00 Set a stone for temporary ¼ sec. cor.

40.50 Top of same ridge bears NW-SE.

45.10 Wash bears N and S.

58.00 Wash bears NE. and SW.

80.40 Intersected the N. and S. line 25 links south from corner to sections

Subdivision T. 7 S. R. 7 W.

Chains 23. 24. 25 and 26; from which corner I run;
S. 89° 49' W. on a true line between sections 23 and 26.

40.20 Set a sand stone 20 X 16 X 6 in. 13 in. deep. marked 1/4 on the north side with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.

80.40 The corner to sections 22. 23. 26 and 27.

Ridge and foothill land, covered with thick cedar timber.— Undergrowth bunch grass and sage. Soil 2nd and 3d rate.—

North between sections 22 and 23. Variation 16° 55' E.

12.50 foothills bears N.W. and S.E.

Subdivision T. 7 S. R. 7 W.

Chains	
34.75	Gulch bears E. and W.
40.00	Set a sand stone 20X18X12 in. in a gully which bears E. and W. 13 in deep. marked 1/4 on the west side with 4 pits each 24X12X12 inches for 1/4 sec. cor.
52.00	Wash bears S.E. and N.W.
68.00	Wash bears S.E. and N.W
80.00	Set a lime stone 13X10X6; 8 in deep. marked 3 notches on the south and 2 notches on the east with 4 pits each 24X12X12 inches for corner to sections 14. 15. 22 and 23.

Broken foothill arable land covered with bunch grass and sage brush. Soil 2nd and 3rd rate. Timber cedars in groves. High ridge adjoins on the east side and could not be subdivided at present rates.

Subdivision T. 7 S. R. 7 W

Chains	North between sections 14 and 15. Variation 16° 55' E.
7.25	Gully bears N.W. and S.E.
16.50	low ridge bears N.W. and S.E.
30.00	deep gully bears N.W. and S.E.
40.00	Set a sand stone 14X12X5 in. 8 in deep, marked 1/4 on the west side, with 4 pits, each 24X12X12 in. for 1/4 sec. cor. from which bears A cedar 10 in. dia. S.47°W 32 links distant.
50.20	Gully bears N.W. and S.E.
80.00	Set a lime stone 14X10X8 in. 8 in deep, marked 4 notches on the south and 2 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 10. 11. 14 and 15, near high ridge on the east side, from which corner A cedar 10 in dia bears S.47°W 32 links distant. Ridge and foothill land. Timber cedars.

Subdivision T. 7 S. R. 7 W.

Chains North between sections 10 and 11.
Variation 16° 55' E.

23.00 Gully bears NW and SE.

40.00 A cedar tree 13 in. dia. marked 1/4 S. on the west side as monument for 1/4 sec. cor.

45.50 Wash bears NE. and W.

59.25 Wash bears E. and W

80.00 Set a limestone 17 X 8 X 5 in. 11 in. deep. marked 5 notches on the south and 2 notches on the east edges for corner to sections 2. 3. 10 and 11. with 4 pits each 24 X 12 X 12 in. from which corner. A cedar 14 in dia. bears N 35° E. 44 links distant. A cedar 12 in dia. bears S 54° E. 29 links distant and a cedar 10 in dia. bears N 20° W. 37 links distant.

Foothill land covered with cedar timber.
Land mountainous on the east side.

Subdivision T. 7 S. R. 7 W.

Chains North on a true line between sections 2 and 3.

Variation 16° 55' E.

14.50 gully bears E. and W.

33.25 gully bears NW and S.E.

40.00 Set a lime stone 14 X 8 X 6 in. 9 in. deep marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor. from which a cedar 14 in. dia. bears S 35° E. 44 links distant.

78.08 Intersected the south boundary of T. 6 S. R. 7 W. 8.92 chains from corner to sections 34 and 35. where I set a sand stone 14 X 9 X 5 in. 8 in deep marked 4 notches on the west and 2 notches on the east side edges for corner to sections 2 and 3 on the north boundary of the township.

Foothill land, covered with cedar timber

Jas. Gorlinski D. S.

Subdivision T. 7 S. R. 7 W

Chains

October 7th 1876 by William A. Gorlinski, deputy surveyor.
From the established corner to sections 33. 34. 3 and 4 on the south boundary of the township I run.
North between sections 33 and 34.
Variation 16° 55' E.

10.00 Foot of ridge and cedars bears N.E. and S.W.

15.00 Gully heads N.W. bears S.E.

30.00 Top of ridge bears S.E. and W.

40.00 Set a quartzite rock 24X15X15 in. 16 in deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

60.00 Gully heads N.E. bears S.W.

80.00 Set a sand stone 40X8X8 in. 28 in deep marked 1 notche on the south and 3 notches on the east edge, with 4 pits each 24X12X12 in. for corner to sections 27. 28 33 and 34; from which corner a cedar 12 in dia bears N. 30° W 8 links distant.

Subdivision

Chains

10.00

27.00

40.00

44.50

58.50

68.40

80.50

Subdivision T. 7 S. R. 7 W.

Chains Low ridge land, covered with Cedar timber. South end valley. Soil 1st rate

East on a random line.
Between sections 27 and 34.
Variation 16° 55' E.

10.00. foot of ridge and Enter rolling valley which bears N.E. and S.W.

27.00 small gully heads N.W. bears S.E.

40.00 Set a stone for temporary 1/4 sec. cor.

44.50 Center of hollow 250 links wide heads S. and bears N.W.

58.50 head of gully which bears North

68.40 Old road bears N.W. and S.E. and enters valley

80.50 Intersected the N. and S. line. 18 links south from corner to sections 26. 27. 34 and 35; from which corner I run; S. 89° 52' W. on a true line,

Subdivision T. 7 S. R. 7 W.

Chains between sections 27 and 34.

40.25 Set a sand stone 12 X 9 X 5 in. 8 in. deep, marked ¼ on the north side with 4 pits, each 24 X 12 X 12 in. for ¼ sec. cor.

80.50 The corner to sections 27. 28. 33 and 34.

Broken hilly arable land. covered with bunch grass. Soil 2nd rate. Timber cedars. West end ridge land.

North between sections 27 and 28.

Variation 16° 55' E.

40.00 Set a sand stone 14 X 11 X 5 in. 8 in. deep marked ¼ on the west side, with 4 pits each 24 X 12 X 12 in. for ¼ sec. cor.

70.75 Valley bears NW and SE and leave cedars

76.00 Gully bears NW and SE.

Subdivision T. 7 S. R. 7 W.

Chains

80.00 Set a lime stone 13X10X5 in. 8 in deep marked 2 notches on the south and 3 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 21. 22. 27 and 28.

Ridge land covered with cedar timber. On the east and north end of the line rolling valley arable land, covered with bunch grass. Soil 1st rate.

East on a random line
Between sections 22 and 27.
Variation 16° 55' E.

40.00 Set a stone for temporary ¼ sec. cor.
78.00 Cedars bear N.W. and S.
79.76 Intersected the N. and S. line 35 links North from corner to sections 22. 23. 26 and 27; from which corner I run; N. 89° 45' W. on a true line.

Subdivision T. 7 S. R. 7 W.

Chains	
	between sections 22 and 27.
39.88	Set a lime stone 14X10X5 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
79.76	The corner to sections 21. 22. 27 and 28. Gently rolling arable land, covered with bunch grass. Soil 1st rate. Cedar timber in groves on the east end.

North between sections 21 and 22.
Variation 16° 55' E.

19.50	Wash beans NW. and SE.
40.00	Set a sandstone 18X8X5 in, 8 in deep marked 1/4 on the west side with 4 pits each 24X12X12 inches for 1/4 sec. cor.
79.45	Wash 25 links wide beans NW and SE
80.00	Set a sandstone 10X10X10 in. 6 in

Subdivision T. 7 S. R. 7 W.

Chains deep marked 3 notches on the south and east edges.
with 4 pits each 24 X 12 X 12 in. for
corner to sections 15. 16. 21 and 22.
First rate level arable land.-
covered with white sage and grass
vegetation. No timber.-

East on a random line
between sections 15 and 22.
Variation 16° 55' E.

22.

8.00 gully bears N.E. and S.W.
20.25 same gully bears N.W. and S.E.
23.50 same gully bears N.E. and S.W.
40.00 Set a stone for temporary 1/4 sec. cor.
56.25 gully bears N.E. and S.W.
69.50 Cedars bear N. and S.
80.24 Intersected the N. and S. line
20 links north from corner to sections

Subdivision T. 7 S. R. 7 W.

Chains 14. 15. 22 and 23. From which corner I run;

N. 89° 51' W. on a true line Between sections 15 and 22.

40.12 Set a lime stone 14 X 10 X 5 in. 9 in deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 ins for 1/4 sec. cor.

80.24 The corner to sections 15. 16. 21 and 22.

Level arable land covered with white sage and grass. Soil 1st rate East and overgrown by cedar timber.—

October 9th 1876 by Wm A Gorlinski

North between sections 15 and 16.

Variation 16° 55' E.

11.80 Wash heads S E. bears N W.

Subdivision T. 7 S. R. 7 W.

Chains

40.00 Set a sandstone 12X8X6 in. 8 in deep marked 1/4 on the west side with 4 pits each 24X12X12 in for 1/4 sec. cor.

41.25 Wash heads E. bears W.

72.15 Wash and cedars bear NW and E.

80.00 Set a limestone 12X8X8 in, 8 in deep marked 4 notches on the south and 3 notches on the east edges with 4 pits each 24X12X12 in. for corner to sections 9. 10. 15 and 16.

Level 1st rate arable land, covered with white sage, grass and scattered cedars on the north end.—

East on a random line between sections 10 and 15

Variation 16°55' E.

40.00 Set a stone for temporary 1/4 sec. cor.

Subdivision T. 7 S. R. 7 W

Chains	
45.00	Enter thick cedars which bear N. and S.
80.10	Intersected the N. and S. line 25 links North from corner to sections 10. 11. 14 and 15 from which corner I run:
	N. 89° 49' W. on a true line Between sections 10 and 15.
40.05	Set a limestone 11X10X8 in. 6 in. deep, marked 1/4 on the north side with 4 pits each 24X12X12 in for 1/4 sec. cor. from which a cedar 10 in. dia. bears N. 10 W. 75 links distant.
80.10	The corner to sections 9. 10. 15 and 16.

Rolling arable land. Soil 2nd rate Sagebrush and bunch grass vegetation Timber thick Cedars on the East half, and scattered cedars on the West half.

Subdivision T. 7 S. R. 7 W.

Chains	North between sections 9 and 10. Variation 16°55' E
17.00	Gully bears S.E. and N.W.
35.00	Gully bears S.E. and N.W.
40.00	Set a limestone 10X10X6 in. 6 in deep marked 1/4 on the west side with 4 pits each 24X12X12 in for 1/4 sec cor.
42.50	gully bears S.E. and N.W.
52.00	Wash bears S.E. and N.W.
60.00	Wash bears E. and W.
79.45	Gully bears S.E. and N.W.
80.00	Set a limestone 13X10X8 in. 8 in deep, in same gully, marked 5 notches on the south and 3 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 3. 4 9. and 10.

Rolling arable land Soil 2nd rate. Timber cedars in groves. Undergrowth sage brush.

Subdivision T. 7 S. R. 7 W.

Chains	
	East on a random line Between sections 3 and 10. Variation 16°55' E.
12.50	Wash bears NW and SE.
40.00	Set a stone for temporary 1/4 sec. cor.
47.00	Gully bears NE. and SW.
61.25	Gully bears N. and S.
80.44	Intersected the N. and S. line. 35 links south from corner to sections 2. 3. 10 and 11. from which corner I run S. 89° 45' W on a true line between sections 3 and 10.
40.22	A cedar tree 16 in. dia. marked 1/4 C. on the north side as monument for 1/4 sec. cor.
80.44	The corner to sections 3. 4. 9. and 10.

Rolling bench and foothill land. Timber cedars. with sage-undergrowth and bunch grass. Soil 2nd and 3d rate.

Subdivision T. 7 S. R. 7 W.

Chains North on a true line,
between sections 3 and 4.
Variation 16°55' E.

8.00 Wash bears S.E. and N.W.

18.75 Wash bears S.E. and N.W.

27.00 Leave cedars which bear N.E. and S.W.

36.50 Wash bears N.W. and S.E.

40.00 Set a lime stone 13X8X5 in. 8 in deep, marked 1/4 on the west side with 4 pits each 24X12X12 in for 1/4 sec. cor.

77.88 Intersected the North Boundary of the township 8.98 Chs. from corner to sections 33 and 34 on the South Boundary of T. 6 S. R. 7 W. where I set a lime stone 13X9X6 in. 8 in deep, marked 3 notches on the east and west side edges, with 3 pits each 24X12X12 in. for corner to sections 3 and 4. T. 7 S. R. 7 W.

Subdivision T. 7 S. R. 7 W.

Chains Rolling arable land. Soil 2nd rate. Sagebrush and bunch grass vegetation. South part in Cedar timber.—

William A. Worlicki.

Sup. Surveyor

October 9th 1876 by Joseph Gorlinski

From the established corner to sections 32. 33. 4 and 5 on the South Boundary of the Township

Run

North between sections 32 and 33

Variation 16° 55' E.

17.10. Ravine bears NW. and S.E.

40.00 Set a granite stone 13 X 7 X 8 in. 8 in deep marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

80.00 Set a lime stone 13 X 7 X 6 in. 8 in deep

Subdivision T. 7 S. R. 7 W.

Chains. marked 1 notche on the south and 4 notches on the east edges with 4 pits each 24 X 12 X 12 in. for corner to sections 28. 29. 32 and 33.

First rate level valley arable land. White oaze, shadscale brush and grass vegetation. No timber.

East on a random line. Between sections 28 and 33.

Variation 16°55' E.

32.00 End of valley bears N. and S. and enter low hills and cedars.

40.00 set a stone for temporary 1/4 sec. cor.

54.00 Steep ridge bears N.W. and S.E.

78.00 Top of same ridge bears N. and S.

80.50 Intersected the N. and S. line 20 links south from corner to sections

Subdivision T. 7 S. R 7 W.

Chains 27. 28. 33 and 34. from which corner I run;

S. 89°51' W on a true line, between sections 28 and 33.

40.25 - Set a sand stone 13 X 10 X 5 in. - 8 in deep, marked 1/4 on the north side, with 4 pits, each 24 X 12 X 12 in. for 1/4 sec. cor. —

80.50 The corner to sections 28. 29. 32 and 33.

West part level arable land. Soil 1st rate. White sage, shadscale, and grass vegetation. East part hill and ridge land; covered with cedar timber. — bunch grass and sage brush.

Subdivision T. 7 S. R. 7 W.

Chains - North between sections 28 and 29.

Variation 16°55' E.

40.00 Set a lime stone 17X10X5 in. 11 in deep marked ¼ on the west side with 4 pits, each 24X12X12 inches for ¼ sec. cor.

55.00 foot of grassy hills bear NW. and SE.

80.00 Set a quartzite rock 18X14X12 in. 12 in. deep. marked 2 notches on the south and 4 notches on the east, with 4 pits each 24X12X12 inches for corner to sections 20. 21. 28 and 29.

South part level arable land Soil 1st rate. White sage, shadscale and grass vegetation. North end grassy hills. - Timber cedars in groves. Undergrowth sagebrush and bunch grass. -

Subdivision T. 7 S. R. 7 W

Chains	
	East on a random line, between sections 21 and 28
	Variation 16°55' E.
21.20	head of gulch which bears S.W.
40.00	Set a stone for temporary 1/4 sec. cor.
47.50	head of ravine which bears N. and enter cedars bearing N. and S.
58.00	top of ridge bears N. and S.
69.00	Valley bears N.W. and S.E.
79.70	Intersected the N. and S. line 50 links South from corner to sections 21. 22. 27 and 28. from which corner I run; S. 89° 39' W. on a true line between sections 21 and 28.
39.85	Set a quartzite rock 18 X 18 X 10 in. 12 in. deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
79.70	The corner to sections 20. 21. 28 and 29.

Subdivision T. 7 S. R. 7 W.

Chains Ridge land covered with cedar timber in groves. - sage and bunch grass undergrowth. East end open valley - soil arable 1st rate - and grassy.

North between sections 20 and 21.

Variation 16°55' E.

40.00 Set a lime stone 18X12X6 in 12 in. deep. marked ¼ on the west side with 4 pits each 24X12X12 inches for ¼ sec. cor.

62.50 Valley bears N.W. and S.E

80.00 Set a lime stone 14X10X8 in. 9 in. deep marked 3 notches on the south and 4 notches on

Chains the east edges with 4 pits each 24 X 12 X 12 in. for corner to sections 16. 17. 20 and 21.

Low grassy ridge land. covered with groves of cedar timber and sage undergrowth North end open valley arable land. Soil 1st rate.

East on a random line between sections 16 and 21.

Variation 16° 55' E.

40.00 Set a stone for temporary 1/4 sec. cor.

79.60 Intersected the N. and S. line 40 links south from corner to sections 15. 16. 21 and 22. from which corner I run.

Subdivision T. 7 S. R. 7 W.

Chains	
	S. 89° 43' W. on a true line between sections 16 and 21.
39.80	Set a sand stone 10 X 8 X 7 in. 6 in. deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
79.60	The corner to sections 16. 17. 20 and 21.

First rate level arable land, covered with white sage, shad-scale brush and bunch grass vegetation. - No timber.

North between sections 16 and 17.

Variation 16° 55' E.

1.50	Gully 50 links wide bears E. and W.
40.00	Set a lime stone 16 X 6 X 6 in.

Chains 10 in. deep, marked 1/4 on the west side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

80.00 Set a limestone 13 X 8 X 6 in. 8 in. deep, marked 4 notches on the north and east edges with 4 pits, each 24 X 12 X 12 inches. For corner to sections 8, 9, 16 and 17.

First rate level arable land, covered with white sage, chaparral brush and grass vegetation. No timber.

East on a random line between sections 9 and 16.
Variation 16° 55' E.

Subdivision T. 7 S. R. 7 W.

Chains

40.00 Set a stone for temporary 1/4 sec. cor.

42.75 Old Road bears N. and S.

50.00 Scattered cedars bear N. and S.

79.50 Intersected the N. and S. line 35 links south from corner to sections 9. 10 15 and 16; from which corner I run;

S. 89° 45' W. on a true line, Between sections 9 and 16.

39.75 Set a lime stone 12 X 8 X 6 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 2 1/2 X 12 X 12 in. for 1/4 sec. cor.

79.50 The corner to sections 8. 9. 16 and 17.

Level arable land. Soil 2nd rate. Sage and grass vegetation West part covered with cedar timber in groves. —

Subdivision T. 7 S. R. 7 W.

Chains	
	North between sections 8 and 9. Variation 16°55' E.
40.00	Set a sand stone 14 X 12 X 10 in. 8 in. deep. marked 1/4 on the west side. with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.00	Set a sand stone 11 X 10 X 6 in. 7 in deep. marked 5 notches on the south and 4 notches on the east edges. with 4 pits each 24 X 12 X 12 inches for corners sections 4. 5. 8 and 9.
	Land level first rate and arable. Sage greasewood shadscale and grass vegetation No timber —

Subdivision T. 7 S. R. 7 W.

Chains	East on a random line Between sections 4 and 9. Variation 16° 55' E.
16.25	Wash bears N.W. and S.E.
40.00	Set a stone for temporary 1/4 sec. cor.—
51.00	Wash bears N.W. and S.E.
55.00	Scattered cedars bear N.E. and S.
79.84	Intersected the N. and S. line 18 links north from corner to sections 3. 4. 9 and 10. from which corner I run. N. 89° 52' W. on a true line, between sections 4 and 9.
39.92	Set a sand stone 14X8X5 in. 8 in deep, marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
79.84	The corner to sections 4. 5. 8 and 9.

Subdivision T. 7 S. R. 7 W.

Chains

Level arable land, covered with sage and grass vegetation Soil 2nd rate. Few scattered cedars on the east. —

North on a true line between Sections 4 and 5. Variation 16° 35' E.

1.75 Small gully bears N.E. and S.W.

40.00 Set a lime stone 15 X 8 X 9 in. 10 in deep. marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

77.56. Intersected the South Boundary of T. 6 S. R. 7 W. 9.76. chains East from corner to sections 32 and 33; where I set a sand stone 14 X 9 X 6 in. 8 in deep, marked 2 notches on the east

P2.14

Subdivision T. 7 S. R. 7 W

Chains and 4 notches on the West edges with 3 pits each 24 X 12 X 12 inches for corner to sections 4 and 5 on the North Boundary of the township.

Land rocky and level, covered with white sage chaparral fresh and grass vegetation Soil 1st rate. No timber.

Joseph Gorlinski. D.S.

October 10th 1876

by Joseph Gorlinski D.S.

From the established corner to sections 31. 32. 5 and 6 on the South boundary of the township I run;

North between sections 31 and 32.

Subdivision T. 7 S. R. 7 W.

Chains	Variation 16° 55' E.
11.75	Wash 20 links wide bears N.E. and S.W
40.00	Set a quartzite stone 13 X 8 X 6 in. 8 in deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.
80.00	Set a sand stone 20 X 10 X 6 in. 12 in deep, marked 1 notche on the south and 5 notches on the east edges with 4 pits each 24 X 12 X 12 inches for corner to sections 29. 30. 31 and 32.
	Land arable and level. Soil 1st rate. White sage shadscale and grass vegetation.— No timber

Subdivision T. 7 S. R. 7 W.

Chains	
	East on a random line between sections 29 and 32 Variation 16° 55' E.
40.00	Set a limestone 13 X 8 X 16 in. for temporary 1/4 sec. cor.
67.50	Wash bears N.W. and S.E.
79.72	Intersected the N. and S. line. 30 links south from corner to sections 28. 29. 32 and 33; from which corner I run: S. 89° 47' W. on a true line Between sections 29 and 32 Variation 16° 55' E.
39.86	Set a limestone 13 X 8 X 16 in. 8 in deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 inches for 1/4 section corner.
79.72	The corner to sections 29. 30. 31 and 32.

First rate marble level land

Subdivision T. 7 S. R. 7 W

Chains	
	White sage shadscale and bunch grass vegetation No timber.
	West on a random line between sections 30 and 31. Variation 16°55' E.
40.00	Set a stone for temporary 1/4 sec. cor.
49.60	Skull valley road bears N.W and S.E.
79.82	Intersected the West Boundary of the township at corner to sections 30. 31. 36 and 25 from which corner I run East on a true line Between sections 30 and 31.
39.82	Set a quartzite stone 14 X 8 X 8 in 8 in deep, marked 1/4 on the north side, with 4 pits each

Subdivision T. 7 S. R. 7 W.

Chains 24 X 12 X 12 inches for 1/4 sec. cor.
79.82 The corner to sections 29, 30, 31 and 32.
First rate arable level land.
White sage, shadscale and bunch grass vegetation
No timber.

North, between sections 29 and 30.
Variation 16° 55' E.
40.00 Set a sandstone 12 X 10 X 5 in. 8 in. deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.00 Set a sand stone 14 X 14 X 8 in. 8 in deep, marked 2 notches on the south and 5 notches on the

Subdivision T. 7 S. R. 7 W.

Chains	east edges. with 4 pits each 24X12X12 in. for corner to sections 19. 20. 29 and 30.	Chains 40.14
	Land arable and level. Soil first rate. White sage, shadscale and grass vegetation. No timber.	80.20
	East on a random line between sections 20 and 29. Variation 16°55' E.	
40.00	Set a stone for temporary 1/4 sec. cor.	
62.00	foot of hills bear NW and SE.	
80.28	Intersected the N. and S. line 35 links North from corner to sections 20. 21. 28 and 29. from which corner Iron;	12.00 22.00

Subdivision T. 7 S. R. 7 W.

Chains	
	N 89° 45' W on a true line, Between sections 20 and 29.
40.14.	Set a lime stone 13X8X5 in. 8 in. deep. marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.28	The corner to sections 19. 20. 29 and 30.
	Rolling arable land. Soil 2nd rate. covered with sage shadscale and bunch grass vegetation, - East end grassy hills. No timber.
	West on a random line between sections 19 and 30. Variation 16° 55' E.
12.00.	Low hills bear N.E. and S.W.
22.00	Valley bear N.W. and S.E.

Subdivision T. 7 S. R. 7 W.

Chains

40.00 Set a stone for temporary 1/4 sec. cor.

51.50 Small wash bears N.E. and S.W.

57.50 Small wash bears N.E. and S.W.

61.25 Skull valley Road bears N. and S.

79.92. Intersected the West Boundary of the Township. 12 links South from corner to sections 19. 30. 24 and 25. from which corner Iron S. 89° 55' E. on a true line between sections 19 and 30.

39.92. Set a sand stone 14X10X5 in. 8 in deep. marked 1/4 on the north side with 4 pits each 24X12X12 inches for 1/4 sec. cor.

79.92 The corner to sections 19. 20. 29. and 30.

Rolling and level arable land. Soil 1st and 2nd rate. Sage, shadscale and grass vegetation. No timber.

Joseph Gorlinski D.S.

Subd

Chains

28.00

40.00

80.00

Subdivision T. 7 S. R. 7 W.

Chains October 11th 1876. by William A. Gorlinski D.S.

North between sections 19 and 20.

Variation 16°55' E.

28.00 Rolling hills bear N.E. and S.W.

40.00 Set a sand stone 16X8X6 in. 10 in deep, marked 1/4 on the west side with 4 pits, each 24X12X12 inches for 1/4 sec. cor.

80.00 Set a sand stone 18X10X10 in. 12 in deep, marked 3 notches on the south and 5 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 17. 18. 19. and 20.

Rolling grassy hills. Soil 2nd and 3rd rate. South end level arable valley. Soil 1st rate. Sage and bunch grass vegetation. No timber.

Subdivision T. 7 S. R. 7 W.

Chains	
	East on a random line between sections 17 and 20. Variation 16° 55' E.
17.00	Foot of low hills bears N. and S. E.
25.75	Top of same bears N.W. and S.E.
40.00	Set a stone for temporary 1/4 sec. cor.
45.00	A hollow bears N.E. and S.E. or edge of rolling valley
80.56	Intersected the N. and S. line. 40 links North from corner to sections 16. 17. 20 and 21.; from which corner I run. N. 89° 43' W on a true line Between sections 17 and 20.
40.28	Set a sand stone 14 x 14 x 12 in. 8 in deep, marked 1/4 on the north side with 4 pits, each 24 x 12 x 12 inches for 1/4 sec. cor.

Chains

80.56. The corner to sections 17. 18. 19. and 20.

Valley land Soil 1st rate and arable. Rolling hill land Soil 2nd and 3d rate. All covered with sage shadscale and grass vegetation. No timber.

West on a random line between sections 18 and 19

Variation 16° 55' E.

15.00 Hollow land bears NW and SE.

40.00 Set a stone for temporary 1/4 sec. cor.

43.00 Rolling hill bears N.E. and SW.

65.00 Valley bears N. and S. E.

70.75 Skull valley road bears North and South.

80.36. Intersected the West Boundary of

Subdivision T. 7 S. R. 7 W.

Chains	
	the township 38 links north from corner to sections 18. 19. 13 and 24. from which corner I run.
	N. 89° 44' E on a true line between sections 18 and 19.
40.36	Set a sand stone 24 X 8 X 4 in 16 in. deep. marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.36	The corner to sections 17. 18. 19. and 20.
	Rolling land cut up with arable hollows. and hills. Soil 2nd and 3d rate. - Sage. chaparral and grass vegetation. West end level arable valley - No timber. -

Subdivision T. 7 S. R. 7 W.

Chains North between sections 17 and 18.

Variation 16°55' E.

22.50 Hollow valley land bears N.W. and S.E.

29.50 foot of rolling hills bears E. and W.

40.00 Set a sandstone 15X9X5 in. 10 in deep, marked 1/4 on the west side with 4 pits each 24X12X12 inches for 1/4 sec. cor.

65.00 Valley bears E. and W.

80.00 Set a sand stone 16X8X5 in. 10 in deep, marked 4 notches on the south and 5 notches on the east edges with 4 pits each 24X12X12 inches for corner to sections 7. 8. 17 and 18.

Rolling and valley arable land covered with sage and grass. Soil 2nd rate. Rolling hills Soil 3rd rate. No timber.

Subdivision T. 7 S. R. 7 W.

Chains	
	East on a random line between sections 8 and 17. Variation 16°55' E.
40.00	Set a stone for temporary 1/4 sec. cor.
80.28	Intersected the N. and S. line 12 links South from corner to sections 8. 9. 16 and 17. From which corner I run; S. 89°55' W. on a true line Between sections 8 and 17.
40.14	Set a sand stone 14 X 12 X 5 in. 8 in deep. marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.28	The corner to sections 7. 8. 17 and 18.
	Land arable and level. Soil 1st rate. sage shadscale and grass vegetation. No timber.

Subdivision T. 7 S. R. 7 W.

Chains	
	West on a random line between sections 7 and 18.
	Variation 16°55' E.
40.00	Set a stone for temporary 1/4 sec. cor.
65.20	~~Skull valley~~ Woodmansee road bears N. and S.
80.20	Intersected the West Boundary of the township at corner to sections 7. 18. 12. and 13. from which corner I run.
	East on a true line between sections 7 and 18.
	Variation 16°55' E.
40.20	Set a sand stone 13 X 8 X 6 in. 8 in deep. marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.20	The corner to sections 7. 8. 17 and 18.
	Rolling and level arable land. Soil 2nd rate. Sage shadscale and

BOOK-A-146

Subdivision T. 7 S. R. 7 W.

Chains East on a random line.
Between sections 5 and 8.
Variation 16° 55' E.

40.00 Set a stone for temporary 1/4 sec. cor.

40.50 Wash bears N.E. and S.W.

79.86 Intersected the N. and S. line,
85 links North from corner to
sections 4.5.8 and 9: from which
corner I run:
S 89° 45' W. on a true line.
Between sections 5 and 8.

39.93 Set a lime stone 18 X 16 X 6 in. 12 in.
deep. marked 1/4 on the north side
with 4 pits each 24 X 12 X 12 in.
for 1/4 sec. cor.

79.86 The corner to sections 5.6.7.
and 8.
First rate level arable land.
sage and shadscale brush vegetation
with grass. No timber.—

Subdivision T. 7 S. R. 7 W.

Chains	
	West on a random line, Between sections 6 and 7. Variation 16°55' E.
18.50	Woodmansee Road bears N.E. and S.W.
40.00	Set a stone for temporary 1/4 sec. cor.
80.16.	Intersected the West Boundary of the township. 20 links south from corner to sections 6. 7. 1 and 12. From which corner I run. S. 89°51' E. on a true line between sections 6 and 7.
40.16.	Set a sand stone 12 X 8 X 6 in. 8 in. deep. marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.16.	The corner to sections 6. 7. 5 and 8.

First rate level land and arable. Greasewood. sage. shadscale brush

Chains

38.25

40.00

77.56

Subdivision T. 7 S. R 7 W

Chains and grass vegetation.
No timber.

North on a true line
Between sections 5 and 6.
Variation 16°55' E.

38.25 Woodmansee's Road bears N.E. and S.W.

40.00 Set a sand stone 18X6X6 in. 12 in deep. marked 1/4 on the west side with 4 pits each 24X12X12 in for 1/4 sec. cor.

77.56 Intersected the South Boundary of T. 6 S. R 7 W. 9.67 chains East from corner to sections 31 and 32.; where I set a sand stone 20X11X8 in; 12 in deep marked 1 notche on the west,

Chains and 5 notches on the East edges with 3 pits each 24 x 12 x 12 inches for corner to sections 5. and 6. on the North boundary of the township.

First rate level arable valley land. Sage-shadscale greasewood brush and grass vegetation. No timber.

William A. Sorlinski
Dep. Surveyor.

General Description

This township is in the lower portion of the Skull valley, and embraces in its survey all arable lands contained therein. The soil is generally considered of first quality in the valley, and of the second

in the foothills and on the bench which are covered with fine bunch grass for grazing purposes. Rolling hills and ridges in the interior of the township are partly arable and partly broken and covered with cedar timber of commercial value. A large proportion of lands adjoining mountains on the east is also covered with thick cedar timber of value and bunch grass.

No minerals found —

William A. Sorlinski

Dep. Surveyor.

Joseph Gorlinski Dep. Sur.

736A

U. S

Se

Th

Tow

Exec

Und

day

exam

plane

surve

737

BOOK-A-146

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, ~~March 26~~ April 30th 1877

The foregoing field notes of the survey of the Subdivision lines of

Township No. 7 S *Range No.* 7 West

Executed by Joseph & W A Gorlinski

Under their joint *contract of the* 4th

day of September 1876, *in the month of*

October 1876, *having been critically* ? P.L.H.

examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Nathan Kimball

Surveyor General for Utah.

238

BOOK-A-146

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, _____ 187

The foregoing field notes of the survey of _____

_____

_____ship No. _____ Range No. _____

_____ected by _____

_____der _____ contract of the _____

_____ of _____ 187_, in the month of

_____ 187_, having been critically

_____ined, the necessary corrections and ex-

_____ations made, the said field notes, and the

_____ as they describe, are hereby approved.

_____

_____ Surveyor General for Utah.

BOOK-A-146

241

242

238-241
Blank

BOC

BOOK-A-146

Book No. 9.

Field Notes
of the survey of the
Subdivision lines of
Township No. 7 South of
Range No. 8 West of the
Salt Lake Meridian in the
Territory of Utah by
Joseph and William H.
Gorlinski Deputy Surveyors
under their joint Contract
No. 71 dated September 4th
1876.

Survey commenced October 12th 1876
Survey completed October 20th 1876.

244

ownship 7. South R. 8. West

6	309	5	290	4	279	3	268	2	256	1	174
307		306		289		278		267		255	
7	305	8	288	9	277	10	266	11	254	12	173
304		303		287		276		264		252	
18	302	17	286	16	275	15	263	14	251	13	172
301		300		285		274		262		250	
19	299	20	284	21	273	22	261	23	249	24	171
298		296		283		272		260		248	
30	295	29	282	28	271	27	259	26	247	25	170
294		292		281		270		258		246	
31	291	32	281	33	269	34	257	35	245	36	169

244

BOOK-A-146

Township 7, South **R.** 8, West -

6	309	5	290	4	279	3	268	2	256	1
307		306		289		278		267		255
7	305	8	288	9	277	10	266	11	254	12
304		303		287		276		265		252
18	302	17	286	16	275	15	263	14	251	13
301		300		285		274		262		250
19	299	20	284	21	273	22	261	23	249	24
298		296		283		272		260		248
30	295	29	282	28	271	27	259	26	247	25
294		292		281		270		258		246
31	291	32	281	33	269	34	257	35	245	36

174 173 172 171 170 169

BOOK-A-146

Subdivision T. 7 S. R. 8 W.

Chains October 12th 1876. by Joseph Borlinski Deputy Surveyor.

From the established corner to sections 35. 36. 1 and 2 on the South Boundary of the Township I run:

North between sections 35 and 36. Variation 16°55' E.

40.00 Set a quartzite rock 14 X 12 X 5 in 9 in. deep marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

80.00. Set a limestone 13 X 8 X 6 in. 8 in deep marked 1 notche on the south and east edges with 4 pits each 24 X 12 X 12 inches for corner to sections 25. 26. 35 and 36.

First rate level valley arable land. White sage, shadscale and grass vegetation. No timber —

Subdivision T. 7 S. R. 8 W.

Chains	East on a random line Between sections 25 and 36. Variation 16°55' E.
40.00	Set a stone for temporary 1/4 sec. cor
79.80	Intersected the East Boundary of the Township 30 links South from corner to sections 25. 36. 30 and 31 From which corner Iron; S. 89° 47' W. on a true line between sections 25 and 36.
39.90	Set a lime stone 12 X 8 X 6 in. 8 in deep. marked 1/4 on the north side with 4 pits, each 24 X 12 X 12 inches for 1/4 sec. cor.
79.80	The corner to sections 25. 26. 35 and 36.

Arable valley land. Soil first rate. White sage shadscale and grass vegetation. No timber

Subdivision of T. 7 S. R. 8 W.

Chains	North between sections 25 and 26. Variation 16°55' E.
39.25	Wash beans S.E. and N.W.
40.00	Set a quartzite rock 12X10X6 in. 8 in deep, marked ¼ on the west side with 4 pits each 24X12X12 in. for ¼ sec. cor.
80.00	Set a sand stone 16X12X5 in. 10 in deep, marked 2 notches on the south and 1 notche on the east edges with 4 pits each 24X12X12 in. for corner to sections 23.24. 25 and 26.

Arable valley land. Soil 1st rate. White sage, shadscale and grass vegetation. No timber.

Subdivision T. 7 S. R. 8 W

Chains	East on a random line, between sections 24 and 25 Variation 16°55' E.
29.75	Wash hinds S.E. bears N.W.
40.00	Set a Lime stone 17 X 14 X 5 in. 11 in. deep for temporary 1/4 sec. cor.
55.00	Wash bears N.E. and S.W.
65.00	Wash bears S.E. and N.W.
80.14	Intersected the East boundary of the township 35 links north from corner to sections 24.25.19 and 30 from which corner I run: N. 89° 45' W on a true line, between sections 24 and 25.
40.07.	Set a lime stone 17 X 14 X 5 in. 11 in. deep, marked 1/4 on the north side with 4 pits, each 2 X 12 X 12 inches for 1/4 sec. cor.
80.14.	The corner to sections 23.24.25 and 26.

Subdivision T. 7 S. R. 8 W.

Chains	
	Arable valley land. Soil 1st rate. white sage chaparral, and grass vegetation. No timber.
	North between sections 23 and 24. Variation 16° 55' E.
10.75	Wash bears E. and W.
40.00	Set a lime stone 14X10X8 in. 8 in deep marked 1/4 on the west side with 4 pits, each 24X12X12 inches for 1/4 sec. cor.
72.00	Low rolling hills bear NW and SE.
80.00	Set a sand stone 16X10X6 in. 10 in deep, marked 1 notche on the east and 3 notches on the south edges, with 4 pits each 24X12 X12 inches, for corner to sections

Subdivision T. 7 S. R. 8 W

Chains	13. 14. 23 and 24.
	Gently rolling arable valley land. Soil 2nd rate. White sage and grass vegetation. Low hills on the north end.
	East on a random line, Between sections 13 and 24.
	Variation 16° 55' E
35.00	Valley bears NW. and SE.
40.00	Set a stone for temporary 1/4 sec. cor.
79.66	Intersected the East boundary of the township 23 links North from corner to sections 13. 24. 18. and 19. from which corner Down.
	N. 89° 50' W on a true line Between sections 13 and 24.

Subdivision T. 7 S. R. 8 W.

Chains

39.83 Set a sand stone 14 X 8 X 6 in. 9 in deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.

79.66 The corner to sections 13. 14. 23. and 24.

Rolling land and low hills on the west. Level arable valley on the east. Soil 2nd rate, - Sage brush and bunch grass vegetation No timber. -

North between sections 13 and 14.

Variation 16° 55' E.

36.00 Valley bears N.W. and S.E.

40.00 Set a lime stone 12 X 8 X 6 in. 8 in.

Subdivision T. 7 S. R. 8 W

Chains deep marked 1/4 on the west side with 4 pits each 24X12X12 inches for 1/4 sec. cor.

80.00 Set a sand stone 16X8X8 in. 10 in deep, marked 4 notches on the south and 1 notche on the east edges with 4 pits each 24X12X12 in. for corner to sections 11. 12 13 and 14:-

South end in rolling hills. North part level arable valley. Soil 1st rate. Sage shadscale and grass vegetation. No timber.

East on a random line between sections 12 and 13.

Variation 16°55' E.

27.25 Skull valley Road bears NW.

Subdivision T. 7 S. R. 8 W.

Chains	and &c.
40.00	Set a stone for temporary ¼ sec. cor.
79.76	Intersected the East Boundary of the township, 35 links North from corner to sections 12. 13. 7 and 18; from which corner Drum N. 89° 45' W. on a true line, Between sections 12 and 13.
39.88	Set a sand stone 12 X 8 X 6 in. 8 in deep, marked ¼ on the north side with 4 pits each 24 X 12 X 12 inches for ¼ sec. cor.
79.76	The corner to sections 11. 12. 13 and 14.

Level arable valley land. Soil 1st rate, - White oak chaparral and grass vegetation. No timber.

Subdivision T. 7 S. R. 8 W.

Chains	North between sections 11 and 12 Variation 16°55'E
26.00	Skull valley road bears NW and S.E
40.00	Set a limestone 13X8X5 in 8 in deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
59.50	Rolling sandy land with bunch grass bears E. and W
80.00	Set a limestone 15X8X8 in 10 in deep. marked 5 notches on the south and 1 notche on the east edges with 4 pits each 24X12X12 inches for corner to sections 1. 2. 11 and 12. Rolling mable sandy land. covered with thick greasewood. sagebrush and bunch grass vegetation. No timber

Subdivision T. 7 S. R. 8 W.

Chains	East on a random line between sections 1 and 12. Variation 16°55' E.
46.00	Set a stone for temporary 1/4 sec. cor.
79.84	Intersected the East boundary of the Township. 25 links south from corner to sections 1. 12. 6 and 7. from which corner Iron; S. 89° 49' W on a true line Between sections 1 and 12.
39.92	Set a Lime stone 14x10x5 in 9 in deep. marked 1/4 on the north side with 4 pits each 24x12x12 in. for 1/4 sec. cor.
79.84	The corner to sections 1. 2. 11 and 12.

Arable 2nd rate land. Greasewood sagebrush and bunch grass vegetation. No timber.

Subdivision T. 7 S. R. 8 W.

Chains	North on a true line between sections 1 and 2. Variation 16° 55' E.
40.00	Set a sand stone 11 X 9 X 6 in. 6 in deep marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
76.80	Intersected the North boundary of the township East 9.26 chains from corner to sections 35 and 36 on South Boundary of T. 6 S. R. 8 W. where I set a sand stone 14 X 10 X 5 in. 9 in deep, marked 5 notches on the west and 1 notche on the east side edges with 3 pits each 24 X 12 X 12 inches for corner to sections 1 and 2 on the North Boundary of the township.
	Arable 2nd rate land. sandy soil Sage brush, greasewood and

BOOK-A-146

bunch grass vegetation.
No timber.

Joseph Gorlinski Dep. Sur

October 12th 1876 by William A. Gorlinski Dep. Surveyor.

From the established corner to sections 34. 35. 2 and 3 on the south boundary of the township I run:

North between sections 34 and 35. Variation 16° 55' E.

40.00 Set a lime stone 14 X 12 X 6 in. 8 in deep. marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in for 1/4 sec. cor.

80.00 Set a lime stone 18 X 14 X 4 in. 12 in deep. marked 2 notches on the east and 1 notche on the south

Subdivision T. 7 S. R. 8 W.

Chains edges, with 4 pits each 24 x 12 x 12 in. for corner to sections 26. 27. 34 and 35;—
First rate arable valley land, covered with ~~with~~ white sage chaparral and grass vegetation. No timber.

East on a random line, between sections 26 and 35
Variation 16° 55' E.

40.00 Set a stone for temporary 1/4 sec. cor.

80.20 Intersected the N and S. line 40 links south from corner to sections 25. 26. 35 and 36; from which corner I run:
S. 89° 43' W. on a true line,

Subdivision T. 7 S. R. 8 W.

Chains	between sections 26 and 35
40.10	Set a lime stone 12X8X6 in. 8 in deep marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.20	The corner to sections 26. 27. 34 and 35.

North between sections
26 and 27.
Variation 16°55' E.

40.00	Set a lime stone 16X12X5 in. 10 in deep. marked 1/4 on the west side with 4 pits each 24X12X12 inches for 1/4 sec. cor.
80.00	Set a lime stone 20X14X12 in. 12 in deep. marked 2 notches on the south and east edges with 4

Subdivision T. 7 S. R. 8 W.

Chains pits each 24 X 12 X 12 inches for corner to sections 22. 23. 26 and 27.
First rate. Arable land.
White sage shadscale brush and grass vegetation. No timber.

East on a random line between sections 23 and 26.
Variation 16°55' E.

40.00 Set a stone for temporary ¼ sec. cor.

80.38 Intersected the N. and S. line 25 links north from corner to sections 23. 24. 25 and 26. From which corner I run N. 89° 49' W. on a true line Between sections 23 and 26.

40.19 Set a lime stone 17 X 7 X 7 in. 10 in.

Subdivision T. 7 S. R. 8 W.

Chains	
	deep marked 1/4 on the north side with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.
80.38	The corner to sections 22. 23. 26. and 27.
	Arable first rate land. White sage, shadscale and grass vegetation
	North between sections 22 and 23.
	Variation 16°55' E.
40.00	Set a lime stone 12 X 10 X 5 in. 8 in deep, marked 1/4 on the west side with 4 pits, each 24 X 12 X 12 inches for 1/4 sec. cor.
80.00	Set a lime stone 16 X 10 X 6 in. 10 in deep, marked 3 notches on the

Chains	
	south and 2 notches on the east edges with 4 pits, each 24 x 12 x 12 inches for corner to sections 14.15.22 and 23.
	First rate level land, white sage, shadscale brush and grass vegetation. No timber.
	East on a random line between sections 14 and 23.
	Variation 16°55'E.
40.00	Set a stone for temporary ¼ sec. cor.
53.00	low rolling hill bears N.W. and N.
80.50	Intersected the N. and S. line.
	20 links south from corner to sections 13.14.23 and 24; from which corner I run;
	S. 89°51' W on a true line.

Subdivision T. 7 S. R. 8 W

Chains	between sections 14 and 23.
40.25	Set a lime stone 13X8X5 in. 8 in deep, marked 1/4 on the north side with 4 pits each 24X12X12 in for 1/4 sec. cor.
80.50	The corner to sections 14. 15. 22 and 23.
	First rate arable land. East end rolling hills. Sage chaparral and grass vegetation. No timber.
	North between sections 14 and 15.
	Variation 16° 55' E.
40.00	Set a lime stone 12X10X5 inches. 8 in deep. marked 1/4 on the west side with 4 pits each 24X12 X12 in. for 1/4 sec. cor.

Subdivision T. 7 S. R. 8 W.

Chains.

80.00 Set a lime stone 18X12X8 in 12 in. deep, marked 4 notches on the south and 2 notches on the east edges with 4 pits each 24X12X12 in. for corner to sections 10. 11. 14 and 15.

Land arable and level Soil 1st rate.— Sage shadscale and grass undergrowth No timber.

East on a random line, between sections 11 and 14

Variation 16°55' E.

10.00 Small hill bears N. and S.

20.00 Valley bears NW and SE.

40.00 Set a stone for temporary 1/4

Subdivision T. 7 S. R. 8 W.

Chains	section corner
80.26	Intersected the N. and S. line 30 links north from corner to sections 11. 12. 13 and 14; from which corner I run; N. 89° 47' W. on a true line between sections 11 and 14
40.13	Set a sandstone 13X8X5 in. 8 in. deep, marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.26	The corner to sections 10. 11. 14 and 15.

Level arable land.
Soil 2nd rate. Sage grease-wood shadscale brush and grass vegetation. Part of the west end in rolling hills. No timber.

Subdivision T. 7 S. R. 8 W.

Chains	North between sections 10 and 11. Variation 16° 55' E.
40.00	Set a sand stone 14 X 8 X 6 in. 8 in deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.00	Set a sand stone 14 X 10 X 5 in. 8 in deep, marked 5 notches on the south and 2 notches on the east edges with 4 pits each 24 X 12 X 12 inches, for corner to sections 2. 3. 10 and 11
	Level and arable land covered with sage, greasewood and grass vegetation. Soil 2nd rate and sandy. No timber.—

BOOK-A-146

Subdivision T. 7 S. R. 8 W.

Chains	
	East on a random line between sections 2 and 11. Var. 16°55' E.
34.90	Skull valley road bears NW and SE.
40.00	Set a stone for temporary ¼ sec. cor.
80.42	Intersected the N. and S. line. 28 links south from corner to sections 1. 2. 11 and 12; from which corner I run:
	S. 89° 48' W on a true line, Between sections 2 and 11.
40.21.	Set a sand stone 14 X 10 X 6 in. 8 in deep, marked ¼ on the north side with 4 pits each 24 X 12 X 12 in. for ¼ sec. cor.
80.42	The corner to sections 2. 3. 10 and 11.
	Level arable land. Soil 2nd rate. Greasewood, sagebrush and grass vegetation No timber.

Subdivision T. 7 S. R 8 W.

Chains	
	North on a true line, between sections 2 and 3 Variation 16°55' E.
29.75	Road bears N.W. and S.E.
40.00	Set a sand stone 13X8X6 in. 8 in deep marked 1/4 on the west side with 4 pits each 24X12X12 inches for 1/4 sec. cor.
76.52	Intersected the South Boundary of T. 6 S. R 8. W. 9.20 chains East from corner to sections 34 and 35 on said boundary, where I set a sand stone 14X6X8 in. 8 in deep marked 2 notches on the east and 4 notches on the west side edges with 3 pits each 24X12X12 in. for corner to sections 2 and 3 on the North boundary of the township 2nd rate level arable land. Sage and shadscale brush vegetation. No timber.

William A. Sodlinski

BOOK-A-146

Subdivision T. 7 S. R. 8 W

Chains	
	October 13th 1876 by Joseph Godlinski Dep. Surveyor.
	From the established corner to sections 33. 34. 3 and 4. on the South Boundary of the township Town.
	North. between sections 33 and 34. Variation 16°55' E
40.00	Set a quartzite rock 19X9X6 in. 13 in deep, marked 1/4 on the west side with 4 pits each 24X12 X12 in. for 1/4 sec. cor.
42.50	Rolling hills bear N.E. and S.W
80.00	Set a lime stone 17X10X7 in, 11 in deep, marked 1. notche on the south and 3 notches on the east edges with 4 pits each 24X12X12 inches for corner to sections 27. 28. 33. and 34. South half 1st rate level arable land. North half rolling hills. sage, chaparral and grass vegetation. No timber

Subdivision T. 7 S. R. 8 W.

Chains	
	East on a random line between sections 27 and 34. Variation 16°55' E.
16.50.	Old road bears N.E and S.W and enter level valley.
40.00	Set a stone for temporary 1/4 sec. cor.
80.00	Intersected the N. and S. line 42 links North from corner to sections 26. 27. 34 and 35. From which corner I run N. 89° 42' W. on a true line, Between sections 27 and 34.
40.00	Set a lime stone 16X8X6 in. 10 in deep. marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.00	The corner to sections 27. 28. 33 and 34.
	First rate arable level land, covered with white sage and grass vegetation. West end rolling hills. No timber.

BOOK-A-146

Subdivision T. 7 S. R. 8 W.

Chains	
	North between sections 27 and 28
	Variation 16° 55' E.
40.00	Set a lime stone 18 X 9 X 7 in. 12 in deep, marked 1/4 on the west side, with 4 pits, each 24 X 12 X 12 in. for 1/4 sec. cor.
80.00	Set a quartzite rock 17 X 12 X 6 in. 11 in deep, marked 2 notches on the south and 3 notches on the east edges, with 4 pits each 24 X 12 X 12 inches for corner to sections 21. 22. 27 and 28.
	Rolling gravely 2nd rate land. Sage and grass vegetation. No timber.

Subdivision T. 7 S. R. 8 W

Chains East on a random line between sections 22 and 27.

Variation 16° 55' E.

25.00 Valley bears SW. and NE.

34.25 Old Road bears SW and NE.

40.00 Set a stone for temporary ¼ sec. cor.

80.22 Intersected the N. and S. line: 35 links north from corner to sections 22. 23. 26 and 27; from which corner I run,

N. 89° 45' W. on a true line, between sections 22 and 27.

40.11. Set a lime stone 20 X 16 X 12 in. 13 in deep, marked ¼ on the north side with 4 pits each 24 X 12 X 12 in. for ¼ sec. cor.

80.22 The corner to sections 21. 22. 27 and 28.

First rate arable land, covered with white sage and grass vegetation. West end rolling hill land and gravely. No timber.

Subdivision T. 7 S. R. 8 W.

Chains North, between sections
21 and 22
Variation 16°55' E.

40.00 - Set a sand stone 16X11X9 in. 10 in. deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

52.00 Valley bears NW. and S.E.

80.00 Set a sand stone 16X10X5 in. 10 in deep, marked 3 notches on the south and east edges, with 4 pits each 24X12X12 inches. for corner to sections 15. 16. 21. and 22.

South half rolling 2nd rate land. - North part level first rate arable land. - White sage shadscale and grass vegetation No timber. -

Subdivision T. 7 S. R. 8 W.

Chains East on a random line, between sections 15 and 22. Var. 16°55' E.

39.40 Old Road bears N. and S.

40.00 Set a stone for temporary 1/4 sec. cor.

80.28 Intersected the N. and S. line 33 links north from corner to sections 14 15 22 and 23; from which corner I run, N. 89°46' W on a true line between sections 15 and 22.

40.14 Set a lime stone 14 X 10 X 6 in 10 in deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

80.28 The corner to sections 15. 16. 21 and 22.

Land arable and level.

Shadscale sage and grass vegetation. Soil 1st rate. No timber.

BOOK-A-146

Subdivision T. 7 S. R. 8 W.

Chains North between sections 15 and 16.

Variation 16° 55' E.

40.00 Set a quartzite rock 12 X 8 X 8 in. 8 in deep. marked 1/4 on the west side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

80.00 Set a lime stone 14 X 9 X 7 in. 8 in. deep. marked 4 notches on the south and 3 notches on the east edge, with 4 pits each 24 X 12 X 12 inches. for corner to sections 9. 10. 15 and 16.

1st rate level arable land. Sage, shadscale and grass vegetation. No timber. —

Subdivision T. 7 S. R. 8 W.

Chains	East on a random line, between sections 10 and 15.
	Variation 16°55' E.
40.00	Set a stone for temporary 1/4 sec. cor.
48.75	Old Road bears N. and S.
80.32	Intersected the N. and S. line 27 links north from corner to sections 10. 11. 14 and 15. From which corner I run:
	N. 89° 48' W. on a true line between sections 10 and 15.
40.16	Set a sand stone 16X8X5 in. 10 in deep. marked 1/4 on the north side. with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.32	The corner to sections 9. 10. 15 and 16.
	2nd rate arable level land. Sage, shadscale and greasewood vegetation. No timber.

BOOK-A-146,

Subdivision T. 7 S. R. 8 W.

Chains North between sections 9 and 10.

Variation 16° 55' E.

40.00 Set a sand stone 17X9X6 in. 11 in deep, marked 1/4, on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.

80.00 Set a sand stone 16X10X10 in. 10 in. deep, marked 5 notches on the south, and 3 notches on the east edges, with 4 pits each 24X12X12 inches for corner to sections 3. 4 9. and 10.

Level 2nd rate arable land. Sage, greasewood and chaparral vegetation. No timber — few cedars on the north end.

Subdivision T. 7 S. R. 8 W.

Chains	
	East on a random line between sections 3 and 10. Variation 16° 55' E.
3.50	low ridge and cedars bear NW. and SE.
18.75	Valley and Old Road bears N. and S.
40.00	Set a stone for temporary 1/4 sec. cor.
80.50	Intersected the N. and S. line. 25 links north from corner to sections 2. 3. 10. and 11. from which corner I run: N. 89° 49' W. on a true line, between sections 3 and 10.
40.25	Set a sand stone 14 X 10 X 9 ins 8 ins deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.50	The corner to sections 3. 4. 9. and 10. West and rolling sandy land. Timber cedars. East part level arable land soil 1st rate. Sagebrush vegetation.

Subdivision T. 7 S. R. 8 W.

Chains North on a true line between sections 3 and 4. Variation 16°55' E.

22.00 Cedar ridge bears NW. and SE.

40.00 Set a limestone 12X10X8 in. 8 in deep marked 1/4 on the west side with 4 pits each 24X12X12 in for 1/4 sec. cor.

43.00 Top of ridge bears NW. and S.E.

72.00 Valley bears NW. and S.E.

76.20 Intersected the South Boundary of T. 6 S. R. 8 W. 8.90 Chains East from corner to sections 33 and 34 on said boundary; where I set a limestone 13X9X6 in. 8 in deep marked 3 notches on the east and west side edges, with 3 pits each 24X12X12 in. for corner to sections 3 and 4 on the North Boundary of township.

Ridge land. Soil 2nd and 3rd rate. Timber cedars.

Jos. Gorlinski D.S.

Subdivision T. 7 S. R. 8 W

Chains October 14th 1876. by Joseph Gorlinski D.S.

From the established corner to sections 32. 33. 4 and 5 on the South Boundary of the township I run:

North between sections 32 and 33. Variation 16° 55' E.

12.00 foot of bluffs bears E and W on ridge

18.00 top of same bear E and W on ridge.

28.50 Round knoll on top of ridge which bears NW and SE.

40.00 Set a limestone 14X10X5 in. 8 in deep, marked 1/4 on the west side with 4 pits each 24X12X12 in for 1/4 sec. cor.

56.00 Rolling bench land bears NW and SE.

80.00 Set a limestone 20X13X10 in. 13 in deep marked 1 notche on the south and 4 notches on the east edges for corner to sections 28. 29. 32 and 33.

Ridge and rolling land, bearing indication of coal under surface. Soil 3d and 2nd rate. Sage and grass Vegetation.

Subdivision T. 7 S. R. 8 W.

Chains	
	East on a random line between sections 28 and 33. Var. 16°55' E.
31.50.	Rolling hill bears N. and S.
40.00	Set a stone for temporary 1/4 sec. cor.
45.00	Bench land bears N. and S.
79.52	Intersected the N. and S. line at corner to sections 27. 28. 33 and 34. from which corner I run; West on a true line between sections 28 and 33.
39.76	Set a sand stone 15X12X4 in. 10 in deep, marked 1/4 on the north side with 4 pits each 24X12X12 in for 1/4 sec. cor.
79.52	The corner to sections 28. 29. 32 and 33.

Bench and Rolling land Soil 2nd rate and arable, except on the hill. Sage brush and grass vegetation. No timber.

Subdivision T. 7 S. R. 8 W

Chains North between sections 28 and 29.
Variation 16°55' E.

40.00 Set a lime stone 14X11X5 in. 9 in deep. marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

50.00 level valley bears S.E. and N.W.

80.00 Set a lime stone 10X8X7 in. 6 in deep. marked 2 notches on the south and 4 notches on the east edges with 4 pits each 24X12X12 in. for corner to sections 20. 21. 28 and 29.

South part rolling 2nd rate mable land. North part level 1st rate land. Sage and grass vegetation No timber.

Subdivision T. 7 S. R 8 W.

Chains East on a random line, between sections 21 and 28.

Variation 16°55' E.

24.00 Rolling or bench land bears N.E. and S.W.

40.00 Set a stone for temporary 1/4 sec. cor.

79.50 Intersected the N. and S. line, 35 links North from corner to sections 21. 22 27 and 28 from which corner Drum, N. 89° 45' W. on a true line Between sections 21 and 28.

39.75 Set a sand stone 14X8X6 in. 9 in deep, marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

79.50 The corner to sections 20. 21. 28 and 29.

Rolling and Level land. Soil 2nd rate arable. Sage, shadscale and grass vegetation. No timber.

Subdivision T. 7 S. R. 8 W.

Chains North between sections 20 and 21.

Variation 16° 55' E.

40.00 Set a sand stone 14 X 10 X 5 in. 9 in deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

80.00 Set a sand stone 15 X 8 X 6 in. 10 in deep, marked 3 notches on the south and 4 notches on the east edges, with 4 pits each 24 X 12 X 12 in. for corner to sections 16. 17. 20 and 21.

Arable valley land. Soil 2nd rate. Sage and grass vegetation No timber.

Subdivision T. 7 S. R. 8 W.

Chains East on a random line
Between sections 16 and 21.
Variation 16°55' E.

29.00 Wash bears NW and SE
40.00 Set a stone for temporary 1/4 sec cor
79.64 Intersected the N. and S. line
17 links North from corner to
sections 15. 16. 21 and 22.
From which corner I run
N 89°53' W. on a true line.
Between sections 16 and 21.
39.82 Set a Sand stone 13X8X6 in. 8 in.
deep. marked 1/4 on the north side
with 4 pits each 24X12X12 inches
for 1/4 sec. cor.
79.64 The corner to sections 16. 17. 20
and 21.

Valley arable land. Soil 2nd
rate. Sage Shadscale brush and
grass vegetation. No timber.

Subdivision T. 7 S. R. 8 W.

Chains	North between sections 16 and 17. Variation 16°55' E.
31.50	Wash bears NW and SE.
40.00	Set a sand stone 15X8X5 in. 10 in. deep, marked 1/4 on the west side with 4 pits each 24X12X12 inches for 1/4 sec. cor.
57.00	Rolling land and hills bear NE and SW.
80.00	Set a sand stone 12X12X6 in. 8 in. deep, marked 4 notches on the south and 3 notches on the east edges, with 4 pits each 24X12X12 inches for corner to sections 8. 9. 16 and 17.
	Valley rolling land and hills. Soil arable 2nd rate. Sage, shadscale and grass vegetation. No timber.

Subdivision T. 7 S. R. 8 W.

Chains. East on a random line between sections 9 and 16.

Variation 16° 55' E.

10.50 Valley bears N. and S.W.

40.00 Set a stone for temporary 1/4 sec. cor.

79.76. Intersected the N. and S. line. 35 links south from corner to sections 9. 10. 15 and 16. From which corner I run; S. 89° 45' W. on a true line. Between sections 9 and 16.

39.88 Set a lime stone 14 X 9 X 7 in. 8 in deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in for 1/4 sec. cor.

79.76 The corner to sections 8. 9. 16 and 17.

Valley arable land. Soil 1st and 2nd rate. Sage, shadscale and grass vegetation. No timber.

Subdivision T. 7 S. R. 8 W.

Chains	
	North between sections 8 and 9
	Variation 16°55' E.
40.00	Set a sand stone 12X10X6 in. 8 in deep. marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
62.00	Valley bears NW. and SE.
80.00	Set a black sand stone 12X10X8 in. 8 in deep. marked 5 notches on the south and 4 notches on the east and edges. with 4 pits each 24X12X12 inches for corner to sections 4. 5. 8 and 9.
	Rolling hill land. Soil 3d rate North end valley arable land Soil 1st rate; sage, shadscale and grass vegetation. —

Subdivision T. 7 S. R. 8 W.

Chains East on a random line between sections 4 and 9.

Variation 16°55' E.

40.00 Set a stone for temporary 1/4 sec. cor.

79.72 Intersected the N. and S. line 30 links North from corner to sections 3. 4. 9 and 10. from which corner I run;

N. 89° 47' W. on a true line, Between sections 4 and 9

39.86 Set a black sand stone 18X12X12 in. 12 in deep, marked 1/4 on the north side, with 4 pits each 24X12X12 inches for 1/4 sec. cor.

79.72 The corner to sections 4. 5 8 and 9.

Rolling valley 2nd rate land. sage and grass vegetation. Timber cedars in groves on the east end.

Subdivision T. 7 S. R. 8 W.

Chains	
	North on a true line between sections 4 and 5. Variation 16°55' E.
2.50	Small hill bears N.E. and S.W.
14.50	Valley bears N.W. and S.E.
40.00	Set a sand stone 12 X 9 X 5 in. 8 in deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
57.50	Cedars bear W. and S.E. and bend
65.00	foot of ridge bears E. and W.
75.82	Intersected the South Boundary of T. 6 S. R. 8 W. 8.76 chains East, from corner to sections 32 and 33. where I set a sand stone 18 X 10 X 6 in. 12 in deep, marked 2 notches on the west and 4 notches on the east side edges, with 3 pits each 24 X 12 X 12 inches for corner to sections 4 and 5 on the North Boundary of the Township.

Subdivision T. 7 S. R. 8 W.

Chains	
	Valley arable land. Soil 2nd rate; sage shadscale and grass vegetation. Timber cedars on the north end and ridge.
	October 16th 1876 by Joseph Gorlinski From the established corner to sections 31. 32. 5 and 6. on the South Boundary of the township Run; North between sections 31 and 32. Variation 16° 55' E.
13.50	Wash bears E. and W
40.00	Set a sand stone 16X12X5 in. 10 in deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
54.00	Rolling sandy bench bears NE and SW.

Subdivision T. 7 S. R 8 W

Chains	
80.00.	Set a sand stone 14X8X5 in. 8 in deep. marked 1 notche on the south and 5 notches on the east edges. with 4 pits each 24X12X12 in for corner to sections 29. 30. 31 and 32.
	Ridge land, bearing indications of coal formation. Grass, sage brush Vegetation. No timber.
	Jos. Gorlinski D.S.
	October 17th 1876. by William A. Gorlinski Dep. Surveyor.
	East on a random line
	Between sections 29 and 32
	Variation 16°55' E.
28.00	Ridge Land bears NE and SW.

Subdivision T. 7 S. R. 8 W.

Chains	
40.00	Set a stone for temporary 1/4 sec. cor.
69.00	Top of ridge bears NW and SE.
75.00	bench and hollow land bears NW and S.E.
80.20	Intersected the N. and S. line 40 links south from corner to sections 28. 29. 32 and 33, from which corner I run; S 89° 43' W on a true line between sections 29 and 32.
40.40	Set a sand stone 18X12X7 in. 12 in deep, marked 1/4 on the north side with 4 pits each 2X1/2X1/2 in. for 1/4 sec. cor.
80.20	The corner to sections 29. 30. 31 and 32. Ridge and bench land, bearing indication of coal formation. Sage and grass vegetation. No timber.

Subdivision T. 7 S. R. 8 W

Chains	
	West on a true line between sections 30 and 31.
	Variation 16° 55' E.
11.00	Cedars bear N.E. and S.W.
40.00	Set a sand stone 12 X 10 X 8 in. 8 in deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.
60.50	Wash heads N.E. bears S.W.
69.75	Deep wash heads N.E. bears S.W.
79.00	Gully bears N.E. and S.W.
79.90	Intersected the West Boundary of the township. North 36 chains and 14 links from corner to Townships 7 and 8 South, Range 9 West previously established, where I set a sand stone 16 X 8 X 5 in. 10 in deep, marked 1 notche on the south, and 5 notches on the north side edges. with 3 pits each 24 X

Subdivision T. 7 S. R 8 W

Chains 12X12 inches, for corner between sections 30 and 31 on the West Boundary of the township.

Broken sandy rolling land. bearing indication of coal formation. Timber cedars in groves. Sagebrush and bunch grass undergrowth. –

North between sections 29 and 30.

Variation 16°55' E.

14.00 Rolling sandy land with cedars bears N.E. and S.W. and gully

30.00 Rolling hill bears N.W. and S.E.

40.00 Set a sandstone 18X9X6 in. 8 in deep. marked ½ on the west side with 4 pits each 24X12X12 inches

Subdivision T. 7 S. R. 8 W.

Chains	
	for 1/4 sec. cor.
72.50	Hollow land bears N.E. and S.W.
80.00	Set a limestone 18X7X6 in. 12 in deep, marked 2 notches on the south and 5 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 19. 20. 29 and 30.–
	Rolling foothill sandy land. Timber cedars in groves. Sage and bunch grass vegetation
	East on a random line between sections 20 and 29. Variation 16°55' E.
4.00	Rolling hill bears N. and S.W
20.00	Gully bears N.E. and S.W.

Subdivision T. 7 S. R. 8 W.

Chains

40.00 Set a stone for temporary 1/4 sec. cor.

50.00 Valley bears NW and SE.

80.36 Intersected the N. and S. line 28 links south from corner to sections 20. 21. 28 and 29; from which corner I run; S. 89° 48' W on a true line between sections 20 and 29.

40.18 Set a lime stone 13X9X6 in. 8 in deep, marked 1/4 on the north side with 4 pits each 24X12X12 inches for 1/4 sec. cor.

80.36 The corner to sections 19. 20 29 and 30.

West part rolling hill and bench land - Soil 2nd and 3d rate East part valley arable land. Soil 1st rate. Sage, greasewood and grass vegetation. Fir cedars on the west.

Subdivision T. 7 S. R 8 W.

Chains	
	West on a true line Between sections 19 and 30. Variation 16°55' E.
40.00	A cedar tree 12 in. diam. marked 1/4 S. on the north side. as monument for 1/4 sec. corner.
79.66	Intersected the west boundary of the township North 36. Chs. and 02. links from corner to sections 25 and 36 on the East boundary of T. 7 S. R 9 W. previously established, where I set a lime stone 14X8X8 in. 8 in. deep, marked 2 notches on the south and 4 notches on the north side edges with 3 pits each 24X12X12 in. for corner to sections 19 and 30 on the West Boundary of the township. Rolling sandy arable soil. Timber Cedars in groves. sage undergrowth

William A. Sorlinski
Dep. Surveyor.

BOOK-A-146

Subdivision T. 7 S. R. 8 W.

Chains	North between sections 19 and 20. Variation 16° 55' E.
16.00	Point of small hill which bears S.E.
40.00	Set a black sand stone 14X12X6 in. 8 in deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
58.00	Cedars and rolling sandy soil bears N.W. and S.E.
68.00	Valley bears N.W. and S.E.
80.00	Set a limestone 20X18X4 in. 12 in deep, marked 3 notches on the south and 5 notches on the east edges, with 4 pits each 24X12X12 in for corner to sections 17. 18. 19 and 20.
	Rolling valley with sandy soil and cedar groves. - Sage and grass vegetation.

William Ahorlinski
Dep. Surveyor.

Subdivision T. 7 S. R. 8 W.

October 18th 1876. by Joseph Gorlinski D. S.

Chains	
	East on a random line between sections 17 and 20
	Variation 16°55' E.
22.00	small hill bears N. and S.
31.50	Valley bears NW and SE.
40.00	Set a stone for temporary 1/4 sec. cor.
79.68	Intersected the N. and S. line 30 links north from corner to sections 16.17.20 and 21.; from which corner I run,
	N. 89°47' W on a true line between sections 17 and 20.
39.84	Set a sand stone 15X8X7 in. 10 in. deep, marked 1/4 on the north side with 4 pits each 24X12X12 inches. for 1/4 sec. cor.
79.68	The corner to sections 17.18.19 and 20.
	Rolling arable valley. Soil 2nd rate sage. and grass vegetation
	Timber cedars in groves.

Subdivision T. 7 S. R. 8 W.

Chains	West on a true line, between sections 18 and 19. Variation 16°55' E.
25.50	Wash bears N. and S.
40.00	Set a black sand stone 15X8X5 in 10 in deep, marked 1/4 on the north side with 4 pits each 24X12X12 in for 1/4 sec. cor.
79.36	Intersected the West Boundary of the Township North 35 chains 88 links from corner to sections 24 and 25 on the East boundary of Township 7 S. R 9 W. previously established, where I set a sand stone 12X8X6 in. 8 in deep, marked 3 notches on the south and north side edges for corner to sections 18 and 19 on the West Boundary of the township. Rolling arable land. Soil 2nd rate Timber cedars in groves + sage vegetation

Subdivision T. 7 S. R. 8 W.

Chains	North between sections 17 and 18. Variation 16°55' E
17.00	Scattering cedars and sandy soil bears E. and W.
40.00	Set a cedar post 4 feet long 4 X 4 inches square 1 foot in the ground marked 1/4 S on the west side, deposited a marked stone in a mound 4 feet diam. 1 foot high with 4 pits each 24 X 12 X 12 in for 1/4 sec. cor.
63.00	Leaw cedars bears N.E. and S.W.
80.00	Set a sand stone 14 X 12 X 6 in. 8 in. deep, marked 4 notches on the south and 5 notches on the east edges with 4 pits each 24 X 12 X 12 in. for corner to sections 7, 8, 17 and 18. Rolling arable land. Sandy soil. Timber cedars in groves. Sage brush and grass vegetation.

Subdivision T. 7 S. R. 8 W.

Chains	
	East on a random line between sections 8 and 17. Variation 16° 55' E
40.00	Set a stone for temporary 1/4 sec. cor.
57.00	Rolling hill bears NW. and SE
80.50	Intersected the N. and S. line 18 links North from corner to sections 8. 9. 16 and 17; from which corner I run:
	N. 89° 52' W. on a true line between sections 8 and 17.
40.25	Set a sand stone 13X9X7 in. 8 in dep. marked 1/4 on the north side with 4 pits each 24X12X12 inches for 1/4 sec. cor.
80.50	The corner to sections 7. 8. 17 and 18.
	Rolling arable land. Soil 2nd rate. Sage shadscale and grass vegetation. Timber cedars in graves.

Subdivision T. 7 S. R. 8 W.

Chains	
	West on a true line between sections 7 and 18. Variation 16° 55' E.
22.25	Wash heads N. bears S.
40.00	Set a sand stone 16 X 8 X 6 in. 8 in. deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.
56.00	Wash bears N.E. and S.W.
78.84	Intersected the West Boundary of the township. North 35 chains 72 links from corner to sections 13 and 24 on the East boundary of Township 7 S. Range 9 West previously established, where I set a sand stone 14 X 9 X 5 in. 8 in deep marked 4 notches on the south, and 2 notches on the north side edges with 3 pits each 24 X 12 X 12 inches for corner to sections 7 and 18

Subdivision T. 7 S. R. 8 W

Chains on the West Boundary of the township

Rolling valley arable land.
Soil 2nd rate. - Timber Cedars in groves. Sage undergrowth and grass.

North between sections
7 and 8.
Variation 16° 55' E.

34.50 West bears N.E. and S.W. and foot of small hill. and foot hills.

40.00 Set a sand stone 20 X 14 X 8 in 14 in. deep. marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in for 1/4 cor. cor.

43.20 same west bears N.W. and S.E.

63.00 same west bears N.E. and S.W.

80.00 Set a lime stone 14 X 8 X 5 in. 8 in

Subdivision T. 7 S. R. 8 W.

Chains		Chains
	deep. marked 5 notches on the south and east edges, with 4 pits each 24 X 12 X 12 inches for corner to sections 5. 6. 7 and 8.	
	Rolling rocky foot hill and valley land. Soil 2nd rate. Timber cedars scattered. Sage, shadscale and grass under growth.	40.15
		80.30
	East on a random line between sections 5 and 8. Variation 16° 55' E.	
40.00	Set a stone for temp. prov. 1/4 sec. cor.	
56.50	Small hill bears NW and SE.	
69.00.	Ridge bears NW. and SE.	14.20
80.30.	Intersected the N. and S. line.	25.50

Subdivision T. 7 S. R. 8 W.

Chains. 20 links south from corner to sections 4. 5. 8 and 9. from which corner I saw.

S. 89° 51' W. on a true line.

Between sections 5 and 8.

40.15 Set a black sand stone 16 X 12 X 10 in. 10 in deep, marked 1/4 on the north side with 4 pits each 2 X 2 X 12 inches for 1/4 sec. cor.

80.30 The corner to sections 5. 6. 7. and 8.

Rolling mable valley and foot hill land

West on a true line.

between sections 6 and 7.

Variation 16° 55' E.

14.20 Wash bears N.E. and S.W.

25.50 Small wash bears N.E. and S.W.

Subdivision T. 7 S. R 8 W.

Chains	
40.00	Set a sand stone 13X10X5 in. 8 in deep. marked 1/4 on the north side with 4 pits each 24X12X12 inches. for 1/4 sec. cor.
76.50	Gully bears N.E. and S.W
78.44	Intersected the West Boundary of the Township, North 35 chains and 60 links from corner to sections 12 and 13. on the East boundary of Township 7 South Range 9 West previously established, where I set a sand stone 16X10X5 in. 10 in deep. marked 5 notches on the south and 1 notche on the north side edges, with 3 pits each 24 X12X12 inches, for corner to sections 6 and 7. on the West Boundary of the township.

Subdivision T. 7 S. R. 8. W.

Chains. Rolling arable valley and foot-hill land. Soil 2nd rate Sagebrush and bunch grass vegetation with scattered cedar timber.

North on a true line between sections 5 and 6.
Variation 16° 55' E.

40.00 Set a sand stone 12 X 10 X 6 in. 8 in deep. marked 1/4 on the west side with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.

59.00 foot of ridge and cedars bears East and S. W.

75.56. Intersected the North boundary of the township East 8 chains and 36 links from corner to sections 31 and 32 on the South

Subdivision T. 7 S. R. 8 W.

Chains. Boundary of T. 6 S. R. 8 W. previously established. where I set a sand stone 13X10X6 in. 8 in deep. marked 1 notche on the west and 5 notches on the east edges. with 3 pits each 24X12X12 inches. for corner to sections 5. and 6. on the North Boundary of the Township. from which a cedar 12 in. dia. bears S. 13° 15' E. 27 links distant.

Rolling arable foothill land. Soil 2nd rate. Timber Cedars on the north end. Sage brush and bunch grass undergrowth.

Joseph Gorlinski
Dep. Surveyor

Subdivision T. 7 S. R 8 W

Chains

General Description.

This township contains a large proportion of good arable land which can be adapted for agricultural purposes, and consist of bottom valley lands of 1st rate quality covering the eastern portion of the township, and rolling lands in the western portion of the township of 2nd rate quality. – The South Western portion of this township is covered by ridges and hills, bearing indication of coal formation, which is supposed to extend under surface through the whole Western portion of the township. owing to the discoveries of coal strata and formation found and

now being worked in the south and immediately adjoining the Township. A large portion of lands in the Western and Northern portion of this township is covered by cedar timber in groves of commercial value. Whole Township is covered with sage, shadscale, greasewood brush and grass vegetation, and is now extensively used for grazing purposes.

No minerals found.—

Joseph Goliński
D. S.

313

BOOK-A-146

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, ~~March 26~~ April 30th *1877*

The foregoing field notes of the survey of the Subdivision lines of

Township No. 7 S *Range No.* 8 West

Executed by Joseph & W A Gerlinski

Under their joint *contract of the* 4th

day of September *1876, in the month of*

October *1876, having been critically*

examined, the necessary corrections and ex-

planations made, the said field notes, and the

surveys they describe, are hereby approved.

Nathan Kirkpatrick

Surveyor General for Utah.

314

BOOK A-146

SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, _____ 187_.

The foregoing field notes of the survey of the _____

_____

Township No. _____ Range No. _____

executed by _____

under the contract of the _____

of _____ 187_, in the month of

_____ 187_, having been critically

examined, the necessary corrections and eli-

minations made, the said field notes, and the

_____ they describe, are hereby approved.

_____

Surveyor General for Utah.

_____

3/6

316

314-315
Blank

BOOK-A-146

Book No. 8.

Field Notes
of the survey of the
East Boundary of
Township No. 7 South of
Range No. 9 West of the
Salt Lake Meridian, Utah
Territory. by Joseph Gorlinski
Deputy Surveyor, under his
joint Contract No. 74 dated
September 4th 1876.

Survey commenced October 4th 1876.
Survey completed October 4th 1876.

318

East Boundary T. 7 S. R 9 W.

Chains. October 4th 1876 by Joseph Gorlinski Deputy Surveyor.

Begin at the corner to Townships 7 and 8 South, Ranges 8 and 9 West, being the North East corner of Township 8 S. Range 9 West. previously established by me. The stone is standing and agree with the description previously given by me to the office viz:

A Flint stone 24X10X8 inches in mound of stones.

From which corner I run North on a true line, along the East Boundary of Section 36. Variation 16°56' E.

20.50 Rocky bench slope bears N.W. and S.E.

32.70 Wash heads E. bears W.

34.75 Wash heads N.E. bears S.W.

East Boundary T. 7 S. R. 9 W.

Chains

40.00 Set a sand stone 14 X 8 X 5 in. 9 in deep. marked 1/4 on the west side with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.

63.00 Foot of high ridge bears E. and W.

80.00 Set a lime stone 16 X 14 X 10 in. 10 in. deep in mound of stones for corner to sections 25. 36. 30 and 31.

Bench and ridge land. Soil 2nd rate and arable on the south end. Sage chaparral and bunch grass vegetation with scattered cedars. Formation coal indication.—

North on a true line, along the east boundary

East Boundary T. 7 S. R. 9 W.

Chains of section 25

Variation 16°56' E.

3.50 Top of ridge bears E and W.

15.00 Rolling land and cedars bears E. and W.

40.00 Set a cedar post 4 feet long 3X4 in square. 1 foot deep, marked 1/4 S. on the west side, in a mound 4 feet diam. 2 feet high, with 4 pits each 24X12X12 inches for 1/4 corner.

60.25 Wash bears NW and SE. and enter open hollow valley.

80.00 Set a cedar post 4 feet long 4X4 in square 1 foot deep. marked S 24 and S 25. T. 7 S. R. 9 W and witnessed in a mound 4 feet diam. 2 feet high, with 4 pits each 30X18X18 inches for corner to sections 24. and 25.

South part ridge and rolling

East Boundary T. 7 S. R. 9 W.

Chains	land with sandy soil and Cedar timber. North part arable bottom and valley land. Soil 2nd rate Sage and grass vegetation.
	North on a true line, along the East Boundary of section 24. Variation 16°56' E.
40.00	Set a cedar post 4 feet long 3 X 4 inches square, 1 foot deep marked 1/4 S on the west side with 4 pits each 24 X 12 X 12 inches in a mound 3 1/2 feet diam. 2 feet high for 1/4 sec. cor.
80.00	Set a cedar post 4 feet long 4 X 4 in. square 1 foot deep marked S. 13 and S. 24. T. 7 S. R. 9 W. in a mound 4 feet

East Boundary T. 7 S. R 9 W.

Chains. diam. 2 feet high with 4 pits each 24 X 12 X 12 inches, for corner to sections 13 and 24.

Level arable land. Soil 2nd rate. White sage and grass vegetation. Timber cedars in groves east and west of the line.

North on a true line, along the East boundary of Section 13.

Variation 16° 56' E.

40.00 Set a red sand stone 13 X 8 X 8 inches. 8 inches deep. marked 1/4 on the west side. with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.

68.50 Bench land bears NE and SW.

East Boundary T. 7 S. R. 9 W.

Chains	
80.00	Set a grey sand stone 16X8X8 in 10 in deep, marked 4 notches on the south and 2 notches on the north edges, with 4 pits each 24X12X12 inches, for corner to sections 12 and 13.
	Valley and Bench arable land. Soil 2nd rate. Sage shadscale and grass vegetation.
	North on a true line along the East Boundary of section 12.
	Variation 16° 56' E.
34.25	Gully bears N.E. and S.W.
40.00	Set a grey sand stone 12X8X8 in. 8 in deep, marked 1/4 on the

East Boundary T. 7 S. R. 9 W.

Chains	
	west side, with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.
57.50	Gully bears N.E. and S.W.
70.50	deep gully 100 links wide bears N.E. and S.W. and foot of ridge.
80.00	Set a sand stone 15 X 8 X 6 in. 10 in deep, marked 5 notches on the south and 1 notche on the north edges, with 4 pits each 24 X 12 X 12 inches for corner to sections 1 and 12. From which,
	A cedar 12 in. dia. bears S. 80° W. 36 links distant.
	A cedar 14 in. dia. bears N. 18° E. 25 links distant.
	Broken foot hill land. Timber cedars. Sage and bunch grass vegetation. —

East Boundary T. 7 S. R 9 W.

Chains. North on a true line along the East Boundary of Section 1.

Variation 16° 56' E.

35.40 Intersected the North boundary of the township. East 8 chains and 32 links from the South West corner of T. 6 S. R 8 W. previously established, where I set a lime stone 20X12X6 in 13 in. deep, marked 6 notches on the south east and west edges, in mound of stones. 12 in. deep. with 4 posts each 30X18X18 inches for the N. W corner of the Township, on top of ridge. Ridge 3rd rate land. Timber cedars.

Joseph Gorbinski

D. S.

East Boundary T. 7 S. R 9 W

Note. For general description reference is here made to the field notes of the subdivision lines of T. 7 S. R 8 W.

Surveyor's Office at Salt Lake City
Utah Territory ~~March 26th~~ April 30th 1877
The foregoing field notes of the Survey
of the East Boundary of Township
No 7 S R 9 W of the Salt Lake
Meridian Territory of Utah
executed by Joseph Grlinski under
his joint contract of the 4th day of
September 1876, in the month of
October 1876, having been
critically examined the necessary
corrections and explanations made
the said field notes and the
surveys they describe are
hereby approved

Grattan Kimball
Surveyor General

ke City
"
1877
Survey
nship
ke
tah
under
day of
th of
n
cessary
made
the

BOOK-A-146

16. 11 G 24 R

Field Notes of the survey of the East and North boundaries of Township No. 7 South, Range No. 10 West of the Salt Lake Meridian, Utah Territory by Joseph Gorlinski deputy surveyor, under his joint contract No. 74 dated September 4th 1876.

Survey commenced Oct. 27th 1876.
Survey completed Oct. 28th 1876.

332

East boundary T. 7 S. R 10 W

Chains From the established corner to Townships 7 and 8 South, Ranges 9 and 10 West by former surveys I run:

North along the east boundary of section 36.

Variation 16°56' E

40.00 Set a lime stone 12x9x6 in. 8 in deep, marked 1/4 on the west side with 4 pits each 24x12x12 inches for 1/4 sec. cor.

80.00 Set a lime stone 13x10x5 in. 8 in. deep, marked 1 notche on the south and 5 notches on the north edges with 4 pits each 30x18x18 in for corner to sections 25. 36. 30 and 31.

Arable level land, soil 1st rate. Shade scale growth vegetation. No timber.—

333A

BOOK-A-146

Township 7, South, **R.** 9, West

338	6	5	4	3	2	1	326
337	7	8	9	10	11	12	324
336	18	17	16	15	14	13	323
335	19	20	21	22	23	24	322
334	30	29	28	27	26	25	320
333	31	32	33	34	35	36	319

East boundary T. 7 S. R 10 W.

Chains	
	North, along the east boundary of section 25.
	Variation 16° 56' E.
27.50	Wash bears N.W. and S.E.
40.00	Set a lime stone 11 X 9 X 6 in. 8 in deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.
80.00	Set a lime stone, 15 X 9 X 5 in. 10 in deep, marked 2 notches on the south, and 4 notches on the north edges, with 4 pits each 30 X 18 X 18 in. for corner to sections 24, 25, 19 and 30.
	Arable land. Soil 1st rate chadscale and greasewood vegetation. No timber.—

East boundary T. 7 S. R 10 W.

Chains North, along the east boundary of section 24.

Variation 16°56' E.

16.00. Rolling valley bears NE. and SW.

35.00. Small wash bears E. and W.

40.00 Set a lime stone 14X8X5 in. 9 in. deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

80.00 Set a lime stone 13X8X7 in. 8 in. deep, marked 3 notches on the south and north edges with 4 pits each 24X12X12 inches for corner to sections 13. 24. 18 and 19.

Arable land. Soil partly first, partly second rate. Shadscale and greasewood vegetation. No timber.

East Boundary T. 7 S. R. 10 W.

Chains North along the east boundary of section 13.

Variation 16°56' E.

40.00 Set a lime stone 12X8X6 in. 8 in deep. marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.

50.00 Foot of broken land, and sandy soil bears E. and W.—

80.00 Set a sand stone 16X8X6 in. 10 in. deep. marked 4 notches on the south and 2 notches on the north edges, with 4 pits each 24X12X12 in. for corner to sections 12. 13. 7 and 18.

Arable land, South part 2nd rate, North part broken 3rd rate soil. Shidecale grass cover and grass vegetation.—

East boundary T. 7 S. R. 10 W.

Chains North, along the east boundary of section 12.

Variation 16° 56' E.

11.50 Wash bears NW. and SE.

20.50 Wash bears E. and W, and foot of sandy hill with scattered cedars.

40.00 Set a lime stone 13X8X6 in. 8 in dep. marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

65.50 top of hill bears NE. and SW.

80.00 Set a lime stone 14X8X6 in. 9 in deep, marked 5 notches on the south and 1 notche on the north edges, with 4 pits each 24X12X12 in. for corner to sections 1. 12. 6 and 7.

Broken land. Soil 3rd rate sandy. unfit for cultivation. Timber scattered cedars, Sage and bunch grass undergrowth.--

East Boundary T. 7 S. R. 10 W.

Chains North along the east boundary of section 1.

Variation 16°56' E.

5.00 Gully bears NW and SE.

17.50 Gully bears E. and W.

40.00 Set a lime stone 13X10X5 in 8 in deep. ~~8 in deep~~ marked 1/4 on the west side with 4 pits each 24X12X12 in for 1/4 sec. cor.

52.00 Gully bears N.E. and S.W.

74.25 Gully bears NW. and SE.

80.00 Set a lime stone 15X8X6 in. 10 in. deep. marked 6 notches on the north south, east and west edges. with 4 pits each 24+12+12. for corner to Townships 6 and 7 South Ranges 9 and 10 West.

Broken and hilly sandy land unfit for cultivation. Timber scattered cedars. Sage, greasewood and bunch grass vegetation. —

October 27th 1876.

North boundary T. 7 S. R. 10 W.

Chains From the established corner to Townships 6 and 7 South, Ranges 10 and 11 West on the 2nd Guide Meridian I run:

East on a random line on the north boundaries of sections 6. 5. 4. 3. 2 and 1.

Variation 16° 57' E.

I set temporary half mile and mile stone at every 40 and 80 chains, and at 5 miles 78 chains and 16 links to a point 72 links North from corner to Townships 6 and 7 South, Ranges 9 and 10 West previously established,

from which corner I run N 89° 55' W on a true line, along the north boundary of section 1.

Variation 16° 57' E.

9.50 Gully bears NW. and SE.

339A

BOOK-A-146

Township 7. South **R.** 10. West

345	344	343	342	341.	339
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

North Boundary T. 7 S. R. 10 W.

Chains	
40.00	Set a limestone 13 X 8 X 6 in. 8 in. deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 inches for 1/4 cor. cor.
74.50	leave scattered cedars and enter rolling valley which bears N. and S.
80.00	Set a limestone 10 X 8 X 8 in. 6 in. deep, marked 1 notche on the east and 5 notches on the west edges with 4 pits each 30 X 18 X 18 in. for corner to sections 1. 2 35. and 36.

Broken sandy land, unfit for cultivation. Timber cedars in groves. Sage bunch grass and grease wood vegetation.

North Boundary T. 7 S. R. 10 W.

Chains	
	N 89° 55' W. on a true line along the north boundary of section 2. Variation 16° 57' E.
40.00	Set a limestone 11X8X7 in. 6 in. deep, marked 1/4 on the north side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.00	Set a limestone 14X12X10 in. 9 in deep, marked 2 notches on the east and 4 notches on the west edges, with 4 pits each 30X18X18 in. for corner to sections 2. 3. 34 and 35.

Arable light sandy soil.— Sage greasewood and grass vegetation with few scattered cedars.—

North Boundary T. 7 S. R. 10 W.

Chains	
	N. 89°55' W. on a true line along the north boundary of section 3.
	Variation 16°57' E.
40.00	Set a limestone 13 X 8 X 6 in. 8 in deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 inches for 1/4 sec. cor.
67.00	Skull valley and Granite Rock Road bears N.E. and S.W.
80.00	Set a limestone 12 X 8 X 6 in. 8 in deep, marked 3 notches on the east and west edges with 4 pits each 24 X 12 X 12 in. for corner to sections 3. 4. 33 and 34.
	Arable land. Soil 2nd rate partly level, partly rolling; shadscale greasewood and sage vegetation with grass. No timber.

W. North Boundary T. 7 S. R. 10 W.

Chains N. 89°55' W on a true line, along the North Boundary of section 4.

Variation 16°57' E.

17.50 Sand hills bear N.E. and S.W.

40.00 Set a quartzite rock 11X8X7 in. 6 in deep, marked 1/4 S. on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

80.00 Set a limestone 14X8X6 in. 9 in deep, marked 2 notches on the west and 4 notches on the east edges with 4 pits each 30X18X18 in. for corner to sections 4. 5. 32 and 33.

Sand hills, unfit for cultivation, no vegetation except few scattered greasewood. East end in the mable valley with 2nd rate soil.

North boundary T.7 S.R.10 W

Chains	
	N 89°55' W on a true line along the north boundary of section 5.
	Variation 16°57' E.
40.00	Set a lime stone 11X8X7 in. marked 1/4 on the north sides with 4 pits each 24X12X12 inches for 1/4 sec. cor.
60.00	Great American Desert and alkali flat impregnated with salt water bears NW and SE.
80.00	Set a lime stone 14X10X6 in, 9 in. deep, marked 1 notche on the west and 5 notches on the east edges with 4 pits each 30X18X18 in for corner to sections 5. 6. 31 and 32.
	Sand hills and alkali desert lands unfit for cultivation. No vegetation.

North boundary T. 7 S. R. 10 W

Chains N 89° 55' W on a true line, along the North Boundary of section 6.

Variation 16° 57' E.

40.00 Limestone 11 X 8 X 6 in. 6 in. deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

78.16. The corner to Townships No. 6 and 7 South, Ranges 10 and 11. West.

Alkali flat and desert land unfit for cultivation

No vegetation.

Oct. 28th 1876. Jos. Gorlinski D.S.

General description

The Southern portion of this township is all in the valley

and contains tolerably good arable land, which should be subdivided. Northern portion is mostly covered with Sand and Alkali desert entirely unfit for cultivation.—
There is some cedar timber in the N.E. corner of this township,—and bunch grass.
No minerals found—

Joseph Gorlinski
Dep. Surveyor

Surveyors Office at Salt Lake City,
Utah Terr. ~~March 26~~ April 30th 1877

The foregoing field notes of the survey of the East and North Boundaries of Township No 7 South Range No 10 West of the Salt Lake Meridian Utah Territory executed by Joseph Gorlinski under his joint contract No 74 of the 4 day of Sept 1876, in the month of October 1876, having been critically examined the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved

Nathan Kimball
Surveyor General

BOOK-A-146

348-349
Blank

BOOK-A-146

4 R: 1878. 12 351

Filed December 10th 1877.

Examined by C. H. Cranwell. C. C.

Compared by Nathan and John A. Kimball

FIELD NOTES

OF

THE SURVEY OF THE

West Boundary

of Township No 7 South, Range No 11 West

of the Salt Lake Meridian in Utah Territory.

BY

Joseph Gorlinski

U. S. DEPUTY SURVEYOR,

Under his Joint Contract No. 74

dated September 4th 1876.

Survey commenced November 26th 1877.

Survey completed November 26th 1877.

352

BOOK-A-146

Township 7 South R. 11 West

West Boundary

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
3 19	20	21	22	23	24
2 30	29	28	27	26	25
1 31	32	33	34	35	36

West boundary T. 7 S. R. 11 W.

Chains	
	From the established corner to townships 7 and 8 South, Ranges 11 and 12 West; Drum; North along West boundary of Section 31.
	Variation 16° 58' E.
40.00	Set a granite stone 14X8X6 in. 9 in. deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.00	Set a granite stone 18X14X6 in. 12 in. deep, marked 1. notch on the south and 5 notches on the north edges, with 4 pits each 24X12X12 in. for corner to sections 30. 31. 25 and 36.

Arable low valley land. Soil first rate. Greasewood and shadscale vegetation.—

West Boundary T. 7 S. R. 1 W.

Chains	
	North along the west boundary of section 30.
	Variation 16° 58' E.
38.75	White rock road bears NE. and SW.
40.00	Set a granite stone 12 X 8 X 6 in. 8 in. deep, marked 1/4 on the west side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.00	Set a granite stone 16 X 8 X 6 in. 10 in. deep, marked 2 notches on the south and 4 notches on the north edges with 4 pits each 24 X 12 X 12 in. for corner to sections 19. 30. 24 and 25.
	Arable low valley land, Soil first rate; greasewood and shadscale vegetation.

BOOK-A-146

West Boundary T. 7 S. R. 11 W.

Chains	North along the west boundary of section 19.
	Variation 16° 58' E
27.50	Broken valley, and sandy gravel rolling hills bear NW. and SE.
40.00	Set a granite stone 13X8X6 in. 8 in. deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
42.50	Great American Desert bears NW and S.E.
80.00	Set a granite stone 14X8X8 in. 9 in. deep, marked 3 notches on the south and north edges, with 4 pits each 24X12X12 in. for corner to sections 18, 19, 13 and 24. North of which all land in this township is covered by the Great American Desert entirely unfit for cultivation.

4 356

West boundary T. 7 S. R 11. W.

South part of land along this line, consist of first rate low arable soil. Middle part is covered by broken valley and sandy hills with grass. Soil 2nd and 3rd rate. North part in low flat alkali and desert unfit for cultivation. –

November 26th 1877.

Joseph Gorlinski
deputy surveyor.

Note: For general description of land in this township, see field notes of the survey of subdivisions thereof.

BOOK-A-146

357

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, January 2d, 1878

The foregoing field notes of the survey of the ...

West Boundary

Township No. 7 South Range No. 11 West

S. L. Meridian

Executed by Joseph Kolinski

Under his four contract 74 of the 4th

day of September 1876, in the month of

November 1877, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Nathan Kimball

U. S. Surveyor General for Utah.

358

359

360

358-359 Blank

Township 7 South **R.** 11 West.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
355 19	20	21	22	23	24
385	384	379	375	371	366
354 30	383 29	378 28	374 27	370 26	365 25
382	381	377	373	369	364
353 31	380 32	376 33	372 34	368 35	363 36

BOOK-A-146

361

5. R: 1878. - 13

Filed December 10th 1877.

Examined by C. H. Cranwell. C. C.

Compared by Nathan and John A. Kimball

FIELD NOTES

OF

THE SURVEY OF THE

Subdivision lines

of Township No 7 South, Range No 11 West

of the Salt Lake Meridian in Utah Territory.

BY

Joseph Gorlinski

U. S. DEPUTY SURVEYOR,

Under his Contract Joint No. 74.

dated September 4th 1876.

Survey commenced November 27th 1877.

Survey completed November 28th 1877.

Township 7 South R. 11 West

Subdivisions

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
23 30 21	22 29 16	17 28 12	13 27 8	9 26 3	4 25
20 31 18	19 32 14	15 33 10	11 34 6	7 35 1	2 36

362

BOOK-A-146

Township 7, South **R.** 11, West.



Subdivision T. 7 S. R 11 W

Chains	From the established corner to sections 35. 36. 1 and 2 on the South Boundary of the township I run:
	North. between sections 35 and 36.
	Variation 16° 58' E.
40.00	Set a granite stone 11X8X7 in. 6 in. deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.00	Set a granite stone 15X10X4 in. 10 in. deep, marked 1 notch on the south and east edges, with 4 pits each 24X12X12 in. for corner to sections 25. 26. 35 and 36.
	Arable low valley ~~land~~. Soil 1st rate. Greasewood and shadscale vegetation

Subdivision T. 7 S. R. 11 W.

Chains	
	East on a random line, between sections 25 and 36. Variation 16°.58' E
40.00	Set a stone for temporary 1/4 sec. cor.
80.30	Intersected the East Boundary of the Township 30 links north from corner to sections 25. 36. 30 and 31.; from which corner I run:
	N. 89°. 47' W. on a true line between sections 25 and 36.
40.15	Set a granite stone 13X8X5 in 8 in. deep, notched 1/4 on the north side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.30.	The corner to sections 25. 26 35 and 36.
	Arable valley land. Soil 1st rate. Shadscale and greasewood vegetation. —

Subdivision T. 7 S. R. 11 W.

Chains North between sections 25 and 26.

Variation 16° 58' E.

3.25 New Harker's road bears E. and W.

40.00 Set a granite stone 13 X 7 X 6 in. 8 in. deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

57.00 Broken valley and sand hills bear NE and West.

65.00 Great American Desert bears NE. and West.

70.85 White Rock road bears NE. and SW.

80.00 Set a granite stone 15 X 8 X 6 in. 10 in. deep, marked 2 notches on the south and 1 notch on the east edges with 4 pits each 24 X 12 X 12 in. for corner to sections 23. 24. 25 and 26.

Valley arable land Soil 1st rate. North end alkali desert.

Subdivision T. 7 S. R. 11 W.

Chains	
	East on a random line, between sections 24 and 25 Variation 16° 58' E.
23.00.	Sand hills and bottom valley bears N. and S. W.
30.50.	Bottom valley land bears N. and S. W.
31.50.	White rock road bears NE. and S. W.
40.00	Set a granite stone for temporary sec. cor.
80.50	Intersected the East boundary of the township 50 links north from corners to sections 13. 24. 18 and 19. From which corner I run. N 89° 39' W on a true line between sections 24 and 25.
40.25	Set a granite stone 13 X 8 X 5 in 8 in deep. marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.50	The corners to sections 24. 25. 23 and 26.

Subdivision T. 7 S. R. 11 W.

Chains. Arable bottom valley land, covered with high greasewood vegetation. Soil 1st rate. — West end alkali desert and sand. —

West on a true line, between sections 13 and 24.
Variation 16° 58' E.

8.40. White rock road bears NE and SW.

40.00 Set a granite stone 12X9X5 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.; from which Great American Desert bears West about 10 chains distant and extends NE and South. —

Arable valley land. Soil 2nd rate. Greasewood and shads-

Subdivision T. 7 S. R. 11. W.

Chains	
	From the established corner to sections 34. 35. 2 and 3 on the South Boundary of the township Iron;
	North between sections 34 and 35.
	Variation 16°58' E.
40.00	Set a granite stone 12X8X6 in. 8 in. deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.00.	Set a granite stone 15X8X5 in. 10 in. deep, marked 1 notch on the south and 2 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 26. 27. 34 and 35.
	Arable low valley land. Soil 1st rate. Grass, wood and shadscale vegetation —

Subdivision T. 7 S. R. 11 W.

Chains	East on a random line between sections 26 and 35. Variation 16°58' E.
40.00	Set a granite stone for temporary 1/4 sec. cor.
80.50	Intersected the N. and S. line 20 links north from corner to sections 25. 26. 35 and 36; from which corner I run: N. 89°51' W. on a true line between sections 26 and 35.
40.25	Set a granite stone 12X8X5 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 2X12X12 in. for 1/4 sec. cor.
80.50	The corner to sections 26. 27. 34 and 35.

Arable low valley land. Soil first rate; greasewood and shadscale vegetation

Subdivision T 7 S. R 11 W.

Chains North between sections 26 and 27.

Variation 16°58' E.

7.60. Harper's Road bears W. and SE

25.25 White Rock road bears SW. and NE.

40.00 Set a granite stone 13X8X5 in. 8 in. deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

62.00. Broken valley and sandy hills. bear E. and W.

80.00. Set a Granite stone 13X8X5 in. 8 in deep. marked 2 notches on the south and east edges. with 4 pits each 24X12X12 in. for corner to sections 22. 23. 26 and 27. at the edge of Desert bearing East W.

Arable valley land. Soil 2nd rate. North end. broken valley and sand Soil 3d rate

BOOK-A-146

Subdivision T. 7 S. R. 11 W.

Chains. East on a random line between sections 23 and 26.

Variation 16° 58' E.

40.00 Set a stone for temporary 1/4 sec. cor.

57.00. Alkali and Desert bears NW and SE.

80.40. Intersected the N. and S. line at corner to sections 23. 24. 25 and 26; from which corner I run; West on a true line, between sections 23 and 26.

40.20 Set a granite stone 12 X 8 X 6 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

80.40. The corner to sections 22. 23. 26. and 27.

Arable broken sandy valley land with shadscale greasewood and grass Soil 3d rate. East end alkali desert.—

Subdivision T. 7 S. R. 11 W.

Chains.	From the established corner to sections 33. 34. 3 and 4 on the south boundary of the township Run:
	North, between sections 33 and 34.
	Variation 16° 58' E.
18.75	White Rock Road bears N.E. and S.W.
40.00	Set a granite stone 14 X 10 X 4 in. 9 in. deep. marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.00	Set a granite stone 18 X 14 X 6 in. 12 in. deep. marked 1 notch on the south and 3 notches on the east edges. with 4 pits each 24 X 12 X 12 in. for corner to sections 27. 28. 33 and 34.
	Arable low valley land —
	Soil 1st rate. Shadscale and greasewood vegetation

Subdivision T. 7 S. R. 11 W.

Chains.	East on a random line, between sections 27 and 34. Variation 16° 58' East.
40.00	Set a stone for temporary 1/4 sec. cor.
47.40	White Rock Road bears N.E. and S.W.
79.92	Intersected the N. and S. line 35 links north, from corner to sections 26. 27. 34 and 35; from which corner I run; N. 89° 45' W. on a true line between sections 27. and 34.
39.96	Set a granite stone 16 X 14 X 6 in. 10 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
79.92	The corner to sections 27. 28. 33 and 34.

Arable low valley land. —
Soil first rate; Shadscale and greasewood vegetation. —

Subdivision T. 7 S. R. 11 W.

Chains.	North, between sections 27 and 28. Variation 16°58' E.
17.90	Road bears E. and W.
40.00	Set a granite stone 14X12X4 in. 9 in. deep, marked 1/4 on the west side with 4 pits each 24X12X12 in for 1/4 sec. cor.
56.00	Broken valley, grass and sandy hills bear E. and W.
80.00	Set a granite stone 18X16X4 in. 12 in deep, marked 2 notches on the south, and 3 notches on the east edges, with 4 pits each 24 X12X12 in. for corner to sections 21, 22 27 and 28; from which Great American Desert bears North about 1/4 mile distant, and extends W. and E.
	Arable and broken valley, land Soil 2nd and 3rd rate.

Chain

40.0

80.2

40.1

80.2

BOOK-A-146

Subdivision T. 7 S. R. 11 W.

Chain.	East on a random line, between sections 22 and 27. Variation 16° 58' E.
40.00	Set a stone for temporary 1/4 sec. cor.
80.20	Intersected the N. and S. line 30 links North from corner to sections 23. 22. 26. and 27, from which corner I run; N. 89° 47' W. on a true line, between sections 22 and 27.
40.10	Set a granite stone 12 X 8 X 6 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.20	The corner to sections 21. 22 27 and 28.
	Broken valley land. Sandy soil. - Shadscale and greasewood vegetation and grass. Soil 3d rate. adjoining Great American Desert

Subdivision T. 7 S. R. 11 W.

Chains	
	From the established corner to sections 32. 33. 4 and 5 on the South Boundary of the township Run:
	North, between sections 32 and 33.
	Variation 16° 58' E —
40.00	Set a granite stone 14 X 9 X 5 in. 9 in. deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.00	Set a granite stone 16 X 8 X 5 in. 10 in. deep, marked 1 notch on the south and 4 notches on the east edge, with 4 pits each 24 X 12 X 12 in. for corner to sections 28. 29. 32 and 33.
	Arable low valley land — Soil 1st rate. Shadscale and greasewood vegetation —

Subdivision T. 7 S. R. 11 W.

Chains.	East on a random line between sections 28 and 33. Variation 16° 58' E
40.00	Set a stone for temporary 1/4 sec. cor.
80.10.	Intersected the N. and S. line. 40 links north from corner to sections 27. 28. 33 and 34; from which corner I saw; N. 89° 43' W. on a true line between sections 28 and 33.
40.05	Set a granite stone 14 X 8 X 5 in. 9 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.10	The corner to sections 28. 29. 32 and 33.

Arable low valley land. Soil first rate. Shadscale and greasewood vegetation.

Subdivision T. 7 S. R. 11 W.

Chains.	North between sections 28 and 29. Variation 16° 58' E.
30.75	Road bears E. and W.
40.00	Set a granite rock 14X7X6 in. 9 in. deep. marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
56.00	Broken valley and rolling sandy hills bear E. and W.
80.00	Set a granite stone 16X8X6 in. 10 in deep. marked 2 notches on the south and 4 notches on the east edges with 4 pits each 24X12X12 in. for corner to sections 20. 21. 28 and 29. from which Great American Desert bears North about 1/4 mile distant and extends E. and W.
	Arable low valley, 1st rate land. North part broken and sandy soil with grass. 3d rate quality.

BOOK-A-146

Subdivision T. 7 S. R. 11 W.

Chains East on a random line between sections 21 and 28.
Variation 16° 58' E.

40.00 Set a granite stone for temporary 1/4 sec. cor.

79.80 Intersected the N. and S. line at corner to sections 21. 22. 27 and 28; from which corner I run:
West on a true line between sections 21 and 28.

39.90 Set a granite stone 13X8X5 in. 8 in. deep. marked 1/4 on the north side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.

79.80 The corner to sections 20. 21. 28 and 29.

Low valley and broken arable land. Soil 2nd rate - Greenwood and shadscale vegetation with sandy grassy hills.

Subdivision T. 7 S. R 11 W.

Chains	
	From the established corner to sections 31. 32. 5 and 6 on the South Boundary of the township I run:
	North between sections 31 and 32.
	Variation 16° 58' E.
40.00	Set a granite stone 13X8X6 in. 8 in. deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
70.50.	Broken valley and grassy sand hills bear NW. and NE.
80.00	Set a granite stone 14X10X5 in. 9 in. deep, marked 1 notch on the south and 5 notches on the east edges with 4 pits each 24 X12X12 in. for corner to sections 29. 30. 31 and 32.
	Arable 1st rate land. North end broken. Soil 2nd rate.

Sub

Chains	
15.00	
40.00	
79.80	
39.90	
79.80	

Subdivision T. 7 S. R. 12 W.

Chains	
	East on a random line, between sections 29 and 32
	Variation 16° 58' E.
15.00	Low level valley bears NE and SW.
40.00	Set a granite stone, for temporary 1/4 sec. cor.
79.80	Intersected the N. and S. line, 20 links South from corner to sections 28. 29. 32 and 33.
	From which corner I run:
	S. 89° 51' W. on a true line, between sections 29 and 32
39.90	Set a granite stone 14 X 8 X 6 in. 9 in. deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
79.80	The corner to sections 29. 30. 31. and 32.
	Arable low valley land. — Soil first-rate. Shadscale and greasewood vegetation. —

Subdivision T. 7 S. R. 11 W.

Chains	
	West on a random line, between sections 30 and 31. Variation 16° 58' E.
25.00.	Low level valley, bears NW and SE.
40.00	Set a stone for temporary 1/4 sec. cor.
79.28.	Intersected the West boundary of the township 25 links North from corner to sections 30. 31. 25 and 36; from which corner I run; N 89° 49' E. on a true line, between sections 30 and 31
39.28.	Set a granite stone 14x10x6 in. 9 in. deep, marked 1/4 on the north side with 4 pits each 24x12x12 in. for 1/4 sec. cor.
79.28	The corner to sections 29. 30. 31 and 32.

Arable low valley first-rate land, Shadscale and greasewood vegetation East and broken grassy land Soil 2nd rate

Chains	
40.00	
43.25.	
80.00	

Subdivision E. of S. R. 11 W.

Chain North, between sections 29 and 30.

Variation 16° 58' E.

40.00 Set a granite stone 12 X 10 X 5 in. 8 in deep, marked 1/4 on the west side with 4 pits, each 24 X 12 X 12 in. for 1/4 sec. cor.

43.25 Road bears E. and W.

80.00 Set a granite stone 16 X 8 X 4 in. 9 in. deep, marked 2 notches on the south and 5 notches on the east edges, with 4 pits each 24 X 12 X 12 in. for corner to sections 19. 20. 29 and 30; from which Great American Desert bears North about 1/4 mile distant, and extends N.W. and East.

Broken valley arable land, Soil 2nd rate, and partially sandy - covered with greasewood and grass vegetation

Subdivision T. 7 S. R. 11 W.

Chains	
	East on a random line, between sections 20. and 29. Variation 16° 58' East.
40.00	Set a stone for temporary 1/4 sec. cor.
80.44	Intersected the N. and S. line, 20 links north from corner to sections 20. 21. 28 and 29; from which corner I run; N. 89° 51' W. on a true line, between sections 20 and 29.
40.22	Set a granite stone 14 X 8 X 5 in. 9 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.44	The corner to sections 19. 20. 29 and 30.

Prairie broken valley land, with grassy sand hills. Soil 2nd and 3rd rate. Shadscale and greasewood vegetation with grass.—

BOOK-A-146

Subdivision T. 7 S. R. 11 W

Chains	
	West on a random line between sections 19 and 30
	Variation 16° 58' E.
40.00	Set a stone for temporary 1/4 sec. cor.
58.00	Level valley bears NW and S.E.
79.60	Intersected the West boundary of the township 35 links south from corner to sections 19. 30. 24 and 25; from which corner I run:
	S. 89° 45' E. on a true line between sections 19 and 30.
39.60	Set a granite stone 12X11X4 in. 8 in. deep. marked 1/4 on the north side. with 4 pits each 24X12X12 in. for 1/4 sec. cor.
79.60	The corner to sections 19. 20. 29 and 30.

Arable broken valley land, with grassy sand hills. Soil 2nd and 3rd rate. Shadscale

Chains and greasewood vegetation.
West end level low valley—
Soil first rate.—
Great American Desert bears
North of this line about 1/4
mile distant and extends
NW and East.

November 28th 1877.
Joseph Gorlinski
deputy surveyor

General description
The land surveyed in this
township lies south of the
Great American Desert along
its confines. It consist of
arable low valley and bottom
lands, formed by the sink
of Old River bed in the

adjoining township on the south. The quality of the soil is first-rate, with sufficient moisture to be well adapted for agricultural purposes without artificial irrigation. These lands are also adapted for irrigation if necessary, by conducting thereon the waters from Sevier River, through Old River bed, its original channel, which is shown in the adjoining township on the south.

A small proportion of land surveyed in this township, along the confines of the Desert on the north, consist of broken valley land, covered with occasional sandy hills overgrown with grass and greasewood vegetation.

BOOK-A-146 388

Subdivision T. 7 S. R. 11. W.

This land is classed as 2nd and 3d rate quality arable soil.— All the unsurveyed portion of this township is covered by the Great American Desert consisting of low flat alkali soil entirely unfit for cultivation. No timber and no mineral found.—

BOOK-A-146

390

B

U.

Tov

Ex

Un

day

C

am

mac

crib

BOOK-A-146

391

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Jany 2d 1878

The foregoing field notes of the survey of the Subdivision Lines

Township No 7 South Range No 11 West

Executed by S. L. M. Joseph Gorlinski

Under his Joint contract 74 of the 4th

day of September 1876, in the month of

November 1877, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Sartwan Kimball

U. S. Surveyor General for Utah.

392

Esq

6.

BOOK-A-146
6. R: 1878.

714 393

Filed December 10th 1877.

Examined by C. H. Cranwell. C. C.

Compared by Nathan & John A. Kimball

FIELD NOTES

OF

THE SURVEY OF THE

West Boundary

of Township No 7 South, Range No 12 West

of the Salt Lake Meridian in Utah Territory.

BY

Joseph Gorlinski

U. S. DEPUTY SURVEYOR,

Under his Contract No. Joint 74.

dated September 4th 1876.

Survey commenced November 29th 1877.

Survey completed November 29th 1877.

394 BOOK-A-146

Township 7 South R. 12 West

West Boundary

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

BOO

West

Chains

27.25

32.00

40.00

45.00

80.00

BOOK-A-146

West Boundary T. 7 S. R. 12 W

Chains From the established corner to Townships 7 and 8 South, Ranges 12 and 13 West, I run;

North, along the west boundary of section 31.

Variation 17°00' E.

27.25 Spring road bears N.E. and S.W.

32.00 White Rock road bears N.E. and S.W.

40.00 Set a granite stone 12X8X6 in. 8 in. deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.

45.00 Road bears E. and W.

80.00 Set a granite stone 20X14X4 in. 12 in. deep, marked 1 notch on the south and 5 notches on the north edges with 4 pits, each 24X12X12 in. for corner to sections 30. 31. 25 and 36.

West Boundary T. 7 S. R. 12 W.

Chains	
	First rate low valley, arable land. Grease-wood and shadscale vegetation.
	North along the west boundary of Section 30.
	Variation 17° 00' E.
37.75.	Beckwith pass road bears N.E. and S.W.
40.00	Set a granite stone 16 X 8 X 4 in. 9 in deep. marked 1/4 on the west side. with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.00	Set a granite stone 17 X 14 X 4 in. 10 in. deep. marked 2 notches on the south and 4 notches on the north edges, for corner to sections 19. 30. 24 and 25. with 4 pits. each 24 X 12 X 12 in.

BOOK-A-146

West Boundary. T. 7 S. R 12 W.

Chains	
	Arable first rate valley land.— Shadscale and greasewood vegetation.
	North along the west boundary of Section 19.
	Variation 17° 00' E.
40.00	Set a granite stone 14X10X4 in. 9 in. deep, marked 1/4 on the west side with 4 pits, each 24X12X12 in. for 1/4 sec. cor.
80.00	Set a granite stone 18X8X8 in. 12 in. deep, marked 3 notches on the south and north edges, with 4 pits each 24X12X12 in. for corner to sections 18, 19, 13 and 24.
	Arable first rate low valley land. Shadscale and greasewood vegetation.—

West boundary T. 7 S. R. 12 W.

Chains	
	North, on a true line, along the west boundary of section 18. Variation 17° 00' E.
40.00	Set a granite stone 14 X 8 X 5 in. 9 in. deep. marked 1/4 on the west side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.00	Set a granite stone 16 X 10 X 6 in. 10 in deep. marked 4 notches on the south and 2 notches on the north edges. with 4 pits each 24 X 12 X 12 in. for corner to sections 7. 18. 12 and 13.; from which corner I deemed unnecessary to continue this boundary any further, - being near the Great American Desert which bears North about 1/4 mile distant, and extends North East and West. -

West Boundary T. 7 S. R 12 W.

Chains	Arable low valley land. Soil first rate; greasewood and shadscale vegetation.—
	Note: For general description of the character of land in this township, see the field notes of the survey of Subdivisions thereof.—

2

BOOK-A-146 400 400

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Jany 2d 1878

The foregoing field notes of the survey of the West Boundary

Township No. 7 South Range No. 12 West Salt L. meridian

Executed by Joseph Gorlinski

Under his Joint contract 74 of the 4th day of September 1876, in the month of November 1877, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Nathan Kimball

U. S. Surveyor General for Utah.

400A

BOOK-A-146

Township 7 South **R.** 12 West

6	5	4	3	2	1
7	8	9	10	11	12
427	426	415	407		
378 18 425	17 414	16 406	15 399	14	13
424	423	413	405	398	392
377 19 422	20 415	21 404	22 394	23 391	24
421	420	411	403	396	390
376 30 419	29 410	28 402	27 395	26 389	25
418	417	409	401	394	388
375 31 416	32 408	33 400	34 393	35 387	36

384 401

Township 7, South **R.** 12, West

6	5	4	3	2	1
7	8	9	10	11	12
427	426	415	407		
378 18	425 17	414 16	406 15	399 14	13
424	423	413	405	398	393
377 19	422 20	412 21	404 22	397 23	392 24
421	420	411	403	396	391
376 30	419 29	410 28	402 27	395 26	389 25
418	417	409	401	394	390
375 31	416 32	408 33	400 34	393 35	389 36

BOOK-A-146
402 385

7 R: 1878.

Filed December 10th, 1877.

Examined by C. H. Cranwell, C. C.

Compared by Nathan and John A. Kimball

FIELD NOTES

OF

THE SURVEY OF THE

Subdivision lines

of Township No 7 South, Range No 12 West

of the Salt Lake Meridian in Utah Territory.

BY

Joseph Gorlinski

U. S. DEPUTY SURVEYOR,

Under his Joint Contract No. 74,

dated September 4th 1876.

Survey commenced November 30th 1877.

Survey completed December 4th 1877;

403 386 BOOK-A-146

Township 7 South **R.** 12 West

Subdivisions

6	5	4	3	2	1
7	8	9	10	11	12
41	40	29	21		
18 39	17 28	16 20	15 13	14	13
38	37	27	19	12	6
19 36	20 26	21 18	22 11	23 5	24
35	34	25	17	10	4
30 33	29 24	28 16	27 9	26 3	25
32	31	23	15	8	2
31 30	32 22	33 14	34 7	35 1	36

BOOK-A-146

Subdivision T. 7 S. R. 12 W

Chains From the established corners to sections 35. 36. 1 and 2 on the South Boundary of the township I run;

North between sections 35 and 36.

Variation 17° 00' E.

40.00 Set a granite stone 12X8X6 in. 8 in. deep, marked 1/4 on the west side with 4 pits, each 24X12X12 in. for 1/4 sec. cor.

80.00. Set a granite stone 16X8X5 in. 10 in. deep, marked 1 notch on the south and east edges, with 4 pits each 24X12X12 in. for corner to sections 25. 26. 35 and 36

Arable low valley land. Soil first rate, shadscale and greasewood vegetation. —

Subdivision T. 7 S. R. 12 W.

Chains East on a random line between sections 25 and 36.
Variation 17° 00' E.

40.00 Set a stone for temporary 1/4 sec. cor.

80.20 Intersected the East boundary of the township 15 links north from corner to sections 25. 36. 30 and 31; from which corner Drum; N. 89° 54' W. on a true line, between sections 25 and 36.

40.10 Set a granite stone 13X8X5 in. 8 in deep, marked 1/4 on the north side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

80.20 The corner to sections 25. 26. 35 and 36.

Arable valley land. Soil 1st rate
Shade: ale vegetation

BOOK-A-146

Subdivision T. 7 S. R. 12 W.

Chains North, between sections 25 and 26.

Variation 17° 00' E.

19.20. White Rock road bears NE. and SW.

40.00 Set a granite stone 14X8X8 in. 9 in. deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.

80.00. Set a granite stone 18X14X6 in. 12 in. deep, marked 2 notches on the south and 1 notch on the east edges, with 4 pits, each 24X12X12 in. for corner to sections 23. 24. 25 and 26. –

Arable low valley land. – Greasewood and shadscale vegetation. Soil first rate. –

Subdivision T 7 S. R 12 W.

Chains East on a random line between sections 24 and 25
Variation 17° 00' E.

40.00 Set a stone for temporary 1/4 sec. cor.

80.20 Intersected the East boundary of the township, 23 links south, from corner to sections 24. 25 19 and 30; from which corner I run;

S. 89° 50' W. on a true line. Between sections 24 and 25

40.10 Set a granite stone 12 X 8 X 8 in. 8 in. deep, marked 1/4 on the north side, with 4 pits, each 24 X 12 X 12 in. for 1/4 sec. cor.

80.20 The corner to sections 23. 24 25 and 26.

Arable ~~rather~~ level land. Soil 1st rate; greasewood and shadscale vegetation. — ||||

BOOK-A-146

Subdivision T. 7 S. R 12 W.

Chain North, between sections 23 and 24.

Variation 17° 00' E.

40.00 Set a Granite stone 16X8X6 in. 10 in. deep, marked 1/4 on the west side with 4 pits, each 24X12X12 in. for 1/4 sec. cor.

65.00. Grassy rolling, sandy hills and broken valley land bears NW. and Sw.

80.00 Set a granite stone 16X8X5 in. 10 in deep, marked 3 notches on the south and 1 notch on the east edges, with 4 pits, each 24X12X12 in. for corner to sections 13. 14. 23. and 24; from which Great American Desert, bears North about 1/4 mile distant, and extends NW. and S.E.

Arable low valley land. Soil 1st rate North end in broken valley. Soil 2nd

Subdivision T. 7 S. R 12 W

Chains East on a random line, between sections 13 and 24.

Variation 17° 00' East.

37.00. Great American Desert, bears NW. and SE.

40.00. Set a stone for temporary 1/4 sec. cor.

80.08. Intersected the East boundary of the Township, at corner to sections 13. 24. 18 and 19; from which corner I run; West on a true line, between sections 13 and 24.

40.04. Set a granite stone 12 X 8 X 6 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

80.08 The corner to sections 13. 14. 23 and 24.

West half arable broken valley and rolling sandy hills with grass. Soil 3rd rate. East half in Great American Desert land, covered by alkali entirely unfit for cultivation.—

BOOK-A-146

Subdivision T. 7 S. R. 12 W.

Chains From the established corner to sections 34. 35. 2 and 3 on the South boundary of the township Iron;

North, between sections 34 and 35

Variation 17° 00' E.

40.00 Set a granite stone 16X8X5 in. 10 in. deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.

77.60 White Rock road bears NE and SW.

80.00. Set a granite stone 16X10X8 in. 10 in. deep, marked 1 notch on the south and 2 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 26. 27. 34 and 35.

Arable low valley land.

Soil 1st rate, - Greasewood and chaparral vegetation. -

Subdivision T. 7 S. R 12 W.

Chains	
	East on a random line, between sections 26 and 35
	Variation 17°00' E.
13.75	White Rock road bears N.E. and S.W.
40.00	Set a stone for temporary 1/4 sec. cor
79.84	Intersected the N. and S. line 35 links north, from corner to sections 25. 26. 35 and 36. from which corner I run; N. 89°45' W. on a true line between sections 26 and 35.
39.92	Set a granite stone 12 X 8 X 6 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
79.84	The corner to sections 26. 27. 34 and 35.
	Arable low valley land.
	Soil 1st rate. Greasewood and shadscale vegetation.

BOOK-A-146

3959

Subdivision T. 7 S. R. 12 W.

Chains North, between sections 26 and 27.

Variation 17° 00' E.

40.00 Set a granite stone 14x10x4 in. 9 in. deep, marked 1/4 on the west side, with 4 pits each 24x12x12 in. for 1/4 sec. cor.

80.00 Set a granite stone 16x10x4 in. 10 in. deep, marked 2 notches on the south and east edges, with 4 pits each 24x12x12 in. for corner to sections 22, 23, 26 and 27.

First rate low arable valley land. Shadscale and greasewood vegetation.

Subdivision T. 7 S. R. 12 W.

Chains	
	East on a random line between sections 23 and 26. Variation 17° 00' E.
40.00	Set a stone for temporary 1/4 sec. cor.
79.76	Intersected the N. and S. line 20 links north from corner to sections 23. 24. 25 and 26; from which corner I run; N. 89° 51' W. on a true line between sections 23 and 26.
39.88	Set a granite stone 13 x 8 x 5 in. 8 in. deep, marked 1/4 on the north side with 4 pits each 24 x 12 x 12 in. for 1/4 sec. cor.
79.76	The corner to sections 22. 23. 26. and 27.

Arable low valley land. Soil first rate: shadscale and greasewood vegetation.

BOOK-A-146

Subdivision T. 7 S. R. 12 W.

Chains	North, between sections 22 and 23. Variation 17° 00' E.
40.00	Set a granite stone 11 X 9 X 6 in. 7 in. deep, marked 1/4 on the west side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.00	Set a granite stone 15 X 8 X 5 in. 10 in. deep, marked 3 notches on the south and 2 notches on the east edges, with 4 pits, each 24 X 12 X 12 in. for corner to sections 14. 15. 22 and 23.
	Arable first rate valley land. covered with greasewood and shadscale vegetation.

Subdivision T. 7 S. R. 12 W

Chains	
	East on a random line between sections 14 and 23. Variation 17° 00' E.
40.00	Set a stone for temporary 1/4 sec. cor.
50.00	Broken valley and rolling sandy hills bear NW and S.E.
80.30	Intersected the N. and S. line. 12 links north, from corner to sections 13. 14. 23 and 24. from which corner I run; N. 89° 55' W on a true line between sections 14 and 23.
40.15	Set a granite stone 14 X 8 X 5 in. 9 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.30	The corner to sections 14. 15. 22 and 23.

West part low first rate valley land. East part broken. Soil 2nd and 3rd rate and sandy,

Subdivision T. 7 S. R. 12 W.

Chains North between sections 14 and 15

Variation 17° 00' E.

17.00 Broken and rolling valley and sand hills bear N.W. and S.E.

40.00 Set a granite stone 12X8X6 in. 8 in. deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.

42.50 Beckwith pass road bears N.E. and S.W.

80.00 Set a granite stone 16X10X4 in. 10 in. deep, marked 4 notches on the south and 2 notches on the east edges, with 4 pits each 24X12X12 in. for corners to sections 10. 11. 14 and 15. from which, Great American Desert bears North about 1/4 mile distant, and extends N.W. and S.E.

South part first rate land and level.

North part broken and sandy with grass.

400 417

Subdivision T. 7 S. R 12 W.

Chains	
	From the established corner to sections 33, 34, 3 and 4 on the South Boundary of the township I run;
	North, between sections 33 and 34.
	Variation 17° 00' E.
40.00	Set a granite stone 12 X 8 X 6 in. 8 in. deep, marked 1/4 on the west side, with 4 pits, each 24 X 12 X 12 in. for 1/4 sec. cor.
56.00	White rock road bears NE and SW.
80.00	Set a granite stone 16 X 10 X 8 in. 10 in. deep, marked 1 notch on the south and 3 notches on the west edges, with 4 pits each 24 X 12 X 12 in. for corner to sections 27, 28, 33 and 34.
	Arable low valley land. Soil 1st rate; chaparral and grass-wood vegetation.

Subdivision T. 7 S. R. 12 W

Chains East on a random line, between sections 27 and 34

Variation 17° 00' E.

40.00 Set a stone, for temporary 1/4 sec. cor.

80.12 Intersected the N. and S. line 30 links south, from corner to sections 26. 27. 34 and 35; from which corner I run;

S. 89° 47' W. on a true line, between sections 27 and 34.

40.06. Set a granite stone 12 X 10 X 5 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

80.12 The corner to sections 27. 28 33 and 34.

Arable low valley land, Soil first rate; greasewood and shadscale vegetation. —

Subdivision T. 7 S. R. 12 W.

Chains	North, between sections 27 and 28. Variation 17° 00' E.
40.00	Set a granite stone 12 X 10 X 5 in. 8 in. deep, marked 1/4 on the west side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.00	Set a granite stone 18 X 12 X 4 in 12 in. deep, marked 2 notches on the south and 3 notches on the east edges, with 4 pits each 24 X 12 X 12 inches, for corner to sections 21. 22. 27 and 28.
	Arable low valley land, Soil first rate; grass wood and shadscale vegetation. —

Subdivision T. 7 S. R. 12 W

Chains	
	East on a random line, between sections 22 and 27. Variation 17° 00' E
40.00	Set a stone for temporary 1/4 sec. cor.
79.68	Intersected the N. and S. line 14 links north from corner to sections 22. 23. 26 and 27; from which corner I run; N. 89° 54' W. on a true line, between sections 22 and 27.
39.84	Set a granite stone 12 X 8 X 6 in. 8 in. deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
79.68	The corner to sections 21. 22, 27 and 28.—

Arable valley land.— Soil first rate. Greasewood and shadscale vegetation.—

Subdivision T. 7 S. R. 12 W.

Chains	North between sections 21 and 22 Variation 17° 00' E.
40.00	Set a granite stone 18X9X5 in. 8 in. deep, marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
79.75	Beckwith pass road bears NE and SW.
80.00	Set a granite stone 18X8X5 in. 12 in. deep, marked 3 notches on the south and east edges, with 4 pits each 24X12X12 in. for corner to sections 15. 16. 21 and 22.
	Arable low valley land. Soil first rate, greasewood and shadscale vegetation.

Subdivision T. 7 S. R. 12 W.

Chains	East on a random line, 422
	between sections 15 and 22
	Variation 17° 00' E.
4.50	Beckwith pass road bears N.E. and S.W.
40.00	Set a stone for temporary 1/4 sec. cor.
80.18	Intersected the N. and S. line,
	25 links south, from corner to
	sections 14. 15. 22 and 23;
	from which corner I run;
	S. 89° 49' W. on a true line,
	between sections 15 and 22.
40.09	Set a Granite stone 13 X 10 X 5 in.
	8 in. deep. marked 1/4 on the
	north side with 4 pits each
	24 X 12 X 12 in for 1/4 sec. cor.
80.18	The corner to sections 15. 16
	21 and 22.
	Arable low valley first rate
	land; Greasewood and shads-
	cale vegetation. —

Subdivision T. 7 S. R 12 W.

Chains	North, between sections 15 and 16. Variation 17°00' E
40.00.	Set a granite stone rock 13 X 8 X 6 in. 8 in. deep, marked 1/4 on the west side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.00.	Set a granite rock 16 X 8 X 6 in 10 in. deep, marked 4 notches on the south and 3 notches on the east edges with 4 pits each 24 X 12 X 12 in for corner to sections 9. 10. 15. and 16; from which Great American Desert is about 1/4 of a mile distant and extends E and W.
	First rate arable low valley land: greaserwood and shadscale vegetation.

Subdivision T. 7 S. R. 12 W.

Chains	East on a random line, between sections 10 and 15. Variation 17° 00' E.	424
40.00	Set a stone for temporary 1/4 sec. cor.	
72.00	broken valley, and sandy hills near NW and SE.	
79.90	Intersected the N. and S. line 25 links south from corner to sections 10. 11. 14 and 15; from which corner I run; S. 89° 49' W. on a true line, between sections 10 and 15	
39.95	Set a Granite stone 14 X 7 X 7 in. 9 in. deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.	
79.90	The corner to sections 9. 10. 15 and 16.	

Low rable first rate land. East and sandy soil, broken land and grass.

Subdivision T. 7 S. R. 12 W.

Chains	
	From the established corner to sections 32. 33. 4 and 5 on the South Boundary of the township I run:
	North, between sections 32 and 33
	Variation 17° 00' East.
13.00	Road bears N.E. and S.W.
40.00	Set a granite stone 14 X 7 X 6 in. 9 in. deep, marked 1/4 on the west side, with 4 pits, each 24 X 12 X 12 in. for 1/4 sec. cor.
45.75	Road bears N.E. and S.W.
80.00	Set a granite stone 16 X 10 X 6 in. 10 in. deep, marked 1 notch on the south and 4 notches on the east edges, with 4 pits each 24 X 12 X 12 in. for corner to sections 28. 29. 32 and 33.
	Arable low valley land. Soil first-rate. Grass-wood and shadscale vegetation.

Subdivision X. 7 S. R 12 W.

Chains East on a random line, between sections 28 and 33.

Variation 17°00' E.

40.00 Set a granite stone 15 X 8 X 6 in. 10 in. deep, marked 1/4 on the north side for temporary 1/4 sec. cor.

80.28 Intersected the N. and S. line 10 links North, from corner to sections 27. 28. 33 and 34. ; from which corner I run;

N 89°56' W. on a true line, between sections 28 and 33.

40.14 Set a granite stone 15 X 8 X 6 in. 10 in. deep, marked 1/4 on the north side with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

80.28 The corner to sections 28. 29. 32 and 33.

Arable low valley land, Sis'l first rate. Shadscale vegetation.

Subdivision T. 7 S. R. 12 W

Chains	North between sections 28 and 29. Variation 17° 00' E.
40.00	Set a granite stone 14X10X4 in. 9 in. deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.00	Set a granite stone 14X8X6 in. 9 in. deep, marked 2 notches on the south, and 4 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 20, 21, 28 and 29
	Arable low valley, first rate land. Grass-wood and shadscale vegetation. —

Subdivision T. 7 S. R. 12 W

Chains East on a random line, 428
between sections 21 and 28
Variation 17° 00' E.

40.00 Set a stone for temporary 1/4 sec. cor.

80.32 Intersected the N. and S. line
40 links north from corner to
sections 21. 22. 27 and 28;
from which corner I run;
N. 89° 43' W on a true line,
between sections 21 and 28.

40.16 Set a granite stone 12 X 8 X 6 in.
8 in. deep, marked 1/4 on the
north side, with 4 pits each
24 X 12 X 12 in. for 1/4 sec. cor.

80.32 The corner to sections 20 21
28 and 29.

Arable low land. Soil
first rate. Greasewood and
shadscale vegetation —

December 1st 1877

Subdivision T. 7 S. R 12 W

Chains	North between sections 20 and 21. Variation 17°00' E.
36.25	Beckwith road bears NE and SW.
*40.00	Set a granite stone 16X12X6 in. 10 in. deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor
80.00	Set a granite stone 18X12X6 in. 12 in. deep, marked 3 notches on the south and 4 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 16. 17. 20 and 21.

Arable low valley first rate land; Greasewood and shadscale vegetation.

Subdivision T. 7 S. R. 12 W.

Chains East on a random line, between sections 16 and 21. Variation 17° 00' E.

40.00 Set a stone for temporary 1/4 sec. cor.

79.66. Intersected the N. and S. line. 20 links south, from corner to sections 15. 16. 21 and 22; from which corner Drum; S. 89° 51' W. on a true line, between sections 16 and 21.

39.83. Set a granite stone 12 X 8 X 6 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

79.66. The corner to sections 16. 17. 20 and 21.

Level bottom valley land. Soil fine rate; shadscale and greasewood vegetation. —

Subdivision T. 7 S. R. 12 W.

Chains	North, between sections 16 and 17. Variation 17° 00' E.
40.00	Set a granite stone 14 X 10 X 8 in. 9 in deep, marked 1/4 on the west side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.00	Set a granite stone 15 X 8 X 5 in. 10 in. deep, marked 4 notches on the south, and east edges, with 4 pits each 24 X 12 X 12 in. for corner to sections 8. 9. 16 and 17.
	Arable low valley land. Soil first rate; Shadscale and greasewood vegetation. Great American Desert bears North about 1/4 mile distant and extends East and West.

Subdivision T. 7 S. R. 12 W.

Chains East on a random line, between sections 9 and 16.
Variation 17° 00 East.

40.00 Set a stone for temporary 1/4 sec. cor.

80.22 Intersected the N. and S. line, 25 links north from corner to sections 9.10.15 and 16; from which corner I run;
N. 89° 49' W. on a true line, between sections 9 and 16.

40.11 Set a granite stone 14 X 8 X 4 in. 9 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

80.22 The corner to sections 8.9.16 and 17.
Arable low valley 1st-rate land. Greasewood and shadscale vegetation. —

Subdivision T. 7 S. R. 12 W

Chains	
	From the established corner to sections 31. 32. 5 and 6 on the South boundary of the township I run;
	North, between sections 31 and 32
	Variation 17° 00' E.
40.00	Set a granite stone 16X8X6 in. 10 in deep. marked 1/4 on the west side with 4 pits each 24X12X12 in. for 1/4 sec. cor.
42.00	White Rock Road bears N E and S W.
80.00	Set a granite stone 13X8X6 in. 8 in. deep. marked 1 notch on the south and 5 notches on the east edges. with 4 pits each 24X12X12 in. for corner to sections 29. 30. 31 and 32:—
	Arable first rate low valley land. Shadscale and greasewood vegetation.

BOOK
Su
Chain
40.0
80.1
40.0
80.1

BOOK-A-146 417

Subdivision T. 7 S. R. 12 W.

Chains East on a random line,
between sections 29 and 32
Variation 17° 00' East.

40.00 Set a stone for temporary 1/4 sec. cor.

2 80.14 Intersected the N. and S. line,
35 links south from corner to
sections 28. 29. 32 and 33; from
which corner I run;

2 S. 89° 45' W on a true line
between sections 29 and 32.

40.07. Set a granite rock 12X10X5 in.
8 in. deep, marked 1/4 on the north
side, with 4 pits each 24X12X12
in. for 1/4 sec. cor.

80.14 The corner to sections 29. 30. 31
and 32.

Arable low valley land.—
Soil first rate. Shadscale
and greasewood vegetation.—

Subdivision T. 7 S. R. 12 W

Chains	
	West on a random line between sections 30 and 31.
	Variation 17.00' E
40.00	Set a stone for temporary 1/4 sec. cor.
79.04	Intersected the West boundary of the township 20 links north from corner to sections 30, 31, 25 and 36; from which corner I run;
	N. 89° 51' E. on a true line, between sections 30 and 31.
39.04	Set a granite stone 14 X 12 X 4 in. 9 in. deep, marked 1/4 on the north side, with 4 pits, each 24 X 12 X 12 in. for 1/4 sec. cor.
79.04.	The corner to sections 29, 30, 31, and 32.
	Arable level valley land Soil first rate; Shadscale and greasewood vegetation.

BOOK-A-146

Subdivision T. 7 S. R 12 W.

Chains. North between sections 29 and 30.

Variation 17.00° E.

40.00 Set a granite stone 14X10X4 in. 9 in. deep, marked 1/4 on the west side, with 4 pits, each 24X12X12 in. for 1/4 sec. cor.

80.00 Set a granite stone 12X8X6 in. 8 in. deep, marked 2 notches on the south, and 5 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 19. 20. 29 and 30.

Arable low valley land, Soil first rate, – Shadscale and greasewood vegetation

December 3d 1877

Subdivision T. 7 S. R 12 W.

Chains	
	East on a random line between sections 20 and 29.
	Variation 17°00' East
7.50	Road bears N.E. and S.W.
40.00.	Set a stone for temporary 1/4 sec. cor.
80.22	Intersected the N. and S. line. 12 links south, from corner to sections 20. 21. 28 and 29. from which corner I run; S. 89°55' W on a true line between sections 20 and 29.
40.11.	Set a granite stone 12 X 8 X 6 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
80.22	The corner to sections 19. 20. 29 and 30.
	First rate arable valley land. Greasewood and shadscale vegetation

Subdivision T. 7 S. R. 12 W.

Chains. West on a random line, between sections 19 and 30.

Variation 17° 00' E.

40.00 Set a stone for temporary witness.

79.00 Intersected the West Boundary of the township, 16 links south from corner to sections 19. 30. 24 and 25; from which corner I run;

S. 89° 53' E. on a true line, between sections 19 and 30.

39.00 Set a granite stone 12 X 8 X 6 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.

79.00 The corner to sections 19. 20. 29 and 30.

Arable first rate land. covered with grass sward and shadscale vegetation

Subdivision T. 7 S. R. 12 W

Chains	North between sections 19 and 20. Variation 17°00' E.
40.00	Set a granite stone 14X8X4 in 9 in. deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.00	Set a granite stone 14X8X8 in. 9 in. deep, marked 3 notches on the south and 5 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 17. 18. 19 and 20:-
	Arable low valley land. Soil first rate; shadscale and greasewood vegetation.

Subdivision T. 7 S. R. 12 W

Chain East on a random line between sections 17 and 20.

Variation 17°00' East.

40.00 Set a stone, for temporary ¼ sec. cor.

80.32 Intersected the N. and S. line 28 links north, from corner to sections 16. 17. 20 and 21; from which corner I run; N. 89°48' W, on a true line between sections 17 and 20.

40.16 Set a granite stone 12 X 8 X 8 in. 8 in. deep, marked ¼ on the north side, with 4 pits each 24 X 12 X 12 in. for ¼ sec. cor.

80.32 The corner to sections 17. 18. 19 and 20.

Arable low valley land. Soil first rate. Shadscale and greasewood vegetation.

Subdivision T. 7 S. R. 12 W.

Chains	
	West on a random line between sections 18 and 19
	Variation 17.00° E
40.00	Set a stone for temporary 1/4 sec. cor.
79.20	Intersected the West Boundary of the township. 18 links south from corner to sections 18. 19. 13. and 24. from which corner I run:
	S. 89° 52' E. on a true line, between sections 18 and 19.
39.20	Set a granite stone 14 X 10 X 4 in. 9 in. deep, marked 1/4 on the north side, with 4 pits each 24 X 12 X 12 in. for 1/4 sec. cor.
79.20	The corner to sections 17. 18. 19 and 20.
	Arable first rate land; greenwood and shrubscale vegetation. —

BOOK-A-146 425

Subdivision T. 7 S. R. 12 W.

Chains North, between sections 17 and 18.

Variation 17°00' E.

40.00 Set a granite stone 13X8X5 in. 8 in. deep, marked 1/4 on the west side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.

80.00 Set a granite stone 15X9X5 in. 10 in. deep, marked 4 notches on the south, and 5 notches on the east edges, with 4 pits each 24X12X12 in. for corner to sections 7. 8. 17 and 18; from which the Great American Desert bears North, about 1/4 mile distant and extends E. and W.

Arable low valley land. Soil first rate; greasewood and shadscale vegetation. –

Subdivision T. 7 S. R. 12 W.

Chains	
	East on a random line between sections 8 and 17. Variation 17° 00' East.
40.00	Set a stone for temporary 1/4 sec. cor.
80.30	Intersected the N. and S. line at corner to sections 8 9. 16 and 17; from which corner Iron; West on a true line, between sections 8 and 17.
40.15	Set a granite stone 13X7X6 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.
80.30	The corner to sections 7 8. 17 and 18.
	Arable first rate low valley land. Greasewood and shadscale vegetation

Subdivision T. 7 S. R. 12 W.

Chains- West on a random line between sections 7 and 18.
Variation 17° 00' East.

4000 Set a stone for temporary 1/4 sec. cor.

79.40 Intersected the West Boundary of the township, 14 links South from corner to sections 7. 18. 12 and 13; from which corner I run;

S. 89° 54' E. on a true line between sections 7 and 18.

39.40. Set a granite stone 12X10X5 in. 8 in. deep, marked 1/4 on the north side, with 4 pits each 24X12X12 in. for 1/4 sec. cor.

79.40 The corner to sections 7. 8. 17 and 18.—

Over the low valley bottom land. Soil first rate

Subdivision T. 7 S. R. 12 W

Chains. Greasewood and shadscale vegetation. The Great American Desert bears North about 1/4 mile distant and extends East and West.

December 4th 1877.

Joseph Gorlinski
deputy surveyor.

General Description

The land surveyed in this Township is lying immediately South of the Great American Desert. The quality of the soil is first rate, consisting of low bottom valley lands, containing sufficient moisture, which are well adapted for agric-

ultural purposes, without artificial irrigation.—
These lands are also subject to irrigation, by conducting water from Sevier River, through its Old Channel, called "River bed" which has been noted in the adjoining Township.—
Vegetation consist chiefly of greasewood and shadscale growth.— North of the lands surveyed in this Township, the land is entirely unfit for cultivation, being covered by the Great American Desert, extending, North, East and West, and covering immense area, with alkali and salaratus, and bordered by sand. No mineral found, and no timber.—

BOOK-A-146

LIST OF NAMES.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of the Exterior and Subdivision lines in Township No. 2 South, Range No. 7 West; Subdivision lines in Township No. 2 South, Range No. 8 West; Exterior and Subdivision lines in Township No. 7 South, Ranges Nos. 11 and 12 West; Subdivision lines in Township No. 8 South, Range No. 11 West; and the Exterior and Subdivision lines in Township No. 8 South, Range No. 12 West of the Salt Lake Meridian in the Territory of Utah.

showing the respective capacities in which they acted.

George Chandler *Chainman.*
William H. Golding *Chainman.*
Joseph Curver *Flagman.*
Louis Reich *Axeman.*

hich

We hereby certify that we have assisted

Joseph Osorlinski

U. S. Deputy Surveyor in surveying the

Exterior and Subdivision lines in Township No. 2 South, Range No. 7 West; Subdivision lines in Township No. 2 South, Range No. 8 West; Exterior and Subdivision lines in Township No. 7 South, Range No. 11 and 12 West; Subdivision lines in Township No. 8 South, Range No. 11 West, and the Exterior and Subdivision lines in Township No. 8 South, Range No. 12 West, of the Salt Lake Meridian in the Territory of Utah

and that said Surveys

have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

George Chandler Chainman.

William H. Golding Chainman.

Joseph Turner Flagman.

Louis Reich Axeman.

Subscribed and sworn to by the above named persons, before me, a Notary Public in and, for the County of Salt Lake, in the Territory of Utah, this 8th day of December 1877

Wm Hyndman
Notary Public

BOOK-A-146

I, Joseph Gorlinski

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a Joint contract with

Nathan Kimball

Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 4th day of September 1876, and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions furnished by the said Surveyor General, I have faithfully surveyed the Exterior and Subdivision lines in Township No. 2 South, Range No. 7 West; Subdivision lines of Township No. 2 South Range No. 8 West; Exterior and Subdivision lines in Township No. 7, Ranges Nos. 11 and 12 West; Subdivision lines in Township

452436

No. 8 South Range 11 West; and the Exterior and Subdivision lines in Township No. 8 South, Range 12 West of the Salt Lake Meridian

In the Territory aforesaid, and do further solemnly swear that the foregoing are the tr[illegible] and original Field Notes of such survey.

Joseph Gorlinski
U. S. Deputy Surveyor.

Subscribed by the said Joseph Gorlinski *U. S. Deputy Surveyor and sworn to before me, a* Notary Public *for the county of* Salt Lake *in the Territory of Utah, this* 15th *day of* December *1877*

Wm Hyndman
Notary Public

BOOK-A-146

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Jany 2d 1878

The foregoing field notes of the survey of the ...

Subdivision Lines

Township No. 7 South Range No. 12 West

Salt Lake Meridian

Executed by Joseph Gorlinski

Under his Joint contract 74 of the 4th

day of September 1876, in the month of

Nov. and Dec. 1877, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Nathan Kimball

U. S. Surveyor General for Utah.