Township

6 11

113

7 10

109

18 10

106

19 10

103

30 101

100

31 97

17

7th

BOOK-A-150

Examined by M. T. Burgess. C. C.

Field Notes,

of

The Survey of the

7th Standard Parallel South

in Range 3 & 4 West,

of the

Salt Lake Meridian

Utah Territory,

By,

D. C. Bailey and J. G. Burrill,

Under their first Contract No. 78

dated Sept 4th 1876,

Survey Commenced Nov. 17th 1876

Survey Completed Nov. 18th 1876

17th Sta
BOO
S

hains, Sec
17th
S
to
W
the
Ea

39,00 Ea
eK
40,00 Se
dec
& r
fro
for
0,00 Se
X 10
5 n
on
of

17th Standard Parallel, S. R. 3 W. of the
Salt Lake Meridian.

Chains, Survey commenced November
17th 1856, by J. T. Burrill,
From the Standard Corner
to Township 35 S, Rs, 3 & 4
W, established by myself
this day, Course
East along S, side Sec, 31,
Var, 16° 30' E,

39,00 East fork Sevier River 15
lks, wide, 12 in, deep, runs N.E.

40,00 Set Limestone 13 x 9 x 6, 9 in.
deep marked 1/4 on N, side,
raised a mound of earth
from 4 pits, each 24 x 12 x 8 in,
for 1/4 Sec. Cor.

0,00 Set Quartzite rock 18 x 14
x 10 in, 12 in, deep, marked
5 notches on E, 6 on N, & 1
on W, edges, and raised a mound
of earth from 3 pits, each

7th Standard Parallel South in Range 3

24×12×12 in, N, E, & W, of Cor, 5 ft distant for Standard Corner to Secs, 31 & 32,

Land level,

Soil Pt rate

No Timber,

East along the S. side Sec. 32

Var, 16° 30' E.

40,00 Set Quartzite 14×10×8 in, 9 in, deep, marked 1/4 on S side, and raised a mound from 4 pits, each 24×12×1 for 1/4 Sec. Cor.

80,00 Set Sandstone 14×4×4 in, 9 in, deep, marked 4 notch on E. Cor N, & 2 on W. edges, and raised a mound

South Range 3, West of the Salt Lake Meridian

of earth from 3 pits each 24×12×12 in, E, N, & W, of Cor, 5 ft. dist, for Standard Cor, to Secs. 32 & 33,

Land level,

Soil 1st rate,

No timber,

November 17 1876,

J. G. Burrill,

East along S, side Sec. 33,

Var, 16° 30' E,

40,00 Set small stone marked with a cross (+) in mound of earth from 4 pits each 24×12×12 in, for 1/4 Sec, Cor,

80,00 Set Limestone 15×4×6 in, 10 in, deep, marked 6 notches on N, & 3 on E & W, edges and raised a mound of

7th " Standard Parallel South in
stones for Standard Cor.
Secs, 33 & 34.
Land level,
Soil 1st rate,
No timber,

East along S. side Sec 34,
Var, 16° 30' E,
19.50 Trail bears N. & S,
39.00 " " " "
44.00 Set limestone 16×10×6 in,
11 in. deep, marked 1/4 on N.
side, and raised a mound
of earth from 4 pits, each
24×12×12 in, for 1/4 Sec. C
80.00 Set Limestone 15×6×3 in,
10 in. deep, marked 2 notch
on E, 4 on W. & 6 on N. edge
and raised a mound of

Range 3 West, Salt Lake Meridian

Earth fm 3 pits, each 24 x 12 x 12 in, E. N. & W. of Cor, 5 ft, dist, for Standard Cor, to Secs. 34 & 35,
Land rolling,
Soil 2nd rate,
No timber,

East along S. side Sec. 35
Var. 16° 30' E,
31.00 Rim of Great Salt Lake Basin, bears N.E. & S.W,
Here take dinner while we admire the wild extended scene to the South for hundreds of miles, The Country is very broken & rocky, Descend to
40.00 Set Limestone 16x10x6 in,

4th Standard Parallel South in Range

Stones, 11 in. deep, marked 1/4 on S.
side, & raised a mound of
stones for 1/4 Sec. Cor.
Enter timber, the line becomin
impracticable in place, Jrun
North, 20.00 chs, thence East
40.00 chs. to,

8.00 Point on line bet. Secs. 35 & 36
Thence S. 12.20 chs. to a point on
N. edge of abrupt descent,
where I set a limestone
25 x 14 x 13 in, 18 in. deep,
marked 1 notch on E. &
5 on W. edge W.C. & raised
a mound of stones for
witness Standard Corner
to Secs. 35 & 36, from which
Aspen 9 in. dia, bears S. 85
10 lks. dist, marked S. 36
W.C. B.T.

Range 3 West, Salt Lake Meridian

A pine 25 in, dia, bears N, 40, W, 160 lks, dist, marked S. 35 W. C. T. 35 S. R. 3 W. B. T. High Butte 10 chs, West of Cor, Land broken, Soil 2nd rate, Timber, pine & Cedar of Commercial Value on E. 40, Chs, The line further East, is impracticable I abandon it here,

November 14th 1876,

J. C. Bailey,

November 18th 1876,

By J. G. Burrill,

From the established Standard Corner, To Tks,

1th Standard Parallel South in
35 & 36 S, Ranges 3 & 4 W, Irun
West along South Side, Sec, 36
Var, 16° 30' E,

15,00 Enter timber of Commercial Valu
bears N.E. & S.W. & ascend,

30,00 Ridge bears N.E. & S.W.

40,00 Set Quartzite 14×7×5 in, 9 in,
deep, marked 1/4 on N. side,
and raised a mound of
Stones for 1/4 Sec, Cor, from which
A pine 10 in, dia bears N. 45 E,
45 lks, dist, marked 1/4 S. B.

80,00 Set Quartzite rock, 12×8×7
in, 8 in, deep, marked 1 notch
on E, 6 on N. and 5 on W. edge
and raised mound of stone for
Standard Cor. to Secs. 35 & 36,
from which,
A pine 12 in, dia, bears N.
30 E, 45 lks, dist, marked

Range
S.
A
6
D
S
S
of
W
C
S.
Se
8 i
ri
of
R
Se

Range 4 West, Salt Lake Meridian.

S. 36, T. 35 S, R. 4 W, B. M.

A pine 15 in, dia, bears N. 50 W.
60 lks, dist, marked S. 35 B.T.
Land undulating
Soil Federale,
Timber, large yellow Pine
of Commercial Value, on
N. 65.00 chs,

West along S. side Sec. 35,
Var, 16° 30' E,
18.00 Road to Berrys Ranch, bears,
S.W.
40.00 Set Quartzite rock 12x8x4 in,
8 in, deep, marked 1/4 on N,
side, & raised a mound
of stones for 1/4 Sec. Cor,
3.50 Road bears N. & S.
10.00 Set truchyte 12x8x6 in,

17th Standard Parallel South

Chains, 8 in. deep, marked 2 notches on E, 6 on N, & 4 on W, edges, and raised mound of stones, for Standard Cor. to Secs. 34 & Land undulating

Soil 1st rate,

Timber long leaf pine of Commercial Value,

West along South side Sec. 34

Var. 16° 30' E

5.00 Road to Berry's Ranch bears N & S.

40.00 Set Quartzite stone 12×10×6 8 in. deep, marked 1/4 on N. side and raised a mound of stone for 1/4 Sec. Cor. from which, Alpine 20 in. dia. bears N, 50 W, 178 lks. dist. marked 1/4 S.B.T.

70.00 Leave Timber,

Range 4 West, Salt Lake Meridian

ains, 0,00 Set Quartzite rock 13x8x7 in, 9 in. deep, marked 6 notches on N, 3 on E & W, edges and raised a mound of stones for Standard Corner to Secs, 33 & 34,

Land undulating.

Soil 1st rate,

Timber, long leaf pine of Commercial Value on E.

0,00 Chs,

West along S. side, Sec. 33

Var, 16° 30' E,

0,00 Set trachyte 12x8x6, 8 in. deep, marked 1/4 on N. side and raised mound of stones for 1/4 Sec. Cor,

59,00 Road bears N. E. & S. W.

17th Standard Parallel South

chains,
64,50 Same road bears N.W. & S.E.
65,50 Road to Clifton runs S.E.
~~66,50 Enter Arm of Valley bears N.W. & S.E.~~
71,45 Cayotte Spring N. 375 eks,
80,00 Set Trachyte stone 12 x 8 x 6
8 in. deep, marked 4 notch
on E, 6 on N, & 2 on W, edge
and raised mound of stones
for Standard Cor. to Secs,
32, & 33,
Land mostly undulating
Soil 1st rate,
No Timber,

West along S. side Sec. 32,
Var. 16° 30' E,
40,00 Set trachyte rock 12 x 8 x 6
8 in. deep, marked 1/4 on N

Range 4 West, Salt Lake Meridian

[illegible] side and raised mound of
stones for 1/4 Sec. Cor.
60,00 Enter timber,
80,00 Set charred pine stake
4 ft. long, 4 in. square, 12.
in. deep, marked 5 notches on
E, 6 on N, & 1 on West edges,
in mound of stones for Standard
Corner, to Secs. 31 & 32, from
which,
A pine 5 in. dia, bears N. 60 W,
7/4 lks. dist. marked S. 31, T. 35
S, R. 4 W, B.T.
A pine 7 in. dia; bears N. 50 E,
45. lks. dist. marked S. 32, B.T.
Land undulating,
Soil 1st rate,
Timber large yellow pine
of Commercial Value, on
West. 20,00 Chs.

17th Standard Parallel South.

Chains Note, At this point.
(Everything being equal)
had the proper allowance
for the Convergency of Merid
been made in former Surveys
between the Base line and the
6th Standard South, (As was
made by us between the 6th
Standards in 1874) I shou
intersect the Standard con estab
lished by us in 1874, but
on the Contrary I find that
Cor. to be about 4 miles Wed 0,00
As near as can be determi
without actual measurement
which is impracticable on
Account of the rocky bluff
and rugged nature of the
space lying between this
point and Panguitch Valley

Range 4

ains, No
Ip, s
file
Offic
Conf
as i
show
plat

We

Se
4 i
1/4 a
Stor
fro
A
12
B

Range 4 West, Salt Lake Meridian

Now as there is a plat of Tp, 35 S, R, 4 W, already on file in the Surveyor General's Office, it is necessary, to avoid confusion, to designate that Tp, as T, 35 S, R, 4½ W, which change should be made in the notes & plats of said Tp, now on file,

---

Start along South side Sec. 31,
Var. 16° 30' E,

Set a charred post, 4 fat long 4 in. square, 12 in. deep, marked 1/4 on N, side, in mound of stones, for 1/4 Sec, Cor,

from which,

A pine 18 in. dia, bears N, 10 W, 127 lks, dead marked 1/4 S, B.T,

BOOK-A-150

Township 35 S. Range 3 W.

6	114	5	96	4	85	3	73	2	60	1	39
113		112		95		84		72		59	
7	100	8	94	9	83	10	71	11	58	12	41
109		108		93		82		70		57	
18	107	17	92	16	81	15	69	14	55	13	42
106		104		91		80		67		54	
19	104	20	90	21	79	22	66	23	53	24	43
103		102		89		78		65		52	
30	101	29	88	28	77	27	64	26	51	25	
100		99		87		75		63			
31	97	32	86	33	74	34	62	35	49	36	
17		18		19		20		21			

7th Standard Parallel South

7th

Chains, 80,00

Standard Parallel South.

On a small Knoll near divide between Emery and Panguitch Valleys, set a white sandstone 18x16x12 in, 12 in, deep, mark 6 notches on N.E. & W. edge and raised a monument of stones, for Standard Cor. to Sp. 35 S, R. 4 W, from which,

A pine 20 in. dia, bears N, 30 W, 50 lks. dist, marked S. 36, T. 35 S. R 4½ W, From

A pine 22 in. dia, bears N, 89° 30' W, 250 lks. dist on divide bet. Panguitch and Emery Valleys:—

Old "Baldy" highest mountain in Utah bears N. 6° 8' W,

Range 4 West. Salt Lake Meridian.

Twin peaks, bear. N, 44° 50' W.

South point of Panquitch plateau bears N. 1° 47' W.

Land broken N. slope,

Soil 2nd rate,

Timber, large pine of Commercial Value,

Note; For General Description see end of Sub-division Notes of Tp. 35 S. Rs. 3 & 4 W.

Nov. 18th 1876.

J. G. Burrill,

BOOK-A

Survey
Salt L
The fong
Survy f
outh i
alt La
Execute
Burrill
act to
the mou
ru cr
ucesso
xplota
ield no
Describ

Surveyor Generals Office, Utah.
Salt Lake City February 10th 1877
The foregoing field notes of the
Survey of the 7th Standard Parallel
south in Range 3 & 4 west of the
Salt Lake meridian Utah Territory,
Executed by T. C. Bailey and J. S.
Burrill under their joint contra-
ct No 73. of Sept 4th 1876. in
the month of November 1876 having
been critically examined the
necessary corrections and
explorations made the said
field notes and the surveys they
describe are hereby approved

Nathan Kinzbach
Surveyor General

BOOK

10 6 Era

E

T

Ja

c

C

Sa

BOOK-A-150

10 6 Examined by M. T. Burgess. [illegible]

Ex. 4 C — 6 + 12

Field Notes
of
the Survey of the
East boundary
of
Township 35 South, Range 3 West,
of
The Salt Lake Meridian
Utah Territory
By
T. C. Bailey,
under Joint Contract of
Bailey & Burrill No. 7B
dated Sept, 4th 1876,

Surveyed Nov, 11th 1876,

BOOK-A-150

Township 35 S. Range 1 W.

		125		124		123		122		121
6		5	170	4	160	3	150	2	139	1
		180		169		159		149		138
7	179	8	168	9	158	10	148	11	137	12
178		177		167		157		147		136
18	177	17	166	16	156	15	146	14	135	13
		166		165		155		146		134
19		20	164	21	154	22	145	23	133	24
		175		163		154		144		132
30	173	29	163	28	153	27	142	26	131	25
172		172		162		152		141		130
126 31	171	32	161	33	151	34	140	35	129	36
31		28		27		26		25		24

7th Standard Parallel South

East Da
Sai

Chains, C

E
to
Se
G

10,00 Se
de
on
fro
in
68,00 B
71,00 In
Ca
Sa
de
on
du

East Boundary Tp, 35 S. R. 3 W.
Salt Lake Meridian

Chains, November 11th 1876,
By. T. C. Bailey,
From the established cor,
to Tps, 34 & 35 S, Rs, 2 & 3 W,
Set by myself on the 8th inst,
Trun,
South bet, Secs, 1 & 6,
Var. 16° 30' E,

10,00 Set Sandstone 15x10x5 in, 10 in,
deep, marked 1/4 on W. side,
& raised mound of earth
from 4 pits, each 24x12x12
in, for 1/4 Sec. Cor,

68,00 Butte bears W, 4 chs. dist,

71,00 Intersect margin of swampy
lake, bears N. W. & S. E. Set
Sandstone, 20x13x8 in, 15 in
deep, marked W. C, 1 notch
on N, and 5 on S, edges
and raised mound of

East Boundary Tp, 35 S, R, 3 W,

Chains Stones for Witness, Cor.

To avoid the Swamp I
run East 6 chs, thence
South 9,00 chs, to
80,00 Point 6,00 chs, East of true
Cor, on East Margin of lake
bears N. & S, where I set
Limestone 12 x 8 x 6 in, 8 in,
deep, marked W.C. 1 notch
on No 5 on S, edges and
raised mound of stones f
W. Cor, to Secs, 1, 6, 7 & 12,
Land level,
Soil 1st rate
No timber
Note, Swamp can be
drained,

BOOK-A-

Sa
S
Tr
of
Se
a
th
t
40,00 S
8 in
se
of
S
60,00 Se
76,50 R
80,00 S
w/i
N
&
fo

Salt Lake Meridian
Smith bet, Secs. 6 & 12,
Var. 16° 30' E.
From point 4,00 chs. East
of Witness Cor, on line bet,
Secs. 6 & 7, Town Smith on
an offset line, 4,00 chs,
thence West 10,00 chs, to
true line at
4,00 Set Sandstone 12x8x7 in
8 in, deep, marked 1/4 on W.
side, in Swampy ground,
pits impracticable, for 1/4
S. C. Cor,
60,00 Leave swamp, bears N.E. & S.W.
76,50 Ridge bears N.E. & S.W.
80,00 Set trachyte stone 16x12x
7 in, 11 in, deep marked 2
Notches on N. & 4 on S. edges,
& raised mound of stones
for Cor. to Secs. 7, 12, 13 & 18,

East Boundary Tp. 33 S. R 3 W.

Chains. from which,

A pine 20 in. dia. bears N. 42 W. 117 lks. dist. marked S. 12, T. 35 S. R. 3 W. B.T.

A pine 28 in. dia. bears S. 53 E. 160 lks. dist. marked S. 18, T. 35 S. R. 2 W. B.T.

Land S 1/4 rolling,

Soil 2nd rate

N 3/4 Swamp, Soil 1st rate

No Timber,

South bet. Secs. 13 & 18

Var. 16° 30' E.

39.80 Road bears N. E. & S. W.

40.00 Set trachyte stone 14 x 8 x 5 in. 9 in. deep, marked 1/4 on W side, & raised mound of stones, for 1/4 Sec. Cor.

Salt Lake Meridian.

Chains. 80,00 Deposited small stone marked with a Cross (+) in mound of earth from 4 pits, each 24×12×12 in. & drove a stake 24×2×2 in, 12 in. deep, in the S.E. pit, marked 3 notches on N. & S. edges, for Cor. to Secs. 13, 18, 19 & 24,

Land undulating,

Soil Pr. rate,

No timber,

South bet. Secs. 19 & 24

Var. 16° 30' E.

31,00 Enter timber bears N.E. & S.W.

40,00 Set sandstone 13×12×12 in, 9 in. deep marked 1/4 on W. side & raised mound of

East Boundary T. 35 S, R. 3 W,

10 chains stones for 1/4 Sec, Cor,
from which,
A pine 34 in, dia, bears
S. 36 lks, disk marked
1/4 S, B.T.
45,50 Nash drains N.W,
60,00 Ridge bears E. & W,
79,95 Bottom of ravine drains
N.W,
80,00 Set Limestone 18 x 5 x 5 in,
12 in, deep, marked 1/4
Notches on N, & 2 on S,
edges raised mound
of stones for Cor, to Secs,
19, 24, 25 & 30, from whe
A Red pine 14 in, dia,
bears S. 20 E, 5 lks, disk
marked S. 30 T. 35, S,
R. 2 W, B.T.
A Red pine 10 in, dia,

Salt Lake Meridian

bears N. 50 W. 16 lks. dist,
marked S. 24, T. 35 S.,
R. 3 W. B.T.,
Land rolling,
Soil 2nd rate,
Timber large yellow
pine on S. 3 lots,

Note, The line further South becomes impracticable on account of the mountains along the Rim of the Great Salt Lake Basin,

For General Description and Approval see end of Subdivision notes of this township,

November 11th 1876,

J. C. Bailey,
U. S. Deputy Surveyor,

BOOK

Exa

BOOK-A-150

Examined by M. T. Burgess. C. C.

Field Notes
of
the Survey of the
Subdivision lines
of
Township 35 South, Range 3 West.
of
The Salt Lake Meridian
Utah Territory
By,
J. L. Bailey and J. G. Burrill,
Under their Joint Contract No. 78,
dated Sept. 4th 1876.

Survey commenced Nov. 22nd 1876.
Survey completed Nov. 24th 1876.

BOO

Subdiv

Chains,

I

7.8

C

au

M

A

15,00 S

Sa

fr

vie

a

10

M

see

of

th

br

BOOK-A-150

Subdivisions Tp. 35 S. R. 3 W.
Salt Lake Meridian,

Chains, November 22nd 1876,
By T. C. Bailey.

I begin at the Witness corner, 7,80 chs, N. of true Standard Corner, point to Secs, 35 & 36, and run,

North bet, Secs, 35 & 36,
Var, 16° 30' E,

Ascend S. E. slope

15,00 Summit of Rim of Great Salt Lake Basin bears E. & S.W. from which I have a fine view of Pah Ria River Canons; a few houses in Clifton about 10 miles South, the Buckskin Mountains in Arizona; Can see no level country or valley of any size worthy of note the country is very rocky and broken as far as the eye

Subdivisions Tp. 35 S. R. 3 W.

Chains	Can reach, The whole scene is wonderful & grand,	Chains
14,00	Set a limestone 13×10×8 in, Pin, deep, marked 1/4 on W. side, ~~for 1/4 Sec. Cor~~, with mound of stones for 1/4 Sec. Cor, from which,	
	A pine 12 in, dia, bears S. 80 W. 25 lks, dist, marked 1/4 S. B.T.	
80,00	Set Limestone 14×10×8, in. Pin deep, marked 1 notch on E. & S. edges, with mound of stones for Cor, to Secs, 25, 26, 35 & 36, from which,	17,00
	A pine 22 in, dia, bears N. 30 W. 76, lks, dist, marked S. 26, T. 35 S. R. 3 W. B.T.	40,00
	A pine 11 in, dia, bears S. 20 E. 45 lks dist; marked S. 26 B.T.	45,00
		55,00
		80,00

Salt Lake Meridian

Chains	Land very broken,
	Soil 2nd rate,
	Timber large pine
	As it is impracticable to run East, I run,
	North bet. Secs. 25 & 26,
	Var. 16° 30' E.
17,00	Ravine drains N. W.
40,00	Set Limestone 13 x 8 x 4 in, 8 in, deep, marked 1/4 on W. side, for 1/4 Sec. Cor. from which A pine 16 in. in dia, bears S. 15 W. 29 lks. dist. marked 1/4 S. B. F.
45,00	Ravine drains W.
55,00	Leave Timber at foot of hills, bears E. & W.
80,00	Set limestone 13 x 8 x 6 in, 8 in,

Subdivisions T. 35 S. R. 3 W.

Chains, deck, with mound of earth from 4 pits, each 24×12×12 in, marked 1 notch on E. & 2 on S. edges, for cor. to secs. 23, 24, 25 & 26.

Land rolling.

Soil 2nd rate

Timber, large yellow pine & cedar,

East on random line bet. secs. 24 & 25,

Var. 16° 30' E.

20,00 Enter timber bears N.E. & S.W.

40,00 Set temporary 1/4 sec. cor.

45,00 Wood road bears N.W. & S.E.

47,50 Wash drains N.W.

80,05 Intersect East boundary at cor. to secs. 19, 24, 25 & 30 from which.

Chains,

40,03

80,05

40,00

Salt Lake Meridian

Chains,	West on true line bet
	Secs, 24 & 25,
40,03	Set Limestone 13×12×8 in, 8 in, deep, with mound of stones, marked 1/4 on N. side for 1/4 Sec, Cor, from which,
	A pine 28 in, dia, bears S. 80 E. 28 lks, dist, marked 1/4 S.B.T.
80,05	The cor, to Secs, 23, 24, 25 & 26,
	Land rolling,
	Soil 2nd rate
	Timber E. 60 chs, large pine,

North bet, Secs, 23 & 24,

Var, 16° 30' E.

40,00	Set Limestone 13×10×5 in, 8 in, deep, with mound of earth from 4 pits, each 24×12×12 in, marked 1/4 on W. side for 1/4 Sec, Cor,

Subdivisions Tp. 35 S. R. 3 W.

Chains.		Chains
70,00	Enter prairie, bears N.E. & S.W.	110,00
80,00	Deposited a small stone marked with a cross (+) in mound of earth raised from 4 pits, each 24×12×12 in. & drove a cedar stake in S.E. pit, 24×2×2 in. marked 3 notches on S. & 1 on E. edges for Cor to Secs. 13, 14, 23 & 24.	80,50
	Land level,	110,25
	Soil Prairie	
	No timber,	
		80,50

East on random line 1 ch.

Secs. 13 & 24.

Var. 16° 30' E.

10,00	Leave prairie,
22,25	Log house 9 rods N.
25,00	Corner of two fences N. 125 rds, 1 bears N. 65° W., & 1 N. 26½

25,76

East Lake Meridian,

Chains,
10,00 Set temporary 1/4 Sec. Cor.
8,50 Intersect E. boundary at
Cor. to Secs. 13, 18, 19 & 24 from
which,
West on true line bet.
Secs. 13 & 24,
11,25 Set Charred stake 24x2x2 in.
12 in. above ground, with
mound of earth from 4 pits
each 24x12x12 in. marked 1/4
on N. side, for 1/4 Sec. Cor.
8,50 The cor. to Secs. 13, 14, 23 & 24,
Land level prairie
Soil Pitrate
No timber,

North bet. Secs. 13 & 24
Var. 16° 30' E.
25,76 Fence line bears N.W. & S.E.
and Slough Creek runs N.E.

Subdivisions T. 35 S. R. 3 W.

Chains.	
40,00	Set trachyte 18x6x4 in. 18 in. deep, with mound of earth from 4 pits each 24x12x12 in marked 1/4 on W. side, for 1/4 Sec. Cor.
55,75	Fence line bears N. 65° W. & S. 65° E.
60,40	Creek runs N. E.
63,50	Fence line bears N. E. & S. W. leave wet meadow,
64,00	Road bears N. E. & S. W.
80,00	Set trachyte 16x8x8 in 12 in. deep, with mound of stones, marked 1 notch on E. & 4 on S. edges, for cor. to Secs. 11, 12, 13 & 14 from which,
	Ilakes House bears N. 44° E.
	Adams house on E. side of meadow bears S. 69° 36' E.
	Land level prairie
	Soil 1st rate,

Chains

3,25

5,70

21,00

40,00

46,50

63,00

80,10

East. Lake Meridian.

Chains No Timber

East on random line bet.
Secs. 12 & 13,
Var. 16° 30' E.

3,25 Road bears N.E. & S.W.

5,70 Fence bears N.E. & S.W. enter meadow,

21,00 Creek runs N.E. 2ft. deep, 20 lks. wide,

40,00 Set temporary 1/4 sec. cor. from which,
Adams Lake bears S. 34° E.

46,50 Creek runs N.E. 2ft. deep. 20 lks. wide

63,00 Leave meadow, foot of ridge bears S.W.

80,10 Intersect N. & S. line 30 lks. N.

Subdivisions Tp. 35 S. R. 3 W.

of Cor. to Secs. 7, 12, 13 & 18 from which,

N. 89°47' W on true line bet. Secs. 12 & 13.

40,05 Set trachyte 10 x 8 x 7 in. 6 in. deep marked 1/4 on N. side for 1/4 Sec. Cor.

80,10 The Cor. to Secs. 11, 12, 13 & 14.

Land level & rolling.

Soil Pt rate.

No Timber.

North bet. Secs. 11 & 12.

Var. 16° 30' E.

40,00 Set trachyte 16 x 8 x 8 in. 12 in. deep with mound of stones, marked 1/4 on W. side, for 1/4 Sec. Cor. from which

Flakes house bears S. 34° 48'

Salt Lake Meridian

Chains	
	E,
79,95	Wood road bears N.W. & S.E.
80,00	Set trachyte 14 x 8 x 3 in, 9 in, deep, with mound of stones, marked 1 notch on E, & 5 on S, edges, for cor. to Secs, 1, 2, 11 & 12, Land gently rolling slope facing E,
	Soil 2nd rate,
	No Timber

As the line will reach the lake in less than 80. chs I run East on true line bet, secs, 1 & 12,

Var, 16° 30' E,

10,75	Road bears N. & S.
28,50	Edge of Lake swamp bears N.W. & S.E.

Subdivisions Tp. 35 S. R. 3 W.

Chains,	Set trachyte 10×10×6in, 6in, deep, with mound of stones marked 1/4 on N. side, and W. C. for witness Cor. to 1/4 Sec. Cor.
80,10	The corner falling in Lake as ascertained by triangulation to Witness Cor. E. of Lake on line bet. Secs. 6 & 7.
	Land level & partly marshy lake.
	Soil Pt rate
	No timber,

North on random line bet. Secs. 1 & 2.

Var. 16° 30' E.

40,00	Set temporary 1/4 Sec. Cor.
80,20	Intersect North boundary of township at Cor. to Secs.

Salt Lake Meridian,

Chains,	1, 2, 35 & 36 from which, South on true line bet. Secs, 1 & 2,
40,20	Set trachyte 12 x 4, x 6 in, 8 in, deep, with mound of stones, marked 1/4 on W. side, for 1/4 Sec. Cor,
80,20	The cor. to Secs, 1, 2, 11 & 12, Land level prairie Soil 1st rate, No Timber, November 22nd 1876, T. C. Bailey,

November 22nd 1876,
By. J. G. Purrill,
From the Cor. to Secs. 2, 3, 34 & 35, on South boundary of township, I run,

Subdivisions Tp. 35 S. R. 3 W.

Chains	North bet. Secs. 34 & 35
	Var. 16° 30' E.
40.00	Set boulder 13x12x9 in 8 in. deep, with mound of earth from 4 pits, each 24x12x12 in, marked 1/4 on N. side for 1/4 Sec. Cor.
64.00	Enter timber bears N.W. & S.E.
80.00	Set limestone 16x10x12 in. 12 in. deep, with mound of earth from 4 pits each 24x12x12 in marked 2 notches on E. & 1 on S. edges for Cor. to Secs. 26, 27, 34 & 35 from which
	A pine 45 in. dia. bears S. 45 W. 8 lks. dist. marked T. 25 S. R. 3 W. S. 34 B.T.
	Land undulating
	Soil 2nd rate,
	Timber N. 16 chs. large pine,

Salt Lake Meridian

Chains,	East on random line bet, Secs, 26 & 35,
	Var, 16° 30' E,
39,90	Slight ravine drains N.W.
40,00	Set temporary 1/4 Sec, Cor,
60,00	Top of Butte,
80,05	Intersect N. & S. line 20 lks. N. of Cor, to Secs, 25, 26, 35 & 36 from which,
	N, 89° 51' W, on true line bet, Secs, 26 & 35,
40,03	Set limestone 14 x 10 x 6 in, 9 in, deep, with mound of earth from 4 pits each 24 x 12 x 12 in, marked 1/4 on N. side, for 1/4 Sec, Cor, from which,
	Apine 14 in, dia, bears S, 10° W 40 lks. dist, marked 1/4 S, B.T,
	Apine 10 in, dia, bears N, 12° W, 60 lks, dist, marked 1/4 S, B.T.

Subdivisions Tp. 35 S. R. 3 W.

Chains	
80,05	The cor. to Secs. 26, 27, 34 & 35
	Land undulating
	Soil 2nd rate,
	Timber large pine,

North bet. Secs. 26 & 27,
Var. 16° 30' E,

40,00	Set limestone 13 x 8 x 7 in, 8 in. deep, with mound of earth from 4 pits, each 24 x 12 x 12 in, marked 1/4 on W. side, for 1/4 Sec. Cor. leave timber bears E. & W.
73,00	Corral 6,00 chs. E. enter Marsh, bears N.E. & S.W.
80,00	Set limestone 18 x 12 x 11 in, 12 in. deep, in marsh, no pits, marked 2 notches on E. & S. edges for cor. to Secs. 22, 23, 26

East Lake Meridian

Chains, v 27,

Head of marsh 49,00 chs, W,

Land nearly level,

Soil Pitrate,

Timber large yellow pine on S, 40 chs,

East on random line bet,

Secs, 23 & 26,

Var, 16° 30' E,

10,00 Leave marsh, bears N.E. & S.W,

40,00 Set temporary 1/4 Sec Cor,

49,50 Road bears N. & S,

55,00 N. point of timber,

80,00 Intersect N. & S. line 40 lks,

S. of Cor. to Secs, 23, 24 25, & 26,

from which,

S, 89° 43' W, on true line

bet, Secs, 23 & 26,

Subdivisions Tp. 35 S. R. 3 W.

Chains.		Chains
40,00	Set Sandstone 13×9×6 in, 8 in, deep, with mound of earth from 4 pits, each 24×12×12 in, marked 1/4 on N. side, for 1/4 Sec. Cor,	80,00
80,00	The Cor, to Secs, 22, 23, 26, & 27, Land undulating, Soil 2nd rate, No Timber,	
	North bet, Secs, 22 & 23, Var, 16° 30' E,	
40,00	Set Sandstone 13×11×6 in, 8 in, deep, marked 1/4 on W, side, for 1/4 Sec, Cor, in marsh,	20,50
	no pits,	21,50
51,00	East fork Sevier River, runs N.E. 12 lks, wide - leave marsh.	23,75
56,50	Road bears S.W. & N.E. Ascend,	40,00

Salt Lake Meridian.

Chains, 80,00	Set trachyte 13×10×7 in, 9 in, deep, marked 2 notches on E, & 3 on S, edges, & raised a mound of earth from 4 pits each 24×12×12 in, for cor. to Secs, 14, 15, 22 & 23,
	Land level,
	Soil S½ marshy, 1st rate,
	No Timber.
	East on random line bet,
	Secs, 14 & 23,
	Var, 16° 35' E,
20,50	Foot of hills, enter meadow.
	bears N.E. & S.W.
21,50	Road bears N.E. & S.W.
23,75	E, fork Sevier River 20 lks wide,
	1 foot deep runs N.E, enter swamp,
40,00	Set temporary 1/4 Sec. Cor,

Subdivisions of, 35 S. R. 3 W.

Chains	
41,00	Slough drains N. E,
74,25	" " "
80,00	Intersect N. & S. line 25, lks. S. of Cor. to Secs. 13, 14, 23 & 24. from which, S. 89°49' W on true line bet. Secs. 13 & 24.
40,00	Set small marked stone and stake 2x4x2 in. 12 inches above ground with mound of earth from 4 pits, each 24x12x12 in. marked 1/4 on N. side for 1/4 Sec. Cor.
80,00	The cor. to Secs. 14, 15, 22 & 23 Land mostly swamp & meadow. Soil 2nd rate, No timber.

Chains

40,00

69,00

80,00

Salt Lake Meridian

Chains North bet, Secs. 14 & 15,

Var. 16° 30' E,

110,00 Set trachyte 16x10x8 in 12 in, deep, with mound of stones, marked 1/4 on W, side for 1/4 Sec, Cor, from which,

A pinion pine 15 in, dia, bears N, 80° E, 208 lks, dist, marked 1/4 S. B.T. Ascend rocky hill & enter timber bears E & W,

69,00 Ridge bears E. & W. descend,

80,00 Set trachyte 13x8x8 in, 9 in, deep, with mound of stones, marked 2 notches on E, & 4 on S, edges for cor to Secs, 10, 11, 14 & 15,

Land rolling,

Soil 2nd rate,

Timber, Scattering Cedar & pine

Subdivisions Tp. 35 S. R. 3 W.

	East on random line bet.	Chains
	Secs. 11 & 14.	
	Var. 16° 30' E.	
15,00	Ravine drains N.	
39,00	" " "	
40,00	Set temporary 1/4 Sec. Cor.	
55,00	Top of Conglomerate ledge	11,00
	bears N. & S. descend.	15,00
70,00	Leave timber hills bears N. & S.	35,00
80,00	Intersect N. & S. line at Cor.	
	to Secs. 11, 12, 13 & 14 from which,	40,00
	West on true line bet.	
	Secs. 11 & 14.	
40,00	Set Sandstone 16×12×6 in.	
	12 in. deep, with mound of	49,00
	Stones, marked 1/4 on N. side	80,00
	for 1/4 Sec. Cor.	
80,00	The Cor. to Secs. 10. 11. 14. & 15	
	Land broken & rocky,	
	Soil 2nd rate, Good grass,	

Salt Lake Meridian

Chains, Timber. Pinion pine
Scattering,

North bet. Secs. 10 & 11.
Var. 16° 30' E.

11,00 Ravine drains N.E.
15,00 " " S.E.
35,00 Ridge bears N.E. & S.W.
descend,
40,00 Set trachyte 12 x 8 x 6 in, 8 in,
deep, with mound of stones,
marked 1/4 on W. side for 1/4
Sec. Cor.
49,00 Foot of ridge bears E. & W.
80,00 Set Sandstone 14 x 9 x 9 in, 8 in,
deep, with mound of stones,
marked 2 notches on E & 5 on S. edges, for Cor. to Secs.
2, 3, 10 & 11.

Subdivisions Tp. 35 S. R. 3 W.

Chains		Chains
	Land S½ broken & rocky, Soil 2nd rate, Timber, Scattering pine & Cedar,	80,00
	East on random line bet. Secs. 2 & 11, Var. 16° 30' E,	
33,50	Enter N. slope of hills, bears N.E. & S.W.	
40,00	Set temporary 1/4 Sec. Cor.	5,10
45,00	Descend,	40,00
79,95	Road to timber bears N.W. & S.E.	80,00
80,00	Intersect N. & S. line at Cor. to Secs. 1, 2, 11 & 12 from which, West on true line bet. Secs. 2 & 11,	
40,00	Set trachyte 16 x 10 x 7 in. 10 in. deep, with mound of stones,	40,00

Salt Lake Meridian

Chains	marked 1/4 on N, side, for 1/4 Sec, Cor,
80,00	The Cor, to Secs, 2, 3, 10 & 11, Land gently rolling, Soil 2nd rate, No timber.
	North on random line, bet, Secs. 2 & 3, Var, 16° 30' E,
5,10	Road bears N.E. & S.W,
40,00	Set temporary 1/4 Sec, Cor,
80,00	Intersect N, boundary of Tp, at Cor, to Secs, 2, 3, 34 & 35, from which, South on true line bet, Secs. 2 & 3,
40,00	Set trachyte 10 x 8 x 4 in, 6 in, deep, with mound of stones,

Subdivisions Tp. 35 S. R. 3 W.

Chains,		Chains,
	marked 1/4 on W. side for 1/4 Sec. Cor.	45,00
80,00	The cor. to Secs. 2, 3, 10 & 11.	56,50
	Land level,	80,00
	Soil Pt rate,	
	No Timber.	
	November 22nd 1876,	
	J. G. Burrill,	

November 23rd 1876,
By T. C. Bailey,
From the Cor. to Secs. 3, 4, 33 & 34 on South boundary of Tp. Irun,
North bet. Secs. 33 & 34.
Var. 16° 30' E. 8,50

40,00	Set small stone marked	11,50
	with a cross (+) in mound	11,50
	of earth from 4 pits, each	31,00

East Lake Meridian

Chains,	24 x 12 x 12 in, for 1/4 Sec Cor,
415,00	Enter Nash board flat, N.E,
56,50	E, fork Sevier River runs, N.E.
80,00	Set Sandstone 12 x 8 x 6 in, 8 in,
	deep, in marshy ground, no
	pits, marked 3 notches on
	E, & 1 on S, edges, for Cor, to
	Secs, 27, 28, 33, & 34,
	Land level,
	Soil 1st rate,
	No timber,

	East on random line bet,
	Secs, 27, & 34,
	Var, 16° 30' E,
8,50	E, fork Sevier River 30 links wide, runs N.E,
111,50	" " " " " " " S.E,
1,50	" " " " " " " N.E,
31,00	Leave Nash board flat, bears

Subdivisions Tp. 35 S. R. 3 W.

		Chains,
	N.E. & S.W.	
40,00	Set temporary 1/4 Sec. Cor,	
70,00	Enter large pine timber bears N. & S.	40,00
80,00	Intersect N. & S. line 25 lks. S. of Cor. to Secs. 26, 27, 34 & 35 from which,	
	S. 89° 49 W. on true line bet. Secs. 27 & 34	41,75
		70,00
40,00	Set limestone 12x8x6 in. 8 in. deep, with mound of earth from 4 pits, each 24x12x12 in. marked 1/4 on N. side, for 1/4 Sec. Cor,	79,90
		80,00
80,00	The Cor. to Secs. 27, 28, 33 & 34,	
	Land nearly level,	
	Soil 2nd rate,	
	Timber large pine on E. 19 ch,	

Salt Lake Meridian.

Claims, North bet, Secs, 27, & 28
Var, 16° 30' E,

40,00 Set boulder marked with a Cross (+) in mound of earth from 4 pits, each 24 x 12 x 12 in, for 1/4 Sec Cor,

41,75 Dry creek bed drains E,

70,00 Road bears N.E. & S.W,

79,90 " " " " and leaves wash board flat,

80,00 Set boulder 13 x 8 x 6 in, 8 in, deep, with mound of earth from 4 pits, each 24 x 12 x 12 in, marked 3 notches on E, & 2 on S, edges for cor, to Secs, 21, 22, 27, & 28.

Land level,

Soil 1st rate

No timber

Subdivision Tp. 35 S. R. 3 W.

East on random line b/t.

Secs. 22 & 27.

Var. 16° 30' E.

0,15 Road bears N.E. & S.W.

16,00 " " " "

31,00 E. fork Sevier River 20 lks.

wide, runs N.E.

40,00 Set temporary 1/4 Sec. Cor.

80,04 Intersect N. & S. line at Cor.

to Secs. 22, 23, 26, & 27, from

which,

West on true line b/t.

Secs. 22, & 27.

40,02 Set limestone 12 x 8 x 4 in., 8 in.

deep, in marshy ground, no

pits, marked 1/4 for 1/4 Sec.

Cor. Enter W. end of marsh,

80,04 The cor. to Secs. 21, 22, 27 & 28,

Land level & marshy,

Soil Prairie,

Salt Lake Meridian

Chains, No Timber,

North bet, Secs, 21 & 22,
Var, 16° 30' E,

40,00 Set trachyte 16x12x6 in, 12 in, deep, with mound of stones marked 1/4 on W, side for 1/4 Sec, Cor,

80,00 Set boulder 13x8x6 in, 8 in, deep, with mound of earth from 4 pits, each 24x12x12 in, marked 3 notches on E, & S, edges, for Cor, to Secs, 15, 16, 21 & 22,

Land gentle slope S,
Soil Pt rate,
No Timber,

Subdivision Tp. 35 S, R. 3 W.

Chains East on random line bet.
Secs. 15 & 22,
Var. 16° 30' E,

40,00 Set temporary 1/4 Sec. Cor,

80,00 Intersect N. & S. line 20 lks.
W. of Cor. to Secs. 14, 15, 22 & 23,
from which,
S. 89° 51' W. on true line
bet. Secs. 15 & 22,

40,00 Set trachyte 16 x 16 x 14 in. 12
in. deep, with mound of stones,
marked 1/4 on N. side, for
1/4 Sec. Cor,

80,00 The Cor. to Secs. 15, 16, 21 & 22,
Land rolling stone,
Soil 2nd rate,
Timber Scattering Pine &
Cedar,

Salt Lake Meridian

Chains, North bet, Secs, 15 & 16,
Var. 16° 30' E,
Ascend,
35,00 Ridge bears E. & W,
41,00 Set trachyte 16x12x8 in, 12 in, deep, with mound of stones marked 1/4 on W. side for 1/4 Sec. Cor,
58,00 Ravine trains E.
71,00 Ridge bears E. & W,
80,00 Set Sandstone 18x12x8 in, 12 in, deep, with mound of stones marked 3 notches on E. & 1/4 on S. edges for cor, to Secs, 9, 10, 15 & 16,
Land broken,
Soil Quartzite, good grass,
No timber,

Subdivisions Tp. 35 S. R. 3 W.

Chains	
	East on random line bet. Secs. 10 & 15,
	Var. 16° 30' E.
10,00	Ravine drains S.E.
20,00	Ridge bears N.E. & S.W.
40,00	Set temporary 1/4 Sec. Cor.
60,00	Ridge bears N.W. & S.E.
80,00	Intersect N. & S. line 30 lks. S. of Cor. to Secs. 10, 11, 14 & 15. from which,
	S. 89° 47' W. on true line bet. Secs. 10 & 15.
40,00	Set trachyte 13 x 9 x 7 in. 8 in. deep, with mound of stones, marked 1/4 on N. side for 1/4 Sec. Cor.
80,00	The cor. to Secs. 9, 10, 15 & 16,
	Land hilly,
	Soil 2nd rate,
	Timber scattering pinion Quino & Cedar.

BOOK-A-150

Salt Lake Meridian

Chains, North bet, Secs, 9 & 10,
Var, 16° 30' E,

10,00 Ridge bears E & W, descend,

38,40 Wood road bears N.E. & S.W.
5 chs. E. of mouth of timber Canon,

40,00 Set Limestone 16×14×12 in,
12 in, deep with mound of
stones marked ¼ on W. side
for ¼ Sec. Cor,

46,50 Fort of hills bear E & W, Ascend,

80,00 Set Sandstone 14×12×10 in,
9 in, deep, with mound of stones,
marked 3 notches on E. & 5
on S. edges for cor, to Secs,
3. 4. 9 & 10,
Land N. ½ level, S. ½ hilly,
Soil 2nd rate,
Timber Scattering Pine,

Subdivisions Tp. 35 S. R. 3 W.

Chains	
	East on random line bet. Secs. 3 & 10, Var. 16° 30' E.
40,00	Set temporary 1/4 Sec. Cor.
70,75	Road bears N.E. & S.W.
80,00	Intersect N. & S. line at Cor. to Secs. 2, 3, 10 & 11, from which, West on true line bet. Secs. 3 & 10,
40,00	Set trachyte 14×12×8 in. 9 in. deep, with mound of stones, marked 1/4 on N. side for 1/4 Sec. Cor.
80,00	The Cor. to Secs. 3, 4, 9 & 10, Land level prairie, Soil 2nd rate, Timber, Scattering pinion pine, & long leaf pine,

Salt Lake Meridian

Chains, North on random line
bet, Secs, 3 & 4,
Var, 16° 30' E,
7,50 Foot of timber hills bears E & W,
40,00 Set temporary 1/4 Sec. Cor,
80,60 Intersect N, boundary of
10 lks, W, of Cor, to Secs, 3, 4,
33 & 34 from which,
S, 0° 04' W, on true line
bet, Secs. 3 & 4,
40,60 Set Sandstone 12 x 10 x 9 in, 8 in,
deep, with mound of stones
marked 1/4 on W. side for
1/4 Sec. Cor,
80,60 The Cor, to Secs, 3, 4, 9 & 10,
Land mostly rolling timber
hills,
Soil Pt rate,
Timber fine scattering long leaf pine,
Nov, 23rd 1876, T. C. Bailey,

 Subdivisions Tp. 35 S. R. 3 W.

Chains, Nov. 23rd 1876,

By. J. G. Burrill,

From the Cor, to Secs, 4, 5 32 & 33, on S, boundary of Tp. Iron,

North bet, Secs, 32, & 33,

Var, 16° 30' E,

30,00 E, for N Sevier River 12 lks, wide runs N.E,

40,00 Set Sandstone 12 x 8 x 4 in 8 in, deep, with mound of earth from 4 pits each 24 x 12 x 12 in, marked 1/4 on W, side for 1/4 Sec, Cor,

80,00 Set Sandstone 14 x 10 x 8 in, 9 in, deep, marked 4 notches on E, & 1 on S, edges, & raised a mound of earth from 4 pits, each 24 x 12 x 12 in, for Cor to Secs, 28 29, 32 & 33,

Salt Lake Meridian,

Chains, Land level,
Soil Pirate,
No timber,

East on random line bet,
Secs. 28 & 33,
Var. 16° 30' E,

4.40, Dry bed of Creek bears S.E,
4.60 " " " " " N.E,
40.00 Set temporary 1/4 Sec. Cor,
50.00 Intersect N. & S. line 25 lks,
S. of Cor. to Secs, 27, 28, 33 & 34,
from which,
S. 89° 49' W, on true line
bet, Secs, 28 & 33,
40.00 Set small stone marked
with a Cross (+) in mound
of earth from 4 pits each
24 x 12 x 12 in, for 1/4 Sec. Cor,

Subdivisions Tp. 35 S. R. 3 W.

Chains		Chains
80,00	The cor. to Secs. 28. 29. 32. & 33.	
	Land level,	
	Soil 1st rate,	
	No timber,	
	North bet. Secs. 28 & 29,	
	Var. 16° 30' E,	
1,00	Dry Creek bed drains E,	21,60
10,50	Wash drains E,	40,00
20,00	Road bears N.E. & S.W. lean flat.	80,00
40,00	Set boulder 12×8×6 in., 8 in. deep, with mound of earth from 4 pits, each 24×12×12 in, marked 1/4 on W. side for 1/4 Sec. Cor,	40,00
80,00	Set Sandstone 12×8×6 in, 8 in. deep, with mound of stones, marked 4 notches on E. & 2 on S. edges, for Cor. to Secs. 20. 21. 28. & 29.	

BOOK-A-150

Salt Lake Meridian

Chains, Land level,
Soil poor rate,
No timber,

East on random line bet,
Secs, 21, & 28,
Var, 16° 30' E,

21,60 Road bears N.W. & S.E,
40,00 Set temporary 1/4 Sec Cor,
80,00 Intersect N. & S. line 30 chs. N,
of Cor, to Secs, 21, 22, 27 & 28,
from which,
N, 89° 44' W, on true line
bet, Secs, 21, & 28,
40,00 Set limestone 14 x 8 x 4 in,
9 in, deep, with mound of
earth from 4 pits, each
24 x 12 x 12 in, marked 1/4
on N, side, for 1/4 Sec, Cor,

Subdivisions Tp. 35 S. R. 3 W.

Chains

80,00 The Cor. to Secs, 20, 21, 28 & 29,
Land level,
Soil Pt rate,
No timber,

North bet. Secs, 20 & 21.
Var, 16° 30' E.

28,00 Enter scattering timber & hills E. & W.

40,00 Set sandstone 14 x 10 x 8 in, 9 in, deep, with mound of stones, marked 1/4 on W. side for 1/4 Sec. Cor,

80,00 Set trachyte 12 x 8 x 8 in, 8 in, deep, with mound of stones marked 4 notches on E. & 3 on S. edges for Cor. to Secs, 16, 17, 20 & 21,
Land level,
Soil Pt rate,

Salt Lake Meridian

Timber Scattering pine & Cedar on N 1/2,

East on random line bet,
Secs, 16 & 21,
Var, 16° 30' E,

40,00 Set temporary 1/4 Sec. Cor,

60,00 Descend S.E. slope of hills,

80,00 Intersect N. & S. line at Cor, to Secs, 15.16,21. & 22. from which,
West on true line bet,
Secs, 16° & 21,

40,00 Set trachyte 16×16×14 in, 12 in, deep, with mound of stones, marked 1/4 on N, side for 1/4 Sec, Cor.

80,00 The Cor, to Secs, 16.17.20 & 21,
Land mountain slope,

Subdivisions Tp. 35 S. R. 3 W.

Chains Soil 2nd rate,
Timber scattering pine on
pine & cedar,

North bet. Secs. 16° & 17,
Var. 16° 30' E,

40,00 Set trachyte 15 x 12 x 8 in, 10 in,
deep, with mound of stones
marked 1/4 on W. side for
1/4 Sec. Cor,

48,50 Top of W. end of rocky ridge
bears E. & W. Descend to

80,00 Set trachyte 14 x 9 x 8 in, 9 in,
deep, with mound of
stones marked 4
notches on E. & S.
edges for Cor to Secs.
8, 9, 16 & 17,

Land broken,

Salt Lake Meridian,

Chains, Soil 2nd rate,
timber, Scattering
Cedar & pine.

East in random line bet.
Secs. 9 & 16,
Var. 16° 30' E,

40,00 Set temporary 1/4 Sec. Cor,

60,00 Ridge bears N. E & S. W.

80,40. Intersect N. & S. line 50 lks.
N. of Cor, to Secs, 9. 10. 15 & 16,
from which,
N. 89° 39' W, on true line
bet. Secs. 9 & 16,

40,20 Set trachyte 15 x 9 x 6 in, 9 in.
deep, with mound of stones,
marked 1/4 on N. side for
1/4 Sec. Cor,

80,40 The cor to Secs, 8, 9, 16 & 17.

 Subdivisions Tp. 35 S. R. 3 W.

Land broken,
Soil 2nd rate, good grass,
Timber, Scattering pine

North bet, Secs. 8 & 9,
Var, 16° 30' E,

25 00 Cañon road E, Enter timber E, & W.

40,00 Set sandstone 23 x 10 x 8 in, 18 in, deep, with mound of stone, marked 1/4 on W, side, for 1/4 Sec, Cor, from which, Apine 40 in, dia, bears S, 50 E, 88 lks, dist, marked 1/4 S. B.T.

80,00 Set red sandstone 20 x 13 x 7 in, 15 in, deep, with mound of stones marked 4 notches on E, & 5 on S, edges, for, Cor, to Secs, 4, 5, 8 & 9, from

Salt Lake Meridian

which,

A pine 22 in, dia, bears S, 80 W, 33 lks, dist, marked S, 8, B.T.

A pine 15 in, dia, bears S, 45 E, 36 lks, dist, marked S, 35, S, R, 3 W, S, 9. B.T.

Land rolling,

Soil 2nd rate,

Timber large pine,

East on random line

bet, Secs, 4 & 9,

Var, 16° 30' E,

40,00 Set temporary 1/4 Sec, Cor,

80,00 Intersect N. & S, line 30 lks,

N, of Cor, to Secs, 3, 4, 9 & 10,

from which,

N, 89, 47 W, on true line,

Subdivisions Tp. 35 S. R. 3 W.

Chains,	bet. Secs. 4 & 9,
40,00	Set limestone 14 x 8 x 7 in. 9 in. deep, with mound of Stones, marked 1/4 on N. side for 1/4 Sec. Cor,
80,00	The Cor. to Secs. 4. 5. 8 & 9. Land rolling, Soil 2d rate, Timber, large yellow & pinion pine,

---

North on random line bet. Secs. 4 & 5,
Var. 16° 30' E,

40,00	Set temporary 1/4 Sec. Cor,
80,40	Intersect North boundary of township, 15 lks. W. of Cor. to Secs. 4. 5. 32 & 33, from which,

Salt Lake Meridian

Chains, S. 0° 06' W. on true line
bet. Secs. 4 & 5,
40,40 Set limestone 13x9x7 in. 8 in.
deep, with mound of stones
marked 1/4 on W. side for
1/4 Sec. Cor.
80,40 The cor. to Secs. 4. 5. 8 & 9.
Land broken,
Soil 2nd rate,
Timber large pine,
November 23rd 1876,
J. G. Burrill,

November 24th 1876,
By T. C. Bailey,
From the cor. to Sec. 5, 6, 31 & 32.
on S. boundary of Tp. Iron,
North bet. Secs. 31 & 32
Var. 16° 30' E.

Subdivisions Sp. 35 S. R. 3 W.

Chains	
14,30	E, fork Sevier river 25 lks, wide 2 feet deep runs N. E,
40,00	Set Quartzite 12×8×8 in, 8 in, deep, with mound of earth from 4 pits, each 24×12×12 in, marked 1/4 on W, side, for 1/4 Sec. Cor,
66,50	Road to Panguitch bears E. & W.
80,00	Set boulder 13×8×5 in, 8 in, deep, with mound of stones marked 5 notches on E, & 1 on S, edges for cor. to Secs, 29. 30, 31 & 32,

Land level,

Soil Pt rate,

No Timber,

BOOK-A-150

Salt Lake Meridian

Chains, East on random line
bet. Secs. 29 & 32,
Var. 16° 30' E,

40.00 Set temporary 1/4 Sec. Cor.
49.50 Road to Tanguitch bears S.W. & N.E.
77.00 Dry creek bed drains N.E.
78.50 " " " " S.E.
79.70 " " " " N.E.
80.00 Intersect N. & S. line 20 chs.
S. of Cor. to Secs. 28. 29. 32 & 33,
from which,
S. 89° 52' W. on true line
bet. Secs. 29 & 32,
40.00 Set small stone marked
with a cross (+) with mound
of earth from 4 pits, each
24x12x12 in. marked 1/4 on
N. side for 1/4 Sec. Cor.
80.00 The cor. to Secs. 29, 30, 31 & 32
Land level.

Subdivisions Tp. 35 S, R. 3 W,

Chains,	Soil 1st rate, No timber
	West on random line bet. Secs. 30 & 31. Var. 16° 30' E.
40,00	Set temporary 1/4 Sec. Cor.
55,00	Enter Timber N. & S.
79.90	Intersect Guide Meridian 20 lks. N. of Cor. to Secs. 25, 30, 31, & 36, from which, N. 89° 51 E. on true line bet. Secs. 30 & 31.
39,90	Set trachyte boulder 18 x 8 x 8 in, 12 in, deep with mound of stones marked 1/4 on N. side for 1/4 Sec. Cor.
79,90	The cor. to Secs. 29, 30, 31 & 32. Land level.

Salt Lake Meridian

Chains, Soil 1st rate,
Timber, pine,

North bet. Secs. 29 & 30,
Var. 16° 30' E,

40,00 Set Sandstone 18x12x7 in,
12 in. deep, with mound of
stones, marked 1/4 on W.
side, for 1/4 Sec. Cor,

80,00 Set sandstone 18x10x8 in,
12 in. deep, with mound of
stones, marked 5 notches
on E. & 2 on S. edges for
Cor, to Secs. 19, 20, 29 & 30,
Land level,
Soil 1st rate,
No timber,

Subdivisions Tp. 35 S. R. 3 W.

Chains		
	East on random line bet. Secs. 20 & 29, Var. 16° 30' E,	
40,00	Set temporary 1/4 Sec. Cor.	40,00
80,16	Intersect N. & S. line at Cor. to Secs. 20, 21, 28 & 29, from which, West on true line bet. Secs. 20, & 29,	79,84
40,08	Set Sandstone 12x10x5 in. 8 in. deep, with mound of Stones, marked 1/4 on N. side for 1/4 Sec. Cor.	39,84
80,16	The cor. to Secs. 19, 20, 29, & 30, Land level, Soil Pt. rate, No timber	79,84

Salt Lake Meridian,

West on random line
bet. Secs. 19 & 30,
Var. 16° 30' E,

40,00 Enter timber N. & S. Set Temp ¼ Sec. Cor.

79,84 Intersect Guide Meridian
at Cor. to Secs. 19. 24. 25 & 30
from which,
East on true line bet,
Secs, 19 & 30,

39,84 Set Sandstone 12 x 10 x 5 in,
8 in. deep, with mound of
Stones marked ¼ on N.
Side, for ¼ Sec. Cor,

79,84 The Cor to Secs. 19. 20,
29. & 30,
Land level,
Soil Pt rate
Timber, Pine,

Subdivisions Tp. 35 S. R. 3 W.

Chains,	North bet. Secs. 19 & 20,
	Var. 16° 30' E.
40,00	Set trachyte 12 x 8 x 7 in, 8 in. deep, marked 1/4 on W. side, with mound of stones for 1/4 Sec. Cor.
~~60,00~~	~~Enter timber bears E. & W.~~
80,00	Set Volcanic rock 12 x 8 x 6 in, 8 in. deep, with mound of stones, marked 5 notches on E. & 3 on S. edges for cor. to Secs. 17, 18, 19, & 20,
	Land level.
	Soil 1st rate
	No. Timber.

East on random line bet. Secs. 17 & 20,

Salt Lake Meridian.

Chains,	Var. 16° 30' E,
25,00	Foot of timber bench bears N. & S.
	Ascend S. W. sloping foothills,
40,00	Set temporary 1/4 Sec. Cor,
80,00	Intersect N. & S. line at Cor.
	to Secs. 16. 17, 20 & 21, from
	which,
	West on true line bet,
	Secs, 17. & 20,
40,00	Set trachyte 12 x 10 x 8 in, 8 in,
	deep, with mound of stones
	marked 1/4 on N. side for
	1/4 Sec. Cor,
80,00	The cor. to Secs, 17, 18, 19. & 20,
	Land undulating
	Soil 2nd rate,
	Timber Scattering cedar
	& pine,

Subdivisions Tp. 35 S. R. 3 W.

Chains.		
	West on random line	
	bet. Secs. 18 & 19,	
	Var. 16° 30' E.	
40.00	Set temporary 1/4 Sec. Cor.	
79.80	Intersect Guide Meridian	4.00
	28 lks. S. of Cor. to Secs. 13,	
	18, 19 & 24, from which,	
	S. 89° 48' E. on true line	
	bet. Secs. 18 & 19,	
39.80	Set tracheyte 10 x 8 x 4 in.	60.00
	6 in. deep, with mound of	80.00
	stones, marked 1/4 on N.	
	side for 1/4 Sec. Cor.	
79.80	The Cor. to Secs. 17, 18, 19 & 20,	
	Land undulating, prairie	
	Soil 2nd rate,	
	No timber,	
	November 24th 1876,	
	T. C. Bailey.	

Salt Lake Meridian,

November 24th 1876,

By J. G. Burrill,

North bet. Secs. 17. & 18,

Var. 16° 30' E.

40,00 Set limestone 16 x 8 x 4 in, 11 in, deep, marked 1/4 on W, side and raised a mound of earth from 4 pits each 24 x 12 x 12 in, for 1/4 Sec. Cor.

60,00 Enter timber bears E. & W.

80,00 Set limestone 18 x 8 x 6 in, 12 in, deep, marked 5 notches on E, & 4 on S, edges, & raised mound of earth from 4 pits each 24 x 12 x 12 in, for Cor. to Secs. 7. 8. 17. & 18, from which,

A pine 18 in, dia, bears S, 85 W, 20 lks. dist, marked S. 18. T. 35 S. R. 3 W. B.T.

A pine 20 in, dia, bears S. 5 E.

Subdivisions Tp. 35 S. R. 3 W.

Chains,	28 lks. dist. marked S. 17, B. T.
	Land level,
	Soil 1st rate,
	Timber large pine on N. 1/4.

	East on random line bet. Secs. 8 & 17.
	Var. 16° 30' E.
40,00	Set temporary 1/4 Sec. Cor. ascend
80,00	Intersect N. & S. line at Cor. to Secs. 8, 9, 16 & 17, from which,
	West on true line bet. Secs. 8 & 17.
40,00	Set limestone 13 x 8 x 6 in. 8 in. deep, (no pits) marked 1/4 on N. side for 1/4 Sec. Cor.

BO

Chains,	
80,00	
40,00	
79.80	
39.80	

Salt Lake Meridian

Chains, from which,

Aspen 6 in, dia, bears N. 88° E, 45 lks, dist, marked 1/4 S. B.T.

80.00 The cor, to Secs, 7, 8, 17, & 18,

Land nearly level,

Soil 1st rate,

Under scattering large pine,

West on random line bet,

Secs, 7 & 18,

Var, 16° 30' E,

40.00 Set temporary 1/4 Sec. Cor,

79.80 Intersect Guide Meridian 10 lks, S, of Cor, to Secs, 7, 12, 13 & 18, from which,

S. 89° 56' E on true line bet, Secs, 7 & 18,

39.80 Set Sandstone 14 x 8 x 6 in,

Subdivisions Sec. 35 S. R. 31 W.

Chains, 8 in. deep, (No pits) marked
1/4 on N. side for 1/4 Sec. Cor.
from which,
A pine 16 in. dia. bears S.
12 lks. dist, marked 1/4 S.
B.T.

79.80, The cor. to Secs. 7. 8. 17 & 18.
Land level,
Soil Prairie
Timber Scattering large
Pine,

North bet. Secs. 7 & 8.
Var. 16° 30' E.

40.00 Marked a sandstone in
place on rocky ledge, bears
N.E. & S.W. 20x20x18 in. 1/4 on
N. side for 1/4 Sec. Cor. from
which,

70.50

80.00

Salt Lake Meridian

A pine 12 in. dia, bears S. 85 W. 16 lks. dist, marked 1/4 S. B.T.

A pine 22 in. dia, bears S. 5 E. 48 lks. dist, marked 1/4 S. B.T.

70,50 Rocky Sand ledge bears N. W. & S. E.

80,00 Set limestone 14 x 10 x 6 in. 9 in. deep, with mound of stones, marked 5 notches on E. & S. edges, for Cor. to Secs. 5, 6, 7 & 8 from which,

A pine 4 in. dia, bears S. 84° E. 4 lks. dist, marked T. 25 S. R. 2 W. S. 8. B.T.

A pine 6 in. dia, bears N. 80 W. 20 lks. dist, marked S. 6. B.T. on N. side of a rocky ridge bearing S.E. & N.W.

Chains,	Land rolling,
	Soil 2nd rate,
	Timber, large yellow &
	Jeinion Pine,

	East on random line
	bet. Secs. 5 & 8,
	Var. 16° 30' E.
29,00	Rocky ridge bears N. W.
	& S.E.
40,00	Set temporary 1/4 Sec. Cor.
78,50	Rocky ridge bears N.W. & S.E.
80,00	Intersect N. & S. line 30 lks.
	S. of Cor. to Secs. 4.5.8 & 9.
	from which,
	S. 89° 47' W. on true line
	bet. Secs. 5 & 8,
40,00	Set limestone 20 x 14 x 10 in.
	15 in. deep, (No pits) marked

Salt Lake Meridian

Chains, 1/4 on N. side for 1/4 Sec. Cor. from which,
A pine 30 in. dia. bears S. 80 E. 3 lks. dist. marked 1/4 S. B.T.
A pine 28 in. dia. bears N. 70 W. 13 lks. dist. marked 1/4 S. B.T.

80,00 The cor. to Secs. 5. 6. 7 & 8.
Land rolling,
Soil 2nd rate,
Timber large yellow & pinion pine,

West on random line bet. Secs. 6 & 7.
Var. 16° 30' E.

40,00 Set temporary 1/4 Sec. Cor.

80,00 Intersect Guide Meridian at Cor. to Secs. 1. 6. 7. & 12.

Subdivisions Th. 35 S. R 3 W.

Chains from which,

East on true line bet,

Secs, 6 & 7,

40,00 Set Sandstone 18 x 14 x 3 in,

12 in, deep with mound

of stones marked 1/4 on N.

side for 1/4 sec. Cor, from

which,

A pinion pine 26 in, dia,

bears due South, 33 lks,

disk, marked 1/4 S. B. T.

80,00 The Cor, to Secs, 5, 6, 7 & 8,

Land rolling,

Soil 2nd rate,

Timber, large yellow,

& pinion pine,

North on random line

bet, Secs, 5 & 6.

Chains,

40,00

80,00

40,00

80,00

BOOK-A-150

Salt Lake Meridian

Chains, Var. 16° 30' E.

40,00 Set temporary 1/4 Sec. Cor.

80,00 Intersect N. boundary of Tp. 20 lks. W. of Cor to Secs. 5, 6, 31 & 32, from which,

S. 0° 09' W. on true line bet. Secs. 5 & 6.

40,00 Set Sandstone 13 x 8 x 6 in. 8 in. deep, with mound of earth from 4 pits each 24 x 12 x 12 in. marked 1/4 on W. side for 1/4 Sec. Cor.

80,00 The Cor. to Secs. 5, 6, 7 & 8.

Land rolling.

Soil 2nd rate.

Timber Large Yellow & Pinion Pine.

(Over)

General Description

The lands in this Township are generally level, most of the Soil is first rate, There is a high rocky ridge covering 4 or 5 of the Center Sections, The North part is covered with fine large yellow pine of Commercial Value, There are three houses, or Cabins, now located and a good deal of fencing, The lands are agricultural and irrigable from the East fork of the Sevier River which runs through the South and East portions

November 24th 1876

T. C. Bailey,
U. S. Deputy Surveyor,

Surveyor Genls Office Utah Ty.
Salt Lake city February 10th 1877
The foregoing field notes of the survey
of the East Boundary and Subdivis-
-ion Lines of Township 35 South
Range 3 West of the Salt Lake
Meridian Utah Territory, Executed
by Bailey and Burrill under
their Joint contract No 73,
of Sept 4th 1876, in the month
of November 1876 having bee
critically Examined, the
necessary corrections and
Explanations made, the said field
notes and the survey they describe are
hereby approved

Nathan Kimball
Surveyor General

BOOK-

BOOK-A-150 No 16

N. C. Examined by M. T. Burgess. C. C.

Ex. & Correct. C. & A.

Field Notes
of
the Survey of the
North and West Boundaries,
of
Tp. 35 South, Range 4 West,
of
the Salt Lake Meridian
Utah Territory,
By,
J. G. Burrill,
Under joint Contract of Bailey & Burrill
No 78
dated Sept. 4th 1876,

Surveyed Nov. 25th 1876,

North

BOOK-

Chains,

0.30

21,5

40,0

BOOK-A-150

North boundary Tp. 35 S; R. 4 W.
Salt Lake Meridian

Chains, November 25th 1876.

By, J. G. Burrill,

As it is impracticable to run the West boundary of this Tp. (See note at Standard Cor. to Secs. 32 & 33, on the 7th Standard South in Range 4 West,) from the Cor. to Tps. 34 & 35 S, R. 3 & 4 W. established by me on the 11th inst; Viz; "Trachyte 18×14×10 in with Stone mound" I run, West on true line bet. Secs. 1 & 36.

Var. 16° 30' E.

0.30 Dry bed drains N.E.
21,50 Road bears N.E. & S.W.
40,00 Set trachyte stone 12×10×7 in, 8 in, deep, marked 1/4 on N. side, & raised mound of stones for 1/4 Sec. Cor.

North boundary Tp. 35 S. R. 4 W.

chains,
80,00 Set trachyte 18x17x10 in, 12 in deep, marked 1 notch on E, & 5 on N, edges, & raised mound of stones for Cor, to Secs, 1, 2, 35 & 36,

Land heavy rolling,
Soil Private,
Timber, Scattering Pine & Cedar,

West on true line bet,
Secs. 2 & 35,
Var, 16° 30' E,

40,00 Set trachyte stone 14x8x7 in, 9 in, deep, marked 1/4 on N side, & raised mound of stones, for 1/4 Sec. Cor,

52,00 Leave hills,

61,40 Branch runs S. E.

80,00 Set trachyte stone 12x10x9 in,

4,25

40,00

41,50

80,00

Salt Lake Meridian

8 in, deep, marked 2 notches on E, & 4 on W, edges, raised mound of stones for Cor, to Secs, 2, 3, 34 & 35,

Land very broken,

Soil Sandy,

Timber, Scrub cedar & pine,

West on true line bet,

Secs, 3 & 34,

Var, 16°30' E,

4,25. Road bears N. W. & S. E,

40,00 Set trachyte stone, 12x10x9 in, 8 in, deep, marked 1/4 on N, side, raised mound of stones for 1/4 Sec, Cor,

41,50 Ridge bears N. W. & S. E,

80,00 Set trachyte stone 20x16x14 in, 15 in, deep, marked 3 notches

North Boundary Tp. 35 S. R. 4 W

Chains, on E & W. edges, & raised mound of stones for Cor. to Secs, 3. 4. 33, & 34,

Land rolling,

Soil 2nd Crate,

No timber,

West on true line bet Secs. 4 & 33,

Var. 16° 30' E,

19,00 Enter flat, Foot of bench bears N.W. & S.E.

40,00 Set trachyte stone 16 x 12 x 12 in, Un. deep marked 1/4 on N. side, & raised mound of stones for 1/4 Sec. Cor,

42,00 Leave flat, enter hollow,

60,00 Bottom of same hollow, drains N.W.

74,00 Leave hollow,

BOOK

Chains,

80,00

40,00

Salt Lake Meridian

Chains,
80,00 Set trachyte 14x14x4 in, 9 in, deep, marked 4 notches on E, & 2 on W, edges, & raised a mound of stones, for cor, to Secs, 4, 5, 32 & 33,
Land high bench,
Soil Pt rate,
No Timber,

West on true line bet, Secs, 5 & 32,
Var, 16° 30' E,
40,00 Set trachyte stone 11x11x4 in, 9 in, deep, marked 1/4 on N, side & raised mound of stones for 1/4 Sec, Cor,
Land rolling
Soil 2nd rate, No Timber,
Note, The line becoming impracticable I abandon it here,
November 25th 76, J. G. Burrill

(over,)

East Boundary Tp. 35 S. R. 4 W.
Salt Lake Meridian,

Chains, November 18th 1876.

By J. G. Barrill.

From the Standard Cor. to Township 35 South Range 4 W, set by me this day, I run North bet. Secs. 31 & 36,

Var, 16° 30' E,

16,00 Descend into breaks 7 in.

40,00 Set Sandstone 12 x 9 x 7 in, 8 in, deep, marked 1/4 on W side, & raised mound of stones, for 1/4 Sec cor,

80,00 Set a Quartzite 11 x 9 x 7 in, 8 in, deep, marked 5 notches on N, & 1 on S, edges & raised mound of stones, for Cor, to Secs, 25, 30, 31 & 36,

Land broken & rocky,

Soil 2nd rate, Timber Scattering pine,

Note, I abandon line here,

For Genl, Description & approval see end of Sub. Div. notes of this Tp,

BOOK-A-150

Examined by M. T. Burgess. C. C.

Field Notes
of the
Survey of the
Subdivision lines of
Township 35 South
Range 4 West
of the
Salt Lake Meridian
Utah Territory
By
J. G. Burrill
under joint contract No. 78
of Bailey & Burrill
Dated Sept. 4th 1876

Survey commenced Nov. 25th 1876
" ended " 30th —

Claims

38.00

40.00

80.00

BOOK-A-150

Subdivisional lines of T. 35 S. R.
Salt Lake Meridian.

Survey commenced
Nov. 25th 1876 by J. G. Burrill
Surveyor
to begin at the corner to
secs 35 & 36 on S.
boundary of township & run
North bet secs 35 & 36
Chains Var. 16° 30' E
38.00 Road from Paragonah to Escalante
bears E & W.
40.00 Set sandstone 10 x 8 x 7 in., 5 in.
deep marked 1/4 on W. side &
raised a mound of stones for
1/4 sec cor from which
a Pino 15 in. dia. bears
N. 30° W. 46 lks dist marked
1/4 S. B. T.
80.00 Set sandstone 13 x 7 x 7 in.
8 in. deep marked 1 notch on
E & S. edges for cor to secs 25,

Subdivision lines of T. 35 S.

Chains

26, 35 & 36 from which
a pine 22 in dia. bears N. 55°
E. 18 lks dist marked T. 35 S.
R 4 W. S. 25. B T.
Three Pines 1 foot apart bear
S. 45 W. 4 lks dist. Center
one marked S. 35, T 35 S R 4 W.
B T.

Land rolling
Soil 2nd rate
Timber Pine.

East on random line
bet secs 25 & 36.
Var. 16° 30' E.

40.00 Set temp 1/4 sec cor.

80.47 Intersect E. boundary of town-
ship 31 lks N. of cor to secs
25, 30, 31 & 36 from which
N. 89° 57' W. on true line

R. 4 W. Salt Lake Meridian.

Chains

bet secs 25 & 36.

40.24 Set sandstone 16 x 10 x 5 in., 10 in. deep marked 1/4 on N. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec cor. from which A Pine 16 in dia bears N. 60° W. 160 lks dist marked 1/4 S. B.T.

80.47 The cor. to secs 25, 26, 35 & 36 found rolling

Soil 2nd rate

Timber Pine

North bet. 25 & 26.

Var. 16° 30' E.

40.00 Set sandstone 12 x 12 x 10 in. 8 in. deep marked 1/4 on W. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec cor. from which

Subdivision lines of T. 35 S.

Chains

A pine 7 in dia bears N. 80 W 52 lks dist marked 1/4 S. B. T.

80.00 Set sandstone 14 x 11 x 9 in, 9 in deep marked 2 notches on S. & 1 on E. edges & raised a mound of earth from 4 pits each 24 x 12 x 12 in. for cor to secs 23, 24, 25 & 26 from which

A pine 15 in. dia. bears N. 30° E. 75 lks dist marked T. 35 S. R 4 W. S. 24 B. T.

Land rolling
Soil 2nd rate
Timber Pine.

East on random line
bet secs 24 & 25
Var. 16°30' E.

40.00 Set temp 1/4 sec. cor.

80.30 Intersect E boundary of town-

R. 4 W. Salt Lake Meridian

Chains

Ships 43 lks N. of cor. to secs 19, 24, 25 & 30 from which
N. 89° 42' W on true line bet secs 24 & 25

40.15 Set sandstone 12 x 8 x 6 in., 8 in deep marked ¼ on N. side & raised a mound of stones for ¼ sec cor from which
A pine 15 in. dia bears S. 50° E 185 lks dist. marked ¼ S. B. T.

80.30 The cor. to secs 23, 24, 25 & 26
Land rolling
Soil 2nd rate
Timber Pine

North bet sec 23 & 24
Var. 16° 30' E.

40.00 Set trachyte 10 x 8 x 7 in., 6 in. deep marked ¼ on W. side &

Subdivision lines of T. 35 S.

Chains

raised a mound of stones for
1/4 sec cor

59.00 Foot of Ridge

70.00 Top of same outer high bench

80.00 Set trachyte 10 x 9 x 8 in., 6 in
deep marked 1 Notch on E & 3
on S. edges & raised a mound
of stones for cor. to secs 13, 14
23 & 24 from which

A pine 15 in. dia. bears N.
30° W. 12 lks dist marked T. 35
S. R. 4 W. S 14 B. T.

Land undulating
Soil 2nd rate
Timber Pine

East on mundown line
bet secs 13 & 24.
Var. 16° 30' E.

40.00 Set temp. 1/4 sec. cor.

R. 4 W. Salt Lake Meridian

Chains
80.31 Intersect E. boundary of Township 15 lks N. of cor to secs 13, 18, 19 & 24 from which
N. 89° 54' W. on true line
bet secs 13 & 24

40.16 Set trachyte 12 x 9 x 7 in., 8 in deep marked 1/4 on N. side with mound of stones for 1/4 sec cor

80.31 The cor. to secs 13, 14, 23 & 24
Land undulating
Soil 2nd rate
Timber scattering Pine

North bet secs 13 & 14
Var. 16° 30' E.

10.00 Enter Hollow Basin drains E.

37.50 Leave same.

40.00 Set trachyte 16 x 7 x 7 in. 10 in deep marked 1/4 on W. side & mound of stones for 1/4 sec. cor

Subdivision lines of T. 35 S.

Chains from which

A Pine 16 in. dia. bears N. 34 W.
28 lks dist. marked 1/4 S., B. T.

80.00 Set Trachyte 17 x 11 x 7 in. 10 in.
deep marked 1 notch on E. &
4 on S. edges & mound
of stone for cor to sec 11, 12, 13
& 14 from which

A pine 16 in dia bears S.
45° E. 97 lks dist marked T. 35
S. R. 4 W. S 13. B. T.

Land undulating
Soil 2nd rate
Timber scattering pine

East on random line
bet secs 12 & 13.
Var. 16° 30' E.

40.00 Set temp. 1/4 sec cor.
70.00 Enter heavy timber

R 4 W. Salt Lake Meridian

Chains
80.23 Intersect E. boundary of Township 32 lks N. of cor. to secs 7, 12, 13 & 18 from which N. 89° 46' W. on true line bet. secs 12 & 13.

40.12 Set Trachyte 12 x 8 x 6 in. 8 in deep marked 1/4 on N. side & raised a mound of stones for 1/4 sec. cor.

80.23 The cor to secs 11, 12 13 & 14.
Land undulating
Soil 2nd rate
Timber Pine on E. 10 chs

North bet secs 11 & 12
Var. 16° 30' E.

40.00 Set trachyte 12 x 8 x 6 in. 8 in deep marked 1/4 on N. side with mound of stones for 1/4 sec cor

 Subdivision lines of T. 35 S.

Chains
63.00 Hollow drains E.

80.00 Set trachyte 13 x 10 x 4 in. 8 in deep marked 1 notch on E & 5 on S. edges & raised a mound of stones for cor to secs 1, 2, 11 & 12.

Land undulating

Soil 2nd rate

No timber

East on random line
bet secs 1 & 12
Var: 16° 30' E.

40.00 Set temp 1/4 sec. cor.

68.00 Enter timber

80.27 Intersect E. boundary of township 36 lks N. of cor to secs 1, 6, 7 & 12 from which
N 89° 45' W.
betw. secs 1 & 12

R. 4 W. Salt Lake Meridian

Chains
40 14 Set trachyte 8 x 8 x 8 in. 4 in deep marked 1/4 on N. side with mound of stones for 1/4 sec cor

80 27 The cor to secs 1, 12, 11 & 12

Land undulating

Soil 2nd rate

Timber Pine on E. 12 chs

Nov. 25th 1876—

Nov 27th 1876.

North on random line

bet secs 1 & 2

Var. 16° 30' E.

28.75 Foot of hills, Gully drains E.

40.00 Sec temp 1/4 sec cor.

66.00 Road bears N. E. & W.

80.00 Intersect N. boundary of township at cor. to secs 1, 2, 35 & 36 from which

South on true line

bet secs 1 & 2

Subdivision lines of T. 35 S.

Chains		R.
40.00	Set Trachyte stone 12 x 8 x 7 in. 8 in deep marked 1/4 on W. side with mound of stones for 1/4 sec cor from which	Chains
	at Mahogany 5 in. dia. bears S. 20 E. 80 lks dist marked 1/4 S. B. T.	5000
80.00	The cor. to secs. 1, 2, 11 & 12 Land heavy rolling Soil 2nd rate No timber	

From the standard cor. to secs 34 & 35 on S. boundary of township 2 mile

North bet. secs 34 & 35

Var. 16° 30' E.

23.00	Panguich & Escalantes Road bears E. & W.	
40.00	Set sandstone 14 x 8 x 6 in.	40.00

R. 4 W. Salt Lake Meridian

Chains

9 in. deep marked 1/4 on W. side with mound of earth from 4 pits each 24 x 12 x 12 in. for 1/4 sec cor.

5000 Set sandstone 16 x 10 x 8 in, 11 in. deep marked 2 notches on E. & 1 on S. edges & raised a mound of stones for cor to secs 26, 27, 34 & 35 from which:

A Pine 18 in. dia. bears S. 60 W. 30 links dist marked B.T. 35 S.R 4 W. S 34 B.T.

Land undulating

Soil 1st rate

Timber Pine

East on random line

bet secs 26 & 35

Var. 16° 30' E.

4000 Set temp 1/4 sec cor.

Subdivision lines of T. 35 S.

Chains
48 00 Ledge Wall bears N.W. & S.E.
80.10 Intersect N & S line 17 lks
S. of cor. to secs 25, 26, 35 &
36 from which
S. 89°53' W. on true line
bet. secs 26 & 35
40.05 Set sandstone 12 x 10 x 6 in.
8 in deep marked ¼ on N. side
& raised a mound of stones
for ¼ sec cor from which
A Pine 15 in dia bears S. 30° E.
39 lks dist marked ¼ S., B.T. —
80 10 The cor. to secs 26, 27, 34 & 35
Land rolling
Soil 2nd rate
Timber scattering Pine

North bet. secs 26 & 27
Var 16° 30' E.
40.00 Set sandstone 14 x 12 x 10 in

BOOK-A-150

R. 4 W. Salt Lake Meridian

Chains

9 in. deep marked 1/4 on W. side with mound of stones for 1/4 sec. cor. near ledge cropping from which

A Pine 28 in. dia bears N. 15 E. 50 lks dist marked 1/4 S. B. T.

80.00 Set trachyte 14 x 11 x 8 in 9 in deep marked 2 notches on E & S. edges & raised mound of stones for cor to secs 22, 23, 26 & 27 from which

A pine 19 in dia bears N. 50 E. 65 lks dist marked S. 23 B. T.

A pine 20 in dia bears S. 60 W. 60 links dist. marked T. 35 S. R 4 W. S. 27 B. T.

Land undulating

Soil 2nd rate

Timber Pine

Subdivision lines of T. 35 S.

Chains	East on random line bet secs. 23 & 26 Var 16° 30' E.
16.25	Perpendicular sandstone wall 15 feet high bears N & S.
40.00	Set temp 1/4 sec cor
80.20	Intersect N. & S. line at corner to secs 23, 24, 25 & 26 from which
	West on true line bet secs 23 & 26
46.10	Reported a sandstone 8x6x4 in marked with a (+) cross in mound of earth raised from 4 pits each 24x12x12 in. with stake in S.E. pit for 1/4 sec. cor from which
	A pine 16 in dia bears N. 70° E 96 lks dist marked 1/4 S.B.T.
80.20	The cor. to secs. 22, 23, 26 & 27

Chains
46.10
80.00

R. 4 W. Salt Lake Meridian

Chains

Land rolling
Soil 2nd rate
Timber Pine

North bet. secs 22 & 23
Var 16° 30' E

40.00 Set trachyte 12 x 8 x 6 in. 8 in. deep marked 1/4 on W. side with mound of stones for 1/4 sec cor

80.00 Set trachyte 12 x 10 x 8 in. 8 in deep marked 2 notches on E & 3 on S. edges & mound of stones for cor to secs 14, 15, 22 & 23 —

Land heavy rolling
Soil 2nd rate
Timber scattering cedar pine & mahogany

Subdivision lines of T. 35 S.

Chains East on random line
bet secs 14 & 23
Var: 16° 30' E.

40.00 Set temp. 1/4 sec. cor.

45.00 Hollow beam N.W. & S.E.

80.17 Intersect N. & S. line 20 lks
N. of cor to secs 13, 14, 23 & 24
from which
N. 89° 51' W. on true line
bet secs 14 & 23

40.09 Set sandstone 15 x 8 x 5 in. 10
lks deep marked 1/4 on N. side
with mound of stones for 1/4 sec. cor.

80.17 Set cor. to secs 14, 15, 22 & 23.

Land undulating
Soil 2nd rate
Timber Pine

North bet secs 14 & 15
Var: 16° 30' E.

BOOK-A-150

R. 4 W. Salt Lake Meridian

Chains	
13.00	Enter hollow
40.00	Set ~~temp~~ 1/4 sec cor
74.00	Leave hollow drains S.E.
80.00	Set trachyte 12 x 10 x 10 in. 8 in. deep marked 2 notches on E & 4 on S. edges & mound of stones for cor. to secs 10, 11, 14 & 15 from which

A cedar 6 in. dia bears N. 80 W. 75 lks dist marked T. 35 S. R 4 W. S. 10 B. T.

Land rolling — Soil 2nd rate
Timber scattering Pine

End on random line
bet secs 11 & 14
Var. 16° 30' E.

6.00	Ridge bears E 14 chs
40.00	Set temp. 1/4 sec. cor.
80.40	Intersect N & S. line 20 lks

Subdivision lines of T. 35 S.

Chains		Chains
	N. of cor to secs 11, 12, 13 & 14	
	from which	80.00
	N. 89°57' W. on true line	
	bet secs 11 & 14	
40.20	Set trachyte 10 x 10 x 6 in. 6 in.	
	deep marked 1/4 on N. side &	
	raised a mound of stones for 1/4 sec cor	
80.40	Tie cor to secs 10, 11, 14 & 15.	
	Land rolling Soil 2nd rate	
	Timber scattering pine	

	North bet secs 10 & 11	
	Var 16°30' E	6.00
4.00	Ridge spur bears E 10 chs	11.50
25.00	Leave Hollow flat	40.00
37.00	Top of spur bears E 15 chs	50.50
40.00	Set trachyte 9 x 8 x 8 in. 4 in	74.75
	deep marked 1/4 on W. side	
	with mound of stones for 1/4 sec. cor.	
60.00	Descend spur of Pine ridge	

Chains

80.00 bears E & W bears scattering timber
Set trachyte 17 x 5 x 5 in., 10 in
deep marked 2 notches on E. &
5 on S. edges & mound
of stones in hollow drains S.E.
for cor to secs 2, 3, 10 & 11
Land rolling soil 2nd rate
No timber

East on sandown line
bet secs 2 & 11
Var 16° 30' E.

6.00 Leave hollow
11.50 E. fork of same draws S.E.
40.00 Set temp 1/4 sec. cor.
50.50 Trail fork of beach bears N.W. & S.E.
74.75 Intersect N & S 27 lks N. of cor.
to secs 1, 2, 11 & 12 from which
N 89° 48' W. on true line
bet secs 2 & 11

Subdivision line of S. 35 S.

Chains
39.88 Set torchyte 12 x 8 x 8 in. 8 in. deep marked 1/4 on N. side & raised a mound of stone for 1/4 sec. cor.

79.75 The cor to secs 2, 3, 10 & 11
Land rolling prairie, Soil 2nd qty.
No timber

North on random line
bet secs 2 & 3
Var. 16° 30 E.

8.00 Leave broad hollow
18.00 Hollow drains S. E.
40.00 Set temp. 1/4 sec cor.
77.80 Road bears N.W. & S.E.
80.00 Intersect N. Boundary of Township at cor to secs 2, 3, 34 & 35
from which
South on true line
bet secs 2 & 3

R 4 W Salt Lake Meridian

Chains
40.00 Set trachyte 14 x 10 x 10 in. 9 in deep marked 1/4 on W. side with mound of stones for 1/4 sec cor

80.00 The cor. to secs 2, 3, 10 & 11 land rolling Soil 2nd rate.

No Timber

Nov 27th 1876

Nov. 28th 1876.

From the standard cor. to secs , 33 & 34 on the south boundary of the township 2 mi

North bet secs 33 & 34

Var. 16° 30' E.

8.75 Escalante & Panguitch road bears E & W.

40.00 Set trachyte 14 x 9 x 8 in. 9 inches deep with mound of stones for 1/4 sec cor from which

Subdivision secs 4 & 35 S.

Chains

0 Cedar 30 in dia bears N. 20° W.
70 lks dist marked 14 S. B. T.

80.00 Set trachyte 15 x 10 x 5 in 10 in dep,
marked 3 notches on E & 1 on S.
edges & mitered a mound of stone
for cor to secs 27, 28, 33 & 34
Land undulating Soil 1st rate.
No timber.

East on random line
bet secs 27 & 34
Var. 16° 30' E.

37.00 Enter timber
40.00 Set temp 14 sec. cor.
79.83 Intersect N & S. line 15 chs,
N. of cor to secs 26, 27, 34 & 35
from which
N. 89° 54 W. on true line
bet secs 27 & 34
39.92 Set trachyte 19 x 10 x 7 in, 10 in.

Chains

79.83

40.00

80.00

Chains deep marked 1/4 on N. side with mound of stones for 1/4 sec cor
79 83 The cor to secs 27 & 28, 33 & 34
Land undulating Soil 2nd rate
Timber scattering Pine —

North bet secs 27 & 28
Var. 16° 30' E.

40 50 Set trachyte 20 x 7 x 4 in. 15 in. deep marked 1/4 on N. side with mound of stones for 1/4 sec cor
80 00 Set trachyte 18 x 16 x 10 in. 12 in. deep marked 3 notches on E & 2 on S. edges with mound of stones for cor to secs 21, 22 27 & 28.
Land undulating Soil 1st rate
No Timber

Subdivision lines of T. 35 S.

Chains East on random line
bet. secs 22 & 27
Var: 16° 30' E.

40.00 Set temp 1/4 sec cor.

45.00 Ledge bears N.W. & S.E. Enter trunk.

79.49 Intersect N. & S. line at cor to secs 22, 23, 26 & 27 from which
West on true line
bet. secs 22 & 27

39.75 Set sandstone 12 x 8 x 7 in
8 in deep. marked 1/4 on N. side
& raised a mound of earth
from 4 pits each 24 x 12 x 12 in
for 1/4 sec cor

79.49 The cor to secs 21, 22 27 & 28
Land undulating Soil 2nd rate
Timber Pine

North bet secs 21 & 22.
Var: 16° 30' E

BOOK-A-150

Chains

40.00 Set trachyte 12 x 10 x 6 in. 8 in deep marked 1/4 on W. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec cor

80.00 Set trachyte 12 x 9 x 7 in. 8 in deep marked 3 notches on E & S. edges & raised a mound of earth from 4 pits each 24 x 12 x 12 in for cor to secs 15 & 16 21 & 22

Land undulating Soil 2nd rate — No Timber —

East on random line
bet secs 15 & 22
Var. 16°30' E.

40.00 Set temp 1/4 sec cor

55.00 Foot of timber bench enter scattering timber. 4 Pines standing up

Subdivision lines of T. 35 S

	Chains quadranged 2 in line 55 chs to center of diagonals	Chains 43.50
80.00	Intersect N. & S. line at cor to secs 14, 15, 22 & 23 from which West on true line bet secs 15 & 22	80.00
40.00	Set sandstone 15 x 8 x 5 in. 10 in deep marked 1/4 on N. side with mound of stones for 1/4 sec cor.	
80.00	The cor to secs 15, 16, 21 & 22 Land undulating Soil 2nd rate	28.00
	Timber scattering Pine	40.00
		65.00
	North bet secs 15 & 16 Var. 16°30' E.	80.00
40.00	Set trachyte 15 x 10 x 4 in. 10 in deep marked 1/4 on W. side with mound of stones for 1/4 sec cor	
		40.00

BOOK-A-150
Range 4 W. Salt Lake Meridian 157

Chains 43.50	Hollow drains S.E.
80.00	Set trachyte 12 x 7 x 7 in. 8 in deep marked 3 notches on E & 4 on S. edges with mound of stones for cor. to secs 9, 10, 15 & 16
	Land undulating Soil 1st rate
	No timber

East on random line
bet secs 10 & 15
Var. 16°30' E.

28.00	Enter timber bench
40.00	Set temp 1/4 sec cor.
65.00	Ridge bears N.W. & S.E.
80.00	Intersect N. & S line 28 lks N. of cor. to secs 10, 11, 14 & 15 from which
	N. 8°48' W. on true line bet secs 10 & 15
40.00	Set trachyte 10 x 10 x 6 in 5 in deep

Subdivision lines of T. 35 S.

Chains		
	marked 1/4 on N. side & raised a mound of stones for 1/4 sec. cor.	
80.00	The cor to secs 9, 10, 15 & 16	
	Land rolling Soil 2nd rate	
	Timber scattering Pine	
	North bet secs 9 & 10	40.00
	Var. 16° 30' E.	44.00
40.00	Set bracket 14 x 10 x 5 in. 9 in deep marked 1/4 on W. side with mound of stones for 1/4 sec cor.	47.00
		80.17
80.00	Set bracket 22 x 20 x 7 in 15 in deep marked 3 notches on E. & 5 on S. edges with mound of stones for cor to secs 3, 4, 9 & 10 from which	40.09
	A Cedar 18 in. dia. bears N. 60° E, 30 lks dist marked T. 35 S R 4 W. S 3 B T.	80.17
	Land undulating Soil 1st rate	

R. 4 W. Salt Lake Meridian

Gains No Timber

East on random line
bet secs 3 & 10
Var. 16° 30' E.

Ascend

40.00 Set Temp 1/4 sec. cor.

44.00 Ridge bears N.W. & S.E.

47.00 Enter Hollow

80.17 Intersect N. & S. line 31 lks
N. of cor to secs 2, 3, 10 & 11
from which
N. 89° 47' W. on true line
bet secs 3 & 10

40.09 Set Trachyte 11 x 11 x 5 in. 6
in deep marked 1/4 on N. side
& raised a mound of stone
for 1/4 sec cor.

80.17 The cor to secs. 3, 4, 9 & 10
Land rolling: Soil 2nd rate

Subdivision lines of T. 35 S

Chains No timber.

North on random line
bet secs 3 & 4
Var: 16° 30' E.

Ascend

40.00 Set temp 1/4 sec. cor.

80.00 Intersect N. Boundary of township at cor to secs 3, 4, 33 & 34 from which

South on true line
bet secs. 3 & 4

40.00 Set trachyte 10 x 8 x 7 in 6 in. deep marked 1/4 on W. side & raised a mound of stones for 1/4 sec. cor.

80.00 The cor. to secs 3, 4, 9 & 10

Land ascending slope
Soil 2nd rate
No Timber Nov 28th 1876

R 4 W. Salt Lake Meridian

Chains

Nov. 29th 1876

From the standard cor.
secs 32 & 33 on south boundary
of Township 2 run
North at secs 32 & 33
Var. 16° 30' E.

6.00 Road bears N. W. & S. E. Foot of Bench.

40.00 Set trachyte 12 x 8 x 7 in. 8 in.
deep marked 1/4 on W. side
with mound of stones for 1/4 sec cor.

53.00 Enter timber

81.00 Set trachyte 16 x 12 x 12 in.
12 in. deep marked 4 notches
on E. & 1 on S. edges with
mound of stones for cor to
secs 28, 29, 32 & 33 from which
A Pine 26 in dia bears N. 55° W.
82 lks dist marked S. 35 S. R.
4 W. S 29, B.T.
A Pine 36 in dia. bears N. 15° E

Subdivision lines of T. 35 S.

Chains		
	136 lks dist marked S. 28 B.T.	
	Land mostly level Soil 1st rate	
	Timber Pine	40.00
	East on random line	
	bet secs 28 & 33	80.00
	Var: 16°30' E.	
16.00	Leave timber bears N. & S.	
40.00	Set temp 1/4 sec. cor.	
80.00	Intersect N. & S. line 28 lks	
	N. of cor to secs 27, 28 33 & 34	
	from which	
	N. 89°48' W. on true line	
	betw secs. 28 & 33.	
40.00	Set trachyte 12 × 8 × 7 in,	
	8 in deep marked 1/4 on N. side	25.00
	with mound of stones for 1/4 sec. cor.	40.00
80.00	The cor to secs 28, 29, 32 & 33	80.19
	Land undulating Soil 2nd rate	
	Timber Pine W. 16 chs	

BOOK-A-150

Main. North bet secs 28 & 29
Var: 16° 30' E.

40.00 Set sandstone 10 x 8 x 7 in, 6 in deep marked 1/4 on W. side with mound of stones for 1/4 sec cor

80.00 Set sandstone 16 x 4 x 10 in. 11 in deep marked 4 notches on E. & 2 on S. edges for cor to secs 20, 21 28 & 29

Land undulating Soil 1st rate Timber Pine

East on random line.
bet sec 21 & 28
Var. 16° 30' E.

25.00 Leave timber

40.00 Set temp 1/4 sec cor.

80.19 Intersect N. & S. line 32.14 chs N. of cor to secs 21, 22, 27 & 28 from which

Subdivision lines of T. 35 S.

Chains

N 89° 45' W. on true line
bet secs 21 & 28

40.10 Set Trachyte 12 x 8 x 7 in. 8 in
deep marked 1/4 on N. side with
mound of stone for 1/4 sec. cor.

80.19 The cor. to secs 20, 21, 28 & 29
Land undulating Soil 2nd rate
Timber Pine W. 25 chs

North bet secs 20 & 21
Var. 16° 30' E.

25.00 Enter hollow

40.00 Set sandstone 18 x 7 x 7 in.
12 in deep marked 1/4 on W. side
with mound of stone for 1/4 sec cor

80.00 Set sandstone 14 x 12 x 5 in.,
9 in. deep marked 4 notches on
E. & 3 on S. edges with mound
of stones for cor to secs 16, 17, 20 & 21
Land undulating Soil 2nd rate

Chains Timber pine

East on random line
bet secs 16 & 21.
Var. 16° 30' E.

3.00 Leave hollow

40.00 Set temp 1/4 sec. cor.

80.29 Intersect N & S line 19 lks N.
of cor to secs 15, 16, 21 & 22 from which
N. 89° 52' W. on true line
betw secs 16 & 21

40.15 Set trachyte 12 x 10 x 6 in. 7 in
deep marked 1/4 on N. side. &
raised a mound of earth from
4 pits each 24 x 12 x 12 in. for 1/4 sec cor.

80.29 The cor to secs 16, 17, 20 & 21
Land undulating
Soil 2nd rate No timber

Morning the line west will

Subdivision lines of T. 35 S.

Chains strike a rocky ridge in less than 80 chs & run on true line

West bet secs 17 & 20

Var. 16°30' E.

40.00 Set Sandstone 10 x 6 x 6 in. 6 in deep marked 1/4 on N. side & mound a mound of stones for 1/4 sec. cor. near edge of rock breaks

Land undulating Soil 2nd qua

Timber scattering Pine.

I abandon the line here

From cor to secs 16, 17, 20 & 21

I run

North betw secs 16 & 17

Var. 16° 30' E.

25.00 Enter hollow

40.00 Set Sandstone 12 x 9 x 8 in. 8 in deep marked 1/4 on W side

Chains

70.00

80.00

40.00

79.87

R. 4 W. Salt Lake Meridian

Chains

& raised a mound of stones for 1/4 sec cor.

70.00 Trail bears N. W. & S. E.

80.00 Set Sandstone 18 x 12 x 4 in. 12 in deep marked 4 notches on S & E. edges & raised a mound of earth from 4 pits each 24 x 12 x 12 in for cor to secs 8, 9, 16 & 17

Leave Hollow

Land undulating Soil 1st qlty

Timber Willows & Pine

East on random line bet secs 9 & 16

Var. 16° 30' E.

40.00 Set temp 1/4 sec. cor.

79.87 Intersect N & S. line 31 lks S. of cor. to secs 9, 10, 15 & 16 from which S. 89° 47' W. on true line bet secs 9 & 16

Subdivision lines of T. 35 S.

Chains

39.94 Set trachyte 10 x 10 x 7 in. 6 in deep marked 1/4 on N. side with mound of stones for 1/4 sec. cor.

79.87 The cor. to secs 8, 9, 16 & 17

Land rolling Soil 2nd rate

Timber scattering pine

North bet secs 8 & 9

Var. 16° 30' E.

40.00 Set Sandstone 16 x 8 x 7 in 12 in deep marked 1/4 on W. side & raised a mound of stone for 1/4 sec cor. —

Leave scattering timber

80.00 Set trachyte 12 x 8 x 7 in. 8 in. deep marked 4 notches on E & 5 on S. edges & raised a mound of earth from 4 pits (each 24 x 12 x 12) for cor. to secs 4, 5, 8 & 9

Land generally level Soil 1st rate

R. 4 W. Salt Lake Meridian

Chains Timber scattering Pine

East on random line
bet secs 4 & 9
Var. 16° 30 E.

40.00 Set temp 1/4 sec cor.

79.67 Intersect N. & S line 21 lks
N. of cor. to secs. 3, 4, 9 & 10
from which
S. 89° 57' W. on true line
bet secs 4 & 9

39.84 Set Trachyte 12 x 8' x 7 in. 8 in
deep marked 1/4 on N. side with
mound of stone for 1/4 sec cor-
ner

79.67 The cor to secs 4, 5, 8 & 9
Land rolling Soil 2nd rate
Timber scattering Pine

 Subdivision lines of T. 35 S.

Chains

North on random line
bet secs 4 & 5
Var. 16° 30' E.

40.00 Set temp 1/4 sec. cor.

80.00 Intersect N. Boundary of
township at cor to secs 4, 5,
32 & 33 from which
South on true line
bet secs 4 & 5

40.00 Set trachyte 12 x 8 x 6 in. 8 in.
deep marked 1/4 on W. side
with mound of stones for 1/4 sec. cor.

80.00 The cor. to secs 4, 5, 8 & 9.
Land gently rolling Soil 1st rate
No timber

Nov. 29th 1876.

Nov. 30th 1876.

From the standard
cor. to secs. 31 & 32 on S.

R 4 W. Salt Lake Meridian

Chains boundary of townships 2 mile
North bet. secs 31 & 32
Var. 16° 30' E

22.00 Leave timber

40.00 Set Sand-Trachyte 14x10x8 in
9 in. deep marked '4 on W. side
with mound of stones for 1/4 sec cor.

46.60 Panguich Road bears N. W. & S. E.

80.00 Set Sandstone 13x8x7 in 8 in
deep marked 5 notches on E. & 1 on
S. edges with mound of stones
for cor to secs 29, 30, 31 & 32
from which

A Pine 19 in dia bears N. 60° E
252 lks dist marked T. 35 S. R
4 W. S 29 B. T.

Land level
Soil 1st rate
Timber Pine

Chains		Chains
	East on random line	
	bet secs 29 & 32	36.00
5.00	Enter timber	
40.00	Set temp 1/4 sec. cor.	40.00
80.00	Intersect N & S. line at	80.00
	cor to secs 28, 29, 32 & 33 from	
	which	
	West on true line	
	bet secs 29 & 32	
40.00	Set Sandstone 14 x 10 x 9 in	40.00
	9 in deep marked 1/4 on N side	
	with mound of stone for 1/4 sec cor	
80.00	The cor. to secs 29, 30, 31 & 32	
	Land undulating Soil 2nd rate	80.00
	Pine Timber. —	

West on random line
bet secs 30 & 31
Var 16° 30' E.

30.00	Descend into rocky Breaks	24.00

R. 4 W. Salt Lake Meridian

Chains enter timber —

36.00 Road in canon bears N.W. & S.E.
ascend

40.00 Set temp 1/4 sec. cor.

80.00 Intersect W. boundary of town
ship at cor. to secs. 25 30 31 & 36
from which
East on true line
bet secs 30 & 31

40.00 Set quartzite 10 x 10 x 6 in.
6 in deep marked 1/4 on N.
side with mound of stone for
1/4 sec cor.

80.00 The cor to secs 29, 30, 31 & 32
Land mostly broken
Soil 2nd rate, Timber Pine

North bet secs 29 & 30
Var: 16° 30' E.

24.00 Ascend into rocky canon bears W.

Subdivision lines of T. 35 S.

Chains		Chains
35.00	Bottom of rocky canon bears W.	
39.50	Foot of sandstone ledge 15 feet high	
40.00	Set sandstone 18×16×10 in. 12 in deep marked 1/4 on W. side with mound of stones for 4 sec. cor.	
46.00	Top of canon slope enter flat.	
50.00	Enter rock breaks, thence along rock breaks facing W.	
80.00	Set sandstone 14×10×5 in. 9 in deep marked 5 notches on E & 2 on S. edges with mound of stones for cor to secs 19, 20, 29 & 30 in rock break from which	10.00
	A Pine 14 in dia bears N. 48 E. 65 lks dist marked T 35 S. R 4 W. S. 20 B T.	40.00
	Land rocky & broken — along W. edge of plateau — & sandstone	52.00
		80.00

R. 4 W. Salt Lake Meridian

Chains ledge face washed into spires domes, churches, gothic piles, gateways etc of very picturesque grand as well as grotesque effect —

Soil 2nd rate

Timber Pine —

East on a random line

bet. secs 20 & 29

Var. 16° 30' E.

10.00 Leave rock breaks S. & N.

20 chs rocks then bears S. of E.

40.00 Set temp 1/4 sec cor.

52.00 Sandstone ledge bears N.W. & S.E

breaks N.W. into abys

80.00 Intersect N & S line at cor

to secs 20, 21 28 & 29

from which

Western true line

Chains

but secs 20 & 29

40.00 Set sandstone 12 x 10 x 9 in. 8 in deep marked 1/4 on N. side with mound of stone for 1/4 sec cor. from which

A Pine 26 in dia bears N 60° E. 60 lks dist marked 1/4 S. B. T.

80.00 The cor to secs 19, 20, 29 & 30 land mostly level Soil 1st rate Timber Pine.

It being impracticable to extend the line from this point I abandon it here

---

As it was impracticable to set the cor. to secs 17, 18, 19 & 20 — from the cor to secs 8, 9, 16 & 17 I run

R. 4 W. Salt Lake Meridian

Chains West on true line
bet secs 8 & 17
Var. 16 30 E.

40.00 Set trachyte 16 x 9 x 6 in.
11 in deep marked 1/4 on N.
side north mound of stones
for 1/4 sec cor.

80.00 Set trachyte 10 x 10 x 7 in. 6 in
deep marked 5 notches on E.
& 4 on S edges for cor to secs
7, 8, 17 & 18 —
Land undulating
Soil 2nd rate
No Timber.

As the cor south from this
point could not be set 2
min

South on true line
bet. secs 17 & 18

Subdivision lines of T. 35 S.

Chains

Var. 16° 30' E.

40.00 Set sandstone 10 x 10 x 8 in 6 in deep marked ¼ on W. side & raised mound of stones for ¼ sec. cor.

Land rolling, Soil 2nd rate

No. Timber.

Note: 2 abandon line here

Knowing the line will strike rock breaks in less than 80 chs. 2 mile

West on true line

bet secs 7 & 18

Var: 16 30' E.

40.00 Set trachyte 12 x 9 x 6 in. 6 in deep marked ¼ on N. side with mound of stones for ¼ sec. cor near rock breaks

R. 4 W. Salt Lake Meridian

Chains Land level Soil 2nd rate
No Timber.
It being impracticable to extend the line further I abandon it here

---

Run on to secs 7, 8, 17 & 18 I rim
North bet secs 7 & 8
(Var 16° 30' E.
4000 Set trachyte 16 x 10 x 7 in. 1 in deep marked 1/4 on W. side with mound of stones for 1/4 sec cor.
8000 Set trachyte 14 x 11 x 6 in 9 in deep marked 5 notches on E & S. edges with mound of stones for cor to secs 5, 6, 7 & 8
Land rolling
Soil 2nd rate

 Subdivision lines of T. 35 S.

No timber

East on random line
bet secs 5 & 8
Var 16°30' E.

40.00 Set temp 1/4 sec. cor.

80.19 Intersect N. & S. line 11 ch. S. of cor. to secs 4, 5, 8 & 9 from which
S 89°55' W on true line
bet secs 5 & 8

40.10 Set trachyte stone 10 x 10 x 5 in. 6 in deep marked 1/4 on N. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor

80.19 The cor to sec 5, 6, 7 & 8
Land rolling Soil 2nd rate
No timber
Nov. 30th 1876 J. G. Burrill

BOOK-A-150

General Description

The lands in this township are mostly covered with cedar & large yellow pine timber of commercial value interspersed with parks of fine meadows of bunch grass, lying north of the West end of Emery Valley Soil 1st & 2nd rate. The lands are agricultural —

J. G. Bennie
U. S. Dep. Sur. —

BO

Surv
Salt
The f
Surv
Boul
of To
Wesh
Utah
G. Bu
of Bo
4th 1
1876.
the nec
notion
and
hereb

BOOK-A-150

Surveyor Generals Office Utah
Salt Lake City February 10th 1877
The foregoing field notes of the
Survey of the north and West
Boundaries and Subdivision Lines
of Township 35 South Range 4
West of the Salt Lake meridian
Utah Territory executed by J
G. Burrill under Joint contract
of Boiley and Burrill 4073 of Sept.
4th 1876. in the month of November
1876. having been critically examined
the necessary corrections and expla=
rations made, the said field notes
and the surveys they describe are
hereby approved.

Nathan Kimball
Surveyor General

B

12 6

BOOK-A-150 1520 6/R 185

12th C Examined by M. T. Burgess. C. C.

Comp. C & K,

Field Notes
of
The Survey of the
Subdivision lines
of
Township 36, South. Range 3 West,
of
The Salt Lake Meridian
By
J. C. Bailey
Under Joint Contract of Bailey & Burrill
No 78
dated Sept. 4th 1876,

Survey Commenced Nov, 20th 1876,
Survey Completed Nov, 21st 1876,

BOOK-A-150

Township 36 S. Range 3 W.

6 212	5 207	4 203	3 202	2	1
211	210	206	199	201	
7 209	8 204	9 197	10 200	11	12
208	194	196			
18 193	17	16	15	14	13
192	191				
19 190	20	21	22	23	24
187					
30 189	29	28	27	26	25
31	32	33	34	35	36

Subd
BOOK

Chains, C

A
a
of
th
(G

C

37.70 (C

Subdivisions Tp. 36. S. R 3 West
BOOK-A-150 Salt Lake Meridian 187

Chains, November 20th 1876,

By J. C. Bailey,

As it was impracticable to run any portion of the South boundary of this Township, I begin at the Cor. to Secs. 19 & 30, on the Guide Meridian & run,

East on a true line bet. Secs. 19 & 30,

Var. 16°30' E,

37.70 (Allowing for convergency of Meridians) Set limestone 15x8x8 in, 10 in, deep, marked 1/4 on N. side, with mound of earth raised from 4 pits, each 24x12x12 in, for 1/4 Sec. Cor. from which,

A pine 14 in, dia, bears N. 82° E, 23 lks. dist.

A pine 22 in. dia, bears S. 78°

Subdivisions Tp. 36. S. R. 3 W.

Chains, E. 241 lks. dist, Both trees marked 1/4 S. B.T.

77,70 Set Sandstone 18 x 13 x 6 in, 12 in, deep, marked 2 notches on S, & 5 on E. edges, for Cor. to Sees, 19, 20, 29, & 30, from which,

Apine 36 in, dia, bears S, 56 E, 124 lks. dist, marked S, 29, T 36 S, R. 3 W. B.T.

Apine 4 in, dia, bears S. bears S, 42 W, 84 lks. dist, marked S. 30 B.T.

Apine 5 in, dia, bears N, 43 E, 124 lks. dist, marked S. 20 B.T.

Apine 33 in, dia, bears N, 48 W. 160 lks, dist, marked S, 19. B.T.

Land rolling.

Salt Lake Meridian

Chains, Soil Pr rate,
Timber, large Yellow pine.

South bet. Secs. 29 & 30,
Var. 16°30' E.
37,00 Rim of Basin N.W. & S.E.
at W. side of high sandstone hill,
40,00 Corner falling over the × Rim,
at 37,00 chs. Set Sandstone
12 x 8 x 7 in, 8 in deep, marked
1/4 W.C. on W. side with mound
of stones for witness 1/4 Sec. Cor.
Abandon line here on
Account of the broken Country
to the South,
Land undulating
Soil Pr rate,
Timber, large Yellow pine,

Subdivisions T. 36 S. R. 3 W.

Chains, North bet. Secs. 19 & 20,
Var. 16° 30' E.

40.00 Set boulder 12x8x4 in., 8 in.
deep, marked 1/4 on W. side
with mound of stone for 1/4
Sec. Cor. from which,
Spruce 22 in. dia. bears N.
3 W. 84 lks. dist.
Spruce 30 in. dia. bears S. 45
W. 62 lks. dist.
Both trees marked 1/4 S. B.T.

80.00 Set sandstone 18x12x5 in.,
12 in. deep, marked 3 notches
on S. & 5 on E. edges with
mound of earth from 4 pits,
each 24x12x12 in., for Cor.
to Secs. 17, 18, 19 & 20,
from which,
Spruce 20 in. dia. bears N.
24 E. 120 lks. dist. marked

Chain

39.0

40.0

Salt Lake Meridian

Chains S. 17. T 36. S. R. 3 W. B. T.
A pine 20 in. dia. bears S. 60 W.
24 lks. dist. marked S. 19. B. T.
Land undulating,
Soil Pt rate,
Timber, large yellow pine,

East on true line bet Secs.
17 & 20,
Var. 16° 30' E.
39.00 Rim of Basin bears N. & S.
40.00 Corner point falling over the
Rim I therefore at 39.50 chs. Set
Sandstone 15 x 8 x 4 in. 10 in. deep,
marked 1/4 W. C. on N. side with
mound of earth from 4 pits
each 24 x 12 x 12 in. for witness
1/4 Sec. Cor.
I abandon line here,

Subdivisions Sec. 36, T. R. 3 W.

Chains Land nearly level,
Soil poor rate,
Timber, large yellow pine,

West on random line
bet. Secs. 18 & 19,
Var. 16° 30' E.

40,00 Set temporary 1/4 Sec. Cor.

77,50 Intersect Guide Meridian
80 lks. N. of Cor. to Secs. 18 & 19.
from which,
N. 89° 26' E. on true line
bet. Secs. 18 & 19,

37,50, Set Sandstone 12 x 10 x 8 in. 8 in.
deep, marked 1/4 on N. side,
with mound of earth from
4 pits, each 24 x 12 x 12 in.
for 1/4 Sec. Cor.

77,50 The Cor. to Secs. 17, 18, 19 & 20,

40,00

80,00

Salt Lake Meridian

Land rolling,
Soil 1st rate,
Timber, large yellow pine,

North bet. Secs. 17 & 18,
Var. 16° 30' E,

40,00 Leave timber bears E. & W.
Sheep Corral bears N. 65 W.
30 chs. dist.
Spring bears N. 65 W. 40 chs.
Set a boulder 12x8x8, 8 in.
deep, marked 1/4 on W. side
with mound of earth from
4 pits, each 24x12x12 in. for
1/4 Sec. Cor. from which,
A pine 30 in. dia. bears S. 42 E.
148 lks. dist. marked 1/4 S. B.T.
80,00 Set a Sandstone 16x10x4 in.
11 in. deep, marked 5 notches on

Subdivisions Tp. 36. S. R. 3 W.

E, & 4 on S. edges, with mound of earth from 4 pits, each, 24 x 12 x 12 in, for Cor, to Secs. 7, 8, 17 & 18,

Land nearly level,

Soil 1st rate,

Timber, large yellow pine,

East on true line bet,

Secs. 8 & 17,

Var. 16° 30 E,

28,00 Ridge bears N. W. & S. E.

40,00 Eighty Ks, West of Rim of Basin, bears N. E. & S. W. set a sandstone 24 x 12 x 11 in, 18 in. deep, marked 1/4 on N. side with mound of stones for 1/4 Sec. Cor. from which,

BOOK-A-150

Salt Lake Meridian

Pine 36 in. dia, bears S. 45
W. 51 lks. dist,
Pine 11 in. dia, bears S. 60 E.
48 lks. dist,
Both trees marked 1/4 S. B.T.
To avoid the broken ground
I offset North, 18.00 chs,
Thence East, 20.00 chs, to
Clifton road, bears N. W. & S.
at head of Pinacle Canon
drains South 40.00 chs. to
80.00 To point 18.00 chs. N. of true Cor,
which falls over the Rim,
therefore at this point I set
limestone 18 x 12 x 4 in, 12
in, deep, marked 4 notches
on E. & S. edges W. C. with
mound of stones for witness
Cor, to Secs, 8, 9, 16 & 17,
from which,

Subdivisions Tp. 36. S. R. 3 W.

A pine 18 in. dia, bears N. 50 E. 44 lks. dist. marked W. C. S. 9. T. 36. S. R. 3 W. B.T.

A pine 22 in. dia, bears N. 45 W. 80 lks. dist. marked W. C. S. 8 B.T.

Land W 1/2 rolling, Soil 1st rate, E 1/2 broken Cañon Soil 2nd rate,

Timber, Scattering yellow & pinion pine,

East on true line bet secs. 9 & 16,

Var. 16° 30' E.

From witness cor. 18 chs. N. of true Cor. point I run, East on Offset line to 40,00 thence South 18,00

Salt Lake Meridian

Chains	Chs to
4,00	On true line, Set limestone 14×11×9 in, 9 in, deep, marked 1/4 on N, side with mound of earth from 4 pits each 24×12×12 in, for 1/4 Sec. Cor,
60,00	Rim of Basin, bears N.E. & S.W.
80,00	Set Limestone 12×11×4 in, 8 in, deep, marked 3 notches on E, & 4 on S, edges, with mound of stones for Cor, to Secs, 9, 10, 15 & 16,
	Land broken,
	Soil 2nd rate,
	Timber, Scattering pine,

North bet, Secs. 9 & 10,
Var. 16° 30' E,
Ascend E, slope,

Subdivisions T. 36, S. R. 3 W.

Chains,	
40,00	Set limestone 13 x 11 x 9 in, 9 in, deep, marked 1/4 on N, side, with mound of stones for 1/4 Sec. Cor,
8,00	Set limestone 25 x 14 x 14, 14 in, deep, marked 3 notches on E, & 5 on S, edges, with mound of stones for cor, to Secs, 3, 4, 9, & 10, from which, A pine 22 in, dia, bears S, 80 W, 45 lks, dist, marked S, 9, T 36, S, R. 3 W. B.T.
	Land broken,
	Soil 2nd rate,
	Timber, Scattering Pine & Cedar,

Salt Lake Meridian

Chains, East on true line bet,
Secs, 3 & 10,
Var, 16° 30' E,

38,25 Rim of Basin bears N.W. & S.E,

40,00 Set a Sandstone 20x15x6, 15 in, deep, marked 1/4 on N, side, with mound of stones for 1/4 Sec, Cor, from which,
A pine 48 in, dia, bears S, 35 W, 92 lks, dist, marked 1/4 S, B.T,

40,80 Rim of Basin bears N.E,

43,00 " " " " S.E,

80,00 Enter Scattering Timber bears N. & S, Set a Sandstone 14x10x4 in, 9 in, deep marked 2 notches on E & 5 on S, edges, with mound of stones for Cor, to Secs, 2, 3, 10 & 11,

Subdivisions Tp. 36 S. R. 3 W.

from which,

A pine 25 in. dia, bears S. 40 W. 40 lks. dist, marked S. 10, T 36, S. R. 3 W. B. T.

A pine 40 in. dia, bears N. 6° E, 104 lks. dist, marked S. 2. B. T.

Land rolling & broken,

Soil 2d rate,

Timber Scattering large Yellow & pinion pine

November 20th 1876,

J. C. Bailey

South bet. Secs. 10 & 11,

Var. 16° 30' E,

35,00 Rim of Basin bears E. & W.

40,00 Set Sandstone 13 x 9 x 7, 9 in. deep, marked 1/4 on W. side

Salt Lake Meridian

Chains,	with mound of stones for 1/4 Sec. Cor,
	Abandon line here on Account of rock breaks,
	Land rolling,
	Soil 2nd rate,
	Timber, large yellow pine,
	East on true line bet,
	Secs. 2 & 11,
	Var, 16°30' E,
13,00	Rim of Basin bears N, & S,
40,00	Set Sandstone 12x10x4 in, 8 in. deep, marked 1/4 on N, side, with mound of earth from 4 pits, each 24x12x12 in, for 1/4 Sec. Cor,
	Abandon line here on Account of rock breaks,

Subdivisions T. 36, S. R 3 W.

Chains, Land rolling,
Soil 2nd rate,
Timber, large pine,

North on true line bet.
Secs. 2 & 3,
Var. 16°30' E,

36,00 Leave timber bears N.E. & S.W.

40,00 Set Sandstone 13x10x5, 9 in. deep, marked 1/4 on W. side with mound of stones for 1/4 Sec. Cor,

80,24 Intersect 7th Standard South, 4.48 chs, East of Standard Cor, to Secs. 34 & 35 T. 35 S. R. 3 W. where I set a limestone 16x10x5 in, 11 in. deep, marked 2 notches on E, 4 on W, & 6 on S. edges, C.C, with

Salt Lake Meridian

Chains, mound of earth from 3 pits, each 24x12x12 in, on E, W & S, side of Cor, 5 feet dist, for Closing cor. to Secs, 2 & 3, T, 36, S, R, 3, W,

Land rolling,

Soil 1st rate,

Timber, large pine on S, 30 chs,

North on true line bet,

Secs, 3 & 4,

Var. 16°30' E,

Ascend,

22,00 Rim of Basin bears E, & W,

30,00 Butte 4,00 chs. W,

40,00 Set Sandstone 20x10x3, 15 in, deep, marked 1/4 on W. side, with mound of stones for 1/4

Subdivision T. 36 S. R. 3 W.

Chains, Sec. Cor,

80, 18 Intersect 7th Standard South, 4,80 chs, E, of Standard Cor, to Secs, 33 & 34 T, 35 S, R, 3 W, where I set a sand stone 16x8x3 in, 11 in, deep, marked 3 notches on E & W, & 6 on S, edges, C,C, with mound of earth from 3 pits each 24x12x12 in, on E, W, & S, sides, of Cor, 5 feet, dist, Land rolling
Soil 1st rate,
No timber,

North bet, Secs, 8 & 9,
Var, 16°30' E,
From witness Cor, 18 chs. N, of true Cor, 22,00 chs, to

Lake Lake Meridian

chains,
40,00 Counting distance back to true Corner point Set limestone 13x10x7in, 9in, deep, marked 1/4 on N. side, with mound of stones for 1/4 Sec. Cor, from which,
A pine 20 in, dia, bears S, 45 W, 40 lks, dist,
A pine 15 in, dia, bears N, 44 E, 108 lks, dist, Both trees marked 1/4 S. B. T.

35,00 Leave Timber bears N.E. & S.W.

80,00 Set Sandstone 16x8x4in, 11in, deep, marked 4 notches on E, & 5 on S, edges, with mound of earth from 4 pits each 24x12x12 in, for Cor to Secs, 4, 5 8 & 9.
Land S. 1/2 broken 2nd rate, N. 1/2 rolling Soil 1st rate,

 Subdivisions Th. 36. S. R. 3 W.

Chains, Timber, Scattering pine,

East on random line
bet. Secs. 4 & 9,
Var. 16° 30' E.

40,00 Set temporary 1/4 Sec. Cor.

42,00 Enter timber bears N.E. & S.W.

75,00 Summit of Rim bears N. & S.
Descend to,

80,00 Intersect N. & S. line at
the Cor. to Secs. 3.4.9 & 10,
from which,
West on true line bet.
Secs. 4 & 9.

40,00 Set Sandstone 16x8x4, 11 in.
deep, marked 1/4 on N. side,
with mound of stones for
1/4 Sec. Cor.

80,00 The Cor. to Secs. 4.5.8 & 9.

Salt Lake Meridian

Chains, Land rolling,
Soil 2nd rate,
Timber, large pine on E 1/2,

North on true line bet
Secs, 4 & 5,
Var, 16° 30' E,

12,00 Ravine drains N.W.
17,00 West slope of Butte,
26,00 Corral 6,00 chs. W,
28,00 Spring on line drains N.E.
40,00 Set Sandstone 20x10x9 in,
13 in, deep, marked 1/4 on W.
side, with mound of earth
from 4 pits, each 24x12x12
in, for 1/4 Sec, Cor,
80,12 Intersect 7th Standard
South, 5,36, chs, East of
Standard Cor, to Secs, 32 & 33,

 Subdivisions T. 36, S. R. 3 W.

Chains, T. 35 S. R. 3 W. where I set a Sandstone 17.×9×4 in. 12 in. deep, marked 4 notches on E. 2 on W. & on S. Edges & C.C. with mound of earth from 3 pits, Each 24×12×12 in. on E. W. & S. sides of Cor. 5 feet distant for closing Cor. to Secs. 4 & 5, T. 36. S. R. 3 W.

Land level,
Soil Pr rate,
No Timber,

West on random line bet. Secs. 7 & 18,
Var. 16° 30' E.

4,00 Set temporary 1/4 Sec. Cor.
77.20 Intersect West boundary

Chains

37.20

77.20

40.00

Salt Lake Meridian

Claims, at the Cor, to Secs, 7 & 18
from which,
East in true line
bet, Secs, 7 & 18,
37,20 Set Sandstone 16x12x6 in,
11 in, deep, marked 1/4 on N,
side, with mound of earth
from 4 pits each 24x12x12,
in, for 1/4 Sec, Cor,
77,20 The Cor, to Secs, 7, 8, 17 & 18,
Land rolling,
Soil pr rate
No timber,

North bet Secs. 7 & 8
Var, 16° 30' E,
40,00 Set sandstone 15x11x8, 10 in,
deep, marked 1/4 on W, side
with mound of earth from

Chains,	
	4 pits, each 24×12×12 in, for 1/4 Sec. Cor,
41,50	Road from Panguitch to Clifton bears S.E & N.W.
80,00	Set Sandstone 20×8×9 in, 15, in, deep, marked 5 notches on E. & S. edges with mound of earth from 4 pits, each 24×12×12 in, for cor, to Secs, 5, 6, 4, & 8.
	Land rolling.
	Soil 1st rate,
	No Timber,

	East on random line bet, Secs, 5 & 8,
	Var, 16°30' E,
40,00	Set temporary 1/4 Sec. Cor,
80,00	Intersect N. & S. line at

Chains Cor. to Secs. 4, 5, 8 & 9 from which

West on true line bet.
Secs. 5 & 8,

40,00 Set red sandstone 14 x 8 x 4 in.
9 in. deep, marked 1/4 on N.
side, with mound of earth
from 4 pits, each 24 x 12 x 12 in.
for 1/4 Sec. Cor.

80,00 The cor. to Secs. 5, 6, 9 & 8,
Land rolling,
Soil sandy,
No timber.

West on random line
bet. Secs. 6 & 7,
Var. 16° 30' E.

40,00 Set temporary 1/4 Sec. Cor.

75,15 Road from Parguitch to

Subdivisions T. 36. S. R. 3 W.

Chains	
	Clifton bears N. W. & S. E.
77.15	Intersect West boundary at the corner to Secs. 6 & 7 from which,
	East on true line bet. Secs. 6 & 7,
37.15	Deposited a small stone marked with a Cross (+) in mound of earth from 4 pits, each 24 x 12 x 12 in. for 1/4 Sec. Cor.
77.15	The cor. to Secs. 5, 6, 7 & 8,
	Land level,
	Soil Poor rate,
	No Timber,

North on true line bet. Secs. 5 & 6,
Var. 16° 30' E.

Chains
40.00

80.06

Salt Lake Meridian

Chains	
40,00	Deposited small sandstone marked with a Cross (+) in mound of earth from 4 pits each 24 x 12 x 12 in, for 1/4 Sec, Cor,
80,06	Intersect 7th Standard S, 5.70 chs, E, of Standard Cor, to Secs, 31 & 32 T, 35 S, R, 3 W, where I set a sandstone, 18 x 10 & 7 in, 12 in, deep, marked 5 notches on E, 1 on W, 06 on S, edges C, C, with mound of earth raised from 3 pits Each 24 x 12 x 12 in, E, W, & S, of Cor, 5 feet dist, for closing Cor, to Secs, 5 & 6, T. 36, S, R, 3 W,
	Land level,
	Soil 1st rate,
	Timber

November. 21st 1876,
T. C. Bailey,

General Description,

The portion of this township now surveyed consists chiefly of 1st rate soil, and some fine large yellow pine timber, with fine bunch grass for grazing,

The unsurveyed S.E. part lies over the rim of the Great Salt Lake Basin, is very broken & rocky, unfit for any use whatever, very dry & sterile,

The lands are agricultural and can be

irrigated from the East fork of Sevier River,

T. C. Bailey,

U. S. Deputy Surveyor.

Sur
Sec
The
Sur

South
Lor
Exec
Join
Ba
1876
1876
Exa
corr
mad
the
hereb

BOOK-A-150

Surveyor Generals Office Utah.
Salt Lake City February 10th 1877
The foregoing field notes of the
Survey of the

Subdivision Lines of Tp. 36
South Range 3 west of the Salt
Lake meridian Utah Territory
Executed by T. C. Bailey under
Joint contract of Bailey and
Burrill No 73. of Sept 4th
1876. in the month of November
1876 having been critically
examined, the necessary
corrections and explanations
made the said field notes and
the surveys they describe are
hereby approved

Wm Kimball
Surveyor General

BOOK-A-150

(B) C. Examined by M. T. Burgess C.C.

Comp. C & K

Field Notes
of the
Survey of the
South Boundary Line of
Township 36 South
Range 4 West
of the
Salt Lake Meridian
Utah Territory
By
T. C. Bailey
under joint contract No 7B
of Bailey & Burrill
Dated Sept 4th 1876

Surveyed Nov. 18th 1876.

BOOK-A-150

Township 36 S. Range 4 W.

6	295	5	283	4	271	3	258	2	243	1	
	294		293		283		270		257		242
7	291	8	282	9	269	10	255	11	241	12	
	290		289		281		268		254		240
18	288	17	280	16	267	15	253	14	239	13	
			286		279		266		252		237
19		20	278	21	265	22	250	23	236	24	
			286		276		263		249		235
30		29	275	28	262	27	247	26	234	25	
			285		274		261		246		233
31		32	273	33	260	34	244	35	232	36	
			227		226		224		223		221

✓ ✓ X

Sowl

Chairs

18.00

40.00

South boundary T. 36 S., R 4 W.
Salt Lake Meridian.

Chains

Survey commenced Nov. 18th 1876 by T. C. Bailey.
From the witness cor. 190 links west of true cor. to Townships 36 & 37 S. Ranges 3 & 4 W. 2 sun
West on true line on south side secs 36
Var. 16°30' E.

18.00 Rim of basin south 200 lks. dist. angles to East & South.

40.00 Set limestone 18 x 10 x 4 in 12 in. deep marked 1/4 on N. side with mound of Earth from 4 pits each 24 x 12 x 12 in for 1/4 sec cor from which A pine 36 in. diam. bears East 40 links dist marked 1/4 S. B. T.

South boundary T. 36 S., R. 4

Chains		Chains
80.00	Set Limestone 20 x 8 x 4 in	
	15 in. deep marked 1 notch	
	on E. & 5 on W. edged with	
	mound of earth from 4 pits	40.00
	each 24 x 12 x 12 in for cor	
	to secs 1, 2, 35 & 36 from	
	which	
	A pine 7 in. dia. bears	
	N. 25 E. 35 links dist.	
	marked S. 1 T. 37 S R. 4 W.	
	B. T.	
	A pine 18 in. dia. bears N.	
	71 W. 80 links dist. marked	
	S. 35. T. 36 S. R. 4 W.	80.00
	B. T.	
	Land rolling	
	Soil 1st rate, fine bunch grass	
	Timber large yellow pine	

BOOK-A-150

Chains West on true line
on S. side sec. 35.
Var. 16° 30' E.

40.00 Set Quartzite 14 x 6 x 6 in.
9 in. deep marked 1/4 on N.
Side with mound of stones
for 1/4 sec. cor.
from which
A Pine 20 in. dia. bears
South 5 links dist.
A pine 22 in dia. bears N. 5° W.
15 links dist
Both trees marked 1/4 S. B. T.

80.00 Set Quartzite 13 x 10 x 4 in.
9 in. deep marked 2 notches on
E. & 4 on West edges with
mound of stones for corner
to secs 2, 3, 34 & 35
from which
A pine 12 in. dia. bears N.

Chains		Chains
	80° W. 46 lks dist. marked	
	S. 34, T. 36 S, R. 4 W., B. S.	
	A pine 12 in. dia. bears	
	S. 65 W. 70 lks dist mar	
	S. 3, T. 37 S., R 4 W. B. S.	
	A pine 11 in. dia. bears N.	
	45 E. 60 lks dist marked	80.00
	S 35, B. T.	
	Land undulating.	
	Soil 2nd rate.	
	Timber large yellow pine	
	West on true line on	
	south side sec 34	
	Var. 16° 30' E.	
16.50	Wash in canon drains N.W.	
18.00	Kanarra & Clifton trail	
	bears N. W. & S. E.	
40.00	Set Quartzite rock 12 x 8	
	x 6 in. 8 in. deep, marked	

BOOK-A-150

Chains	
	1/4 on N. side & raised a mound of stones for 1/4 sec. cor. from which
	A pine 26 in. dia. bears N. 80° E. 45 lks dist. marked 1/4 S., B. T. —
80.00	Set Quartzite rock 18 x 13 x 8 in. 12 in. deep marked 3 notches on E. & W. edges & raised a mound of stones for cor. to secs 3, 4, 33 & 34 from which
	A pine 16 in. dia. bears S. 30 E. 6 links dist. marked S. 3, T. 37 S. R. 4 W. B. T.
	A pine 12 in. dia. bears N. 40° E 8 links dist marked S. 34, T. 36 S., R. 4 W. B. T.

South boundary T. 36 S., R. 4

Chains

A pine 8 in. dia bears N. 40° W. 30 lks dist marked S. 33, B.T.

Land undulating
Soil 2nd rate
Timber large Pine.

Chains

14.90

West on true line on S. side sec 33.

40.00

Var 16° 30' E.

40.00 Set Quartzite 12 x 9 x 7 in 8 in deep marked ¼ on N. side & raised a mound of stones for ¼ sec. cor.

80.00 Set Quartzite 16 x 7 x 7 in 11 in. deep marked 4 notches E. & 2 on W. edges & raised mound of stones for cor. to secs. 4, 5, 32 & 33

Land broken

Chains

Soil 2nd rate
Timber large yellow pine

West on true line on
S. side of secs 32
Var: 16° 30' E.

14.90 East fork Sevier River 15
lks wide runs N. W.

40.00 Set sandstone 13 x 9 x 6 in,
9 in. deep marked 1/4 on N.
side & raised a mound of
stones for 1/4 sec cor
Note: On account of the
rough nature of the country
I abandon the line here.
Land broken.
Soil 2nd rate
Timber large yellow pine

Note: For General Description

& approval see end of
subdivisions of this
township

November 18th 187

T. C. Bailey
U. S. Dep. Sur

BOOK-A-150

Examined by M. T. Burgess. C.C.

Field Notes
of the
Survey of the
Subdivision lines of
Township 36 South
Range 4 West
of the
Salt Lake Meridian
Utah Territory
By
Bailey & Burrill
under their joint Contract No 7B
dated Sept. 4th 1876.

Survey commenced Nov. 25th 1876
" ended " 30th "

BOO

Subdiv

Lains

40.00

78.00

800

BOOK-A-150

Subdivision lines of T. 36 S. R. 4 W.

Salt Lake Meridian

Chains

Survey commenced Nov. 25th 1876 by J. C. Bailey.

From the corner to secs 35 & 36 on the South boundary 2 min North bet. secs 35 & 36.

Var: 16° 30' E.

40.00 Set Limestone 15 x 10 x 5 in., 10 in deep marked 1/4 on W. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor. from which

A Pine 36 in. dia. bears N 47 W. 38 links dist.

A Pine 40 in dia. bears S. 40° E. 10 links dist.

Both trees marked 1/4 S. B. T.

78.00 Ravine drains N.E.

80.00 Set Limestone 18 x 14 x 3 in 12 in. deep, marked 1 notch on

		Chains
Chains	E & S. edges & raised a	75.00
	mound of stones for cor.	80.40
	to secs 25, 26, 35 & 36	
	from which	
	A Pine 30 in. dia. bears N.	
	85° E., 70 lks. dist marked	
	S. 25. T. 36 S., R. 4 W., B.T.	40.20
	A Pine 18 in. dia. bears S.	
	45. E. 30 lks. dist marked	
	S. 25, T. 36 S. R. 4 W. B.T.	
	Land rolling	
	Soil 1st rate	
	Timber large yellow pine.	
	East on random line	
	bet secs 25 & 36.	80.40
	Var. 16° 30' E.	
10.00	Hollow drains N. W.	
40.00	Set temporary ¼ sec. cor.	
53.00	Open hollow drains N. W.	

BOOK-A-150

Chains	
75.00	Ascend To
80.40	Intersect Guide Meridian 40 lks N. of cor. to secs 25 & 36, from which N. 89° 48 W on true line betw 25 & 36.
40.20	Set Limestone 14 x 10 x 4 in., 9 in deep marked 1/4 on N. side & raised a mound of stones for 1/4 sec. Cor. from which A pine 20 in. dia. bears N. 5° W. 13 lks dist. A Pine 6 in. dia. bears S. 10 E. 45 lks dist. Both trees marked 1/4 S. B. T.
80.40	The cor. to secs 25, 26, 35 & 36.

Land rolling
Soil 1st rate good grass
Timber large yellow pine

Chains	
	North betw secs 25 & 26
	Var. 16° 30' E.
2.00	Ravine drains E.
14.00	" " N. E.
30.00	Ridge bears N. E & S W.
40.00	Set Limestone 12 x 8 x 6 in., 8 in. deep marked 1/4 on W. side & raised a mound of Ear from 4 pits each 24 x 12 x 12 in for 1/4 sec cor. —
80.00	In open hollow drains N.W. set Limestone 18 x 14 x 6 in. 12 in. deep marked 1 notch on E. & 2 on S. edged & raised a mound of earth from 4 pits each 24 x 12 x 12 in. for cor. to secs 23, 24, 25 & 26
	Land rolling
	Soil 1st rate
	Timber large yellow pine.

Chains East on a random line
bet. secs 24 & 25.
Var: 16°30' E.

11.00 Mouth of ravine drains S.W.
into open Hollow.

15.00 Ridge bears N.W. & S.E.

40.00 Set temporary 1/4 sec. cor.

79.60 Intersect Guide Meridian
10 lks N. of cor. to secs 24 & 25
from which
N. 89° 56' W. on true line
bet secs 24 & 25

39.80 Set Sandstone 15 x 12 x 8 in.
10 in. deep, marked 1/4 on N.
side & raised a mound of
earth from 4 pits each 24 x
12 x 12 for 1/4 sec cor from which
A pine 25 in. dia. bears N.
80° W. 50 lks dist marked 1/4
S.B.T.

Chains	
79.60	The cor. to secs 23, 24, 25 & 26
	Land rolling.
	Soil 2nd rate.
	Timber large yellow pine.

North bet secs 23 & 24
Var. 16° 30' E.

15.00	Ridge bears N. W. & S. E.
40.00	Set Limestone 15 x 10 x 5 in., 10 in. deep marked 1/4 on W. side & raised a mound of stones for 1/4 sec. cor. from which A pine 12 in. dia. bears N. 60° W. 3 lks dist.
	A pine 15 in. dia bears S 15° E. 36 lks dist Both trees marked 1/4 S. B. T.
40.50	Wood road bears N W & S. E.
44.00	Ravine drains E.
80.00	Set Limestone 18 x 12 x 5 in.

Chains 12 in deep marked 1 notch on E. & 3 on S. edges & raised a mound of Earth from 4 pits each 24 x 12 x 12 in. for cor to secs 13, 14, 23 & 24 from which

A pine 22 in. dia. bears N. 88° W. 20 lks dist marked S. 14, T. 36 S. R. 4 W. B. T.

A Pine 15 in dia. bears N. 14° E., 44 lks. dist. marked S. 13, B. T.

Land rolling
Soil 1st qte. Fine grass
Timber large yellow pine

East on random line betw. secs 13 & 24.
Var: 16° 30' E.

7.50 Small red butte at N. W. end of ridge

Chains	
20.00	Ridge bears N. & S.
34.00	" " "
40.00	Set temporary 1/4 sec. cor.
80.00	Intersect Guide Meridian 35 lks S. of cor. to secs 13 & 24 from which S. 89° 45 W. on true line betw secs 13 & 24
40.00	Set limestone 18 x 12 x 6 in. 12 in deep marked 1/4 on N. side & raised a mound of stones for 1/4 sec. cor. from which A Pine (double) 30 in. dia. bears S. 45 E. 25 lks dist. marked 1/4 S. B. T.
80.00	The cor. to secs 13, 14, 23 & 24

Land rolling
Soil 2nd rate
Timber large pine

Chains North bet secs 13 & 14

Var: 16° 30' E.

40.00 Set Limestone 20 x 12 x 6 in 15 in. deep marked 1/4 on W. side & raised a mound of stones for 1/4 sec. cor. from which

A pine 18 in dia. bears N. 2° E. 120 lks. dist.

A pine 20 in. dia. bears N. 50 E. 40 lks. dist. Both trees marked 1/4 S. B. C.

45.00 Leave timber bears E. & W.

80.00 Set sandstone 15 x 10 x 6 in., 10 in. deep, marked 1 notch on E. & 4 on S. edges & raised a mound of stones for cor to secs 11, 12, 13 & 14.

Land level

Soil 1st rate

Timber large pine on S. 45 chs

Subdivision lines of T. 36 S.,

Chains	
	East on a random line bet. secs. 12 & 13. Var. 16° 30' E.
40.00	Set temporary 1/4 sec. cor.
80.10	Intersect Guide Meridian 10 lks N. of cor. to secs. 12 & 13 from which N. 89° 56' W. on true line bet secs 12 & 13.
40.05	Set sandstone 14 x 10 x 5 in. 9 in. deep marked 1/4 on N. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in. for 1/4 sec. cor.
80.10	The cor. to secs. 11, 12, 13 & 14. Land level Soil 1st rate No timber

BOOK-A-150

Chains North betw. secs 11 & 12.

Var. 16° 30' E.

40.00 Set sandstone 13 x 12 x 4 in. 9 in. deep marked ¼ on W. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in. for ¼ sec. cor.

59.00 Ravine drains N. E.

72.00 Bench bears N. E. & S. W.

77.80 Road bears N. E & S. W.

80.00 Set sandstone 16 x 10 x 7 in 11 in. deep marked 1 notch on E. & 5 on S. edges & raised a mound of earth from 4 pits each 24 x 12 x 12 in. for cor. to secs 1, 2, 11 & 12.

Land level

Soil 1st rate

No timber

Subdivision lines of T. 36 S.

Chains	
	East on a random line bet. secs 1 & 12. Var. 16°30' E.
5.50	Road bears N.E. & S.W.
20.00	Top of Bench bears N.E & S.W.
30.00	Same road bears N.W. & S.E.
40.00	Set temporary ¼ sec. cor.
80.20	Intersect Guide Meridian 12 links N. of cor to secs 1 & 12 from which N. 89° 45' W. on true line bet. secs 1 & 12
40.10	Set sandstone 12 x 8 x 4 in. 8 in. deep marked ¼ on N. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in for ¼ sec cor.
80.20	The cor. to secs 1, 2, 11 & 12

Land mostly level

Soil 1st rate. No Timber

R. 4 W. Salt Lake Meridian

Chains North on a true line
bet secs 1 & 2.
Var. 16° 30' E.

24.00 Road from Paunsuch to
Clifton runs S. E.

26.50 East fork Sevier River 15
lks wide runs E. A Bridge
bears W. 10.50 chs dist.

40.00 Set sandstone 13 x 9 x 4 in.
8 in. deep marked 1/4 on W.
side & raised a mound of
earth from 4 pits each 24 x
12 x 12 in. for 1/4 sec. cor.

60.00 Foot of red ridge bears N. E.
& S. W. Enter timber & ascend.

75.00 Top of ridge.

80.00 Intersect 7th Standard
Parallel South 8.55 chains
east of standard cor. to
secs 35 & 36 T. 35 S. R. 4 W.

Chains where I set

A Quartzite rock 12 x 8 x 7 in. 8 in. deep marked C.C. 1 notch on E., 6 on S. & 5 on W. edges & raised a mound of stones for closing corner to secs 1 & 2, T. 36 S., R. 4 W.

Land S. 60 chs level

Soil 1st rate.

Balance, rd ridge 2nd rate

Timber pine on N. 20 chs

Nov. 25th 1876

T. C. Bailey

Nov. 27th 1876 by T. C. Bailey.

North betw secs 34 & 35

Var: 16° 30' E.

20.10 Wash in hollow heads E ½ miles drains W.

40.00 Set a quartzite rock 19 x 11

BOOK-A-150

Chains x 4 in. 13 in. deep marked
1/4 on W. side with mound of
stones for 1/4 sec cor. from
which
A pine 10 in dia. bears N. 40° W.
25 lks dist.
A pine 12 in. dia. bears S 20°
W. 81 lks dist., both marked 1/4 S.B.T.
80.00 Set limestone 20 x 14 x 6 in.,
15 in. deep marked 2 notches
on E. & 1 on S. edges &
raised a mound of stones
for cor to secs 26, 27, 34 & 35
from which
A Pine 30 in. dia. bears
N. 20 W. 88 lks dist marked
S. 27 T 36 S. R. 4 W. B.T.
A pine 20 in dia bears N
18 E. 128 links dist marked S.
26 — B.T.

Chains	
	Land undulating
	Soil 2nd rate
	Timber pine.

East on a random line
betw secs 26 & 35
Var: 16°30' E

10.00	Hollow drains S.W.
40.00	Set temp. 1/4 sec. cor.
42.00	Ravine bearing E.
60.00	Ravine drains N.
80.00	Intersect N. & S. line at the corner to secs 25, 26, 35 & 36 from which

West on true line
betw secs 26 & 35

40.00	Set Limestone 18 x 14 x 7 in. 12 in. deep marked 1/4 on N. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec cor.

R 4 W Salt Lake Meridian

BOOK-A-150

Chains from which

A pine 25 in. dia. bears N. 89° E 72 lks dist.

A pine 25 in. dia bears N. 70 W. 56 lks dist. Both trees marked 1/4 S. B. T.

80.00 The cor. to secs 26, 27, 34 & 35

Land rolling

Soil 2nd rate

Timber large yellow pine.

North bet. secs 26 & 27

Var. 16° 30' E.

40.00 Set Limestone 18 × 10 × 6 in. 12 in. deep marked 1/4 on W. side & raised a mound of stones for 1/4 sec. cor.

from which

A pine 7 in. dia. bears N. 75 E. 25 lks dist.

Chains	
	A pine 20 in. dia. bears N. 55 W. 50 lks dist. – Both trees marked 1/4 S. B. T.
45.00	Ravine drains N. E.
80.00	Set sandstone 18 x 12 x 10 in. 12 in. deep marked 2 notches on E. & S. edges & raised a mound of earth from 4 pits each 24 x 12 x 12 in. for cor to secs 22, 23, 26 & 27 from which
	A pine 28 in. dia. bears S. 48 E. 92 lks dist marked S. 26 T. 36 S. R. 4 W. B. T.
	A pine 12 in. dia bears N. 42 E. 100 lks dist marked S. 23. – B. T. –
	Land broken
	Soil 2nd rate. Fine grass Timber large yellow pine Thick undergrowth of lard. –

East on a random line
bet secs 23 & 26
Var: 16° 30' E.

20.00 Open hollow drains N.

30.00 Ridge bears N. E & S W.

40.00 Set temporary 1/4 sec. cor
at foot of ridge —

80.00 Intersect N. & S line at
cor. to secs 23, 24, 25 & 26
from which
West on true line
bet secs 23 & 26.

40.00 Set limestone 22 x 14 x
5 in., 16 in deep marked
1/4 on N. side & raised
a mound of earth from
4 pits each 24 x 12 x 12 in
for 1/4 sec cor from which
A pine 20 in. dia. bears
S 45° E 32 lks dist.

Chains	
	A pine 20 in dia bears N. 46 E. 28 lks dist. Both trees marked 1/4 S. – B.T.
80.00	The corner to secs 22, 23, 26 & 27 –
	Land broken
	Soil 2nd rate
	Timber large yellow pine

North betw secs 22 & 23
Variation 16°30' E.

6.50	Ravine drains E.
10.00	Ridge bears E. & W.
40.00	Set Limestone 20 x 15 x 3 in 15 in. deep marked 1/4 on W side & raised a mound of stones for 1/4 sec cor found which A pine 15 in dia bears S 2° E 45 lks dist.
	A pine 7 in. dia bears N.

Chains 10° W. 88 lks dist. Both trees marked 14 S. B. T.

43.50 Ravine drains N. E.

65.00 Hollow " "

80.00 Set limestone 18 x 12 x 4 in. 12 in. deep marked 2 notches on E. & 3 on S. edges & raised a mound of stones for cor. to secs 14, 15, 22 & 23 from which

A pine 14 in dia bears S. 45° W. 22 lks dist marked S. 22 T. 36 S. R. 4 W. B. T.

A pine 16 in. dia bears S. 86° E. 56 lks dist marked S. 23 — B. T.

A pine 9 in dia. bears N. 40° W. 12 lks dist marked S. 15. B. T.

A pine 10 in. dia. bears

Chains	N. 35° E. 88 lks dist marked S. 14 B. T.
	Land rolling
	Soil 2nd rate Fine grass
	Timber large yellow pine.

East on a random line bet secs 14 & 23.

Var: 16° 30' E.

30.00	Open hollow drains N. W.
35.00	Ridge bears N. W. & S. E.
40.00	Set temporary ¼ sec. cor.
79.90	Intersect N & S line 12 links N. of cor to secs 13, 14, 23 & 24 from which N. 89° 55' W on true line bet secs 14 & 23.
39.95	Set limestone 16 x 12 x 2 in. 11 in deep marked ¼ on N. side (no pits) for ¼ sec cor.

BOOK-A-150

Chains from which

A pine 15 in. dia. bears N. 80° W. 16 lks dist.

A pine 30 in. dia bears S 25° W. 60 links dist. Both trees marked 1/4 S. B. T.

79.90 The cor. to sec 14. 15. 22 & 23

Land rolling
Soil 1st rate. Fine grass.
Timber large yellow pine

North bet. secs 14 & 15
Var. 16° 30' E.

2900 Road in open hollow N.W.

4000 On south slope of red ridge set limestone 20 x 12 x 10 in. 15 in deep marked 1/4 on W side & raised a mound of stones for 1/4 sec. cor from which

Subdivision lines of T. 36 S.

Chains		R. Cha
	A cedar 6 in dia. bears N. 60° W. 36 link dist	79.
	A pine 20 " " " N. 12° E 40 " "	
	Both trees marked 1/4 S., B. T.	
44.00	Top of ridge bears N. W. & S. E	
	and leave timber	
80.00	Set sandstone 16 x 12 x 9 in.	39.
	11 in. deep marked 2 notches	
	on E. & 4 on S. edges & raised	
	a mound of earth from 4	
	pits each 24 x 12 x 12 in. for	
	cor to secs 10, 11, 14 & 15	79.
	Land rolling	
	Soil 1st rate	
	Timber large pine on S 1/2	

East on random line
bet secs. 11 & 14.
Var. 16° 30' E.

29.00	Road bears N & S.	18.
40.00	Set temp. 1/4 sec cor.	

BOOK-A-150

Chains
79.70 Intersect N. & S. line at cor to secs 11, 12, 13 & 14 from which
West on true line bet secs 11 & 14.

39.85 Set sandstone 13 x 8 x 6 in. 9 in deep marked 1/4 on N. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in. for 1/4 sec cor.

79.70 The cor. to secs 10, 11, 14 & 15.

Land level
Soil 1st rate.
No timber.

North bet sec. 10 & 11
Var. 16° 30' E.

18.50 Ditch drains N.E on edge of bench

Chains	
29.50	Road bears N.E. & S.W. at mouth of Hollow that comes from S.W.
31.00	Road bears E & W.
38.50	Wash drains N.E.
40.00	Set sandstone 15 x 8 x 6 in., 10 in deep marked 1/4 on W. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in. for 1/4 sec. cor.
60.50	East Fork Sevier River 12 lks wide runs N.E.
65.00	Road bears E. & S.W.
80.00	Set sandstone 20 x 12 x 5 in. 15 in. deep marked 2 notches on E & 5 on S. edges & raised a mound of earth from 4 pits each 24 x 12 x 12 in. for cor to secs 2, 3, 10 & 11 from which N.W. cor of Berry's Cabins bears S. 36° E.

Chains 13.72 chs distant.
Land level.
Soil 1st rate.
No timber.

East on a random line
bet secs 2 & 11

1.00 Road runs N.E & S.W.
10.00 " " N & S.
12 30 Berryo fence bears N & S.
about 7 chs to N.W. corner
of field & about 35 chs
to S.W. cor. enter field
38.30 Fence bears N & S — leave
field N.E. cor. about 12 chs N.
40.00 Set temp 1/4 sec. cor.
42.00 East Fork Sevier River runs N.E.
80.00 Intersect N & S. line at
cor. to secs 1, 2, 11 & 12 from which
West on true line

Chains	
	bet secs 2 & 11
40.00	Set sandstone 13 x 11 x 2 in. 9 in. deep marked 1/4 on N. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec cor.
80.00	The cor. to secs 2, 3, 10 & 11.
	Land level
	Soil 1st rate
	No timber

North on true line
bet secs 2 & 3
Var. 16° 30' E.

2.30	Road to Berrys bears N.W. & S.E.
6.50	" " Clifton " E & W
40.00	Set a Trachyte stone 12 x 8 x 7 in., 8 in. deep marked 1/4 on W. side and raised a mound of earth from 4 pits

Chains each 24 x 12 x 12 in. for 1/4 sec. cor.

60.75 Road at foot of timbered bench bears N. W. & S. E.

67.50 Same road bears N.E & S.W.

80.32 Intersect 7th Standard Parallel 8.55 chs E. of the stand. ard cor to secs 34 & 35 T. 35 S R 4 W. where I set a quartzite stone 12 x 8 x 6 in. 8 in deep marked C.C. 2 notches on the E., 4 on W. & 6 on S. edges with mound of stones for closing corner to secs 2 & 3 T. 36 S. R. 4 W.

Land undulating

Soil 1st rate.

Timber scattering large yellow pine

Nov. 27th 1876. T. C. Bailey

Subdivision lines of T. 36 S.

Chains	
	Nov. 28th 1876 by T. C. Bailey.
	North bet. secs. 33 & 34.
	Var. 16° 30' E.
24.00	Gulch drains N. E.
40.00	Set a quartzite 10x10x6 - 7 in deep marked 1/4 on W. side with mound of stones for 1/4 sec. cor.
65.00	Ravine drains N. E.
80.00	Set a quartzite 13x10x7 - 9 in. deep marked 1 notch on S. & 3 on E. edges with mound of stones for cor to secs. 27, 28, 33 & 34 from which
	A pine 18 in dia bears S. 46° W 125 lks dist. marked S. 34, T 36 S. R. 4 W. B.T.
	A pine 13 in. dia bears N. 80° W. 121 lks dist marked S 28 B. T.
	Land undulating
	Soil 2nd rate.
	Timber pine

Chains East on a random line
bet. secs 27 & 34.
Var: 16° 30' E.

15.00 Brook in canon runs N.W.

40.00 Set a temporary 1/4 sec cor.

80.10 Intersect N. & S. line 19 links
N. of cor. to secs 26, 27, 34 & 35
from which
N. 89° 52' W. on true line
bet secs 27 & 34.

40.05 Set a quartzite stone 12 x 10
x 5 in., 8 in. deep marked 1/4
on N. side with mound of stones
for 1/4 sec. cor.

80.10 The cor. to secs 27, 28, 33 & 34
Land rolling
Soil 2nd rate.
Timber scattering pine.

Subdivision lines of T. 36 S.

Chains North bet. sec. 27 & 28
Var: 16° 30' E.
Descend
12.25 Brook runs W. ascend.
13.00 Trail bears W & S.E.
20.50 Enter hills
40.00 Set a quartzite stone 12 x 7 x 7 in., 8 in. deep marked 1/4 on W. side with mound of stones for 1/4 sec. cor. from which a pine 19 in. dia bears N. 15° E. 20 lks dist marked 1/4 S. B.T.
55.50 Top of hill. Descend.
80.00 Set sandstone 17 x 11 x 7 in., 11 in deep marked 3 notches on E & 2 on S. edges & raised a mound of earth from 4 pits each 24 x 12 x 12 in. for cor. to secs. 21, 22, 27 & 28 from which

BOOK-A-150

Chains A pine 18 in. dia. bears N. 10° E. 13 lks dist marked S. 22 T. 36 S R. 4 W. B. T.

A pine 13 in. dia. bears N. 70° W. 33 lks dist marked S. 21 B. T.

A pine 22 in. dia. bears S. 43° W. 60 lks dist. marked S. 28 B. T.

A cedar 7 in. dia. bears S. 80° E. 6 lks dist marked S. 27 B. T.

Land mostly rolling hills
Soil 1st rate.
Timber pine.

East on a random line bet. secs 22 & 27.
Var. 16° 30' E.

10.00 Ridge bears N & S.
14.50 Ravine drains N.

Subdivision lines of T. 36 S

Chains		Ch
25.00	Ravine drains N.	
40.00	Set temp. 1/4 sec. cor.	
42.00	Ravine drains N.	
50.00	Ridge bears N & S	
76.00	" " N. & S.	
80.00	Intersect N. & S. line at cor. to secs 22, 23, 26 & 27 from which	40.0
	West on true line bet. secs 22 & 27	
40.00	Set limestone 13 x 9 x 3 in., 9 in. deep marked 1/4 on N. side for 1/4 sec. cor. (no pits) from which	
	A pine 18 in. dia. bears N 10° E. 13 lks dist.	57.
	A pine 20 in. dia. bears N. 19° W. 10 4 links dist. Both trees marked 1/4 S. B. T.	79
		80.
80.00	The cor. to secs 21, 22, 27 & 28	
	Land broken ridges	

R. 4 W. Salt Lake Meridian

Chains Soil 2nd rate.
Timber large yellow pine and fir.

North bet sec. 21 & 22.
Var. 16° 30' E.

40.00 Set quartzite 13 x 7 x 6 in, 9 in deep marked 1/4 on W. side with mound of stones for 1/4 sec cor from which
A pine 19 in. dia. bears N. 50° E. 46 lks dist marked 1/4 S. B. T.

57.50 Leave hills & timber bears N. E. & S. W.

79.50 East Fork of Sevier River runs E. 2 chs & thence N.

80.00 Set a trachyte stone 13 x 7 x 7 in. 9 in. deep marked 3 notches on S. & E edges with

Subdivision lines of T. 36 S.

Chains mound of stones for cor. to
secs 15, 16, 21 & 22
Land mostly rolling hills
Soil 1st rate
Timber on S. 57.50 chs pine

East on a random line
bet secs 15 & 22.
Var. 16° 30 E.

2.00 Sevier River runs N.
15.50 Enter timber N. E. & S. W.
40.00 Set temp 1/4 sec. cor.
52.50 Road in hollow drains N.
60.00 Ridge bears N. & S.
80.00 Intersect N & S. line at cor.
to secs 14, 15, 22 & 23 from which
West on true line
bet secs 15 & 22.
40.00 On ridge bearing N. & S. set
Limestone 20 x 16 x 4 in, 15 in.

Chains

deep marked 1/4 on N. side (no pits) for 1/4 sec. cor. from which a pine 22 in. dia. bears N. 12° E. 31 links dist

a pine 19 in. dia. bears S. 45° E. Both trees marked 1/4 S.B.T.

80.00 The cor. to secs 15, 16, 21 & 22.

Land rolling

Soil 1st rate

Timber large yellow pine

North bet. secs 15 & 16.

Var: 16° 30 E.

On account of impassable swamp I offset 10 chs E. thence N. on offset line 22.50 chs thence W. 10 chs to

22.50 on true line East fork of Sevier River runs S. W.

40.00 Set a boulder 12 x 8 x 7 in.

Subdivision lines of T. 36 S.

Chains	
	8 in deep marked 1/4 on W. side with mound of stones for 1/4 sec. cor.
41.50	East fork of Sevier River runs N.E.
41.85	Road bears N.E. & S.W.
80.00	Set a Boulder 16 x 7 x 7 in. 11 in. deep marked 3 notches on E. & 4 on S. edges with mound of stones for cor to sec 9, 10, 15 & 16
	Land level
	Soil 1st rate
	No timber

East on a random line bet secs 10 & 15.
Var. 16° 30' E.

18.00	Road bears N.E. & S.W.
21.00	E. fork Sevier River runs N.E.
46.00	Set temp. 1/4 sec. cor.
53.50	Ditch runs N.E.
66.50	Same " S.E.

R. 4 W. Salt Lake Meridian

Chains	
71.00	Road bears N.E. & S.W. in hollow that drains N.E.
73.30	Same ditch runs N.E.
80.00	Intersect N. & S. line at cor. to secs 10, 11, 14 & 15 from which West on true line bet. secs 10 & 15.
40.00	Set sandstone 14 x 10 x 6 in. 9 in. deep worked ¼ on N. side, raised a mound of earth from 4 pits each 24 x 12 x 12 in for ¼ sec cor.
80.00	The cor. to secs 9, 10, 15 & 16 Land rolling. Soil 1st rate. No timber

North bet. secs 9 & 10
Var: 16° 30' E.

40.00	Set a boulder 12 x 10 x 8 in.

Subdivision lines of T. 36 S

Chains	
	8 in. deep marked 1/4 on W. side with mound of earth from 4 pits each 24 x 12 x 12 in. for 1/4 sec. cor.
64.50	Hollow drains E.
80.00	Set a sandstone 22 x 16 x 12 in 16 in deep marked 3 notches on E. & 5 on S. edges & raised a mound of stones for cor. to secs 3, 4, 9 & 10
	Land level & rolling
	Soil 2nd rate
	No timber

East on a random line bet secs 3 & 10

Var. 16° 30' E.

40.00	Set temp 1/4 sec. cor.
80.00	Intersect N. & S. line at cor. to secs 2, 3, 10 & 11 from which

R. 4 W. Salt Lake Meridian

Chains	
	West on true line bet secs 3 & 10
40.00	Set sandstone 14 x 12 x 10 in 9 in deep marked 1/4 on N. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.
80.00	The cor. to secs 3, 4, 9 & 10
	Land level
	Soil 1st rate.
	No timber

	North on true line bet. secs 3 & 4
	Var. 16°30' E.
37.50	Road from Panguitch to Clifton bears S.E & N.W.
40.00	Enter timber at foot of ridge bears E & W. Set Quartzite rock 20 x 14 x 12 in., 15 in deep

Chains marked 1/4 on W. side x raised a mound of stones for 1/4 sec. cor. from which a cedar 6 in. dia. bears N. 10° W 105 links dist marked 1/4 S., B. T.

45.00 Top of ridge bears E & W.

80.00 Intersect 7th Standard S. 8.55 chs E. of standard cor. to secs 33 & 34, T. 35 S R. 4 W. where I set a quartzite stone 13 x 8 x 6 in 9 in. deep marked 3 notches on E & W. & 6 on S. edges & raised a mound of stones for closing cor. to secs 3 & 4 T. 36 S. R. 4 W.

Land S 1/2 level 1st rate North 1/2 broken 2nd rate. Timber cedar & Pine on N. 1/2

Nov. 28th 1876 J. C. Bailey

Nov. 29th by T. C. Bailey.

Chains North bet. secs 32 & 33.

Variation 16° 30' E.

Descend.

24.50 Enter canon flat - leave timber.

40.00 Set a quartzite stone 18 x 12 x 7 in, 12 in. deep marked 1/4 on W. side with mound of stones for 1/4 sec. cor.

57.00 East Fork Sevier River runs N.E.

73.00 do do do do " N.W.

76.00 " " " " " N.E.

80.00 Set a Boulder 16 x 9 x 6 in 11 in. deep marked 4 notches on E. & 1 on S. edges & raised a mound of stones for cor to secs 28, 29, 32 & 33.

Land S 24 chs Lilly Bal. open flat

Soil 1st rate

Timber pine on S. part

Subdivision lines of T. 36 S.

Chains East on random line
bet. secs 28 & 33.
Var. 16° 30' E.

1.00 East fork Sevier River runs N.W.
12.50 Foot of bench hills bear canon flat
23.00 Enter timber
40.00 Set temp 1/4 sec cor.
54.00 Hollow bears N.E.
71.00 " " "
80.11 Intersect N. & S. line
31 lks N. of cor to secs 27,
28, 33 & 34 from which
N. 89° 47' W. on true line
bet secs 28 & 33.
40.06 Set limestone 18 x 7 x 6 in.
14 in deep marked 1/4 on N.
Side with mound of stones
for ~~cor.~~ ~~1/4~~ 1/4 sec cor from which
a pine 10 in. dia bears S. 50° E.
60 lks dist marked 1/4 S. B.T.

BOOK-A-150

Chains
80.11 The cor. to secs 28, 29, 32 & 33
Land undulating
Soil 2nd rate
Timber scattering Pine

North bet. sec 28 & 29
Var: 16° 30' E.

25.00 Enter timber leave Main feat of Sevier River

34.50 Top of bench bears E & W.

40.00 Set quartzite 10 x 6 x 6 in., 6 in. deep marked 1/4 on W. side & raised a mound of stones for 1/4 sec. cor. from which
A Pine 24 in. dia bears S. 40° W. 49 lks dist marked 1/4 S. B. T.
A Pine 30 in. dia. bear S. 35° E. 40 lks dist marked 1/4 S. B. T.

49.25 Wash in W. fork of canon drains E.

80.00 Set a quartzite 14 x 7 x 7 in. 8 in

Subdivision lines of T. 36 S.

Chains deep marked 4 notches on E.
& 2 on S. edges with mound
of stones for cor. to secs. 20, 21,
28 & 29 from which.
A Pine 20 in dia bears S. 60 E.
43 lks dist marked S. 28
T. 36 S. R. 4 W. B.T.
A pine 16 in. dia bears N. 48 W.
7 lks dist marked S. 20 B.T.
Land rolling
Soil 2nd rate.
Timber – Pine.

East on a random line
bet. secs 21 & 28
Var: 16° 30' E.

1.00	Gully drains S.E.
12.50	" " "
30.00	Top of ridge bears N & S.
40.00	Set temp. 1/4 sec. cor.

BOOK-A-150

R. 4 W. Salt Lake Meridian

Chains 48.00	Cor. of fence bears S. 68° 15' E. 12.50 chs x S. 28° 45 W. 35 chs foot of hills, enter flat, leave timber
49.00	Road bears N. & S.
51.50	E. fork Sevier River runs N. 15 E.
63.00	Enter timber & ascend.
80.29	Intersect N & S. line 40 lks N. of cor to secs 21, 22, 27 & 28 from which N. 89° 43' W. on true line bet secs 21 & 28
40.15	Set quartzite 14 x 6 x 6 in. 8 in deep marked 1/4 on N. side & raised a mound of stones for 1/4 sec. cor. from which a pine 18 in. dia. bears S. 45° E. 121 lks dist marked 1/4 S.B.T.
80.29	The cor. to secs. 20, 21, 28 & 29. Land rolling — Soil 2nd rate Timber Pine

Subdivision lines of T. 36 S.

Chains	North bet secs 20 & 21
	Var: 16° 30 E.
2.00	Gulch drains S. 20° E.
20.25	Same " S. 10° W.
34.00	Top of Red Knoll bears N. & S.
40.00	Set quartzite 10 x 8 x 8 in. 6 in. deep marked 1/4 on W. side for 1/4 sec. cor. from which A Pine 15 in dia S. 70° E 15 lks dist marked 1/4 S. B. T.
50.00	Hollow drains N. E.
80.00	Set quartzite 18 x 12 x 4 in. 12 in deep marked 4 notches on E & 3 on S. edges with mound of stones for cor to sec 16, 17, 20 & 21 from which A pine 4 in dia bears S 60° E 21 lks dist marked S. 21 B. T. A pine 12 in dia bears N. 50 W. 31 lks dist marked S. 17 T. 36 S R. 4. W. B. T.

BOOK-A-150

R. 4 W. Salt Lake Meridian

Mains Land rolling hills
Soil 2nd rate
Timber Pine

East on a random line
bet secs 16 & 21
Var: 16° 30' E.

12.00	Gulch drains N.E.
40.00	Set temp. 1/4 sec cor.
52.00	Leave timber
65.00	Enter canon flat
67.00	Road bears N. & S.
78.00	Creek runs N.E.
79.25	" " " & N. 16° E.
80.50	Intersect N. & S. line 98 lks

S. of cor to secs 15 16, 21 & 22
from which
S. 89° 18' W. on true line
bet. secs. 16 & 21

40.25	Set quartzite 18 x 12 x 9 in. 12 in.

Subdivision line of T. 36 S.

Chains deep marked 1/4 on N. side & raised
a mound of stones for 1/4 sec. cor. from which
A pine 6 in. dia bears N. 89° W. 75 lks dist
" 20 " " S. 60° W. 80 " "
" 10 " " " N. 40 E 30 " "
All three trees marked 1/4 S. B. T.
80.50 The cor. to secs 16, 17, 20 & 21.
Land W part rolling 2nd rate
Balance level Soil 1st rate
Timber Pine

North bet secs 16 & 17
Var. 16° 30' E.

22.75 Hollow drains E. heads W. 100. lks
40.00 Set sandstone 16 x 12 x 12 in.
10 in. deep marked 1/4 on W. side
with mound of stones for 1/4 sec cor from which
A pine 18 in. dia bears N 10° W.
41 lks dist marked 1/4 S. B. T.
A pine 17 in dia bears S. 20° E

R. 4 W. Salt Lake Meridian

Chains 24 links dist marked 1/4 S. B. T.

45.00 Leave timber N. W. & S. E.

60.00 Leave hills

80.00 Set sandstone 16 x 12 x 10 in. 10 in deep marked 4 notches on E. & S. edges & raised a mound of stones for cor to secs 8, 9, 16 & 17

Land undulating

Soil 2nd rate

Timber pine

East on a random line bet secs 9 & 16

Var. 16° 30' E.

40.00 Set temp. 1/4 sec. cor.

83.00 Intersect N. & S. line at corner to secs 9, 10, 15 & 16 from which

West on true line

40.00 Set trachyte 10 x 8 x 7 in., 6 in. deep marked 1/4 on N. side with

Chains mound of stones for 1/4 sec. cor.
80.00 The cor to secs 8, 9, 16 & 17
Land level
Soil 2nd rate
No timber

North bet secs 8 & 9
Var. 16° 30' E.

40.00 Set sandstone 18 x 10 x 8 in.
12 in deep marked 1/4 on W side
with mound of earth raised from
4 pits each 24 x 12 x 12 in for 1/4 sec. cor
50.00 E. end of sandstone ridge bears SW & NE.
80.00 Set sandstone 15 x 8 x 4 in. 10
in deep marked 4 notches on E. &
Tow S. edges & raised a mound of
earth from 4 pits each 24 x 12 x 12 in
for cor. to secs 4, 5, 8 & 9
Land rolling Soil 1st rate
No timber

BOOK-A-150

Chains

East on a random line
bet secs 4 & 9
Var. 16° 30' E.

40.00 Set temp 1/4 sec cor.

80.00 Intersect N & S line at cor.
to secs 3, 4, 9 & 10 from which
West on true line
bet secs 4 & 9

40.00 Set sandstone 13 x 8 x 4 in
9 in deep marked 1/4 on N. side
& raised a mound of earth
from 4 pits each 24 x 12 x 12 in.
for 1/4 sec cor.

80.00 The cor. to secs 4, 5, 8 & 9.
Land level, soil 1st rate
No timber

North on a true line
bet secs 4 & 5
Var. 16° 30' E.

Chains
40.00 Set sandstone 13 x 8 x 4 in. 9 in deep marked 1/4 on W. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec cor.

80.00 Intersect 7th Standard Parallel South 8.55 chs east of Standard cor to secs 32 & 33 T. 35 S. R. 4 W. Where set trachyte stone 10 x 8 x 7 in. 6 in deep marked 4 notches on E. 2 on W & 6 on S. edges & raised a mound of stones for closing cor to secs 4 & 5 T 36 S. R. 4 W.

Land undulating
Soil 1st rate
No timber
Nov 29th 1876 T. C. Bailey

BOOK-A-150

Chains Nov. 30th by J. G. Burrill.

It being impracticable on account of the mountains to run bet. sec. 31 & 32. I therefor from the cor. to sec 28, 29, 32 & 33 run

West on true line
bet secs 29 & 32
Var: 16° 30' E.

3.00 Enter timber bears N. & S. ascend

40.00 Set sandstone 15 x 10 x 5 in. 10 in. deep marked 1/4 on N. side & raised a mound of stones for 1/4 sec. cor.

The line further West is impracticable

Land ascending
Soil 2nd rate
Timber Pine & Cedar.

Chains West on true line
bet secs 20 & 29
Var: 16° 30' E.
Ascend broken hills
40.00 Set sandstone 15 x 9 x 5 in.
10 in deep marked 1/4 on N.
side & raised a mound of
stones for 1/4 sec cor.
Note: On account of the
the mountains I abandon
the line here.
Land broken
Soil 2nd rate
Timber Pine & Cedar.

West on a true line
bet secs 17 & 20
Var: 16° 30 E.
40.00 On ridge bearing N. & S. set
Limestone 14 x 10 x 3 in. 9 in

BOOK-A-150

Chains deep marked 1/4 on N. side
& raised a mound of stones
for 1/4 sec. cor. from which
A pine 10 in. dia bears N 5°
W. 25 lks dist.
A pine 12 in dia bears S. 30 E.
46 lk dist Both trees marked 1/4 S B.T.
80.00 Set Limestone 16 x 10 x 4 in. 11 in.
deep marked 5 notches on E & 3.
on S. edges & raised a mound
of stones for cor to secs 17, 18
19 & 20. from which
A pine 13 in dia bears N 31° E
56 lks dist marked S. 17 T. 36 S.
R 4 W. B.T.
A Pine 18 in dia bears S.
1° W. 32 links dist marked S. 19 B.T.
Land broken ridges & ravines
Soil 2nd rate
Timber large yellow Pine & Cedar.

Chains	
	North bet. secs 17 & 18
	Var. 16° 30' E.
20.00	Open bollow drains E.
40.00	Set sandstone 18 x 13 x 7 in. 12 in deep marked 1/4 on W. side & raised a mound of stones for 1/4 sec. cor. from which
	A pine 10 in. dia bears N. 10° E. 20 lks dist
	" 22 " " N. 30 W. 35 " "
	Both trees marked 1/4 S. B. T.
43.00	Ravine drains S. E.
60.00	Ridge bears E & W.
65.00	Ravine drains E.
72.00	Ridge N. E & S. W.
80.00	Set sandstone 15 x 8 x 6 in. 10 in deep marked 5 notches on E. & 4 on S. edges and raised a mound of stones for cor. to secs 7, 8, 17 & 18
	Land broken

Chains Soil 1st & 2nd rate
Timber large yellow Pine
& cedar.

East on a random line
bet secs 8 & 17.
Var. 16°30' E.

20.00 East edge of ridge bears
S. W. & N. E.

40.00 Set temp. 1/4 sec. cor.

80.00 Intersect N. & S. line at
the cor to secs. 8, 9, 16 & 17
from which
West on true line
bet secs 8 & 17

40.00 Set sandstone 22 x 13 x 3 in.
16 in deep marked 1/4 on N. side
and raised a mound of stones
for 1/4 sec cor from which
A lone column of sandstone

Chains 20 feet high bears S. 55° W.
888 links dist marked with
"T. C. Bailey" and a cross
(X) on N. E. face.

80.00 The cor. to secs 7, 8, 17 & 18
Land hilly
Soil 2nd rate
Timber scattering cedar,
pine & mahogany on W 3/4

West on a true line
bet secs 7 & 18
Var. 16° 30' E.

10.00 A Sandstone vein supposed
to contain silver bears N. W. & S. E.

20.00 Ravine drains N. E.

40.00 Set sandstone 15 x 12 x 2 in
10 in. deep marked 1/4 on N. side
& raised a mound of
stones for 1/4 sec. cor.

Chains from which
A pine 22 in dia bears S 65° W.
128 lks dist.
A pine 23 in dia bears
N. 80° W. 138 lks dist.
Both trees marked 1/4 S. B.T.
Note: The line being impracticable I abandon it here
Land broken
Soil 2nd rate
Timber a few pines & mahogany.

North bet secs 7 & 8.
Var. 16° 30' E.
Descend to
40.00 On low ridge bears N. E & S. W.
Set sandstone 13 x 11 x 2 in.
11 in. deep marked 1/4 on W.
side & raised a mound

Subdivision lines of T. 36 S

Chains of stones for 1/4 sec. cor.

57.50 Ridge bears N.E. & S.W.

80.00 Set sandstone 16 x 13 x 3 in. 11 in. deep marked 5 notches on E & S. edges & raised a mound of earth from 4 pits each 24 x 12 x 12 in. for cor to secs 5, 6, 7 & 8 from which

A Cedar 8 in dia bears S. 15° W. 40 lks dist marked S. 7 B. T.

A cedar 8 in. dia. bears S. 80° E. 52 lnks dist marked S. 8 T. 36 S. R 4 W. B.T.

Land hilly

Soil 1st rate

Timber scattering Pine, Cedar & mahogany.

BOOK-A-150

R. 4 W. Salt Lake Meridian

Chains East on a random line
bet. secs 5 & 8
Var. 16° 30' E.

40.00 Set temp. 1/4 sec cor

80.00 Intersect N & S. line at the cor. to secs 4. 5. 8 & 9 from which
West on true line
bet. secs 5 & 8

40.00 Set sandstone 20 x 14 x 3 in. 15 in deep marked 1/4 on N. side & raised a mound of stones for 1/4 sec cor.

80.00 The corner to sections 5, 6, 7 & 8.
Land undulating
Soil 1st rate
Timber a few cedars

Chains West on a true line
bet. secs 6 & 7
Var. 16° 30' E.

40.00 Set sandstone 16 x 8
x 4 in. 11 in. deep marked
1/4 on N. side & passed
a mound of stones
for 1/4 sec cor.
from which
A Pine 15 in dia bears
N. 45° E 20 links dist
marked 1/4 S. B.T.
A pine 15 in. dia. bears
S. 40° W. 108 links dist
marked 1/4 S. B.T.
Land rolling
Timber a few pine & cedar
Note: I abandon the line
here.

R. 4 W. Salt Lake Meridian

Chains North on a true line
bet secs 5 & 6.
Var: 16°. 30' E.

40.00 On south slope of red
ridge Set sandstone 13 x 9 x
6 in. 9 in deep marked 1/4
on W. side & raised a
mound of stones for
1/4 sec. cor.

45.00 Ridge bears N.E. & S.W.

80.00 Intersect 7th Standard
Parallel South, 8.55 chs
E. of Standard cor to secs
31 & 32 T. 35 S. R. 4 W.
Witness 2 set sandstone 12 x
12 x 5 in., 8 in. deep marked
5 notches on E., 1 on W. &
6 on S. edges & raised
a mound of stones for
closing cor. to secs

Subdivision lines of T. 36 S.

5 & 6, T. 36 S. R. 4 W.

from which

A pine 16 in. dia. bears

S. 89° E., 40 lks dist marked

S. 5 T. 36 S. R 4 W. B. T.

A pine 18 in. dia. bears

S. 87° W. 90 lks dist marked

S. 6 B. T.

Land broken

Soil 2nd rate

Timber scattering cedar

& pine

Nov. 30th 1876

J. G. Burrill

R 4 W. Salt Lake Meridian

General Description.

The lands in this township are generally rolling soil chiefly 1st rate with a fine growth of large, yellow pines bordering the valley on all sides. The southwest portion of Emory valley terminates in this township. It contains one settler. The lands can be irrigated from the East Fork of the Sevier River which passes through the township in a south easterly direction. The lands are all agricultural & give fine grass for stock

Nov. 30th 1876 T. C. Bailey
U. S. Dep. Sur

BOOK

4

A'

emplo

ing o

descr

of th

Guide

Rs N2

Ts. 35

Stand

Exterior

33. 34

S. R.

the s

or s

rec

ben

ec

U.

LIST OF NAMES.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of the Survey of the Emery Valley Guide Meridian thro' Ts 32 & 33 S. between Rs 1 & 2 W. T. 34 S. between Rs 2 & 3 W. Ts. 35 & 36 S. between Rs. 3 & 4 W. — the 7th Standard parallel S. in Rs 3 & 4 W. — the Exteriors & Subdivision lines of Ts. 32, 33, 34 & 35 S. R. 2 W. Ts. 33, 34, 35 & 36 S. R. 3 W. & Ts. 35 & 36 S. R. 4 W. of the Salt Lake Meridian Utah Territory, or so much thereof, as are represented therein as having been surveyed under the direction of John G. Burrill U. S. Deputy Surveyor.

showing the respective capacities in which they acted.

James B. Hayward	Chainman.
William Shirts	Chainman.
Adolph Jessen	Flagman.
George B. Shirts,	Axeman.
Augustus D. Ferrin	Compassman

We hereby certify that we have assisted John G. Burrill U. S. Deputy Surveyor in surveying all those parts or portions of the Emery Valley Guide Meridian thro. Ts. 32 & 33 S. between Rs 1 & 2 W. - T. 34 S. between Rs 2 & 3 W. Ts. 35 & 36 S. between Rs. 3 & 4 W. - the 7th standard Parallel S. in Rs. 3 & 4 W. - the exterior and subdivision lines of Ts. 32, 33, 34 & 35 S. R. 2 W. - Ts 33, 34, 35 & 36 S. R. 3 W. and Ts. 35 & 36 S. R. 4 W. of the Salt Lake Meridian, Utah Territory as are represented in the foregoing field notes, as having been surveyed under his direction _____

and that said lines and townships have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

James B. Heywood
Chainman.

Attest: Adolph Jessen

William his + mark Shirts
Chainman.

Adolph Jessen
Flagman.

Attest: Adolph Jessen

George R. his x mark Shirts
Axeman.

Augustus S. Fenon Compassman

Subscribed and sworn to by the above named persons, before me, a U. S. Deputy Surveyor, for the ~~County~~ Surveying Dist, in the Territory of Utah, this 30 day of November 1876

T. C. Bailey
U. S. Dep. Sur.

I, John G. Burrill U.S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with Nathan Kimball Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 4th day of ~~January~~ September 1876, and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions fnrnished by the said Surveyor General, I have faithfully surveyed ~~the~~ all those parts or portions of the Emery Valley Guide Meridian thro' Ts. 32 & 33 S. between Rs. 1 & 2 W. T. 34 S. between Rs. 2 & 3 W. Ts. 35 & 36 S. between Rs. 3 & 4 W. - the 1st standard S. in Rs. 3 & 4 W. - the Exterior and Subdivision lines of Ts. 32, 33, 34 & 35 S. R. 2 W. Ts. 33, 34, 35 & 36 S. R. 3 W.

and 35 & 36 S. R. 4 W. of the Salt Lake Meridian, as are represented in the foregoing field notes, as having been surveyed under my direction.

in the Territory aforesaid, and do further solemnly swear that the foregoing are the true and original Field Notes of such survey.

Deputy Surveyor

Subscribed by the said

Deputy Surveyor

and sworn to before me, a Justice of the Peace for county of Kane, in the Territory of Utah, this day of

187

LIST OF NAMES.

Examined by M. J. Burgess. C.C.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of the Survey of the additional Subdivisions of T. 31. S. R. 2 W.; the Emery Valley Guide Meridian thro, Ts 32, & 33 S. between ranges 1 & 2 W.; T. 34 S. between Ranges 2 & 3 W., T. 35 & 36 S. between Ranges 3 & 4 W.— The 7th standard Parallel South, in Ranges 3 & 4 W.; the Exterior and Subdivision lines of Ts 32, 33, 34 & 35 South, in Range 2 W., Ts. 33, 34, 35, & 36 S, in R. 3 W. and Ts 35 & 36 S. Range 4 W., or so much thereof as are represented therein, as having been surveyed under the direction of T. C. Bailey U. S. Dep. Surveyor,

showing the respective capacities

which they acted.

John A. Mitchell Chainman
Don Carl Shirts Chainman
John C. Nelsen Flagman
John C. Nelsen Axeman

We hereby certify that we have assisted Thomas C. Bailey U. S. Deputy Surveyor in surveying all those parts or portions of the Additional Subdivisions of T. 31 S. R. 2 W; — the Emery Valley Guide Meridian through Ts 32 & 33 S. between Rs 1 & 2 W, — T. 34 S. between Rs 2 & 3 W. Ts 35 & 36 S. between Rs 3 & 4 W. — the 7th Standard Parallel South in Ranges 3 & 4 W, — the Exterior and Subdivision lines of Townships 32, 33, 34 & 35 S. R. 2 W, Ts 33, 34, 35 & 36 S. R. 3 W. and Ts 35 & 36 S. R. 4 W. of the Salt Lake Meridian Utah Territory, as any represented in the forgoing field notes as having surveyed by him and under his direction,

and that said lines and town
have been in all respects, to the best of
knowledge and belief, well and fait. fu
surveyed, and the boundary monumen
planted according to the instructio
furnished by the Surveyor General.

John A. Mitchell Chainman
Attest John A Mitchell
Don C Shirts Chainman
John C. his mark Nelsen Flagman
John C. his mark Nelsen Axeman

Subscribed and sworn to by the above named persons, before me, a U.S. Deputy Surveyor, for the ~~County~~ Surveying Dist, in the Territory of Utah, this 30th day of November 1876.

T. C. Bailey
U. S. Dep. Sur.

I, Thomas C. Bailey U.S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with Nathan Kimball Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 4th day of September 1876, and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions fnrnished by the said Surveyor General, I have faithfully surveyed ~~the~~ all those parts or portions of the Additional Subdivisions of T. 31 S. R. 2 W. – the Emory Valley Guide Guide Meridian thro. Ts. 32 & 33 S. between Rs 1 & 2 W. – T. 34 S. between Rs 2 & 3 W. & Ts 35 & 36 S. between Rs 3 & 4 W. – the 7th standard parallel south in Rs 3 & 4 W. – the Exterior and Subdivision lines of

Townships 32, 33, 34 & 35 S. R. 2 W. S
33. 34, 35 & 36 S. R. 3 W. Ts 35 & 36
S. R. 4 W, of the Salt Lake
Meridian, as are represented
in the foregoing field notes, a
having been surveyed under m
direction
in the Territory aforesaid, and do fu
ther solemnly swear that the foregoin
are the true and original Field Notes o
such survey.

Thomas C. Bailey
Deputy Surveyor.

Subscribed by the said T. C.
Bailey U. S. Deputy Surveyo
and sworn to before me, a Justice
of the Peace for th
county of Kane, in the Terri
tory of Utah, this 6th day of Janua
1877.

W. Johnson J
Justice

BOOK-A-150

Surveyor Generals Office Utah
Salt Lake city Feby 10th 1877
The foregoing field of the survey
of the South Boundary and
Subdivision Lines of Township
36 South Range 4 west of the
Salt Lake meridian Utah
Territory executed by Bailey and
Burrill under their joint contract
to 73 of Sept 4th 1876. In
the month of November 1876 having
been critically examined the
necessary corrections and
explanations made the said
field notes and the surveys they
describe are hereby approved

Nathan Kimball
Surveyor General

BOOK-A-150

1c

Descriptive Lists Made.

Examined by C. H. Cranwell. C.C.

Field Notes of the Survey
of the
Panguitch & Kanab Guide Meridian.
through Ts. 38, 39, 40, 41, 42 & 43
South - between
Ranges 5 & 6 West
of the
Salt Lake Meridian
Utah Territory
by.
John G. Burrill
U.S. Dep. Surveyor
under joint contract of
Bailey & Burrill
No 71
dated Sept. 4th 1876.
Survey commenced Nov. 29th 1876
" completed Jan. 3rd 1877.

~~Pungnitch & Kanab Meridian~~

R. 6 W.			R. 5 W.
1	8	6	
12	9	7	
13	10	18	T. 38. S.
24	11	19	5
25	12	30	
36	14	31	
1	16	6	
12	17	7	
13	19	18	T. 39. S.
24	20	19	6
25	21	30	
36	23	31	
1	24	6	
12	25	7	
13	26	18	T. 40. S.
24	27	19	7
25	28	30	
36	30	31	



~~Panquitch & Kanab Meridian~~

R. 6. W. R. 5. W.

1	32	6	
12	34	7	
13	35	18	8
24	36	19	T. 41 S.
25	38	30	
36	40	31	
1	42	6	
12	43	7	
13	45	18	T. 42 S.
24	46	19	9
25	47	30	
36	48	31	
1	50	6	
12	52	7	
13	54	18	T. 43 S.
24	56	19	10
25	58	30	
36	59	31	

FOR CHAINMAN.

We, William W. Shirts
and John Brinkerhoff
do solemnly swear that we will faithfully execute the duties of chain carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Attest
Adolph Jensen

William W. his + mark Shirts
John Brinkerhoff

Subscribed and sworn to before me this 29th *day of* November *1876.*

T. C. Bailey
U. S. Dep. Sur.

FOR FLAGMAN.

I, Adolph Jessen

do solemnly swear that I will well and truly perform the duties of flagman, according to the instructions given me and to the best of my skill and ability.

Adolph Jessen.

Subscribed and sworn to before me this 29th *day of* November *1876.*

P. C. Bailey
U. S. Dep. Sur.

3

FOR AXEMAN.

I, Silas Brinkerhoff do solemnly swear that I will well and truly perform the duties of axeman, according to the instructions given me and to the best of my skill and ability.

Attest
Adolph Jensen

Silas his X mark Brinkerhoff

Subscribed and sworn to before me this 29th day of November 1876.

T. C. Bailey
U. S. Dep. Sur.

BOOK-A-150

OFFICIAL OATHS.

FOR U. S. DEPUTY SURVEYOR.

I, ...

having been appointed a Deputy Mineral Surveyor of the lands of the United States, in the Territory of Utah, do solemnly swear that I will faithfully, and to the best of my skill and ability, execute the duties confided to me, pursuant to a contract with .....

.....

.....

Surveyor General of public lands in Utah Territory, bearing date the .....

day of ....., *187* , *according to the laws of the United States and the instructions received from said Surveyor General.*

.....

.....

Subscribed and sworn to before me this

..... *day of* ..... *187* .

.....

.....

This oath not signed

) 5

BOO

FOR CHAINMAN.

We, Benj. L. Leithead
and Melvin Swap
do solemnly swear that we will faithfully execute the duties of chain carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Benj L Leithead
Melvin Swap

Subscribed and sworn to before me this 29th day of November 1876.

T. C. Bailey
U. S. Dep. Surveyor

FOR FLAGMAN.

I, John A. Mitchell
do solemnly swear that I will well and truly perform the duties of flagman, according to the instructions given me and to the best of my skill and ability.

John A. Mitchell

Subscribed and sworn to before me this 29th *day of* Nov *1876*

T. C. Bailey
U. S. Dep. Surveyor.

7

FOR AXEMAN.

I. Archabald Snap

do solemnly swear that I will well and truly perform the duties of axeman, according to the instructions given me and to the best of my skill and ability.

Archabald Snapp

Subscribed and sworn to before me this 29th *day of* Nov — *1876.*

F. C. Bailey

U. S. Dep. Surveyor

Chains

27.00

40.00

81.00

BOOK-A-150

Panguitch Guide Meridian T. 38 S. between Ranges 5 & 6 — Salt Lake Meridian

Survey commenced Nov. 29th 1876 by J. G. Burrill

From the established corner to townships 37 & 38 S., Ranges 5 & 6 W. viz: "A Sandstone 15 x 14 x 6 in." I run

South betw. secs 1 & 6

Var: 16° E.

Chains	Ascend.
27.00	Ridge bears N. W. & S. E.
40.00	Set sandstone 13 x 10 x 4 in. 9 in. deep marked 1/4 on W. side & raised mound of stones for 1/4 sec cor. — thence along E. side of hollow to
80.00	Set limestone 12 x 8 x 6 in. 8 in. deep marked 1 notch on N. & 5 on S. edges & raised

BOOK-A-150

Township 38 S. Range 6 W.

6	5	4	3	2	1	323
7	8	9	10	11	12	324
18	17	16	15	14	13	325
19	20	21	22	23	24	326
30	29	28	27	26	25	327
31	32	33	34	35	36	329

Panguitch Guide Meridian

9

Panguitch Guide Meridian T 38 S.

Chains	
	mound of stones for cor. to secs 1, 6, 7 & 12 —
	Land rolling hills
	Soil 2nd rate
	Timber scattering cedar.
	South betw. secs 7 & 12
	Var. 16° E.
	Ascend leave hollow
	bears N. E & S W.
16.00	Ridge bears E. 10 chs &
	W. 5 chs —
40.00	Set sandstone 15 x 12 x 9 in
	10 in. deep marked 1/4 on W.
	side & raised a mound of
	stones for 1/4 sec. cor.
53.20	Gulch drains N. 5 W.
	heads S. 15 E.
80.00	Set sandstone 15 x 10 x 5 in
	10 ins deep marked 2 notches

BO
betwe

2.00

40.00

on N. & 4 on S. edges & raised mound of stone for cor to secs 7, 12, 13 & 18
from which
A long pine on edge of hill 27 in dia bears S 7° W. 75 lks dist marked S 13 T. 38 S. R. 6 W. B. T.
Land rolling
Soil 2nd rate
No timber

South betw. secs 13 & 18
Var. 16° E.
Ascend
2.00 Enter plateau bears N. W. & S. E.
45.00 Set sandstone 19 x 11 x 7 in. 12 in. deep marked 1/4 on W. side & raised mound of

Chains	
	stones for 1/4 sec. cor.
75.00	Hollow drains N. W.
80.00	Set sandstone 18 x 12 x 6 in. 12 in. deep, marked 3 notches on N. & S. edges & raised mound of stones for. cor to secs 13, 18, 19 & 24
	Land nearly level
	Soil 2nd rate
	No timber
	Nov. 29th 1876 —
	Nov. 30th 1876.
	South betw. secs 19 & 24
	Var. 16° E.
11.00	Gulch drains N. W.
33.00	" " " "
40.00	Set red sandstone 10 x 8 x 7 in. 6 in. deep marked 1/4 on W. side & raised mound of stones for. 1/4 sec. cor

betw. R's 5 & 6 W. Salt Lake Meridian

Chains	
46.00	Gulch drains N. W.
66.00	Hollow " "
72.00	Road bears N. W. & S. E.
80.00	Set sandstone 16 x 10 x 5 in. 11 in. deep marked 4 notches on N. & 2 on S. edges & raised mound of stones for cor. to secs. 19, 24, 25 & 30
	Land rolling
	Soil 2nd rate
	No timber

South betw. secs 25 & 30
Var. 16° E.

5.00	Leave hollow & enter timber hills bears N. W. & S. E.
40.00	Set quartzite 14 x 6 x 6 in. 9 in. deep marked 1/4 on W. side & raised mound of

Tanquitch Guide Meridian T. 38 S

Chains	stones for 1/4 sec cor
	from which
	A fir 6 in. dia. bears S. 45° E.
	5 lks dist.
	A pine 29 in dia bears N.
	60° W. 48 lks dist
	Both trees marked 1/4 S. B. T.
47.50	Top of ridge forming the
	Rim of Great Salt Lake
	Basin bears E & W.
57.00	Gulch drains S. E.
56.75	" " N. E.
63.00	Descend
80.00	2 in hollow drains S. E
	Set sandstone 24 x 10 x 8 in
	16 in. deep marked 5 notches
	on N & 1 on S. edges &
	raised mound of stones
	for cor. to secs 25, 30,
	31 & 36

betw. Rs 5 & 6 W. - Salt Lake Merid.

Chains from which

A pine 16 in. dia bears N. 50° W. 112 lks dist marked S. 29. T. 38 S. R 5 W. B. T.

Land heavy rolling

Mountain broken

Soil 2nd rate

Timber of commercial Value on S. 75 chs.

South betw. secs 31 & 36

Var. 16° E.

5.00 Leave timber & ascend

20.00 E. point of ridge 10 chs E. Descend.

30.00 Enter rolling prairie & rolling foothills.

40.00 Set sandstone 11 x 10 x 5 in 7 in deep marked 1/4 on W. side & raised mound of

Tanguitch & Kanab Guide Meridian

Chains	
	stones for 1/4 sec. cor.
80.00	Set conglomerate rock 20 × 10 × 8 in. 15 in deep marked 6 notches on S. N. E & W. edges & raised a monument of stones for cor to townships 38 & 39 S. – R's 5 & 6 W.
	Land rolling
	Soil 1st rate
	Timber pine of commercial Value on N. 5 chs. balance rolling prairie

General Description.

The townships in Ranges 5 & 6 W. fall in broken hills & are unfit for agricultural purposes

T. 39 S. betw. R's 5 & 6 W. Salt Lake Meridian

From the corner to townships 38 & 39 S. – R's. 5 & 6 W.
2 min
South betw. secs 1 & 6
Var. 16° E.

40.00 Set std sandstone 18 x 10 x 6 in., 12 in. deep marked 1/4 on W. side & raised a mound of stones for 1/4 sec cor. on North edge of level spot

74.50 Road bears E & W. enter bottom land in Upper Kanab Valley

78.50 Fence bears N. 50 E & S 50 W. enter field

80.00 Set std sandstone 20 x 6 x 5 in. 15 in. deep marked 1/4 notch on N. & 5 on S

Chains	
	edges & raised a mound of stone for cor. to secs 1, 6, 7 & 12
	Land rolling & south slope
	Soil 1st rate
	No timber
	Nov. 30th 1876

Dec. 1st 1876

South between secs 7 & 12

Var. 16° E

5.50	Fence bears S. 55 E. enter lane.
6.50	Fence bears S. 55° E. enter field.
26.70	Kanab Creek 10 lks wide runs S. W.
36.50	Fence cor. on line bears N. 70° W. about 15.00 chs and

Chains the other N 35° E. about
2 3 chs. Chimney of Robinsons
frame house bears N. 44 E.
17.50 chs dist.

40.00 Set sandstone 20 x 6 x 5 in
14 in deep marked 1/4 on W. side
& raised mound of earth
from 4 pits each 24 x 12 x 12 in
for 1/4 sec cor

80.00 Set sandstone 11 x 10 x 5 in. 7 in
deep marked 2 notches on N.
& 4 on S. edges & raised mound
of earth from 4 pits each 24 x
12 x 12 in for cor. to secs 7,
12, 13 & 18 —
Land level
enclosed pastures
Soil 1st rate
No timber

Chains	
	South between secs 13 & 18
	Var. 16° E
28.00	Fence bears E & W.
37.50	Road " "
40.00	Set sandstone 10 x 10 x 6 in 6 in. deep marked 1/4 on W. side and mixed mound of stones for 1/4 sec. cor.
80.00	Near foot cedar bench bears E. & W. set sandstone 16 x 12 x 4 in. 10 in. deep marked 3 notches on N. & S. edges & mixed mound of stones for cor. to secs 13, 18, 19 & 24
	Land level
	Soil 1st rate
	No timber

Chains

South between secs 19 & 24

Var. 16° E.

40.00 Set Sandstone 12 x 6 x 3 in. 8 in deep marked 1/4 on W. side & raised mound of stones for 1/4 sec. cor. from which

A cedar 10 in. dia. bears S. 60° E. marked 1/4 S. B. T.

80.00 Set sandstone 25 x 8 x 6 in/18 in. deep marked 4 notches on N. & 2 on S. edges & raised a mound of stones for cor to. secs 19, 24, 25 & 30 from which

A cedar 14 in. dia. bears N. 40 E. 92 lks dist marked S. 19 T. 39 S. R 5 W. B. T.

A cedar 5 in. dia bears S 85° E. 29 lks dist marked S. 30. B. T.

Chains	Land undulating cedar bench
	Soil 2nd rate
	Timber - cedar of commercial Value on 80 chs.

South between secs 25 & 30
Var. 16° E.

5.00	Wash in Siler's Hollow drains W. 7 chs.
7.50	Road bears E. & W
19.00	Trail in hollow drains N. W.
40.00	Set sandstone 12 x 10 x 5 in 8 in. deep marked 1/4 on W. side & raised mound of stones for 1/4 sec. cor. from which
	A cedar 18 in dia bears N. 50 E. 20 lks. dist marked

T 39 S. betw. R's 5 & 6 W. – Salt Lake Meridian

Chains	
	1/4 S. B. T.
80.00	Set sandstone 18 x 12 x 3 in. 12 in. deep marked 5 notches on N & 1 on S. edges & raised mound of earth from 4 pits each 24 x 12 x 12 in for cor. to secs 25, 30, 31 & 36.
	from which
	A cedar 5 in. dia bears N. 5 W. 39 lks dist marked S 25 T. 39 S. R. 6 W. B. T.
	A cedar 10 in. dia. bears N. 40 E. 56 lks dist marked S. 30 B. T.
	Land rolling
	Soil 1st rate
	Timber cedar of commercial value on 80 chs

Pangnitch & Kanab Guide Meridian

Chains	
	South betw. secs 31 & 36
	Var. 16° E.
10.70	Hollow drains W.
40.00	Set sandstone 30 x 12 x 12 in. 20 in deep marked 1/4 on W. side & raised mound of stones for 1/4 sec. cor.
80.00	Set sandstone 24 x 12 x 3 18 in deep marked 6 notches on N. S. E & W. edges, and raised a monument of stones for cor. to Townships 39 & 40 S. Ranges 5 & 6 W.
	Land mostly level
	Soil 1st rate
	Timber cedar of com'l. value —
	Dec 1st 1876

T. 40 S. betw. R's 5 & 6 W. Salt Lake Merid.

Dec. 2nd 1876 —

From the corner to townships 39 & 40 S. R's. 5 & 6 W. 2 mi

South betw. secs. 1 & 6

Var. 16° E.

40.00 Set trachyte 12 x 8 x 7 in 8 in deep marked 1/4 on W. side & raised mound of stones for 1/4 sec. cor.

60.00 Descend

65.00 Hollow drains S.W.

79.00 Same " S.E.

80.00 Set sandstone 22 x 10 x 5 in. 15 in deep marked 1 notch on N & 5 on S edges & raised mound of stones for cor to secs 1, 6, 7 & 12

Land gently undulating

Soil 2nd rate

BOOK-A-150

Township 40 S. Range 6 W.

6	5	4	3	2	1	339
7	8	9	10	11	12	340
18	17	16	15	14	13	341
19	20	21	22	23	24	342
30	29	28	27	26	25	343
31	32	33	34	35	36	345

Panguitch Guide Meridian

Panguitch & Kanab Guide Meridian

Chains	Timber cedar of com'l. value
	South between secs 7 & 12
	Var. 16° E.
18.50	Same hollow drains S. W.
	Ascend –
40.00	Set sandstone 16 x 12 x 3 in 10 in. deep marked 1/4 on W. side & raised mound of stones for 1/4 sec. cor.
69.00	Cañon Gulch drains W.
80.00	Set sandstone 30 x 10 x 8 in. 20 in deep marked 2 notches on N & 4 on S. edges & raised mound of stones for cor to secs. 7, 12, 13 & 18
	Land undulating
	Soil 2nd rate
	Timber pine & cedar of commercial value

T. 40 S. betw. R's 5 & 6 W. Salt Lake M. 26

Chains	South between secs 13 & 18 Var. 16° E.
40.00	Set sandstone 18 x 10 x 4 in., 12 in. deep marked 1/4 on W. side & raised a mound of stones for 1/4 sec. cor.
58.00	Enter flat land timber
80.00	Set sandstone 14 x 10 x 5 in. 9 in deep marked 3 notches on N & S edges & raised a mound of stone for cor. to secs 13, 18, 19 & 24 from which A large sand rock bears N. 50 E. 6.50 chs dist Land mostly broken mountains Soil 2nd rate Timber cedar of commercial value in N. 58 chs

Chains	South between secs 19 & 24 Var. 16° E.
27.00	Wash drains S. W.
36.50	Deep wash from Sink Valley drains S. W.
40.00	Set sandstone 16 x 10 x 6 in. 10 in deep marked 1/4 on W. side & raised mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.
57.00	Foot of hill bears N. E & S. W. leave flat ascend.
65.00	Enter timber
80.00	Set sandstone 10 x 7 x 5 in. 6 in deep marked 4 notches on N. & 2 on S. edges & raised mound of stones for cor to secs 19, 24, 25 & 30

Chains from which

A pine 15 in. dia. bears S. 30° E.
20 lks dist. marked T. 40 S.
R 5 W. S. 30 B. T.

A pine 6 in. dia. bears
S 80° W. 45 lks dist marked
T. 40 S R 6 W. S. 25 B. T.

Land broken S ½
N ½ level
Soil 1st rate
Timber cedar & pine on
S. 15 chs

South between secs 25 & 30
Var. 16° E.

3.00 Enter flat, hollow drains
S. W.

8.00 Leave sand.

17.00 Ridge bears N. W. & E.

Chains	
31.00	Leave same
40.00	Set sandstone 24 x 7 x 4 in. 18 in. deep marked 1/4 on W. side & raised mound of stones on N. side of hollow for 1/4 sec cor
	from which
	A cedar 12 in dia bears N. 35° W. 40 lks dist marked 1/4 S. B. T.
48.50	Small ridge bears E & W.
55.50	Point of ridge extends W. 1 ch.
63.00	Leave hollow, flat hills bears N. W. & S. E.
68.00	Ridge bears E & W.
75.00	Hollow drains W.
80.00	Set sandstone 19 x 17 x 10 in 12 in. deep marked 5 notches on N. & 1 on S. edges & raised mound of stones for cor.

T. 40 S betw. R's 5 & 6 W. – Salt Lake Meridian

Chains	to secs 25, 30, 31 & 36 from which
	A cedar 18 in dia. bears N. 80° W. 22 lks dist marked T. 40 S. R 5 W. S. 25 B. T.
	A pine 20 in. dia. bears N. 49 E. 18 lks dist marked T. 40 S. R 5 W. S. 30 B. T.
	Land broken & rolling
	Soil 2nd rate
	Timber cedar & pine of commercial Value

South between secs 31 & 36

Var. 16° E.

15.00	Enter broad flat, hollow drains W.
31.50	Leave same
35.00	Low ridge bears E & W.
37.00	Enter hollow drains W.

Chains

40.00 Set sandstone 16 x 5 x 4 in. 10 in. deep marked 1/4 on W. side & raised a mound of stone for 1/4 sec. cor.

43.50 Ridge bears E & W.

80.00 Set a charred cedar stake 48 x 4 x 4 in. 12 in. deep in mound of earth raised from 4 pits each 24 x 12 x 12 in., marked 6 notches on N., E & W. edges & raised a monument of stones for Standard cor. to Township 40 S., Rs 5 & 6 W. —

Land rolling & broken

Soil 2nd rate

Timber pine & cedar of commercial value

Dec. 2nd 1876

Dec. 26th 1876.

From the standard corner to townships 40 & 41 S. Ranges 5 & 6 West 2 mm

East 11.20 chains allowing for convergency of meridians & drove a charred cedar stake 48 x 4 x 4 in. 12 in deep, marked 6 notches on E, W. & S. edges & C.C, in mound of earth raised from 4 pits each 24 x 12 x 12 in. for closing cor. to T. 41 S. R's. 5 & 6 W. from which

A cedar 8 in dia. bears S. 20 E. 20 lks dist. marked T. 41 S. R. 5 W. S. 6 B.T.

South betw. secs 1 & 6
Var. 16° E.

BOOK-A-150

Township 41 S. Range 6 W.

6	5	4	3	2	1 347
7	8	9	10	11	12 349
18	17	16	15	14	13 350
19	20	21	22	23	24 351
30	29	28	27	26	25 353
31	32	33	34	35	36 355

Paryuitch Guide Meridian

Tangentch & Kanab Guide Meridian

Chains

40.00 Set sandstone 14 x 8 x 4 in. 9 in deep marked 1/4 on W. side & raised mound of stones for 1/4 sec cor.

from which

A pine 4 in dia bears E. 12 lks dist. marked 1/4 S. B. T.

45.00 Ridge bears N. W. & S. E.

80.00 Set Gypsum 14 x 12 x 3 in 9 in. deep marked 1 notch on N. & 5 on S. edges & raised mound of earth from 4 pits each 24 x 12 x 12 in. for cor to secs 1, 6, 7 & 12

from which

A cedar 25 in. dia. bears N. 15° E. 160 lks dist marked T. 41 S. R 5 W. S. 6 B. T.

T. 41 S. betw. Rs 5 & 6 W. – Salt Lake Mer.

Chains A cedar 12 in. dia bears N. 20 W 100 lks dist. marked T. 41 S. R 6 W. S. 1 B.T.
Land broken
Soil 2nd rate
Timber on 80 chs of commercial value.

South betw. secs 7 & 12
Var. 16° E.

1.50 Road bears E & W.

40.00 Drove a charred cedar stake 48 x 3 x 3 in. 12 in. deep, marked 1/4 on W. side, in mound of earth raised from 4 pits each 24 x 12 x 12 in. for 1/4 sec. cor. from which

Chains

A cedar 10 in. dia bears S 45° W
105 lks. dist. marked 1/4 S.B.T.

80.00 Leave timber and
Drove charred cedar stake
48 x 4 x 4 in. 12 in deep, in mound
of earth raised from 4 pits each
24 x 12 x 12 in., & marked 2 notch
on N. & 4 on S. edges for
cor. to secs 7, 12, 13 & 18
Land undulating bench
Soil 2nd rate
Timber oak & cedar of
commercial value

South betw. secs 13 & 18
Var 16° E.

40.00 Deposited small sandstone
marked 1/4 on W side in
mound of earth raised from

4 pits each 24 x 12 x 12 in for
1/4 sec. cor.

8v.vo Drove charred cedar stake
48 x 4 x 4 in 12 in. deep, marked
3 notches on N. & S. edges
in mound of earth raised
from 4 pits each 24 x 12 x 12 in
for cor. to secs 13, 18, 19 &
24.

Land undulating
Soil 2nd rate – sandy –
No timber

South betw. secs 19 & 24
Var. 16° E.

4o.vo Set sandstone 18 x 10 x 5 in.
12 in. deep, marked 1/4 on W.
side & raised mound of
earth from 4 pits each 24 x

Chains × 12 × 12 in. for 1/4 sec. cor.
Enter timber.

50.00 Brink of cañon bears N. E & S. W.

56.50 Ledge breaks 800 feet almost perpendicular to bottom of cañon. Finding it impossible to proceed on line, & here set a charred post of cedar 48 × 4 × 4 in 12 in deep marked 2 notches on N. & 4 on S. edges & W.C. and raised a mound of earth from 4 pits each 24 × 12 × 12 in. for witness cor. to secs. 19, 24, 25 & 30

80.00 cor. to secs 19, 24, 25 & 30 witnessed as above given
Land broken — Soil 2nd rate
Timber Pine & Cedar of commercial Value on 80 chs

BOOK-A-150

South betw. secs 25 & 30
Var. 16° E.

It being impossible to run this line in place, From a point 56.50 chs. S. of cor. to secs 13, 18, 19 & 24 I set a flag due East in bottom of Guide Canon. I also set a flag at a point due South at mouth of canon & from the first flag run a traverse line to the second flag as follows:

S. 42° 45 W.	3.00 chs	make courting		2.20 chs
S. 51° W.	4.00 "	"	"	2.52 "
S. 47° 30' W.	3.00 "	"	"	2.03 "
S. 20° 30' W	2.50 "	"	"	2.34 "

Chains				
	S. 42°15' W.	10.00 chs	make Southing	7.40 chs
	" 13° - W.	5.00 "	" "	4.87 "
	" 36°30 W.	8.75 "	" "	7.03 "
	" 31° - E.	20.90 "	" "	17.91 "
	South	5.10 "	" "	5.10 "
	S. 45°30' E.	10.20 "	" "	7.15 "
	" 20° - W.	33.50 "	" "	31.48 "
	" 1°45' E.	35.00 "	" "	34.98 "
				125.01 chs.

I find from the southing made that I have gone 21.57 chs beyond the cor. point to secs. 25, 30, 31 & 36 which distance I measure North & establish line as follows

40.00 Falling in ledge breaks impossible to establish.

80.00 Set a yellow sandstone 16 x 8 x 7 in 11 in. deep notched 5 on N.

T. 41 S. betw. R's 5 & 6 W. — Salt Lake Meridian

Chains & 1 on S. edges with mound of stone for cor. to secs 25, 30, 31 & 36 —

Land rocky ledges & breaks

Soil 3rd rate.

Timber Pine & cedar of Commercial value

South betw. secs 31 & 36

Var. 16° E.

33.00 Land ridge bears E & W.

40.00 Set sandstone 20 x 12 x 9 in. 15 in. deep marked 1/4 on W. side & mixed mound of stones for 1/4 sec. cor.

from which

A cedar 10 in. dia. bears S. 20 E. 21 lks dist marked 1/4 S. B. T.

Sanguitch & Kanab Guide Meridian

Chains	
44.00	Ridge bears E. & W.
60.00	" " "
65.00	" " "
78.00	Enter bench almost level. —
80.00	Set limestone 18 x 11 x 5 in. 12 in. deep marked 6 notches on N. S. E. & W. edges & raised a mound of earth from 4 pits each 24 x 12 x 12 in for cor. to townships 41 & 42 S. — R's. 5 & 6 W.
	Land mostly broken sand ridges
	Soil 2nd rate
	Timber Cedar & pine of commercial value
	Dec. 26th 1876

T. 42 S. betw. Rs 5 & 6 W. — Salt Lake Meridian

General Description.

The ~~southern~~ portion of the lands in Township 41 South Ranges 5 & 6 West falls in white cliffs and cannot be subdivided

---

Jan. 2nd 1877.

From the corner to townships 41 & 42 S. Ranges 5 & 6 West 2 mi. heretofore described. I run South betw. secs 1 & 6

Var. 16° E.

40.00 Set limestone 18 x 12 x 5 in. 12 in. deep marked 1/4 on W. side & raised mound of stones for 1/4 sec cor.

80.00 Drove charred cedar stake, 48 x 4 x 4 in. 12 in. deep, marked 1 notch on N. & 5 on S. edges,

Chains in mound of earth raised from 4 pits each 24 x 12 x 12 in for cor. to secs 1, 6, 7 & 12.
Land level
Soil 1st rate
No timber

South betw. secs 7 & 12
Var. 16° E.

40.00 Deposited charred wood in mound raised from 4 pits each 24 x 12 x 12 in. for 1/4 sec cor from which
A cedar 5 in dia bears
N. 5° W. 25 lks. dist. marked
1/4 S. B. T.
West edge of red castle-like sandstone ledge bears
S 50° E. 11 chains distant

BOOK-A-150

T. 42 S. betw. R's. 5 & 6 W. – Salt Lake Meridian

chains 80.00

Deposited broken pieces of Indian Pottery & drove charred stake, 48 x 4 x 4 in. 12 in. deep, marked 2 notches on N. & 4 on S. edges, in mound of earth raised from 4 pits each 24 x 12 x 12 in for cor. to secs 7, 12, 13 & 18 –

from which

A cedar 12 in. dia bears S. 15° W. 136 lks. dist marked T. 42 S. R. 6 W. S. 13. B. T.

Land almost level

Soil 1st rate

Timber cedar & pine of commercial value

Chains

South betw. secs 13 & 18.
Var. 16° E.

40.00 Deposited 4 flat sandstones in mound of earth raised from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.
from which
A cedar 8 in dia. bears S. 70° W. 64 lks dist marked 1/4 S. B. T.

45.00 Head of ravine drains W.

80.00 Drove a charred cedar stake 48 x 4 x 4 in. 12 in. deep, marked 3 notches on N. & S. edges in mound of earth raised from 4 pits each 24 x 4 x 4 in. for cor. to secs 13, 18, 19 & 24
from which

T. 42 S. betw. R's. 5 & 6 W. - Salt Lake M.

Chains

A cedar 10 in. dia bears N. 16° 30' E 134 lks. dist. marked T. 42 S. R. 5 W. S. 18. B. T.

A cedar 15 in. dia. bears S. 53° W. 320 lks dist marked T. 42 S. R 6 W. S. 24 B. T.

Land almost level

Soil 1st rate

Timber pine & cedar of commercial value.

South betw. secs. 19 & 24

Var. 16° E.

40.00 Deposited a number of small stones in mound of earth raised from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.

Chains from which

A cedar 10 in. dia bears S.
10 W 50 lks. dist. marked
1/4 S. B. T.

80.00 Drove charred cedar
stake 48 x 4 x 4 in. 12 in deep
in mound of earth raised from
4 pits each 24 x 12 x 12 in.,
marked 4 notches on N. &
2 on S. edges for cor. to
secs 19, 24, 25 & 30.
Land almost level
Soil 1st rate
Timber Pine and cedar of
Commercial Value.

South between secs. 25 & 30
Var. 16° E.

40.00 Deposited 4 small
stones in mound of

Chains earth raised from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.

8.00 Drove charred cedar stake 48 x 4 x 4 in. 12 in deep, marked 5 notches on N. & 1 on S. edge, in mound of earth raised from 4 pits each 24 x 12 x 12 in for cor. to secs 25, 30, 31 & 36.

Land mostly level
Soil 1st rate
Timber Pine and cedar of Commercial Value.

South between secs 31 & 36
Var. 16° E.

4.00 Drove charred cedar stake 48 x 3 x 3 in. 12 in. deep, marked 1/4 on W. side, in mound

Chains of earth raised from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.

80.00 Drove charred cedar stake 48 x 4 x 4 in. 12 in deep, in mound of earth raised from 4 pits each 24 x 12 x 12 in & marked 6 notches on N. S. E. & W. edges for cor. to townships 42 & 43, Ranges 5 & 6 W from which

A cedar 16 in. dia. S. 80° W. 28 lks. dist marked T. 43 S. R 6 W. S. 1 B. T.

A cedar 16 in. dia. bears N. 85° E. 70 lks dist marked T. 42 S. R 5 W. S. 31 B. T.

Land almost level

Soil 1st rate

Timber: Pine and cedars, of Commercial Value Jan. 2nd 1877.

BOOK-A-150

T. 43 S. betw. R's. 5 & 6 W. – Salt Lake Mer.

General Description.

T. 42 S. R. 5 & 6 W. falls on the high timbered plateau lying between the white & vermillion cliffs which can be sub-divided at increased rates

---

Jan. 3rd 1877.

From the cor. to townships 42 & 43 S. Ranges 5 & 6 W. I run

South between secs 1 & 6.

Var. 16° E.

25.00 Descend

35.30 cañon Gulch drains W.

ascend

42.00 Set red sandstone [illegible]

× 3 in 14 in deep marked 1/4

BOOK-A-150

Township 43 S. Range 6 W.

6	5	4	3	2	1 365
7	8	9	10	11	12 367
18	17	16	15	14	13 369
19	20	21	22	23	24 371
30	29	28	27	26	25 373
31	32	33	34	35	36 374

Paiguitch Guide Meridian

Fairguitch & Kanab Guide Meridian

Chains	
	on W. side & raised a mound of stone for 1/4 sec. cor. from which
	A pine 10 in. dia. bears N. 20° W. - 25 lks dist. marked 1/4 S. B. T.
56.50	Ridge point between 2 cañons bears West 25 chains descend.
68.50	Cañon Gulch drains W. ascend
80.00	Sandstone ledge 20 feet high marked 1 | 6 / 12 | 7 for cor to secs 1, 6, 7 & 12 from which
	A pine 8 in. dia. bears N. 80° W. 60 lks. dist. marked T. 43 S. R. 6 W. S. 1 B. T.

Chains

A cedar 12 in. dia. bears N. 15 E. 85 lks dist. marked R 5 W. S. 6. B.T.
Land broken
Soil 2nd & 3rd rate
Timber cedar & pine of commercial value

South between secs 7 & 12
Var. 16° E.

10.00 Enter undulating plateau
40.00 Drove charred cedar stake 48 × 3 × 3 in. 12 in dep, marked ¼ on W side, in mound of earth raised from 4 pits each 24 × 12 × 12 in. for ¼ sec. cor. from which

Sanguilch & Kanab Guide Meridian T. 43

Chains		Chains
	A cedar 12 in. dia. bears North 40 lks. dist. marked 1/4 S. B.T.	
50.00	Descend & enter slope facing about S. 80° W.	
78.50	Bottom of cañon near head drains N. of W.	
80.00	Set red sandstone 20 x 12 x 8 in. 15 in. deep marked 2 notches on N. & 4 on S. edges & raised mound of stone for cor. to secs 7, 12, 13 & 18 from which	30.75 35.00 40.00
	A cedar 4 in. dia. bears N. 30° W. 57 lks dist. marked T. 43 S. R 6 W. S. 12 B.T.	44.50
	A cedar 4 in dia bears	80.00

T. 43 S. betw. R. 5 & 6 W – Salt Lake Meridian

Chains

S. 30° E., 30 lks dist.
marked R 5 W S. 13 B.T.
Land broken
Soil 2nd rate
Timber cedar & pine of
commercial value

South between secs 13 & 18
Var. 16° E.

Ascend

30.75 Descend

35.00 Ledge fifty feet high

40.00 Marked ledge of sandstone
1/4 & raised a mound
of stones for 1/4 sec. cor.

44.50 Bottom of deep cañon
drains S. W.

50.00 Set rd sandstone 16 x 10 x

Chains		Chains
	6 in. 10 in. deep marked 3 notches on N. & S. edges & raised mound of stones for cor to secs 13, 18, 19 & 24	11.00
	from which	
	A pine 20 in. dia. bears N. 81 S. 60 lks dist marked T. 43 S. R. 6 W. S. 13 B. T.	27.75
	A pine 8 in. dia. bears S 10° W. 110 lks. dist. marked R. 5 W. S. 19 B. T.	40.00
	Land broken	
	Soil 3rd rate	
	Timber pine & cedar of commercial value	

T. 43 S. betw. R.s 5 & 6 W. – Salt Lake M.

Chains

South between secs 19 & 24
Var. 16° E.

11.00 Top of ridge point
bears S. W. about 1 mile
Descend

27.75 Bottom of canon drains
S. W. – ascend

40.00 Set sandstone 16 x 8 x 5 in. 10 in.
deep marked 1/4 on W. side
& raised mound of earth
from 4 pits each 24 x 12 x
12 in. for 1/4 sec. Cor.
from which
A pine 5 in. dia. bears N. 85° W.
25 lks. dist.
A pine 10 in. dia bears
S. 80° W. 27 lks dist
Both trees marked 1/4 S. B. T.

BOOK-A-150

Township ~~112~~ S. Range 6 W.

6	5	4	3	2	1 357
7	8	9	10	11	12 358
18	17	16	15	14	13 360
19	20	21	22	23	24 361
30	29	28	27	26	25 362
31	32	33	34	35	36 363

Paraguitch Guide Meridian

Tanguilch & Kanab Guide Meridian

Chains		
41.00	Ridge point bears W.	
46.50	Gulch drains W.	
59.50	Cañon fork drains N. 70° W. Ascend	
80.00	Drove charred cedar	8.00
	stake 48 × 4 × 4 in 12 in.	21.00
	deep, marked 4 notches on	
	N. & 2 on S. edges, in	
	mound of earth raised	40.00
	from 4 pits each 24 × 12 ×	
	12 in. for cor. to secs.	
	19, 24, 25 & 30	
	from which	
	A cedar 10 in. dia. N. 20° E.	
	115 lks dist. marked T. 43 S.	
	R. 5 W. S. 24 B.T.	
	Land broken	55.00
	Soil 2nd rate	
	Timber Cedar & Pine of	80.00
	commercial value	

BOOK-A-150

Drains

South between secs 25 & 30
Var. 16° E.

80.00 Enter slope facing E. Descend

21.00 Enter Vermillion Bluffs bears N. E & S. W.

A canon 30 chs N. to bottom

40.00 Set sandstone 20 x 20 x 5 in 14 in deep marked 1/4 on W. side & raised mound of stone for 1/4 sec cor from which

A pine 8 in. dia. bears S 5° E. 65 lks. dist. marked 1/4 S. B. T.

53.00 Gulch drains S. E enter Flat of Lower Kanab Valley.

80.00 Set sandstone 16 x 12 x 10 in. 10 in. deep marked 5 notches on N. & 1 on S. edges &

BOOK-A

T. 43 S.

		chains
Chains	raised mound of earth	32.00
	from 4 pits each 24 x 12 x 12 in	40.00
	for cor to secs 25, 30, 31 & 36.	
	from which	
	A cedar 6 in. dia. bears N. 75 E. 210 lks dist. marked T. 43 S. R. 5 W. S. 30 B. T.	
	A cedar 14 in dia bears N. 60° W. 112 lks dist. marked R 6 W. S. 25 B. T.	59.50
	Land mostly rock breaks	65.50
	Soil 2nd rate	75.00
	Timber cedar & pine of commercial value	80.00

South between secs 31 & 36.
Var 16° E.

p. 43 S. betw. Rs 5 & 6 W. - Salt Lake Meridian

chains

32.00 Leave cedars and Pine timber

40.00 Drove charred cedar stake 48 x 3 x 3 in. 12 in. deep, marked 1/4 on W. side, in mound of earth raised from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor from which

A cedar 5 in. dia. bears N. 30 W. 115 lks dist. marked 1/4 S. B. T.

57.50 Wood Road bears N. E & S.W.

65.50 Trail bears E & W.

75.00 Road to Johnsons bears N. W. & S. E.

80.00 Drove a charred cedar post 48 x 4 x 4 in., 12 in deep in mound of earth raised from 4 pits each 24 x 12 x 12 in., marked 6 notches on N. S. E & W.

Chains edges for cor. to townships 43 & 44 S., R's. 5 & 6 W.
Land mostly level
Soil 1st rate
Timber N. 32 chs. cedars of commercial value
January 3d 1877.

x

General Description

The northern portion of T. 43 S. R's 5 & 6 W. falls on high timbered plateau susceptible of Subdivision but not at the present rates – The southern portion can be subdivided,

J. G. Burrill
U. S. Dep. Sur.

LIST OF NAMES.

A list of the names of individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of the all those parts or portions of the Survey of the Panguitch & Kanab Guide Meridian Twps. 38, 39, 40, 41, 42, 43, South, between Rs. 5 & 6 W. — Long Valley Guide Meridian in T. 41 S. between Rs. 7 & 8 W. — 8th Standard Parallel South in Rs. 4½, 5, 6 & 7 W. — The Exterior & Subdivision lines of fractional Ts. 39 S. Rs. 5 & 6 W. — 40 & 41 S. Rs. 4½, 5, 6 & 7 W. of the Salt Lake Meridian, as are represented therein as having been surveyed under the direction of F. C. Bailey,

showing the respective capacities in which they acted.

Benj. L. Lethead — Chainman.

Melvin Swap — Chainman.

John A. Mitchell — Flagman.

Archibald Swap — Axeman.

67

We hereby certify that we assisted Thomas C. Bailey U. S.

Deputy ——— Surveyor,

in surveying All those parts or portions of the Panguitch & Kanab Guide Meridian thro' Ts 38, 39, 40, 41, 42, 43 South between Rs. 5 & 6 W. – Long Valley Guide Meridian, in T. 41 S. between Rs 7 & 8 W. – 8th Standard Parallel South, in Rs, 4½, 5, 6 & 7 W. – The exteriors & Subdivision lines of fractional Ts. 39 S. R. 5 & 6 W. – 40 & 41 S. Rs. 4½, 5, 6 & 7 W. of the Salt Lake Meridian, Utah Territory, as are represented in the foregoing field notes, as having been surveyed under his direction

and that said lines & townships have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Benj. L. Leithead
Chainman.

Melvin Swap
Chainman.

John A. Mitchell
Flagman.

Archibald Swapp
Axeman.

Subscribed and sworn to by the above named persons, before me, a U. S. Deputy Surveyor for the ~~county of~~ Surveying Dist., in the Territory of Utah, this 3d day of January 1877.

T. C. Bailey, U. S. Dep. Sur.

I, Thomas C. Bailey U. S. Deputy Surveyor, do solemnly swear, that in pursuance of a contract with Nathan Kimball Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 4th day of Sept 1876, and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions furnished by the said Surveyor General, I have faithfully surveyed ~~the~~ all those parts or portions of the Paunsuitch & Kanab Guide Meridian, thro' Ts. 38, 39, 40, 41, 42 & 43 South returns Rs. 5 & 6 W., Long Valley Guide Meridian, thro' T. 41 S. returns Rs. 7 & 8 W. — 8th Standard Parallel South, on Rs. 4½, 5, 6 & 7 W. — The Exterior & Subdivisions

69

lines of fractional Ts 39 S. Rs 5 & 6 W
40 & 41 S. Rs 4½, 5, 6 & 7 W. of the

Salt Lake Meridian, as are represented in the foregoing field notes as having been surveyed under my direction

in the Territory aforesaid, and do further solemnly swear that the foregoing are the true and original Field Notes of such survey.

Thomas C. Bailey
Deputy ~~Mineral~~ Surveyor.

Subscribed by the said Thomas C. Bailey U.S. Deputy ~~Mineral~~ Surveyor, and sworn to before me, a Justice of the Peace for the county of Kane, in the Territory of Utah, this 19th day of January 1877.

W. D. Johnson Jr
Justice of the Peace

BOOK-A

LIST OF NAMES.

A list of the names of individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of ~~the~~ all those parts or portions of the survey of the Panguitch & Kanab Guide Meridian thro' Ts 38, 39, 40, 41, 42, 43, South between Rs 5 & 6 W. Long Valley Guide Meridian in T. 41 S. between Rs 7 & 8 W. — 8th Standard Parallel South, in Rs 4½, 5, 6 & 7 W. — The exterior and subdivision lines of fractional Townships Nos 39 S. Rs 5 & 6 W. — 40 & 41 S. Rs 4½, 5, 6 & 7 W. of the Salt Lake Meridian, as are represented therein as having been surveyed by J. G. Burrill.

showing the respective capacities in which they acted.

William W. Shirts — Chainman.

John Brinkerhoff — Chainman.

Adolph Jessen — Flagman.

Silas Brinkerhoff — Axeman.

A. D. Fenon — Compassman

71

We hereby certify that we assisted John G. Burrill U. S.

Deputy _____ Surveyor,

in surveying all those parts or portions of the Pauquitch & Kanab Guide Meridian, thro' Ts 38, 39, 40, 41, 42, 43 South between Rs 5 & 6 W. Long Valley Guide Meridian in T. 41 S. between Rs 7 & 8 W. 8th Standard Parallel South in Rs. 4½, 5, 6 & 7 W. The Exteriors and Subdivision lines of Ts. No. 39 S. Rs 5 & 6 W. 40 & 41 S. Rs 4½, 5, 6, & 7 W. of the Salt Lake Meridian, Utah Territory as are represented in the foregoing field notes, as having been surveyed under his direction

and that said lines & townships have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Attest
Adolph Jessen

William W. his + mark Shirts
Chainman.

John Brinkerhoff
Chainman.

Adolph Jessen
Flagman.

Attest
Adolph Jessen

Silas his × mark Brinkerhoff
Axeman.

A. D. Fenn Compassman

Subscribed and sworn to by the above named persons, before me, a U. S. Deputy Surveyor for the ~~county of~~ Surveying District, in the Territory of Utah, this 3d day of January 1877.

F. C. Bailey U. S. Dep. Sur.

I, John G. Burrill U. S. Deputy Surveyor, do solemnly swear, that in pursuance of a contract with Nathan Kimball Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 4th day of September 1876, and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions furnished by the said Surveyor General, I have faithfully surveyed ~~the~~ all those parts or portions of the Dauguitch & Kanab Guide Meridian thro' Ts. 38, 39, 40, 41, 42, 43 South, between Rs. 5 & 6 W. — Long Valley Guide Meridian in T. 41 S. between Rs. 7 & 8 W. — 8th Standard Parallel South in Rs. 4½, 5, 6 & 7 W. — The Exterior and Subdivision

73

lines of fractional Ts 39 S. Rs 5 & 6 W.
- 40 & 41 S. Rs 4½, 5, 6 & 7 W. of the
Salt Lake Meridian, as are represented in the foregoing field notes, as having been surveyed under my direction

in the Territory aforesaid, and do further solemnly swear that the foregoing are the true and original Field Noies of such survey.

J. G. Burrill
U. S. Deputy ~~Mineral~~ Surveyor.

Subscribed by the said J. G. Burrill
U. S. Deputy ~~Mineral~~ Surveyor,
and sworn to before me, a Justice of Peace for the county of Kane, in the Territory of Utah, this 19th day of January 1877

W. D. Johnson Jr.
Justice of the Peace

BOOK-A-150

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 3 *187*7

The foregoing field notes of the survey of the Panguitch Manat Guide Meridian

Townships No. 38.39.40.41.42+43 S *Range No.* 5/6 W

Executed by J. G. Bussell,

Under his joint *contract of the* 4

day of September *1876, in the months of* Nov + Jan^y *1876+7 having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Hartan Kimball

Surveyor General for Utah.

BOOK-A-150

Examined by C. H. Cranwell. C. C.

Field Notes
of the Survey
of the
North Boundary
of
Township 39 South
Range 5 West,
of the
Salt Lake Meridian
Utah Territory
By
John G. Burrill
U. S. Dep. Surveyor
Under joint Contract of
Bailey & Burrill
No. 71
Dated Sept. 4th 1876.

Surveyed Dec. 20th, 1876.

Township 39 S. R. 5 West

1 2 4

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

BOOK
North

38.90

North Boundary T. 39 S. R. 5 W.

Dec. 20th 1876

By J. G. Burrill,

As the east boundary of this township falls in the mountains, and cannot be run, therefore from the cor, to Ts. 38 & 39 S. Rs 5 & 6 W, on the Pauquitch and Kanab Guide meridian viz:

"A Conglomerate rock 20×10×8, with monument of stones"

I run

East on the line between Secs. 6 & 31

Var. 16° E.

38.90 (Allowing for convergency) Set Sandstone 16×8×7, 11 in. deep marked 1/4 on N. side, and raised mound of stones for 1/4 Sec. Cor.

5 W.	Salt Lake Meridian
	hills,
39.65	Road bears N. & S.
40.00	Set Sandstone 20×18×3, 15 in. deep marked 1/4 on N. side and raised mound of stones for 1/4 Sec. cor.
43.75	Road bears N. E. & S. W.
44.00	Kanab Creek heads N. 50 E 1 1/2 miles at foot of "Rim of Basin" – forks about 1/2 mile above & one fork heads S. E. 1 mile.
80.00	Set Sandstone 20×10×4, 15 in. deep, notched 4 notches on E & 2 on W. Edges, and raised mound of stones for cor. to Secs. 4, 5, 32 & 33.
	Land rolling,
	Soil 2d rate.
	No timber

North Boundary T. 39 S. R. 5 W.

East on the line between
Secs. 4 & 33.
Var. 16° E.

5.50 Fence bears N. & S.

12.50 Brook runs N. E. at base of
Mountain.

40.00 Set Sandstone 13×8×6; 9 in. dep
Marked 1/4 on N. side, and
raised mound of stones for
1/4 Sec. Cor.

Note: Abandon line here.
Land broken & rocky.
Soil 2d rate.
Timber Scattering Cedar.
Dec. 20th 1876. J. G. Burrill.

For General Description and
Approval See end of Sub=
division notes of this township.

BOOK-A-150

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 3rd *187*7

The foregoing field notes of the survey of the North Boundary

Township No. 39 S. *Range No.* 5 W

Executed by J. G. Burnett

Under his joint *contract of the* 4

day of September *187*6, *in the month of*

December *187*6, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Frank van Kimbark

Surveyor General for Utah.

BOOK-A-150

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, 187

The foregoing field notes of the survey of

ensship No. Range No.

ecuted by

nder contract of the

y of 187 , in the month of

187 , having been critically

amined, the necessary corrections and ex-

anations made, the said field notes, and the

rveys they describe, are hereby approved.

Surveyor General for Utah.

BOOK-A-150 10

Examined by C. H. Cranwell. C. C.

Field Notes

of

the Survey of the Subdivision lines

of

Township 39 S. Range 5 West

of

the Salt Lake Meridian

Utah Territory

By

J. G. Burrill,

Under Joint Contract of Bailey & Burrill,

No. 91,

Dated Sept. 4th 1876,

Survey Commenced Dec. 21st 1876.

" Completed Dec. 22nd 1876.

BOOK-A-150

Township 39 S. Range 5 W.



Chains, December 21st, 1876,

By. J. G. Burrill

As it is impracticable on Account of the Mountains to Survey the East portion of this Township, I begin at the Cor. to Secs, 4, 5, 32 & 33, on the South boundary & run,

North between Secs, 32, & 33,

Var. 16° 00' E,

40,00 Set Sandstone 10 x 9 x 6 in, 5 in, deep, marked 1/4 on W, side, & raised mound of stones for 1/4 Sec, Cor.

65,50 Hollow drains W,

80,00 Set limestone 20 x 12 x 8 in, 15 in, deep, marked 4 notches on E, & 1 on S. edges & raised mound of stone for Cor. to Secs, 28, 29, 32 & 33.

Land rolling hills,

Subdivisions T. 39 S. R. 5 W.

Chains	
	Soil 2nd rate,
	Timber, Scrub Oak & Cedar,
	Running the line will strike impracticable ground in less than 80,00 chs, I run, East on true line between Secs, 28 & 33,
	Var, 16°,00 E,
25,00	Foot of Mountains
40,00	Set sandstone 11x10x7 in, 7 in, dep, marked 1/4 on N, side & raised mound of stones for 1/4 Sec, Cor,
	Land upland & mountains,
	Soil 2nd rate,
	Timber Scrub Oak & Cedar,
	Note; I abandon line here,

Salt Lake Meridian,

Chains. From Cor. to Secs, 28, 29, 32 & 33,
I run,
North between Secs, 28 & 29,
Var, 16°, 00' E,

29,00 Leave high bench, descend,

33,50 Took high bench slope bears E. & W.

40,00 Set Sandstone 18 x 12 x 8 in, 12 in, deep, marked 1/4 on W. side, & raised mound of stones for 1/4 Sec, Cor,

80,00 Set limestone 26, x 10 x 8 in, 18 in, deep, marked 4 notches on E & 2 on S, edges, & raised mound of stone for Cor, to Secs, 20, 21, 28 & 29,
Land level bottom & bench,
Soil Pt rate,
Timber, Scrub Oak & Cedar,

Chains,	
	As the line will strike the mountains in less than 8,00 chs, I run, East on true line between Secs, 21 & 28, Var, 16° 00' E,
2,50	Foot hills, enter Cedars,
2,00	Foot of steep slope bears N. W. & S. E,
4,00	Set Sandstone 12 x 4 x 4 in, 8 in, deep, marked 1/4 on N, side, & raised mound of earth from 4 pits, each 24 x 12 x 12 in, for 1/4 Sec, Cor, Land rolling & broken, Soil 2nd rate, Timber, Cedar, Note: I abandon line here,

East Lake Meridian,

Chains, From the Cor, to Secs, 20, 21, 28 & 29,
I run,
North between Secs, 20 & 21,
Var, 16° 00' E,
15,00 Ridge bears, N.E. & S.W.
20,00 Foot of same, enter flat,
40,00 Foot of hills bear E & W,
Set Sandstone, 13x9,x6 in, 8 in,
deep, marked 1/4 on W, side &
raised mound of earth from
4 pits each, 24x12x12 in, for
1/4 Sec, Cor,
Land rolling,
Soil 2nd rate,
Timber Cedar,
Note, It being impracticable
on Account of Mountains to
extend this line I abandon
it here,

Subdivision Tp. 39 S. R. 5 W.

Chains, From the Cor. to Secs.
5, 6, 31 & 32, I run,
North between Secs. 31 & 32,
Var. 16°, 50' E.

23,00 Leave flat Wooded hills,
bear N. 10 E. & S. 10 W.

33,30 Top of hill, Finleys cabin
& Spring bears N. 25 E.

41,00 Set Sandstone 15 x 10 x 4 in.
10 in. deep, marked 1/4 on
W. side raised mound
of stones for 1/4 Sec. Cor.
Finleys Cabin & Spring
bears N. 47 E.

74,50 Leave cedars, Enter Meadow
of Sink Creek, bears N. W. & S. E.

76,00 Sink Creek runs S. E.

80,00 Set Sandstone 16 x 14 x 4 in.
10 in. deep, marked 5 notches
on E. & 1 on S. edges, and

Salt Lake Meridian

raised mound of stones for Cor,
to Secs, 29, 30, 31 & 32,
Land undulating
Soil Pr rate,
Timber, Scattering Cedar,

East on random line between
Secs, 29 & 32,
Var, 16°,00' E,

2,50 Road bears N, & S,
30,00 Foot of hills leave Sink creek
flat bears N, & S,
40,00 Set temporary 1/4 Sec, Cor,
55,00 Enter high bench,
80,70 Intersect N, & S, line 36 lks,
S, of Cor, to Secs, 28, 29, 32 & 33,
from which,
S, 89°45' W, on true line
between Secs, 29, & 32,

Chains	
40,35	Set Sandstone 12x10x5 in. Dia, deep, marked 1/4 on N, side, raised mound of stones, for 1/4 Sec. Cor, from which,
	A cedar 10 in, dia, bears S, 10 W, 20 lks, dist, marked 1/4 S. B.T.
80,70	The Cor. to Secs, 29, 30, 31 & 32,
	Land mostly flat,
	Soil 2nd rate,
	Timber, Cedar on hill slope,

	Run on random line between Secs, 30 & 31,
	Var, 16°, 00' E,
8,00	Sink Creek runs S. E,
14,00	Leave Sink Creek & meadow & Enter Cedar hills, bear N. & S,
40,00	Set temporary 1/4 Sec. Cor,

Salt Lake Meridian.

Chains	
79,39	Intersect W, boundary of township 27, lks, S, of Cor, to Secs, 25, 30, 31 & 36, from which, S, 89° 48 E, on true line between Secs, 30 & 31,
39,39	Set Sandstone 20 x 7 x 6 in, 15 in, deep, marked 1/4 on N, side & raised mound of Stones for 1/4 Sec, Cor,
79.39	The Cor, to Secs, 29. 30, 31 & 32, Land mostly level, Soil 2nd rate, Timber, Scattering Cedar & pine,

North between Secs. 29 & 30,
Var, 16°, 00' E,

10,50	Road to Johnsons bears N.W. & S.E.
40,00	Set Sandstone 15 x 12 x 4 in,

Subdivisions Th. 39 S. R. 5 W.

Chains,	
	10 in. deep, marked 1/4 on W. side traced mound of stones for 1/4 Sec. Cor.
43,50	Creek runs S. W.
47,00	Fence bears N.W. & S.E.
74,60	" " N. 65° E. & S. 65 W.
84,00	Deposited 4 small stones traced mound of earth from 4 pits, each 24 x 12 x 12 in. & drove a cedar stake 24 x 2 x 2 in. 12 in. deep, in S.E. pit, notched S. on E. & 2 on S. edges, for 1/4 Cor. to Secs. 19, 20, 29 & 30. Land mostly level. Soil 2nd rate. No timber.

East on random line between Secs. 20 & 29.

Salt Lake Meridian,

Chains,	Var, 16°, 00' E,
8,00	Fence bears N, W, & S, E,
18,20	" " N, 10 W, & S, 10 E,
19,50	Robt. C. Wilsons house Colks, N, David Brinkerhoffs house bears S, 10 W, 10 chs, dist,
40,00	Set temporary 1/4 Sec, Cor,
47,50,	Foothills bear N, E, & S, W, 7 Chs, dist,
52,50	Top of ridge bears N, E, & S, W, 7 chs,
55,00	Foot of same, enter flat,
80,17	Intersect N, & S, line at Cor, to Secs, 20, 21, 28 & 29, from which, West on true line between Secs, 20 & 29,
40,08	Set Sandstone 12 x 10 x 5 in, 8 in, deep, marked 1/4 on N, side & raised mound of earth from 4 pits each, 2 x

Subdivisions 9, 17, 39 S, R, 5 W,

Chains,	12x12 pw, for 1/4 Sec, Cor,
80,17	The Cor, to Secs, 19, 20, 29, & 30,
	Land rolling,
	Soil 2nd rate,
	Timber, pine on E, 18 chs,
	Dec, 21st 1876,
	Dec, 22nd 1876,
	West on Random line
	between Secs, 19 & 30,
	Var, 16°,00' E,
12,00	Road bears N, & S,
14,00	Set temporary 1/4 Sec, Cor,
44,00	Road to Sec bears NE, & SW,
59,25	Leave meadow at foot
	of Cedar Hills ahead
	of hollow, drains S, W,
79,29	Intersect N, boundary of
	township 3 chs, N, of Cor, to
	Secs, 19, 24, 25, & 30, from
	which,
	A, 89°,47' E, on true line

Salt Lake Meridian,

Chains,	between Secs, 19 & 30,
39,29	Set Sandstone 22 x 12 x 3 in, 18 in, deep, marked 1/4 on N, side & raised mound of stones for 1/4 Sec, Cor,
79,29	The Cor, to Secs, 19, ~~24, 25 & 30~~ 20, 29 & 30, Land mostly level, Soil Pt rate, Timber, Scattering Cedar,

North between Secs, 19 & 20,
Var, 16°,00' E,

4,96	Road bears E & W,
7,00	Spring runs W,
26,00	Road bears N.E. & S.W.
35,50	" " E, & W,
40,00	Set Sandstone 18 x 12 x 6 in, 12 in, deep, marked 1/4 on W, side & raised mound of

Subdivisions Tp. 39 S. R. 5 W.

Chains	
	Stones for 1/4 Sec. Cor.
45,50	Gulch drains N.
56,00	Foothills bears N.W. & S.E.
80,00	Set limestone 18x10x8 in. 12 in. deep, marked 5 notches on E. & 3 on S. edges & raised mound of stones for Cor. to Secs. 17, 18, 19 & 20.
	Land mostly level.
	Soil 1st rate.
	Timber, Scattering Cedar.

As it is impossible to run East, I run,

West on random line between Secs. 18 & 19

Var. 16° 00' E.

30,00	Leave Cedar hills.

Salt Lake Meridian

Chains,	
40,00	Set temporary 1/4 Sec, Cor,
44,00	Road bears N & S, leave flat,
79,29	Intersect W, boundary of township 12 lks, N, of Cor, to Secs, 13, 18, 19 & ~~20~~ 24 from which
	N, 89° 55' E, on true line bet. Secs, 18 & 19,
39.29	Set sandstone 14 x 8 x 5 in, 9 in deep, marked 1/4 on N, side, & raised mound of Earth from 4 pits each 24 x 12 x 12 in, for 1/4 Sec, Cor,
79.29	The Cor, to Secs, 17, 18, 19 & 20, Land gentle slope West, Soil Pt rate, Timber, Scattering Oak & Cedar,

Subdivisions 16 T. 39 S. R. 5 W.

Chains North between Secs. 17 & 18,
Var. 16°, 00' E.

10,00 Enter hollow, drains N,
22,00 Leave Dame,
27,50 Large hollow drains W,
40,00 Set Sandstone 26 x 12 x 4 in, 20 in, deep, marked 1/4 on W, side, & raised mound of stones for 1/4 Sec, Cor, from which,
Cedar 10 in, dia, bears W, 16 lks, dist, marked 1/4 S. B. T.
50,00 Canon drains W,
80,00 Set Sandstone 22 x 14 x 4 in, 18 in, deep, marked 5 notches on E, & 4 on S, edges, raised mound of stones for Cor, to Secs, 7, 8, 17 & 18, from which,
Cedar 8 in, dia, bears S,

40,
60,
63,
69

8930, E, 22 lks. dist,
marked T, 39 S, R, 5 W,
S, 17, B, T.
Land Very broken Mountains,
Soil Vd rate,
Timber, Scrub Cedar & Oak,

As it is impracticable to
run East, I run,
West on random line
between Secs, 7 & 18,
Var, 16°, 00' E,

40,00 Set temporary 1/4 Sec, Cor,
60,00 Foot of hills bear N, & S,
63,00 Fence bears N, & S.
79,10 Intersect N, & S, line 25 lks.
N, of Cor, to Secs, 7, 12, 13 & 18
from which,
N, 89° 49' E, on true line

18

Subdivisions Tp. 39. S. R. 5 W.

Chains	
	between Secs. 7 & 18,
39.10	Set Sandstone 12 x 10 x 6 in, 8 in, deep, marked 1/4 on N, side & raised mound of stones for 1/4 Sec, Cor,
79.10	The Cor. to Secs. 7, 8, 17 & 18, Land rolling slope, Westward, Soil 2nd rate, Timber, Scattering Cedar,
	North between Secs. 7 & 8, Var. 16°, 00' E,
40.00	Set Sandstone 12 x 9 x 7 in, 8 in, deep, marked 1/4 on W, side & raised mound of stones for 1/4 Sec, Cor,
80.00	Set Sandstone 14 x 9 x 4 in, 9 in, deep, marked 5 notches on E, & S, edges, & raised

BOOK-A-150

Salt Lake Meridian

Chains A mound of stones for
Cor. to Secs, 5, 6, 7, & 8,
Land broken rolling
Mountain slope,
Soil 2nd rate,
Timber Oak & Cedar,

As the Cor, could not be
established from the East
on account of the Mountains
Drum,
East on true line between
Secs, 5 & 8,
Var, 16° 00' E,

40.00 Set sandstone 10×10×6in, 6in,
deep, marked 1/4 on N, side
& raised mound of earth
from 4 pits each 24×12×12in,
for 1/4 Sec, Cor,

20

Subdivisions Tp. 39 S. R. 5 W.

Chains	
80,00	Set Sandstone 11×10×5 in, 6 in deep, marked 4 Notches on E, & 5 on S, edges for Cor, to Secs, 4, 5, 8 & 9,
	Land heavy rolling,
	Soil 2nd rate,
	Timber, Scattering Cedar & pine,
	North on random line between Secs. 4 & 5
	Var, 16°, 00' E.
40,00	Set temporary 1/4 Sec. Cor,
77,50	Foot of Mountains bear N.E. & S.W.
80,30	Intersect North boundary at Cor, to Secs, 4, 5, 32 & 33, from which,
	South on true line

Salt Lake Meridian

Chains between Secs, 4 & 5,

49,30 Set Sandstone 12 x 8 x 7 in, 8 in, deep, marked 1/4 on N, side, & raised mound of stones for 1/4 Sec, Cor,

80,30 The Cor, to Secs, 4, 5, 8 & 9, Land Mountainous, broken, Rocky Soil, 2nd rate, Timber, Scattering Cedar & pine,

---

From the Cor, to Secs, 5, 6, 7, & 8,

West on random line between Secs, 6 & 7,

Var, 16°,00 E,

22,50 Road bears N, 55 E, & S, 55 W, foot of hills, enter glass plat, leave

Subdivisions Tp. 39 S. R. 5 W.

Chains, Scattered Cedars,

24,25 Fence bears N. 55 E. & S. 55 W.

25,75 Fence bears N. 20 W. & S. 20 E.

~~50,00~~ 40.00 Set temporary 1/4 Sec. Cor.

51,50 Ditch runs S.

54,00 Kanab Creek runs S. W.

59,00 Irrigation Ditch bears S. 88 E. & N. 88 W.

78,99 Intersect W. boundary of Cor. to Secs. 16, 9 & 12. from which,

East on true line between Secs. 6 & 7.

38,99 Set Sandstone 18 x 12 x 3 in. 12 in. deep, marked 1/4 on N. side, & raised mound of earth from 4 pits each. 24 x 12 x 12 in.

Chains

78,99

100

18,2

29,7

40,0

63,0

64,5

65,0

80,

Salt Lake Meridian

Chains,	for 1/4 Sec, Cor,
78,99	The cor. to Secs, 5, 6, 7, & 8,
	Land mostly level,
	Soil Pt rate,
	Timber, A few Scattering Cedars,
	North on random line
	between Secs. 5 & 6,
	Var, 16°.00' E,
10.00	Clearing of prairie,
	House bears S, 71.30 W,
18,25	Fence " N, 85 E, & S, 85 W,
	on N. side of road,
29.75	" " " "
40,00	Set temporary 1/4 Sec, Cor,
63,00	Fence bears S, 15 E, & N, 15 W,
64,50	Corner of fence bears S, 75 W,
	70 lks. W of line,
65,00	Road bears E, & W,
80,10	Intersect North boundary

Chains of township at Cor. to Secs. 5, 6, 31 & 32, from which, South on true line between Secs. 5 & 6,

40,10 Set Sandstone 10 x 8 x 7 in, 6 in. deep, marked 1/4 on W. side & raised mound of earth from 4 pits each 2,4 x 12 x 12 in, for 1/4 Sec. Cor.

80,10 The Cor. to Secs. 5, 6, 7 & 8, Land mostly level, Soil 1st rate,

No Timber,

December 22nd 1876. J. G. Burrill

General Description

The quality of the lands in the Surveyed portion of this Township is chiefly 1st

rate, embracing the Settlements in Sink and upper Kanab Valleys, which are returned as Agricultural, & irrigable from Kanab & Sink Creeks,

The unsurveyed portion lies in the mountains on the South slope of the Rim of the Basin.

J. G. Burrill.
U. S. Deputy Surveyor,

U. S.

Salt

The

Town

Exec

Und

day

exa

plan

sur

4235

BOOK-A-150

U. S. SURVEYOR GENERAL'S OFFICE.

Salt Lake City, Utah, April 3rd 1873

The foregoing field notes of the survey of the Subdivision lines

Township No. 39 S. *Range No.* 5 W.

Executed by J. G. Burrell,

Under his ~~joint~~ contract of the 4

day of September 1876, *in the month of*

December 1876, *having been critically*

examined, the necessary corrections and ex-

planations made, the said field notes, and the

surveys they describe, are hereby approved.

Nathan Kimball

Surveyor General for Utah.

BOOK-A-150

SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah. 187

The foregoing field notes of the survey of

Township No. Range No.

Executed by

Under contract of the

of 187, in the month of

187, having been critically

examined, the necessary corrections and ex-

ations made, the said field notes, and the

ys they describe, are hereby approved.

Surveyor General for Utah.

BOOK-A

Examin

Ph

Townsh

Sa

Under

Survey

BOOK-A-150

Examined by C. H. Cromwell C. C.

Field Notes,

of

The Survey of the,

Subdivision lines

of

Township 39 S, Range 6 W,

of the

Salt Lake Meridian

Utah Territory

By

J. G. Burrill,

Under Joint Contract of Bailey & Burrill,

No 91,

Dated Sept 4th 1876,

Survey Commenced Dec. 23rd 1876,

" Completed Dec. 26th 1876,

BOOK-A-150

Township 39 S. Range 6 W.

6		5		4		3		2	441	1	331
								440		438	
7		8		9		10		11	437	12	332
								448		436	
18		17		16		15	448	14	435	13	334
								447		433	
19		20		21		22	446	23	432	24	335
								445		430	
30		29		28		27	444	26	429	25	336
								442		428	
31		32		33		34	441	35	427	36	338

Principal Guide Meridian

Subdivisions Tp. 39 S. Range 6 West
Salt Lake Meridian.

Chains, I begin at the Cor. to Secs.
1, 2, 35 & 36, on South boundary
of township & run,
North between Secs. 35 & 36,
Var. 16° 00' E.

3.20 Wash at foot of hill drains W.
5.70 Trail bears E. & W. over flat
10.00 Leave East Cañon flat
heads E.
30.00 Top of ridge on W. slope,
40.00 Set Sandstone 12 x 9 x 4 in.,
8 in. deep, marked 1/4 on W.
side, raised mound of
stone for 1/4 Sec. Cor.
49.50 Foot of hills,
62.75 Kanab Creek runs S. W.
71.00 Road bears N.E. & S.W.
80.00 Set Sandstone 18 x 18 x 3 in., 12
in deep, marked 1 notch on
E. & S. edges & raised mound

Subdivisions Tp. 39. S. R. 6 W.

Chains	
	Of stones for Cor, to Secs, 25, 26, 35 & 36,
	Land undulating,
	Soil 2nd rate,
	Timber, Scattering Cedar,
	East on random line between Secs, 25, & 36,
	Var, 16° 00' E,
2,50	Road bears N.E. & S.W,
13,00	Kanab Creek runs S.W,
14.75	Leave Kanab Creek meadow,
26,50	Ridge point projects N. 18 chs,
40,00	Set temporary 1/4 Sec, Cor,
57,50	Trail in Canon drains N.W, heads S.E,
80,00	Intersect East boundary of township at Cor, to Secs, 25, 30, 31, & 36, from which,

BOOK-A-15

Sal

Chains	
	W
	C
40,00	Se
	18
	su
	Se
80,00	
	18,00
	28,00
	40,00

Salt Lake Meridian,

Chains	West on true line ~~line~~ between Secs, 25 & 36,
40,00	Set Sandstone 24×14×3 in, 18 in, deep, marked 1/4 on N, side & raised mound of stones for 1/4 Sec, Cor,
80,00	The cor, to Secs, 25, 26, 35 & 36, Land undulating Soil 2nd rate, Timber Scattering Cedar,

---

North between Secs, 25 & 26,
Var, 16° 00' E,

18,00	Foot of hills bear N, E & S, W,
28,00	Top of same,
40,00	Set trachyte 18×10×5 in, 12 in, deep, marked 1/4 on W, side & raised mound of stones for 1/4 Sec, Cor,

Chains,	
80,00	Set trachyte 19 x 12 x 3 in, 12 in. deep, marked 1 notch on E, & 2 on S. edges & raised mound of stone for Cor, to Secs, 23, 24, 25, & 26, from which, Acedar 10 in. dia bears S. 35 W. 52 lks. dist. marked T. 39 S. R. 6 W. S. 26. B. T. Land undulating, Soil 2nd rate, Timber, Cedar,

---

East on random line between Secs, 24 & 25,

Var. 16° 00' E.

13.50	Descend,
27,00	Hollow drains S. E.
30,00	Cabin 3 Chs, S,

Salt Lake Meridian

Chains,	
	Silers house bears S. 20 W. 14 chs. dist.
33,40	Road to Kanab bears N.E. & S.W.
35,25	Creek runs S.W.
36.65	Fence bears N.E. & S.W.
40,00	Set temporary 1/4 Sec. Cor.
50,75	Winslows house 1.24 chs. N. of line,
52,00	Fence bears N. & S.
55,50	Road bears N.W. & S.E.
72,00	Leave Silers hollow enter hills,
80,10	Intersect East boundary of township 25 lks. N. of Cor. to Secs. 19. 24. 25 & 30, from which,
	N. 89°49' W. on true line between Secs. 24 & 25,
40,05	Set Sandstone 24 x 12 x 8 in. 15 in. deep, marked 1/4 on

Chains N. side raised mound
of earth from 4 pits each
24×12×12 in, for 1/4 Sec, Cor,
80,10 The Cor, to Secs, 23, 24, 25 & 26,
Land rolling,
Soil 2nd rate,
Timber, Scattering Cedar,

North between Secs, 23 & 24,
Var, 16° 00' E,
40,00 Set trachyte 10×8 4 ft, 6 in,
deep, marked 1/4 on W, side
raised mound of stones
for 1/4 Sec, Cor,
80,00 Set sandstone 14×9×5 in
12 in, deep, marked 1 notch
on E. & 3 on S, edges, raised
mound of stone for Cor, to
Secs, 13, 14, 23, & 24, from

Salt Lake Meridian,

which,

Cedar 8 in, dia, bears S, 10 E, 50 lks, dist, marked T, 39 S, R, 6 W, S, 24, B.T.

A pine 7 in, dia, bears N, 45 W, 15 lks, dist, marked S, 14, B.T.

Land rolling,

Soil 2nd rate,

Timber, Scattering pine & cedar,

East on random line between Secs, 13 & 24

Var, 16° 00 E,

35,00 Leave rolling ground, descend,

40,00 Set temporary 1/4 Sec, Cor,

45,00 Enter hollow, drains South,

50,00 Foot of hill,

55,00 Top of spur bears S, 15 chs,

Chains.	
61,00	Foot of hill enter Kanab Creek flat, Cabin Foundation 3. chs. S.
63,50	Road bears N. E. & S. W.
68,25	Kanab Creek runs S. W.
76,50	Dry wash drains S. W.
80,19	Intersect East boundary of township at Cor. to Secs, 13, 18, 19. & 24 from which, West on true line between Secs, 13, & 24,
40,10	Set Sandstone 10 x 6 x 4 in, 6 in, deep, marked 1/4 on N. side & raised mound of stone for 1/4 Sec. Cor.
80,19	The cor, to Secs, 13. 14, 23, & 24, Land rolling, Soil 2nd rate, Timber Scattering pine & cedar,

Chains, North between Secs, 13 & 14,
Var, 16°00' E,
31,00 Wash in hollow, drains S. E,
38,00 Top of sugar loaf hill,
40,00 Set Sandstone 14x8x5 in,
9 in, deep, marked 1/4 on W,
side & raised mound of
earth from 4 pits, each,
24x12x12 in, for 1/4 Sec, Cor,
80,00 Set Sandstone 18x18x7 in, 12
in deep, marked 1 notch on
E, & 4 on S, edges & raised
mound of stone for Cor, to
Secs, 11, 12, 13, & 14,
Land rolling,
Soil 1st rate,
Timber, Scattering Cedar,

Subdivisions Tp. 39 S. R. 6 W.

Chains, East on random line between Secs. 12 & 13, Var. 16° 00' E.

3.75 Gully drains S.

40.00 Set temporary 1/4 Sec. Cor.

59.00 Road bears N. & S. at foot of hill.

59.25 Fence bears N. & S.

59.75 Kanab Creek runs S.

61.50 Gully drains S.

80.25 Intersect East boundary of township 18 chs. S. of Cor. to Secs. 7, 12, 13, & 18, from which S. 89° 52' W. on true line between Secs. 12 & 13,

40.13 Set Sandstone 10 x 8 x 4 in. 6 in deep, marked 1/4 on N. side & raised mound of stone for 1/4 Sec. Cor.

80.25 The Cor. to Secs. 11, 12, 13 & 14,

BOOK-A-150

Sacr. Lake Meridian,

Chains, Land Undulating,
Soil Pitrate,
Timber, Scattering Cedar,

North between Secs. 11 & 12,
Var. 16° 00' E.

40,00 Set Sandstone 10x8x4 in. 6 in. deep, marked 1/4 on W. side & raised mound of earth from 4 pits, each 24x12x12 in. for 1/4 Sec. Cor.

65,00 Road bears E. & W.

77,00 " " N.W. & S.E.

80,00 Set Sandstone 10x8x4 in. 6 in. deep, marked 1 notch on E. & 5 on S. edges, & raised mound of Earth from 4 pits each 24x12x12 in. for Cor. to Secs. 1, 2, 11 & 12.

Subdivisions Tp. 39 S. R. 6 W.

0 chains, Land mostly level,
Soil 2nd rate,
Timber Scrub Oak,
Scattering Cedar & pine,

Each on random line between
Secs. 1 & 12,
Var. 16° 00' E.

40,00 Pertemporary 1/4 Sec. Cor.
at foot office, bears
N. & S. 15 chs,

45,00 Top of same,
50,50 Gulch trends S,
55,00 Ridge bears N. & S,
67,00 Foot of ridge into flat,
69,00 Fence Cor, 150 lks. N,
69,50 Road bears N.E. & S.W.
73,00 House 2 chs N,
75,50 Road bears N. & S.

Chains,
78,25
80,45
40,2
80,4

Salt Lake Meridian

Chains 78,25 Fence bears N. & S.

80,45 Intersect East boundary of Township, 39 lks. N. of Cor. to Secs. 1, 6, 7, & 12, from which,

N. 89°43' W. on true line between Secs. 1 & 12,

40,23 Set sandstone 15 x 8 x 6 in, 10 in deep, marked 1/4 on N. side & raised mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 Sec. Cor.

80,45 The Cor. to Secs. 1, 2, 11, & 12,

Land rolling.

Soil 2nd rate

Timber, Scattering Scrub Cedar & Oak,

As it is impracticable on Account of the Mountains

14

Subdivisions Tp. 39 S, R. 6 W.

Chains to set the Cor. to Secs.
2, 3, 10 & 11, Iron,
West on true line
between Secs. 2 & 11,
Var. 16° 0' E,

40,00 Port of Mountains, set sandstone
12 x 4 x 4 in, 8 in, deep, marked
1/4 on N. side & raised mound
of stone for 1/4 sec. Cor,
Land level & sloping
Eastward
Soil 2nd rate,
Timber, Scattering Cedar,
Note, I abandon this here,

As the line will strike the
Mountains in less than
80,00 chs, Iron,
North on true line between

Salt Lake Meridian,

Chains, Secs. 1 & 2,

Var, 16° 0' E,

40,00 Foot of Rim of Basin,
Set Sandstone 13x7x7 in, 8 in,
deep, marked 1/4 on W, side
& raised mound of stones
for 1/4 Sec. Cor,
Land slopes S, Soil 2nd
rate,
Timber, Scattering Cedar
& pine,
Note; I abandon line here,
Dec, 23rd 1876, J. G. Burrill,

Dec, 26, 1876, By, J. G. Burrill,
From the Cor. to Secs 2, 3,
34 & 35 on the South boundary
of township Trun.
North between Secs,
34, & 35,
Var, 16° 00' E,

Subdivisions Tp. 39 S. R. 6 W.

Chains.	
1,75	Ascend,
5,00	Enter rolling plateau
40,00	Set a sandstone 13x10x5 in, 9 in, deep, marked 1/4 on W, side raised mound of stones for 1/4 Sec, Cor,
76,50	Head of hollow, drains S. E,
80,00	Set Sandstone 18x12x4 in, 12 in, deep, marked 2 notches on E, + 1 on S, edges, raised mound of stone for Cor, to Secs, 26, 27, 34 & 35,
	Land undulating,
	Soil 2nd rate,
	Timber, Scattering Cedar,

East on random line between Secs, 26, & 35, Var. 16° 00' E,

Chains.	
40,00	Set temporary 1/4 Sec, Cor,

Chains.
55,00
74,00
80,00

Salt Lake Meridian.

Chains.	
55,00	Leave undulating hills, descend,
74,00	Foot of hills, bear N. & S,
80,00	Intersect N. & S. line at Cor, to Secs, 25, 26, 35 & 36, from which, West on true line between Secs, 26, & 35,
40,00	Set Sandstone 22 x 6 x 6 in, 18 in, deep, marked 1/4 on N. side, & raised mound of stone for 1/4 Sec, Cor, from which, Acedar 6 in, dia, bears E, 15 lks. dist, marked 1/4 S. P.T.
80,00	The Cor, to Secs, 26, 27, 34 & 35, Land undulating, Soil 2nd rate, Timber, Cedar,

18

Subdivisions Tp. 39. S. R. 6 W.

Chains,	North between Secs, 26, & 27, Var, 16° 0' E.
30,00	Cañon drains E, Trail on N, edge of wash, bears E, & W,
40,00	Set sandstone 12×4×4 in, 8 in, deep, marked 1/4 on W, side & raised mound of Stones for 1/4 Sec, Cor,
55,00	Gulch drains S. W.
65,00	" (same) " S. E,
80,00	Set Sandstone 24×14×3 in, 18 in, deep, marked 2 notches on E, & S, edges, & raised mound of stone for Cor, to Secs, 22, 23, 26, & 27. Land rolling hills, Soil 2nd rate, Timber, Scattering Cedar & pine,

Salt Lake Meridian.

Chains, East on random line
between Secs, 23 & 26,
Var, 16° 50' E,
40,00 Set temporary 1/4 Sec, Cor,
67,00 Hollow drains S.E, heads N.W,
10 chs, then forks N.W,
80,00 Intersect N. & S. line at Cor,
to Secs, 23. 24. 25 & 26,
from which,
West on true line
between Secs, 23 & 26,
40,00 Set Sandstone 18x10x4 in,
12 in, deep, marked 1/4 on
W, side, & raised mound of
stones for 1/4 Sec, Cor,
80,00 The Cor, to Secs, 22. 23. 26 & 27,
Land rolling,
Soil 2nd rate,
Timber, Scattering Cedar & pine,

Subdivisions Tp. 39 S. R. 6 W.

North between Secs. 22 & 23,

Var. 16° 30' E.

7,50 Enter hollow, drains E.

40,00 Set Sandstone 13 x 7 x 7 in, 8 in. deep, marked 1/4 on W. side, & raised mound of earth from 4 pits each 24 x 12 x 12 in, for 1/4 Sec. Cor.

80,00 Set Sandstone 18 x 6 x 6 in, 12 in. deep, marked 2 notches on E. & 3 on S. edges, & raised mound of earth from 4 pits, each 24 x 12 x 12 in, for Cor. to Secs. 14, 15, 22 & 23,

Land rolling slope East,

Soil 2nd rate,

Timber, Scattering Cedar & pine,

Salt Lake Meridian,

Chains East on random line
between Secs. 14 & 23,
Var. 16° 00' E.

40.00 Set temporary 1/4 Sec. Cor.

80.19 Intersect N. & S. line 27 lks.
N. of Cor. to Secs. 13, 14, 23 & 24,
from which,
N. 89° 49' W. on true
line between Secs. 14 & 23,

40.10 Set Sandstone 16x4x4 in. 10 in.
deep, marked 1/4 on N. side
& raised mound of earth
from 4 pits, each 24x12x12
in. for 1/4 Sec. Cor.

80.19 The Cor. to Secs. 14, 15, 22 & 23,
Land rolling,
Soil 2nd rate,
Timber. Scattering Cedar,

22

Subdivisions Tp. 39 S. R. 6 W.

Chains, North between Secs. 14 & 15,
Var. 16° 00' E.

40,00 Set sandstone 12×10×5 in, 8 in. deep, marked 1/4 on W. side, & raised mound of earth from 4 pits each 24×12×12 in, for 1/4 Sec. Cor.

80,00 Set sandstone 14×10×5 in, 12 in. deep, marked 2 notches on E. & 4 on S. edges & raised mound of earth from 4 pits, each 24×12×12 in, for Cor. to Secs. 10, 11, 14 & 15.

Land rolling slope,
Soil 2nd rate,
Timber, Scattering Cedar,

East on random line between Secs. 11 & 14.

Chains,
40,00
80,17
40,09
80,17

Salt Lake Meridian

Chains,	Var, 16° 00' E,
40,00	Set temporary 1/4 Sec, Cor,
80,17	Intersect N, & S, line 23 lks, S, of Cor, to Secs, 11, 12, 13, & 14 from which,
	S, 89° 50' W on true line between Secs, 11, & 14,
40,09	Set Sandstone 12 x 11 x 4 in, 8 in, deep, marked 1/4 on N, side, & raised mound of earth from 4 pits each 24 x 12 x 12 in, for 1/4 Sec, Cor,
80,17	The Cor, to Secs, 10, 11, 14 & 15, Land rolling slope, Soil 2nd rate, Timber, Scrub Oak & Cedar,

---

Note; On account of the Mountains the further

Survey of this township is impracticable so I abandon line here, Dec. 26th 1876. J.G. Burrill

General Description

The Surveyed lands in this Township embrace a portion of Upper Kanab Valley, the grazing & timber lands on either side which are returned as agricultural, irrigable from Kanab creek; I return the following as Coal land, Viz: The S½ of N.E.¼ & S.E.¼ Sec. 25; The E.½ of W.½ & E.½ of Sec. 36.

J.G. Burrill,
U.S. Deputy Surveyor.

BOOK-A-150

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 3rd 1877

The foregoing field notes of the survey of the Subdivisional Lines of *Township No.* 39 S. *Range No.* 6 W. *Executed by* J. G. Burrill *Under his* first *contract of the* 4th *day of* September *1876, in the month of* December *1876, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

BOOK-A-150

R: 1878

455

Filed 187 .

Examined by J. H. Cranwell

Compared by Mitchell & Roberts

FIELD NOTES

OF

THE SURVEY OF THE

Kolob Guide Meridian

of Township No. 38 & 39, *Range* No. 10 & 11 between

West *of the Salt Lake Meridian in Utah Territory.*

BY

Augustus D Ferron

U. S. DEPUTY SURVEYOR,

Under his Contract No. 78,

dated June 20 187 7

Survey commenced July 27 187 7

Survey completed July 28 187 7

c. m. R.
g. m. R.

Dest
G
appl

Field
"Kol
Toron
betwe
of the
in the
Surv
mudr
dat

Surv
"

BOOK-A-150

Field Notes of the
"Kolob" Guide Meridian in
Townships No. 38 and 39 South
between Ranges 10 & 11 West,
of the Salt Lake Meridian
in the Territory of Utah,
Surveyed by Augustus S. Ferron
under his Contract No. 78
dated June 20 1877

Survey Commenced: July 27-1877
" Completed: " 28 "

BOOK-A-150

Township 39 S. Range 11 W.

6	5	4	3	2	1	464
7	8	9	10	11	12	463
18	17	16	15	14	13	462
19	20	21	22	23	24	461
30	29	28	27	26	25	460
31	32	33	34	35	36	459

Kotlob Guide Meridian

BOOK-

Lot "Gu

From

North

Note:

line

break

of the

run

40 ch

We

10.00 Set

ed

of

fr

a

di

ch

80.00 M

a

w

of "Guide Meridian, T. 39 S.

From the cor to T. 39 & 40 S., R. 10 & 11 W.
North bet. Sec. 31 and 36.

Var: 16° E.

Note: As it is impracticable to run the line in place on account of inaccessible brake, the from the Witness Cor. 5 chs West of the cor. point to T. 39 & 40 S., R 10 & 11 W. I run ~~West~~ on offset line 28.50 chs; North, 40 chs; East, 16.50 chs, to a point - 17 chs West of

0.00 Set a Trachyte 11 x 10 x 9 - 7 ins deep, marked 1/4 on W. side, and W.C. with mound of stone, for 1/4 Sec. Witness Corner. from which.

A pine 10 in diam bears N. 100 E., 25 lks. dist., marked 1/4 S. W.C. B.T., thence West, 16.50 chs; North, 40 chs to a point - 33.50 chs West of

20.00 Marked a stationary Trachyte 36 x 30 x 30 in above ground, 5 Notches on N. & 10 on S. edges & W.C. with mound of stone for witness Cor.

Kolot" Guide Meridian

chs

to Sec. 25. 30. 31 & 36, from which a
pine 11 in diam. bears N. 11° W. 20 lks d
marked S. 25, T. 39 S., R. 11 W. W.C. B.T
Land rolling
Soil 1st rate
Timber pine of com. value.

North bet. Sec. 25 and 30
Fa. 16° E.

Note: Line in place impracticable
therefor from the W.C. 33.50 chs W. of co
point to Sec. 25. 30. 31 and 36. Run (o
offset lines) North 40 chs. to a point 33.50 chs.

40.00 Set a Trachyte - 12 x 7 x 7 - 8 in dep, mark
¼ W.C. on W. side with stone mound 40.00
for ¼ Sec. witness corner, thence
North 40 chs. East, 6.35 chs to a point
27.15 chs West of

80.00 Set a Trachyte 20 x 18 x 10 - 15 in dep, 80.00
marked 4 notches on N. & 2 on S. edges

39 S. Bet. R. 10 & 11 W.

chs

W.C. with Stone mound for W.C. to Sec. 19. 24. 25. & 30 from which a pine 12 in diam. bears S 10° W. 31 lks dist. marked S. 25, T 39 S. R 11 W. W.C. B.T. Land undulating

Soil 1st rate.

Timber pine of Com. Value.

North bet. Sec. 19 and 24

Va 16° E.

Note: line in place impracticable - therefor from W.C. 27.15 chs W. of cor. point to Sec 19. 24. 25 & 30 on offset N. 40 chs to a point 27.15 chs West of

40.00 Set Trachyte 13×7×7 - 9 in deep, marked ¼ W.C. on W. side with Stone mound for witness ¼ sec. corner; thence N. 40 chs; E. 4.15 chs to a point 23 chs West of

80.00 Marked a stationary Trachyte 3×2×2 ft above ground, 3 Notches on

Kolob" Guide Meridian

ch's

N & S. edges & W.C. with stone mound for
Witness cor to Sec. 13.18.19 & 24 — from which
an aspen 3 in. diam. bears S. 60° W. 10 lks dist
marked S. 24. T 39 S. R 11 W. W.C. B.T.
an aspen 5 in. diam. bears N 30° E. 30 lks
dist. marked Sec. 13 W.C. B.T.
Land undulating &
Soil Strate
Timber pine & aspen of Com. value

North bet Sec. 13 & 18
Var 16° E.

Note: line in place being impracticable
therefor from the Witness cor 23 chs W. of the
cor point to Sec. 13.18.19 & 24 I run N.
40 chs to a point 23 chs W. of

40.00 Set a Trachyte 16×7×6 — 11 in deep, marked
¼ W.C. on W. side with stone mound for
¼ sec witness cor. thence N. 40 chs
thence E. 3.20 chs to a point 19.80

BOOK

39 S.

ch's

0.00 Set

mar
with
W.

fi

20

Lan

Fi

N

25.00

40.00

39 S., R. 10 & 11 W.

chs

chs west of

0.00 Set a Trachyte 22x18x10 — 19 in deep
marked 2 Notches on N. & 4 on S. edges &
with stone mound
W.C. for Witness cor to Sec 7.12.13 & 18
from which an aspen 3 in diam bears S. 10° E.
2 links dist, marked S. 13, T. 39 S., R 11 W. W.C.B.T.
Land rolling
Soil Shale
Timber Pine & aspen of Com. Value

North bet. Sec. 7 and 12
Var 16° E.

Note: line in place impracticable — from the
Witness cor. 19.80 chs west of cor point to Sec.
7.12.13 & 18 run N. 20 chs thence East 19.80 chs,
thence N. on line in place.

25 25.00 S.E. cor of field 7 chs W. extends N. 5 chs
and W. 8 chs. —

40.00 Set a Sandstone 15x10x6 — 10 in deep,
marked 4 on W side with stone mound for

1/4 sec cor

80.00 Set a sand stone 20x15x8 - 15 in dep, marked 1 Notches on N & 5 on S. edge with stone mound for cor to sec 1, 6, and 12 from which an aspen 2 in diam bears N 10° W. 40 links dist, marked S. 1, T. 39 S., R 11 W. Land mostly level

Soil Shale

Timber aspen & pine of low value

North bet sec. 1 and 6.

Va. 160 C.

5.00 Mid spring branch head N.W. runs S.

20.00 ascend.

30.00 Gap Hollow dir S.W.

40.00 Set a sand stone 11x11x7 - 7 in dep marked 1/4 on W. side with stone mound for 1/4 sec cor.

80.00 Set a sand stone 15x10x6 - 10 in dep, marked 6 Notches on N. S. & W.

Township 39 S., R. 10 & 11 W.

edges for Cor to Townships 38 & 39 S.,
R. 10 & 11 W. from which
An aspen dia 3 in bears N. 15° E. 10 lks dist
marked Sec. 31. T. 38 S. R 10 W. B.T.
An aspen 5 in dia bears. S. 120 W. 15 lks dist
marked. Sec. 1. T 39 S. R 11 W. B.T.
Land undulating
Soil Strata
Timber Aspen of Com. Value
July 27th 1877.

"Kolob" Guide Meridian
Through Tps 38 S. bet R. 10 & 11 W.
From the cor to T. 38 & 39 S.
R 10 & 11 W. Erun
North bet. Sec. 31 & 36
Va: 16° E.

Set a chained Oak post. 4" x 4" x 48 in long
24 in deep marked 1/4 S on W. side and raised
a mound of earth from 4 pits each

BOOK-A-150

Township 38 S. Range 11 W.

Kotzebue Guide Meridian

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
				482	478
30	29	28	27 481	26 477	25 466
				480	476
31	32	33	34 479	35 475	36 465

24 x 12 x 12 in for 1/4 sec cor.

78.00 Hilton's Springs runs E.

80.00 Marked a Stationary Sand stone 30 x 18 x 12 in above ground 5 N on N & 1 on S. edges with Stone mound for Cor to Sec. 25. 30. 31 & 36.

Land sloping East.

Soil 1st rate

No Timber

North bet. Sec. 25 & 30.

Va 16° E.

Ascend

25.00 Ridge bears N. E. & S.W. descend

40.00 Set a Sand stone 16 x 10 x 7 – 11 in deep marked 1/4 on W. side, with Stone mound for 1/4 sec cor.

50.00 Enter Kolob Cnk bottom

55.00 Kolob Cnk 10 lks wide 10 in deep runs

62.00 Leave bottom ascend.

80.00 Set a chaned aspen post. 4" x 4" x 4

BOOK A 15

38 S., bet

long 24

on N. &

a mou

24 x 12 x

25, & 30

Land p

Soil 1

Note:

Note:

See end

of the

BOOK A 150

long 24 in dup, marked 4 Notches on N. & 2 on S. edges ~~for~~ and raised a mound of earth from 4 pits each 24 x 12 x 12 in for cor to Sec. 19, 24, 25, & 30.

Sand rolling, Mountainous Soil 1st rate.

No Timber

July 28th 1877

Note: I abandon lines here.

Note: For general description see end of subdivision notes of the several Townships.

U. S. SURVEYO

Salt Lak

The fore

Rolo

Township No.

Executed by

Under

day of

July

amined, the

made, the sa

cribe are her

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 8 1877

The foregoing field notes of the survey of the ...

Kolob Guide Meridian

Township No. 38 & 39 S. between Range No. 10 & 11 W

Executed by Augustus D. Fenn

Under his contract of the 20

day of June 1877 in the month of

July 1877, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Nathan Kimball

U. S. Surveyor General for Utah.

R: 18

Filed

Examined

Compared

FI

THE

Sch

of Townsh

of the Sal

Ad

Under hi

dated

Survey c

Survey c

BOOK-A-150

R: 1878

471

Filed 187 .

Examined by C. H. Cranwell

Compared by Mitchell & Roberts

FIELD NOTES

OF

THE SURVEY OF THE

Subdivisions

of Township No 38 S., *Range No* 11 W

of the Salt Lake Meridian in Utah Territory.

BY

Augusta D. Ferron

U. S. DEPUTY SURVEYOR,

Under his Contract No. 78

dated June 20 1877

Survey commenced Aug 2 1877

Survey completed " 26 1877

4

Descrip
BOOK-A-15
Copied

Field Note
tions of T
in Range
Salt Lake
Territory
Surveyed
dep. Survey
No. 78 d

Survey
" Con

Descriptive List
BOOK-A-150 G.M.L. 473
Copied

Field Notes of the Subdivisions of Township No. 38 South in Range No. 1 West of the Salt Lake Meridian, in the Territory of Utah.

Surveyed by Augustus D. Ferron dep. Surveyor under his Contract No. 78 dated: June 20-1877

Survey Commenced: Aug 2/77
" Completed, " 2/77

Tr
Co
the
To
S

4,00 Spr
As
,000 Se
in
A
m
,000 Se
7
O
m
25
L
S
T

From the established
Corner to Sec. 35 & 36, on
the S. boundary of the
Township, S run
North bet. Sec. 35 & 36
Va 16° E.

4,00 Spring branch runs E.
Ascend

,000 Set a Trachyte 11 x 9 x 6 - 7
in deep marked 1/4 on
W. side with Stone
mound for 1/4 sec cor.

,000 Set a Sand Stone 10 x 10 x 9
7 in deep marked one Notch
on E. & S. edges with Stone
mound for cor to Sec.
25. 26. 35 & 36.
Land rolling
Soil 1 Strata.
Timber Scattering aspen

Subdivisions T 38 S. R 1 Salt L

chs	
	East on a random line bet Sec. 25 & 36, Va 16° E.
20.00	Spring branch runs S.
25.00	Enter Kolob Cr. flat.
38.90	West fork of Kolob Creek — wide 10 in deep runs S.
40.00	Set a Temp 1/4 sec cor.
43.00	Kolob Creek 10 lks wide 10 in deep runs S.
52.00	leave flat ascend
65.50	Ridge bears N.E. & S.W.
80.00	Intersect E. Boundary of T at cor to Sec. 25 & 36 from wh West on true line bet Sec 25 & 36
40.00	Set a Sandstone 18 x 16 x 10 — 1 deep marked 1/4 on N. Sid with Stone mound for sec cor.

chs
0.00 The
au
Lan
Sou
N
N
Acc
Set a
mar
mo
Set a
dep
S. ed
Cor
Land
Soi
No

chs	
0,00	The cor to sec. 25, 26, 35 and 36,
	Land nearly level
	Soil 1st rate,
	No Timber
	North bet sec. 25 & 26
	Va 16° E.
	Ascend.
0,00	Set a Trachyte 10×9×8 – 7 in deep marked ¼ on W. side with stone mound for ¼ sec cor,
0,00	Set a Sand stone 11×11×7 – 7 in deep marked 1 Notch on E & 2 on S. edges with stone mound for Cor to sec. 23, 24, 25 & 26.
	Land hilly
	Soil 1st rate – grassy
	No Timber

Subdivisions T38 S. R11

Ch's	
	East on a random line bet sec. 24 and 25
	Va 16° E.
12,00	Head of Hollow drains S.
40,00	Set a Temp 1/4 Sec Cor.
53 50	Ridge bears N E & S W.
80.15	Intersect E boundary of Tp 21 lks S. of Cor to sec. 24 & 25 from which S. 89°51' W. on true line bet. sec. 24 & 25
40.07	Set a Trachyte 10×10×7 – 7 in deep marked 1/4 on N. side with stone mound for 1/4 Sec Cor
80.15	The Cor to Sec. 23. 24. 25 & 26.
	Land rolling
	Soil 1st rate
	No Timber

BOOK-A

BOOK-A-130

ch's

From the cor to sec. 34 & 35 on the S. Boundary of the Tp I run North bet. sec. 34 and 35

Var: 16° E.

60.00 Set a Trachyte 20 x 10 x 10 — 15 in deep, marked ¼ on W. side with stone mound for ¼ sec cor.

80.00 Set. a Land stone 17 x 11 x 9, 11 in deep, marked 2 Notches on E. and 1 on S. edges for cor to sec. 26. 27. 34 & 35

Land hilly

Soil 1st rate

No Timber

chs	
	East on random line bet. sec. 26 & 35. Var: 16° E.
	Ascend
40.00	On ridgebeam N. E. & S. W. Set a temp. 1/4 sec cor.
	Descend
79.82	Intersect N & S. line 22 ... S. of cor to sec. 25. 26. 35 & found which S. 89° 51' W. on true line bet sec. 26 & 35
39.91	Set a Trachyte 20 x 10 x 9 — in deep marked 1/4 on N. S. with stone mound for 1/4 sec cor.
79.82	The cor to sec. 26. 27. 34 & 35
	Land hilly
	Soil 1st rate — grassy
	No Timber

North bet Sec. 26 27
Va 16° E.

Along W. Slope

10.00 Set a Trachyte 16×12×10
11 in deep Marked 1/4 on
W. side with stone mound
for 1/4 sec cor.

10.00 Set a Trachyte 13×9×6
9 in deep marked 2 Notches
on E & S. edges with a
stone mound for cor.
to Sec. 22. 23. 26 & 27
Land - west slope of
grassy ridge
Soil - 1st rose
Timber - a few small
aspens.

chs	
	East on random line
	bet Sec. 23 & 26.
	Va 16° E.
40.00	Set Temp. 1/4 Sec cor,
72.00	Ridge bears N.E. & S.W.
80.19	Intersect N & S. line at Cor
	to Sec. 23. 24. 25 & 26 fr
	which West on true line
	bet Sec. 23 & 26.
40.09	Set a Trachyte 10 x 9 x 8 - 7
	deep, marked 1/4 on W. Sec
	with stone mound
	for 1/4 Sec cor,
80.19	The cor to Sec. 22. 23. 26 &
	Land rolling
	Soil 1st rate
	No Timber
	August 2nd 1877

General Description

The surveyed land in this Township contains some excellent meadows on bottom of Kolob Creek, and some fine mountain grazing lands. – The unsurveyed portion lies in steep rugged mountains unsuitable for cultivation

A. L. Lemon
Asst. Surveyor

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of the Salt Lake Meridian in Tps. Nos. 38 & 39 South, a portion of the 8th Standard Parallel South in Range 11 West and the Exterior and Subdivision lines of Townships Nos. 38 39 & 40 South, in Range No. 11 West of the Salt Lake Meridian in the Territory of Utah.

showing the respective capacities

which they acted.

Joseph S. Stratton	*Chainma*
John Hutton,	*Chainma*
William Wright,	*Flagma*
Martin Slack	*Axema*

We hereby certify that we have assisted

Augustus D Ferron.

Deputy Surveyor in surveying the Kolob Guide Meridian in Townships 38 & 39 South, a portion of the 8th Standard Parallel South in Range 11 W. and the exterior and subdivision lines of Townships No. 38, 39, and 40 S. of Range No 11 West, of the Salt Lake Meridian in the Territory of Utah

and that said Townships have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Joseph P Stratton — Chainman.
John Hilton — Chainman.
William Wright — Flagman.
Martin Clark — Axeman.

Subscribed and sworn to by the above named persons, before me, a deputy Surveyor, for ~~the County of~~ _____, ~~in~~ the Territory of Utah, this 3rd day of August 1877

Augustus L Fisher
Dep Surveyor.

I, Augustus D. Ferrin

Deputy Surveyor, do solemnly swear that in pursuance of a contract with Nathan Kimball

Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 20 day of June, 1877, and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions fnrnished by the said Surveyor General, I have faithfully surveyed the Kolob Guide Meridian in Townships No. 38 and 39 South, a portion of the 8th Standard Parallel South in Range No. 11 W., and the Exteriors and Subdivisions of Townships No. 38, 39 & 40 South in Range No. 11 West

of the Salt Lake Merid

in the Territory aforesaid, and do fu
ther solemnly swear that the foregoin
are the true and original Field Notes
such survey.

Augustus D. Fer
Deputy Surveyor

Subscribed by the said Augustus
D. Ferron Deputy Survey
and sworn to before me, a Notary
Public for th
county of Salt Lake, in the Ter
tory of Utah, this 21st day of August
1877

Wm McKay
Notary Public

U. S. SUR

Salt

The

Township

Executed

Under

day of

Au

amined, t

made, the

cribe are h

BOOK-A-150

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 8 *187*7

The foregoing field notes of the survey of the ...

Subdivisions

Township No 38 S *Range No* 1 W

Executed by Augustus D. Pierce

Under his *contract of the* 20th

day of June *187*7, *in the month of*

May *187*7, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Trautwein Kimball

U. S. Surveyor General for Utah.