BOOK-A-151

R: 1878

Filed 187 .

Examined by C H Gannett .

Compared by Mitchell & Roberts

FIELD NOTES

OF

THE SURVEY OF THE

Exterior Boundaries

of Township No 39 , *Range No* 11 W

of the Salt Lake Meridian in Utah Territory.

BY

Augustus D. Truman .

U. S. DEPUTY SURVEYOR,

Under his Contract No. 76 ,

dated June 2d 187 7

Survey commenced July 26 187 7

Survey completed " 28 187 7

BOOK-A-151

R: 1878

Filed 187 .

Examined by C H Gannett .

Compared by Mitchell & Roberts

FIELD NOTES

OF

THE SURVEY OF THE

Exterior Boundaries

of Township No 39 , *Range No* 11 W

of the Salt Lake Meridian in Utah Territory.

BY

Augustus D. Truman .

U. S. DEPUTY SURVEYOR,

Under his Contract No. 76 ,

dated June 2d 187 7

Survey commenced July 26 187 7

Survey completed " 28 187 7

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Aug 5th 1877

The foregoing field notes of the survey of the ...

Subdivisions

Township No 39 S. Range No 1 W

Executed by Augustus A. Gibson

Under Yes contract of the 20

day of June 1877, in the month of

July & August 1877, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Nathan Kimball

U. S. Surveyor General for Utah.

BOOK-A-151

13

T Township 3[illegible] R. 11[illegible]



BOOK-A-151

R: 1895

Filed 187 .

Examined by Offgarrell

Compared by Mitchell Roberts

FIELD NOTES

OF

THE SURVEY OF THE

Subdivisions

of Township No 39 S , *Range No* 17 W

of the Salt Lake Meridian in Utah Territory.

BY

Augustus W. Tenvon

U. S. DEPUTY SURVEYOR,

Under his Contract No. 1078 ,

dated June 20 187 7

Survey commenced July 28th 187 7

Survey completed Aug 6th 187 7

BOOK-A-151

Field Notes of the
Subdivisions
of Township No. 39 South
in Range No. 11 West
of the Salt Lake Meridian
in the Territory of Utah.

Surveyed by Augustus L. Fenn
under his Contract No. 78
Dated: June 20 - 1877

Survey Commenced: July 28th 1877
" Completed: August 1st "

BOOK-A-151

Field Notes of Exterior Boundaries of Township No. 39 South, in Range No. 11 West of the Salt Lake Meridian, in the Territory of Utah.—

Surveyed by Augustus DeFerron under his Contract No. 78 dated June 20th 1877

Survey commenced: July 26. 1877
" completed: " 28 "

South Boundary T. 39 S., R 11 W

chs

From the Cor to Sec. 2.3.34 & 35
established in subdividing Tps
40 & 39 S., R. 10 & 11 W. viz: a Sand
Stone 10 x 19 x 7 - with Mound of Stone
8 min East on a true line bet.
Sec. 2 and 35 -
Va 16° E.

40.00 Set a Sand Stone 13 x 7 x 7 - 9 in deep
marked 1/4 on N. side with Stone
mound for 1/4 Sec Cor.

58.00 Road bears N & S.

80.00 Marked a Stationary Trachyte 36 x 20 x
15 in above ground one Notch on E,
and 5 on W. edges, with a Stone
mound for Cor to Sec. 1. 2. 35 & 36
from which
A pine 10 in diam. bears S. 45° E 15 lks
dist. marked S. 1, T. 40 S. R 11 W. B.T.
Land undulating; soil 1st rate
Timber pine & cedar.

16.50
34.00
40.00
56.00
75.00
80.00

Salt Lake Meridian

dr East on a true line bet. Sec. 1 and 36.

Var 16° E.

16.50 Enter hollow drain S.E.

34.00 Leave dame around

40.00 Set a sand stone 13x7x6. — 9 in deep with stone mound marked 1/4 on N. side 1/4 Sec. for 1/4 Sec. cor.

56.00 Ridge bears N & S.E.

75.00 Edge of inaccessible bank.

80.00 Can not be set. Therefor at 75 ch set a sand stone 11x11x7 — 7 in deep marked Coutchison N. & E. & W. edge and W.C. with a stone mound for Cor to Townships 39 & 40 S., R 10 & 11 W.

Land rolling

Soil 2nd rate

Timber Pine and Cedar.

South Boundary T 39 S. R 11 W.

	Note: The S.W. cor of this Township not being set therefor from the established cor to Sec. 2. 3. 34 & 35 Dist	26.25
	Westerline Line Cut.	37.00
	Dec. 3 & 34	40.00
	Var 16° E.	
	Descend	
40.00	Set a Sandstone 16 x 10 x 9 — 11 in	80.00
	deep, marked 1/4 on E. side —	
	with Stone mound for 1/4 sec cor.	
48.00	Road bears N.W. & S.E.	
37.00	Foot of perpendicular ledge bears	
	N and S. enter flat.	
80.00	Set a Trachyte 18 x 12 x 6. — 12 in deep	
	marked 3 notches on E & W. edges	
	with Stone mound for cor to Sec.	
	3. 4. 33 & 34	
	Land rolling; soil poor.	
	Timber Scattering pine & cedar	40.00

Salt Lake Meridian

chs

Weston a true line bet Sec. 4 & 33

Va 16° E.

26.25 — Road bears N. E. & S. W.

37.00 enter S. E. slope of extinct Volcano

40.00 Set a Trachyte 14×8×8. — 9 in deep marked 1/4 on N. side, with stone mound for 1/4 Sec Cor.

80.00 Set a Trachyte 14×8×6, 9 in deep marked 4 Stakes on E, and 2 on W. edges ~~Joint~~ Stone mound for Cor to Sec. 4. 5. 32 & 33

Land, undulating,

Soil, 2nd rate.

Timber Scattering pinis & cedar.

Weston a true line bet Sec. 5 & 32

Va 16° E

40.00 Set a Trachyte 15×9×6 — 10 in deep marked 1/4 on N. side with stone

South Boundary T. 39 S. R 11 W.

chs

mound for 1/4 sec cor.
Note: I abandon line here.
Land undulating
Soil sandy.
No Timber

July 26 & 1877

—

North boundary T. 39 S.
R 11 W. Salt Lake Meridian
Note: The N.W. cor of this Town-
ship not being set. I keep from
Commence From the cor to Township 38 & 39 S. R 10 & 11
W. on the Kolob Guide Meridian
see book 150 p. 465 for desc Run West on true line bet Sec. 1 & 36
Ca 160 C.
2.50 Ridge bears: N & S.
20.50 Road bears do.
40.00 Beta Sandstone 25 x 18 x 10 - 19 ins
dug, marked 1/4 on N. side with
Stone mound for 1/4 sec cor

46.00

60,00

80,00

North Boundary T. 39 S. R 11 W. 6

From which a Cabin bears:
N. 43° 15' W. a Spring on W side of Cabin
46.00 Kolob Creek 20 lks wide 10 in deep runs South ascend
60.00 same Cabin & Beebe's Spring bears N 5° 6' E.
80.00 Drove a charred aspen post. 4" x 4" x 48" long 24 in: deep, ~~noted~~ one on E & S on W. edges, and raised a mound of earth from 4 pits each 2ft x 12 x 12 in for Cor to Sec. 1. 2. 35 & 36. From which
An aspen 3 in diam bears: N. 50° W. 10 lks dist marked B. 35. B. T.
~~An aspen 9 in diam bears N 80 E. 25 lks dist. marked S. 36, T. 38 S. R 11 W. B. T.~~
Land rolling, Soil Shale.
Timber pine & aspen on E. 1/2

~~West on true line bet Sec. 2 & 35~~

North Boundary T 39 S., R. 11 W.

chs	
	Va 16° E.
25.00	Spring pond
29.00	Station Spring runs N.E.
40.00	at head of Summit Spring runs N.
	Set a sand stone 24×20×4 - 18 in dep
	marked 1/4 Cor. S. side, with stone
	mound for 1/4 Sec. Cor.
58.00	Ridge bears N & S. descend.
80.00	Set a sand stone 10×10×5½ in.
	7 in dep, marked 2 Notches on E &
	& on W. edges, with stone mound
	for Cor to Sec. 2. 3. 34 and 35.
	Land undulating
	Soil Ultrate
	Timber Scattering aspen.

—

Weston true line between
Sec. 3 & 34
Va 16° E.

Salt Lake Meridian

Okl

descend

40.00 Set a Sandstone 10×9×7-7in dup, marked 1/4 on N. side, rock stone mound for 1/4 Sec cor.

80.00 Set a Chained aspen post, 4"×4"×48" long, 24in dup marked 3 Stakes on E & W. edge, and raised a mound of earth from 4 pits each 24×12×12 in - for cor to Sec 34. 33, & 34.

Land descending slope
Soil Sandstone. Good grass
No Timber. July 28 1877.

Note: Abandon line here.

Note: For general description see end of Subdivisions of this Township. —

BOOK-A-151

Subdivision S. 39 S. R 11 W.
Salt Lake meridian

Cor.	From the established cor. to Sec. 35 & 36 on S. boundary of T. 1 S. run North bet. Sec. 35 & 36. Var. 16° E.
8,00	Road bears N. E. & S. W.
20,00	enter Gardners Park
23,50	Fence bears N.W. & S.E. enter cultivated land
40,00	Delta Trachyte 16 x 10 x 8 – 11 in dia. marked 1/4 on N. side with a Stone mound for 1/4 Sec. cor.
56.50	Perpendicular ledge bears: E. & S.W. leave Gardners Park & cultivated land
80,00	Delta Trachyte 14 x 8 x 5 – 9 in dia. marked one Notch on E. & S. edges with Stone mound for cor. to Sec. 25. 26. 35 & 36.
	Land undulating
	Soil Adobe
	Timber Pine & Cedar.

Subdivisions T 39 S. R 11 W.

chs		chs
	East on a random line bet. Sec. 25 and 36.	
	Va 16° E.	23.50
30.00	Ridge bears N. & S.	40.00
40.00	Set a Temporary ¼ Sec. Cor.	
46.50	Inaccessible Breaks.	
80.00	Not being Set. therefor at 46.50 Inter-	71.00
	sect E. boundary at Witness Cor 33.50	
	chs N. of Cor Joint to Sec. 25 & 36.	80.00
	from which West on true line	
	bet. Sec. 25 & 36.	
40.00	Set a Trachyte 20×20×5 – 15 in dep.	
	marked ¼ on N. side with Stone	
	mound for ¼ Sec Cor.	
80.00	The cor to Sec. 25. 26. 35 & 36.	
	Land undulating	
	Soil Adobe	
	No Timber.	

BOOK-A-151

Salt Lake Meridian 3

chs	
	North bnd Dec. 25 & 26.
	Var 16° E.
23,50	leave grass hollow trains S.
40,00	Dta Trachyte 16×11×10—11 in dia mkd 1/4 on W. side with stone mound for 1/4 Sec cor
71.00	under oak & Spring Valley bears. N. E & S.W. a pond bears N.W. 5 chs
80,00	Dta Trachyte 16×12×6—11 in dia mkd on notch on E & W on S. edges with stone mound for cor to Sec. 23. 24. 25 and 26. from which an aspen 12 in diam bears S 50° W. 40 lks dist marked S. 26. T 39 S. R. 11 W. B. T.
	Land undulating
	Soil 1st rate
	Timber scattering aspen.

Subdivisions T 39 S. R 11 W

Chs

East on random line bet.
Sec. 24 and 25
& a 160 C.

5,00 Ascend bear Oak Spring Valley
bears N. Eg & W.

40,00 Set a Temporary 1/4 Sec Cor.

53,00 edge of breaks bears N & S.

80.15 Stat being set temp at. 53 chs
Intersect E. boundary of T. 27.15
chs N. of Cor point to Sec. 24 & 25
from which Weston bears bears
bet. Sec. 24 and 25

40,00 Set a Trachyte 16 x 10 x 9 — 11 in deep
marked 1/4 on N. side with Stone
Mound for 1/4 Sec Cor. from which
a Pine 28 in. diam bears S. 5 lks dis
marked 1/4 S. B. T.

80.15 Chain to Sec. 23. 24. 25 & 26
Land level soil Shale
Timber Scattering pine

Salt Lake Meridian 5

chs

North bet. sec 23 & 24.

T 16° S.

6.25 Road bears N. & S. N.W.

21.00 ascend leave flat.

25.00 descend

40.00 On flat. Dike Trachyte 14×10×8 9 in dike marked 1/4 on W side with Stone mound for 1/4 sec cor. Iron rock in aspen 5 in diam, bears S 100 E. 65 lks dist.

55.00 leave flat. bears N.E. & S.W.

80.00 Set a Trachyte 16×8×7 — 11 in dike marked one N. on E. & 3 on S. edges with Stone mound for cor to sec. 13. 14. 23 & 24.

Sand undulating

Soil 1st rate.

Timber scattering aspen and pine on S. 1/2.

Subdivisions T 29 S. R 12 E.

Chs

East on random line
bet. Secs. 13 & 24
Va 16° E.

Ascend

16,50 Road bears: N & S.

40,00 Sta Temp. 1/4 Sec Cor,

57,00 E. edge of brake.

80,00 Not set. Intersect. E. boundary
of T.P. at 57 chs - Thn W. C. 23.
chs West of Cor Joint to Secs 13 & 24
from which W. on true line
bet. Secs. 13 & 24.

40,00 Sta Trachyte 20 x 14 x 14 - 15 ins deep
marked 1/4 on N. side with Stone
mound for 1/4 Sec Cor.

80,00 Thi cor to Secs. 13. 14. 23 & 24
Land undulating
Soil Light sandy
Timber Scatt. pine

Chs

500

2360

4000

62,50

80,00

Salt Lake Meridian

chs

North bet sec 13 & 14
Va 160 E.

5.00 Top of round Hill
23.00 Stone Valley Mollar drains N.E.
40.00 on slope facing E. Set a Trachyte
17×10×6. 11in dup marked 1/4
on W. side with stone mound
for 1/4 sec cor.
62.50 Bear Creek 5 lks wide 4in dup
runs East
80.00 Set a Trachyte 18×12×8—
12in dup, marked one notch
on E. and two South edges
with stone mound for cor to sec
11. 12. 13 & 14 from which
An aspen 4in diam bears N 30° E.
6 lks dist marked S. 12, T. 39 S.,
R. 11 W. B T.
An aspen 3in diam bears
N. 60° W. 15 lks dist. marked

Subdivision 39 T. 21 N. R. 11 W.

chi

Sec 11. B.T.
Sandundulating
Soil Retrate!
Timber Scatt. aspen,

Easton random line
bet Sec 12 & 13
Va 16° E.

Ascend

5.00 Spring hollow drains S. E.
28.50 The Principal of a cluster of 5 knows bears S 16½° E.
15 chs dist.

40.00 Set a Temp. 1/4 Sec Cor,
41.20 Road bears N 6° W.
48.00 Fence bears N 70° E.

60.00 edge of bench bears N & S.
79.80 N of being Set - at. 60 chs Intersect
E. boundary of Sp at Witness Cor.
19.80 chs N. of Cor Joint to Sec.
12 & 13. From which West on
line bet Sec 12 & 13.

Salt Lake Meridian 9

chs
39.90 Set a Trachyte 18×12×8—12in
dug, marked 1/4 on N. side
with stone mound for 1/4 Sec. cor.
from which an aspen 12in bears:
S. 30° W. 35 lks dist marked
+ D. B.T.

79.80 Thence Dec. 11, 12, 13 & 14
Landmarks lost
Soil 1st rate
Timber pine & aspen
July 28th 1877.

North bet Sec. 11 & 12,
Va 16° E.

Ascend

40.00 Set a Trachyte 10×10×6—7in
dug, marked 1/4 on N. side
with stone mound for 1/4 Sec cor

80.00 Set a Trachyte 16×11×5—11in dug
marked one notch on E & 5 on S.

Subdivisions T39S, R11W

Chi

Edge ~~cont~~ Stone mound for
Cor to Sec. 1, 2, 11 & 12.
Sand & Shale
Soil & Drift
Timber Scatt. pine and aspen.

East on a random line
bet Sec 1 and 12.
Va 16° E.
Descend

40.00 Into Sand. & Sec cor.
46.00 enter bottom
57.00 Road agrees. N & S.
59.50 Kolob Creek 7 links wide 10 in
deep runs S.E.
78.00 Spring branch runs S.
80.10 Intersect E. boundary of T. 39
S. R. 15 W. of Cor to Sec. 1 and 12
from which S. 89° 5' W on true
line bet Sec. 1 and 12.
40.05 Into Sand stone 11 x 10 x 7 - 7 in deep

Chi

Set Stone mound for
Cor to Sec. 1, 2, 11 & 12.
Sand & Shale
Soil & Drift
Timber Scatt. pine and aspen.

East on a random line
bet Sec 1 and 12.
Va 16° E.
Descend

40.00 Into Sand. & Sec cor.
46.00 enter bottom
57.00 Road agrees. N & S.
59.50 Kolob Creek 7 links wide 10 in
deep runs S.E.
78.00 Spring branch runs S.
80.10 Intersect E. boundary of T. 39
S. R. 15 W. of Cor to Sec. 1 and 12
from which S. 89° 5' W on true
line bet Sec. 1 and 12.
40.05 Into Sand stone 11 x 10 x 7 - 7 in deep

Salt Lake Meridian

Chs

Marked 1/4 on N. side with stone
mound for 1/4 sec cor.

80.10 Thence to sec. 1. 2. 11 & 12
Land undulating
Soil shale.
No Timber

North on a random line bet.
sec. 1 and 2 —
Chs 160 L.

40.00 Pete a Temp. 1/4 sec cor.

80.20 Intersect N. boundary of Sp
at for to sec. 1 and 2 from which
South one link bet sec 1 & 2

40.20 Pete sand stone 11 x 9 x 7 — 7 in deep
marked 1/4 on W. side with
stone mound for 1/4 sec cor.

80.20 Thence to sec. 1. 2. 11 & 12
Land undulating Soil shale
No Timber

17

Subdivisions T. 39 S., R 11 W.

Chs.

Found the Cor to Sec. 34 and 35 on S. boundary of Twp. North between Sec. 34 & 35

Var 16° E.

Ascd

40.00 Set a Soapstone 10×10×7 - 7 in deep marked 1/4 Cor W. side with Stone mound for 1/4 Sec Cor,

5.00 Top of Cone Hill Ascend

80.00 Set a Sandstone 12×10×7 - 8 in deep marked 2 Notches on E & 1 on S edges with Stone mound for Cor to Sec. 26. 27. 34 and 35.

Land mountainous

Soil 1st rate.

No Timber

East on a random line bet. Sec 26 & 35

Var 16° E.

Chs.

Descend

22,25 Road bears N. and E. & S. around

40.00 Pet a Temp. 1/4 sec cor.

50.00 Descend

80.14 Intersect N. & S. line 25 lks E. of cor to Sec 25. 26. 35 and 36. Komerlick S 89° 45' W on true line bet Sec. 26 & 35

40.07 Pet a Trachyte 10x9x7 - 7in deep marked 1/4 on N. side with stone mounds for 1/4 Cor

80.14 Thence to Sec. 26. 27. 34 and 35. Land undulating Soil 1st rate. No Timber

North bet Sec. 26 & 27 Var 16° E.

15,00 Enter flat of Little Creek Valley

30.00 Trail bears N. & S.

40.00 Pet a Trachyte 18x12x6 - 12in deep

Subdivisions T. 39 S. R 11 W.

chs

marked ¼ on W. side with stone
mound for ¼ Sec. cor.

8.00 Set a Trachyte 10×10×6 — 7 in dep.
marked 2 notches on E & W. edges
with stone mound for cor to Sec.
22. 23. 26 and 27.
Land level
Soil Loam
Ar Timber

Easton a random line
bet. Sec. 23 & 26
Va 16° 66.

18.00 Ridge bears NW & SE.
22.00 Enter. oak Spring Valley.
40.00 Set a Temp. ¼ Sec cor.
78.20 Road bears NE & SW.
79.90 Intersect N & S. line at cor to
Sec. 23. 24. 25 & 26. from which
Weston true line bet Sec.
23 & 26.

Salt Lake Meridian 15

chs
39.95 Pet a Trachyte 14×10×4. 9in deep
marked 1/4 on N. side with stone
mound for 1/4 Sec cor.

79.90 Thence to Sec. 22, 23. 26 & 27
Land mostly level
Soil Ist rate
No Timber

North bet Sec. 22 & 23
Va 16° E.

9.00 Sand
40.00 Pet a Trachyte 16×10×7-11in deep
marked 1/4 on W. side with stone
mound for 1/4 Sec cor.

80.00 Pet a Trachyte 18×11×7-12in deep
marked 2 Notches E & S on S. edges
with stone mound for Cor to
Sec. 14. 15. 22 & 23.
Land hilly
Soil Ist rate,
No Timber

Subdivisions T. 39 S. R. 11 W

chs East on random line bet.
Sec. 14 and 23
VA 160 ℄.

Record

40.00 Sta Temp. 1/4 Sec cor.
60.00 Hollow drains N., record
80.16 Intersect N-S. line 15 lks E.
of cor to Sec. 13. 14. 23. & 24 from
which S. 89° 57' W. on line bet
bet Sec. 14 & 23
40.08 Sta Trachyte 10×10×6 – 7 in dep.
marked 1/4 on N. side with stone
mound for 1/4 Sec Cor.
80.16 The cor to Secs. 14. 15. 22 & 23.
Land undulating
Soil White
No Timber

BOOK-A-151

Salt Lake Meridian 17

Chs

North bet Sec. 14 & 15

On 160 ch.

Found

30,00 Ridge bears N.W. & S.E. descend

Little Cr. Peak bears N.W. 30 chs

40,00 Pete Trachyte 10 x 9 x 6 - 7 in dug

marked 1/4 on W. side with stone

mound for 1/4 Sec. Cor.

80,00 Pete Sand stone 18 x 12 x 6 - 12 in dug

marked 2 Sec Cor on E & N sides

with stone mound

for Cor to Sec. 10, 11, 14 & 15.

from which

An aspen 22 in diam bears

S. 60° E 15 lks dist marked B. 14. T

39 S. R 11 W. B.T.

Land hilly

Soil Loam

Timber aspen

Only 30th 1877

Subdivisions T. 39 S., R. 11 E.

Cts

Easton a random line bet.
Sec. 11 & 14
To 160 C.

13.00 a large spring - 50 lks South,
15.00 Spring branch runs N. E.
20.00 Bear oak 5 lks inds Hindup runs S.E.
34.00 " " " W.B.
40.00 Petrified "1/4 sec cor". S.E.
45.00 Bear oak 5 lks ind Hindup runs,
71.50 Sand stone cliffs bear. N. W. & S.E.
80.12 Intersect S. boundary line at cor to
Sec. 11.12.13 & 14 from which West
on said line bet Sec. 11 and 14
40.06 Set a Trachyte 18 x 12 x 10 - 12 in dup
marked 1/4 on N. side with stone
mound for 1/4 sec cor,
80.12 The cor to Sec. 10.11.14 & 15,
Land level
Soil Shale,
Timber - small aspen

BOOK A-151

R. 11 W. Salt Lake Meridian 19

Chs

North bet dec 10 & 11

on 160 ℄.

Aluminum

40,00 Iron Trachyte 15×10×7 – 10 in deep marked T 40 N. Side with stone mound for ¼ sec Cor.

80,00 Iron Trachyte 10×9×7 – 7 in deep marked T 40 N. S 2 on E. edge with stone mound for Cor to Sec. 2 & 3, 10 & 11. From which an aspen 4 in diam. bears S. 60° W. 10 lks. dist. marked B. T. T 39 S. R. 11 W. B. T.

Sand hills

Soil of Sale

Timber aspen.

Easton a random line

bet Dec. 2 & 11

on 160 ℄.

Subdivision S. 39 S., R. 11 W.

Chs		
20.00	Ridge bear: N & S. descend	80.12
40.00	Pet a temp. 1/4 sec. cor.,	
79.90	Intersect N & S. line at	
	cor to sec. 1. 2. 11 & 12. from	
	which West on true line	40.12
	bet sec. 2 & 11	
39.95	Pet a Trachyte 13 x 9 x 6 — 9	
	in. dup mound 4 on S. side	80.12
	with stone mound for 1/4 sec cor.	
79.90	The cor to sec. 2. 3. 10 & 11.	
	Land hilly	
	Soil Light	
	Timber aspen.	
	North on a random line	33.0
	bet sec. 2 & 3	40.0
	Va 16° E.	
14.00	Ridge bear N 60° E to Kolob peak	
	25 chs dist. descend.	47.
40.00	Pet a Temp. 1/4 sec cor.	80.0

R 11 W. Salt Lake Meridian

chs	
80,12	Intersect N boundary of T 28 N, R 11 W. of cor to Sec. 2 & 3 from which S. 12 links Cut. Dec. 2 & 3
40,12	Dela Trachyte 17×11×5 – 11 in deep marked 1/4 on W. side with stone mound for 1/4 Sec Cor.
80,12	The cor to Sec. 2. 3. 10 & 11 Land hilly Soil Shale Timber small aspen
	North 40 chs. 33 links 34 Ra 16 L.
33,00	Road bears N. 25 E.
40,00	Dela Trachyte 13×7×6 – 9 in deep marked 1/4 on W. side with stone mound for 1/4 Sec Cor.
47,00	Ground
80,00	Dela Trachyte 15×10×7 – 10 in

Subdivisions of Sec. 27 T. 39 S., R. 11 W.

ch

dep, marked 3 Notches on E.
and on S. edges with a stone
mound for Cor to Sec. 27, 28,
33 & 34.
Land mountainous—
Soil sandy, rocky—
Timber Cedar.

East on random line
bet Sec. 27 & 34,
Ja 160 L.
38.00 Trail bears S. & E.
40.00 Establish 1/4 Sec Cor,
80.08 Intersect N. & S. line at Cor
to Sec. 26. 27. 34 & 35,
from which
Witness tree bears
bet. Sec. 27. & 34
40.00 Quartz Trachyte 16 × 11 × 5 — 11 ins
dep, marked 1/4 on S. side
with stone mound for 1/4

ch
80.00
1
1400
8000

Salt Lake Meridian

Chs

Secor.

80.08 The cor to sec. 27. 28. 33 & 34

Land, sloping S.

Soil, 2nd rate

Timber, Scatt. cedar.

North between 27 & 28

ca 160 E.

Ascend

40.00 Set a Trachyte 19 x 16 x 5 — 14 in dip marked ¼ on W. side with stone mound for ¼ sec cor

80.00 Set a Trachyte 16 x 10 x 5 — 11 in dip marked & notches on E & S. edges with stone mound for cor to secs.

21. 22. 27 & 28.

Land hilly

Soil 2nd rate

Timber Scatt. Aspen

Subdivisions T. 39 S. R. 11 W.

Chs

East on a random line
bet. Secs. 22 & 27
Va 16° E.

32.00 Ridge bears N & S. descend
40.00 Set a stump 1/4 Sec cor.
74.00 enter Little Creek Valley
79.86 Intersect N & S. line 16 lks N. of
Cor to Secs. 22. 23. 26 & 27 from which
N. 89° 53' W on true line
bet Secs. 22 & 27
39.93 Set a Sandstone 18"x5"x10" - 10" in ground
marked 1/4 on N. side with stone
mound for 1/4 Sec. cor.
79.86 The cor to Secs. 21. 22. 27 & 28
Land hilly
Soil 1st rate
Timber Beech, Aspen
July 31st 1877.

BOOK-A-151

Salt Lake Meridian

Ch. Town bet. Sec. 21 and 22
Var 16° E.

40,00 Set a Trachyte 10×10×7 — 6in deep marked ¼ on W. side with stone mound for ¼ Sec Cor.

80,00 Set a Sand stone 11×9×6 — 7in deep, marked 3 Stakes on E. and S. edges with stone mound for Cor's Sec. 15, 16, 21, and 22.

Land rolling
Soil Mt rate
Timber Scatt Aspen & pine

East on a random line
bet Sec. 15 & 22
Var 16° E.

37,00 Ridge Bears N & S.
14,00 Set Temp. ¼ Sec Cor
64,00 Little Creek, course N & S. 4in diam S.
79,78 Intersect N & S. line [illegible]

Subdivision T 39 S., R 11 W.

chs

secs. 14, 15, 22 & 23. from which
Weston true line between
Sec. 15 & 22

79.89 Set a Trachyte 10 x 9 x 6 - 7in dep
marked W on N. side with stone
mound for 1/4 sec cor.

79.78 The cor to Sec. 15, 16, 21 & 22,
Land undulating
Soil 1st rate!
Timber small aspen

North bet Sec. 15 & 16.
Va 16° E.

40,00 Set a Trachyte 11 x 9 x 5 - 7in dep
marked 1/4 on W. side North stone
mound for 1/4 Sec cor.

80,00 Set a Sand stone 11 x 7 x 7 - 7in.
dep. marked 3 to Section C. and
Non E. edge North stone mound
for cor to Sec. 9, 10, 15 & 16.

chs

40,00
48,00
80,00

40,00

80,00

BOOK-A-151

Salt Lake Meridian 2N.

chs

Land Nat slope.
Soil Shale fine grass.
Timber Death, aspen,

East on a random line
bet dec 10 & 15,
7 a 160 C.

Ascend

40.00 Set stone. 1/4 Sec cor,
48.00 Ridges heavy & S. descend
80.00 Intersect N & S line 15 lks E.
of cor to Sec. 10. 11. 14 & 15, from
which S. 89° 54' W on true line
bet. Sec. 10 & 15,
40.00 Set a round stone 14 x 10 x 5 - 9 in
dug marked 1/4 on it. Set with
stone mound for 1/4 Sec cor.
80.00 The cor to Sec. 9. 10. 15. & 16
Land, undulating.
Soil, Shale. fine grass

Subdivisions of Sec. 9 T. 39 N. R. 11 E.

chs		chs
	Timber – scattering cottonwood aspen	
	North half sec. 9 and 10 Va 16th E.	
40.00	Set a sandstone 10×9×8–7 in dep marked 1/4 on W. side with stone mound 200 1/4 sec cor.	
20.00	Set a sand stone 16×12×7–11 in dep marked 3 notches on E. and 5 on S. edges, with stone mound for corner sec. 3. 4. 9 & 10 Land sloping West. Soil light.	
	Timber – scattering small aspens	
	East on random line bet sec. 3 & 10 Va 16th E.	

B

Sal

40.00

61.00

20.00

40.00

20.00

BOOK-A-151

Salt Lake Meridian 20

chs

Ascend

40.00 Pet stake mk. 1/4 sec cor.

61.00 Ridge bears N. & E. of S. ascend

20.00 Intersect N. & S. line 21 lks. E. of cor to Sec. 2, 3. 10 & 11 from which N. 89° 51' W. on true line between Sec. 3 & 10

40.00 Set sand stone 13 x 9 x 7 pin deep, marked 1/4 on N. side with a stone mound for 1/4 Sec cor.

20.00 The cor to Sec. 3. 4. 9 & 10

Land hilly

Soil Loam

Timber scattering small aspen -

Subdivisions Sec 4, R 11 W.

Ch. North on a random line
bet. Sec. 3 & 4
Ch. 16 L.

Duran

40.00 Pet a Temp. 1/4 Sec. Cor.
80.16 Intersect N. boundary of Sec. 36.00
Tp. 2 S. R. 11 W. of Co to
Sec. 3 & 4. from which
S. 91 W. on true line bet. 40.00
Sec. 3 and 4.
80.16 Pet a Sand Stone 5.00
10 x 9 x 6 - 7 in dug, marked
1/4 Cor B.T. Bids NW & Stone
mound for 1/4 Sec Cor. 80.00
80.16 Quartz Sec. 3 & 4. 9 & 10
Land Sloping N.
Soil Shale - Grass
Timber Scattering Small
Aspen.

31

R 11 W. of Salt Lake Meridian

Chs	
	From the cor to sec 32 & 33 on S. boundary of Tp. 2 nnn
	North bet sec 32 & 33
	7 a 16. E.
	along W. slope of hill
36.00	Hallow drain S.W.
	Around
4.00	Delta Sandstone 12x9x5 - 8 ins dep
	marked X on W. side with mound of stones for 1/4 Sec Cor.
5.00	Ridge bears W. & S.W.
8.00	Delta Sandstone 11x11x10
	ins. dep marked + Notches
	on E & W on S. edges for
	Cor to Sec. 28, 29, 32 & 33.
	Land rolling
	Soil Shale — grass
	Timber small aspen
	and after pine

Subdivisions Sec. 29. T. 17. S.

Chs

Eastern random line
Ent. Dec. 28 & 33.
Va 160 E.

Accd.

4.00 Set a stone on ¼ Sec. cor.

80.26 Intersect S. line
36 lks S of cor to Sec. 27. 28
33 & 34. from which
S. 89. 45 W on true line
Ent. Dec. 28 & 33.

40.13 Made and set 10 x 10 x 6 —
Jas dup, marked ¼ on N.
side with stone mound for
¼ Sec cor.

80.26 The cor to Sec. 28. 29. 32 & 33.
Land rolling
Soil Shale — grass
No Timber. August 14th 87.

Note: Abandon survey line. —

Salt Lake Meridian

General Description

The surveyed lands of this Township, embrace some 1st class bottoms (natural meadow) suitable for all the cereals except corn, besides luxuriant slopes of bunch grass furnishing an excellent range for stock. Sec 13 contains a settlement of 5 houses.

A. D. Green
Dep. Surveyor.

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 8 187 7

The foregoing field notes of the survey of the ...

Extension Lines

Township No 3 S *Range No* 1 W

Executed by Wm H Rowe

Under ..... *contract of the* 2nd

day of June *187* 7 *in the month of*

July *187* 7 *, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Edward Kimball

U. S. Surveyor General for Utah.

BOOK-A-151

Examined by C. H. Cranwell C. C.

Field Notes

of the Survey of the

East Boundary of Tp. 39 S. R. 15 W.

of the Salt Lake Meridian.

Utah Territory.

By

J. C. Bailey,

Under Joint Contract, of Bailey & Daniels,

No 43. dated Sept 24th 1896,

Surveyed April 19th 1897.

BOOK-A-151

Township 39 North **R.** 15 West



36

East Boundary Tp. 29 S. R. 18 W.

Chains April 19th 1877.

By. J. C. Bailey,

From the Cor. to Secs. 24 & 25
established in the Survey
of the Subdivision lines
Viz; A Granite rock, in
place, 6 x 5 x 2 feet, marked
2 Notches on S. & 4 on Wedges,
with mound of stones,

Chan

13,0

North Return Secs. 25 & 30,

32,

Var. 16° E,

41,0

30,00 Foot of hills bear N.E. & S.W.

40,00 Set a Granite Rock, 16 x 12
x 10, 12 in. deep, marked
1/4 on W. side & raised
mound of stones for 1/4

47,8

Sec. Cor.

48,0

Note, Abandon line here,
Land broken,

48,

BOOK-A-151

Saerlake Meridean,

Chains, Surd Jno Prato,
Notemter,

Return to the Cor to Secs,
19, 24, 25, & 30, and run,
North Return Secs,
19 & 24
Var, 16° E,

13,00 Spring branch runs N.E,
32,00 Same " " " N.W,
41,00 Mark a Granite rock in
place, 2x2x1/2 ft. above ground
N, side, & raised mound
of stones for 1/4 Sec. Cor,
47,80 Santa Clara river 15 lks,
wide runs N.W. Ascend,
48,00 Road bears E, & N,
48,25 Mark a large Granite rock,
in place
8x6x2 ft, above ground

East Boundary Tp. 39. S. R. 15 W.

Chains, with a Cross (X) & raised
mound of stones for a
Witness Point,
65,50 Trail in Deep ravine
Runs S. W.
80,00 Marked a Granite Boulder
in place, 30 x 30 x 30 in.,
above ground, 3 notches
on S. & 3 on N. Edges &
raised Mound of stones
for Cor. to Secs. 13. 18. 19. & 24.
from which, Brown, &
Barneys dwellings bear,
S. 43.45 W.
Land mostly Broken
Soil 2d rate,
W Timber,

Salt Lake Meridian

Chains, North between Decs, 18°18'
Var, 16° E,

3,11 0 Point of Mountains bears,
N. N. W. & S. E.,

10,11 0 Enter very broken ground,

4,00 The true Cr. falling in
the Mountain is notsch
therefore ab 10 chs Set a
Granite 13×11×4 in. above ground 8 in. deep
1/4 Sec. N., side raised
mound of stones for W 1/4
1/4 Sec. Cor,
Note: Abandon line here,
Land Mountainous,
Soil Sandy,
Timber, a few pine & cedar,
April 19, 1855, J. C. Bailey

Note: For Land Descriptions
and, of Sub, div. Notes of this Sp,

BOOK-A-151

Examined by C. H. Cranwell. C. C.

Field Notes
of the
Subdivisions of
Township 39 South Range 5 West
Salt Lake Meridian
Utah Territory
as surveyed by
Bailey & Burrill
under joint contract Bailey & Burrill
No. 32 - dated Sept 4th 1876

Survey commenced Apr 18th 1877

" completed " 5th "

Subdivisions T. 39 S. R. 15 W.

Chains April 18th 1877 by J. G. Burrill

The south & East parts of this Township not being surveyed therefrom the cor. to Secs 6 & 7 on the Pine Valley Lincoln Meridian

I run

East on true line

bet. Secs. 6 & 7

Va. 16° E.;

4.00 Road bears N 80 E.

35.00 Gulch drains S.

39.08 Alleging for convergency

at Trachyte 20 x 10 x 10 in. 15 in. deep raised mound of stone for 1/4 sec. cor. from which

A Cedar 5 in dia bears N. 50 E. 30 lks dist.

A Cedar 6 in dia bears N. 15.

Salt Lake Meridian

Chains N. 60 lks. dist. to Both Trees
marked 1/4 S. B. T.
70.50 Road bears S. 80. E.
79.08 Set Trachyte 24 x 16 x 3 in
16 in. deep notched S on E
S. edge raised pyramid
Corner for cor. Secs. 5. 6.
8 & from which
Cedar 3 in dia bears
N. 4 E. 15 lks dist marked
S. S. B. T.
Cedar 4 in. dia bears
S. 70. E. 73 lks dist marked
S. E. T. 39 S. R. 15 W. B. T.
Land mostly level
Soil Clay
Timber & scattering Cedar

East on true line
Set corner 5 & 8

Subdivisions T. 39 S. R. 15 W.

Chains		
	Ca. 16°E.	
14.50	Road bears N.E.	
40.00	Set Trachyte 22×16×12 in. 18 in deep marked 1/4 on N. side raised mound of stone for 1/4 sec. cor. from which A Cedar 6 in. dia bears East 12 lks dist marked 1/4 S.B.T.	35.75
80.00	Set Trachyte 12×10×6 in. 8 in. deep notched 4 in E & S on S. edge raised mound of stone for cor to secs. 4 & 5 & 8 & 9 from which Top of knoll hill with Shingle Mill on N.E. foot, bears S. 13° E. about 50 chs dist — Land undulating	80.00

Salt Lake Meridian

chains Soil & Rate
Timber scattering Cedar

East on true line
bt. secs. 4 & 9
Va. 16° E.

35.75 Road bears N. W. 45. E.

1.0.00 Set Trachyte 15 x 12 x 5 in
10 in. deep marked 1/4
on N. side & raised mound
of stone for 1/4 sec. cor. from
which
Hackberry 4 in dia bears N.
4 g. E. 4 lks dist marked
1/4 S. B. T.

8.0.00 Mark Trachyte in place
24 x 24 x 12 in above ground
on
3 notches on E. & S. sides
raised mound of stone
for cor. to secs 3. 4. 9 & 10

Subdivisions T. 39. S. R. 15. W.

Chains		
	Land undulating	
	Soil 2nd rate	
	Timber scattering Cedar	
	East on true line	
	Set pcos 3 & 10	
	Va. 16° E.	
40.00	Foot of rolling hills forming the pass into Grass Valley about 6 miles north - Set Quartzite 14×12×10 in 9 in. deep marked 1/4 on N. side & raised mound & stone for 1/4 sec. cor.	
	Land rolling Soil 2nd rate	
	Timber scattering Cedar	
Note:	I abandon line here	
	From the cor. to secs 3. 4. 9 & 10	
	South 80 ch. to pcos 9 & 10	
	Va. 16° E.	

Salt Lake Meridian

chains
32.50 Road bears N. W.

40.00 Set Trachyte 14×12×10 in 9 in. deep marked ¼ on W. side raised mound of stone for ¼ sec. cor.

40.20 Brink of River Gulch drains E & W.

48.00 Santa Clara River 30 lks wide runs W.

60.00 Clear Creek brake Ascend N. point of Ridge -

64.20 Road bears S. E.

74.00 Top of Ridge bears S. W. & descend

80.00 Set Trachyte 16×14×6 in 11 in deep notched 3 on E & 4 on S. edges raised Mound of stone for cor. Bears. 9. 10. 15 & 16

Land mostly rolling

Subdivisions T. 39. S. R. 15. W.

Chains Link & Date. N Trees

South bet secs 15 & 16
Va. 16°E.

5.50 Telegraph line bears N.W. & S.E.

15.00 Enter Pine Valley bears N.E. & S.W.

40.00 Set Bachylite 15 x 10 x 5 in 10 in deep marked 1/4 on N. side bared round of stone for 1/4 sec. cor.

48.00 Mahogany Road bears N.E. & S.W. ascend

66.00 Trail in hollow dir. N.E.

80.00 Mark Granite Rock in place 2 x 2 x 1 foot 3 notches on E & S. edges bared round of stone for cor. to secs 15, 16, 21 & 22, from which Alder 16 in. dia bears S. 89, 30 W. 120 lks. dist. marked

Salt Lake Meridian 4 C
16. Lee & C's Cert. 6
apl 1, 1912 #6492

Chains S. 21., T. 39 S. R. 6 W. B. T.

Sand rolling Sil & Sate
Timber & few cedars on S. 1/2

South bet Secs 21 & 22
Va. 16 E.

Ascend
15.00 Foot of steep mountain
facing N. E.
40.00 The true cor. falling in
mountain is not set
thereat 15.00 chs
set granite 18 x 10 x 6 in 12
in deep marked 1/4 on
N. side & W. C raised
mound & stone for 1/4 sec. cor.
Note: I abandon line here
Sand broken Sil & Sate
& Timber

Subdivisions T. 39 S. R. 15 W.

Chains	
	From the cor. to secs. 15. 16. 21 & 22
	West on true line
	Set. secs. 16 & 21
	Va. 16° E.
30.00	Ridge bears N. E. & S. W. forming West Boundary of Pine Valley
40.00	Set Granite 12 x 11 x 6 in. 8 in deep marked S on N. side raised mound of stone for 1/4 sec & cor.
Note:	Abandon line here Land broken Soil Rate Timber-Mountain Mahogany

---

From the cor. to secs 16. 21 & 22
East on true line
Set secs. 16 & 21

Salt Lake Meridian

Chains Va. 16° E.

Descend

14.25 Stone Wall bears N. 75. inter
filled in Price Canon

20.50 Fence bears N. 10 chs. & S. 10 chs
thence S. W. leave filled

21.00 Road bears N. E. & S. W.

26.50 Price Bank 10 lks wide
runs N. W. in bottom of
Price Canon

27.50 Road bears N. 75. Granite
Quarry 150 lks. S. of line
& ascend

40.00 Set Granite 20 x 10 x 8 in. 15 in
deep marked ¼ on N. side
buried mound of stone for
¼ Sec cor.

52.00 Top of Mahogany hill bears
N. 17. chs. descend —

60.00 Hollow drains N. — S. W. cor.

Subdivisions T. 39 S. R. 15 W.

Chains	
	of Fence S. chs. N.
72.00	Descend – S.E. cor. of Fence (Same) bears S. chs. N.
80.00	Set Granite 18×14×10 in. 12 in deep notched 2 on Edges on S. edges raised mound of stone for cor. to secs 14. 15. 22 & 23
	Sandpolling – Pine Oak & Timber Mountain Mahogany

South Lat. secs. 22 & 23
Va. 16° E.

4.00	Road bears N.E. & S.W.
7.50	Foot of Mountains bears N 60° E.
40.00	The cor. falling on Steep Mountain side is not set. Therefor at 10. chs Set Conglomerate Rock 20×12×8 in 15 in deep

	3.50
	6.50
	8.30
	14.00
	17.40

Salt Lake Meridian

Chains marked 1/4 W. C. on N. side
Raise mound of stone
for witness 1/4 sec. cor.
Land mostly in Mountains
Soil 2nd rate
Timber Juniper & Cedar
Note: Abandon line here

From the cor. to sec 14. 15.
22 23
Eastern true line
Ft sec 14 23
Va. 16° E.

3.50 Road bears N.E. 15. N.
6.50 Fence bears N. 24 E. enter
field & ditch E. side
of Fence drains N.
8.30 Fence bears N. 66° W.
14.00 " " N. E.
17.40 " " "

Subdivisions T. 39. S. R. 15 W.

Chains		
28.00	Brook runs N.E. 10 links wide	
34.00	Fence crosses N.E.	
40.00	Mark Granite Stone place 30x5x7 in above ground	73.75
	¼ cor N. side Raise mound of stone for ¼ sec cor.	77.50
		80.00
47.00	Road bears N.E. & S.W.	
60.00	" " N.W.	
61.75	Fence " N.E.	
70.00	J. Brown's House bears S. 44° 30' E. E. Whipple's House bears S. 61° E. his Barn bears S. 64° E. his Sawmill bears S. 55° 30' E. Carpenters Gristmill bears S. 73° 30' E.	
	Brown & Barney's Sawmill bears S. 74. 30. E.	9.70
		16.00
	Their two houses bear S. 79 E. A. Burgess'	13.00
		38.50

Salt Lake Meridian

Chains House & Shingle mill
bears N. 53° E. his two
Houses bear N 37° 30 E.
73.75 Fence bears N 24 E.
77.85 " " " " "
80.00 In patch of sage brush
Pet granite 16×14×5 in
11 in deep notched on E.
& W. S. edges raised
mound of stone for cor.
to Secs 13. 14. 23 & 24
Land Office Initials
N. Timber —

South 80 ch. Secs 23 & 24
W. 16 E.

9.70 Fence bears N 66 W.
16.00 Road " "
13.00 Fence bears S 24 W.
38.50 Brook runs N. E.

Subdivisions T. 39 S. R. 15 W.

Chains
40.00 Set Granite 20 x 16 x 10 in
15 in deep marked 1/4 on W.
side & raised mound of stone
for 1/4 sec. cor.

47.50 Fence bears N 24 E.

40.00 Road " N 24 E. at foot of hills

80.00 The true cor. falling in
broken hills is not set
thereon at 50.00 chs
on N. W. slope set ~~Granite~~
~~4 x 2 x 1 foot~~ in mound
of rock notched 1 on E &
2 on S. edges & W. C. for witness
cor. Boxes. 23, 24, 25 & 26
Land mostly level
soil, Fair - No Timber

Easton true line
Bt. cors. 24 & 25

Sw. 16. C.

Ja
Chains
Note

40.00

80.00

Note:

Salt Lake Meridian

Chains

Note: The line in place being impracticable therefrom from the witness cor. 30 chs North of the true cor. point I run Equal on Offset line 40 chs. to

110.00 set granite 15"x10"x4, 10 in. deep, marked 1/4 S. C. 9 on S. side & raised mound of stone for witness 1/4 sec. cor. Continue E. to 80.00 chs. thence South 30 chs. to

80.00 the place where I mark granite in place 6x5x2 set above ground 2 notches on S. & W. sides & raised mound of stone for cor. to secs. 19. 24. 25 & 30 on E. boundary of township.

Note: The 1/4 sec. cor. falling in Mountains is not set. Land mostly mountainous & rocky

Timber scattering cedar

Aug 18th 1877

J. C. Burris

Subdivisions T. 3 S. R. 1 E. M.

Chains Apr 20th 1877 by T. C. Bailey from the cor. to secs 13 & 14.

23 & 24

East & random line

Mt. secs. 13 & 24

Va. 16. E.

1.00	Ditch runs N.	
6.00	Brook " "	
11.00	S. Fork of Santa Clara River 10 lks wide runs N. W. & heads S. E. 3/4 of a mile dist where is a small spring —	50.0 52.0 80.0
13.50	Santa Clara River (E. Fork) 10 lks wide runs N. W.	
14.50	Millrace runs N. W.	
16.00	Fence runs N. W.	
22.50	" " N. E.	40.0
27.90	" " N. W. at foot of hills — ascend	

Salt Lake Meridian

Chains
28.00 Road bears N. W.
40.00 Set temp. 1/4 sec. cor.
from which E Whipples
House bears S. 43. W. his
Sawmill bears S. 48. 16. W.
his Barn bears S. 46. W.
A Blacksmith shop
7.00 chs N. W. from Sawmill
Brown & Barneys Sawmill
bears S. 22° 30 E.
50.00 Hollow drains S.
52.00 " " S. W.
80.00 Intersect E. boundary of
township at cor. to secs 13 &
24 from which
Meander true line
bears N 82 E
40.00 Set granite 18 x 12 x 6 in
12 in. deep marked 1/4 sec
Side Raised mound of

Subdivisions T. 39. S. R. 15. W.

Chains Stem for 1/4 sec. cor.

80.00 The cor. to secs 13. 14. 23 & 24 Land E. & broken W. & level & dirt Bank N. Timber —

North bt secs 13 & 14 Va. 16° E.

From the cor. to secs 13. 14, 23 & 24 S. Burgess' House & Shingle mill bears N. 32. E. His two Dwellings bear N. 13. 45. E.

J. Bruns's House bears S. 36. W.

5.00 Fence bears N. 24. E.

12.00 " " "

13.00 Ditch drains N. W.

19.50 Main Ditch " "

21.50 Santa Clara River 25 lks

Salt Lake Meridian

Chains wide runs N. W.

24.00 Fence bears N. W.

27.50 Foot of rolling brnch bears N. W. & S. E.

40.00 Set Granite 16×2×10 in 11 in deep marked ¼ on W. side raised mound of stone for ¼ sec. cor.

58.00 Foot of main mountains

80.00 The true cor. falling in mountains not set therefor at 58.00 chs. Mark Granite in place 4×2×1 foot above ground 1 notch on E & W on S. edges & W.C. for witness cor. to secs. 11. 12. 13 & 14

Land mostly level
Soil Rich
No Timber

Subdivisions T. 39 S. R. 15 W.

Chains	From Theor. Corner, 14.15.	
	22 725	
	North 1/4 Corner, 14 015	
	Va. 16° E.	
6.00	Pine corral 150 lks W.	
10.50	Fence at foot of hills	
	bears N. 71 E.	
11.20	Ditch runs N. W.	
12.00	S. E. side of street	
	in town of Pineville bears	
	N. 24° E.	
14.50	N. W. side of same st	
15.70	S. W. side of street bears N 66 W.	
17.50	N. E. " " " " "	
24.50	S. W. " " " " "	
25.75	Telegraph line bears "	
26.00	N. E. side of street " "	
29.25	S. E. " " " " N. 24. E.	
32.00	N. W. " " " " "	
33.00	S. W. " " " " N. 66. W.	

Ch	
34.00	
35.20	
37.00	
40.00	
49.50	
61.60	
80.00	

Salt Lake Meridian

Chains	
34.00	N.E. side of street bears N 66 W.
35.20	Harrison Burgess' House on line
37.00	Fence bears N 66 W. enter field
40.00	Set Quartzite 14 x 10 x 8 in 9 in deep marked 1/4 on N. side in wheatfield (no hills or mound) for 1/4 sec. cor.
49.50	Santa Clara River 30 lks runs N.
61.60	Fence at foot of bank bears S. W. & S. E. lean field
80.00	Mark Quartzite in place 24 x 24 x 12 in above ground 2 notches on E & W sides raised mound of stone for cor. to secs 10, 11, 14 & 15. Land level & soil Good No Timber.

Eastern random line

Subdivisions T. 39. S. R. 15. W.

Chains Ft secs 11 & 14

Va. 16 E.

6.50 Road bears N. W. 75. E.

7.50 Gulch drains S. W.

33.00 " " S. E. Grave

yard bears S. 20. W. 8.00 chs

40.00 Set temp. 1/4 sec. cor.

53.00 Foot of mountains

bears N. W 75. E.

To avoid mountains

I offset North 22.00 31.50

chs. Thence East 27.00 chs to

80.00 Intersect N & S. line at 36.50

witness cor. 22.00 chs S. of

cor. point to secs 11. 12. 13

& 14 from which 39.50

Pratt on true line

Ft. secs 11 & 14 42.75

40.00 Set Granite 14 x 10 x 6 in

pin deep marked 29.90

BOOK-A-151

Salt Lake Meridian

Chains

Set 1/4 on N. side Railroad
mound of stone for 1/4
sec cor.

10.00 The cor. to sec 10. 11. 14 & 15
Land mostly rolling
Soil & Vale No Timber

Meander line
Set sec 10 & 15
Va. 16° E.

31.50 Fence, bears N. W & S. E. Bear
branch - enter field -

36.50 Santa Clara River 30 lks
wide, runs N. thence in
River to

39.50 Bear & Dance runs N. W.

40.00 Set temp. 1/4 sec cor.

1.25 Fence bears N & S. road on
W. side of same & Bear field

2.90 Road bears N & S.

Subdivisions T. 39 S. R. 15 E.

Chains	
80.00	Intersect 1/4 S. line at cor. between secs 10 & 15 from which Easton true line bet secs. 10 & 15
40.00	Set Trachyte 18x16x3 in 12 in deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.
80.00	The cor. between S. 10. 11. 14 & 15 Land mostly level Soil 1st rate No Timber —

North returns sec 10 & 11 Va. 16.6.

1.50	Road bears N. W. & S. E.
9.00	" " " "
17.50	" " " "
40.00	Set Granite 18x14x4 in 12 in deep marked 1/4

Note:

Salt Lake Meridian

Thence on N. side raised mound of stone for 1/4 sec. cor. from which
A Cedar 10 ins dia bears S. 35 E. 70 lks. dist marked 1/4 S. B.T.

Note: On account of the broken nature of the country I abandon the further survey of this township here—

Land rolling, soil poor & timber scattering cedar

Apr 20th 1877 T. C. Bailey

General Description

The surveyed lands of this township embrace Pine Valley, the town of Pineville in sec 1 1 8 14

Subdivisions T. 39 S. R. 15 W.

& the suburban settlements comprising a population of about 150 —

T. C. Bailey
U. S. Dep. Surveyor.

BOOK-A-151

69

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, June 30th *187*7

The foregoing field notes of the survey of the E. bound & sub- lines of

Township No. 39 S. *Range No.* 15 W.

Executed by Bailey & Burrill

Under their Joint contract of the 14th

day of Sept. *187*6, *in the month of*

April *187*7, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

BOOK-A-151

73

Examined by C. H. Cranwell. C. C.

Field Notes
of the
West Boundary
Township 39 South Range 16 West
Salt Lake Meridian
Utah Territory
as surveyed by
T. C. Bailey.

under joint contract Bailey & Barnes
No. 73. — dated Sept 4th 1876

Survey commenced April 3d 1877
" completed " " "

82

94

West Boundary T. 39 S. R. 16 W.

Chains

Apr. 13th 1877 by T. C. Bailey
From the established
cor. to T. 39 & 40 S. R. 16 & 17
W. I run
North 1/2 sec. 31 & 36
Va. 16° E.

40.00 Set Trachyte 15 x 10 x 8 in
10 in. deep marked 1/4 on
N. side bevel'd mound of
stone for 1/4 sec. cor.

77.00 Descend

80.00 Set Trachyte 15 x 12 x 6 in. 10
in. deep notched 1/4 S. & on
N. edge, bevel'd mound of stone
for cor. Secs 25, 30,
31 & 36
Land undulating
Soil Rocky No Timber

North 1/2 secs 25 & 30
Va. 16° E.

BOOK-A-151

Salt Lake Meridian

Chains
22.00 Spring Branch runs N.
38.00 Meander Brick 10 lks
wide runs S. W.
40.00 Set Sandstone 16 x 10 x 6 in
11 in. deep marked 1/4 on W.
side raised mound of
stone for 1/4 sec. cor.
Road along N. side of creek.
80.00 Set Trachyte 20 x 18 x 10 in. 15
in deep notched 2 on S. & 4 on
N. edges raised mound of
stone for cor. to secs. 19, 20, 29 & 30
Land broken Pole & Brush
No Timber —
April 3d 1877 T. C. Bailey

Note: For General Description &
Approval see end of Sub-
division notes of this Township

BOOK-A-151

Examined by C.H. Crawwill. C.C.

Compared & corrected

Field Notes
of the
Subdivisions of
Township 3 South Range 16 West
Salt Lake Meridian
Utah Territory
as surveyed by
Bailey & Burrill
under joint contract Bailey & Burrill
No. 73. – dated Sept 4th 1876.

Survey commenced Apl 16th 1877
" completed " 18th "

BOOK-A-151

Township 39 South **R.** 16 West



Subdivisions T. 39 S. R. 16 W.

Chains Apr. 16th 1877 by T. C. Bailey -
Note: The S.E. part of this township falling in the Pine Valley mountains cannot be surveyed therefore from the cor. to secs. 34 & 35 on the south boundary North 80 lks. secs. 34 & 35

Va. 16 E.

38.00 Wash drains N.

40.00 Set Limestone 16 x 12 x 3 in 11 in. deep marked 1/4 on W. side raised mound of stone for 1/4 sec. cor.

80.00 Set Granite rock 13 x 10 x 5 in & in deep notched 2 in E & 1 in S. edges raised mound of stone for cor. to secs. 26. 27. 34 & 35

Sand broken pile 2 Pits

Salt Lake Meridian

Chains	Timber scattering Cedar & Pine
	East on true line
	Bet. secs. 26 & 35
	On. 16° E.
40.00	Near foot of Mountains
	Set Limestone 13×10×10
	in. S. & W. deep marked ¼ on
	N. side & raised mound
	of stone for ¼ sec. cor.
Note:	Abandon line here
	Land broken, hilly &
	Timber - Pine & Cedar -
	North bet. secs. 26 & 27
	On. 16° E.
16.00	Telegraph line bears N. 10° E.
	& S. 10° W.
23.00	Wash drains S. W.
40.00	Set Stone 18×12×10 in

Subdivisions T. 39. S. R. 16. W.

Chains 12 in. deep marked 1/4 on N. side, & raised mound of stone for 1/4 sec. cor.

62.00 Wash drains N. W.

80.00 Set Trachyte 18 x 12 x 10 in. 12 in. deep notched 2 on E & S. edges & raised mound of stone for cor. to secs. 22. 26. 27 & 23

Sand & broken rock & rate timber - scattering Cedar & Pine

Easton, Idaho line

Mt. secs. 23 & 26

Va. 16 E.

6.00 Telegraph line transits.

40.00 Foot of Bluffs. set Limestone 15 x 14 x 5 in. 10 in. deep marked 1/4 on N. side raised mound of stone for

Salt Lake Meridian

Chains 1/4 sec. cor.

Note: I abandon this line -
Sand broken Soil & Rate
Timber Cedar & Pine

North bet. secs. 22 & 23
Da. 16° E.

40.00 Set Trachyte 12 x 7 x 7 in ± in
deep marked 1/4 on W. side
raised mound of stone
for 1/4 sec. cor.

80.00 Set granite 16 x 12 x 6 in 11 in.
deep notched 2 on E & W sides & S. edges
raised mound of stone for
cor. secs. 14. 15. 22 & 23
from which
A Cedar 8 in. dia. bears S. 2° W.
78 lks. dist marked S. 22
T. 39. S. R. 16. W. B. T.
A Cedar 2 in. dia bears N 16° E.

Subdivisions T. 39 S. R. 16 W.

Chains 25 lks. dist marked

S. 14. B.T.

Sandundulating

Soil & Vate

Timber Cedar & Pine

East on true line

Mt. Occo. 14 & 23

Va. 16 B.

15.50 Telegraph line bears N 78.

34.00 Rear Flat to ascend

40.00 Set Granite 16 x 10 x 6 in

11 in deep marked 1/4 on

N. side raised mound

of stone for 1/4 Occ cor.

80.00 Set Trachyte 18 x 11 x 3 in.

12 in. deep notched 1 on E.

& 3 on S. edges & raised mound

of stone for cor. to Occ. 13. 14. 23

& 24.

Salt Lake Meridian

Chains Land mostly rolling
Soil & rate—
Timber Cedar & Pine—

East on random line
Set pcs. 1-1924
Va. 16°E.

15.00 Ridge runs N. W. S. E.
Ascend—

28.00 Gulch drains N.

40.00 Set temp. 1/4 sec. cor.

12.50 Rocky Gulch drains N. W.

60.00 Intersect Pine Valley Guide
Meridian at the cor. to
pcs 1924 from which
East on true line
Set pcs. 1924

40.00 Set Trachyte 12×10×5 in
5 in. deep marked 1/4 on
N. side Raised mound

Subdivision T. 39. S. R. 16. W.

6 Chains of stone for 1/4 sec. cor.
80.00 The cor. to secs 13. 14, 23 & 24
Land broken Soil 2d rate
Timber = Cedar & Pine

North 60 lks. Decs. 13 & 14
Va. 16° E.
40.00 On top of Ridge Point
bears N. W. 30.00 chs
Marked Granite in
place 4 x 4 x 2 ft. set above
ground 4 on N. side &
raised mound of stone
for 1/4 sec. cor. from which
A Pine 16 in. dia bears
North 16 lks. dist marked
1/4 S. B. T.
53.50 Hollow drains N. W. Enter
level ground —
65.50 Road runs E & W

36.0
40.0
49.0
52.5
55.5
57.5

Salt Lake Meridian

Chains
68.10 Telegraph line bears N.E. & S.W.
72.50 Empey's Brook runs N.W.
80.00 Pit Trachyte 18 × 12 × 10 in. 12 in deep notched 4 on E & W
on S. edges & raised mound of stone for cor. to secs 11, 12, 13 & 14 —
Land broken Soil Sandy
Timber — Cedar & Pine

Easton's random line
for secs. 12 & 13
Va. 16° E.

36.00 Telegraph line bears N.E. & S.W.
40.00 Pit temp. for 1/4 sec. cor.
49.50 Fence bears N.E. & S.W. 20 chs
52.50 " " N.W. & S.E.
55.50 Road " N. & S.
57.50 Wm Empey's house 7.00 chs
S. this spring 2.00 chs. N.E.

Subdivisions T. 39 S. R. 16 W.

Chains of house -

70.00 Foot of hills run S & S.

80.12 Intersect Pine Valley
Guide Meridian at the
cor. to secs. 12 & 13 from
which
Post on true line
bt. secs 12 & 13

40.06 Set Trachyte 18 x 12 x 6 in
12 in deep marked 1/4 on
S. side raised mound
of stone for 1/4 sec. cor.

80.12 The cor. to secs. 11. 12. 13 & 14
Land mostly level
Soil Rate No Timber

North bt. secs. 11 & 12
Va. 16° E.

40.00 Set Trachyte 16 x 12 x 3
in 11 in. deep marked 1/4 on

86 1/2

Salt Lake Meridian

Chains B. Ode & raised mound of stone for 1/4 cor.

47.00 River Breaks bears N. E. & S. W.

51.50 Santa Clara River 30 lks wide runs S. W.

56.00 Bear Breaks

60.50 Road bears N. E. & S. W.

80.00 Set Trachyte 16 x 10 x 8 ins. 11 ins deep notched 1 on E & S on S. edges & raised mound of stone for cor. W secs. 1. 2. 11 12

Land mostly level Soil Good Timber

East on random line Nt. secs. 1 & 12

Va. 16° E.

38.50 Bank drains S.

40.00 Set temp. 1/4 sec. cor.

Subdivisions T. 39. S. R. 16. W.

Chains	
80.10	Intersect Pine Valley Guide Meridian 3 & 4 Lks. N. of cor. to secs. 1 & 12 from which N. 89° 45' W. on true line bet. secs 1 & 12
40.05	Marked Trachyte in place 4 x 2 x 1 foot above ground 1/4 on E. side & raised mound of stone for 1/4 sec. cor.
80.10	The cor. to secs 1. 2. 11 & 12 Land nearly level Soil 1st rate - No Timber - Apr 16th 1877 T. C. Bailey

---

Apr. 16th 1877 by J. G. Burrill
From the cor. to secs. 14 & 15.
22823
North bet. secs. 14 & 15

Salt Lake Meridian

Chains	Va. 16° E.
2.50	N. Grove & Pine Valley Road bears N. E. & S. W.
13.50	Wash from Maudsley's Springs drains S. W.
36.50	Wm. Maudsley's House bears S. 88° 15' E. & Spring bears S. 83° 15' E.
39.70	Edge of River Gulch
40.00	On Ledge sloping N. marked 1/4 Raised Mound of stone for 1/4 sec. cor.
44.25	Santa Clara River 25 lks. wide runs S. 7° W. Ascend
45.90	Bear River Gulch
51.00	Maudsley's House bears S. 63° 30' E. & Spring bears S. 71° 30' E.
80.00	Pet Trachyte 16 x 8 x 5 in. 11 in. deep notched 2 on E & W on S. edges Raised mound

Subdivisions T. 39 S. R. 16 W.

Chains of stone for cor. to secs. 10. 11. 14 & 15

Land mostly level
Soil 2d rate - No Timber

East on random line
Pt. secs. 11 & 14
Va. 16°E.

17.30 Hiram Barney's House bears N. 66 30. E. John Davis' House bears N. 71° 45. E.

25.00 River Gulch

26.50 Santa Clara River 30 lks wide runs S. W.

30.50 Road bears N. E & S. W. Enter Field -

37.50 Fence bears N. E. & S. W. Leave field -

40.00 Set temp. 1/4 sec. cor.

Salt Lake Meridian 90

Chains from which N. Barney's House bears N. 30 E. D. Davis' House bears N. 33° 30' E.

43.40 Road bears N. W. & S. E. & Spring bears S. 35 E. 30. chs. drains N. W.

47.30 Telegraph line bears N & S.

53.30 Empire's & Brooks's house runs N. 60 W.

80.10 Intersect N & S. line at cor. to secs 11 & 14 from which Mt. on true line Set. secs. 11 & 14

40.03 Set Bachyte 18 + 14 x 6 in 12 in deep marked 1/4 on N. side raised mound of stone for 1/4 sec. cor.

80.10 The cor. to secs. 10. 11. 14 & 15 Land undulating

Subdivisions T. 39. S. R. 16. W.

Chain of soil & Rate No Timber

North Irt. secs. 10 & 11
On. 16° E.

40.00 Set Sandstone 24×14×7 in
18 in. deep marked 1/4 on
N. side raised mound
of stone for 1/4 sec cor.

80.00 Set Limestone 18×9×9 in
12 in. deep notched 2 on E.
95 on S. edges raised
mound of stone for cor. to
secs. 2. 3. 10 & 11

Land rolling Soil 1st Rate
Timber scattering Cedar

East on random line
Irt. secs. 2 & 11
On. 16° E.

13.50 Pioche Mountain

Salt Lake Meridian

Chains	
	Meadows Road bears S. W. 5.2.
15.00	Telegraph line " " "
40.00	Pet temp. 1/4 sec. cor.
79.09	Intersect S. 5. line at cor. to secs. 2 & 11 from which Post on true line bears Brt. secs. 2 & 11
39.95	Pet Limestone 14 x 8 x 5 in ground deep marked 1/4 on S. side Raised mound of stone for 1/4 sec. cor.
79.09	The cor. to secs. 2. 3. 10 & 11 Land nearly level Soil Rate Timber. Scattering Cedar

Apr 16th 1877 J. H. Burritt

Apr 17th 1877. by T. C. Bailey

From the cor. to sec. 33 & 34 on South boundary

Subdivision T. 39. S. R. 16. W.

Chains of township
North bet secs. 33 & 34
On. 16°E.

7.00 Wash drains N.W.
40.00 Set Trachyte 12×10×5 in
8 in deep marked ¼ on
N. side raised mound
of stone for ¼ sec. cor.
54.00 Wash drains S.W.
64.00 Ascend S. slope of lone hill
80.00 Set Trachyte 18×12×10 in.
12 in. deep notched 3 on ⊙
1 on S. edges & raised mound
of stone for cor. to secs. 27.
28. 33 & 34 on S. slope -
Land mostly broken
Soil Sandy - Timber
scattering Pine & Cedar

East on random line

Salt Lake Meridian

Chains Set secs. 27 & 34
On. 16° E.
Descend
32.00 Foot of Hill
37.00 Wash drains S. W.
40.00 Set temp. 1/4 sec. cor.
78.00 Telegraph line bears N & S.
79.84 Intersect N & S. line 35 lks
S. of the cor. to secs. 26. 27.
34 & 35 from which
S. 89° 45' W. on true line
Set. secs. 27 & 34
39.92 Set Trachyte 10 x 10 x 7 in
6 in deep marked 1/4 on
N. side & raised mound
of stone for 1/4. sec. cor.
79.84 The cor. to secs. 27. 28. 33 & 34
Land broken
Soil 2d rate.
Timber Cedar

Subdivisions T. 39 S. R. 16 W.

Chains North bet. secs. 27 & 28

Va. 16° E.

Chains	
	Ascend
7.00	Enter flat top of hill
40.00	Set Trachyte 12×11×6 ins 8 ins deep marked ¼ on N. side raised mound of stone for ¼ sec. cor.
60.00	Descend
77.00	Foot of Hill
78.00	Road bears N. E. & N. W.
78.10	Santa Clara River 40 lks wide runs N. W. heads N. E.
80.00	Mark Trachyte in place 3×3×3 feet above ground 3 notches on E & W. sides raise mound of stone for cor. to secs. 21. 22. 27 & 28

Chains

0.58

1.25

33.00

40.00

54.00

79.96

39.98

Salt Lake Meridian

Chains	Land broken Soil & Soil Timber scattering Cedar
	East on random line
	Set secs 22 & 27
	Va. 16 E.
0.55	Santa Clara River 40 lks wide runs S. W.
1.25	Ascend thence along N. slope of low hill
33.00	Pear tree
40.00	Set temp ¼ sec. cor.
54.00	Mark drains N. W.
79.96	Intersect N 5. line 20 lks. S. of cor. to secs. 22 & 27 from which S. 89° 51. W on True line Set secs. 22 & 27
39.98	Set Trachyte 20 x 10 x 5 in 15 in. deep marked ¼ sec

Subdivisions T. 39. S. R. 16. W.

Chains on N. side raised mound stone for 1/4 sec. cor.

79.96 Thu cor. to secs. 21. 22. 27 & 28 Land broken Soil Slate Timber scattering Pine & Cedar —

North bet secs 21 & 22 Va. 16 E.

6.00 Leave brook Bottom & ascend —

13.30 Top of Low Bluff bears N. E. & S. W. F. Foster's House bears N. 68. 45. E. Pine & Barn bears N. 68. 15 E.

40.00 Set Trachyte 24 x 17 x 7 in 18 in. deep marked 1/4 on N. side raised mound stone for 1/4 sec. cor.

45.50 Trachyte ledge bears S & W.

Salt Lake Meridian

8 chains 80.00	Set Brown Acacia 20 x 12 x 10 ins. 15 ins. deep notched 3 on E & S. edges & raised mound of stone for cor. Secs. 15. 16. 21 & 22. Land mostly level Soil Sandy No Timber

---

East on random line
Pt. Secs. 15 22
Va. 16 ch.

40.00	Set temp. 1/4 sec. cor.
44.00	Edge of River Bluffs
50 00	Santa Clara River 50 lks. wide runs S. W.
57.00	Clear River Inlet at Stone Walls bears S 85 W.
78.00	Road to Simi Valley bears S 68 W.
19.98	Intersect S 85 line at

99

Subdivisions T. 39 S. R. 16 W.

Chains cor. to secs. 15. 16. 21 & 22
from which T. Trees
Spruce bears S. 45° E. 6 li. N. &
Barn S. 44° W. 15 li. N.
West on true line
bet secs. 15 & 22
39.99 Set Trachyte 14 x 8 x 7 in. 9 in
deep marked 1/4 on N.
side raised mound
of stone for 1/4 sec. cor.
19.98 The cor. to secs. 15. 16. 21 & 22
Sand mostly broken
Set 2 Pits in Timber

North bet secs. 15 & 16
Va. 16 E.
40.00 On N. slope of extinct
Volcano Set Trachyte
10 x 10 & 6 in 6 in. deep
marked 1/4 on N. side

62.
80.0

17.5
40.00
63.00
65.10

Salt Lake Meridian

Chain | Raised mound of stone for 1/4 sec. cor.

62.40 | Road bears S.E. & S. W.

80.00 | On S.E. slope of extinct Volcano Pet Granite 10x10x6 in 12 in. deep notched 3 on E & 4 on S. edges raised mound of stone for cor. Secs 9, 10, 15 & 16 Land mostly level Soil Sandy. No Timber

---

East on random line bet. secs. 10 & 15

Va. 16° E.

17.50 | Road bears S.E. & S. W.

40.00 | Pet temp. 1/4 sec. cor.

63.00 | Cane Spring Wash drains E.

65.10 | Wash drains S. W.

Subdivisions T. 39 S. R. 16 W.

Chains 80.20	Intersect S. line at cor. to secs 10 & 15 from which Brst on true line bet secs. 10 & 15	62.50
40.10	Set Granite 14 x 14 x 12 in qtr. deep marked 1/4 on S. side raised mound of stone for 1/4 sec cor.	65.00 80.00
80.20	The cor. to secs 9. 10. 15 & 16 — Land mostly level & rolling Timber a few Cedars —	
	North bet secs 9 & 10 Va 16 E.	19.50
35.00	Low Ridge between two extinct Volcanoes	40.00

Salt Lake Meridian

Chains	
40.00	Pet. Trachyte 18x10x6in 12in. deep marked 1/4 on N. side raised mound of stone for 1/4 sec. cor.
62.50	Road bears E & N.
65.70	" " S.E. & S. W.
80.00	Pet Trachyte 18x10x8in 12in. deep notched 3 on E & S on S. edges raised mound of stone for cor. to secs. 3. 4. 9 & 10 Sand rolling soil & fair timber scattering Cedar

---

East on random line
1/4 secs. 3 & 10

Va. 16. E.

19.50	Old California Road bears S.E. & S. W.
40.00	Pet Trach. 1/4 sec. cor.

Subdivisions T. 39 S. R. 16 W.

Chains	
48.50	Road to Minnitaun Meadows bears N & S.
5	5.00 Cane Spring Wash in mouth of Hollow direction S. Mountain meridian mapacre connyuce hen.
80.00	Intersect N & S. line at cor. to secs. 3 & 10 from which Post on true line bears secs. 3 & 10
40.00	Set Trachyte 12 x 12 x 12 in. 8 in. deep marked ¼ on N. side Mound of stone for ¼ sec. cor.
80.00	The cor. to secs. 3. 4. 9 & 10 Land rolling soil 1st rate. Timber Cedar.

North on true line
bet. secs. 3 & 4
Va. 16 ch.

Ca
Chain
40.00

Note

40.00

Note

Salt Lake Meridian

Chains
40.00 On S. slope of Ridge bears
E & W. Set Trachyte 16×10×6
in 11 in. deep marked 1/4 cor
N. side Raised mound
of stone for 1/4 sec. cor.

Note: I abandon line here
Land nearly level
Soil Fair. Timber Cedar

From the cor. to secs. 3. 4. 9
& 10
Meander true line
Nt. 80 E.
Sa. 16 E.

40.00 On S. slope of Hills set
Trachyte 10×10×6 in 6 in
deep marked 1/4 cor.
side Raised mound of
stone for 1/4 sec. cor.

Note: I abandon line here

Subdivisions T. 39. S. R. 16. W.

Chains Land level, soil & state
Timber & scattering Cedar
Apr 17th 1877 J. C. Bailey

Apr 17th 1877 by J. W. Burrill
From the established cor. to secs 32
& 33 on South boundary
North bet. secs. 32 & 33
To. 16. E.

		10.0
		2.5
20.50	Wash drains N.	3.00
24.30	Rail bears 68 W.	14.5
		20.0
31.75	Road bears N.E. & S.W.	40.0
40.00	Set Trachyte 5x4x8 in 10 in deep	80.18
	marked 1/4 on N. side & raised mound	
	of stone for 1/4 sec. cor.	
57.00	Santa Clara River 30 lks. wide	
	runs S.W. Enter fenced field	40.09
75.00	Ascend Trachyte Bench bears N.E. & S.W.	
	and leave field	
80.00	Marked Trachyte in place 7x5x2 feet	
	above ground 4 notches on E. & W. sides S.	80.16

BOOK-A-151

Salt Lake Meridian

chains	sides raised mound of stone
	for cor. to secs 28. 29. 32 & 33
	Land level, soil ~~Sandy~~
	~~Stoney~~ Timber
	East on random line
	bet. secs 28 & 33
	Va. 16° E.
10.00	N. point of hill.
12.50	Santa Clara River 30 lks wide, runs S. W.
13.10	Ditch runs S.
14.50	Road runs N. E & S. W. at foot of hill
20.00	J. Jeffers house bears S. 8 chs.
40.00	Set temp. ¼ sec. cor.
80.18	Intersect N. S. line at cor. to secs
	28 & 33 from which
	West on true line
	bet. secs. 28 & 33
40.09	set Trachyte 16 x 10 x 9 in. 11 in. deep
	marked ¼ cor. N. side of raised Mound
	of stone for ¼ sec. cor.
80.18	The cor. to secs. 28. 29. 32 & 33

Subdivisions T. 39. S. R. 16. W.

Chains		Chains
	Land broken Soil & Rate Timber a few cedar —	21.0
		40.
	North bet secs. 28 & 29 Va. 16° E.	68.0
4.00	Enter branch bears S.E. & S. W.	72.2
40.00	Set Trachyte 20×14×8 in. 15 in deep marked 1/4 on W. side & raised mound of stone for 1/4 sec cor.	74.0
		75.0
		76.5
47.00	Road bears S.E. & S. W.	76.9
65.00	Foot of Ridge bears S.E. & S. W. Ascend —	80.16
80.00	Set Trachyte 16×8×8 in. 11 in deep notched 4 on E & 2 on S. edges for cor. 2 secs. 20, 21, 28 & 29	40.08
	Land mostly level, Soil & Rate Timber scattering cedar —	
		80.16
	East on random line bet. secs 21 & 28	

BOOK-A-151

Salt Lake Meridian

Chains

Va. 16°E.

21.50 Road bears N.E. & S.W.

40.00 Set stone, 4 scs. cor. Thence along edge of River Bluff to

68.00 Descend to

72.25 Santa Clara River 40 lks wide runs S.

74.00 Road bears N & S.

75.08 North point of hill

76.50 Road bears N.W & S.E.

76.90 Santa Clara River 40 lks wide runs N.W.

80.16 Intersect N & S line 10 lks N. of cor. bet scs. 21 & 28 from which

N. 89° 56. W. on true line

Brt. scs. 21 & 28

40.08 Set Trachyte 16 x 10 x 5 ins. 11 ins. deep marked 1/4 on N. side & mixed mound of stone for 1/4 sec. cor.

80.16 The cor. to secs. 20. 21. 28 & 29

Land broken Arid & Fate

No Timber

Subdivisions T. 39 S. R. 16 W.

Chains North bet. secs. 20 & 21
Va. 16° E.

10.25 Pilot Rock on line – Monument of stones – descend –
15.00 Foot of descent, outer bnch –
40.00 Set Trachyte 16×12×8 in 11 in. deep marked 1/4 on N. side & raised mound of stone for 1/4 sec cor. from which
A Cedar 15 in dia. bears S. 60° W. 65 lks. dist. marked 1/4 S. B. T.
80.00 Set Trachyte 16×6×4 in. 11 in. deep notched 4 on E & S on S. edge & raised mound of stone for com. sec 16 & 17. 20 & 21
Land rolling – Soil & Rock timber & scattering Cedar

East on random line
bet. secs. 16 & 21
Va. 16° E.

Chains	
	21.00
	30.00
	40.00
	47.00
	50.20
	40.10
	50.20
	1.50
	15.00

Salt Lake Meridian

Chains	
21.00	Ascend
30.00	Ridge runs N.E. & S.W. descend
40.00	Set temp. 1/4 sec. cor.
47.00	Road at foot of slope runs N.E & S.W. & enter flat -
60.20	Intersect N.S. line at cor. to secs 16 & 21 from which Wt set on true line Wt secs. 16 & 21
60.10	Set Trachyte 10 x 10 x 3 in. 6 in deep marked 1/4 on N side & raised mound of stone for 1/4 sec. cor.
60.20	The cor. to secs. 16, 17, 20 & 21 Land rolling, Soil & Rate - Timber - a few cedars

---

North Wt secs. 16 & 17

Va. 16.6.

1.50	Descend
15.00	Enter flat hollow drains N.

Subdivisions T. 39 S. R. 16 W.

Chains		
20.00	Clear pass & ascend	
40.00	On W. slope Granite Bench	
	set Granite 18×12×6 in. 12 in. deep	
	marked 1/4 on W. side & raised mound	40.00
	of stone for 1/4 sec. cor.	
80.00	On W. slope set Granite 18×10×7	
	in 12 in. deep notched 4 on E & S.	
	edges & raised mound of stone	80.00
	for cor. to secs. 8, 9, 16 & 17.	
	Land broken Soil & Rate	
	Timber scattering, cedar	

East on random line
bet secs. 9 & 16
Va. 16° E.

9.20

5.00	Enter brush flat	40.00
40.00	set temp. 1/4 sec. cor.	
45.00	Ascend S. slope of extinct Volcano	
65.00	Descend	
80.00	Intersect A & S line at cor.	

Salt Lake Meridian

6 chains to secs. 9 & 16 from which
West on true line
bt secs. 9 & 16

40.00 Set Sandstone 15 x 8 x 5 in. 10 in. deep marked 1/4 on S. side raised mound of stone for 1/4 sec. cor.

80.00 The cor. to secs 8. 9. 16 & 17
Land mostly level
Soil 2nd rate Timber
scattering cedar

North bt secs. 8 & 9
Va. 16° E.

9.20 Old California Road bears N.E. & S.W.

40.00 Foot of Negatsie Mountains
bears N.E & S.W. set Sandstone
10 x 10 x 8 in 6 in deep marked 1/4 on
N side raised mound of stone
for 1/4 sec cor.

Subdivisions T. 39 S. R. 16 W.

Chains		Sa... Chains
	Note: I abandon line here Land broken Soil 2nd rate Timber scattering cedar	
		15.00
	From the cor. to secs. 8. 9. 16 & 17	25.00
	West on true line	
	Art. secs. 8 & 17	40.00
	Va. 16° E.	
9.00	Old California Road bears N.E. dist.	
40.00	At foot of broken point set	
	Sandstone 16 x 10 x 3 in 11 in.	80.00
	deep marked 1/4 on N. side raised	
	mound of stone for 1/4 sec. cor.	
	Note: I abandon line here	
	Land broken Soil 2nd rate	
	Timber = Pine & Cedar	
	Apr 17th 1877 J. W. Burrill	
	Apr 18th 1877 by T. C. Bailey	
	From the cor. to secs 31 & 32	

Salt Lake Meridian

Chains North Frt secs 31 T 32 S
Ra. 16 E.

Ascend

15.00 Top of high Trachyte bluff bears E & W.

23.00 Same " " " " N E 25 lks.

runs out a few chains N. E.

40.00 Set Trachyte 30 x 12 x 4 in
20 in deep marked 1/4 on N.
side raised mound of stone
for 1/4 sec cor.

80.00 Set Lava Rock 15 x 12 x 4
in. 10 in deep notched 5 on
E & W on S. edges raised
mound of stone for cor. to secs
29, 30, 31 T 32 S
Land rolling Soil Sage
Timber - Pine & Cedar -

East on random line
Frt secs. 29 T 32 S

Subdivisions T. 39 S. R. 16 W.

Chains		
	Va. 16° E.	
40.00	Set temp. 1/4 sec. cor.	
14.00	Edge of Bluffs - descend -	
80.00	Intersect S. line at cor.	
	to secs. 29 & 32 — from which	
	Inst on true line	39.35
	Ht secs. 29 & 32 —	
40.00	Set Trachyte 20 x 10 x 7 in. 15	
	in. deep marked 1/4 on E. side	
	raised mound of stone for	79.35
	1/4 sec. cor.	
80.00	The cor. to secs 29. 30. 31 & 32 —	
	Sandstone Pile 2 Brs.	
	to Timber —	
	Inst on random line	13.00
	Ht secs. 30 & 31	39.00
	Va. 16° E.	40.00
40.00	Set temp. 1/4 sec. cor.	
76.50	Edge of Rocky ledge bears N. E. & S. W.	

Salt Lake Meridian

Chains

79.35 Intersect west boundary of township at cor. to secs 30 & 31 from which East on true line bet secs. 30 & 31

39.35 Set Trachyte 18 x 12 x 7 in 12 in. deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.

79.35 The cor. to secs 29, 30, 31 & 32 Land undulating soil Dato rocky - Timber a few cedar -

---

North bet secs 29 & 30 Va. 16° E.

13.00 Road bears E & W.

39.00 Flowing drains S. W.

40.00 Set Trachyte 20 x 12 x 7 in 15 in. deep marked 1/4 on N. side & raised mound

Subdivisions T. 39 S. R. 16 W.

	Chains of stone for 1/4 sec. cor. from which a Red Butte bears S. E. 15.00 chs. another bears N. E. 18.00 chs -	Chains
80.00	Set Trachyte 20 x 12 x 12 in 15 in. deep notched 3 on E. & 2 on S. edges & raised mound of stone for cor. to secs 19, 20, 29 & 30	40.0
	Land broken, Soil & rate Timber - a few cedars -	80.0
	East on random line bet secs 20 & 29	15.0
	Va. 16 E.	40.0
30.00	Top of Ridge bears N. E. & S. W.	50.0
40.00	Set temp. 1/4 sec. cor.	
70.75	Intersect N. S. line at cor to secs 20 & 29 from which	52.0
	West on true line	79.2

BOOK-A-151

Salt Lake Meridian

Chains Ft Secs 20 T 29

40.38 Set Trachyte 16 x 10 x 8 in. 11 in. deep Marked ¼ on N. side Raised mound of stone for ¼ sec. cor.

80.75 The cor. Secs 19.20.29 & 30 Sand brown-rocky Soil 2nd rate - Timber Cedar

---

X Meridian random line N to secs. 19 & 30 Va. 16° E.

15.00 Bluff bears N.E & S.W. Descend -

40.00 Set temp. ¼ sec. cor.

50.00 Megatsia Brook 6 lks wide runs S.W.

52.00 Road bears N.E & S.W.

79.26 Intersect N. boundary of township 35 lks. S. of cor.

Subdivisions T. 39. S. R. 16. W.

Chains to secs 19 & 30 from which
S. 89° 45'. W. on true line
Pt sec. 19 & 30
39.26 Set Trachyte 16 x 10 x 4 in 11
in deep marked 1/4 on N.
side & raised mound of
stone for 1/4 sec cor.
79.26 The cor. to secs. 19. 20. 29 & 30
Land broken Soil & Rocks
Timber a few cedars

North Pt secs. 19 & 30
Va. 16 E.

Descend

10.00 Edge of Bluff bears N E & S. W.
40.00 Set Trachyte 18 x 9 x 9 in 12
in. deep marked 1/4 on N.
side & raised mound
stone for 1/4 sec cor.
80.00 100 lks. E. of Megatsin Creek

120

Salt Lake Meridian

6 chains runs S. W. Pet Trachyte 10 x 12 x 11 in. 12 in. deep notched S on E & W on S. edges & raised mound of stone for cor. B sec 17, 18, 1920

Land broken and Dale Timber - Cedar -

Easton Random line Bet secs. 17 & 20

Va. 16° E.

Ascend

40.00 Pet Stone 1/4 sec. cor.

61.00 Top R slope bears N. 6° E. S. W.

80.40 Intersect N & S. line at cor to secs 16, 17, 20 & 21 from which

West on true line Bet secs. 17 & 20

40.20 Pet Trachyte 20 x 10 x 6 in

Subdivisions T. 39 S. R. 16 W.

Chains S'ly on deck marked 1/4 on
N. side Traced mound &
stone for 1/4 sec. cor.
80.40 The cor. to secs. 17. 18. 19 & 20
Land broken Apl 2 Date
Timber scattering Cedar
Apr 18th 1871 T. C. Bailey
General Description
The surveyed portion of
this township embraces
the Santa Clara Bottoms
& adjacent branches —
So far only the bottoms
have been settled upon —
I return all as
agricultural —
T. C. Bailey
U. S. Dep. Surveyor —

BOOK-A-151

122

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, June 30th *187*7

The foregoing field notes of the survey of the W. Boundary & Sub lines of

Township No. 39 S. *Range No.* 16 W.

Executed by Bailey & Burrill

Under this ~~this~~ *contract of the* 4th

day of Sept. *187*6, *in the month of*

April *187*7, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Sautan Kimball

Surveyor General for Utah.

BOOK-A-151

Field Notes
Survey
126 (28)

Examined by C. H. Cramwell. C. C.

Field Notes
of
the Survey of the
Subdivision Lines
of
T. 9 S. R. 14 W.
of
the Salt Lake Meridian
Utah Territory.
By.
F. C. Bailey
Under Joint Contract of Bailey & Burrill
No. 73 dated Sept. 4th 1876.

Surveyed. April 19th 1877.

BOOK-A-151

Township 39 South **R.** 17 West



Subdivisions, T. 39. S. R. 17. W.

April 14th 1877,

By. F. C. Bailey

From the Cor. to Secs. 35 & 36,
on the S. boundary,
North between Secs, 35 & 36,
Var. 16° E,

6,50 Negatsie creek 10 lks,
wide, runs S. W, where
it joins Mordy's wash
heading N. W, Road ri
ked of creek,

10,00 Fence bears N. W. & S. E.
Entered

15,00 A Bigelows home on line,

32,00 Bench, bears N. W. & S. E,
& leurs fuel,

40,00 Sch Sand stone 18 x 12 x 6
12 in, dep, marked 1/4 on
W, side, & raised mound
of stones for 1/4 Sec, Cor,

68,00 Ranne drains S. W,

Salt Lake Meridian

25 00 Range drains S. on W.

80,00 Set Granite Boulder 18 x 14 x 10 in, 12 in, due notched 1 on E & 1 on Sedges & mound of stones for Cor. to Secs. 25, 26, 35 & 36, from which,

A Cedar 8 in dia, bears S. 20 E, 40 lks, dist, blazed & notched across the blaze. (Timber scribe d mk)

Land N, 1/2 broken

Soil 2nd rate,

S 1/2 fields. Soil 1st rate,

Timber, Cedar on N 1/2.

Each on random line

between Secs, 25 & 36,

Var. 16° E,

Subdivisions 2 T. 39 S. R. 17 W.

4.00	Ravine drains S.W.	
13.15	" " " " Ascend	
35.00	Ridge bears N. & S. 8.00 chs, descend,	40.00
4.00	Set temporary 1/4 Sec. Cor,	
56.12	Road bears N.E. & S.W.	
60.00	Negatsie Creek runs S.W. 10 lks wide,	80.00
70.00	Bluff bears N.E. & S.W.	
80.00	Intersect E. boundary of Sec. 2 T. 36, from which West on true line between Secs. 25 & 36,	
4.00	Set Trachyte 20 x 13 x 9 in. 15 in. deep, marked 1/4 on N. side, & raised mound of stones for 1/4 Sec. Cor,	
80.00	The Cor. to Secs. 25.26.35. & 36	
	Land broken,	23.00
	Soil 2nd rate,	40.00
	Timber a few cedar	

of the Salt Lake Meridian

chains North bet. Secs. 25 & 26
Var. 16° E.

40.00 Set Sandstone 16×10×8, 11 in
deep marked ¼ on N. side &
raised mound of stones for
¼ Sec cor.

8.00 Set Sandstone 18×10×4, 12 in
deep notched one on E & W on
S. edges, & raised mound
of stones for Cor. to Secs. 23.
24. 25 & 26.
Land broken -
Soil 2d rate.
Timber Scattering cedar.

East on random line
bet. Secs. 24 & 25
Var. 16° E.

23.00 Ravine drains S. W.
4.00 Set temp. ¼ Sec. cor.

Subdivisions T. 39 S. R. 17 W. of the

80.00 Intersect E. boundary of the township at cor. to secs. 24 & 25, from which
Wit. on true line bet. secs. 24 & 25. 45.0
80.0

40.00 Set Trachyte 16 x 9 x 9, 11 in. deep marked 1/4 on N. side and raised mound of stones for 1/4 sec. cor.

80.00 The cor. to secs. 23. 24. 25 & 26
Land broken —
Soil 2d rate.
Timber scattering cedar.

Note: The line further N. is impracticable

From the cor. to secs. 34 & 35 on the S. boundary
North bet. secs. 34 & 35 4 0
Var. 16° E. 4 5.0
8 0.0

40.00 Set Sandstone 18 x 11 x 11, 12

Salt Lake Meridian.

iv. deep, marked 1/4 on N. side
& raised mound of stones
for 1/4 Sec. cor.
45.00 Ravine drains S. E.
80.00 set Trachyte 18 x 10 x 6, 12 in.
deep, marked 2 notches
on E, & 1 on S. Edges, &
raised mound of stones
for cor. to Secs. 26, 27, 34 & 35.
Land broken.
Soil 2d rate.
Timber a few Cedar.

East on random line
bet. Secs. 26 & 35
Var. 16° E.
40.00 set temp. 1/4 Sec. cor.
45.00 Woodys Wash drains S. E.
80.00 Intersect N & S line at
the cor. to Secs. 25, 26, 35 & 36,

Subdivision lines T. 39 S. R. 17 W.

Chains		Chains
	from which	
	Mst on true line	
	bet. Secs. 26 & 35	
40,00	Set Boulder 16 x 10 x 10, 11 in.	
	deep, marked 1/4 on E. side	
	& raised mound of stones	
	for 1/4 Sec. cor.	
80,00	The cor. to Secs. 26, 25, 34 & 35.	
	Land broken.	
	Soil 2d rate.	
	Timber scattering Cedar.	19,00
		40,00
		80,00
	North bet. Secs. 26 & 25	
	Var. 16° E.	
40,00	Set Sandstone 13 x 12 x 4, 9	
	in. deep, marked 1/4 on E.	
	side & raised mound	
	of stones for 1/4 Sec. cor.	
80,00	Set Sandstone 18 x 15 x 9	40,00
	12 in. deep, notched 2 on E &	

Salt Lake Meridian

chains S. edges, Mgt. raised Mound of stones for Cor. to Secs. 22, 23, 26 & 27,
Land Worn.
Soil Good.
Timber cedar,

East on random line bet. Secs. 23 & 26
Var. 16° E.

19.00 Moody's wash draws S.E
40.00 set temp. 1/4 Sec. Cor,
50.00 Ridge runs N.W & S.E.
80.00 Intersect st. W.S. line 16 links South of Cor. to Secs. 23. 24 25. & 26, from which S. 89° 53' W. on true line bet. secs. 23 & 26
4.00 set Sandstone 18 x 9 x 9, 12 in deep, marked 1/4 on N. side

and raised mound of stones
for 1/4 Sec. cor.,
80.00 The cor. to Secs, 22.23.26 & 27
Land broken.
Soil, 2d rate.
Timber, scattering cedar.
Note: On account of the
mountains to the N. & W, I
abandon the survey here.
April 19th 1877
P. C. Bailey
U. S. Dep. Sur.

General Description.

The Surveyed portion of this Township Embraces the Settlement of A. Biglow and the bottoms along Negatsee Creek. The lands are agricultural. The Surveyed portion lies in the Mountains South West of Mountain Meadows.

S. C. Bailey
U. S. Dep. Surv.

"

A list of the names of the individuals T. C. Bailey *U. S. Deputy Surveyor employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of the* Survey of the 8th Standard Parallel S. in Rs. 11, 13, 14, 15 & 16 W, — the Guide Meridian in T. 39, 40, 41 & 42 S. Int. Rs. 15 & 16 W. — The Exterior and Subdivision lines of the following townships Viz: T. 41 S. Rs. 10, 11, 12, 13, 14, 15 & 16 W. — T. 42 S. Rs. 10, 11, 12 & 13 W. — T. 40 S. Rs. 13, 16 & 17 W. — T. 39 S. Rs. 15, 16 & 17 W. of the Salt Lake Meridian, Utah Territory, or so much thereof as is represented in the said field notes as having been surveyed by him & under his direction

showing the respective capacities in which they acted.

Isaac Barney	*Chainman.*
L. S. Pettit.	*Chainman.*
Adolph Jessen	*Flagman. and Axeman.*

cities in

inman.

inman.

gman.

ceman.

We hereby certify that we have assisted

Thomas C. Bailey

Deputy Surveyor in surveying all those parts or portions of the 8th Standard Parallel South lin Rs. 11, 13, 14, 15 & 16 W. — the Guide Meridian in T. 39, 40, 41 & 42 S, bet. Rs. 10 & 16 W. — the Exterior & Subdivision lines of the following townships viz: T. 41 S. Rs. 10, 11, 12, 13, 14, 15 & 16 W. — T. 42 S. Rs. 10, 11, 12, & 13 W. — T. 40 S. Rs. 13, 16, & 17 W. — T. 39 S. Rs. 15, 16 & 17 W. — of the Salt Lake Meridian Utah Territory, as are represented in the foregoing field notes as having been surveyed by him or under his direction —

and that said Lines & Townships have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Attest:
John A. Mitchell.

Hiram his x mark Barney — *Chainman.*
L. S. Pettit — *Chainman.*
Adolph Jessen — *Flagman.* / *Axeman.*

Subscribed and sworn to by the above named persons, before me, a U. S. Dep. Surveyor *, for the ~~County~~ Surveying Dist. , in the Territory of Utah, this* 24th *day of* April *1877*

F. C. Bailey
U. S. Dep. Surveyor.

BOOK-A-151

142

I, Thomas C. Bailey U.S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with Nathan Kimball Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 4th day of September 1876, and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions fnrnished by the said Surveyor General, I have faithfully surveyed ~~the~~ all those parts or portions of the 8th Standard Parallel South in Rs. 11, 13, 14, 15 & 16 W., — the Guide Meridian in T. 39, 40, 41 & 42 S. Nt. Rs. 15 & 16 W., — the Exterior & Subdivision lines of the following townships Viz: T. 41 S. Rs. 10, 11, 12, 13, 14, 15 & 16 W.

T. 42 S. Rs. 10, 11, 12 & 13 W.
T. 40 S. Rs. 13, 16 & 17 W.
T. 39 S. Rs. 15, 16, & 17 W. of the Salt Lake Meridian, as represented in the foregoing field Notes as having been surveyed by me & under my direction

in the Territory aforesaid, and do further solemnly swear that the foregoing are the true and original Field Notes of such survey.

Thomas C. Bailey
U. S. Deputy Surveyor.

Subscribed by the said Thomas C. Bailey Deputy Surveyor and sworn to before me, a Notary Public for the county of Salt Lake, in the Territory of Utah, this 4th day of June 1877

James M. Kimball
Notary Public

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of the Survey of the 8th Standard Parallel S. in Rs 11.13.14.15 & 16 W. The Guide Meridian in T. 39.40. 41 & 42 S. Rt Rs 15 & 16 W. - The exterior & subdivision lines of the following townships Viz: T. 41, S. Rs 10. 11. 12. 13. 14. 15 & 16 W. - T. 42. S. Rs 10. 11. 12 & 13 W. - T. 40. S. Rs 13. 16 & 17. W. T. 39. S. Rs 13. 16 & 17. W. of the Salt Lake Meridian, Utah Territory, or so much thereof as is represented in the said field notes as having been surveyed by him & under his direction -

J. G. Burrill U. S. Dep. Surveyor

showing the respective capacities in which they acted.

W. R. Heath *Chainman.*

J. H. Heath *Chainman.*

John A. Mitchell *Flagman.*

John A. Mitchell *Axeman.*

We hereby certify that we have assisted

John H. Burrill

Deputy Surveyor in surveying all those parts or portions of the 8th Standard Parallel South in Rs 11. 13. 14. 15 & 16 W. - The Guide Meridian in T. 39. 40, 41 & 42. S. Salt R's 13 & 16. W. - The Exterior & Subdivision lines of the following Townships Viz: T. 41, S. R's 10. 11. 12. 13. 14. 15 & 16. W. - T. 42. S. R's 10. 11. 12. & 13. W. T. 40. S. R's 13. 16 & 17. W. T. 39. S. R's 15. 16 & 17. W. of the Salt Lake Meridian Utah Territory, as are represented in the foregoing field notes as having been surveyed by him or under his direction.

and that said lines & Townships have been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

W. R. Heath Chainman.
W. R. Heath Chainman.
John A. Mitchell Flagman.
John A. Mitchell Axeman.

Subscribed and sworn to by the above named persons, before me, a U. S. Dep. Surveyor, for the ~~County~~ Surveying Dist., in the Territory of Utah, this 24th day of April 187[illegible].

T. C. Bailey
U. S. Dep. Surveyor

I, John G. Burrill U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with Nathan Kimball Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 4th day of September 1876 and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions furnished by the said Surveyor General, I have faithfully surveyed ~~the~~ all those parts or portions of the 8th Standard parallel South in R's 11. 13. 14. 15 & 16 W. The Guide Meridian in T. 39. 40. 41 & 42. S. of R's 15 & 16 W. The Exterior Subdivision lines of the following Townships Viz: T. 41. S. R's 10. 11. 12. 13. 14. 15 & 16. W.

149

T. 42. S. R's 10. 11. 12. & 13. W.
T. 40. S. R's 13. 16 & 17 W.
T. 37. S. R's 15. 16 & 17 W of
the Salt Lake Meridian
as are represented in the fore-
going field notes as having been
surveyed by me or under my
direction
in the Territory aforesaid, and do fur-
ther solemnly swear that the foregoing
are the true and original Field Notes of
such survey.

John W. Burrill
U. S. Deputy Surveyor.

Subscribed by the said John
W. Burrill Deputy Surveyor
and sworn to before me, a Notary
Public for the
county of Salt Lake, in the Terri-
tory of Utah, this 4th day of June
1879.

James A. Lindsay
Notary Public

150

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, June 30th 187[illegible]

The foregoing field notes of the survey of

Subdivision lines

Township No. 39 S. *Range No.* 14 W.

Executed by Bailey & Burrill

Under their Joint contract of the 4th

day of Sept 187[illegible], *in the month of*

April 187[illegible], *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

2nd BOOK-A-151

Descriptive List made

Examined by C. H. Cramwell. C. C.

Field Notes
of the
Survey of the
8th Standard Parallel
South in
Ranges 4½, 5, 6 & 7 West
of
Salt Lake Meridian
Utah Territory
by
Bailey & Burnell
U. S. Dep. Surveyors
under their joint Contract
No. 41.
Dated Sept. 4th 1876.

Survey commenced Dec. 4th 1876
" completed " 6th 1876.

153

Range 5 West, Salt Lake Me

December 4th 1896.

By J. G. Burn

the Standard C

Ft. 40 S, Rs. 506 l

leaned pine post,

, 12 in, deep, mar

oldes on E. N. & W.

pits & mound of

in,

st along South B

Sec. 31.

Var. 16° E,

leaned cedar sta

3 x 3 in, 12 in, deep,

N. side raised

Earth from 4 pits

12 x 12 in, for 1/4 Sec.

of red ridge bear

S.E. in divide betwe

Bear Lake Creek

R. 7 W. R. 6 W. R. 5 W.

31	32	33	34	35	36	31	32	33	34	35	36	31	32	33	34	35	36
6	5	4	3	2	1	6	5	4	3	2	1	6	5	4	3	2	1

S. Th. Standard Parallel North

R. 4 1/2 W.

31	32	33	34	35	36
6	5	4	3	2	1

BOOK-A-151

S. 1/4 Standard Parallel South 64
Range 5 West, Salt Lake Meridian.

December 4th 1896.

By, J. G. Burrill

From the Standard Corner
to Sec. 40 S. Rs. 5 & 6 W, Viz;
"A charred pine post, 48 x 4 x
4 in, 12 in, deep, marked
4 notches on E, N, & W, edges,
with pits & mound of earth"
I run,

East along South side
Sec. 31,

Var, 16° E,

4,00 Set Charred Cedar stake
4 x 3 x 3 in, 12 in, deep, marked
1/4 on N, side & raised mound
of Earth from 4 pits each
24 x 12 x 12 in, for 1/4 Sec. Cor,

64,00 Top of red ridge bears N.W.
& S.E, on divide between Kanab
& Kaiparowits, Creeks,

BOOK-A-151

Township 40 South **R.** 5 West



6th Standard Parallel South.

Std. Standard Parallel South.

Chains		
80,00	Deposited a small piece of Gypsum marked with a cross (X) in mound of earth from 3 pits each 24 x 12 x 12 in, N. E. & W. of Cor, and drive a stake 24 x 2 x 2 in, 12 in, duk, in East pit, for Standard Cor.: to Sec, 31 & 32 on top of low ridge bears N. W. & S. E. from which Cor, Cedar 10 in, dia, bears N. 45 W. 8 lks, dist, marked S. 31, T. 40 S, R. 5 W. B.T.	5,00
		30,00
		4,00
		45,00
		60,00
	Land rolling, Soil 1st & 2d rate,	80,00
	Timber, cedar & pine of Commercial value, in Sec. 6,	

East along S. side Sec. 32,
Var. 16° E.

5,00 Enter hollow drains N.

30,00 Leave " " "

40,00 Marked a quartz boulder in place 14 x 14 x 8 in. above Ground, 1/4 on N side ▽ Raised a mound of stones for 1/4 Sec. Cor. on top of low Juniper ridge, Extends 10 chs. N. E.

45,00 Head of small hollow drains N.

60,00 Foot of Gypsum hill, enter flat, bears N. W. & S. E.

80,00 West foot of ridge bears N. & S. Set a piece of Gypsum 14 x 12 x 3 in. 12 in. deep, marked 4 notches on E. 6 on N. ▽ 2 on W. edges, & raised mound

S. "Standard Parallel South, in,

Ch

of Gypsum, for Standard
Corner to Secs, 32 & 33,
from which,
Aspen 18 in. dia, bears N.
80 E, 12 lks. dist, marked
S. 33. T. 40 S. R. 5 W. B. T.
Aspen 12 in. dia, bears S.
10 E, 27 lks. dist, marked
S. 5, T. 41 S. R. 5 W. B. T.
Land rolling & broken,
Soil 2nd rate,
Timber Cedar & Spruce of
Commercial Value on Sec. Chs.

Chains
15,50
25,50
32,00
40,00
60,00
80,00

Easton S. pole Sec. 33,
Var. 16° E.

3,50 Pos of small Gypsum hill
bears N. 0 S. 5 chs,

4,50 Foot of same,

BOOK-A-151

Range 5 W. Salt Lake Meridian.

Chains.	
15,50	Wash drains S.W.
25,50	Rains " S.W.
32,00	Ridge bears N. & S.
44,00	Set Sandstone 14 x 5 x 5 in, 12 in. deep, marked 1/4 on N. side mound of stones for 1/4 Sec. Cor.
60,00	Flat hollow, drains N.E. Ascend gently,
80,00	Set Chained cedar post, 48 x 4 x 4 in, 12 in. deep, marked 3 notches on E. & on N. & 3 on W. edges, in mound of earth from 3 pits, each, 24 x 12 x 12 in, E. N. & W. of Cor. for Standard Cor. to Secs. 33 & 34 from which, A cedar 16 in. dia. bears N. 10 W. 115 lks. dist. marked S. 33. T. 40 S. R. 5 W. B. T. Land rolling,

8th Standard Parallel South, in

Chains		Ra Chains
	Soil 2nd rate,	
	Timber, spruce & cedar of	
	Commercial Value on 8th Chs,	
	East on S. side Sec. 34,	
	Descend, Var. 16° E,	
22,25	Road to Johnsons bears N.W.	
	& S.E. Enter flat,	
40,00	Set trachyte rock 14x8x5	
	ins, 9ins. deep, marked 1/4 on	
	N. side, & raised mound	
	of stones, for 1/4 Sec. Cor,	40,00
50,00	Enter Jan a bench bears	
	N.W. & S.E,	
80,00	Set trachyte stone 15x8x6ins,	
	10ins. deep, marked 2 notches	50,0
	on E, 1 on N, & 1/4 on W. edges,	
	& raised mound of stones	
	for Standard Cor, to Secs, 34,	80,0

Range 5 W. Sacramento Meridian

Chains, 35, from which
Cedar 11 in dia, bears N, 60 W,
5 lks, dist, marked S. 34 T,
40, S, R, 5 W, B.T,
Land undulating
Soil 2nd rate,
Timber, Pine & cedar of
Commercial Value, on 80, chs,

East along S. side Sec, 35,
Var, 16° E,

40,00 Set trachyte stone 13x8x4 in,
Pin, deep, marked 1/4 on N,
side raised mound of
stones for 1/4 Sec. Cor,

50,00 South side of trachyte pile
on which is a live cedar
in line, leave timber,

80,00 Set trachyte 18x12x8 in, 12 in,

Set Standard Parallel Smith in

Chains, deep, marked 1 notch on E, 5 on N, & 6 on N, edges, & mound of stones for Standard Cor, to Secs, 35 & 36, 250 lks, South of large pile of Trachyte rock, Land nearly level, rocky, Soil 2d Rate, Timber, Cedar & pine of Commercial Value on N, rocks,

---

East on S, side Sec: 36, Var, 16° E,

Descend to

4,00 Foot of trachyte bench bears N. & S.

10,60 Road to Johnsons bears N. & S. gentle Ascend,

4,00 Set Charred stake 4 8 x 3 x 3 in,

Range 5 W. Salt Lake Meridian

Chains	12 in deep, marked 1/4 on N, side in mound of earth from 4 pits each 24 x 12 x 12 in, for 1/4 Sec. Cor,
52,50	Ridge bears N. & S. descend,
80,00	Set charred cedar post 4 ft x 4 x 4 in 12 in, deep, marked 6 notches on E. N. & W. edges in mound of earth from 3 pits each 24 x 12 x 12 in, N. E. & W. of Cor. for Standard Cor, to Township 4 & S, Rs, 4 1/2 & 5 W,
	Land mostly level, Soil 2nd rate, No timber,
	Note; See explanation of Range 4 1/2 W, at end of the Notes of Sec, 32, T, 35 S, R, 4 W, of 4th Standard South,
	Dec. 4th 1876 J. G. Bonnie

8th Standard Parallel South in Range

Chains		Chains
	East on S. side Sec, 31, T, 40 S. R, 4½ E. Var, 16° E,	
38,00	Enter hollow, drains N,	
40,00	Set a piece of Gypsum 14 x 11 x 4 in, 9 in, deep, marked ¼ on N, side & raised mound of Gypsum for ¼ Sec, Cor,	2,00
		6,00
44,50	Foot of hill bears N.E. 4 chs,	
46,00	Do. of same,	40,00
54,00	Foot of same bears N.W. & S.E.	
60,60	Enter flat Road bears N.W. & S.E,	
68,50	Foot of bench bears N. & S.	
80,00	Set Sandstone 14 x 10 x 6 ins 9 in, deep, marked 5 notches on E, 1 on W, 6 on N, edges & raised mound of stones for Standard Cor, to Secs, 31 & 32,	52,00

BOOK-A-151

Township 40 South **R.** 14 1/2 West



8th Standard Parallel South.

BOOK-A-151

Range 4 1/2 W. Salt Lake Meridian

Chains	Land undulating,
	Soil 1st rate,
	No timber,

	East on S. side Sec. 32,
	Var. 16° E.
2,00	Indian Cache 5 lks. N.
6,00	Skunk bush brook runs S.
	15 W. in hollow,
40,00	Set trachyte stone 13x8x5 in.,
	9 in. deep marked 1/4 on N.
	side & raised mound of
	earth from 4 pits each
	24 x 12 x 12 in., for 1/4 Sec. Cor.
	from which,
	Cedar 10 in. dia. bears
	S. 60 E. 110 lks. dist. marked
	1/4 S. B. T.
52,00	Road N.E. & S.W.

8th Standard Parallel South in 16° 52'

Chains	
8,00	Set a piece of Gypsum 2d×12×6 in, 15 in, deep, marked 4 Notches on E, 2 on W, & 6 on N, edges, & raised a mound of earth from 2 pits each 2d×12×12 in, N.E. & W of Cor, for Standard Cor. to Secs, 32, & 33, Land W. 1/2 rolling E 1/2 level, Soil 1st rate, No timber,
	East along S. side Sec, 33, Var, 16° E,
24,50	Enter Gypsum, timbered hills bear N. & S,
40,00	Set limestone 14×10×6 in,

Chains	
40,30	
8,00	

Range 4 1/2 W. Salt Lake Meridian

Chains 9 in. deep, marked 1/4 on N. side of raised mound of stones for 1/4 Sec. Cor. from which A pine 14 in. dia. bears S. 40 W. 45 lks. dist. marked 1/4 S. B. T.

40.30 Ranie bears S.W.

80.00 Set piece of Gypsum, 14 x 12 x 4 in., 9 in. deep marked C Notches on N. & S. on E. & W. edges, and raised mound of earth from 3 pits, each 24 x 12 x 12 in., for Standard Cor. to Secs. 33 & 34, from which, A pine 6 in. dia bears S. 5 E. 6 lks. dist.,

A pine 6 in. dia. bears N. 70 W. 45 lks. dist. Both trees blazed & marked with a notch (the timber being

S^th^ Standard Parallel South on 16 / 14

Chains, West)

Chains

Land broken,
Soil 2nd rate,
Timber, thick Cedar & Spine of Commercial Value
on E. 53,50 Chs, 40,00
Note; The Country East being very hilly & broken, 80,00
I abandon the line here,
Dec. 4th 1876. J. C. Bailey

Dec. 5th 1876 by J. C. Bailey —
S^th^ Standard Parallel S, in R, 6 W, Salt Lake Meridian,
I now return to the Standard Cor, To T. 40 S, Rs. 5 & 6. W, & run,
West on S, side Sec, 36,
Var. 16° E,
6,00 Leave hills & Timber,

BOOK-A-151

Township 14 South **R.** 6 West



8th Standard Parallel South.

BOOK-A-151

Range 6 W. Salt Lake Meridian,

Chains	
	bears N.W. & S.E. and enter gentle undulating plain,
40,00	Set a piece of Gypsum, 11 x 10 x 5 in, 4 in. deep, marked 1/4 on N. side & raised a mound of Gypsum for 1/4 Sec. Cor,
80,00	Set Gypsum 16 x 11 x 3 in 11 in. deep, marked 1 notch on E. & on N. & 5 on W. edges, & raised mound of Gypsum for Standard Cor. to Secs, 35, & 36,
	Land Undulating,
	Soil 2nd rate,
	Timber, Cedar & pine of Commercial Value on E. & Cls,

8 Standard Parallel South in 169 16

Chains,	
	Vert on S. side Sec. 35
	Var. 16° E.
7,50	Road from Skum Iah, to Long
	Valley, bears N.W. & S.E.
40,00	Set Charred post 4 8x3x3
	in. 12 in. deep, marked 1/4 on
	N. side in mound of earth
	raised from 4 pits, each
	24x12x12 in. for 1/4 Sec. Cor.
50,00	Enter Timber.
57,00	Foot of descent, enter Kanab
	bottom bears N.E. & S.W.
68,60	Kanab Creek 10 chs wide
	runs S.W.
80,00	Set Sandstone 16x12x6 in.
	11 in. deep, marked 2 notches
	on E. 4 on W. & 6 on N. edges,
	& raised mound of stones
	for Standard Cor. to Secs.
	34 & 35,

Chains	
	8,00
	40,00
	41,00

BOOK-A-151

Range 6 W, Salt Lake Meridian

Chains,	Land undulating Soil 1st rate, Timber, pine & cedar of Commercial Value, on W, 30 chs,
	Vert on S, side Sec, 34, Var, 16° E,
8,00	Top of bluff bears N.E. & S.W, and leave bottom,
40,00	Set brachyte stone 20x14x6 in, 15 in, deep, marked 1/4 on N, side, & raised mound of stones for 1/4 Sec, Cor, on N, side of hollow, bears S. W,
41,00	Bluff bears N.E, & S.W, As the Subdivisions in Tp, 41 S, R, 6 W, cannot be run out but two lines, therefore at

8th " Standard Parallel South in 18 71

Chains, 68,60	Set Sandstone 18 x 9 x 8 in, 12 in, deep, marked 3 notches on E, & N, & 6 on S, edges, & raised mound of stones for closing Cor, to Secs, 3 & 4, T, 41 S, R, 6 W,	
80,00	Set Sandstone 18 x 15 x 6 in, 12 in, deep, marked 6 notches on N, & 3 on E, & W, edges, & raised mound ~~around~~ of earth from 2 pits each 24 x 12 x 12 in, for Standard Cor, to Secs, 33 & 34 from which, Cedar 8 in, dia, bears S, 6° W, 72 lks, dist, marked S, 4, T, 41 S, R, 6 W, B, T,	35,00 49,00 46,00 47,50 50,00
	Cedar 5 in, dia, bears N, 55 E, 50 lks, dist, marked S, 34, T, 41, S, R, 6 W, B, T,	52,00 60,00
	Land rising,	68,60

BOOK-A-151

in Range 6 W. Salt Lake Meridian

Soil 2nd rate,
Timber, Cedar of Commercial
Value,

West on S. side Sec, 33,
Var 16° E,

33,00 Edge of Canon, descend N.W. slope,
40,00 Set Sandstone 20 x 14 x 13, 15 in.
deep, marked 1/4 on N. side
raised mound of stones for
1/4 Sec. Cor. from which,
Aspen 2e in. dia, bears N.
28 lks. dist, marked 1/4 S. B.T.
46,00 Wash drain S.W.
47,50 Road in bottom of Canon S.W.
50,00 South point between Canons
52,00 Canon drains S. Junction
2 chs, South, Ascend,
60,00 Top of W. side of Canon N. & S.
68,60 Set Sandstone 18 x 6 x 4 in, 12 in.

8th Standard Parallel, South in

deep, marked 4 notches, on
E, 6 on S, & 2 on W, edges,
& raised mound of stones
for closing Cor, to Secs, 4 & 5,
T, 41 S, R, 6 W, from which,
A double pine 14 in, dia, bears
N, 5° E, 3 lks, dist, marked 110,00
S, 33, T, 41 S, R, 6 W, B. T,
A pine 4 in, dia, bears S, 2 E,
90 lks, dist, marked S, 4 T,
41 S, R, 6 W, B. T, 68,60
80,00 Leave timber, Set Sandstone,
20 x 14 x 5 in, 15 in, deep, marked
4 notches on E, 6 on S, & 2 on
W, edges, & raised mound
of earth from 3 pits, each 24 x
12 x 12 in, N. E. & W, of Cor, for 79,60
Standard Cor, to Secs, 32, & 33,
Land broken,
Soil 2nd rate, 80,00

	Timber Pine & cedar, of Commercial Value, on 80 chs,
	West along S. side Sec, 32, Var, 16° E,
40,00	Deposited small stone marked with a Cross (+) in mound of earth from 4 pits each 24 x 12 x 12 ins, for 1/4 Sec, Cor,
68,60	Marked Oak bush, 3 ins. dia, 3 notches on E, 6 on S, & 1 on W, edges, & raised mound of earth from 3 pits, each 24 x 12 x 12 ins, S, E, & W, for closing Cor, to Secs, 5 & 6, T, 41 S, R, 6 W.
79,60	Trail bears S.W. & N.E, in slight hollow, drains S,
80,00	Set Limestone 15 x 8 x 5 ins, 10 ins deep, marked 3 notches on E,

S. L. Standard Parallel South 175 2nd

Chains

66,56

Ch. ins, 1 on N, & 6 on W, edges, D
Cairn mound of earth
from 3 pits, each 24 x 12 x 12 ins,
N. E & W of Stone for Standard
Cor, to Secs, 31 & 32,
Land Undulating,
Soil 1st rate,
No Timber,

X

Start on S. side Sec, 31,
Var, 16° E,

25,00 Enter timber bears N. S, 80,00
44,00 Deposited small piece of
Charred wood in mound
of earth from 4 pits each 24 x
12 x 12 ins, for 1/4 Sec, Cor,
from which,
Cedar 12 ins, dia, bears
N. 80 E, 180 lks, dist, marked

Range 6 W, Salt Lake Meridian.

Chains	
	1/4 S, B, T,
66,56	Set Charred stake & post 48 x 4 x 4 in, 12 in, deep, marked 6 notches on E. W, & S, edges, in mound of earth from 3 pits, each 24 x 12 x 12 in, E. N & S, of post, for Closing Cor, to Township 41 S, Ranges 6 & 7 W, from which, Cedar 5 in, dia, bears S, 40 W, 108 lks, dist, marked B, I T, 41 S, R, 7 W, B, T,
80,00	Set Sandstone 16 x 10 x 8 in, 11 in, deep, marked 6 notches on E & N, & W, edges, & raised mound of earth from 3 pits, each 24 x 12 x 12 in, E, N, & W, of stone, for Standard Cor, to T, 40 S, Rs, 6 & 7, W, from which, Cedar 9 in, dia, bears S,

8th Standard Parallel South in

Chains, 54 N, 160 lks, dish, marked
S, 1, T, 41, S, R, 4, W, B, T,
Cedar 9in, dia, bears N, 26,
W, 132 lks, dish, marked
S, 36, T, 40 S, R, 4 W, B, T,
Land rolling,
Soil 1st rate,
Timber, Cedar & Pine of
Commercial Value on N, 55 chs,
Dec 5th 1876.

Dec 6th 1876

In, Range 4 West,
West on S, side Sec, 36,
Var, 16° E.

40,00 Deposited small pieces
of Charred wood in mound
of earth raised from 4 pits
each 24 x 12 x 12 in, for 1/4 Sec,
Cor, from which,
Cedar 9in, dia, bears N,

BOOK-A-151

Township [illegible] **R.** [illegible]



8th Standard Parallel South.

Range 1 W, Sacramento Meridian

Chains	15 Pt, 130 lks, dist, marked 1/4 S. B. T.
66,56,	Set Sandstone 12 x 8 x 4 ab, 8 in, deep, marked 1 notch on E, 3 on W, & 6 on S, edges, & buried mound of stones for closing Cor, to Secs, 102, T, 4 S, R, 4 W,
80,00	Set Sandstone 13 x 12 x 2 in, 9 in, deep, marked 1 notch on E, 3 on W, & 6 on N, edges, & buried mound of earth from 2 pits each 24 x 12 x 12 in, E. N. & W. N. of stone, for Standard Cor, to Secs, 35 & 36, from which,
	A pine 10 in, dia, bears S, 88½ W, 750 lks, dist, Land rolling, Soil 1st rate,

8th Standard Parallel South in Chains, Timber Pine & cedar of Commercial Value,

West along S. side, Sec, 35; Var, 16° E,

8,50 Bottom of rocky ravine near head drains N. W,

110,00 Set limestone 16×11×2 in, 11 in, deep, marked 1/4 on N. side, & mound of earth from 4 pits, each 24×12×12 in, for 1/4 Sec, Cor, from which, Cedar 8 in, dia, bears S. 70 W, 110 lks, dist, 18,00

Pine 12 in, dia, bears N. 70 W, 160 lks. dist, Both marked 1/4 S. B. T. 39,00

52,50, E, side rocky Canon, drains N. W. 40,00

62,00 N. point between two Canons

70,00 Canon drains N. W,

80,00 Set limestone 18×14×3 in, 12 in, deep.

Ra... Chains,

Range 7 W, Salt Lake Meridian

Chains, marked 2 notches on E, 6 on N, 024 on W, edges, raised mound of stones for Standard Cor, to Secs, 34 & 35, from which, Aspen 36 in, dia, bears S, 20 E, 20 lks, dist, marked B, 3, T, 41 S, R, 7, W, B.T, Aspen 32 in, dia, bears N, 46, W, 65 lks, dist, marked B, 34, T, 41 S, R, 7, W, B.T, Land broken, Soil 2nd rate, Timber, Spruce & Cedar of Commercial Value,

---

West on B, side Sec, 34
Var, 16° E,

18,00 Edge of bluff bears N.E. & S.W. on W, side of Long Valley, descend,

39,00 Foot of same, Brush drains N.W.

40,00 On small ridge bears N.W. & S.E. Set Limestone 16 x 9 x 4 in, 11 in, deep, marked 1/4 on N, side & raised mound of Stones for 1/4 Sec, Cor, Enter Long Valley

8th Standard Parallel South in

Chains.	
42,50	Wash, drains N. W.
60,80	County Road bears S. W. & N. E., leave timber, & enter field, no fence,
65,00	Rio Virgen 20 lks. wide 18in deep, runs S. W.
73,50	Foot of Steep rocky bluffs on W. side of field & Valley,
80,00	Point for Standard Cor, falling on bluffs is not established therefore at 73,50 chs. Set a sandstone 18×14×6in 12in. deep, marked 6 notches on N. 3 on E. W. edges, W. 6, & raised a mound of stones for Witness Standard Cor, to Secs. 33 & 34,
	Land E ½ Mountains, Soil 2d rate,
	Bal, bottom, Soil 1st rate,
	Timber, pine & cedar of Com'l Value on E. 60.

West on S. side Sec. 33,
Var. 16° E.

Chains,
80,00

BOOK-A-151

Range 7 W. Salt Lake Meridian.

Chains, The line being impracticable in place from the Witness Cor, 650 chs, E, of true Standard Cor, Joint I offset South 20,00 chs, thence W, on Offset line 33,06 Chs, thence N, 10,00 chs, Thence W, 20,00 Chs, to Joint 33,44, chs, E, & 10,00 chs, S. of

80,00 The true Cor, Joint falling on Mountain is not established, therefore at the point reached, I set Sandstone 22x14x3" M, marked 1/4 S. 6 Notches on E, 2 on W, 6 on S, edges, W, S, & raised mound of stones for Witness closing Cor, to Secs. 4 & 5, 10, chs S, 0,20 chs. E, of true closing Cor, Joint to said Secs 4 & 5 on 8th Standard South, 13,44 chs, E, of Standard Cor, Joint to Secs, 32, & 33, T, 4 S, R, 7 W,

Note, The 1/4 Sec, Cor, falling in the rocky bluffs is not established,

Land on true line broken & rocky

Sixth Standard

S^th Standard Parallel South in Range 183 E

Chains		Chains,
	Timber, Spruce & cedar of Commercial Value,	5,00
		20,50
		40,00
	West on S. side Sec 32, Var. 16° E.	
	The line being impracticable in place	43,20
	from the Witness Cor. last set, between	47,00
	lots 3 & 4 in Sec. 4. I offset South	52,70
	30,00 chs. Thence W. on offset line	54,00
	113,44 chs. Thence N. 40,00 chs. to	58,20
80,00	On true line, Set Sandstone 15x10x5,	
	10 in. deep, marked 5 notches on E,	64,20
	1 on W. & 6 on N. edges, & raised mound	70,70
	of stones for Standard Cor. to Secs. 31 & 32.	72,70
	Land broken & rocky, Soil 2^d rate,	80,00
	Timber Spruce & Cedar of Comm^l Value,	
	West along S. side Sec. 31, Var. 16° E.	
40,00	Dry Creek bed drains S.	

Range 4 W. Salt Lake Meridian.

Chains,	
5,00	Road bears N. & S. Ascend,
20,50	Ridge bears N. & S.
40,00	Set Sandstone 18×12×8 in, 12 in. deep, marked 1/4 on N. side for 1/4 Sec. Cor.
43,20	Coal indications on line on W. slope.
47,00	Ravine drains S. W.
52,70	Ridge bears N. & S.
54,00	Road in ravine S. W. Ascend.
58,20	Coal croppings on line, top of bluff on W. side of ravine,
64,20	Ravine drains S.
70,70	" " "
72,70	" " S. E.
80,00	Set Sandstone 18×15×4, 12 in. deep, marked 6 notches on E. N. & W. edges, & raised mound of stones for Standard Cor. to T. 40 S. Rs. 7 & 8 W. from which, A pine 11 in. dia. bears N. 53 W.

S.t. S. 1885 E.t

S.t Standard Parallel South ies.

25 lks. dist, marked S. 36, T. 4
S, R. 8 W,
Pine 8 in, dia, bears, S. 20 W, 4
lks. dist, marked S, 1 T, 41 S,
R, 8 W, B.T,
Cedar 8 in, dia, bears N, 50 E,
90 lks, dist, marked S. 31, R
7. W. B.T,
Land broken, Soil 2d Rate,
Timber, Pine & cedar of
Commercial Value,
Note, Abandon the line her
Dec, 6th 1876. J.C. Bailey,

For General Discription see
end of Sub, divisions Notes of
the Tps, in the Ranges through
which this line passes,

BOO

U. S. SU

Salt La

The for

8th Stand

~~Township~~

Executed

Under

day of

Decem

examine

planatio

surveys

186

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 3rd *187*7

The foregoing field notes of the survey of the 8th Standard Parallel South

~~*Township No*~~ ~~_____~~ *Range No.* 1/2, 5, 6, + 7 West,

Executed by Bailey & Burrill

Under their last *contract of the* 4th

day of September *1876, in the month of*

November *1876, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

BOOK-A-151

Dept Lib 190

Examined by C. H. Crandell. C. C.

Field Notes
of the
Survey of the
Subdivision lines of
Townships 40 South
Range 4 1/2 West
Salt Lake Meridian
Utah Territory
by
J. C. Bailey
under Joint Contract No 71
of Bailey & Burrill
Dated Sept. 4th 1876

Surveyed Dec. 12th 1876.

191

Township 40 S. R. 4 1/2 West



BOOK-A-151

Subdivision lines of T. 40 S. R 4½ W.
Salt Lake Meridian. 193

Dec: 12th 1876 by T. C. Bailey —

Note: As it is impossible on account of the mountains to survey the whole of this township I commence at the Standard cor. to secs 33 & 34 & run

North betw: secs 33 & 34
Var. 16° E.

Chains	
10.00	Ravine drains W.
40.00	Set Gypsum 18 x 12 x 3 in 12 in. deep marked ¼ on W. side & raised a mound of stones for ¼ sec. cor.
60.00	Open hollow drains S.W.
80.00	Set Gypsum 18 x 10 x 3 in. 12 in deep notched 3 on E & 1 on S. edges & raised mound of stones for cor to secs

Subdivision lines of S. 40 S.

Chains	27, 28, 33 & 34	
	Land broken	
	Soil 2nd rate	
	Timber Cedar & pine	80.00
	Note: I abandon the line here	

From the standard cor. to secs 32 & 33, I run

North between secs 32 & 33
Var. 16° E.

9.50	Road bears N. E & S. W.
	enter Gypsum hills bear E & W.
40.00	Set Gypsum 20 x 15 x 12 in. 15 in. deep marked 1/4 on W. side & raised mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.

BOOK-A-151

R 4½ W. — Salt Lake Meridian 191

Chains

from which

A cedar 7 in. dia bears N. 3° E. 12 lks. dist. marked ¼ S. B. T.

80.00 Set limestone 12 × 8 × 6 in. 8 in deep marked 4 notches on E & W on S. edges & mound of earth from 4 pits each 24 × 12 × 12 in. for cor. to secs. 28, 29, 32 & 33 from which

A pine 12 in. dia bears S. 3° W. 60 lks dist. marked T. 40 S. R 4½ W. S. 32 B. T.

A cedar 6 in. dia. bears S. 60° E 55 lks dist marked S. 33 B. T. —

Land broken

Soil 2nd rate

Timber Pine & cedar

Subdivision lines of T. 40 S. R. 4

Chains

East on random line
between secs 28 & 33
Var. 16° E.

40.00 Set temp. 1/4 sec. cor.

80.00 Intersect N. & S. line at
cor. to secs 27, 28, 33 & 34
from which
West on true line
between secs 28 & 33.

40.00 Set Gypsum 16 x 12 x 3 in
10 in deep marked 1/4 on N.
side & mixed mound of
stone for 1/4 sec. cor.

80.00 The cor. to secs ~~27~~, 28, 29
32 & 33.

Land broken.
Soil 2nd rate
Timber Cedar & pine

Chains

40.00

40.00

BOOK-A-151

R. 4½ W. Salt Lake Meridian

Chains	
	North between secs 28 & 29
	Var. 16° E.
40.00	Set sandstone 15 × 10 × 5 in. 10 in. deep marked 1/4 on W. side & raised mound of stone for 1/4 secs cor.
	Now: On account of the mountains I abandon the line here
	Land broken —
	Soil 2nd rate
	Timber cedar & pine

	From the standard cor to secs 31 & 32 I run
	North between secs 31 & 32
	Var. 16° E.
40.00	Set sandstone 17 × 6 × 8 in.

Subdivision lines of T. 40 S. R. 4

	Chains 10 in. deep marked ¼ on W. side & mixed a mound of earth from 4 pits each 24 x 12 x 12 in for ¼ sec cor.	Chains 35.00 40.00 43.00
62.50	Enter broad hollow heads W. of N.	
80.00	Set sandstone 16 x 10 x 7 in. 10 in. deep notched 5 on E & 1 on S. edges & raised mound of stone for cor to secs 29, 30, 31 & 32 Land mostly level Soil 1st rate No timber	79.20 39.60
	East on random line between secs 29 & 32 Var. 16° E.	79.20
10.00	Leave hollow, enter hills	

R. 4½ W. Salt Lake Meridian.

BOOK-A-151

Chains
35.00 Enter flat leave hills bear S.W. & N.E.

40.00 Set temporary ¼ sec. cor.

43.00 Skunk-Oak creek 3 lks. wide runs S.W. leave flat & enter hills bears S.W. & N.E.

79.20 Intersect N. & S. line 10 lks N. of cor. to secs 28, 29, 32 & 33 from which

N. 89° 56' W on true line between secs. 29 & 32

39.60 Set sandstone 20 x 14 x 2 in 14 in. deep marked ¼ on N. side & raised mound of earth from 4 pits each 24 x 12 x 12 in for ¼ sec. cor.

79.20 The cor. to secs. 29, 30, 31 & 32 -

Land broken
Soil 2nd rate

Subdivision lines of T. 40 S. R. 4 E

Chains	Timber cedar & pine	Chains
		79.60
	West on meadow line between secs 30 & 31	
3.00	Leave hollow bears S.W. & N.E.	
30.00	Descend into Thompsons Gulch drains S.	
40.00	Set temporary 1/4 sec. cor.	
48.50	Deep track in hollow drains S.	
		32.00
79.60	Intersect W. boundary of townships 11 Mts. S. of cor. to secs 25, 30, 31 & 36 from which	40.00
	S. 89° 56' E. on true line between secs. 30 & 31	
39.60	Set sandstone 14 x 8 ± 5 in 9 in. deep marked 1/4 on	

R. 4 ½ W. Salt Lake Meridian 2000

BOOK-A-151

Chains N. side & raised a mound of stone for ¼ sec. cor.

79.60 The cor. to secs. 29, 30, 31 & 32

Land undulating

Soil 2nd rate

Timber scattering cedar

North between secs 29 & 30

Var: 16° E.

32.00 Foot of high hill

40.00 Set sandstone 17 x 11 x 7 in 10 in. deep marked ¼ on W. side & raised mound of earth from 4 pits each 24 x 12 x 12 in. for ¼ sec. cor.

Note: On account of the mountains the further survey of this township

Subdivision lines of T. 40 S. R 4½ W
Salt Lake Meridian —

is impracticable to 2.
abandon line.

Land rolling
Soil 2nd rate
Timber scattering
cedars

Dec. 12th 1876.

General Description.

The surveyed portion of this township embraces the North part of Rhun-Dah Valley, Which land is agricultural — soil 1st & 2nd rate irrigable from Rhun-Dah Creek — Finding large deposits of Gypsum in Each portion of Section the

following portions of
Sections as Gypsum Land Co:
S.W 1/4 Sec. 28; The E/2 of S.E.
1/4 of Sec. 29. The E/2 & S.W 1/4
of N.E 1/4, & S.E 1/4. Sec. 32.—
The N.W 1/4, N/2 of N.E 1/4, E/2
& S.W 1/4 of S.E 1/4, and N.W
1/4 of S.W 1/4 Sec. 33. as
designated on the township plat.
Range 4 1/2 W, is explained
in notes at End of Sec. 32
of the 7th Standard South
in range 4 W.

T. C. Bailey
U. S. Deputy Surv.

003

BO

U. S. S

Salt L

The fo

Su

Township

Executed

Under

day of

Dec

examined

planation

surveys th

201

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 3rd *187*7

The foregoing field notes of the survey of the Subdivision Lines of *Township No.* 40 S. *Range No.* 4½ W *Executed by* J. C. Bailey *Under his* first *contract of the* 4th *day of* September *187*6, *in the month of* December *187*6, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

BOOK-A-151

Examined by C. H. Criswell C. C.

Field Notes

of

The Survey of the

East and North boundaries

of

Township 40 S. Range 5 West,

of

the Salt Lake Meridian

Utah Territory

By,

J. G. Burrill,

Under Joint Contract of Bailey & Burrill,

No 71,

dated Sept. 4th 1876,

Surveyed Dec. 6th 1876,

Township 40 N. R. 5 West

East and north boundaries

4 6

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

2

1

BOOK A-151

Tan Line of T. 40 S. R. 5 W. 210
Salt Lake Meridian.

Chains, December 6th 1876,
By. J. G. Burrill,
From the Standard Cor, to
T. 40 S. R. 4½ & 5 W.
From,
North between Secs, 31 & 36,
Var, 16° E,

38,80 Road bears N.W. & S.E,
4,00 Set Sandstone 14x8x5 ins,
Pits, deep, marked ¼ on
N. side & raised mound
of Earth from 4 pits each
24x12x12 ins, for ¼ Sec. Cor;
2 8,00 Deposited small stone
marked with a cross (+)
1 ins mound of earth raised
from 4 pits each 24x12x
12 ins, for Cor, to Secs, 25,
30, 31 & 36, and drove a
stake 24x2x2 ins, 12 ins,

East Boundary 40 S. R. 5 W.

Chains deep, marked 5 notches on N. & 1 on S. edges, in S. E. pit, from which, A cedar 14 in. dia bears S. 10 W. 20 lks. dist. marked S. 36. T. 40 S. R. 5 W. B. T. Cedar 14 in. dia. bears S. 80 E. 4 lks. dist. marked S. 31, T. 40 S. R. 4½ W. B. T.

Land level,

Soil pr rate,

No timber,

North between Secs. 25 & 30,

Var. 16° E.

36.50 Enter Cedar hills bear N. E & S. W.

40.00 Set Quartzite stone 23 x 16 x 10 in, 17 in. deep, marked ¼

Sacramento Meridian

Chains, on W. side, var. mound of stones for 1/4 Sec. Cor.

53,20 Ravine draws E.

64,50 " " "

71,00 " " "

75,50 " " "

80,00 Set sandstone 16 x 12 x 8 ins., 11 ins. dug, notched 4 on N. & 2 on S. edges, var. mound of stones for Cor. to Secs. 19, 24, 25 & 30, from which,

Cedar 5 ins. dia. bears N. & E., 30 lks. dist., marked S. 19, T. 40 S., R. 4 1/2 W., B. T.,

Cedar 6 ins. dia. bears S. 85 W. 29 lks. dist., marked S. 25, T. 40 S., R. 5 W., B. T.,

Land N 1/2. Cedar hills, Sierra Nevada,

No Timber,
Note; On Account of the mountains forming the S. slope of the Rim of the Basin, I abandon the line here,

---

As it was impracticable to run the East boundary of this Tp, through the 6 miles, therefore from the Cor. to Tps, 39 & 40 S, Rs, 5 & 6 W, on the Kanab & Panguitch Guide line, I run, East on true line between Secs. 6 & 31,

Var. 16° E,

39.45 (Allowing for Convergency of Meridians) Set Sandstone

47.20
53.00
60.00
67.00
73.00
79.45

Boise Lake Meridian.

12×8×6, 8in, deep, marked
1/4 on N, side & mound
mound of stones for 1/4 Sec. Cor,
pine & birch,
Cedar 12in, dia, bears
S, 10° E, 12 lks, dist, marked
1/4 S. B. T.

47,20 Hollow drains S.E,

53,00 " " "

60,00 Flat ridge bears N. & S,

67,00 Descends,

73,00 Enter Link Valley, bears N. & S,

79,45 Set Sandstone 28×14×5. in,
9in, deep, notched 5 on E &
1 on S. edges & marked mound
of stones for Cor, to Secs, 5, 6,
31 & 32,

Land rolling,
Soil 2nd rate,
Timber, Cedar & pine,

215 6

North boundary Tp. 40 S. R. 5 W.

Chains	
	East on true line between Secs. 5 & 32, Var. 16° E,
0,40	Brook runs S,
1,50	Road N. & S,
3,00	Leave Valley & enter hills bear N. & S,
30,00	Top of hill,
40,00	Set Sandstone 18x11x3in, 12in, deep, marked 1/4 on N, side mound of stones for 1/4 Sec, Cor,
80,00	Set Sandstone 15x10x4in, 10in, deep, Notched 4 on E, & 2 on W, edges mound of stones for Cor, to Secs, 4, 5, 32, & 33.
	Land rolling, Soil 2nd rate, Timber, Scattering Cedar & Pine,
	Note, Abandon line here at fork of Mountains, bear N. & S,
	Dec, 6th 1896,
	J. G. Merrill,

BOOK-A-151

Jackson Meridian

For General Description
and Approval see end of
Subdivisions of this Ps.

214

U. S.

Sal

The

Towns

Execu

Under

day of

exami

planat

survey

218

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 3rd 187 7

The foregoing field notes of the survey of the East and North Boundary *Township No.* 4 S. *Range No.* 5 W., *Executed by* J. H. Burnett *Under his* said *contract of the* 4th *day of* September *1876, in the month of* December *1876, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

BOOK-A-151

Examined by D. M. Bramwell. 66.

Field Notes
of the
Survey of the
Subdivision lines of
Township 40 South
Range 5 West,
of the
Salt Lake Meridian
Utah Territory
by
J. G. Burild -
U. S. Dep. Surveyor.
under joint contract No. 71
of Bailey & Burild
Dated Sept. 4th 1876

Survey commenced Dec 7th 1876
" finished " 12th 1876.

Township 40 S. R. 5 West



Subdi

Acres

400

25.00

40.00

BOOK-A-151

Subdivision lines of T. 40 S. R 5 W.
Salt Lake Meridian —

229

Survey commenced
Dec. 7th 1876 by J. G. Burrill
On account of the
mountains I find it impracticable to survey the northeast
portions of this township.
I begin at the Standard
Cor. to secs 35 & 36 on the
South boundary of the Town-
ship & run
North betw secs 35 & 36
Var. 16° E.

Chains

4.00 6. Point of large lava pile
25.00 Wash at foot of lava beach
drains E.
40.00 Set Trachyte 16 x 6 x 5 in 10 in
deep marked 1/4 on W. side &
raised mound of earth from
4 pits each 24 x 12 x 12 in

Subdivision lines of T. 40 S

225

Chains		Chains
	for ¼ sec. cor.	
51.60	Road from Upper Kanab to Skoonpah bears E & W.	
80.00	Set a sand stone 12 x 8 x 7 in 8 in deep marked with one notch on S. & E edges & mixed a mound of stones for cor. to secs 25, 26 35 & 36	40.00
	Land level	
	Soil white	80.00
	No timber	

East on random line between secs 25 & 36

Var. 16° E.

26.00	Enter hills leave flat bears NE & SW.	3.00
40.00	Set temp. ¼ sec. cor.	40.00
80.00	Intersect E boundary of T.	

R 5 W. Salt Lake Meridian

Chains	
	at cor to secs 25 & 36
	from which
	West on true line
	betw secs 25 & 36
40.00	Set sandstone 18 x 8 x 7 in
	12 in. deep marked 1/4 on N.
	side & raised a mound of
	earth from 4 pits each 24 x 12
	x 12 in for 1/4 sec. cor.
80.00	The cor. to secs 25, 26, 35 & 36
	Land undulating
	Soil 2nd rate
	Timber, none

	North betw secs 25 & 26
	Var. 16° E.
3.00	Foot hills bear N.E & S.W.
40.00	Set sandstone 11 x 9 x 6 in
	4 in deep marked 1/4 on W.

Subdivision lines of T. 40 S. R. 5 W.

Chains		Chains
	Side & mound of stones for ¼ sec cor.	1.50
		3.00
80.00	Sd sandstone 12 × 8 × 7 in. 8 in deep marked 1 notch on E. & 2 on S edges & mound of stones for cor to secs 23, 24, 25 & 26 from which	25.00
		26.50
		29.50
		36.50
	A pine 10 in dia, bears S. 80° E. 45 lks. dist. marked S 25 T. 40 S R 5 W. B. T.	40.00
		48.00
		57.50
	A cedar 12 in. dia. bears N. 75° E 52 links dist marked S 24 B T.	60.00
		74.50
	Land rolling Soil 2nd rate Timber Cedar	80.00

East on random line to secs 24 & 25 Var. 16° E. 40.00

R. 5 W. Salt Lake Meridian

Chains	
1.50	Head of hollow drains S.E.
5.00	Ridge bears N.W. & S.E.
25.00	Hollow heads N.W.
26.50	" " N.
29.50	" " N.E.
36.50	Top of ridge spur bears N. 10 chs from ridge S. 20 chs bears N.W. & S.E.
40.00	Set temp. 1/4 sec. cor.
48.00	Ridge bears N & S.
57.50	Ravine head drains N.E.
60.00	Descend
74.50	Ravine drains N.E.
80.00	Intersect E. boundary of T. 30 lks S. of cor to secs 24 & 25 from which South 89° 47 W. on true line bets secs 24 & 25.
40.00	Set sandstone 20 x 14 x 5 in 15 in deep marked 1/4 on N. side & raised mound of stones for

Subdivision lines of T. 40 S. R.

Chains		Chains
80.00	Fx 1/4 sec. cor.	
	The cor. to secs 23, 24, 25	54.20
	x 26	59.00
	Land undulating & broken	80.00
	Soil 2nd rate	
	Timber Cedar & Pine	
	Note: On account of the mountains I abandon the line here—	

From the Standard cor to secs. 34 & 35 on S. Boundary of Township 2 mls

North betw secs. 34 & 35

Var. 16° E.

40.00	Set brachyte 16 x 12 x 5 in. 12	15.00
	in. deep marked 1/4 on W. side	40.00
	& raised a mound of stones	
	for 1/4 sec. cor. at foot of	80.20

BOOK-A-151

R. 5 W. Salt Lake Meridian

230

Chains	
	Land lands bears E & W.
54.20	Road bears N. E. & S. W.
59.00	Enter hills bears E & W.
80.00	Marked stationary rock 3 x 2 x 1 foot above ground lying in root of prostrate cedar 1 notch on S & W on E edges & raised a mound of stones for cor to secs 26, 27, 34 & 35
	Land mostly level
	Soil 2nd rate
	Timber pine & cedars
	coal croppings near this Cor. N. E.

East on random line
betw 26 & 35
Var 16° E.

15.00	Wash drains S. E. enter flat
40.00	Set temps. 1/4 sec. cor.
	leave flat — enter hills
80.20	Intersect N. & S. line 36 lks

Subdivision lines T 40 S

Chains	
	N. of cor. to secs 25. 26. 35 & 36 from which N. 89° 45' W. one true line betw secs 26 & 35
40.10	Set sandstone 12 x 8 x 6 in 8 in. deep marked 1/4 on N. side with mound of stone for 1/4 sec. cor.
80.20	The cor to secs. 26, 27, 34 & 35 Land rolling. Soil 2nd rate. Timber cedar —

North betw secs 26 & 27
Var. 16° E.

10.00	Ridge N. E. & S. W.
40.00	Set sandstone 13 x 11 x 3 in. 8 in deep marked 1/4 on W. side & raised a mound of stones

Chains	
80.00	
10.00	
40.00	
50.00	

R 5 W. Salt Lake Meridian 232

Chains

60.00 for 1/4 sec. cor.
Set sandstone 16 x 10 x 5 in. 10 in deep marked 2 notches on E & S. edges & raised a mound of stone for cor. to secs 22, 23 26 & 27 from which
A cedar 12 in dia. bears N. 60° W. 75 lks dist marked 1° 40 S R 5 W. S 22 B. T.
Land undulating
Soil 2nd rate
Timber scattering cedars

East on random line
betw secs 23 & 26
Var 16° E.

10.00 Ridge bears N. & S.
40.00 Set temp. 1/4 sec. cor.
50.00 Saddle hollow drains N.E. & S

Subdivision lines of T. 40 S. R

Chains	
72.50	Ridge bears N. & S.
80.00	Intersect N. & S. line at cor. to secs 23, 24, 25 & 26 from which West on line between secs. 23 & 26
40.00	Set sandstone 12 x 12 x 5 in 8 in deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor. from which A cedar 10 in. dia bears E. 60 lks dist marked 1/4 S. B.T.
80.00	The cor. to secs 22, 23, 26 & 27
	Land rolling ridges.
	Soil 2nd rate
	Timber Cedars

Chains

40.00

60.00

80.00

BOOK-A-151

R 5 W. Salt Lake Meridian

Chains	
	North bet two secs 22 & 23
	Var. 16 E
40.00	Set sandstone 14 x 9 x 4 in. 9 in deep marked 1/4 on W. side & raised mound of stone for 1/4 sec. cor.
60.00	Leave hills enter flat bear SW. & NE.
80.00	Set brachyte 16 x 12 x 3 in 10 in deep marked 2 notches on E & 3 on S. edges & raised a mound of stones for cor. to secs 15, 14, 22 & 23 from which
	A square black brachyte in place marked with a (+) cross bears S. 85 E. 56 lks dist
	Land undulating
	Soil 2nd rate
	Timber scattering cedars

Subdivision lines of T. 40 S. R. 13 E 365

Chains

As the line will strike the mountains in less than 80 chs I run East on true line between secs. 14 & 23 Var. 16° E.

10.00 Foot of hills bear N.E & S.W.

40.00 Set sandstone 11 x 11 x 4 in - 7 in deep marked 1/4 on N. side & raised mound of stone for 1/4 sec. cor.

Level undulating

Soil 2nd rate

Timber cedars.

Note: I abandon the line here Dec. 7th 1876

Dec. 8th 1876

From the cor. to secs 14. 15, 22 & 23 I run North between secs 14 & 15

BOOK-A-151

R. 5 W. Salt Lake Meridian

Chains	
	Var. 16° E.
21.40	Deep broad Wash drains S.E.
24.00	" " " " "
27.00	" " " " "
40.00	Enter hills, bears N.W. & S.E.
	Set sandstone 14 x 10 x 6 in. 9 in. deep marked 1/4 on W. side & raised a mound of stone for 1/4 sec. cor. from which
	A cedar 10 in. dia. bears S. 80 W. 26 lks dist. marked 1/4 S. B. T.
70.00	Leave hills, bears N.E. & S.W.
80.00	Set sandstone 18 x 10 x 4 in. 12 in. deep marked 2 notches on E. & 4 on S. edges & raised a mound of stones for cor. to secs. 10, 11, 14 & 15 from which
	A cedar 16 in. dia. bears N. 85° W. 43 lks dist marked T 40 S. R 5 W. S. 10 B. T.

No 28

Subdivision lines of T. 40 S.

Land rolling
Soil 2nd rate
Timber Cedars

Note: On account of the mountains I abandon the lines here —

From the Standard
Cor. to secs 33 & 34 on S. boundary of T. 2 nw
North betw secs 33 & 34
Var. 16° E.

17.50 Road bears N. W. & S. E.
40.00 Set sandstone 15 x 10 x 5 in 10 in deep marked 1/4 on W. side & mined a mound of stone for 1/4 sec. cor. from which a Cedar 10 in diam. bears N. 30 W. 40 lks dist marked

R 3 W. Salt Lake Meridian

Chains	1/4 S. B. T.
60.00	Road bears N. E & S. W.
74.80	" " N. W. & S. E.
80.00	Set Lava-stone 14 x 9 x 5 in. 9 in. deep marked 3 notches on E. & 1 on S. edge & raised a mound of stone, for cor to secs 27, 28, 33 & 34
	Land rolling
	Soil 2nd rate
	Timber scattering cedar

East on random line between secs 27 & 34 Var. 16° E.

10.00	Cr. Lava bench bears N.W. & S.E.
34.00	Leave same.
38.00	Road bears N.W. & S.E. around
40.00	Set temp 1/4 sec. cor.

Subdivision Line of S. 40 S.

Chains		Chains
73.00	Ridge bears N. & S. descend.	18.00
80.00	Intersect N & S. line 35 lks	40.00
	S. of cor. to secs 26, 27, 34	
	& 35 from which	
	S. 89° 45' W. on true line	80.00
	betw secs. 27 & 34	
40.00	Set sandstone 24 x 16 x 5 in	
	18 in deep marked 1/4 on N. side	
	& mixed mound of stones for	
	1/4 sec. cor. from which	
	a cedar 10 in dia. bears N.	
	60 W. 40 lks dist marked 1/4 S. B.T.	
80.00	The cor to secs 27, 28, 33 & 34	
	Land rolling	
	Soil and rate	
	Timber scattering Pine	

		40.00
	North betw secs. 27 & 28	53.00
	Var. 16° 30' E.	58.00

R 3 W. Salt Lake Meridian -

Chains

18.00 Cedar bachyte bears N.W. & S.E.

40.00 Set sandstone 12 x 9 x 6 in. 8 in deep marked 1/4 on W. side & mound of stone for corr.

56.00 Set bachyte 16 x 10 x 4 in. 10 in deep marked 3 notches on E & W S. edges, with mound of stone for cor to secs 21, 22 27 & 28.

Land rolling
Soil 2nd rate
Timber cedars & Pine

East on random line
betw. secs 22 & 27
Var. 16° E.

40.00 Set temp. 1/4 sec. cor.

53.00 Leave Lava bench

54.00 Road bears N. & S. Accord

Subdivision lines of T. 40 S. 241 18

Chains

80.00 Intersect N. & S. line at
cor. to secs 22, 23, 26 & 27
from which
West on true line
between secs 22 & 27

40.00 Set sandstone 16 x 12 x 5 in. 10 in
deep marked 1/4 on N. side &
raised mound of stone for
1/4 sec cor.

80.00 The cor. to secs 21, 22, 27 & 28.
Land rolling
Soil 2nd rate
Timber cedar & pine

North between secs 21 & 22
Var. 16° E.

40.00 Set trachyte 12 x 10 x 5 in 8 in
deep marked 1/4 on W. side, with
mound of stone for 1/4 sec cor

BOOK-A-151

R. 5 W. Salt Lake Meridian

Chains	
40.00	Leave Lava beach N.E. & S.W.
80.00	On S.W. foot of extinct Volcano
	set Trachyte stone 15 x 12 x 4 in. 10 in deep
	marked 3 notches on E x S edges,
	with mound of stones for cor.
	to secs 15. 16. 21 & 22.
	Land mostly level
	Soil 2nd rate
	Timber scattering cedar

East on meander line
between secs 15 & 22
Var. 16° E.

20.00	Top of S. rim of Volcano
40.00	Set temp. 1/4 sec. cor.
53.25	Road bears N. & S.
80.00	Intersect N. & S. line 30 lks
	S. of cor. to secs 14. 15 22/23 &
	22/23 from which

Subdivision lines of T. 40 S. R 20 E.

Chains	
	S. 89° 47' W. on true line between secs 15 & 22.
40.00	Set trachyte 14 x 10 x 6 in. 10 in deep marked 1/4 on N. side, with mound of stones for 1/4 sec cor. at foot of S. E. Volcano slope
80.00	The cor. to secs 15, 16, 21, & 22
	Land rolling
	Soil 2nd rate
	Timber scattering cedar.

North betw secs 15 & 16
Var. 16° E.

31.50	Enter rock amphitheatre bears E & W.
34.00	Leave same
36.50	Leave lavabed bears N.E. & S.W.
40.00	Set trachyte 14 x 10 x 10 in 10 in deep marked 1/4 on W. side, with mound of stone for 1/4 sec. cor.

Chains
62.3
65.3
80.0
15.2
40.0
46.0
75.
76.0
78.0

R 5 W. Salt Lake Meridian

Chains	
62.30	Road bears E & W.
65.30	Stump of cedar on line
80.00	Set sandstone 14 x 12 x 6 in. 9 in deep marked 3 notches on E & W sides, with mound of stones for cor to sec 9.10.15 & 16
	Land undulating
	Soil sand mixed
	Timber scattering cedars

Dec. 8th 1876

Dec. 9th 1876

East on random line between secs 10 & 15

Var. 16° E.

15.20	Hollow wash drains S.
40.00	Set temp 1/4 sec. cor.
46.00	Wash drains S.E.
73.00	" " "
76.00	Trail bears N.W. & S.E.
78.00	S. point of ridge bears N

245 92

Subdivision lines of T 40 S. R 3

Chains	
80.00	Intersect N. & S. line at cor. to secs 10, 11 14 & 15 from which West on true line betw secs 10 & 15
40.00	Raised mound of earth from 4 pits each 24 x 12 x 12 in set stake in S. E pit marked 1/4 S for 1/4 sec cor.
80.00	The cor. to secs. 9. 10. 15 & 16 Land rolling Soil 2nd rate Timber scattering Pine & Cedar

North betw. secs 9 & 10
Var. 16° E.

19.00	Foot of mountains bears N.E & S.W.
40.00	Set trachyte 16 x 10 x 5 in 10 in deep marked 1/4 on W. side, with mound of stone for 1/4 sec. cor.

R 3 W. Salt Lake Meridian -

Chains

On account of the mountains I abandon the line here — Land south 19 chs level, balance rolling — Soil 1st rate Timber scattering pine & cedar.

√

From the standard cor. to secs 32 & 33 on S. boundary of townships 2 nrn

No [redacted] betn secs 32 & 33

Var. 16° E.

40.00 Set sandstone 16 x 7 x 5 — 11 in deep marked 1/4 on N. side, with mound of stones for 1/4 sec. cor.

41.25 Foot of steep slope bears E & W.

54.75 Enter plateau.

80.00 Set a sandstone 11 x 10 x 5 in 7 in deep marked 4 notches on E & 1 on S. edges, with mound of

247 24

Subdivisions lines of T. 40 S

Chains	
	Stones for cor to secs 28, 29 32 & 33
	Land rolling
	Soil 2nd rate
	Timber scattering cedar & pine

East on random line between secs 28 & 33 Var. 16° E.

34.50	Leave plateau descend
40.00	Set temp. 1/4 sec. cor.
57.00	Foot of slope enter flat bears N. W. & S.
63.00	Leave cedars
70.50	Road bears N. W. & S. E.
80.30	Intersect N & S line 36 lks. S. of cor to secs 27, 28, 33 & 34 from which

BOOK-A-151

R 5 W. Salt Lake Meridian

	Chains. S. 89° 45' W on true line between secs 28 & 33.
40.15	Set a sandstone 12 x 8 x 6 in. 8 in deep marked 1/4 on N. side, with mound of stone for 1/4 sec. cor.
80.30	The cor. to secs 28, 29, 32 & 33
	Land rolling
	Soil sandy
	Timber scattering cedars

North between secs 28 & 29

Var. 16° E.

13.00	Cañon drains S. W.
40.00	Set sandstone 12 x 10 x 7 in - 8 in deep marked 1/4 on W side, with mound of stone for 1/4 sec cor.
64.00	Leave plateau bears N. W. & S. E.
80.00	Set sandstone 14 x 8 x 5 in 9 in deep marked 4 notches on E. & 2 on S edges, with mound

249 26

Subdivision lines of T. 40 S.

	Chain of stone for. cor to secs 20, 21 28 & 29 from which	80.1
	A Pine 10 in. dia bears S. 70 W. 36 lks dist marked T. 40 S R 5 W. S. 29. B. T.	40.1
	A Cedar 7 in dia bears S. 65 E. 35 lks dist marked S. 28 B T.	
	A pine 9 in dia. bears N. 50 E. 28 lks dist marked S. 21 B. T.	80.1
	Land rolling	
	Soil 2nd rate	
	Timber scattering cedar & pine	

East on random line between secs 21 & 28
Var. 16° E.

15.20	Foot of bench hills bear N. & S.	40.0
34.00	Johnsonville & Kanab Road N. & S.	
36.00	Enter Lava bench bear N. E & S W.	
40.00	Set temp. ¼ sec. cor.	80.0

R 5 W. Salt Lake Meridian

Chains	
80.19	Intersect N. & S. line 15 lks E. of cor to secs 21, 22, 27 & 28 from which S. 89° 54' W. on true line betw secs 21 & 28
40.10	Marked black lava rock in place 30 x 10 x 10 feet above ground 1/4 on N. side & raised a mound of stones for 1/4 sec. cor.
80.19	The cor. to secs 20, 21, 28 & 29 Land broken Soil 2nd rate Timber scattering cedars

North betw secs 20 & 21

Var. 16° E

40.00	Set trachyte 20 x 12 x 10 in. 15 in deep marked 1/4 on W. side, with mound of stone for 1/4 sec. cor.
80.00	Set sandstone 18 x 18 x 4 in

251 28

Subdivision line of S. 40 S.

Chains	
	12 in deep marked 4 notches on 6 & 3 on S. edges & mixed mound of stones for cor to secs 16, 17, 20 & 21
	Land undulating
	Soil 2nd rate
	Timber scattering cedar & pine

East on random line
betw secs 16 & 21
Var. 16° E.

18.00	Foot of Main ridge bears N. & S.
40.00	Set temp ¼ sec. cor.
45.00	Top of low ridge bears N. & S.
49.50	Foot " " " " "
52.50	Ranch & Johnsonville Road bears N. & S. 10 lks thence W. 10 lks, thence S. of S.
80.36	Intersect N. & S line at cor to secs 15, 16, 21 & 22 from which

West on true line

R. 5. W. Salt Lake Meridian.

Chains

between secs 16 & 21

40.18 Set sandstone 14 x 8 x 6 in 9 in deep marked 1/4 on N. side & mixed a mound of stones for 1/4 sec. cor.

80.36 The cor to secs 16 17, 20 & 21

Land undulating

Soil 1st rate

Timber scattering cedar & pine

Dec. 9th 1876

Dec 11th 1876

North between secs 16 & 17

Var. 16° E.

Ascend

20.65 Enter plateau bears N E & S W.

40.00 Set sandstone 18 x 12 x 4 in 12 in deep marked 1/4 on W. side, with mound of stones for 1/4 sec cor

80.00 Set trachyte 18 x 12 x 6 in 12 in deep marked 4 notches on E & S. edges, with mound of stones

1765 30

Subdivisional lines of T. 40 S.

BO

Chain
40.15

6 Chains for cor to secs 8.9.16 & 17
Land rolling
Soil 2nd rate
Timber scattering cedar 80.30

---

60 East on random line
between secs 9 & 16
Var. 16° E.

25.00 Leave plateau descend
27.70 Enter hollow bears N & S.
34.35 Road bears N & S. fork 3.50 33.00
Chs. S. one fork bearing E & the 40.00
other S.
40.00 Set temp ¼ sec. cor.
53.00 S. point of Mountain bears N.W.
80.30 Intersect N. & S. line at
cor to secs 9, 10, 15 & 16 from which
West on true line
between secs 9 & 16

R. 5 W. Salt Lake Meridian

Chains
40.15 Set sandstone 18 x 12 x 6 in. 12 in deep marked 1/4 on N. side, with mound of stone for 1/4 sec. cor.

80.30 The cor to secs 8. 9. 16 & 17

Land rolling

Soil 2nd rate

Timber scattering pine & cedar.

North betw secs 8 & 9

Var. 16° E.

33.00 Road bears E & W.

40.00 Set sandstone 13 x 8 x 7 in. 9 in deep marked 1/4 on W. side, with mound of stones for 1/4 sec cor

Land level

Soil 2nd rate

No Timber

Note: On account of mountains I abandon the line here —

Subdivision lines of T. 40 S. R 3

Chains

From the Standard cor.
to secs 31 & 32 on S. Boundary
of T. 2 nw 40.00

North betw. secs 31 & 32 80.15
Var: 16° E.

Chains

Descend

29.50 Enter hollow drains S.E.

40.00 Set a sandstone 14 x 10 x 7 - 9 in dep
marked 1/4 on W. side, with mound
of stone for 1/4 sec. cor. 40.08

57.50 Leave hollow flat ascend 80.15

70.25 Enter plateau bears E & W.

80.00 Set sandstone 11 x 11 x 5 - 7 in
deep marked 1 notch on S & 5 on
E. edges with mound of stones
for cor to secs 29 30, 31 & 32
Land rolling & broken
Soil 2nd rate
Timber pine & cedar

BOOK-A-151

R 5 W. Salt Lake Meridian

Chains	
	East on random line between secs 29 & 32 Var. 16° E.
40.00	Set temp. 1/4 sec. cor.
80.15	Intersect N. & S. line 18 lks N. of cor. to secs 28, 29, 32 & 33 from which N. 89° 32' W. on true line between secs 29 & 32
40.08	Set a sandstone 10 x 10 x 6 in. 6 in deep marked 1/4 on N. side, with mound of stones for 1/4 sec. cor.
80.15	The cor. to secs 29, 30, 31 & 32 Land level plateau Soil 1st rate Timber scattering pine & cedars

West on random line between secs 30 & 31 Var. 16° E.

Subdivisional lines of T. 40 S.

Chains		Chains
30.00	Leave plateau - descend	40.00
40.00	Set a temp. 1/4 sec. cor.	
54.90	Ravine drains N. enter foot hill bench	53.00
79.89	Intersect Guide Meridian 40 lks S. of cor. to secs 30 & 31 from which	80.00
	S. 89° 43' E. on true line between secs 30 & 31	
39.89	Set sandstone 11 x 11 x 8 in - 9 in. deep marked 1/4 on N. side, with mound of stone for 1/4 sec cor.	
79.89	The cor. to secs. 29. 30. 31 & 32	
	Land mostly broken	
	Soil red sandy	
	Timber scattering cedar & pine	

North between secs 29 & 30

Var. 16° E.

17.00	Leave plateau bears NE & SW.

BOOK-A-151

85

258

R 5 W. Salt Lake Meridian—

Chains	
40.00	Set a limestone 10 × 10 × 7 in. 6 in deep marked ¼ on W. side, with mound of stones for ¼ sec. cor.
53.00	Ravine in cañon hollow drains S. W. ascend.
80.00	On S. edge of plateau bears N. E. & S. W. set sandstone 10 × 8 × 7 in – 7 in deep marked 2 notches on S. & 5 on E. edges with mound of stone for cor. to secs 19. 20. 29 × 30 pine 12 in. dia bears S. 40° E. 40 lks dist marked S. 29. T 40 S. R 5 W. B. T.
	Land broken cañon slopes
	Soil 1st rate
	Timber cedar & pine

East on random line between secs 20 & 29
Var 16° E.

359 36

Subdivision lines of T. 40 S.

Chains		
5.00	Gulch draws S.E.	
20.75	" " S.W.	
28.50	Enter plateau bears N & S.	
40.00	Set temp ¼ sec. cor.	
74.00	Leave Plateau bears N. W & S. E	
80.10	Intersect N. & S. line Wilks Mtg cor.	26.5
	to secs 20, 21, 28 & 29 from which	40.00
	N 89° 53' W on true line	46.0
	betw secs 20 & 29	67.00
40.05	Set a charred pine stake 48 x 4 x 4	79.94
	marked ¼ on N. side, 12 in deep	
	in mound of earth raised from	
	4 pits each 24 x 12 x 12 in for ¼ sec. cor.	
80.10	The cor to secs 19, 20, 29 & 30	39.94
	Land mostly level	
	Soil 1st rate	
	Timber, few scattering cedars &	79.94
	pine Dec 11th 1876	

BOOK-A-151

R 5 W. Salt Lake Meridian

Chains

Dec. 12th 1876

West on random line
betw secs 19 & 30
Var. 16° E.

26.50 Descend

46.00 Set temp. ¼ sec cor.

46.00 Enter foot hills - broken bench.

67.00 Hollow drains S. W.

79.94 Intersect Guide Meridian 28 chs S
of cor. to secs 19 & 30 from which
S 89° 48' E on true line
betw secs 19 & 30

39.94 Set sandstone 16 x 8 x 7 in 10 in dep
marked ¼ on N. side, with mound
of stones for ¼ sec cor.

79.94 The cor. to secs 19, 20, 29 & 30.
Land broken
Soil 2nd rate
Timber scattering pine & cedar

Subdivision lines of T. 40 S. 26 E. 38

Chains	
	North betw secs 19 & 20 Var. 16° E.
40.00	Marked a stationary sand rock 36 × 24 × 12 in. 1/4 on N. side & raised mound of stones for 1/4 sec. cor
53.00	Level plateau bears E & W — descend
73.50	Cedar feat hollow.
80.00	Set a sandstone 15 × 12 × 5 in. 10 in deep marked 3 notches on S. & 5 on E. edges, with mound of stones for cor to secs 17, 18, 19 & 20
	Land broken & level
	Soil 2nd rate
	Timber scattering cedar & pine

Chains	
	East on random line betw secs 17 & 20 Var 16° E
	Ascend

Chains	
30.00	
40.00	
65.00	
80.06	
40.03	
80.06	

BOOK-A-151

R. 5 W. Salt Lake Meridian 39 267

Chains	
30.00	Enter plateau
40.00	Set temp ¼ sec. cor.
65.00	Leave plateau descend
80.06	Intersect N. & S line 22 lks S. of cor to secs 16. 17. 20 & 21 from which L. 89° 57' W. one tree line between secs 17 & 20.
40.03	Set a charred cedar stake 48 x 4 x 4 in. 24 in deep, marked ¼ on N. side & raised mound of earth from 4 pits each 24 x 12 x 12 for ¼ sec cor.
80.06	Rec cor. to secs 17 18 19 & 20 Land level & broken Soil 2nd rate Timber scattering pine & cedar

West on random line between secs 18 & 19 Var. 16° E

Subdivision lines of T. 40 S. R 5

Chains	
40.00	Set temp. 1/4 sec. cor.
43.00	Sink Creek bed (dry) drains S. W.
60.00	Wash " "
79.96	Intersect Guide Meridian at cor to secs 18 & 19 from which
	East on true line between secs 18 & 19
39.96	Set a sandstone 15 x 10 x 6 10 in deep marked 1/4 on N. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.
79.96	The cor. to secs 17, 18, 19 & 20 -
	Land level
	Soil 1st rate
	No timber

Chains	
	16.50
	40.00
	53.00
	62.00
	67.00
	71.50
	80.00

BOOK-A-151

R 5 W. Salt Lake Meridian

Chains	
	North betw secs 17 & 18
	Var. 16° E
	Ascend
16.50	Top of slope enter plateau
40.00	Set sand stone 10 x 10 x 7, – 6 in deep marked ¼ on W. side with mound of stones for ¼ sec. cor.
53.00	Descend
62.00	Enter flat bears N. E & S. W.
67.00	Wash drains S. W.
71.50	Road from Upper Kanab to Kanarrah bears N. E & S. W. at foot of slope
80.00	Set limestone 14 x 14 x 6 in 9 in deep marked 5 notches on E & 4 on S. edges, with mound of stones for cor. to secs. 7, 8, 17 & 18

Subdivision lines of T. 40 S. R

Chains		Chains
	Land undulating	
	Soil. 2nd rate	
	Timber scattering cedar & pine	40.00
	East on random line between secs 8 & 17 Var: 16° E.	80.00
	Descend	
9.50	Enter hollow drains S.W.	
11.00	Road to Skonnejah bears N.E & S.W.	
18.00	Wash drains S.W.	
21.00	Ascend-	
33.00	Enter plateau "	
40.00	Set temp ¼ sec. cor.	2.50
80.00	Intersect N. & S. line at cor to secs 8, 9, 16 & 17 from which	14.2

40 S. R 5 W. Salt Lake Meridian

Chains	
	West on true line
	betw secs 8 & 17
40.00	Set sandstone 24 x 6 x 4 in. 18 in deep marked 1/4 on N. side, with mound of stones for 1/4 sec. cor.
80.00	The cor. to secs 7. 8. 17 & 18
	Land broken & level
	Soil 1st rate
	Timber scattering cedar & pine

	West on random line
	betw. secs. 7 & 18
	Var. 16° E.
	Ascend
2.50	Ridge point bears S. 2 chs.
	Indication of coal bed at this point; descend,
14.20	Road to Ogden bears

Subdivision lines of T 40 S. R.

Chains	N. W. & S. E. outer Sink Valley flat	Chains
29.75	Sink Creek 5 lks wide, 6 in. deep runs S. W.	
40.00	Leave flat ascend - Set temp 1/4 sec cor.	10.00
64.00	Ridge bears N & S. - thence descend.	40.00
79.67	Intersect Guide Meridian at the cor. to secs 7 & 18 from which	
	East on true line betw secs 7 & 18	63.00
39.67	Set sandstone 12 x 8 x 6 in 8 in deep marked 1/4 on N. side & raised a mound of stones for 1/4 sec. cor.	80.00
79.67	The cor. to secs 7, 8, 17 & 18.	
	Land undulating.	
	Soil 2nd rate	
	Timber scattering Pine & Cedar.	

R. 5 W. Salt Lake Meridian

Chains	
	North betw secs 7 & 8
	Var. 16° E.
	Record to
10.00	Ridge point bears N.E. & S.W.
	Record.
40.00	Foot of slope bears N.E & S.W.
	Set a sandstone 16 x 12 x 5 in
	10 in deep marked 1/4 on W.
	side, with mound of stones
	for 1/4 sec. cor.
63.00	Wash drains S.W.
80.00	Set sandstone 20 x 12 x 4 in
	15 in deep marked 5 notches
	on S. & E edges, with mound
	of stones for cor to secs 5, 6,
	7 & 8
	Land N. ½ level S ½ broken
	Soil 2nd rate
	Timber scattering cedars

Subdivision lines of T. 40 S.

Chains		Chains
	As the line will strike high mountains in less than 80 chs I run	
	East on a true line	2.39
	betw secs 5 & 8	9.00
	Var. 16° E.	
10.00	Point of ridge bears N. & S	23.00
34.00	Wash drains S. W.	40.00
40.00	Foot of steep mountain	63.00
	slope bears N.E & S.W.	79.00
		79.65
	Set sandstone 10 x 10 x 6 in	
	6 in deep marked 1/4 on N.	
	side, with mound of	
	stones for 1/4 sec cor	
	Land level	39.65
	Soil 2nd rate	
	No timber	
	I abandon the line here.	
		7965

BOOK-A-151

R 5 W. Salt Lake Meridian 370

Chains	
	West on random line betw secs 6 & 7 Var. 16° E
2.39	Road bears N. & S.
9.00	Sink Creek at foot of hills runs S.
23.00	Enter plateau.
40.00	Set temp. 1/4 sec cor
63.00	Descend
79.00	Wash in Ravine drains S.
79.65	Intersect Guide Meridian at cor to secs [redacted] 6 & 7 from which
	East on true line betw secs 6 & 7
39.65	Set sandstone 12 x 8 x 6 in. 8 in deep marked 1/4 on N. side, with mound of stones for 1/4 sec cor
79.65	The cor. to secs 5, 6, 7 & 8

Subdivision lines of T. 40 S. R 5 W 48

Chains	
	Land undulating
	Soil 2nd rate
	Timber scattering Pine & Cedar.

North on random line
between secs 5 & 6
Var 16° E

19.00	Foot of slope bearing nearly W.
40.00	Set temp. 1/4 sec. cor.
68.00	Leave slope - enter flat
76.00	Road bears S.E & S.W.
77.30	Pine Creek runs S.W.
80.10	Intersect N. boundary of township at cor. to secs 5 & 6 from which

South on true line
between secs 5 & 6

40.00	Set a sandstone 11 x 10 x 6 in. 6 in. deep marked 1/4 on W. side & mound of stones

BOOK-A-151

R 5 W. Salt Lake Meridian 21/2

Chains	for 1/4 sec. cor.
80.10	The cor. to secs 5, 6, 7 & 8
	Land mostly broken
	Soil 2nd rate
	Timber scattering cedar & pine
	Dec. 12th 1876. —

General Description —

The lands in this township are agricultural, coal & timbered, the former & latter being in the west tier, central & S.E. portions of the township, the soil of which is first & second rates — Having found croppings of coal apparently of good quality in several places I return the following as coal lands viz:

Lots 2, 3, 4, 5, 6 & 7 — S W 1/4 —

~~S. W 1/4~~ of N E 1/4, S E 1/4 of N. W 1/4 — W 1/2 S E 1/4 & E 1/2 S W 1/4 of sec 6. — Lots 3 & 4 S 1/2 N. W 1/4 — N 1/2 S. W. 1/4 & S E 1/4 S. W. 1/4 sec 5 — Lots 1, 2 & 3, E 1/2 N. W 1/4 — W 1/2 N E 1/4 — N E 1/4 S W 1/4 & N W 1/4 S E 1/4 sec 7. — N 1/2 S. W. 1/4, S. E. 1/4 N. W 1/4 & E 1/2 S E 1/4 sec 8. — W 1/2 S W 1/4 & N 1/2 S. E. 1/4 sec 9 — All of sec 17 except the N. W. 1/4 of N. W. 1/4; — The S E 1/4 N E 1/4 & E 1/2 S E 1/4 sec 19. All of secs 20 & 29. — N 1/2 of N 1/2 sec. 32 — S. W 1/4 N. W 1/4 & S W 1/4 Sec. 28 — E 1/2 of E 1/2 sec 27 — W 1/2 sec 23 — W 1/2 S W. 1/4 & N 1/2 sec 26 N 1/2 of sec 25 —

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE.

Salt Lake City, Utah, April 3" 187?.

The foregoing field notes of the survey of the Subdivision lines of *Township No.* 40 S. *Range No.* 5 W. *Executed by* J. J. Burrell *Under* his Special *contract of the* 4 *day of* September 1876, *in the month of* December 1876, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.



BOOK-A-151

Examined by C. H. Cranwell. C. C.

Dest 1515

DMK

Field Notes

of the

Survey of the

West and North boundary of

Township 40 South

Range 6 West

of the

Salt Lake Meridian

Utah Territory

by

O. G. Burrill

U. S. Dep. Surveyor

under grant contract No. 71

of Burley & Burrill

Dated Sept. 4th 1876

Surveyed Dec. 13th 1876.

349

Township 40 S. R. 6 West

West and North boundary

5 4



BOOK A-151

West boundary of T. 40 S. R. 6 W.
Salt Lake Meridian 280

Dec. 13th 1876

by J. G. Burnett

From the standard cor. to
T. 40 S. R 6 & 7 W 2 mw
North betw secs 31 & 36
Var. 16° E

Chains	
40.00	Set charred cedar post 48 × 3 × 3 in 12 in deep marked 1/4 on W. side in mound of earth from 4 pits each 24 × 12 × 12 in for 1/4 sec. cor.
80.00	Set sandstone 16 × 10 × 3 × 10 in deep marked 5 notches on N × on S. edges & raised a mound of earth from 4 pits each 24 × 12 × 12 in for cor to secs 25. 30 31 & 36

Land undulating – Soil pretty
Timber scattering cedar

West boundary T. 2 40 S. R 6 W.

Chains	
	North. bet.s secs 25 & 30
	Var. 16° E.
15.00	Descend
40.00	Set limestone 18 x 6 x 3 in. – 12 in. deep marked 1/4 on W. side & raised a mound of earth from 4 pits each 24 x 12 x 12 for 1/4 sec. cor.
53.00	Rocky wash drains N. W. ascend
64.50	Road bears N. W. & S. E.
80.00	Set sandstone 19 x 13 x 4 in. 14 in. deep marked 4 notches on N & E on E edges with mound of stones for cor. to secs 19 24. 25 & 30
	Land undulating
	Soil 1st rate
	Timber scattering
	Cedars

Chains
32.50
40.00
80.00

Salt Lake Meridian

Chains

North bet secs 19 & 24
Var. 16° E.

32.50 Road to Upper Kanab bears E. & W.

40.00 Set sandstone 12 x 10 x 5 in. 8 in deep marked 1/4 on W. side & raised a mound of stones for 1/4 sec. cor.

80.00 Set sandstone 15 x 10 x 5 in 10 in deep marked 3 notches on N. & S. edges & raised a mound of stones for cor to secs 13, 18, 19 & 24 on S. side of open hollow
Land broken
Soil 2nd rate
No timber

Note. I abandon the line here on account of the mountains

North boundary T. 40 S. R 6 W.

Dec. 13th 1876 by

The West boundary not being run through the full 6 miles thereof from the established cor. to Townships 39 & 40 S. — R's 5 & 6 W. on the Guide Meridian viz "Sandstone 24 × 12 × 7 in with monument of stones"

I run

West on true line between secs 1 & 36

Var. 16° E.

Chains

40.00 Set sandstone 14 × 10 × 7 in. 9 in. deep marked 1/4 on N. side & raised a mound of stones for 1/4 sec. cor.

50.00 Top of hill — vast plateau & descend to

BOOK-A-151

Salt Lake Meridian

Chains	
74.00	Canon drains N. W.
80.00	Set sandstone 14 × 8 × 5 in. 8 in. deep marked 1/4 notch on E & 5 on W. edges & mound of stones for cor. to secs. 1. 2. 35 & 36
	Land rolling
	Soil 2nd rate
	Timber scattering pine & cedar

West on true line
between secs 2 & 35
Var. 16° E.

20.00	Leave hills enter creek flat
25.00	Kanab Creek runs S. W.
32.40	Road to Kanab bears N. E. & S. W.
40.00	Set sandstone 14 × 10 × 9 9 in. deep marked 1/4 on N. side & raised mound of

255 6

North boundary of T. 40 S R

Chains	
	X stones for ¼ sec. Cor.
42.50	Land flat & ascends in hollows bear N. E. & S. W.
80.00	Set sandstone 18 x 12 x 4 in 12 in deep marked 2 notches on E & 4 on W. edge & raised a mound of stones for cor. to secs 2, 3, 34 & 35
	Land rolling
	Soil 2nd rate
	Timber cedar and scrub oak -
	Note: The line further West is impracticable on account of the mountains
	Dec. 13th 1876
	by J. G Burnell

R 6 W. Salt Lake Meridian

For General description and approval see end of subdivision notes of this township.

U. S. SU

Salt La

The foreg

New

Township

Executed b

Under

day of

Decem

examined, t

planations

surveys the

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 2" 187 7

The foregoing field notes of the survey of the West and North Boundary *Township No.* 4 S, *Range No.* 6 W *Executed by* J. H. Burrill *Under* his first *contract of the* 4th *day of* September *187*6, *in the month of* December *187*6, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

10 BOOK-A-151

6 13

392

Descriptive Lists made

Examined by C. H. Cranwell. C. C.

Field Notes
of the
Survey of the
Subdivision lines of
Township 40 South
Range 6 West
of the
Salt Lake Meridian
Utah Territory —
by
Bailey & Burrill
U. S. Dep. Surveyors
under their joint Contract
No 71
dated Sept. 4th 1876.

Survey commenced Dec. 13th 1876

" completed " 17th 1876

293

Township 40 S. R. 6 West



Chains
40.00
62.00
80.00

BOOK-A-151

Subdivisions lines of T. 40 S., R. 6 W.
Salt Lake Meridian — 294

Survey commenced
Dec. 15th 1876 by J. C. Bailey.

From the Standard cor. to
secs. ~~34 & 35~~ 35 + 36 on S. Boundary of
township 2 miles.

North bet secs. 35 & 36.

Var. 16° E.

Chains

40.00 Set Sandstone 16 x 10 x 5 ins. 1 in. deep marked 1/4 on W. side & mound of stones for 1/4 sec. cor.

62.00 Ridge bears N.E. & S.W.

80.00 Set boulder 16 x 9 x 5 ins. 11 ins deep marked 1 notch on E & S. edges with mound of Earth mixed from 4 pits each 24 x 12 x 12 ins for cor. to secs. 25, 26, 35 & 36.

Land rolling

Subdivision lines of T. 40 S 2 75

Chains	
	Soil 2nd rate
	No timber
	East on random line
	betw secs. 25 & 36
	Var: 16° E.
40.00	Set temp. 1/4 sec. cor.
60.00	Leave Sink Valley Flat, ascend.
80.40	Intersect Guide Meridian 20 lks
	N. of cor. to secs 25 & 36 from which
	N. 89° 57' W. on true line
	betw secs 25 & 36
40.20	Set sandstone 20 x 10 x 8 in. 14
	in. deep marked 1/4 on N. side
	with mound of stones for 1/4 sec cor
80 40	The cor. to secs 25, 26, 35 & 36.
	Land rolling
	Soil 1st rate
	Timber scattering pine &
	cedars.

R 6 W. Salt Lake Meridian

BOOK-A-151

276

Chains	
	North betw. secs 25 & 26
	Var. 16° E.
00.10	Wash drains W.
10.50	Leave Sink Valley Flat. Ascend.
12.00	Ridge bears N.E & S. W.
40.00	Set trachyte 12 x 7 x 5 _. 8 in deep marked 1/4 on W. side & raised a mound of earth from 4 pits each 24 x 12 x 12 in. for 1/4 sec. cor. from which
	A cedar 7 in. dia bears S. 65° W. 28 lks dist marked 1/4 S. B. T.
80.00	On Ridge bears N.W. & S.E. marked A cedar 8 in. dia. 1 notch on E & 2 on S. edges for cor to secs. 23 24 25 & 26 from which
	A cedar 6 in. dia bears S. 15° W 60 lks. dist marked S. 26 B.T.
	A cedar 20 in. dia. bears N. 60° W 88 lks. dist marked S 23 B.T.

Subdivision lines of T. 40 S.

Chains	
	Corner tree marked T. 40 S. R. 6 W.
	Land rolling
	Soil 2nd rate
	Timber a few cedars

East on random line
betw. secs 24 & 25
Var 16° E.

40.00	On. cedar ridge bears N & S.
	set temp 1/4 sec cor.
80.00	Intersect Guide Meridian 35 lk.
	N. of cor. to secs 24 & 25 from which
	N. 89° 45' W. on true line
	betw secs 24 & 25
40.00	Set sandstone 14 x 8 x 7. 9 in
	deep marked 1/4 on N. side & raised
	mound of stones for 1/4 sec. cor.
80.00	The cor. to secs 23, 24, 25 & 26
	Land rolling — Soil 2nd rate
	Timber a few cedars

North betw secs. 23 & 24
Var. 16° E.

Descend

6.00 Enter flat bears N. E & S. W.

40.00 Set sandstone 30 x 6 x 5 in.
20 in. deep marked 1/4 on W. side
with mound of stones for 1/4 sec cor.
leave flat.

42.00 Ridge bears S. W. & N. E.

57.00 Along E. side of hollow draining S

80.00 At head of hollow draining S 10° W.
set sandstone 20 x 13 x 6 - 15 in.
deep marked 1 notch on E & 3 on
S. edges with mound of stones
for cor. to secs 13, 14, 23 & 24
from which
A pine 8 in dia bears S. 75° E 60 lks
dist marked S 24 I 40 S. R6W. B.T.
A Pine 4 in dia. bears N 80° W 30 lks
dist marked S. 14 B.T.

Subdivision lines of T. 40 S.

Land broken

Soil 2nd rate

Timber a few cedars

East on random line
betw secs 13 & 24
Var. 16° E.

To avoid a steep mountain
2 offset S. 25 chs to a point.
thence E. on offset line 55 chs. thence
N. 25 chs to

55.00 On true line at E. foot of
mountain bears N. & S.

80.00 Intersect Guide Meridian at
cor. to secs 13 & ~~N~~ 24 from which
West on true line
betw secs 13 & 24

40.00 The true 1/4 sec cor falling in
the mountains cannot be set
therefor at 25 chs 2 set sand-

BOOK-A-151

R 6. W. Salt Lake Meridian

Chains

stone 28 x 15 x 4 in 19 in deep
marked 1/4 W. C. on N. side x
raised a mound of earth from
4 pits each 24 x 12 x 12 in for
1/4 sec W. C. from which
A cedar 22 in. dia bears S 85° W
88 lks dist marked 1/4 S. W. C. B T.

80.00 S W cor. to secs 13, 14. 23 x 24

Land mountainous
Soil 2nd rate
Timber thick cedar & pine

North bars. secs 13 x 14
Var. 16° E.

20.00 Ridge bears N. E. & S. W.

40.00 Limestone 15 x 10 x 5 — 10 in deep
marked 1/4 on W. side with mound
of stones for 1/4 sec cor.

80.00 Set trachyte 20 x 20 x 10 in 14 in
deep marked 1 notch on E x 4 on S

Subdivision lines of T. 40 S. 8 R

Chs.		Chs
	edges with mound of stones for cor	
	to secs. 11. 12. 13 & 14 —	80.0
	Land mountainous	
	Soil 2nd rate	
	Timber cedars & pine	

East on random line
betw secs. 12 & 13
Var. 16° E.

19.00	Descend	40
40.00	Set temp ¼ sec. cor.	
47.50	Enter hollow drains S.	
55.00	Wash in hollow drains S.	80.
66.00	Leave hollow — ascend	
80.65	Intersect S. bn. 40 lks N. of cor	

to secs 12 & 13 from which
North 89° 42 W. one tree
betw. secs. 12 & 13

40 32	Set sandstone 22 x 14 x 10 — 15 in.

deep marked ¼ on N. side with

BOOK-A-151

R 6 W. Salt Lake Merid. 302

Chains	
	mound of stones for 1/4 sec. cor.
80.65	The cor. to secs 11. 12. 13 & 14
	Land very broken
	Soil 2nd rate
	Timber scattering scrub oak & cedar.

North betw secs 11 & 12

Var: 16° E.

40.00	Set sandstone 20 x 12 x 3 in. 14 in deep marked 1/4 on W. side with mound of stones for 1/4 sec. cor.
80.00	Set trachyte 20 x 12 x 3. 14 in deep marked 1 notch on E. & 5 on S. edges with mound of stones for cor to secs 1. 2. 11 & 12
	Land slightly undulating
	Soil 1st rate
	Timber scrub Oak & cedar.

Subdivision lines of T. 40 S.

Rs.	
	East on random line between secs. 1 & 12 Var: 16° E.
15.00	Head of hollow drains S. E.
20.75	do do S. W.
40.00	Set " " " set temp. 1/4 sec. cor.
80.10	Intersect Guide Meridian 27 lks N. of cor. to secs 1 & 12 from which N. 89° 49' W. on true line between secs. 1 & 12
40.05	Set trachyte 20 x 14 x 5 in. 14 in deep marked 1/4 on N. side with mound of stones for 1/4 sec cor.
80.10	The cor. to secs 1. 2. 11 & 12. Land undulating Soil 1st rate. Timber scrub cedar & Oak

Ch.	
	E
40.0	
62.5	
80.0	
40.0	
80.0	

BOOK-A-151

R. 6 W. Salt Lake Merid. 3 S.

Chains	
	North on random line
	betw. secs 1 & 2
	Var. 16° E.
40.00	Set temp 1/4 sec cor.
62.50	Top of hill bears plateau bears N.E. & S.W.
80.00	Intersect N. boundary of township
	at cor to secs 1 & 2 from which
	South on true line
	betw. secs 1 & 2
40.00	Set sandstone 12 x 10 x 4 in. 8 in
	deep marked 1/4 on W. side with
	mound of stones for 1/4 sec cor.
80.00	Ne cor. to secs 1. 2. 11 & 12
	Land mostly level
	plateau.
	Soil 2nd rate
	Timber scrub oak & cedars
	Dec. 15th 1876
	C. C. Bailey

Subdivision lines of T. 40 S.

Chains	Dec. 15th " 1876 by J. G. Burrill
	From the Standard Cor. to
	secs. 34 & 35 on S. boundary of T.
	42 nds
	North betw secs 34 & 35
	Var. 16° E.
3.00	Bench bears N.E. & S.W. leave flat.
30.30	Iron bears E. & W.
37.00	Road N.W. & S.E. fr. Long Valley
	to Skonnpah
40.00	Set trachyte 16 x 10 x 8. 10 in.
	deep marked 1/4 on W. side with
	mound of stones for 1/4 sec. cor.
80.00	Set trachyte 20 x 18 x 10. 15 in
	deep marked 2 notches on E & 1 on S.
	edges with mound of stones for Cor.
	to secs 26 27 34 & 35 from which
	A cedar 13 in dia bears S. 45 E.
	20 lks dist marked S 35 T. 40 S.
	R. 6 W. B.T.

R. 6 W. Salt Lake Meridian

Mons	A cedar 14 in. dia bears N. 57E. 19 lks dist marked S 26 B. T.
	Land timbered bench.
	Soil 2nd rate.
	Timber scrub cedar.

East on random line
betw secs. 26 & 35
Var. 16° E.

40.00	Set temp 1/4 sec. cor.
50.00	Foot of hills NW. & SE, enter flat.
51.50	Branch runs S.
61.00	Kanab Creek runs S. 4 lks wide
65.40	Road bears N. & S. acalm dist. S. 16° W. 26 chs
78.00	Sink Valley Creek Bed draws S. 85° W.
80.35	Intersect N. & S. line 23 lks S. of cor. to secs 25. 26 35 & 36 from which

S. 89° 30' W. on true line
betw secs 26 & 35

Subdivisional lines of T. 40 S

Chains	
40.18	Set trachyte 20 x 10 x 7 in 14 in deep marked 1/4 on N. side with mound of stones for 1/4 sec. cor.
80.35	The cor. to secs 26, 27. 34 & 35
	Land undulating
	Soil 2nd rate
	Timber cedar on W. 1/2

North betw secs 26 & 27

Var. 16° E.

40.00	Set trachyte 14 x 8 x 8. 9 in deep marked 1/4 on W. side with mound of stones for 1/4 sec. cor. from which North end of Volcano bears 20 chs W.
80.00	Set trachyte 18 x 8 x 7 in 12 in deep marked 2 notches on E & S edges with mound of Stones for cor. to secs 22, 23. 26 & 27
	Land slightly rolling
	Soil 2nd rate — No timber.

R 6 W. Salt Lake Meridian 15

Chains	
	East on random line
	betw. secs 23 & 26
	Var. 16° E.
35.00	Leave bench enter Kanab bottom bears N. & S.
37.00	Kanab Creek 4 lks wide runs S.
40.00	Set temp. 1/4 sec. cor.
60.00	Road bears N & S.
72.50	Enter hills N & S.
80.65	Intersect N. & S line 30 lks N. of cor. to secs 23 24 25 & 26 from which
	N. 89° 47' W. on true line
	betw. secs. 23 & 26
40.32	Set trachyte 20 x 10 x 6. 14 in deep marked 1/4 on N. side with mound of stones for 1/4 sec. cor.
80.65	The cor. to secs 22, 23, 26 & 27. Land bench & level bottom Soil 1st & 2nd rate — No timber

Subdivision lines of T. 40 S.

389

Ruins	North betw secs 22 & 23
	Var. 16° E.
40.00	Set trachyte 16 x 11 x 7 in. 11 in deep marked 1/4 on W. side & raised a mound of stones for 1/4 sec. cor.
63.00	Cedar Grove
80.00	Set trachyte 14 x 12 x 10 9 in deep marked 2 notches on E. & 3 on S. edges. with mound of stones for cor to secs 14, 15, 22 & 23.
	Land undulating
	Soil 2nd rate
	Timber Cedar on N. 17 chs.

	East on random line betw secs 14 & 23
	Var. 16° E
20.00	Descend
30.00	Enter Kanab bottom
35.25	Bank of Kanab creek 75 feet deep
35.75	Kanab creek 20 lks wide 6 in

BOOK A-151

R. 6 W. Salt Lake Meridian —

340

Chains	deep runs S.
40.00	Set temp 1/4 sec cor
44.85	Old Ditch runs S.
49.40	Road bears N. & S.
60.50	Enter hills " N & S.
65.00	Top of low ridge " N. & S.
67.00	Head of hollow draining S
74.00	Ridge spur bears S. 25 chs.
79.00	Head of hollow draining S.
80.90	Intersect N. & S. line 36 lks N. of cor. to secs 13 14 23 & 24 from which N. 89° 45' W. on true line betw secs 14 & 23
40.45	Set trachyte 14 x 10 x 6. 9 in deep marked 1/4 on N. side & raised a mound of earth from 4 pits each 24 x 12 x 12 for 1/4 secor
80.90	The cor. to secs 14. 15, 22 & 23
	Land rolling — Soil 2nd rate
	Timber scattering pine

Subdivision lines of T. 40 S. R. 18

Chains

North betw secs 14 & 15
Var. 16° E.

40.00 Set trachyte 12 x 9 x 8 – 8 in deep marked 1/4 on W. side with mound of stones for 1/4 sec. cor.

57.00 Road bears N. E. & S. W.

80.00 Set trachyte 12 x 10 x 6 8 in deep marked 2 notches on E & 4 on S. edges with mound of rocks on W. slop of W. rim of Crater for cor. to secs 10 11 14 & 15

Land undulating.

Soil 2nd rate.

Timber scrub cedar.

East on random line betw secs 11 & 14
Var. 16° E.

5.00 W. rim of volcano bears N. & S.

10.00 Bottom of S. end of Crater.

R. 6 W. Salt Lake Meridian

BOOK-A-151

31

Chains extends 5 ch. N. in bottom & 25 chs on Top —

20.00 Top of Crater rim bears N. & S.

24.00 Foot of Crater

25.27 Road bears N. & S. W.

30.00 Enter bench slope bears N & S.

37.00 Enter flat at foot of rocky bench slope.

39.00 Kanab Creek runs S.

40.00 Set temp 1/4 sec. cor.

41.50 Road bears N. & S.

44.50 Ditch draws S.

53.50 Enter hills leave flat bears N. & S & ascend to

80.00 Inter-sect N. & S line at cor. to secs 11. 12 13 & 14 from which West on true line between secs. 11 & 14

40.00 Set trachyte 18 x 8 x 6. 12 in. deep marked 1/4 on N. side with

Subdivision lines of T. 40 S. 20

Chains

80.00 Mound of stones for 1/4 sec. cor.
The cor. to secs 10. 11. 14 & 15
Land broken & rocky
Soil 2nd rate
Timber scattering cedar & pine

North betw. secs 10 & 11
Var. 16° E

40.00 Sec sandstone 12 x 8 x 6 — 8 in
deep marked 1/4 on W. side & mound
a mound of earth from 4 pits
each 24 x 12 x 12 in for 1/4 sec cor
from which
A cedar 5 in dia. bears E.
5 lks dist marked 1/4 S. B T.

80.00 2 in hollow heads W. 20 chs.
forks N. W. & S. W. set sandstone
36 x 12 x 10 in. 24 in deep
marked 5 notches on S & 2 on
E edges with mound of stones

BOOK-A-151

R. 6 W. Salt Lake Meridian

Chains

for cor. to secs. 2. 3. 10 & 11
Land broken slopes E.
Soil 2nd rate
Timber scrub Oak & cedar.

East on random line
betw secs 2 & 11
Var. 16° E.

3.50 Wash in hollow drains S. E.
12.50 Ridge extends S. E. 18 chs.
15.00 Enter flat bears N. & S.
24.00 Road bears N & S.
27.00 Small pond 1 chs. in hollow drains S.
32.80 Kanab Creek runs S.
40.00 Set temp 1/4 sec. cor.
57.00 Enter hills bear N. & S.
66.34 Enter Plateau
80.19 Intersect N & S. line 25 lks N. of cor. to secs. 1. 2. 11 & 12 from which

N 89° 49 W on true line
betw. secs 2 & 11

Subdivision lines 22 of T. 40 S. 315

Chains	
40.10	Set sandstone 15 x 10 x 4 – 10 in deep marked 1/4 on N. side with mound of stones for 1/4 sec. cor.
80.19	The cor. to secs 2, 3, 10 & 11 Land undulating Soil 2nd rate Timber scattering cedar.

North on random line
betw secs 2 & 3.
Var. 16° E.

1.00	Wash drains S. E. ascend.
28.00	Top of hill enter plateau.
40.00	Set temp. 1/4 sec cor
58.00	Descend
69.00	Enter hollow drains E.
73.00	Wash in " " "
80.00	Intersect N. & S. line at cor to secs 2 & 3 from which

BOOK-A-151

23 S. 6 W. Salt Lake Meridian

South on true line
betw secs 2 & 3

40.00 Set sandstone 12 x 11 x 7 —
8 in deep marked 1/4 on W. side
with mound of stones for 1/4 sec. cor.

80.00 The cor. to secs 2. 3. 10 & 11
Land broken
Soil 2nd rate
Timber scattering cedar.
Dec. 15th 1876 J. G. Burrill

Dec. 16th 1876 by J. G. Burrill
From the Standard cor.
to secs 33 & 34 on S. boundary
of township 2 nor
North betw. secs 33 & 34
Var: 16° E.

40.00 Set sandstone 15 x 16 x 5 in. 10
in deep marked 1/4 on W. side
with mound of stones for 1/4 sec. cor.

52.00 Road in hollow bears E & W.

Subdivisions lines of T. 40 S.

317

Chains	
80.00	Marked a yellow Pine 30 in. dia. 3 notches on E & 1 on S. sides & "T. 40 S. R 6 W." for cor. to secs. 27, 28, 33 & 34
	Land S 1/2 broken N 1/2 nearly level.
	Soil 2nd rate
	No timber

East on random line between secs 27 & 34

Var. 16° E.

	Ascend to
3.25	Steep broken trachyte ledge bears N. & S.
40.00	Set temp 1/4 sec. cor.
50.00	Center Foot of Volcano bears 15 chs N.
80.00	Intersect N & S. line at cor. to secs. 26. 27. 34 & 35 from which

R. 6 W. Salt Lake Meridian 25

Chains

West on true line
between secs 27 & 34

40.00 Set trachyte 10 x 8 x 7 in 6 in. deep marked 1/4 on N. side with mound of stones for 1/4 sec. cor.

80.00 The cor. to secs 27, 28, 33 & 34

Land undulating
Soil 2nd rate
Timber scattering cedar.

North between secs 27 & 28
Azimuth Var. 16° E.

40.00 Set sandstone 12 x 10 x 9 in 8 in deep marked 1/4 on W. side with mound of stones for 1/4 sec. cor. from which

A cedar 4 in dia bears S. 4 lks dist. marked 1/4 S. B. T.

A cedar 5 in dia bears S. 30° W. 50 lks dist. marked 1/4 S. B. T. at entrance of Hollow N. E. & S. W.

Subdivision lines of T. 40 S.

Chains	
79.00	Road to Kanab bears N.E & S.W.
80.00	Set sandstone 16 x 10 x 5 — 11 in. deep marked 3 notches on E & 2 on S. edges with mound of stones in hollow drains S. for cor to secs 21. 22. 27 & 28 —
	Land undulating slope facing W.
	Soil 2nd rate
	Timber scattering cedars

East on random line
betw secs 22 & 27
Var. 16° E.

00.60	Road bears N. E & S W.
22.00	Low flat ridge bears N. & S.
40.00	Set temp. 1/4 sec. cor.
80.40	Intersect N. & S. line 31 lks N. of cor. to secs 22, 23, 26 & 27 from which
	N. 89° 46 W. on true line

R. 6 W. 27 Salt Lake Meridian

Chains	
	betw secs 22 & 27
40.20	Set a charred cedar post marked 1/4 on N. side 48 x 3 x 3 in mound of earth raised from 4 pits each 24 x 12 x 12 for 1/4 sec. cor.
80.40	The cor to secs 21. 22. 27 x 28 Land undulating Soil 1st rate No timber.

North betw secs 21 x 22
Var 16° E.

22.00	Rodd bears E & W
40.00	Set charred cedar post marked 1/4 on W. side 48 x 3 x 3 in. 24 in. deep in mound of earth raised from 4 pits each 24 x 12 x 12 for 1/4 sec. cor.
80.00	At Foot of mountains bears N. E & W. Set standstone

Subdivision lines of T. 40 S. 28

Chains

16 x 10 x 5 in — 10 in deep marked 3 notches on E & S. edges with mound of stones for cor. to secs 15, 16 21 & 22

Land undulating

Soil 2nd rate

Timber scattering cedar.

East on random line

bet'w. secs 15 & 22

Var. 16° E.

.40 00 Set temp. 1/4 sec. cor.

64 00 Road bears N. & S.

80.00 Intersect N. & S. line at cor to secs 14. 15. 22 & 23.

from which

West on true line

bet'w secs 15 & 22.

40.00 Set sandstone 20 x 14 x 3

14 in. deep marked 1/4 on N.

BOOK-A-151

R 6 W. Salt Lake Meridian

Chains	
	side & raised a mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor. from which
	A cedar 12 in. dia bears S. 60° E., 90 lks dist marked 1/4 S. B. T.
80.00	The cor. to secs 15, 16 21 x 22 Land chiefly broken ridge points Soil 1st rate Timber scattering cedars.
	North betw secs 15 x 16 Var. 16° E.
40.00	Set sandstone 15 x 10 x 5. 10 in. deep marked 1/4 on W. side with mound of stone for 1/4 sec. cor.
80.00	Set sandstone 16 x 10 x 5

Subdivision lines of T. 40 S. 373 E.

Chains	10 in. deep marked 3 notches on E & 4 on S. edges with mound of stones for Cor. to secs 9, 10 15 & 16 on east slope of mountain
	Land broken
	Soil 2nd rate
	Timber scattering cedar & pine

East on random line between secs 10 & 15
Var. 16° E.

Descend

40.00	Set temporary 1/4 sec cor.
50.00	Foot of Mountain slope N. E & S. W
80.10	Intersect N. & S. line 17 chs N. of cor. to secs 10, 11, 14 & 15 from which

S. L. M. & W. Salt Lake Meridian.

Chains	
	N. 89° 54 W. on true line betw secs 10 & 15
40.05	Set sandstone 14 x 10 x 6 in 9 in deep marked 1/4 on N. side with mound of stones for 1/4 sec. cor.
80.10	The cor to secs 9., 10. 15. & 16.
	Land broken
	Soil 2nd rate
	Timber scattering cedar & pine —

Note: On account of the mountains I abandon the line here

Dec. 16th 1876.

J. G. Burrill.

375 32

Subdivision lines of T. 40 S.

Chains

Dec. 18th 1876 by J. G. Burrill
From the Standard corner
to secs. 32 & 33 on S. boundary
of township 2 nor
North between secs 32 & 33
Var. 16° E.

40.00 Set sandstone 18 x 14 x 10 in.
12 in deep marked 1/4 on W.
side with mound of earth
raised from 4 pits each 24 x
12 x 12 in for 1/4 sec. cor.

80.00 Set limestone 16 x 9 x 4 in.
10 in deep marked 4 notches
on E. & 1 on S. edges & raised
a mound of stones for cor.
to secs 28 29 32 & 33

Land undulating
Soil 1st rate
No Timber

BOOK-A-151

Range 6 W. Salt Lake Meridian

Chains

East on random line
betw. secs 28 & 33
Var. 16° E.

10.00 "Three mile hollow" drains S.

40.00 Set temp. 1/4 sec. cor.

44.50 Road bears N. W. & S. E.

57.50 Same " N. E & S W.

56.50 Same " N. W. & S E.

68.30 Road to Upper Kanab N. E & S. W.

72.50 Wash in "Four Mile hollow"
drains S. W.

80 30 Intersect N. & S line
35 lks S. of cor. to secs.
27, 28, 33 & 34 from which
S. 89° 45 W. on true line
betw secs 28 & 33

40.15 Set charred cedar post 48 x 3
x 3 marked 1/4 on N. side. 12
in. deep in mound of earth

Subdivision lines of T. 40 S.

Chains raised from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.

80.30 The cor. to secs 28, 29, 32 & 33

Land undulating
Soil 1st rate
No timber

North betw secs 28 & 29
Var. 16° E.

1.75 Road bears E. & W.

40.00 Set sandstone 14 x 8 x 5 in 9 in deep marked 1/4 on W. side & raised a mound of stones for 1/4 sec. cor.

80.00 Set sandstone 18 x 10 x 4. 12 in deep marked 4 notches on E & 2 on S. edges & raised a mound of stones

BOOK-A-151

R. 6 W. Salt Lake Meridian

Twp 3 S.

Mounds for cor. to secs 20. 21 28 & 29

Land undulating

Soil 1st rate

No timber

East on a random line betw secs 21 & 28

Var. 16° E.

6.00 Set hollow drains S. E.

40.00 Set temp 1/4 sec cor.

80.00 Intersect N. & S. line at cor. to secs 21. 22. 27 & 28 from which

West on true line betw. secs 21 & 28

40.00 Set sandstone 14 x 10 x 8 in 9 in. deep marked 1/4 on N. side with mound of earth

Subdivision lines of T. 40 S. 329 36

Chains

raised from 4 pits each 24 x 12 x 12 in. for 1/4 sec. cor.

80.00 The cor. to secs 20. 21. 28 & 29

Land undulating
Soil 1st rate
No timber

North betw secs 20 & 21
Var 16° E.

13.50 Road to Upper Kanab bears E & W.

40.00 Deposited small sandstone marked 1/4 in Mound of earth raised from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor. from which
A cedar 8 in. dia

R. 6 W. Salt Lake Meridian

Chains

bears W. 12.8 lks marked
1/4 S. B. T.

80.00 In open hollow drains
W. set charred cedar post
48 x 4 x 4 in., marked 4 notches
on E & 3 on S. edges, 12 in
deep in mound of earth
raised from 4 pits each 24
x 12 x 12 in. for cor. to secs.
16. 17. 20 & 21
Land undulating
Soil 2nd rate
Timber scattering cedar.

East on random line
betw secs 16 & 21
Var. 16° E.
Ascend open hollow.
40.00 Set temp 1/4 sec. cor.

Subdivision lines of T. 40 S.

Chains	
80.10	Intersect N. & S. line 10 lks S. of corner to secs 15. 16 21 & 22 from which L. 89° 56 West on true line betn secs 16 & 21
40.05	Set sandstone 15 x 10 x 5 ins 10 ins deep marked 1/4 on N. side & raised a mound of earth from 4 pits each 24 x 12 x 12 ins for 1/4 sec. cor.
80.10	The cor. to secs 16. 17. 20 & 21 Land open Rolling Soil 1st rate Timber none 2 abandon line here. —

From the Standard cor to secs 31 & 32 on S.

BOOK-A-151

R. 6 W. Salt Lake Meridian

Chains. Boundary of township 2 nw

North betw secs 31 & 32

Var. 16° E.

40.00 Set sandstone 15 x 10 x 5 in. 10 in. deep marked 1/4 on W. side & raised a mound of stones for 1/4 sec cor.

80.00 Set charred oak post 48 x 2 x 2 in marked 5 notches on E & 1 on S. edges, 12 in deep in mound of earth raised from 4 pits each 24 x 12 x 12 in. for cor. to secs 29. 30 31 & 32

Land undulating

Soil 2nd rate

Timber scattering cedars

Subdivision lines of T. 40 S. 33 E.

Chains

East on random line
betw secs 29 & 32
Var. 16° E.

40.00 Set temp. 1/4 sec. cor.

80.00 Intersect N. & S. line at
corner to secs 28. 29.
32 & 33 from which
West on true line
betw secs 29 & 32

40.00 Set charred oak stake 48
x 3 x 3 in marked 1/4 on N.
side 12 in deep in mound
of earth mixed from 4 pits
each 24 x 12 x 12 in.
for 1/4 sec cor.

80.00 The cor. to secs 29. 30
31 & 32

Land undulating
Soil 1st rate

S. 1 E. S. L. Meridian

Chains

No timber
Dec. 18th 1876. J. G. Burrill.

Dec. 19th 1876. by J. G. Burrill.
West on random line
betw. secs 30 & 31
Var. 16° E.

12.00 Top of Divide between
Rio Virgen and Kanab Creek

40.00 In hollow drains N. W.
set temporary 1/4 sec
cor.

80.00 Intersect W. boundary of
township at cor. to sections
30 & 31 from which
East on true line
betw secs 30 & 31

40.00 Set limestone 12 x 8 x 6.
8 in deep marked 1/4 on N.
side & raised a mound
of stones for 1/4 sec. cor.

Subdivision lines of S. 40 E.

Chains

80.00 The cor. to secs 29. 30. 31 & 32

Land undulating

Soil 1st rate

No timber

North betw secs 29 & 30

Var. 16° E.

40.00 Deposited small sandstone marked 1/4 sic mound of earth raised from 4 pits each 24 x 12 x 12 in for 1/4 sec cor.

from which

A cedar 10 in dia bears S. 30 E lks dist marked 1/4 S. B. T.

44.00 Road bears E & W.

R. 6 W. Salt Lake Meridian

Chains
80.00 Set sandstone 16 x 12 x 3 in
11 in deep marked 5 notches on
E. & 2 on S. edges & raised
a mound of earth from 4 pits
each 24 x 12 x 12 in for cor
to secs. 19, 20, 29 & 30
Land undulating.
Soil 1st rate
No timber —

East on random line
betw. secs 20 & 29
Var. 16° E.

40.00 Set temp. 1/4 sec. cor.
80.00 Intersect N. & S. line at
corner to sections 20, 21
28 & 29
from which

Subdivision lines of T. 40 S. 337 4/4

Chains	
	West on true line
	betw secs 20 & 29
40.00	Set sandstone 14 x 10 x 5.
	9 in. deep marked 1/4 on N.
	side & raised a mound of
	Earth from 4 pits each
	24 x 12 x 12 for 1/4 sec.
	cor.
80.00	The cor to secs 19. 20
	29 & 30.
	Land undulating
	Soil 1st rate
	No timber

West on random line
betw secs 19 & 30
Var 16° E

40.00 Set temporary 1/4 sec.

BOOK-A-151

R. 6 W. Salt Lake Meridian

Chains	Cor.
80.00	Intersect W. boundary of townships at cor to secs 19 & 30
	from which East on true line Bears secs 19 & 30
40.00	Set sandstone 16 x 14 x 3. 11 in deep marked 1/4 on N. side & mound of stones for 1/4 sec. cor.
80.00	The corner to secs. 19. 20 29 & 30 Land undulating Soil 1st rate No timber

Subdivision lines of T 40 S. 331 46

Chains

North betw secs 19 & 20
Var. 16° E.

5.50 Upper Kanab Road bears E & W.

9.00 Descend

25.75 Ridge print extends E. 3.00 chs.

40.00 Set sandstone 14 x 12 x 3 in. 9 in deep marked 1/4 on W. side & mixed a mound of stones for 1/4 sec cor.

80.00 Set sandstone 15 x 10 x 5 in. 10 in. deep marked 5 notches on E. & 3 on S. edges & mixed a mound of stones for cor. to secs 17 18, 19 & 20 on S. side of open hollow drains W.

R. 6 W. Salt Lake Meridian 340

Chains	Land undulating and broken Soil 2nd rate No timber

East on random lines
betw secs 17 & 20
Var. 16° E.

40.00 Set temporary 1/4 sec. cor.

80.06 Intersect N. & S. line 35 lks S. of corn. to secs 16, 17, 20 & 21
from which
S. 89° 45' West on true line betw secs 17 & 20

4003 Set sandstone 14 x 10 x 6 in 9 in. deep marked 1/4 on N

Subdivision lines of T. 40 S. R. 34 E. 48

Chains	
	side & raised a mound of stones for 1/4 sec. cor.
80.06	The cor. to secs 17. 18 19 & 20.
	Sand, open hollow.
	Soil 1st rate,
	No timber.

West on random line
betw. secs. 18 & 19
Var. 16° E.

40.00	Set temporary 1/4 sec. cor.
80.00	Intersect W. boundary of township at cor to secs 18 & 19
	from which

BOOK-A-151

R. 6 W. Salt Lake Meridian

Chains	
	East on true line betw secs 18 & 19
40.00	Set sandstone 14 x 9 x 7 in. 9 in deep marked 1/4 on N. side & mixed a mound of stones for 1/4 sec. cor.
80.00	The cor to secs 17, 18 19 & 20.
	Land South slope of hollow
	Soil 2nd rate.
	No timber.
	Note. Further survey of this township is impracticable on account of the mountains.
	Dec. 19th 1876, J. G. Burrill

General Description.

The lands in this townships lie on the plateau betw Upper and Lower Kanab embracing a portion of Sink Valley and the Kanab creek Bottoms which 2 return as agriculture being irigable from said creeks.

The balance 2 return as coal lands viz: S. E ¼ sec 10; W. ½ of W ½ sec. 11; W ½ of W ½ sec. 14 & sec 15; S. E ¼ sec 16; secs. 19, 20, 21, 22 & W ½ of W ½ sec 23; W ½ of W ½ sec. 26; secs. 27,

28, 29, 30, 31, 32, 33 & 34;
and W½ of W½ of Sec. 35
containing in all 9.440
acres.

J. G. Burnie
U.S. Dep. Surveyor.

346

U. S.

Sal

The

Town

Execu

Unde

day o

exam

plan

surve

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 3rd 1877

The foregoing field notes of the survey of the Subdivisional lines of

Township No. 40 S. *Range No.* 6 W.

Executed by Bailey & Burrill

Under their Joint *contract of the* 4

day of September *1876, in the month of*

December *1876, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

BOOK-A-151

3654

Examined & Cy. C. H. Cranwell. C. C.

Field Notes
of the
Survey of the
Subdivision Lines of
Township 40 South
Range 7 West
of the
Salt Lake Meridian
Utah Territory
by
J. C. Bailey.
U. S. Dep. Surveyor.
under print contract No 71
of Bailey & Burrill
Dated Sept. 4th 1876.

Surveyed Dec. 14th & 15th 1876.

Township 40 S. R. 7 West

6	5	4	3	2	1
7	8	9	10 26	11 11	12
				24	
18	17	16	15 22	14 9	13
				21	8
19	20	21	22 19	23 6	24
				17	4
30	29	28	27 16	26 3	25
			30	14	2
31	32	33 27	34 13	35 1	36

Chains
13.00
40.00
80.00

BOOK-A-151

Subdivisions lines of T 40 S R 7 W.
Salt Lake Meridian.

306

Dec. 14th 1876 by J. C. Bailey —
From the Standard cor
to secs 35 & 36 on the 8th Standard
South 2 mn
North betw secs 35 & 36
Var. 16° E.

Chains	
13.00	Near head of ravine drains N. W. into Long Valley
40.00	Set sandstone 16 x 10 x 5 in. 11 in. deep marked 1/4 on W. side & raised mound of stones for 1/4 sec. cor.
80.00	Set charred post 48 x 4 x 4 in. 12 in. deep marked 1 notch on S. & E. edges in mound of earth raised from 4 pits each 24 x 12 x 12 in for cor to secs. 25 26, 35 & 36
	Land undulating

Subdivisional lines of T. 40 S. R. 1

Chains	Soil 2nd rate No timber	Chains
	East on random line betw secs 25 & 36 Var. 16° E	
40.00	Set temp. 1/4 sec. cor.	
79.90	Intersect E. boundary of T. 7 links S. of cor to secs 25 & 36 from which S. 89° 57' W on true line betw secs 25 & 36	
39.95	Set chained Post 48 x 3 x 3 in 12 in deep marked 1/4 on N. side & raised mound of earth from 4 pits each 24 x 12 x 12 in for 1/4 sec. cor.	80.00
79.90	The cor to secs 25, 26, 35 & 36.	

BOOK-A-151

Chains	Land undulating Soil 2nd rate No timber
	North betw secs 25 & 26 Var. 16° E. To arrive the rocky bluffs and gulches 2 offset East 30 chs thence North on offset line 80 chs. thence West 30 chs to
80.00	On true line. Set limestone 24 x 16 x 3 in 16 in. deep marked 2 notches on S & 1 on E edges, with mound of stones for cor to secs 23, 24, 25 & 26 from which A cedar 15 in. dia bears N.

Subdivision lines of T. 40 S.

Chains		
	85° W. 12 lks dist marked sec 23. T. 40 S. R 7 W. B. T.	
	A cedar 5 in dia bears S 75° W. 20 lks dist marked S 26. B. T.	39.95
	Land rocky bluffs	
	Soil 2nd rate	
	Timber scallery pine & cedar	70.7
Note:	The 1/4 sec cor. falling in mountains can not be established.	

East on random line between secs. 24 & 25.
Var. 16° E.

9.20	Foot of Bluffs N.E. & S.W.
18.00	Top " " " "
40.00	Set temp. 1/4 sec. cor.
46.80	Road bears N.W. & S.E.
79.90	Intersect E. boundary of T. 80 links S. of cor to secs 24 & 25 from which

R 7 W. Salt Lake Meridian

Chains	
	S. 89° 26' W. on true line between secs 24 & 25
39.95	Set limestone 24 x 4 x 12 ins. 18 in. deep marked 1/4 on N side & mound of earth from 4 pits each 24 x 12 x 12 ins for 1/4 sec. cor.
70.70	Marked W. face of Sandstone Bluff 1/4 W. C. for witness 1/4 sec cor from which a pine 9 in dia bears N. 40 W. 35 links dist marked 1/4 S. W. C. B. T.
	A pine 7 ins dia. bears N. 5 W. 40 lks dist. marked 1/4 S. W. C. B. T.
79.90	The cor to secs 23, 24, 25 & 26
	Land rocky bluffs & bench
	Soil 2nd rate
	Timber Pine & Cedar.

Subdivision lines of T. 40 S. R.

Chains		Chains
	North betw. secs 23 & 24	
	Var. 16° E.	
16.10	South side of street bears E & W in Glendale	
25.00	South side street bears E & W	
26.20	North " " " "	
33.85	South " " " "	
	Blocks in the town 500 feet square & streets 80 feet wide as near as can be determined from the irregular line of fences deviding them	47.2 33.3 75.3
40.00	Set limestone 14 x 13 x 8 9 in deep marked 1/4 on W. side & mound of stones for 1/4 sec. cor. from which	
	A. cedar 18 in. dia S. 62° E. 448 lks dist marked 1/4 S. B.T.	80.0
	N.E. cor Jas. Leitheads Grist	

R. 7 W. Salt Lake Meridian 32

Chains	
	Mill bears S. 80° 40 W. His house bears S 75° W. — N. E. cor. of school house bears S 50° 30' W. — Geo Bakers House bears S 71° 15' W. — N. W. cor. of Jennet Knights house bears S. 20° 37' W. — S. E cor of Thos. Smith's house bears N. 46° 25' W.
47.25	N. side street bears E & W.
33.30	W. point of ridge — thence over W. slope of ridge
75.50	Ridge bears E & W. from here the school house bears S. 10° 30' W. Geo Bakers house S. 18 W. — Jas. Leitheads House bears S 36° 20 W. — his mill S. 38° W
80.00	Set limestone 16 × 8 × 7 in. 11 in. deep marked 1 notch on E.

Subdivision lines of T. 40 S. R

Chains		Chs
	& 3 on S. edges & mound of stones for cor to secs 13 14, 23 & 24 from which A pine 6 in dia. bears N. 50 & 28 lks dist marked S. 13 T. 40 S R 7 W. B. T.	
	A pine 8 in. dia bears N. 60° W. 23 lks. dist marked. S 14 B. T.	
	Land undulating W. slope	
	Soil 1st & 2nd rate	
	Timber scattering cedar & pine	
	East on random line between secs 13 & 24 Var. 16° E.	5.50
36.00	Road N. E & S. W.	15.00
40.00	Set temp. 1/4 sec cor.	22.50
80.00	Intersect E. Boundary of T	26.00
		30.00

R 7 W. Salt Lake Meridian 364

Chn	at cor. to secs 13 & 24 from which
	West on true line
	between secs 13 & 24
40.00	Set sandstone 14 x 10 x 8 in. 9 in.
	deep marked 1/4 on N. side & ruined
	mound of stones for 1/4 sec. cor.
80.00	The cor. to secs 13, 14, 23 & 24
	Land W. slope broken
	Soil 2nd rate
	Timber Pine & Cedar.
	North between secs 13 & 14
	Var. 16° E.
5.50	Ravine drains N. W.
15.00	" " North to
22.50	Junction with wash drains
	W. in canon
26.00	Road to Skum-Pah bears
	E & W.
30.00	Foot of sandstone bluffs 300 feet

Subdivision lines of T. 40 S. R

Chains		Chains
	high bears S. W. & N.E. where	
	2 set Limestone 13 x 10 x 6 in.	
	10 in. deep marked 1/4 W. C.	
	on W. side, with mound of	
	stones for 1/4 sec. W.C. from which	
	A cedar 12 in. dia. bears	
	N. 46° E. 45 lks dist marked	
	1/4 S. W. C. B.T. from this	
	point 2 offsets West	
	40.00 chs. thence	
	North 50.00 chs thence	
	East 40.00 chs to	40.0
80.00	On true line — Set sandstone	
	13 x 8 x 8 — 9 in deep marked	
	1 notch on E & 4 on Sedges	
	& raised mound of stones	
	for cor. to secs 11. 12. 13 & 14	
	Land broken & rocky	
	Soil 2nd rate	
	Timber pine & cedar.	

o S. R 7 W. Salt Lake Meridian

where
in.
. C.
d of
which
ers
ked
is
w
ockstone
arked
ges
nes
x 14

Chains

Note: The line East is impracticable —

North betw. secs 11 & 12
Var. 16° E.

2 offset West
40.00 chs thence
North on offset line
40.00 chs. to point
40.00 chs. West of

40.00 Point on true line for 1/4 sec. cor. which falling in the bluffs is not established therefore at the point reached on offset line 2 set a trachyte rock 16 x 12 x 5 in. Windy mk'd 1/4 W. C. on W. side & raised mound of stones for witness 1/4 sec cor.

Chains

from which

A cedar 12 in. dia. bears S. 25 E. - 300 lks dist marked 1/4 S.W.C. B.T. - Harris Lake bears S.E. about 500 lks dist being the crater of a small Volcanic filled with fresh water very deep ground descending from the margin of the water all around.

Land on offset line cultivated fields - Soil 1st rate

No timber

Land on true line broken

Soil 2nd rate

Timber pine & cedar

Note The canon becoming very narrow, right closing in with wood and snow I abandon this

BOOK-A-151

N. & W. Salt Lake Meridian 13

32 5

Chains

Line here.

Dec. 14th 1876

Dec. 15th 1876.

From the standard cor. to secs 34 & 35 on S. boundary of Township 2 nor North betw. secs 34 & 35

Var. 16° E.

29.20 North point of bluffs where I mark a pine 13 in. dia 1/4 S. W. C. & raised a mound of stones for. witness 1/4 sec cor 2 nor offset west

27.87 chs. thence North on offset line

50.80 chs. thence East 27.87 chs to

80.00 On true line — set sandstone 20 x 14 x 7 in 15 in dep

Subdivision lines of T. 40 S. R.

369

14

Chains	
	marked 2 notches on E & W on S. edges and raised a mound of stones for cor. to secs 26, 27, 34 & 35 from which
	A pine 12 in dia bears S. 22 W. 220 lks dist marked S. 34 T. 40 S. R. 7 W. B.T.
	A cedar 3 in dia bears N. 89 E. 76 lks dist marked S. 26 B.T.
	Land broken & rocky
	Soil 2nd rate
	Timber scattering pine & cedar.

East on random line
betw. secs 26 & 35
Var. 16° E.

32.75	Ravine drains N.W.
33.50	Foot of bluffs bear SW & NE.

R 7 W. Salt Lake Meridian 3rd

Chains

2 offset South 20 chs thence
East on offset line
46.50 chs thence
North 20.00 chs to
80.00 The cor. to secs 25, 26, 35
& 36 from which
West on true line
between secs 26 & 35
40.00 Cor. falling in the rocky bluffs
cannot be established.
46.50 Set limestone 16 x 10 x 8 in. 11 in
deep marked 1/4 W.C on N. side
& raised mound of stones for
witness 1/4 sec cor from which
A pine 6 in dia bears N 45° W 11
links dist marked 1/4 W.C. B.T.
80.00 The cor. to secs 26. 27. 34 & 35
Land broken
Soil 2nd rate
Timber Pine & Cedars

Chains	
	North Latitude degs 26 x 27
	Var. 16° E.
7.50	County Road bears N.E & S.W.
16.50	Enter field –
17.70	Rio Virgen 20 lks wide runs S.W.
20.00	Rio Virgen runs S.E.
25.00	" " " S.W.
36.00	At foot of bluffs bear E & W. leave field – at this point 2 set sandstone 20 x 12 x 5 in – 14 in deep marked 1/4 W.C on W. side & mound of stones for witness 1/4 sec cor. from which A pine 9 in dia bears N. 10° E. 40 lks dist marked 1/4 S.W.C. B.T.
	The line becoming impracticable

80.0

Right
a certain
corner
[illegible]
here?
[illegible]

S. W. Salt Lake Meridian 3rd

Chains

in place 2 offset East
40.00 chs thence
North on offset line 44.00 chs
to point on line betw secs
23 & 26 - 40.00 chs East of
the point on true line for
cor. to secs 22, 23, 26 & 27
which falling in the mountains
is not established ×
Land N. 44 chs broken & rocky
Soil 2nd rate
Timber Pine & Cedar.
S. 36 chs nearly level
Soil 1st rate
Timber a few pine & cedars

East on random line
between secs 23 & 26
Var. 16° E.

Subdivisional lines of T. 40 S. 18 E. 376

Chains	
40.00	At the point at reached on offset line above given 2 set temporary 1/4 sec cor.
43.80	Ditch at foot of bluffs drains S. — enter field no fence
57.00	Rio Virgen runs S. E.
57.50	" " " N. W.
59.00	" " " S. W.
62.50	Wm. Johnsons house 5 lks S. of line
65.75	East side main Street bears N. & S. in Glendale Jennet Knights house bears N. 10° E 200 lks dist.
73.25	W. side street bears N. & S.
80.00	Intersect N. & S. line at cor. to secs 23, 24 25 & 26 from which West on true line between secs 23 & 26

R 7 W. Salt Lake Meridian

BOOK-A-151

3/4

Chains

40.00 Mark. a trachyte rock in place 4 x 3 x 2½ feet about ground ¼ on N. side & raised mound of stones for ¼ sec. cor. from which A pine 8 in. dia bears N. 75° E. 40 links dist — A cedar 5 in dia bears S 60° W 15 lks dist. Both trees marked ¼ S. B.C.

80.00 The conv. points to secs 22, 23. 26 & 27.

Land W½ of E½ cultivated fields Soil 1st rate Balance broken 2nd rate Timber some pine & cedar

---

North betw secs 22 & 23
Var. 16° E

Subdivisional lines of T. 40 S.

Chains		
	The line being impracticable	
	in place I offset	
	East 40.00 chs.	
	thence N. on offset line	
	80.00 chains to point on	
	line betw secs 14 & 23	40.00
	40 chs. East of	
80.00	the point on true line for	41.40
	cor to secs 14. 15. 22 & 23	
	which falling in the mountains	46.50
	cannot be established.	56.00
	Land mountainous	
	Soil 2nd rate	57.00
	Timber pine & cedar.	60.00
	Note: The offset line runs	80.00
	along N. edge of the town	
	& in order to include it & the	
	fields in sec 23 this mile	
	is returned in this shape—	
		40.00

BOOK-A-151

R. 7 W. Salt Lake Meridian 3 1/2 S.

Chains	
	East on random line
	between secs 14 & 23
	Var. 16° E.
	At the point at
40.00	reached on offset line above
	given 2 set a temp. 1/4 sec. cor.
41.40	Fort of mountains bears N. & S.
	Mill race runs S., enter field—
46.50	Rio Virgen runs S.
57.00	County road bears N. & S.
	leave field. Fence bears N. 10 chs
57.00	Ditch runs S. — second
60.00	Top of hill bears N. & S.
80.00	Intersect N. & S. line at the
	cor. to secs 13, 14, 23 & 24
	from which
	West on true line
	between secs 14 & 23
40.00	Mark a sandstone rock in

Subdivision lines of S. 40 S.

Chains

Place 3 x 2½ x 2 feet above ground 1/4 on N. side & mound mound of stone for 1/4 sec cor from which.

A cedar 5 in dia bears N. 15° W. 84 lks dist

A cedar 10 " " " S 20° W. 75 " "

Both trees marked 1/4 S. B. T.

80.00 The cor. point to secs 14, 15, 22 & 23

Land middle part cultivated fields

Soil 1st rate

Balance mountainous

Soil 2nd rate

Timber pine & cedar.

80.00

North between secs 14 & 15

Var 16° E.

BOOK-A-151

R 7 W. Salt Lake Meridian.

Claims The line being impracticable in place 2 offset East 40.00 chs. thence North on offset line 80.00 chs. thence West 32 chs at foot of mountains bears N. W. & S. E. where 2 Set a sandstone 16 x 10 x 8 in 11 in deep marked 2 notches on E & 4 on S. edges W.C. and mound of stones for witness cor. 8.00 chs East of

80.00 The true cor. point to decs 14. 15. 22 & 23 which corner falling in the mountains is not established

Subdivision lines of T. 40 S. 3rd 24

Chains		Chains
	Land mountainous	32.00
	Soil 2nd rate	40.00
	Timber Pine & cedar.	45.00
	The random line runs	80.00
	through cultivated	
	land.	
	East on random line	
	bet. secs 11 & 14	40.00
	Var. 16° E.	
	From the witness cor.	
	2 pos east, counting	
	the distance from the	
	true cor point	
17.50	Lydia Creek runs S.E.	
20.00	" " " N.E.	
22.00	" " " S.E.	
28.50	County road bears	
	N & S.	

R 7 W. — Salt Lake Meridian

Chains	
32.90	Rio Virgin runs S. W.
40.00	Set temporary ¼ sec. cor.
45.00	Ascend bluff bears N & S.
80.00	Intersect N & S line at cor. to secs 11, 12, 13 & 14 from which West on true line between secs 11 & 14
40.00	Set sandstone 14 × 8 × 8 in. 9 in. deep marked ¼ on N. side & mixed mound of stones for ¼ sec. cor. from which A cedar 18 in. dia. bears S. 52° E. 144 lks dist marked ¼ S. B. T. Chimney of Stone's old house bears S 48° E. 170 lks. dist.

351

Subdivision lines of T. 40 S.

Chains

8.00 The cor. point to secs. 10, 11, 14 & 15

Land mostly part cultivated fields

Soil 1st rate

Balance broken Soil 2nd rate

Timber Pine & Cedar on E ½

North betw. secs 10 & 11

Var. 16° E

From the witness cor. 8.00 chs east of the cor. 2 rods North on an offset line 8.00 chs thence west 8.00 chains to

8.00 On true line Lydia creek 6 links wide runs

R 7 W. Salt Lake Meridian

Chains	
40.00	S. E. in open cañon Sit sandstone 15 x 10 x 5 in 10 in deep marked 1/4 on W. side & raised a mound of stones for 1/4 sec. cor. Land broken Soil 2nd rate Timber large cedar & pine — Note: 2 abandon the line here.

From the witness
standard cor. to secs
33 & 34 6.50 chains
East of the Standard
cor. on the south boun-
dary 2 rds North
between secs 33 & 34

Subdivision lines of T 40 S.

Chains

Var. 16° E.

The line being impracticable
in place 2 offset
East 33.50 chs thence
North on offset line
60.00 chs thence
East 12.13 chs.
Thence N 20 chs
to point on line
between secs 27 & 34
where 2 set sandstone
24 x 18 x 12 in. 18 in deep
marked 1/4 W. C. & raised
a mound of stones for witness
1/4 sec. cor. from which
A pine 10 in. dia.
bears N. 55 E. 60 lks dist
A cedar 6 in. dia bears
S. 45 E. 25 lks dist.
Both trees marked
1/4 S. W. C. B. T.

T 40 S. R 7 W. Salt Lake Meridian

Chains which Witness Cor. is
52.13 chains
East of.

80.00 The true cor to secs 27
28, 33 & 34 which falling
in the mountains is not
established —

Land mountainous
Soil 2nd rate
Timber Pine & cedar.

Note: The offset line
runs through cultivated
fields, Soil 1st rate, to
include which this mile
~~mile~~ is returned in
this shape.

Subdivision lines of T. 40 S.

Chains	
	East on random line between secs. 27 & 34 Var. 16° E. from the witness cor. 2 rods East
53.63	(Counting the distance back to true sec cor point) Ditch runs S.W. and Enter field.
1960	Rio Virgen runs S.W.
6540	County Road bears N.E & S.W. Leave field
80.00	Intersect N. & S line at the cor to secs 26, 27 34 & 35 from which West on true line between secs 27 & 34
27.87	The witness 1/4 sec. cor.

40 S. R 7 W. Salt Lake Meridian

Chains
8.00 The corner pinc to secs
27, 28, 33 & 34
Land E. part nearly
level
Soil 1st rate
No timber
Balance brokew
Soil 2nd rate
Timber pine & cedar

Note: On account of
the mountains I
abandon the further
survey of this
township

Dec. 15th 1876
J. C. Bailey

35 S. 32 E.

BO

General Description.

The surveyed lands in this township embrace the northern portion of Lany Valley and a portion of the timbered bluffs on the east and West sides of the Valley. The town of Glendale is situated in sec. 23 and has a population of about 250 — All the lands in the Valley are under cultivation and are irrigated from the Rio Virgen No indications of

BOOK-A-151

minerals being found
& return the lands
as agriculture—

T. C. Bailey
U. S. Dep. Surveyr.

U. S

S

Th

Tou

Exe

Und

aay

exa

plan

surv

370

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE.

Salt Lake City, Utah, April 3rd 1877

The foregoing field notes of the survey of the Subdivision lines of

Township No. 10 S. *Range No.* 1 W.

Executed by J. C. Bailey

Under his first *contract of the* 4

day of September *1876, in the month of*

December *1876, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Nathan Kimball

Surveyor General for Utah.

BOOK-A-151

R: 1878

3rd

Filed 187 .

Examined by C. A. Gamrell

Compared by Mitchell & Roberts

FIELD NOTES

OF

THE SURVEY OF THE

8th Stand. Parallel S.,

in Range No 11 W.

~~of Township No~~ ~~Range No~~

of the Salt Lake Meridian in Utah Territory.

BY

Aquintus D. Timm

U. S. DEPUTY SURVEYOR,

Under his Contract No. 14,

dated June 20 187 7

Survey commenced July 25 187 7

Survey completed July 25 187 7

Dear Sirs
U.S.M.L.

396

BOOK-A-151

Field Notes of the
8th Standard Parallel
North in Range No 11 West.
of the Salt Lake Meridian,
in the Territory of Utah,

Surveyed by Augustus D.
Fenon under his contract
No. 78, dated: June 20/77

Survey commenced
July 25th 1877
Survey completed
July 25th 1877

BOO

BOOK-A-151

OFFICIAL OATHS.

FOR U. S. DEPUTY SURVEYOR.

I,

having been appointed a Deputy Surveyor of the lands of the United States, in the Territory of Utah, do solemnly swear that I will well and faithfully, and to the best of my skill and ability, execute the duties confided to me, pursuant to a contract with

Surveyor General of public lands in Utah Territory, bearing date the day of , 187 , according to the laws of the United States and the instructions received from said Surveyor General.

Subscribed and sworn to before me this day of , 187

BOOK-A-151 FOR-CHAINMEN.

We Joseph N. Stratton
and John Kilton
do solemnly swear that we will faithfully execute the duties of chain carriers; that we will level the chain upon uneven ground and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Joseph N. Stratton,
John Kilton

Subscribed and sworn to before me this 25th day of July, 1876

Quantin S. Gleason
Dep Surveyor

faith-
riers;
neven
pins,
the
dis-
true
neas-
ility.

e me
1876

401 BOOK-A-151 FOR FLAGMAN.

I, William Wright

do solemnly swear that I will well and truly perform the duties of flagman, according to instructions given me, and to the best of my skill and ability.

William Wright

Subscribed and sworn to before me this 25th day of July, 1877

Alexander H. Stevens
Late Governor.

and
n, ac-
nd to

re me
1877

405 BOOK-A-151

FOR AXEMAN.

I, Martin Slack

do solemnly swear that I will well and truly perform the duties of axeman, according to instructions given me, and to the best of my skill and ability.

Martin Slack

Subscribed and sworn to before me this 25th *day of* July, 187

Chairman of Board

Clerk - Surveyor

40.00

80.00

BOOK-A-151

1876

South Standard Parallel South.

Range No. 11 West.

Beginning at the established Witness Standard Corner to sec. 32 & 33, on S. bound T. 40 S. R 11 W. set by Mess. Baily & Burrill March 26th 1877 - viz: a Sand Stone 30 x 12 x 9, being 15 chs North of true cor point, & run East on offset line on South side of sec. 33 -

Var 16° E.

40.00 at a point - 15 chs North of true cor point, I set a Sand Stone 16 x 10 x 7 in. deep marked 1/4 W.C. on N. side with Stone mound for witness 1/4 sec. cor. true cor. point cannot be established - Thence continue East on offset line

80.00 at a point - 15 chs N. of true cor point I set a Sand Stone 17 x 9 x 5 - 11 in

405

South Standard Parallel South

deep - marked 3 Notches on E & W
edges, and W. S. C. - with a mound
of stones for witness Standard
corner To Sec. 33 and 34. -
It being impracticable to mark
the true cor point.
Land, broken & mountainous.
Soil: 2nd rate.
Timber: Scattering Cedar.

Surv'd. 25th 1877

Note: On account of Mountain
I abandon line here. ——

Note: For General description
see end of Subdivision lines
of this Township. ——

406

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 8th *1877.*

The foregoing field notes of the survey of the ...

6th Standard Parallel

Township ~~South~~ *in ... Range No* 11 West.

Executed by Augustus G. Ferron

Under his *contract of the* 20th

day of June *1877, in the month of*

July *1877, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Nathan Kimball

U. S. Surveyor General for Utah.

BOOK-A-151

R: 1878

Filed 187 .

Examined by C A Gunnell

Compared by Mitchell & Roberts

FIELD NOTES

OF

THE SURVEY OF THE

Subdivisions

of Township No 16 S., Range No 1 W.

of the Salt Lake Meridian in Utah Territory.

BY

Augustus D Ferron

U. S. DEPUTY SURVEYOR,

Under his Contract No. 78

dated June 20 187 7

Survey commenced July 25 187 7

Survey completed " 27 187 7

BOOK-A-151

Township 40 South **R.** 11 West



8th Standard Parallel South.

411

BOOK-A-151

Dest. Field Notes
U. S. R.

412

Copied

Field Notes of the
Subdivisions of Township
No. 40 South in Range No 11
West, of the Salt Lake Meridian,
in the Territory of Utah,

Surveyed by Augustus Heron,
under his Contract No 78,
dated June 20th 1877.

Survey commenced July 25. 1877
Survey completed " 27. "

Subdivisions T. 40 South,

chs

From the Witness Standard
to Sec. 33 & 34 on S. boundary of T.
being 15 chs N. of line cor. point.
North Dist. Sec. 33 & 34
Van 16° E.

15.00 The witness cor. distant
36.25 North Creek 25 lks wide 3 in deep
runs S. W. around
40.00 Set a Sand stone 11 x 11 x 6 - 3 in above
marked 1/4 on W. side - with Stone
mound for 1/4 Sec cor.
Note The broken nature of the ground
rendering further chaining on
line impracticable, I
therefor offset West, 30 chs; thence
North, 40 chs; to a point 30 chs 40.00
West of
80.00 Where I set a Trachyte Stone 16 x 10 x
11 in deep, marked 3 Notches on
E. and 1 on S. edges, and W
with Stone mound

Utah, Salt Lake Meridian

chs

for Witness cor to Sec. 27. 28. 33. & 34. The true cor point falling in brakes cannot be established.
Land broken;
Soil, and rock
Timber Scattering Cedar.

North bet. Sec. 27 & 28
Var 16° E.

Note: The line in place being impracticable, therefor from the Witness cor 30 chs W. of true cor point to Sec. 27. 28. 33 & 34 I run North on offset line 40 chs to a point 30 chs W. of

30 chs 40.00 Where I set a Trachyte Stone 11x10x6, 7in deep marked 1/4 W.C. on W. Side with Stone mound for Witness 1/4 Sec corner. Thence North on offset line 40 chs; East 7.07 chs to a point

Subdivisions T 40 South, R. 11 West

chs

at foot of Bluffs 22.93 chs West
80.00 Marked: a Stationary Trachyte 36
36×28 in. above ground 3 Notches
on E, and 2 on S. edges, and 80.00
with Stone mound
W.C., for witness Cor. to Sec. 21. 22.
27 and 28
Land broken
Soil 2nd rate
No Timber

North bet. Sec. 21 & 22
Var 16° E.

Note. The line in place being impracticable, thence from the within Cor. 22.93 chs West of true cor. point to Sec. 21. 22. 27 & 28 I run N. on offset line 40 chs to a point 22.93 chs W. of
40.00 Where I set a Trachyte 12×9×5 — 8 in
with Stone mound
dep, marked 1/4 S.C. on W. side, for 40.00

Salt Lake Meridian

16

chs

witness to dec. cor. Thence N. on
offset line 40 chs, East. 11.93 chs to
a point 10 chs West of
80.00 there set a Trachyte 13×9×7-ins
dup, marked 3 Notches on E. & S. edges
and W. C. — with Stone mound, for.
witness cor. to Sec. 15. 16. 21 & 22
Land broken —
Soil 2nd rate.
No Timber

North bet Sec. 15 & 16
Tn 16 S.

Note: The line in place being im-
practicable, thence from the wit-
ness cor. 10 chs W. of true cor. point
to Sec. 15. 16. 21 & 22 Stone North, on
offset line, 40 chs; thence East, 10 chs to
40.00 set a Trachyte 10×10×6-ins dup,

Subdivisions T 40 S. R 11 W.

chs

marked 1/4 on N. side, with stone
mound for 1/4 Sec cor.

80.00 Set a sand stone 11x9x6 - 9in dep
marked 3 notches on E & 1/4 on S.
edges, with stone mound, for cor to
Sec. 9. 10. 15 & 16.
Sand S. 1/2 broken N. 1/2 level
Soil 3rd rate.
N & Timber 4.000

—

State Thence to Sec. 10. 11. 14 & 15 — not being 80.00
set. Thence S mm
East on true line bet Sec.
10 & 15
Var: 16° E.

4.00 Foot of Bluff bears N & S.
Set a sand stone 13x8x5 - 9in dep
marked 1/4 on N. side with stone
mound for 1/4 Sec cor.

Gold Lake Meridian

chs

Note Set and stand on line here. —
Land level
Soil Middle
No Timber

—

North bet. Sec. 9 and 10
0 a 16° E.

4.00 Set a Trachyte 11×10×6 — 7 in dep
marked 1/4 on E. side with Stone
mound for 1/4 Sec Cor.

20.00 Set a Sand Stone 12×9×6 — 8 in
dep, marked 3 Chalcheon E. and
5 on S. edges with Stone mound
for Cor to Sec 3. 4. 9 & 10.
Land level
Soil 2nd rate
Timber Scattering Cedar.

—

Subdivision T 40 South, R 11 West

chs

Note. The cor to Sec 2. 3. 10 & 11 not being set. Therefor I run East on true line bet. Sec. 3 & 10 Da: 16° 6

35.00 arcuate.

40.00 Set a sand Stone 14×7×5 – 9 in dep, marked 1/4 on St. side, with Stone mound, for 1/4 Sec cor.

59.00 Ridge bears N. W. & S. E. arcuate

80.00 Set a sand Stone 17×10×6. 11 in dep. marked 2 Notches on E & S on E. edge with Stone mound for cor to Sec. 2. 3. 10 & 11 –

Land rolling

Soil 2nd rate

Timber & scattering cedar.

—

Note: The cor to Sec. 10. 11. 14 & 15 Not being set, Therefor I run

chs

1,40,00

7.00

21,00

40,00

R 11 West, Salt Lake Meridian 420

Chs.

South Lat. Dec. 10 & 11.

On a 160.

Ascend

40.00 Set a sand stone 11 x 11 x 10 - 7 in
dep. marked 1/4 on W. side South
Stone mound for 1/4 Sec. cor.
Note. On account of mountains &
discontinuous line here. —
Land ascending slope.
Soil Sandy.
Timber Scattering Aspen & pine
Surv'd in 1877.

—

Note. The cor. to Sec. 1. 2. 11 & 12 and being
Ast. Thence East on
true line between Sec. 2 & 11
on a 160.

7.00 enter Flat.

21.00 Ascend.

40.00 Set a sand stone 11 x 9 x 7 - 7 in dep

421

Subdivision T 40 South, R 11

chi

marked 1/4 on N. bdy with
Stone mound for 1/4 Secor.
50.00 Ridge bears N.E. & S.W.
80.00 Falling in brush cannot be Set.
Thence at 50 chs Set a Sand
Stone 11 x 10 x 7, 7 in dep, marked
One Notch on E. & S on S. edges.
with stone mound
and W. C. for witness Cors
Dec. 1.2.11 & 12.
Sand rolling
Soil Middle
Timber scattering cedar
July 26 & 1877

Note: the Cor & Sec. 2 & 3 on N.
boundary of T & not being set. Thence
South on true line Set. Sec. 2 & 3
Ra 16° E.
Descend.
20.00 enter flat and field

Year
chs
28.80
29.00
40.00
41.50
80.00

R. 11 W. Salt Lake Meridian

chs	
28.80	Tree bears S. 80° E & N. 80° W.
29.00	Road bears N. E. & N. W.
40.00	at foot of Trachyte bluff marked a Stationary Trachyte 3x2x2 feet above ground ~~above ground~~, 1/4 on N. side with Stone mound for 1/4 sec. cor.
41.50	Top of Trachyte ledge bears E & N. W.
80.00	Vein Sandstone 10x10x7 — 7 in ~~dark~~ marked 2 Stations on E & W. with Stone mound edges — for cor to Sec. 2. 3. 34 & 35 — being on N. boundary of T. 1 S.

Land: mostly rolling
Soil: " Shale
Timber Scattering Cedar

Notes on a random line
bet. Sec. 1 and 2
Var. 16° E.

Subdivisions T. 40 S. R. 11 W.

chs

Note the line in place being impracticable, thence from the Witness cor. 30 chs W. of true cor. point to Sec. 1. 2. 11 & 12. S. run N. 40 chs, on offset line, 31. chs; thence E. 30 chs; thence North 9 chs, to

40.00 Set a Temp. 1/4 Sec cor.

80.10 Intersect N. boundary of T. at Cor. to Sec. 1 and 2 from which South on true line Wit. Sec 1 & 2

40.10 Set a Sand Stone 11 x 9 x 8 - 7 inches marked 1/4 Sec W. Side, with Stone mound for 1/4 Sec cor.

80.10 The Cor point to Sec. 1. 2. 11 & 12. Land mostly level Soil Sandy Timber & scattering pine.

Bottom a random line

Salt Lake Meridian

chs

Incl. Sec. 3 and 4
T. 16 S. R. 8 E.

40.00 Set a Temporary 1/4 Sec Cor.
80.22 Intersect N. boundary of Tp. 12 Lks W. of Cor to Sec. 3 & 4 from which S. 5° W. on true line Incl. Sec. 3 & 4

40.22 Set a Bachyte 17 x 10 x 7 - Windup marked 1/4 on N. Side with Stone mound for 1/4 Sec Cor,
80.22 The Cor to Sec. 3. 4. 9 & 10.

Land level,
Soil Sandy
No Timber

From the Witness cor. 15 chs N. of true cor point of Sec. 32 & 33 on S. boundary of Tp. Run
North Incl. Sec. 32 & 33.

Subdivisions T. 40 S. R. 11 W

dis		dis
	Var 16° E.	
5.00	Wit witness cor. descend	
17.50	North Creek 15 lks wide 8 in dep runs W. descend.	7.50 40.00
32.50	Enter flat.	40.75
35.30	Road bears N. E. & S. W.	56.00
40.00	Set a Trachyte 14x8x6 - 9 in dep marked 1/4 on W. side with stone mound for 1/4 sec cor.	80.00
7.00	Walk Hollow drains S. W.	
8.00	Set a Sand stone 16x14x10 - 11 in dep marked 4 Notches on E & W 1 on S. edges with stone mound for Cor to Sec. 28 29. 32 & 33	40.00
	Land S. 1/2 broken N. 1/2 level Soil Loam.	80.00
	No Timber	
	East on a random line	

Salt Lake Meridian 426

do

Met Sec. 28 & 33.

Da 16° 6.

7.50 Track drains S. W.

40.00 Set a Temp. 1/4 Sec cor.

40.75 Road bears S & S.

50.00 Edge of North Creek bank

80.00 Not being set, therefor at 50 lks

Intersect S & S. line at Witness

Cor 30 lks W. of cor point to Sec 27.

28. 33 & 34. from which West

on true line Met. Sec. 28 & 33

40.00 Set a Trachyte 14 x 10 x 8 - 9 in deep

marked 1/4 on N. side with

Stone mound for 1/4 Sec cor.

80.00 The cor to Sec. 28. 29. 32 & 33.

Land mostly level

Soil 1st rate

No Timber.

North bet. Sec. 28 and 29

T. 16° E.

Subdivision - T40 S. R 11 W.

chs	Description	
5.00	Ascend bear Mg S.W.	57.
36.00	Enter flat. Do.	80.
40.00	Set a Bachyke 14×11×7 – 9in deep marked 1/4 on W. side with Stone mound for 1/4 Sec Cor	
80.00	Set a red sand Stone 10×10×7 – 7in deep marked 4 Stakes on E & S on E. edge for Cor to Sec. 20. 21. 28. & 29. with Stone mound	40.
	Land S/t broken N. / level Soil 2nd rate. No timber	80.
	Easton a random line Sub Sec 21 & 28. (va 16. E.	40,00
16.00	Ascend	
40.00	Set a temp. 1/4 Sec Cor	
53.50	Road bears N & E.	76.

Salt Lake Meridian T. 2 S.

chs.

57.27 foot of Bluffs bears N 4 E.

80.20 Not being set, therefor at 57.27 chs
Intersect N 4 E. line at Witness
Cor. 22.93 chs west of the Cor. for point of
Sec. 21. 22. 27 & 28 from which
West on a true line Set Dec. 21 & 28

40.10 Set a Sandstone 11 x 9 x 6 - 7 in deep
marked 1/4 on W Side, with Stone
mound for 1/4 Sec Cor.

80.20 The Cor. to Sec. 20. 21. 28 & 29.
Land undulating, Soil Sandrate,
No Timber

—

North Set Dec 20 & 21
Var 16° E.

40.00 Set a Sandstone 11 x 10 x 10 - 7 in deep
marked 1/4 on W. Side with Stone
mound for 1/4 Sec Cor.

76.50 Ascend

Subdivisions T 40 S. R 11 W.

ch's		ch's
80.00	Set a Sand stone 18"x9"x5"—9 in deep—marked 4 Notches on 6"x3" on S. edge with Stone Mound for Cor to Sec. 16, 17, 20 and 21.	40.05
	Found level	
	Soil Indurate	80.11
	No Timber	
	—	
	East on a random line Sec. 16 & 21.	
	No Cor.	
	Record	
18.00	Road bears N 11 W & S E. enters flat.	
40.00	Set a stone 1/4 Sec Cor	15.00
46.00	Creek	40.00
79.11	Foot of steep ledge.	
80.11	Stone being set. thereon at 79.11 chs	
	Intersect N & S. line at Witness Cor.	54.00

BOOK-A-151

Salt Lake Meridian

T. 3 S.

Chs

10 chs W. of Cor. point - Secs. 15, 15, 16, 21 & 22
from which West a true line
bet. Secs. 16 & 21,

40.05 Set a Sand Stone 10 x 10 x 8 — 7 in dep,
marked 1/4 on N. side with Stone
Mound for 1/4 Sec Cor.

80.11 Thence to Sec. 16, 17, 20 & 21,
Land rolling
Soil Arable,
Timber Scattering Cedar.

North bet Secs 16 & 17
Var 16° E.

descend

15.00 Hollow drains E.

40.00 Set a Sandstone 11 x 10 x 9 — 7 in
Dep. marked 1/4 on N. side
with Stone Mound for 1/4 Sec Cor.

54.00 Road bears N. & S.E. under flat.

Subdivisions T 40 S. R 11 W.

Chs
80.00 Set a Lava 16 x 10 x 7 — 11 in dep. marked 4 strokes on E & S. edges, with Stone mound for cor. Cor 79.
Dec. 8. 9. 16 & 17
Land rolling
Soil Sandrock
Timber Scattering Cedar.

Easton a random line
Set Dec. 9 & 16.
Fa 16 & 6.

20.00 Creek
38.00 Ridge bears N. & E. 6. descend 14.5
40.00 Set a temp. 1/4 Sec. cor. 40.0
53.00 Center Flat.
79.75 Intersect N & S line 35 lks. E. of Cor to Sec. 9. 10. 15 & 16 from which S. 88° 45 W. on a true line Sec. Cor. Sec. 9 and 16
39.87 Set a Sand Stone 10 x 9 x 8 — in.

Salt Lake Meridian 43

chs

Deep, marked 1/4 Cor. Sec. 16 & 17 with stone mound for 1/4 Cor.

79.75 Thence to Sec. 8. 9. 16 & 17

Land level & rolling

Soil Adobe

No Timber

—

Note Thence Sec. 7. 8. 17 & 18 not being Surv. Thence from the Cor to Sec. 8. 9 16 & 17 - West on true line Surv.

Dec. 8 & 17

Va 16° E.

14.50 Road bears N & S. ascend

40.00 Set a sandstone 14 x 10 x 6 - 9 in deep marked 1/4 Cor N. Sec 16 & 17 with stone mound for 1/4 Sec Cor.

Note: Abandon line here.

Land level & rolling, Soil Adobe

No Timber

Subdivision T. 40 S. R. 11 W.

North Bet dec. of 9

on 16° E.

27.00 Ascend

40.00 Petrachyte 17×9×5 — 11 in dep
marked T. 40 on W. side with Stone
mound for ¼ dec cor.

60.00 Ridge bears N. W & E. descend

80.00 Petrachyte 16×9×7 — 11 in dep
marked 4 Sections on E & S on S.
Edges with stone mound for
Cor to Sec. 4. 5. 8 & 9.
Sand rolling
Soil indifferent
No Timber

Section a random line
bet Sec. 4 and 9
on 16° E.

Ascend

BOOK-A-151

Salt Lake Meridian T 34

chs

8.00 enter flat.

40.00 Set stone 1/4 dec cor.

80.00 Intersect N & S. line at cor to
sec. 3. 4. 9 and 10. from which
West on true line bet. sec. 4 & 9
40.00 Set a Stone 16 x 11 x 10 — 11 in. dug
marked 1/4 on W. side, with stone
mound for 1/4 dec cor.

80.00 The cor to sec. 4. 5. 8 & 9.
Land mostly level
Soil Shale.
Timber Scattering cedar.

Note: The cor to sec. 5. 6. 7 & 8 not
being set, Thence West on true
line bet. sec. 5 and 8
on 1606.

5.00 Ridge bears: N.W. & S.E. descend
27.00 Rock at foot of Ridge bears N.W. & S.E.

Subdivisions T 40 S. R 11 W

Chs.

40,00 Pet a Trachyte 10×10×7—7in
dep, marked 1/4 on N. side
with Stone Mound 1/4 Sec.
Cor.
Note: discontinue line here.
Land hilly
Soil — Indate
No Timber

—

Work on a random
line bet Sec. Hand &
Qa 16° E.

Second

40,00 On East slope of Volcano Crater
Pet a Temp 1/4 Sec Cor.
07.00 Pinon bears Leg Dr.
80,00 Intersect N. boundary of T.
at (or to Sec. 495 Down which
South on true line bet Secs 495—

Ja
Ch
40.0

80,0

BOOK-A-151

Salt Lake Meridian

T. 32 N.

chs
40.00 Set a Trachyte. 10x10x9— 7 in.
dug marked 1/4 on N. side South
Stone mound for 1/4 sec cor.
80.00 Intersects 5. 8 & 9
Land rolling, Soil Ist rate
N Timber
July 27th 1877.
— Note. Abandon further survey.

General Description
The surveyed portions of this
Township embrace some excellent
Agring and farming
lands. Sec 2 contains the
settlement of Peri Valley
where several farms are being
successfully cultivated without
irrigation.

A. L. Gibson
Dep Surveyor

U. S. SURV

Salt

The

Township

Executed

Under...

day of...

amined,

made, th

cribe are

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 8 1877

The foregoing field notes of the survey of the ...

Subdivisions

Township No. 4 S, Range No. 1 W.

Executed by ..... Augustus D. Ferris

Under ..... his ..... contract of the ..... 29 ..

day of ..... June ..... 187 7, in the month of

..... July ..... 187 7, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Nathan Kimball

U. S. Surveyor General for Utah.

BOOK-A-151 444 (3)

Examined by H. H. Cornwell. C.C.

Field Notes
of the
Survey of the
Subdivision lines of
Fractional Township
No. 40 South,
Range No. 3 West
of the
Salt Lake Meridian
Territory of Utah,
Surveyed by
T. C. Bailey U.S. Dep. Sur.
under joint contract of
of Bailey & Burrill
No 73 dated Sept. 4th 1876.

Surveyed March 19th 1877.

BOOK-A-151

Township 11 S. Rock **R.** 13, West

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

449

448 446

466

8th Standard Parallel South.

March 19th 1877 by T. C. Bailey
From the Standard cor, to
Secs. 35 & 36 on the 8th standard
Parallel South I run
North between Secs. 35 & 36
Var. 16° E.
The Line in place being im=
practicable on account of

the mountains thence from the witness cor. 35 chs West of true cor. point, I run North on offset line 40 chs. thence E. 25 chs. to a point 10 chs. N. of the true ¼ sec. cor. where I set a Trachyte rock 15 x 9 x 9, 10 in. deep marked ¼ M.C. on N. side & raised mound of stones for witness ¼ sec. cor. Thence West 25 chs. thence North 40 chs. thence East 7 chs. to point 28 chs. West of the true cor. falling in the mountains is impracticable to establish, thence from at 28.00 chs. West of the true cor. I mark a Trachyte rock in place 42 x 30 x 18 in. above

8000

Salt Lake Meridian.

Chains ground one notch on E. & S. sides & W.C. Raised mound of stone for witness cor. to secs. 25. 26. 35 & 36 -
Land on offset line mostly level - Soil & Soil - No Timber -

Note: I abandon line here -

From the Standard cor. to secs. 34 & 35 on the 8th Standard Parallel South
North bet. secs. 34 & 35
Va. 16° E.

20.00 E. Pratt's House bears S. 78 E.
40.00 Set 5 inch pipe 18 x 18 x 24 in. 12 in. deep marked 1/4 on N. side Raised mound of stone for 1/4 sec. cor. from which E. Pratt's house bears S. 56 E.

Subdivisions T. 40 S. R. 13 W.

Chains	
80.00	Set Trachyte 20×10×10 in 15 in. deep notched 2 on E. & 1 on S. edges & raised mound of stone for cor. to secs 26. 27. 34 & 35 — Land broken, soil & Timber —
	East on random line bet. secs. 26 & 35 Va. 16° E.
1 8.60	Telegraph line bears S.
30.65	Salt Lake Road bears S.
35.50	Wood Road " "
40.00	Set temp. 1/4 sec. cor.
52.00	Perpendicular cliff formed by Ash Brook 25 lks. wide, running return cliff main mountains —
80.00	The cor. point not established —

Chains

80.0

1,0.0

80.0

Note

Salt Lake Meridian

Chains

Established thereon at 52.00 chs.
intersect N.T.S. line at W. C.
28.00 chs. Most of the cor. joint
to Secs. 25-26-35-36 - from
which
Pt. on true line
Brt. Secs. 26 & 35 -
28.00 The witness cor.
4.00 Set Trachyte 30 x 3 x 6 in. 25
in. deep marked ¼ on W. side
Raised mound of stone
for ¼ Sec. cor.
80.00 The cor. to Secs. 26.27.34 & 35
Sand mostly broken
Soil & Rate No Timber -

Note: The balance of this township is mostly
So I abandon the survey here.

General Description
The surveyed portion
of this township consists
mainly of a stretch of

Subdivisions T. 40 S. R. 13 W.

Bottom land along Ash Brook -

The S. E. ¼ of Sec. 35 contains some valuable springs, furnishing all the water to the settlement of Vacqueville immediately south of this township -

March 19th 1877 T. C. Bailey
Dep. Surveyor

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE.

Salt Lake City, Utah, June 6th 1877

The foregoing field notes of the survey of Subdivisional lines & Meridional Township No. 40 S Range No. 13 W. Executed by Bailey & Burrill Under Joint contract of the 4th day of Sept 1876, in the month of March 1877, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Patrick Kinsella

Surveyor General for Utah.

BOOK-A-151

458.

Examined by C. H. Crawwell. C. C.

Field Notes
of the
Survey of the
8th Standard Parallel South
in
Ranges 11, 13, 14, 15 & 16 West
of the
Salt Lake Meridian
Utah Territory
by
T. C. Bailey & J. G. Burrill
under Joint Contract of
Bailey & Burrill
No 73 — ?(71)
dated Sept. 4th 1876

Surveyed March 17th & 26th 1877
& April 3rd & 6th 1877

BOOK-A-151

8th Standard Parallel South 4160
Range 11 West of the Salt Lake Meridian

March 26th 1877 J. G Burnell

Note: From the witness cor.
to the closing cor point
to T. 41 S. R 11 & 12 W.
established in the survey of the
Range line between said
Tps. viz: "Stationary sand-
stone 10 x 5 x 5 feet above ground
marked thusly W.C. C.C. on Top,
with mound of stone", thence
2 rods

East along N. side sec. 6
Var. 16° E.

The line in place being
impracticable thereon from
the Witness cor. 35 chs. S.
of the true cor. point to
T 41 S. R 11 & 12 W. 2
rods East on offset line 53
chs. thence N. 43° 31' E.

Eighth Standard Parallel South

Chains		
	24 chs. thence East 10.48 chs thence North 17.59 chs to	
81.00	The true cor. point on N. edge of Road at foot of high bluff where I set at bank a 20 x 16 x 8 in 15 in deep notches 6 on S. E & W. edge, mark'd C. C., with mound of stone for closing cor to secs 5 & 6 (Note: The 1/4 sec. cor. falling in bluffs could not be set. Land on true line, broken broken bench, on offset line mostly level and under cultivation	
	Soil 1st rate	
	Timber Almond, Peach, Apple, Apricots, fig trees and grape vines of commercial value	

---

in R. 11 W. of the I. L. Dn.

462

Chains	East on N. side of sec 5 Var. 16° E.
3.75	Foot of bench bears S.E. Ascend to
4.00	Enter cultivated land
12.00	Road on E. side of bench bears N & S.
12.50	Stone wall bears S 7° W. & N. 7° E & enter main street in the town of Millerville from this point I measure S. 7° W. 60 lks to a point from which the N. E. cor of log house bears N. 30° W. 2 lks dist, S. W. cor. of a log house S. 79° 30' E. 70 lks. dist., N. W. cor. of a log house bears S. 54° E 310 lks. dist., S. W. cor. of a log house N. 72° 30' E. 200 lks. dist. Pen Stock

Chains	of Saw Mill bears S 14° 30' W. 200 lks. dist. — Return to the print at 12.50 chs on true line
13.20	Stone wall on E. side of Road enter orchard
15.75	Fence bears S 7° W & N. 7° E.
19.00	Creek Bluffs North Creek 25 lks wide runs S. 10° W.
22.80	Log Cabin in line
30.00	Leave Orchards
30.50	Creek 40 lks wide runs N.W. enter cultivated land
35.70	Leave " " bears N.E. & S.W.
36.40	Road bears N.E & S.W.
37.50	Creek 50 lks wide runs S.E.
37.75	Enter Vineyard bears N.E. & S.W.
40.00	Set sandstone 24 x 8 x 5 in.

in Range 11 West S. L. [illegible]

Chains 18 in. deep marked ¼ on N. side with mound of stone for ¼ sec. cor.

44.30 Leave cultivated land & ascend

47.30 On N.W. slope of mountain set conglomerate rock 24 x 14 x 10 in 18 in. deep notched 4 E., 2 N., 36 S and marked W. C., raised mound of stone for witness closing cor. to secs 4 & 5

Thence offset North 15 chs Thence E. 32.70 chains to a point 15 chains N. of

80.00 The true cor point which falling in the mountains the true cor. cannot be set therefore at the point 15 chs North 2 set sandstone 30 x 12 x 9 in 21 in deep marked

Eighth Standard Parallel South

465

Chains | 4 notches on E. & on W. & on S. edges & W.C., C.C. for witness closing cor. to secs 4 & 5 T 4 S R 11 W. Land mostly cultivated fields
Soil 1st rate
Timber fruit trees & Vines of commercial value
Note: Abandon line here, March 26th 1877
J. G. Darrill

See general description and approval at end of subdivision notes of T. 4 S. R 11 W.

---

in Range 13 West of the S. L. M.

466

Chains March 17th to 18th 1874 J. G Bunnell

From the 1/4 sec. cor. on N. side secs 2 established by Major Gorlinski in 1870 viz: "A Lava 20x10x6 ins." 2 rods

East between secs 2 & 35

Var. 16° E.

Ascend

5.00 The Bluffs

40.00 The two cor falling in steep rocky volcanic hills is not set thereon at 5.00 chs 2 mark a stationary trachyte 30 x 25 x 25 in. above ground 1 notch E. 3 N. 6 L. & 6 N. Or. C., C. C for witness closing & standard cor. to secs 1, 2, 35 & 36

8th Standard Parallel South

467

Note: Neither Baumann nor Gorlinski alloding for any convergency on this line causes the corners on the Standard to be closing & Standard corners at the same point.

Land Volcanic bluff.
Soil 3rd rate
No timber
Note: Abandon line here.
March 17th 1877
D. C. Barrill

For General Description see end of subdivision notes of T. 40 S. R. 13 W.

BOOK A-151

in Range 14 West of the S.L.M.

168

April 3rd 1877 S. C. Bailey

From the Standard

cor. to T. 40 S. R. 13 & 14

W. viz "a Sandstone 30x

12x10 in mth mound of stone"

the bearing trees are good

but I identify the cor. as

the true one established by

Captain Baneeman in 1869

and being common to the

4 Tps. as no emergency

was allowed by him, 2 rods

West between 1 & 36

Var. 16° E.

0.25 S. end of bonds on line

1.00 Road bears N & S.

1.29 N. E. cor. of T. Longbeny's

lot 25 lks S. of line

2.10 Brook runs S.

5.54 On line of N. side of Main

BOOK-A-151

Township 110 South **R.** 1E West



8th Standard Parallel South.

8th Standard Parallel South

No 9

Chains Stone in Town of "Silver Reef" from which Magazine bears S. 43° 30' W.

5.75 House bears N. 5.50 chs

8.00 Barlow's Brewery bears N. 5° E. 310 lks dist.

10.10 Brook runs S. W.

23.00 Road bears N. E. & S. W.

28.00 Magazine bears S 56° E.

30.00 At E. foot of Red Bluffs bears N E & S W. Set red sandstone 24 x 16 x 6 in 18 in deep marked 1/4 W. C. on N. side with mound of stone for witness 1/4 sec. cor. from which a cross on face of sandstone ledge bears N. 5 W. 40 lks dist. Thence offset N. 20 chs thence (W. 50 chs thence

BOOK-A-151

in Range 14 West of the S. L. Riv.

41

Chains
80.00

S. 20 chs to
on true line set red sand-
stone 20 x 10 x 10 in 15 in deep
marked 1 notch on E, 6 on N
& 5 on W. edges & S. C and
mixed mound of stone for
Standard Cor. to secs 35 &
36. ——

Land E. 30 chs rolling
Balance rocky bluffs
Soil 2nd rate
No timber
Note: Abandon line here
April 3rd 1877
J C Bailey

For General Description
see end of subdivision
notes of T. 41 S. R 14 W

8th Standard Parallel South

(4)

Chains April 6th 1877 J. C. Bailey.

From the Standard
Cor to S. 40 S Rs 15 & 16 W.
viz: "A Trachyte 20 x 14 x 5 in.
with mound of stone from which
a cedar 10 in. dia. bears N. 83° W.
30 lks distant marked a notch"
established in the survey
of the Pine Valley Guide
Meridian 2 miles
East on S. side sec. 31
Var. 16° E.

2.20 The closing cor. established
on the Guide line
12.00 Foot of trachyte bench
bears N.E. & S.W.
17.00 Top of same —
40.00 Set trachyte 16 x 10 x 7 in.
10 in. deep marked 1/4 on N.
side with mound of stone

BOOK-A-151

Township 40 South **R.** 15 W.



8th Standard Parallel South.

in Range 15 West of the S. L. M.

47

Chains

80.00 for ¼ sec. cor.
Set trachyte 24 x 12 x 8 in
18 in deep notched 5 on E, 6
on N & 1 on W. edges, marked
S. C. and mixed mound
of stone for standard cor
to secs 31 & 32
from which
A Cedar 10 in. dia. bears
N. 20° E. 20 lks dist marked
S 32 T. 4 S. R 15 W. S.C.
B. T.
Land mostly level
Soil 2nd rate
Timber Cedar & pine of
commercial value

East on S. side secs 32
Var. 16° E.

2.50 Wood Road bears N. & S.

8th Standard Parallel South in Ra

4/3

Chains		Chain
40.00	Set trachyte 12 x 12 x 4 in 8 in dep marked 1/4 on N side with mound of stone for 1/4 sec cor	
	from which	
	A cedar 3 in dia. bears N. 2° E	20
	32 lks dist marked 1/4 B. T.	35.
44.50	Ridge bears N. & S.	46.
49.50	Wood Road " " "	
80.00	Set trachyte 14 x 14 x 8 in 9 in dep marked 4 notches on E 6 on N & 2 on W. edges S. C. and mixed mound of stone for Standard cor to secs 32 & 33	62.
	from which	
	A cedar 12 in dia bears N. 80 E.	
	60 lks dist. marked S 33 L 40 S R 15 W S. C. B. T.	80.
	Land nearly level	

Range 15 West of the S. L. M.

Chains	Soil 2nd rate Timber cedar & pine of commercial value	4/10

East on S. side sec. 33
Var. 16° E.

20.00	Descend
38.25	Wood Road bears N. E & S. W.
46.00	Set sandstone 14 x 10 x 4 in 9 in. deep marked 1/4 on N. side with mound of stone for 1/4 sec. cor from which El Cedar 5 in dia bears S. 30 E. 40 lks dist marked 1/4 S. B. T.
62.00	Wood Road in bottom of hollow bears N & S hollow drains S.
80.00	Set trachyte 16 x 10 x 5 in. 10 in deep marked 3 notches on E & W. & 6 on N. edges S.C. and mound

8th Standard Parallel South

Chains

Mound of stone for Standard
cor to secs 33 & 34
Land level. Soil 1st rate
Timber Cedar & pine of com-
mercial value
Note: Further deponent
sayeth not!

For General Description
see end of subdivision
notes of T. 41 S. R. 15 W.

---

* I now return to the
Standard cor. to T. 40 S.
Ranges 15 & 16 W. and run
West on S. side sec. 36
Var. 16° E.

18.10 Road bears N & S.
40.00 Set sandstone 18 x 9 x 9 in 13

BOOK-A-151

Township 11 0 South **R.** 16 West

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36
483	484	480	479	477	475

8th Standard Parallel South.

in Range 16 West of the S.L.M.

Chains	in deep marked ¼ on N. side, with mound of stone for ¼ sec. cor. from which
	A cedar 10 in. dia bears N. 45 W. 30 lks dist marked ¼ S. B. T.
43.30	South spring with fine, flowing Chrystal water is 100 lks S. and drains off S.W.
44.50	Spring Branch in hollow formed by several springs at head of hollow runs S.W. ascend
71.50	Top of long ridge bears N.E. & S.W. descend
81.00	Set Quartzite 20 x 10 x 6 in 15 in deep marked 5 notches on W. 6 on N & 1 on E edges S.C. and mixed mound of stone for standard cor to secs 35 & 36 from which

8th Standard Parallel South in

Chains	
	A cedar 10in. dia. bears N. 10 E
	40 lks dist marked S. 36 ∫ 40 S.
	R 16 W. S.C. B. ∫.
	Land rolling
	Soil 2nd rate
	Timber Cedar & pine of com-
	mercial value

West on S. side sec 35
Var. 16° E.

2.00	Enter flat bears N.E. & S.
26.00	Road bears N. & S.
39.50	Wash drains S.E.
39.75	Road bears N. & S.
40.00	Set Quartzite 16 x 8 x 8 in
	10 in deep marked ¼ on N. side
	with mound of stone for ¼ sec Cor
	from which
	An old Cabin at N.E. end
	of orchard bears N 17 E. 35 lks

BOOK-A-151

Range 16 W. of the S. L. Mer.

T 7 S

Chains	distant
46.90	Telegraph line bears N & S.
47.60	Road bears N & S.
53.00	" " N.W. & S.E.
60.00	Dry Gulch drains S.E.
65.50	Road bears N.W. & S.E.
76.00	Foot of lava bears N.W & S.E ascend N.E. slope
80.00	On N.E slope of extinct Volcanic cone set Lava 12 x 8 x 8 in. 8 in deep marked 2 notches on E. 6 on N & W W. edges S.C. and mound of stone for Standard Cor to secs 34 & 35

Land mostly level. Soil 1st class

Timber cedar & pine of commercial value on E. 20 chs

8th Standard Parallel South

Chains

West on S. side sec. 34

Var. 16° E.

Descend

16.00 Leave Lava bears N & S.
enter flat.—

30.00 Wash drains S. W.

40.00 On E. side of Road bears
N & S. set sandstone 18 x 10 x 3 in
13 in deep marked 4 on N. side
with mound of stone for 4 sec cor-

42.00 Road bears N & S.

42.10 Wash drains S. E.

60.00 Enter broken bench bears
N. & S. leave flat a fine
Quarry of grindstone rock
on line, enter timber

70.75 Ridge bears N & S. descend

72.50 Abyss 400 feet deep

80.00 Falls in abyss cannot
be set thereon at 72.50 chs

BOOK A-151

in Range 16 West of the S. L. M.

Chains

Set sandstone 20 x 14 x 6 in 15 in deep marked 3 notches on E & W 6 on N edges S.C. W.C., and raised mound of stone for witness, standard cor to secs 33 & 34 from which A pine 12 in dia bears North 35 lks marked S. 34 S. 40 S. R 16 W. S. C. W. C. B T.

A pine 10 in dia bears S 45 W. 30 lks dist. marked S. 3 S 41 S. R 16 W., S. C., W. C., B T.

Land middle part level, Soil 1st rate Balance broken Soil 2nd rate Timber pine & cedar of commercial value on W. 20 chs

---

W. on S. side sec 33

Var. 16° E.

From the witness cor

8th Standard Parallel South in Range

481

Chains 7.50 chs. E. of the true
standard cor. to secs 33 & 34
2 mm N 20 chs thence W.
20 chs thence S. 20 chs to
12.50 on true line
40.00 Set stone drive N. 10° W.
at sandstone 16 x 11 x 5 in. 10 in
deep marked 1/4 on N. side,
with mound of stone for 1/4 sec. cor. 56.00
80.00 Set sandstone 13 x 7 x 6 in 8 in 80.00
deep notched 4 E., 6 N. & 2 W.
marked S.C. and pits
mound of stone for standard cor. to secs
32 & 33 from which
A pine 8 in dia bears
N. 30 E 25 lks dist marked S 33
T. 40 S R 16 W. S.C. B. T.
Land very broken Soil 2nd rate
Timber pine & cedar of commercial value

Range 16 W. of the S. L. Mn.

T. 32

West on S. side sec 32

Var. 16° E.

40.00 Set sandstone 13 x 9 x 7 in. 8 in. deep marked from N. side with mound of stone for ¼ sec. cor. from which

A pine 10 in. dia. bears S. 45 W. 30 lks. dist marked ¼ S. B. T.

57.00 Ravine drains N. E.

80.00 Set sandstone 20 x 16 x 8 in 15 in. deep marked 5 notches on E. & on N & 1 on W. edges S. C. and mixed mound of stone for standard cor. to secs 31 & 32 from which

A pine 16 in. dia bears S 18 W. 42 lks. dist marked S 6 1/4 S. R 16 W. S. C. B. T.

Land very broken Soil 2nd rate Timber pine & cedar of no commercial value

8th Standard Parallel South

Chains West on S. side secs 31

Var. 16° E.

40.00. Set sandstone 10x8x7 in 6 in deep marked ¼ on N. side, with mound of stone for ¼ sec cor.

80.00 Set sandstone 18x10x3 in 12 in deep marked 6 notches on E. N. & W. edges & S.C. and raised monument of stone for Standard cor. to T. 40 S. Ranges 16 & 17 W. from which a cedar 14 in dia bears N. 15° W 50 lks dist marked S 31 T 48 S R 16 W. S.C. B.T.

Land broken & rocky here, Soil red sandy.

Timber cedar & Pine of commercial Value

April 6th 1877 T.C. Bailey

BOOK-A-151

in Range 16 West of the S.L.M.

484

For General Description see
end of subdivision noted of
T. 40 & 41 S R 16 W.

BOOK-A-151

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, June 6 of 1877

The foregoing field notes of the survey of 6th Standard Parallel South

~~*Township No.*~~ 22 *Range No.* 11, 13, 14, 15 & 16 W.

Executed by Bailey & Burrill

Under ~~joint~~ *contract of the* 4th

day of Sept *1876, in the month of* March & April *1877, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Spencer M. Kimball

Surveyor General for Utah.