Book No. 6

BOOK-A-166

R: 1879. (101)

Filed November 6th, 1878.

Examined by C. H. Cranwell. C. C.

Compared by Otto Salomon and Wm. C. Gorlinski

FIELD NOTES

OF

THE SURVEY OF THE

Subdivision Lines

of Township No 9 N., Range No 3 E.

of the Salt Lake Meridian in Utah Territory.

BY

James H. Martineau

U. S. DEPUTY SURVEYOR,

Under his Contract No. 80

dated August 30th 1877.

Survey commenced November 20 1878.

Survey completed do 30th 1878.

Book No. 6

BOOK-A-166

R: 1879. (101)

Filed November 6th, 1878.

Examined by C. H. Cranwell. C. C.

Compared by Otto Salomon and Wm. C. Gorlinski

FIELD NOTES

OF

THE SURVEY OF THE

Subdivision Lines

of Township No 9 N., Range No 3 E.

of the Salt Lake Meridian in Utah Territory.

BY

James H. Martineau

U. S. DEPUTY SURVEYOR,

Under his Contract No. 80

dated August 30th 1877.

Survey commenced November 20 1878.

Survey completed do 30th 1878.

9

Township ~~9 N R 5 East~~

T. 9 N R. 3 East.

202	201	200	199	198	197
6 59	5 42	4 31	3 21	2 11	1
58	57	41	30	20	10
7 56	8 40	9 29	10 19	11 9	12
55	54	39	28	18	8
18 52	17 37	16 27	15 17	14 7	
51	50	36	26	16	6
19 49	20 35	21 25	22 15	23 5	24
48	47	34	24	14	4
30 46	29 33	28 24	27 13	26	25
45	44	33	23	12	2
31 43	32 32	33 22	34 12	35 2	36

BOOK-A-166

Subdivision T. 9 N. R. 3 E. S. L. M.

Chains Survey commenced Nov. 20. 1878

From the cor. to Secs.

35 & 36 on S. boundary, I run

North between Secs. 35 & 36

Va. 18° 00' E.

22.00 Ridge bears N. W. Enter timber

40.00 Set sandstone 15 x 12 x 12", 10 ins.

deep, in Mound of Stones, marked

¼ on W. side for ¼ Sec. Cor.

46.60 Hollow, drains N. W. leave timber.

80.00 Set sandstone 12 x 10 x 8", 8 ins.

deep, in Mound of Stones, marked

1 notch S. and 1 E. for cor. to

Secs. 25, 26, 35, 36, on W. slope

of mountain.

Mountainous 80.00 Chs.

Soil 2° qualt.

Timber 24.60 Chs.

Easton random line between

Secs. 25 & 36

Subdivision T. 9 N. R. 3 E.

Chains	(Va. 18°00' E.
12.00	Ridge bears N. 15° W. Enter timber.
32.00	Bottom of cañon, drains N. 10° W. Leave timber.
40.00	Set temp. 1/4 Sec. Cor.
44.00	Ridge bears N. 10° W.
58.00	Open hollow, drains N. 10° W.
80.44	Intersect E. boundary at cor. to Secs. 25. 36. 30 & 31, from which West on true line between Secs. 25 & 36
40.22	Set post 48 x 3 x 3", 12 in. deep in mound of earth, marked 1/4 S. on N. side for 1/4 Sec. Cor.
80.44	The cor. to Secs. 25. 26. 35. 36 Mountainous 80.44 chs Soil 2nd rate Timber 20.00 chs.

North between Secs. 25 & 26

BOOK-A-166

Chains	
	Va. 18° 00' E.
31.00	Ridge bears N. 15° W.
40.00	Set post 4 8 x 3 x 3", 12 in. deep, in mound of earth, marked ¼ S. on W. side for 1/4 sec. Cor.
56.00	Hollow, drains N.W.
80.00	Set sandstone 14 x 12 x 10", 9 in. deep, in mound of stones, Mkd. 2 notches S. & 1 E. for cor. to Secs. 23. 24. 25. 26
	Mountainous 80.00 Chs.
	Soil 3° rate
	No timber.

East on random line between Secs. 24 & 25

Va. 18° 00' E.

13.00	Ridge bears N. 10° W.
40.00	Set temp. 1/4 sec. Cor.
53.00	Ridge bears N. W.

Subdivision T. 9 N. R. 3 E.

Chains

80.56 Intersect E. boundary 12 chs. S. of Cor. to Secs. 24, 25, 19 & 30 from which S. 89° 55' W. on true line between Secs. 24 & 25

40.28 Set post 4 x 3 x 3", 12 in. deep, in mound of earth, marked ¼ S on N. side for 1/4 Sec. Cor. in hollow drains N.W.

80.56 The Cor. to Secs. 23, 24, 25, 26 Mountainous 80.56 chs. Soil 3° rate. No timber

---

North between Secs. 23 & 24 Va. 18° 00' E.

40.00 Set sandstone 16 x 12 x 11", 10 in. deep, in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor. on top of ridge bears N.W.

80.00 Set sandstone 15 x 10 x 9", 10 in.

BOOK-A-166

Salt Lake Meridian

Chains deep, in mound of stone, marked 3 notches S. & 1 E. for cor. to Secs. 13, 14, 23 & 24, on E. slope of ridge, bears N. 10° E.

Soil 2d rate, Mountainous

80.00 Chs:

No timber

East on random line between Secs. 13 & 24

Va. 18° 00' E.

8.60 Hays' Fork, 10 lks. wide, runs N.W.

9.00 Road to timber, bears N. W.

9.00 Set temp. 1/4 Sec. Cor., a stone mile about 10. chs South.

9.00 Ridge bears N. W.

9.60 Intersect E. Boundary at cor. to Secs. 13. 24, 18 & 19, from which

West on true line between Secs. 13 & 24

Subdivision T. 9 N. R. 3 E.

Chains	
40.30	Set sandstone 10x10x6." 7 in. dep. in mound of stones, marked ¼ on N. side for ¼ sec. Cor.
80.60	The cor. to Secs. 13. 14, 23 & 24
	Mountainous 80.60 Chs.
	Soil 3rd rate
	No timber

North between Secs. 13 & 14

Va. 18° 00' E.

5.00	Point of ridge, bears N. E.
31.00	Hays' Fork, 12 lks. wide, runs N.
33.20	Road to timber, bears N. 25° W.
40.00	Set sandstone 14x12x7." 9 in. dep. in mound of stones, mark ¼ on W. side for ¼ sec. Cor.
65.00	House about 25.00 Chs. W.
71.00	Ridge bears E. & W.
80.00	Set sandstone 12x10x6." 8 in. dep in mound of stones, mark

BOOK-A-166

Salt Lake Meridian

Chains 4 notches S. & 1 E. for Cor. to Secs. 11, 12, 13 & 14
Mountainous 80.00 Chs.
Soil 2d rate
No timber.

Nov. 20. 1878

East on random line between Secs. 12 & 13
Va. 18°00' E.

30.00 Hollow, drains N. W.
40.00 Set temp. 1/4 Sec. Cor.
73.00 Steep ascent
80.34 Intersect E. boundary 26 Chs. N. of Cor. to Secs. 12, 13, 7 & 18 from which N. 89°49' W. on true line between Secs. 12 & 13
80.17 Set post 48x3x3." 12 in. deep. in Mound of earth, marked 1/4 S on N. side for 1/4 sec. Cor.

Subdivision T. 9 N. R. 3 E.

Chains		Chains
80.34	The Cor. to Secs. 11.12.13 & 14	
	Mountainous 80.34 Chs.	
	Soil 3d rate	10.00
	No timber	33.00
		40.00
	North between Secs. 11 & 12	52.00
	Va. 18° 00' E.	
37.00	Ridge, bears E. & W.	70.00
40.00	Set sandstone 16x9x8" 10 in. deep, in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor.	80.16
80.00	Set sandstone 15x9x8" 10 in. deep, in mound of stones, marked 5 notches S. & 1 E. for Cor. to Secs. 1, 11 & 12.	40.08
	Mountainous 80.00 Chains	
	Soil 3d rate	80.16
	No timber	

Salt Lake Meridian

Chains	East on random line between Secs. 1 & 12 Va. 18° 00' E.
10.00	Pitsch bears N. & S.
33.00	" " "
40.00	Set temp. 1/4 sec. Cor.
52.00	Ridge bears N.W. & S.E. Enter timber
70.00	Leave timber
80.16	Intersect E. boundary 22 chs. S. of Cor. to Secs 1.12.6 & 7, from which S. 89° 51' W. on true line between Secs. 1 & 12
40.08	Set post 4 x 3 x 3" 12 in. deep, in mound of stones, marked 1/4 S. on N. side for 1/4 Sec. Cor. on high bench
80.16	The Cor. to Secs. 1, 2, 11 & 12 Mountainous 80.16 chs. Soil 2° rate

11

Subdivision T. 9 N. R. 3 E.

Chains	Timber 18.00 chs.
	North on random line between Secs. 1 & 2 Va. 18° 00' E.
40.00	Set temp. 1/4 Sec. Cor.
80.12	Intersect N. Boundary 28 chs. E. of Cor. to secs. 1.2.35 & 36 from which S. 0° 12' E. on true line between Secs. 1 & 2
40.12	Set sandstone 16 x 14 x 12", 10 in. dep. in mound of stones, marked 1/4 on W. side for 1/4 Sec. Cor.
80.12	The Cor. to Secs. 1. 2. 11 & 12 Mountainous 80.12 chs. Soil 3° rate No timber.

Chains
40.00
78.00
80.00

	From Cor. to Secs. 34 & 35 on South Boundary, I run

Chains
0.00
40.00

Salt Lake Meridian

Chains	
	North between Secs. 34 & 35
	Va. 18° 00' E.
40.00	Set sandstone 18x17x12" 12in. deep in mound of stone, marked ¼ on W. side for 1/4 Sec. Cor. on E. slope of mountain.
78.00	Dry wash, drains W.
80.00	Set sandstone 16x14x8" 10in. deep in mound of stone, marked 1 Notch S. & 2 E. for Cor. to Secs. 26. 27. 34 & 35.
	Mountainous 80.00 Ch.
	Soil 2° rate.
	No timber.

	East on random line between
	Secs. 26 & 35
	Va. 18° 00' E.
10.00	Top of bench, bears N. W.
40.00	Set temp. 1/4 Sec. Cor.

Subdivision T. 9 N. R. 3 E.

Chains	
51.00	Ridge bears N. 10° W.
69.00	Hollow drains N. 20° W.
80.40	Intersect N. & S. line at cor. to Secs. 25. 26. 35. 36. from which West on true line between Secs. 26 & 35
40.20	Set sandstone 16x8x8." 10 in. deep in mound of stones, marked ¼ on N. side for ¼ Sec. Cor
80.40	The Cor. to Secs. 26. 27. 34. 35. Mountainous 80.40 Chs. Soil 2° rate. No timber.

North between Secs. 26 & 27
Va. 18° 00' E.

Chains	
9.00	Ridge. bears E. & W.
40.00	Set sandstone 15x14x10." 10 in. deep in mound of stones, marked ¼ on N

Chains	
80.00	
20.00	
40.00	
49.00	
79.88	

Salt Lake Meridian

Chains	
	Side for 1/4 sec. cor
80.00	Set sandstone 14x12x9." 9 in. deep in mound of stone, marked 2 notches S. & 2 E. for cor. to Secs. 22. 23. 26. 27 on E. slope of ridge.
	Mountainous 80.00 ch.
	Soil 2° salt.
	No timber
	Nov. 21. 1878
	East on random line between Secs. 23 & 26 Va. 18°00' E.
20.00	Dry wash, drains N. 10° E.
40.00	Set temp. 1/4 sec. Cor.
49.00	Gulch drains N. 10° W.
79.88	Intersect N. & S. line at cor. to Secs. 23. 24. 25. 26. from which West on true line between

Subdivision T. 9 N. R. 3 E.

Chains	Secs. 23 & 26
39.94	Set sandstone 12x11x10." 8in. deep, in mound of stones, marked ¼ on N. side for 1/4 sec. Cor. on point of ridge bears N.
79.88	The Cor. to Secs. 22. 23. 26 & 27 Mountainous 79.88 Chs. Soil 2° rate, with traces of iron No timber

North between Secs. 22 & 23
Va. 18° 00' E.

24.00	Point of ridge bears N. E.
40.00	Set sandstone 10x9x6." 7in. deep, in mound of stones, marked ¼ on W. side for 1/4 sec. Cor.
60.40	Road to Bear Lake valley. bea N. E. along ridge.
80.00	Set sandstone 16x14x10." 10 deep, in mound of stones, mark

Salt-Lake Meridian

Chains	3 notches S. & 2 E. for Cor. to Secs. 14. 15. 22. 23, on high ridge bears E. & W.
	Mountainous 80.00 Chs.
	Soil 2d rate, with trace of iron.
	No timber
	East on random line between Secs. 14 & 23
	Va. 18° 00' E.
16.20	Ogden & Bear Lake road, bears N. & S.
20.00	Descend steep point of ridge
40.00	Set temp. 1/4 sec. Cor.
75.00	Top of high ridge, bears N. 30° E.
80.10	Intersect N. & S. line at cor. to Secs. 13. 14. 23. 24, from which
	West on true line between Secs. 14 & 23
0.05	Set Sandstone 18 x 10 x 8," 12 in.

Subdivision T. 9 N. R. 3 E.

Chains	
	deep, in mound of stones, marked ¼ on N. side for 1/4 sec. Cor. in deep ravine drains N.E.
80.10	The Cor. to Secs. 14. 15. 22. 23 Mountainous 80.10 Chs, Soil 3rd rate, with indications of iron. No timber

North between Secs. 14 & 15 —
Va. 18° W'E.

19.00	Top of ridge, bears W.
40.00	Set Sandstone 24x8x8." 18 in. deep. in mound of stone. marked ¼ on W. side for 1/4 sec. Cor
61.00	Top of ridge, bears E.
72.00	Huntsville & Bear Lake road bears N. W. & S. E.
80.00	Set cobble stone 14x12x6." 9 in. deep, in mound of stones, marked 4 notches S. & 2 E. for

Chains

29.00	
40.00	
58.40	
60.10	
80.22	
0.11	

BOOK A-166

Salt-Lake Meridian

Chains	cor. to Secs. 10, 11, 14 & 15, near foot of ridge, faces. W. Mountainous 80.00 Ch. Soil 2° rate. No timber.
	East on random line between Secs. 11 & 14 Va. 18° 00' E.
29.00	High ridge bears N. & S.
40.00	Set temp. 1/4 sec. Cor
58.40	Hay's Fork 10 lks. wide, runs N.
60.10	Road to timber, bears N. & S.
80.22	Intersect N. & S. line 30 lks. S. of Cor. to Secs. 11, 12, 13 and 14 from which S. 89° 47' W. on true line between Secs. 11 & 14
40.11	Set sandstone 10x10x6." 7 in. deep in mound of stones,

Subdivision T. 9 N. R. 3. E.

Chains	
	Mkd. ¼ on N. side for ¼ sec. Cor.
80.00	The cor. to Secs. 10. 11. 14 & 15 —
	Mountainous 80.00 Chs.
	Soil 3rd rate. with trace of iron
	No timber

North between Secs. 10 & 11

Va. 18° 00' E.

Chains	
14.00	Bottom of hollow, drains West
40.00	Set sandstone 14x12x4" 9 in.
	deep. in mound of stones. Marked
	¼ on W. side for ¼ sec. cor. on
	ridge bears W.
62.00	Road to saw mill. bears N.W. & S.E.
78.00	Road from Huntsville to Bear Lake
	bears N. 25° E
80.00	Set sandstone 22x12x12" 15
	in. deep. in mound of stones.
	Marked 5 notches S. & E. for
	Cor. to Secs. 2. 3. 10 & 11 in raine

Chains	
1.70	
40.00	
50.00	
61.60	
63.00	
79.80	
39.90	

Salt Lake Meridian

Chains	
	drains N. 25° E.
	Mountainous 80.00 Ch.
	Soil 2° rate
	No timber
	East on random line between
	Secs. 2 & 11
	Va. 18° 00' E.
1.70	To Huntsville & Bear Lake
	road. bears N. 25° E.
40.00	Set temp. 1/4 sec. Cor.
50.00	Ridge bears N & S.E.
61.60	Hays. Fork, 10 lks. wide, runs N.
63.00	Road to Cañon, bears N. & S.
79.80	Intersect N. & S. line at cor.
	to secs. 1, 2, 11 & 12, from which
	West on true line between
	secs. 2 & 11
39.90	Set sandstone 12 x 7 x 7." 8 in.
	deep, in mound of stones, marked
	1/4 on N. side for 1/4 sec. Cor.

Subdivision T. 9 N. R. 3 E.

Chains	
79.80	The Cor. to Secs. 2.3.10 & 11
	Mountainous 79.80 chs.
	Soil Poor.
	No timber
	North on random line between Secs. 2 & 3
	Va. 18° 0' E.
30.00	Ravine, drains N. E.
40.00	Set limp. 1/4 Sec. Cor.
55.00	Top of ridge, bears N. E.
80.16	Intersect North Boundary at cor. to Secs. 2.3.34 & 35. from which
	South between Secs. 2 & 3
40.16	Set sandstone 16 x 8 x 4" 10 in. deep, in mound of stones. Marked 1/4 on W. side for 1/4 Sec. Cor. on ridge faces S. E.
80.16	The cor. to Secs. 2.3.10 & 11

BO

Sub

Chains	
40.00	
66.70	
80.00	

BOOK-A-166

East Lake Meridian

Chains	Mountainous 80.16 chs.
	Soil 3° rate, with trace of iron.
	No timber.
	Nov. 22. 1878
	From Cor. to Secs. 33 & 34 on South Boundary, I run North between Secs. 33 & 34 Va. 18° 00' E.
40.00	Set Sandstone 12x10x8" 8 in. deep, in Mound of Stone, marked 4 on W. side for 1/4 sec. Cor.
66.70	East Fork of Little Bear river 10 chs. wide, runs N. 60° W.
80.00	Set sandstone 14x8x6", 9 in. deep, in Mound of Stones, marked 1 notch S. and 3 East for cor. to Secs. 27. 28. 33. 34.
	Mountainous 80.00 chs.
	Soil 3° rate, with trace of iron.

28

Subdivision T. 9 N. R. 3 E.

Chains	No timber
	East on random line between Secs. 27 & 34 Va. 18°00' E.
40.00	Set temp. 1/4 Sec. Cor.
52.00	Brook 10 lks. wide, runs S. W.
60.00	Springs about 4 chs. North.
71.00	Huntsville & Bear Lake road bears N. & S.
80.04	Intersect N. & S. line at cor. to Secs. 26. 27. 34 & 35. from which West on true line bet. secs. 27 & 34
40.02	Set post 4 x 3 x 3" 12 in. deep, in mound of stones. Marked 1/4 on N. side for 1/4 Sec. Cor
80.04	The Cor. to Secs. 27. 28. 33. 34 Mountainous 80.04 Chains Set 2d rate
	No timber

Chains.

15.00

40.00

76.00

80.00

6.50

40.00

BOOK-A-166

East Lake Meridian

Chains.	
	North between Secs. 27 & 28
	Va. 18° 00' E.
15.00	Top of ridge, bears N. 80° W.
40.00	Set sandstone 16x16x8." 10 ins. deep, in mound of stones, marked ¼ on W. side for ¼ sec. Cor.
76.00	Hollow drains N. E.
80.00	Set sandstone 10x10x6." 7 ins. deep, in mound of stones, marked 2 notches S. & 3 E. for cor. to Secs. 21, 22, 27 & 28
	Mountains 80.00 chs.
	Soil 2d rate
	No timber.

	East on random line between Secs. 22 & 27
	Va. 18° 00' E.
6.50	Dry wash, drains N. E.
40.00	Set temp. ¼ sec. Cor.

25

Subdivision T. 9 N. R. 3 E.

Chains	
70.20	Huntsville & Bear Lake road, bears N. & S.
80.20	Intersect N. & S. line 40 lks. S. of Cor. to Secs. 22. 23. 26 & 27, whence S. 89°43' W. on true line between Secs. 22 & 27
40.10	Set post 48x3x3" 12 in. deep in mound of earth, marked ¼ S. on N. side for ¼ sec. Cor.
80.20	The Cor. to Secs. 21. 22. 27. 28 Mountainous 80.20 Ch. Soil 3° rate. No timber

North between Secs. 21 & 22

Va. 18°00' E.

Chains	
24.00	Bottom of hollow, drains N.W.
40.00	Set sandstone 10x10x6" 7 in. deep in mound of stones, marked ¼ on

Chains	
63.00	
80.00	
40.00	
80.26	

BOOK-A-166

Salt Lake Meridian

Chains	
	W. side for 1/4 sec. Cor. on S. W. Slope of Mountain.
63.00	Gulch, drains W.
80.00	Set sandstone 15 x 7 x 5" 10 in. dep, in mound of stone, marked 3 notches S. and 3 E. for Cor. to Secs. 15. 16. 21. 22 on ridge bears W.
	Mountainous 80.00 chs.
	Soil 2d rate,
	No timber.

East on random line between Secs. 15 & 22

Va. 18° 00' E.

40.00	Set temp. 1/4 sec. Cor.
80.26	Intersect N. & S. line at Cor. to Secs. 14. 15. 22 & 23, whence

West on true line between Secs. 15 & 22

27

Subdivision T. 9 N. R. 3 E.

Chains	
40.13	Set sandstone 10x9x7." 7in. deep in mound of stones, marked ¼ on N. side for 1/4 Sec. Cor. on ridge bears E. & W.
80.26	The Cor. to Secs. 15.16.21.22. Mountainous 80.26 Chs. Soil 2d rate, with trace of iron No timber.
	North between Secs. 15 & 16
	Va. 18° 00' E.
23.10	Ravine drains W.
40.00	Set sandstone 12x9x8." 8in. deep in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor. on W. slope of ridge.
57.00	Bottom of ravine, drains W.
73.00	Ridge bears W.
80.00	Set sandstone 16x12x10." 10in. dep

Chains
37.00
40.00
70.40
80.19
40.10

Salt Lake Meridian

Chains	in mound of stones, marked 4 notches S. & 3 E. for Cor. to Secs. 9.10.15 & 16.
	Mountainous 80.00 Chs.
	Soil 3d rate.
	No timber.
	East on random line between Secs. 10 & 15
	Va. 18° 00' E.
37.00	Ridge bears N. 10° W.
40.00	Set temp. 1/4 sec. Cor.
70.40	Huntsville & Bear Lake road, bears N. W.
80.19	Intersect N. & S. line 41 lks. N. of Cor. to Secs. 10.11.14 & 15, whence
	N. 89° 43' W. on true line between Secs. 10 & 15
40.10	Set sandstone 9 x 9 x 7" 6 in. dep. in mound of stones, marked

Subdivision T. 9 N. R. 3 E.

Chains		Chains
	¼ on N. side for ¼ sec. Cor.	
80.19	The Cor. to Secs. 9, 10, 15, 16	
	Mountainous 80.19 Chs.	
	Soil 3d rate.	
	No timber	
	North between Secs. 9 & 10	
	Va. 18° 00' E.	3.50
3.00	Bottom of ravine, drains W.	4.72
34.00	High ridge, bears N. E. & S. E.	40.00
40.00	Set Sandstone 11x10x5." 7 in. deep	57.00
	in Mound of Stones. Marked ¼ on W.	80.04
	side for ¼ Sec. Cor. on N. W. Slope	
74.00	Mill creek, 12 lks. wide, runs N. 30	
76.10	Road to timber, bears N. 30° E.	
80.00	Set Sandstone 24x10x8." 18 in.	40.02
	deep. in Mound of Stones, marked	
	5 Notches S. & 3 E. for Cor. to Secs.	
	3. 4. 9. 10, on S. E. Slope of	80.04
	ridge.	

BOOK-A-166

Salt Lake Meridian

Chains	
	Mountainous 80.00 Chs.
	Soil 2d rate
	No timber.
	East on random line between
	Secs. 3 & 10
	Va. 18°00' E.
3.50	Road to timber, bears N. 30° E.
4.72	Hill creek, 12 lks. wide, runs N. 30° E.
40.00	Set temp. 1/4 sec. Cor.
57.00	Ridge, bears N. E.
80.04	Intersect N. & S. line 36 lks. S. of
	Cor. to Secs. 2, 3, 10 & 11, whence
	S. 89° 44' W. on true line between
	Secs. 3 & 10
40.02	Set sandstone 9 x 8 x 8", 6 in. deep,
	in mound of stones, marked 1/4 on
	N. side for 1/4 sec. Cor.
80.04	The Cor. to Secs. 3, 4, 9, 10
	Mountainous 80.04 Chs.

31

Subdivision T. 3 N. R. 3 E.

Chains.	Sol 3 Prat, No timber
	North on random line between Secs. 3 & 4 Va. 18° W E.
11.00	Bottom of hollow, drains S. E.
20.00	Top of ridge bears S.E.
32.50	Old road to timber, bears N.W.
40.00	Set temp. 1/4 sec. Cor.
48.00	Ridge bears N. 70° W.
74.00	Ridge bears E. & W.
80.24	Intersect N. Boundary 62 lks. W. of Cor. to Secs. 3. 4. 33. 34, whence S. 0°27' W. on true line between Secs. 3 & 4
40.24	Set Sandstone 18x10x6", 12 in. deep, in Mound of stones, marked 1/4 on W. side for 1/4 sec. Cor.
80.24	The Cor. to Secs. 3. 4. 9. 10 Mountainous 80.24 Chs.

Chains

40.00

61.20

80.00

BOOK-A-166

Salt Lake Meridian

Chains	
	Soil 3rd rate No timber
	From cor. to secs. 32 & 33 on South Boundary, I run North between secs. 32 & 33 Va. 13°00' E.
40.00	Set post 4 ft x 3 x 3", 12 in. deep. in mound of earth, marked ¼ S. on W. side for 1/4 sec. Cor.
61.20	East Fork of Little Bear River 14 lks. wide, runs W.
80.00	Set sandstone 26 x 12 x 12", 18 in. deep. in mound of stones, marked 1 notch S. & 4 E. for cor. to secs. 28 29. 32. 33.
	Mountainous 80.00 chs. Soil 3rd rate No timber Nov. 23, 1898

Subdivision T. 9 N. R. 3 E.

Chains	
	East on random line between Secs. 28 & 33 Va. 18°00' E.
8.50	Bottom of ravine, drains S. W.
40.00	Set temp. 1/4 Sec. Cor.
43.50	Ridge bears S. E.
79.94	Intersect N. & S. line at cor. to Secs. 27.28.33.34, whence West on true line between Secs. 28 & 33
39.97	Set sandstone 10 x 10 x 4" 7" in deep in mound of stone, marked 1/4 on N. side for 1/4 Sec. Cor.
79.94	The Cor. to Secs. 28.29.32.33 Mountainous 79.94 Ch. Soil 2d rate No timber.

North between Secs. 28 & 29
Va. 18°00' E.

BOOK-A-166

Salt Lake City

Chains	
40.00	Set sandstone 15x12x10," 10 in. deep, in mound of stones, marked ¼ on W. side for ¼ Sec. Cor.
59.00	Ridge bears E. & W. Enter timber.
80.00	Set sandstone 12x10x9," 8 in. deep in mound of stones, marked 2 notches S. & 4 E. for Cor. to Secs. 20. 21. 28. 29, in small growth of aspens, none to mark
	Mountainous 80.00 Chs.
	Soil 2nd rate
	Timber 21.00 Chs.

East on random line between Secs. 21 & 28

Va. 18° 00' E.

36.40	Leave aspens and pines
40.00	Set temp. ¼ Sec. Cor.
79.28	Intersect N. & S. line at cor. to

Subdivision T. 7 N. R. 3 E.

Chains.	
	Secs. 21. 22. 27. 28, thence West on true line between Secs. 21 & 28
40.14	Set sandstone 12 x 11 x 10." 8 in. deep in mound of stone, marked ¼ on N. side for ¼ Sec. Cor.
80.28	The Cor. to Secs. 20. 21. 28. 29 Mountainous 80.28 Chs. Soil 2d rate Timber 36.40 Chs.
	North between Secs. 20 & 21 Va. 18° 00' E.
40.00	Set post 48 x 3 x 3." 12 in. dep. in mound of earth, marked ¼ S on W. side for ¼ Sec. Cor.
	An aspen 7" dia. bears N. 14° 40' W. 96 lks. distant, marked 4 S. B. T.
	An aspen 9 in. dia. bears

Salt Lake Meridian

Chains	
	S. 26° E. 41 Lks. distant,
	Marked ¼ S. B. T.
61.00	Lean aspens
80.00	Set Sandstone 19 x 17 x 16, 12 in.
	deep, in Mound of Stone, Marked
	3 notches S. & 4 E. for Cor. to Secs.
	16, 17, 20 & 21, Near top of ridge
	bears N. E.
	Mountainous 80.00 Chs.
	Soil 2° rate
	Timber 61.10 Chs.

East on random line between
Secs. 16 & 21
Va. 18° 00' E.

37.00	Hollow, drains N. E.
40.00	Set temp. ¼ Sec. Cor.
78.00	Hollow, and dry wash, drains N.
80.30	Intersect N. & S. line 66 Lks. N. of

Subdivision T. 9 N. R. 3 E.

Chain	
	Cor. to Secs. 15. 16. 21. 22, whence
	N. 89° 32' W. on true line
	between Secs. 16 & 21
40.18	Set post 4 8 x 3 x 3". 12 in. deep in
	mound of stone and earth, marked
	1/4 S. on N. side for 1/4 Sec. Cor.
80.36	The Cor. to Secs. 16. 17. 20 & 21
	Mountainous 80.36 chs.
	Soil 2° rate
	No timber
	Nov. 26. 1878

North between Secs. 16 & 17

Va. 18° 00' E.

6.00	Ridge bears N.E. Enter timber
40.00	Set post 4 8 x 3 x 3". 12 in. deep
	in mound of earth, marked 1/4 S.
	on W. side for 1/4 Sec. Cor.
	An aspen 3" dia. bears N. 14° 32' W.

BOOK-A-166

East-Lake Meridian

Chain 76 lks. distant, marked ¼ S. B. T.

An aspen 9" dia. bears S. 19° 40' W. 210 lks. distant, marked ¼ S. B. T.

80.00 Set Sandstone 16 x 12 x 10", 10 in. dep. in Mound of Stones, marked 4 notches S. & 4 E. for Cor. to Secs. 8, 9, 16 & 17, on ridge of mountain bears N. E. & S. W.

An aspen 7" dia. bears N. 10° 15' W. 92 lks. distant, marked T. 9 N. R. 3 E. S. 8 B. T.

An aspen 6" dia. bears N. 41° E. 72 lks. distant, marked T. 9 N. R. 3 E. S. 9 B. T.

An aspen 4" dia. bears S. 61° 30' E. 27 lks. distant, marked T. 9 N. R. 3 E. S. 16 B. T.

An aspen 4" dia. bears S. 37° 20' W. 112 lks. distant, marked T. 9 N.

Subdivision T. 9 N. R. 3 E.

Chains	
	R. 3 E. S. 17 B. T.
	Mountainous 80.00 Chs.
	Soil 2d rate
	Timber 74.00 Chs.
	East on random line
	between Secs. 9 & 16
	Va. 18°00' E.
31.00	Leave aspens
40.00	Set temp. 1/4 sec. Cor
53.40	Brook 4 lks. wide, runs N.
80.60	Intersect N. & S. line 42 lks. S.
	of Cor. to Secs. 9.10.15.16, whence
	S. 89°42' W. on true line
	between Secs. 9 & 16
40.30	Set post 48 x 3 x 3." 12 in. deep
	in Mound of Earth, marked
	1/4 S. on N. Side, for 1/4 sec. Cor
80.60	The Cor. to Secs. 8.9.16 & 17.

BOOK-A-166

East Lake Meridian

Chains. Mountainous 80.00 Chs.
Soil 2d rate
Timber 31.00 Chains.

North between Secs. 8 & 9
Va. 18° 00' E.

40.00 Set Sandstone 14x10x6", 9 in. deep, in Mound of Stones, marked ¼ on W. side for 1/4 Sec. Cor.

47.40 Brook 8 lks. wide, runs N. E.
Leave timber.

58.70 Brook 4 lks. wide, runs S. E.

68.00 Ridge bears S. E. & N. W.

80.00 Set Sandstone 15x12x11", 10 in. deep, in Mound of Stone, marked 5 Notches S. & 4 E. for Cor. to Secs. 4, 5, 8 & 9.

Mountainous 80.00 Chs.
Soil 2d rate

Subdivision T. 2 N. R. 3 E.

Chains	
	Timber 47.40 Ch.
	East on random line between Secs. 4 & 9 Va. 18° 00' E.
36.00	Hollow, drains S. 60° E.
40.00	Set temp. 1/4 Sec. Cor.
80.20	Intersect N. & S. line at cor. to Secs. 3.4.9 & 10, whence West on true line between Secs. 4 & 9.
40.10	Set sandstone 12 x 12 x 8", 8 in. deep, in mound of stone, marked 1/4 on N. side for 1/4 Sec. Cor.
80.20	The cor. to Secs. 4.5.8 & 9 Mountainous 80.20 Ch. Soil 2d rate No timber.

BOOK-A-166

Salt Lake Meridian

Chains	
	North on random line between Secs. 4 & 5 Va. 18° 0' E.
11.00	Point of timber, extends West.
40.00	Set limp. 1/4 Sec. Cor.
42.00	Enter timber
62.00	Leave "
80.20	Intersect N. Boundary 60 chs. West of Cor. to Secs. 4.5.32 & 33, whence S. 0° 26' W. on true line between Secs. 4 & 5
40.20	Set sandstone 10 x 9 x 7" 7 in. deep, in mound of stone, marked 1/4 on W. side for 1/4 Sec. Cor. on ridge bears N. E. and West.
80.20	The Cor. to Secs. 4.5.8.9 Mountainous 80.20 chs. Soil 3° rate

Subdivision T. 7 N. R. 3 E.

Chains	Timber on 20 Chs. Nov. 27th 1878.
	From Cor. to Secs. 31 & 32 on South Boundary, Runs North between Secs. 31 & 32 Va. 18°00' E.
40.00	Set cobble Stone 12x12x8", 8" deep, in Mound of Stones, Marked ¼ on W. Side for ¼ Sec. Cor.
47.00	Ridge bears N. W. Enter Small timber 3.00 Ch. wide
71.60	East Fork of Little Bearing 16 Chs. wide, runs W.
80.00	Set Sandstone 18x18x12", 12" deep, in Mound of Stones, marked 1 Notch S. & 3 E. for Cor. to Secs. 29. 30. 31. 32.

Chains

27.00

40.00

43.50

70.00

80.12

80.06

BOOK-A-166

Salt Lake Meridian

Chains	
	Mountainous 80.00 Chs.
	Soil 2° rate
	No timber
	East on random line between Secs. 29 & 32
	Va. 18°00' E.
27.00	Rocky ridge, bears N. 10° W.
40.00	Set temp. 1/4 sec. Cor.
43.50	Bottom of ravine, drains S.
70.00	Point of ridge, bears S.
80.12	Intersect N. & S. line at cor. to Secs. 28. 29. 32. 33, whence West on true line between Secs. 29 & 32
40.06	Set sandstone 36 x 24 x 20, 27 in. deep, in mound of stones, marked 1/4 on N. side for 1/4 sec. Cor.

Subdivision T. 7 N. R. 3 E.

Chains	
80.12	The Cor. to Secs. 29. 30. 31 & 32 Mountain 80.12 Chs. Soil 3d rate No timber
	West on random line between Secs. 30 & 31 Va. 18° 00' E.
20.50	East Fork of Little Bear river 15 lks. wide, runs N. 45° W.
22.50	Brook 4 lks. wide, runs N.
40.00	Set temp. 1/4 Sec. Cor.
55.00	Top of ridge bears N. W. with small point of timber
80.04	Intersect W. Boundary of Cor. to Secs. 30. 31. 25. 36, whence East on true line between Secs. 30 & 31

Chains	
40.04	[illegible] de[illegible] 1/4 [illegible]
80.04	[illegible]
	[illegible]
	[illegible]
	[illegible]
11 "	[illegible]
30.00	[illegible]
40.00	[illegible] in [illegible] side
63.00	[illegible]
80.00	[illegible] in [illegible] S. a[illegible] and

Salt Lake Meridian

Chains	
40.04	Set sandstone 16x10x8", 10 in. deep, in mound of stones, marked ¼ on N. side for ¼ Sec. Cor.
80.04	The Cor. to Secs. 29, 30 31 32. Mountainous 80.04 Ch. Soil 3d rate No timber.
" "	North between Secs. 29 & 30 Va. 18°01' E.
30.00	Ridge bears N. E. & S. W.
40.00	Set sandstone 10x9x4", 7 in. deep, in mound of stones, marked ¼ on W. side for ¼ Sec. Cor.
63.00	Heller drains S. W.
80.00	Set sandstone 12x9x6", 8 in. deep, in mound of stones, marked 2 notches S. and 3 E. for cor. to Secs. 19, 20, 29 and 30.

Subdivision T. 9 N. R. 3 E.

Chains	
	Mountainous 80.00 Ch.
	Soil 3d rate, with trace of iron.
	No timber.
	Nov. 28th 1878
	East on random line between
	Secs. 20 & 29
	Va. 18° 00' E.
17.00	Hollow drains S.W.
40.00	Set temp. 1/4 Sec. Cor.
50.00	Ridge bears N. E. & S. W.
59.00	Enter timber & ridge bears N.W. & S.E.
79.92	Intersect N. & S. line 18 lks. S. of
	Cor. to Secs. 20, 21, 28, 29, whence
	S. 89° 52' W. on true line between
	Secs. 20 & 29
39.96	Set post 48x3x3", 12 in. deep, in
	mound of earth, marked 1/4 S. on
	N. side for 1/4 Sec. Cor.

BOO

Ta

Chains	
79.92	The
	M
	Soi
	Tim
	We
22.00	Ridg
40.00	Set
59.40	Eas
	runs
	of Co
80.00	Int
	N. of
	N. 8
	Secs.
40.00	Set

Salt Lake Meridian

Chains	
79.92	The cor. to secs. 19. 20. 29. 30
	Mountainous 79.92 Chs.
	Soil 2d rate
	Timber 20.92 Chs.
	West on random line between
	Secs. 19 & 30
	Va. 18° 00' E.
22.00	Ridge bears N. E. & S. W.
40.00	Set temp. 1/4 Sec. Cor.
59.40	East Fork of Little Bear River, 16 Chs. wide
	runs N. W. Ascend precipitous side
	of Cañon
80.00	Intersect W. Boundary 48 lks.
	N. of Cor. to Secs. 19. 30 24 & 25, whence
	N. 89° 39' E. on true line between
	Secs. 19 & 30
80.00	Set sandstone 10 x 10 x 6." 7 in.

Subdivision T. 9 N. R. 3 E.

Chains	
	deep. in mound of stones, marked ¼ on N. side for ¼ sec. Cor.
80.00	The Cor. to Secs. 19, 20, 29 & 30
	Mountainous 80.00 Chs.
	Soil 3 rate
	No timber
	North between Secs. 19 & 20
	Va. 18°00' E.
20.00	Ridge bears N.E. & S.W.
	Enter timber.
40.00	Set post 48 x 3 x 3". 12 in. deep. in mound of earth, marked ¼ S. on W. side for ¼ sec. Cor.
	An aspen 7" dia. bears N. 16° 30' W 240 lks. distant, marked ¼ S.B.T.
	An aspen 5" dia. bears S. 41° E. 76 lks. dist. marked ¼ S.B.T.
60.00	Hollow drains N.W.
70.00	Hollow, drains S.W.

Salt Lake Meridian

Chains	
80.00	Set sandstone 12 x 8 x 6." 8 in. deep, in mound of stones, marked 3 notches S. & 5 E. for Cor. to Secs. 17. 18. 19. 20
	An aspen 4" dia. bears N. 41° 40' W. 90 lks. distant, marked T. 9 N. R. 3 E. S. 18 B.T.
	An aspen 9" dia. bears N. 48° E. 117 lks. distant, marked T. 9 N. R. 3 E. S. 17 B.T.
	An aspen 6" dia. bears S. 17° E 168 lks. distant, marked T. 9 N. R. 3 E. S. 20 B.T.
	Mountainous 80.00 Chs.
	Soil 2d rate
	Timber 60.00 Chs.
	East on random line between Secs. 17 & 20

51

Subdivision T. 9 N. R. 3 E.

Chains	Va. 18°00' E.
6.00.	Wash drains N.W.
40.00	Set temp. 1/4 Sec. Cor.
70.00	Leave timber
78.00	Ridge bears N. E.
80.62	Intersect N. & S. line at cor. to Secs. 16, 17, 20 & 21, whence
	West on true line between Secs. 17 & 20
40.31	Set post 48 x 3 x 3," 12 in. deep. in mound of stones, marked 1/4 on N. side for 1/4 Sec. Cor, on ridge bears N. W.
80.62	The Cor. to Secs. 17, 18, 19 & 20
	Mountainous 80.62 Chs.
	Soil 2d rate
	Timber 70.00 Chs.
	West on random line between Secs. 18 and 19

BOOK A-166

Salt Lake Meridian

Chains

Va. 18° N E.

24.00 High ridge bears N. 20° E.

40.00 Set temp. 1/4 Sec. Cor.

80.24 Intersect W. Boundary 36 lks. S. of Cor. to Secs. 18, 19, 13 & 24, whence S. 89°44' E. on true line between Secs. 18 & 19

40.24 Set Sandstone 16 x 14 x 6", 10 in. deep, in mound of stones, marked 1/4 on N. side for 1/4 Sec. Cor. in hollow drains S. 20° W.

An aspen 3" dia, bears N. 10° W. 49 lks. distant, marked 1/4 S. B. T.

80.24 The Cor. to Secs. 17, 18, 19 & 20

Mountainous 80.24 Chs.

Soil 2d rate

Timber 80.24 Chs.

North between Secs. 17 & 18

Subdivision T. 9 N. R. 3 E.

Chains	
20.00	Va. 18° 00' E. Ridge bears North.
40.00	Set sandstone 12 x 10 x 9." 8 in. deep in mound of stones, marked ¼ on W. side for 1/4 sec. Cor., on ridge bears N. W. and South
	An aspen 10 in. dia. bears N. 60° 10' E. 90 lks. distant, marked ¼ S. B. T.
	An aspen 7" dia. bears S. 42° W. 41 lks. dist. marked ¼ S. B. T.
80.00	Set sandstone 12 x 10 x 8." 8 in. deep, in mound of stones, marked 4 notches S. & 5 E. for cor. to Secs. 7, 8, 17 & 18
	An aspen 9" dia. bears N. 14° E. 2 lks. distant, marked T. 9 N. R. 3 E. S. 8 B. T.
	An aspen 7" dia. bears N. 37° 30' W. 216 lks. distant, marked T. 9 N. R. 3 E. S. 7 B. T.

BOO

La

Chains	
	A
	lks
	S. 18
	M
	Lo
	Tin
	Ea
39.00	Bro
40.00	Set
79.86	Int
	8. 9. 1
	W
39.93	Set
	Mom
	N. A

East Lake Meridian

Chains An aspen 4" dia. bears S. 19° W. 47 lks. distant, marked T. 9 N. R. 3 E. S. 18 B. T.

Mountain Sv. cv Chs.

Soil 2° rate

Timber Sv. cv Chs.

East on random line between Secs. 8 & 17

Va. 18° 0' E.

39.00 Brook 3 lks. wide, runs N. E.

40.00 Set temp 1/4 sec. Cor.

79.86 Intersect N. & S. lines at cor. to Secs. 8, 9, 16 & 17, whence

West on true line between Secs. 8 & 17

39.93 Set post 48 x 3 x 3" 12 ins. dep. in mound of earth; marked 1/4 S. on N. side for 1/4 sec. Cor.

Subdivision T. 9 N. R. 3 E.

Chains	
	An aspen 10 in. dia. bears N. 60° E. 88 lks. distant, marked 4 S. B. T.
79.86	The cor. to Secs. 7. 8. 17 & 18
	Mountainous 79.86 Chs.
	Soil 2° rate.
	Timber 79.86 Chs.
	West on random line between Secs. 7 & 18
	Va. 18° W. E.
5.00	Ridge bears N. E.
12.00.	~~Work down~~ N. E.
40.00	Set temp. 1/4 Sec. Cor.
80.16	Intersect W. Boundary at cor. to Secs. 7. 18. 12 & 13, Township
	East on true line between Secs. 7 & 18
40.16	Set sandstone 18 x 10 x 7." 8 in. deep, in Mound of Stone, Marked 4 on N. side for 1/4 Sec.

BOOK-

Sec

Chains	
80.16	The
	Mou
	Soil
	Tim
	Nort
7.00	High
12.00.	Wash
40.00	Set
	in Mo
	W. B
	An
	distan
7.00	Brow
40.00	Set
	deep,
	5 note

Salt Lake Meridian

Chains	
80.16	The Cor. to Secs. 7. 8. 17 & 18
	Mountainous 80.16 Chs.
	Soil 2° rate
	Timber 80.16 Chs.
	Nov. 29. 1878
	North between Secs. 7 & 8
	Va. 18°00'E.
7.00	High ridge bears N. 20° E.
22.00.	Wash drain N.E.
40.00	Set sandstone 12x10x8." 8 in. deep, in mound of stones, marked ¼ on W. side for 1/4 sec. Cor
	An aspen 7" dia. bears N. 15° W. 90 lks. distant marked ¼ S. B. T.
70.00	Brook, 6 lks. wide, runs N. 80° E.
80.00	Set sandstone 14x12x10," 9 in. deep, in mound of stones, marked 5 notches S. & 5 E. for Cor. to Secs.

57

Subdivision T. 9 N. R. 3 E.

Chains	
	5. 6. 7 & 8, in hollow drains S. E., in timber too scattered to mark.
	Mountainous 80.00 Chs.
	Soil 3° rate
	Timber 80.00 Chs.
	East on random line between Secs. 5 & 8
	Va. 18° 00' E.
18.00	Hollow drains S. 80° E. Leave timber
40.00	Set temp. 1/4 sec. Cor.
70.00	Ridge bears S. 60° E.
80.18	Intersect N. & S. line at cor. to Secs. 4. 5. 8 & 9., whence
	West on true line between Secs. 5 & 8
40.09	Set sandstone 10 x 10 x 7, 6 in

Salt Lake Meridian

ains dep. in Mound of Stone, marked
¼ on N. Side for 1/4 Sec. Cor.
80.18 The Cor. to Secs. 5. 6. 7 & 8
Mountainous 80.18 Chs.
Soil 2° rate
Timber 18.00 Chs.

West on random line between
Secs. 6 & 7
Va. 18° 00' E.
0.00 Set temp. 1/4 Sec. Cor.
7.00 Top of high ridge bears N. E.
0.12 Intersected W. Boundary at cor.
to Secs. 6. 7. 1 & 12, whence
East on true line between
Secs. 6 & 7
0.12 Set Sandstone 16 x 6 x 6." 10 ins.
dep. in Mound of Stone, marked
¼ on N. Side for 1/4 Sec. Cor.

Subdivision T. 7 N. R. 3 E.

Chains	
	An aspen 7" dia. bears N. 10° 40' E. 7 lks. distant, marked ¼ S. B. T.
80.12	The cor. to Secs. 5. 6. 7. 8
	Mountainous 80.12 Chs.
	Soil 2d rate
	Timber 80.12 Chs.
	North on random line between Secs. 5 & 6
	Va. 18.00 E.
5.00	Hollow drains S. E.
40.00	Set temp. 1/4 Sec. Cor.
71.00	Leave timber
80.04	Intersect N. Boundary 10 lks. W. of Cor. to Secs. 5. 6. 31 & 32, whence S. 0° 4' W. on true line between Secs. 5 & 6
40.04	Set post 48 x 3 x 3", 12 in. deep, mound of earth, marked ¼ S. on

BOOK-A-166

Salt Lake Meridian

W. side for 1/4 Sec. Cor. on ridge bears N. W. & S. E.

No trees within 30 lks. large enough to mark.

The cor. to Secs. 5. 6. 7 & 8 Mountainous 80.04 Chs.

Soil & rock

Timber 71.00 Chs.

Nov. 30th 1878

General Description

This Township is mountainous the greater part being covered with good grass for grazing.

The eastern and western portions show traces of iron and other minerals and is herein returned as mineral land.

Some pine and aspen

timber is found in
the south east part,
and considerable
the north west
Return Section 2.
S. ½ of Secs. 4; E. ½ of
Sec. 9.; Secs. 10. 11. 14
15; E. ½ of Secs. 16 &
Secs. 22. 23, 26, 27,
33 & 34 as agricult
land, the rest as
Mineral.

Hay Fork and Mill cre
run northerly into Blacksm
Fork river; and the East Fo
of Little Bear river rises in
Southern part, and runs

The general elevation is
about 7000 or 8000 feet a

BOOK-A-

the sea
be grow
settled.

the sea, but hardy crops may be grown thereon, and it is being settled.

James H. Martineau
U. S. Deputy Surveyor

BOOK-A-166

63

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Feby 24th 1879.

The foregoing field notes of the survey of Subdivision Lines

Township No. 7 North Range No. 3 East of the Salt Lake Meridian, Utah

Executed by James H. Martineau

Under his contract No 80 of the 30th day of August 1877, in the month of November 1878, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frd. Salomon

Surveyor General for Utah.

Ex. O.K. Bk. 16 BOOK-A-166

R: 1879. (No. 2)

Filed November 16th 9 a.m. 1878.

Examined by C. H. Cranwell C.C.

Compared by Otto Salomon and Wm. H. Gorlinski

FIELD NOTES

OF

THE SURVEY OF THE

West and Fractional North Boundaries

of Township No 9 N., Range No 5 E

of the Salt Lake Meridian in Utah Territory.

BY

James H. Martineau

U. S. DEPUTY SURVEYOR,

Under his Contract No. 80

dated August 30th 1877.

Survey commenced Sept. 13th 1878.

Survey completed " 14th 1878.

BOOK-A-166

Township 9. North R. 5. East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

2d Standard Parallel North -

34	35	36	31	32	33	34	35	36	31	32	33	34	35	36
80	80	81	83	84	85	87	88	89	96	95	94	93	92	92

R.3.E. R.4.E. R.5.E

9N

8N

BOOK-A-166

E 5

West Boundary T. 9 N. R. 5 E.

Chains		Chains
	Survey commenced Sep. 13-1871	
	From the cor. to Ranges 4 & 5 E. T. 8 & 9	13
	N. I run	22.00
	North between Secs. 31 & 36	34.00
	Va. 18° 00' E.	40.00
20.00	Hollow, drains S. 30° E.	
22.00	A spring, about 6.00 chs. E. runs Southerly	
40.00	Set white sandstone 13 × 10 × 4", 8 in.	54.00
	deep, in mound of stones, marked	70.00
	¼ on N. side for ¼ Sec. Cor.	80.00
48.00	Ridge, bears E. & W.	
80.00	Set sandstone 20 × 16 × 7, 15 in.	
	deep, in mound of stones, marked	
	1 notch S. & 5 N. for Cor. to Secs 30,	
	31, 25 & 36 in hollow drains E.	
	Mountainous 80 chains.	
	Soil 1st rate	
	No timber	

BOOK-A-166

Salt Lake Meridian

chains	
	North between secs. 25 & 30
	Va. 18° 00' E.
22.00	Ridge, bears E. & W.
34.00	Hollow, drains E.
40.00	Set sandstone 12×12×11" 8 in. deep, in mound of stones, marked ¼ on W. side for ¼ sec. Cor.
54.00	Ridge, bears E. & W.
70.00	Hollow, drains N. E.
80.00	Set Sandstone 18×12×7, 12 in deep in mound of stones, marked 2 notches S. & N. for Cor. to Secs. 19, 30, 24 & 25.
	Mountainous 80.00 chs.
	Soil 2nd rate
	No timber

North between secs. 19 & 24

Var. 18° 00' E

West Boundary T. 9 N. R. 5 E.

Chains		Chains
8.00	Ridge, bears E. & W.	8.00
26.00	Hollow, drains N. E.	21.00
28.00	Daniel Dennison's house and claim, about 18.00 chs. E. also a spring near house, runs E.	22.00 40.00
34.00	Ridge, bears E.	
40.00	Set sandstone 11×10×5", 8 in deep in mound of stones, marked ¼ on N. side for ¼ Sec. Cor.	50.000. 63.00 64.00
50.000.	~~Walnut bears E. 2~~	80.00
56.00	Ridge, bears E. & W.	
66.00	Hollow, drains E.	
80.00	Set sandstone 30×12×5" 24 in. deep, in mound of stones, marked 3 Notches S. & 3 N. for Cor. to Secs 18, 19, 13 & 24 on side of ridge slopes S. Mountainous 80.00 chains, Soil 2nd rate. No timber.	14.000. 10.00

BOOK-A-166

Salt Lake Meridian

Chains	
	North between Secs. 13 & 18
	Va. 18° 00' E.
8.00	Ridge bears N.E.
21.00	Indian trail bears N. 70° W.
22.00	Hollow, drains S. E.
40.00	Set Sandstone 14×10×4" 9 in. deep, in Mound of Stones, marked ¼ on W. side for ¼ Sec. Cor.
50.00	Ridge bears Easterly
63.00	Road to Saw Mill bears E. & W.
64.00	Road to timber, from Woodruff bears N. W.
80.00	Set Sandstone 30×25×5", 24 in. deep, in Mound of Stones marked 4 Notches S. & 2 N. for Cor to Secs 7, 18, 12 & 13
	Mountainous 80.00 chains
	Soil 1st rate
	No timber

	North between Secs. 7 & 12
	Va. 18° 00' E.
14.00	Ridge bears N.E.
10.00	A spring about 30 chs. W. in timber, runs E.

West Boundary T. 9 N. R. 5 E.

Chains		Chains
23.50	Wide open hollow, with indiant trail, drains N. E.	35.00
40.00	Set Sandstone 17×10×8", 12 in. dep. in mound of stones marked ¼ on W. side for ¼ sec. Cor. Enter timber	40.00
46.00	Road, leads to timber, bears N. 15° W.	56.00
80.00	Set limestone 14×10×4" 9 in. dep. in mound of stones, marked 5 notches S. & 1 N. for Corts Secs. 6, 7, 1 & 12, on top of side. No timber within 300 lks.	69.00
		76.00
		80.00
	Mountainous 80.00 chs.	
	Soil 1st rate	
	Timbered 40.00 chs.	
	Sept. 13, 1878.	
	Sept. 14th 1878	
	North between Secs. 1 & 6	

BOOK-A-166

Salt Lake Meridian

Chains	
	Va. 18° 00' E.
35.00	Ridge, bears E.
40.00	Set sandstone 12x10x8", 8 in. deep, in mound of stones marked ¼ on W. side for 1/4 sec. Cor. in young aspens too small to mark
56.00	Ridge bears E.
69.00	Deep ravine drains E.
70.00	Leave timber
80.00	Set sandstone 15x12x10, 10 in. deep in mound of stones, marked 6 notches S. E. N. & W. for Cor. to Ranges 4 & 5 E. Tps. 9 & 10 N. on ridge bears E. & W.
	Mountainous 80.00 chains
	Soil 2nd rate
	Timber 70 chains

71

North Boundary T. 9 N. R. 5 E.

Chains		Chains
	As the east four miles of the North boundary has been previously run, from the Cor. to Tps. 9 & 10 N. Rs 4 & 5 E. I run east on a random line setting temporary corners at every 40 and 80 chains, and at 147.20 Chains intersect the N. boundary line of former survey 28 lks. S. of Cor. to Secs. 4 & 5 from which I run	
	S. 89°48' West on true line between Secs. 5 & 32	40.00
	Va. 18°00' E.	
40.00	Set Sandstone 17×10×8", 12 in. deep in mound of stones. marked 1/4 on N. side for 1/4 Sec. Cor. in open hollow drains N.E.	67.20
80.00	Set Sandstone 15×12×10", 10 in. deep. in mound of stones marked	

BOOK-A-166

Chains

1 north N. & 5 E. for Cor. to Secs. 5, 6, 31 & 32 on hill side slopes S.
Mountainous 80.00 chs.
Soil 2nd rate
No timber

S. 89°48' W. on true line between Secs. 6 & 31
Va. 18°00' E.

40.00 Set Sandstone 17×10×6", 11 in. deep, in Mound of stones marked ¼ on N. side for 1/4 Sec. Cor.

67.20 The Cor. to Tps. 9 & 10 N. Rs 4 & 5 E.
Mountainous 67.20 chs.
Soil 2d rate
No timber

Sept. 14, 1878.

Note, For General Description
see end of subdivision
notes of these Townships,
James H. Martineau
U. S. Deputy Sur.

U. S. S

Sa

We

Township
of the
Execute

Under...

day of...

Settle

amined,

made, th

cribe are

BOOK-A-166

74

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Feby 24th 1879.

The foregoing field notes of the survey of the ...

West and Fractional North, Boundaries of

Township No. 9 North *Range No.* 5 East

of the Salt Lake Meridian in Utah Ty.

Executed by James H. Martineau

Under his *contract* No 80 *of the* 30th

day of August 1877, *in the month of*

September 1878, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred. Salomon

U. S. Surveyor General for Utah.

Ex. 6 No. Book 166 BOOK-A-166

R: 1879-(No 3)

Filed November 16th 9, a.m., 1878.

Examined by C. H. Cranwell. C.C.

Compared by Otto Salomon and Wm. A. Gorlinski

FIELD NOTES

OF

THE SURVEY OF THE

Second Standard Parallel, North

~~of Township No.~~ through, Range No. 3. 4. 5. E

of the Salt Lake Meridian in Utah Territory.

BY

James H. Martineau

U. S. DEPUTY SURVEYOR,

Under his Contract No. 80

dated August 30th 1877.

Survey commenced May 23d 1878.

Survey completed September 11. 1878.

OFFICIAL OATHS.

76

FOR U. S. DEPUTY SURVEYOR.

I, James H. Martineau

having been appointed a Deputy Surveyor of the lands of the United States, in the Territory of Utah, do solemnly swear that I will well and faithfully, and to the best of my skill and ability, execute the duties confided to me, pursuant to a contract with

Surveyor General of public lands in Utah Territory, bearing date the

day of , 187 , according to the laws of the United States and the instructions received from said Surveyor General.

Subscribed and sworn to before me this day of , 187

77

BOOK-

FOR CHAINMEN.

We Edward Hansen
and George W. Lewis
do solemnly swear that we will faith
fully execute the duties of chain carriers
that we will level the chain upon unever
ground, and plumb the tally pins
whether by sticking or dropping th
same; that we will report the true dis
tance to all notable objects, and the tru
length of all lines that we assist in meas
uring, to the best of our skill and ability

George W. Lewis
Edward Hanson

Subscribed and sworn to before m
this 20th day of May, 187

James H. Martineau
U. S. Deputy Surve

76

FOR FLAGMAN.

I, Jesse N. Martineau do solemnly swear that I will well and truly perform the duties of flagman, according to instructions given me, and to the best of my skill and ability.

Jesse N Martineau

Subscribed and sworn to before me this 20th day of May, 1878

James H. Martineau
U. S. Deputy Surveyor

BOOK-

FOR AXEMAN.

I, Fred. G. Benson

do solemnly swear that I will well and truly perform the duties of axeman, according to instructions given me, and to the best of my skill and ability.

F G Benson

Subscribed and sworn to before me this 20th day of May, 187

James H. Martineau
U. S. Deputy Surveyor

BOOK-A-166

50

2nd Standard Parallel N. R. 3 E.

Chains Survey commenced May 23d 1878.

Proceeding this day to the point where the survey was left off in 1877, viz:- a monument of stones at the side of the Ogden and Bear Lake road, I found it gone, and therefore return 16.32 chs. West, to the 1/4 sec. cor. between Secs. 3 & 34, thence

East on S. Boundary Sec. 34

Va. 18° W E.

16.32. Ogden and Bear Lake road bears N. & S.

20.00 Set Sandstone 14 x 12 x 8, 9 in. deep, in mound of stones, marked 2 notches E. 6 N. 4 W, and S. C. for Standard corner to Secs. 34 & 35

Land slopes W. Soil 3° rate.

No timber

East on South Boundary Sec. 35

2nd Standard Parallel North.

Chains	
	Va. 18° 00' E.
10.00	Enter aspens. A pond 300 ft di
	about 3.00 Ch. South
14.00	Ravine, drains N. 10° W.
40.00	Set Sandstone 12x10x8, 8 in. dee
	in Ind. of Stones, marked ¼ N. Di
	for 1/4 Sec. Cor. in small aspens
80.00	Marked Aspen 8 in. dia. 1 Ndi
	E. 6 N. 5 W. S.C. T 9 N R 3 E. S.3
	& S.36 for Standard Cor to Sec
	35 & 36. No bearing trees near.
	Mts. 80.00 Chs. timbered 70.00 C
	Soil 2° rate.

East on South Boundary Sec. 36

Va. 18° 00' E.

Asend East

40.00	Set post 48x3x3, 12 in. deep w
	mound and pits 24x12x12 i
	for 1/4 sec corner

BOOK

Range

Chains	
	14
	70
54.00	S
76.60	N
80.00	S
	in
	E.
	Co
	on
	S.
	23
	S.
	73
	S.
	1.
	S.

BOOK-A-166

Range 3 E. S. L. Meridian

Chains

An aspen 10 in. dia. bears N. 30° W.
14 lks. dist. mkd ¼ S. B. T.

An aspen 5 in. dia. bears S. 10° E.
70 lks. dist. marked ¼ S, B. T.

54.00 Top of ridge bears N. 40° W.

76.60 Ravine drains N. 25° W. Enter pine

80.00 Set limestone 20 x 16 x 10, 15 in. deep,
in mound of stones. Marked 6 notches
E. N. & W. and S. C. for Standard
Corner. to Tp. 9 N. Ranges 3 & 4 E.
on side of Mts. slopes W.

A red pine 24 in. dia, bears S. 2° W
23 lks. dist. marked T. 8 N. R. 3 E.
S. 1 B. T.

A red pine 8 in. dia. bears N. 30° E.
73 lks. dist. marked T. 9 N. R. 4 E.
S. 31 B. T.

A red pine 12 in. dia. bears N. 60° W
1.10 lks. dist. marked T. 9 N. R. 3 E.
S. 36 B. T. No other trees near.

2nd Standard Parallel North

Chains	
	Mountainous and timbered 80. C
	Soil 3d rate May 23 1878
	September 7th 1878
	From Cor to Lps 3+4 N R 3+4 East
	East on S. Boundary Sec 3
	Va. 18° 00' E.
40.00	Set Limestone 12 x 8 x 7, 8 in deep in Md. of
	Stones, Marked 1/4 on N. side for 1/4
	Cor. in deep ravine drains N. W.
	A red pine 16 in. dia. bears N. 30°
	40 lks. dist. Mkd 1/4 S B. T.
	A red pine 10 in. dia. bears S. 40° E.
	1.70 lks dist. Mkd. 1/4 S. B. T.
65.00	Ridge of Mountain, bears N.
80.00	Set Sandstone 15 x 10 x 8, 10 in.
	in Mound of Stones, Marked 1 note
	W. 5 E, 6 N. and S. C. for Stand
	Cor. to Secs. 31 & 32 on side hill
	faces E. Aspens too small to m
	Soil 2d rate
	Mountainous and timbered 80. Ch

note: cease work now on account of deep snow.

BOOK

Rang

Chains	
	E
24.00	
40.00	
	1/4
	1/4
	N
	w
54.00	A
	A
	Ch
	fo
	a
56.16	N
73.00	S
80.00	S
	No
	N
	N

BOOK-A-166

Range 4 E. Salt Lake Meridian

Chains	East on South boundary
	Secs. 32.
	Va. 18° 00' E.
24.00	Hollow drains north
40.00	Set post 3"x3"x48" 12 in deep, marked 1/4 S on N. side with pits 24x12x12" for 1/4 Sec. Cor.
	No tree large enough to mark within 300 lks.
54.00	A small spring 2 chs. North runs W. a road to Saw Mills, about 2.00 Chs. S. of line running E. & W. forks south of line turning S. and N. E. respectively
56.16	Road to Saw Mill, bears N. 20° E.
73.00	Top of ridge, bears N. & S.
80.00	Set limestone in hollow, drain North. 12x10x8," 8 in. deep. in Mound of Stones, marked 2 notches W. 6 N. 4 E. and S. C. for Standard

2nd Standard Parallel North

Chains	
	Cor. to Secs. 32 & 33
	A red pine 14 in. dia. bears N. 26° W. 40 lks. dist. marked T. 9 N R 4 E S 32 B.T.
	A red pine 20 in. dia. bears S. 76 59 lks. dist., marked T. 8 N. R. 4 E. S. 5. B.T.
	A red pine 5 in. dia. bears S. 57° E. 28 lks. dist. marked T. 8 N. R. 4 E. S. 4 B.T. No other trees near.
	Soil 2° rate
	Mountainous & timbered 80. Chs.
	East on South Boundary Sec 33
	Va. 18° 00' E.
34.00	Road to Saw Mill, bears N. E.
40.00	Set limestone 18 x 10 x 6" 12 in. deep in mound of stones, marked 1/4 on N. side for 1/4 sec. Cor. on rocky point bears N. & S.

BOOK

R. 4 E

Chains	
44.00	
57.50	
80.00	

BOOK-A-166

R. 4 E. Salt Lake Meridian

Chains

44.00 Top of Main range of Wahsatch Mountains and dividing line between Cache and Rich counties. bears N. 10° E. Descend

57.50 Marked limestone rock in place with (+) cross on top, on line

80.00 Set limestone 24 x 12 x 8, 18 in. deep, in mound of stones, Marked 3 notches W. 6 N. 3 E. and S. C. for standard cor. to Secs. 33 & 34.

An aspen 10 in. dia. bears N. 70° W. 85 lks. distant, marked T. 9 N. R. 4 E. S. 33 B.T.

An aspen 12 in. dia. bears S. 5° W. 40 lks. distant, marked T. 8 N. R. 4 E. S. 4 B.T.

An aspen 8 in. dia. bears S. 39° E. 130 lks. distant, marked T. 8 N. R. 4 E. S. 3 B.T.

2nd Standard Parallel North

Chains

No other trees near
Soil 1st rate
Mountainous and timbered 80. Chains

East on ~~North~~ Boundary
Sec. 34
Va. 180 00' E.

32.00 Bottom of ravine drains S. E.
Enter small opening without
timber

40.00 Set limestone 20 x 18 x 10", 15 in
deep in mound of stones, marked
¼ on N. side for ¼ sec. Cor. on
rocky point of hill bears S. E.

44.00 Enter timber

80.00 Set post 48" x 3" x 3", 12 in. deep
Marked 4 notches W. 6 N. 2 E. & S.
Also T. 9 N. R. 4 E. S 34, and
T. 8 N. for Standard Corner to secs 34 & 3
An aspen 6 in. dia. bears S. 70°

Chains

39.50

40.00

BOOK-A-166

4 East. Salt Lake Meridian

Chains

8 lks. distant. marked T. 8 N R 4 E. S. 2 B. T.

An aspen 7" dia. bears N. 10° E. 17 lks. distant, marked T. 9 N. R 4 E. S. 35 B. T.

An aspen 12 in. dia. bears S. 64° 15' W. 51 lks. dist. marked T. 8 N. R. 4 E. S. 3. B. T.

Soil 1st rate

Mountainous 80 Chs., timbered 68. or Chs. Sept. 7. 1878

September 9. 1878

East on South Boundary Sec. 35

Va. 18° or' E.

39.50 Old road bears N.W. leave timber

40. or Set post 48" x 3" x 3", 12" deep. with mound of earth, and pits 12 x 12 x 24, and marked on N. side 1/4 S. for 1/4 Sec. Cor. in Spur

2nd Standard Parallel North

Chains	
	hollow, drains N. 70° E.
43.50	Enter timber
80.00	Set Sandstone 12 x 10 x 8." 8 in. deep in mound of Stones, marked 5 notches W. 6 N. 1 E. and S. C. for standard cor. to Secs. 35 and 36 in fire-killed timber
	Mountainous 80.00 Chs.
	Soil 2d rate
	Timber 76.00 Chains.

East on South Boundary

Sec. 36

Va. 18° 00' E.

40.00	Set Sandstone 14 x 12 x 7." 9 in. deep, in mound of Stones, marked 1/4 on N. side for 1/4 Sec. Cor. in fire killed pines.
41.00	Gully in bottom of ravine drains S. E.

BOOK-A-166

R. 4 E. Salt Lake Meridian

Chains	
69.00	Top of ridge bears S.E. Lean timber.
80.00	Set sandstone 20 x 12 x 8" 15 in. deep, in mound of stones, marked 6 notches W. N. & E. and S. C. for standard corner to township 9 N. Ranges 4 & 5 E.
	Soil 2d rate.
	Mountainous 80. Chs. timbered 69 Chains. Sept. 9th. 1878.

Sept. 10. 1878

As the corner to ranges 5 & 6 E. T. 9 N. has been previously set, therefore from the Cor. to Ranges 4 & 5 E. T. 9 N. I run

East on random line, setting temporary corners at every 40 and 80 Chains; and at 467.00 C. Mile Creek, point 4.32 Chs. South

2nd Standard Parallel North

Chains	of the Cor. to Ranges 5 & 6 T. 9 N.
Note.	This deficiency of 13.00 Chain in the length of the south boundary of T. 9 N. R. 5 E. (approximately) the convergence of meridians between the 1st and 2d Standard Parallels North, for which no allowance was made in the Surveys previously made in Ranges 5 and 6 E. T. 9 N., also in T. 10 N. R. 5 & 6 E. To avoid making fractional lots in the interior of Tps. 9 & 10 N. R. 5 E., and to throw the deficiency on the west boundary of said townships, from the previously established cor. to Ranges 5 & 6 T. 9 N. I run S. 89° 29' W.
	or S. E. line on South

BOOK-A-166

R. 5 E. Salt Lake Meridian

Boundary Sec 36.

Va. 18° 00' E.

50.00 Set Sandstone 15 x 12 x 10 in. 10 in. deep. in mound of Stones. Marked 1/4 on N. side for 1/4 sec. Cor.

56.00 Top of sharp ridge, bears S.

61.00 Bottom of ravine, drains S.

[illegible] Set Sandstone 13 x 10 x 6", 9 in. deep in mound of Stones, Marked 1 Notch E. 6 N. 5 W. and S. C. for Standard Cor. to Secs 35 & 36

Soil 3° rate. Traces of iron.

Mountainous St. Chs.

No timber.

S. 89° 29' W. on South Boundary Sec 35

Va. 18° 00' E.

2.30 Bottom of ravine drains South into 12-Mile Creek, about 6 Ch. S.

2nd Standard Parallel North.

Chains	
21.00	Ridge bears South
30.00	Hollow bears South.
40.00	Set Sandstone 12 x 10 x 8"; 8 in deep in mound of stones, marked ¼ on N. Side for 1/4 Sec. Cor.
42.50	Ridge, bears S.
62.00	Bottom of ravine, drains S.
80.00	Set Sandstone 12 x 9 x 6, 8 in deep, in mound of stones, marked 2 notches E. 6 N. 4 W. and S. C. for Standard Cor. to Secs. 34 N. on high ridge bears S.
	Soil 3d rate, with traces of iron.
	Mountainous 80 Chs.
	No timber

S. 89° 29' W. on South Bou[illegible]
Sec. 34
Va. 18° 00' E.

12.20	Deep ravine, drains S. 15° W.

BOOK-A-
R. 5.

Chains	
34.00	Sla[illegible]
40.00	Set [illegible] mou[illegible] 1/4 Sec.
67.00	Rid[illegible]
80.00	Set [illegible] of Sto[illegible] S.C. f[illegible] ravi[illegible] Mou[illegible] No tr[illegible]
	S. 8[illegible] Sec
2.00.	Rid[illegible]
9.50	Rav[illegible]
10.00	Set [illegible] mou[illegible] for [illegible]
60.00	Hol[illegible]

BOOK-A-166

R. 5. E. Salt Lake Meridian

Chains

34.00 Slate ridge, bears S. 15° E.

40.00 Set sandstone 13x8x6, 9 in. deep, in mound of stones, marked ¼ on N. side for ¼ Sec. Cor, in ravine drains S.

67.00 Ridge bears South

80.00 Set sandstone 14x9x5, 9 in. deep, in mound of stones, marked 3 notches E. & W. 6 N, and S.C. for Standard Cor. to Secs. 33 & 34 in ravine drains S.

Mountainous 80. chs. Soil 3rd rate.

No timber Sept. 10, 1878

Sept. 11, 1878

S. 89°29' W. on South Boundary of Sec 33.

Va. 18°00' E.

2.00. Ridge bears South.

9.50 Ravine drains South

10.00 Set sandstone 12x10x5, 8 in. deep, in mound of stones, marked ¼ on N. side for ¼ Sec. Cor. on a ridge

60.00 Hollow drains S.

2d Standard Parallel North

Chains	
76.00	Ridge, bears South
80.00	Set Sandstone 15 x 14 x 10, 10 in. deep, in Mound of Stones, marked 4 notches E. 2 W. & 6 N. and S.C. for Standard Cor. to Secs. 32 & 33
	Soil 3d rate
	Mountainous 80.00 Chs.
	No timber
	S. 89° 29' W. on South Boundary Sec. 32
	Va. 18° 00' E.
40.00	Set Sandstone 13 x 12 x 6 in. 9 in. deep, in mound of Stones, marked ¼ on N. Side for ¼ Sec. Cor.
68.00	Ridge bears South.
80.00	Set Sandstone 30 x 24 x 3 in. 24 in. deep. in mound of Stones marked 5 notches E. & 1 W. and S.C. for Standard Cor. to Secs.

BOOK-A-

R. 5 E. S

Chains	
	31
	Soil
	Mo
	No
	S. 8
	Enter
.80	Brook
0.00	Rid
0.00	Set
	in M
	Side
0.70	Bro
7.00	The
	Soil
	Mou
	Timb
	Note.

BOOK-A-166

R. 3 E. Salt Lake Meridian

31 & 32, in ravine drains South.
Soil 2° rati. Good bunch grass
Mountainous 80 Chains
No timber.

S. 89° 29' W. on South Boundary Sec. 31
Va. 18° 00' E.
Enter timber
80 Brook 1 Ch. wide, runs S. heads 20 Ch. N.
00 Ridge, bears South. Leave timber
00 Set Sandstone 14 x 10 x 8", 9 in. deep.
in Mound of Stone. Marked ¼ on N.
side for 1/4 Sec. Cor.
70 Brook 2 Chs. wide, runs S. 5° E. heads N.
00 The Cor. to Ranges 4 & 5 E. T. 9 N.
Soil 2° rati. Good bunch grass.
Mountainous 67.00 Chains
Timbered 10. Chains.
September 11.th 1878

Note. For General Description of

Tps. 9 N. Ranges 3, 4. & 5 E
See end of Subdivision notes of those Townships

James H. Martineau
U. S. Deputy Surveyor

BOOK-

U. S. SURVEYO

Salt Lake City,

The foregoing f
gd Standard

~~Township No.~~
of the Salt Lake
Executed by Jam
Under his
day of Augu
~~day~~ Attested
examined, the ne
planations made
surveys they desc

BOOK-A-166

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Feby 24th 1879.

The foregoing field notes of the survey of 2d Standard Parallel North, through ~~Township No.~~ Ranges No. 3 4 & 5 E, of the Salt Lake Meridian Utah T. Executed by James H. Martineau under his contract No 80 of the 30th day of August 1877, in the months of ~~May~~ September 1878, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Fred. Salsbury

Surveyor General for Utah.

BOOK-A-166

R: 1879 (No 4) 99

Filed November 16th, 1878.

Examined by C. H. Cranwell, C.C.

Compared by Otto Salomon and Wm. A. Gorlinski

FIELD NOTES

OF

THE SURVEY OF THE

South, East & frac^l West Boundaries

of Township No 8 N., Range No 3 E.

of the Salt Lake Meridian in Utah Territory.

BY

James H. Martineau

U. S. DEPUTY SURVEYOR,

Under his Contract No. 80

dated August 30th 1877.

Survey commenced Oct. 28th 1878.

Survey completed October 30th 1878.

Fractional West Boundary of T. 8 N. R.

Chains	Survey Commenced October 28. 187
	From the cor. to Secs. 7. 18. 12 & 1 set in 1877. The cor stone standing & agreeing w description furnished me by the office, to wit:— a L 14 x 9 x 7 in. I run —
	North between Secs. 7 & 12
	Va. 17° 50' E.
20.00	Ridge of Mountain, Slopes N. W.
40.00	Set sandstone 12 x 10 x 6". 8 in deep. in Mound of Stones Marked 1/4 on W. side for 1/4 Sec. Cor.
43.40	Brook 4 lks. wide runs N. 25
80.00	Set sandstone 15 x 14 x 10". 1 in. deep. in Mound of Stones Marked 5 notches S. & 1 N. f Cor. to Secs. 6. 7. 1 & 12 on side of Mountain Slopes S. W. Mountainous 80.00 Chs. Soil 2d rate.

BOOK-A-16

Chain	No val
	Nor
40.00	Set in. o Mar Sec.
80.18	In -ar West T. P 12 x of St S. & Clo West N. 1

BOOK-A-166

T. 8 N. R. 3 E. S. L. Meridian

Chain	No timber of commercial value. Scattering cedars.
	North between Secs. 1 & 6 on true line.
	Va. 17° 30' E.
40.00	Set sandstone 18 x 12 x 6." 12 in. deep. in Mound of Stones; marked ¼ on W. Side for 1/4 Sec. Cor
80.18	Intersected Second Standard Parallel North 7.95 Chs. West of Cor. to ranges 2 & 3 E. T. 9 N. and set a sandstone 12 x 10 x 9." 8 in. deep in mound of Stones, marked 6 notches on E. S. & W. Sides, and C. C. for Closing Cor. of Secs. 1 & 6. on West Slope of Mountain. bears N. 15° W.

Fractional W. Boundary T. 8 N R. 3 E. - T.

Chains	Mountainous 80.18 Chs. Soil 3d rate, with iron ore. No timber October 28th 187
Note.	For General Description see end of Subdivision Notes of this township. James H. Martineau U. S. Dep. Surveyor

BOOK-A-166

South Boundary T. 8 N. R. 3 E.

Chain Survey commenced
October 28th 1898.
From the cor. to Tps. 7 & 8 N.
Rs 2 & 3 East, I run
East on true line between
Secs. 6 & 31
Va. 14° 5' 0" E.
Descend East
0.00 Set sandstone 12 x 10 x 6." 8 in. deep,
in mound of stones, marked ¼
on N. side for 1/4 Sec. Cor
An aspen 7" dia. bears N. 13° 40' E.
5-4 lks. marked ¼ S B.T.
An aspen 8" dia. bears S. 24° W.
61 lks, marked ¼ S. B. T.
20.00 Set sandstone 14 x 14 x 10." 9 in.
deep. in mound of stones, marked
1 Notch W. & 5-E. for Cor. to Secs.
31, 32, 5 & 6, in small timber
Now to mark.

South Boundary T. 8 N. R. 3 E.

Chains Mountainous 80.00 chs.
Soil 2d rate
Timber 80.00 chs. Oct. 2, 8

East on true line between
Secs. 32 & 5
Va. 14° 50' E.

40.00 Set sandstone 9 x 9 x 7" 6" dep
in mound of stones marked ¼ on
N. side for 1/4 sec. cor.
An aspen 10" dia. bears N. 14° 50
69 lks. marked ¼ S B. T.

80.00 Set sandstone 15 x 10 x 9" 10 in
deep. in mound of stones, marke
2 notches W. & 4 E. for cor. to Sec
32. 33. 4 and 5.
An aspen 6" dia. bears N. 14° W. 23.00
17 lks. marked T. 8 N. R. 3 E. S. 32 37.00
B. T.
An aspen 8" dia. bears 74 lks 40.00

BOOK-A-166

hains S. 10° W. Marked T. 7 N. R. 3 E.
S. 5. B.T.
An aspen 6" dia. bears N. 32° E.
114 lks. marked T. 8 N. R. 3 E.
S. 33 B.T.
An aspen 10" dia. bears S. 18° E.
70 lks. marked T. 7 N. R. 3 E.
S. 4 B.T.
Mountainous 80. or chs.
Soil 1st rate, with indications
of iron
Timber 80. or chs.

East on true line between
Secs. 33 & 4
Va. 14° 50' E.
Brook 3 lks. wide, runs N. 30° E.
Top of high sharp ridge, bears N. 35° E.
Marked an aspen 6" dia. ¼ S
on N. side for 1/4 Sec. Cor. on

South Boundary T. 8 N. R. 3 E.

Chains	
	hill slopes S. E.
	An aspen 7" dia. bears N. 36° E.
	128 lks. Marked ¼ S B T.
	An aspen 9" dia. bears S. 14° W
	224 lks. Marked ¼ S. B. T.
48.00	Brook 3 lks. wide runs N. 30°
	Heads about 3. chs South of line
60.00.	Low ridge descends N. E.
74.00	Brook 3 lks. wide, runs N. 35°
80.00	Set Sandstone 17 x 12 x 10". 12 in.
	deep, in Mound of Stones, Marked
	3 Notches E. & 3 W. for Cor. to Sec
	33. 34. 3 & 4
	An aspen 8" dia. bears N. 17°
	56 lks. Marked T. 8 N R. 3 E.
	S 34 B. T.
	An aspen 5" dia. bears S. 60° W.
	240 lks. marked T. 7 N R. 3 E.
	S. 4 B. T. No other trees within 300 lks
	Mountainous 80.00 Chs.
	Soil 2° rate.

BOOK-A-166

Salt Lake Meridian

Chains	Timber Dv. or Chs.
	East on true line between Secs. 3 & 34 Va. 17° 50' E.
	0.00 Leave aspens.
	0.00 Set sandstone 12 x 10 x 6", 8 in. deep, in mound of stones, Marked 4 on N. side for 1/4 sec. cor. at foot of bench.
	43.00 Beaver Creek, 8 lks. wide, runs S.
	44.00 Road from Huntsville to Bear Lake
	A brook 6 lks. wide comes in about 10.00 chs. N. from east.
	64.00 High ridge, bears N., thence N.E.
	79.00 Ravine, drains S.W.
	80.00 Set sandstone 14 x 12 x 8", 9 in. deep, in mound of stones, marked 4 notches W. 2 E. for cor. to Secs. 34, 35, 2 & 3 in ravine,

South Boundary T. 8 N. R. 3 E.

Chains drains S. W.

Mountainous 80.00 Chs.

Soil 3d rate

Timber 30.00 Chs.

East on true line between Secs. 2 x 35

Va. 14° 50' E.

30.00 Top of high ridge bears N. 80° E.

40.00 Set Sandstone 16x12x5", 11 ins. deep, in Mound of Stones. Marked ¼ on N. side for ¼ Sec. Cor. on hill slopes S. E.

48.00 Road to timber bears N. 80° E.

50.00 Enter aspen timber

80.00 Set Sandstone 14x12x8", 9 ins. deep, in Mound of Stones. Marked 5 notches W. & 1 E. for Cor. to Secs. 35. 36. 1 & 2 on Mountain slopes N. W.

BOOK-A-166

Salt Lake Meridian

chains

An aspen 7" dia. bears N. 14° W.
119 lks. marked T. 8 N. R. 3 E.
S' 35. B. T.

An aspen 4" dia. bears S. 38° E.
248 lks. marked T. 7 N. R. 3 E.
S'. 1. B. T.

No other trees within 30 lks.
Mountains 80. or lks.
Soil 2° rate
Timber 30. or lks.

Easton true line between
Secs. 1 & 36
Va. 17° 5-0' E.

40 lks Set Sandstone 18 x 11 x 4". 10 in.
dep. in Mound of Stones, marked
¼ on N. side for 1/4 Sec. Cor.
in Small aspens

74. or Top of Mountain, bears N. 20° E

80. or Set Sandstone 11 x 10 x 5". 7 in.

South Boundary T. 8 N. R. 3 E.

Chains deep, in mound of Stones, Marked 6 notches N. E. S. & W. for Cor. to Ranges 3 & 4 E. Tps. 7 & 8 N. on S. E. Slope of Mountain.

An aspen 5" dia. bears N. 10° 40 lks. dist. Marked T. 8 N. R. 4 E. S. 31 B.T.

An aspen 6" dia. bears N. 31° W. 164 lks. marked T. 8 N. R. 3 E. S. 36. B.T.

An aspen 8" dia. bears S. 40° W. 216 lks. Marked T. 7 N. R. 3 E. S. 1 B.T.

An aspen 10" dia. bears S. 27 234 lks. Marked T. 7 N. R. 4 E. S. 6 B.T.

Mountainous 80.00 Chs

Soil 2° rate

Timber 80.00 Chs

BOOK-A-1

Salt La

Chains

Note.

Fo

See e

of thi

Ja

U

BOOK-A-166

Salt Lake Meridian

October 29th 1898.

Note.

For General Description
See end of Subdivision notes
of this township

James H. Martineau
U. S. Deputy Surveyor

BOOK-A-166

East Boundary T. 8 N R. 3 E.

Survey Commenced

Oct. 30th 1878.

From cor to Tps. 7 & 8. N. R. 3 & 4. E. I run

North between Secs. 31 & 36

Va. 17° 50' E.

0.00 Top of ridge bears N.E. & S.W.

3.00 Bottom of ravine, drains S. 40° W.

0.00 Set Sandstone 11 x 10 x 8". 7 in. deep, in mound of stones, marked ¼ on W. side for 1/4 sec. cor. on S. E. Slope of mountains.

An aspen 7" dia. bears N. 16° W. 74 lks. marked ¼ S. B. T.

An aspen 10" dia. bears S. 38° 30' E. 97 lks. marked ¼ S. B. T.

1.00 Marked an aspen 14" dia. 1 notch S. & 5 N, also T. 8 N. R. 3 E. & T. 8 N. R 4 E.

East Boundary T. 8 N. R. 3 E.

Chains	S. 31 and S. 36, for co	chain
	to Secs. 25. 36, 30 & 31	4.00
	An aspen 9" dia. bears	0.00
	N. 32° W. 114 lks. Marke	
	T. 8 N. R. 3 E. S. 25 B. T.	
	An aspen 7" dia. bear	
	N. 47° E. 91 lks. Marke	2.00
	T. 8 N. R. 4 E. S. 30 B. T.	0.00
	An aspen 8" dia. bear	
	S. 22° E 73 lks. Marke	
	T. ~~8~~ 8 N. R. 4 E. S. 31	
	B. T.	
	Mountainous 80.00 ch	
	Soil 2d rate	
	Timber 80.00 chs.	

North between Secs. 25 and 30

Va. 17° 50' E.

BOOK-A-166

Salt Lake Meridian

Leave aspens

Set sandstone 15 x 12 x 10", 10 in. deep in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor.

Bench bears N. W.

Set sandstone 18 x 14 x 10", 12 in. deep in mound of stones, marked 2 notches S. and 4 North for Cor. to Secs. 24, 25, 19 & 30 on mountain slopes W.

Mountains 34.00 chs.

Soil 3d rate

Timber 34.00 chs

North between Secs. 19 & 24

Va. 17° 30' E.

East Boundary T. 8 N R. 3

Chains	
25.00	foot of steep descent
40.00	Set Sandstone 14 x 12 x 9 in. deep, in Mound of Stones. Marked ¼ on Side for 1/4 Sec. Cor.
65.00	Top of high mountain bears N. 20° W.
Note.	This is the dividing ridge between Cache & Weber Counties
80.00	Set Sandstone 9 x 4 5 in. deep, in Mound of Stones, Marked 3 notches S. and 3 North for Cor. to Secs. 13.24, 18 & 19, on Mountain slopes S.E.
	Mountains 80.00 chs.
	Soil 3d rate
	No timber.

BOOK-A-166

Salt Lake Meridian

North between Sections
13 & 18
Va. 17° 30' E.

Road to timber, in ravine drains N. 70° W. Enter Aspen and pine timber

Set Sandstone 12 x 10 x 5," 8 in. deep, in mound of stones, Marked ¼ on W. side for 1/4 Sec. Cor.

An Aspen 7" dia. bears 74 lks. N. 10° E. Marked ¼ S. B. T

Ridge bears N. W.

Road in Cañon drains N. 45° W.

Marked an aspen 10 in. dia. 4 Notches S. & 2 N. Also T. 8 N. R. 3 E. S. 12 and T. 8 N. R. 4 E. S. 18

East Boundary T. 8 N. R. 3 E

Chain for Cor. to Secs. 12. 13. 7
& 18, on point of mounta
slopes S. W.

An aspen 7" dia. bears
N. 30° W. 60 lks. marked
T. 8 N R. 3 E. S. 12 B. T

An aspen 8" dia. bea
S. 62° W. 118 lks. mark
T. 8 N. R. 3 E. S. 13 B. T

An aspen 4" dia. bea
S. 22° E. 172 lks. mark
T. 8 N. R. 4 E. S. 18 B. T.

An aspen 6" dia. bears
N. 50° E. 98 lks. mark
T. 8 N. R. 4 E. S. 7 B. T.

Mountainous 80.00 chs
Soil 2° rate
Timber 50.00 chs

Salt

Nor
7 &
Roa
Rich
An
S. 85°
Lea
Creek
Set
10 in.
Stone
Side
Rich
Set
8 in.
Mar
N. f
on
Mar
Soi

Salt Lake Meridian

North between Secs.
7 & 12
Va, 17° 50' E.

3.00 Road over mountains to
Rich County, bears N. 80° E.
An old Saw Mill bears
S. 85° W. about 25.00 chs.
Leave timber
4.00. Creek, 2 lks wide, runs S.W.
.00 Set Sandstone 15 x 12 x 10",
10 in. deep, in mound of
Stones, Marked ¼ on W.
Side for 7/4 Sec. Cor.
.00 Ridge bears S. 85° W.
.00 Set Sandstone 12 x 10 x 8"
8 in. deep, in mound of Stones
Marked 5 notches S. and 1
N. for Cor. to Secs. 1, 12, 6, 7,
on ridge bears W.
Mountainous 80.00 chs.
Soil 3d rate.

East Boundary T. 8 N. R. 3 E

Chains	Timber 23.00 Chs.
	North on true line between Secs. 1 & 6
	Va. 17° 50' E.
40.00	Set sandstone 10 x 9 x 9. deep, in Mound of Stones marked ¼ on W. Side for ¼ sec. Cor.
44.00	Enter pines
56.00	Ridge bears N. W.
76.50	Ravine, drains N. W.
80.14	Intersect Second Standard Parallel North, 7.90 Chs. West of Cor. Ranges 3 & 4 T. 9 N. on Mountain slopes S. W. Mountainous 80.14 Chs. Soil 2° rate.

BOOK-A-16

S. L. N

Chains	Tim
	Note
	See
	Not
	Jan
	U.

BOOK-A-166

S. L. Meridian

Timber 36, 14 Chains.

October 30th 1878

Note.

For General Description See end of Subdivision notes of this township.

James H. Martineau
U. S. Deputy Surveyor

BOOK-A-166

121

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Feby 24 *1879.*

The foregoing field notes of the survey of South, East & Fractional West Boundaries

Township No. 8. North *Range No.* 3. East

of the Salt Lake Meridian, Utah Territory

Executed by James H. Martineau

Under his. No 80 *contract of the* 30th

day of August *1877, in the month of*

October *1878, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Fred. Saltzer

Surveyor General for Utah.

BOOK-A-166

R: 1879.

Filed November 16th 1878.

Examined by C. H. Cranwell, C. C.

Compared by Otto Salomon and Wm. A. Goslinde.

FIELD NOTES

OF

THE SURVEY OF THE

Subdivision Lines

of Township No 8 N., Range No 3 E.

of the Salt Lake Meridian in Utah Territory.

BY

James H. Martineau

U. S. DEPUTY SURVEYOR,

Under his Contract No. 80

dated August 30th 1877.

Survey commenced November 1st 1878.

Survey completed November 11th 1878.

BOOK-A-166

Township 8, North, **R.** 3, East

101	6	182	5	166	4	156	3	144	2	133	1	119
		181		180		165		155		143		132
100.	7	180	8	164	9	154	10	142	11	131	12	118
		179		178		163		152		141		130
	18	176	17	162	16	151	15	140	14	129	13	116
		175		174		161		150		139		128
	19	173	20	160	21	149	22	138	23	126	24	114
		172		171		159		148		137		125
	30	170	29	158	28	147	27	136	26	124	25	113
		169		168		157		146		135		123
	31	169	32	157	33	145	34	134	35	123	36	112
		103		104		105		107		108		109

Subdivision T. 8 N. R 3

Chains	
	Survey commenced November 1st 1878
	From the cor. to Secs. 35 & 36 North between Sec. 35 & 36 Va. 17° 50' E.
19.00	Road to timber, bears N. E.
40.00	Set sandstone 12 x 8 x 7." 8 in. deep in mound of stones. Marked ¼ on W. side for ¼ Sec. Cor. on ridge slopes S. E.
61.00	Ridge bears North. Lean aspe
80.00	Set sandstone 15 x 10 x 9." 10 in. deep, in mound of stones. Mark 1 Notch S. & 1 E. for cor. to Secs. 26. 35. 36, on ridge bears N. 20° E. Mountainous 80.00 chs. Soil 2d Timber 61.00 Chs.
	East on random line between Secs. 25 & 36

BOOK-A-1

Salt

Chains	
38.00	Roa
40.00	Set
50.00	En
80.04	In
	of Co
	whe
	N.
40.02	Se
	in
	N.
80.04	Th
	M
	S
	Ti
	N.
9.00	E

BOOK-A-166

Chains	
	Va. 17°50' E.
38.00	Road to timber, bears N. E.
40.00	Set temp. 1/4 Sec. Cor.
50.00	Enter timber
80.04	Intersect E. Boundary 20 lks N. of Cor. to Secs. 25. 36 30 & 31 from which
	N. 89°51' W. on true line between Secs. 25 & 36
40.02	Set Sandstone 15x11x8" 10 in. deep, in mound of stones, marked 1/4 on N. side for 1/4 Sec. Cor.
80.04	The Cor. to Secs. 25. 26. 35 & 36
	Mountainous 80.04 chs.
	Soil Dry rocky, & traces of iron
	Timber 30.04 chs.

North between Secs. 25 & 26

Va. 17°50' E.

9.00	Enter timber

Subdivision T. 8 N. R. 3 E.

Chains	
29.00	Leave timber
40.00	Set sandstone 14x11x10." 9 in. dep in mound of stones. Marked ¼ on W. side for ¼ Sec. Cor
80.00	Set sandstone 20x10x8." 15 in. de in mound of stones, marked 2 notch S. and 1 E. for Cor. to Secs. 23. 24 25 & 26. on mountain, bears E. M
Note.	This is the divide between Cach and Weber Counties.
	Mountainous 80.00 Chs.
	Soil 3rd rate
	Timber, aspens, 20 Chs.

East on random line betwee
Secs. 24 & 25 –
Va. 17°30' E.

40.00	Set temp. ¼ Sec. Cor.
45.00	Enter pines

BOOK-A-166

Chains

75.00 Lean timber

80.32 Intersect E. boundary 19 lks S. of Cor. to Secs. 24. 25. 19 x 30 from which S. 89° 52' W. on true line between Secs. 24 x 25

40.16 Set Sandstone 12 x 11 x 10." 8 in. deep, in Mound of Stones, marked ¼ on N. side, for 1/4 Sec. Cor.

80.32 The Cor. to Secs. 23. 24. 25. 26 Mountainous 80.32 Chs. Soil 3d rate, with indications of iron

Timber 30.00 Chs.

North between Secs. 23 x 24

Va. 17° 30' E.

12.00 Descend. Enter timber

40.00 Set sandstone 17 x 12 x 8." 12 in. deep, in Mound of Stones. Marked

Subdivision T. 8 N. R. 3 E.

Chains.		Chains
	¼ on N. side for 1/4 Sec. Cor. in hollow drains N.	
80.00	Set Sandstone 15x10x4", 10 in. d	21.00
	in Mound of Stones, marked 3 mi	
	S. & 1 E. for cor to Secs. 13.14.23	40.00
	24. in hollow, drains N. W.	74.00
	An aspen 7" dia. bears N. 10° W. 7	
	lks. marked T. 8 N. R. 3 E. S. 14 B.	80.54
	An aspen 10" dia. bears S. 37° W. 11	
	lks., marked T. 8 N. R. 3 E. S. 23 B.	
	An aspen 8" dia. bears N. 27° E. 235	
	lks., marked T. 8 N. R. 3 E. S. 13. B.	40.27
	An aspen 5" dia. bears S. 64° E. 72	
	marked T. 8 N. R. 3 E. S. 24 B. T.	
	Mountainous 80.00 chs.	
	Soil 2d rate, with traces of iron	80.54
	Timber 68.00 chs.	
	November 1st 1848	

East on random line between

BOOK A-166

Salt Lake Meridian

Chains	
	Secs. 13 & 24
	Va. 17° 50' E.
21.00	Ridge, bears N. & S. Divide between Cache and Weber counties.
40.00	Set temp. 1/4 Sec. Cor.
74.00	Point of Mountain, bears N. 20° W.
	Leave timber.
80.54	Intersect E. b. ndary at Cor. to Secs. 13. 24 18 & 19 from which West on true line between Secs. 13 & 24
40.27	Set Sandstone 10 x 10 x 8." 7 in. deep, in mound of stone, marked 1/4 on N. side for 1/4 Sec. cor. in Cañas drains N. 20° E.
80.54	The Cor. to Secs. 13. 14 23 & 24 Mountainous 80.54 Chs. Soil 3D salt, with indications of iron. Timber 74.00 Chs.

Chains	
	North between Secs. 13 & 14
	Va. 14° 50' E.
40.00	Set Sandstone 18.x17x10." 12 in. d
	in Mound of Stone, marked ¼ on
	W. side for 1/4 Sec. Cor. on dive
	between Cache & Weber Counties
	bears E. & W.
	An aspen 17" dia. bears N. 4°
	78 lks. marked ¼ S B.T.
	An aspen 8" dia, bears S. 20°
	52 lks. marked ¼ S B.T.
68.00	Point of ridge, bears N. W.
80.00	Set Sandstone 15x8x7." 10 in
	deep, in Mound of Stone, marke
	4 Notches S. & 1 E. for Cor. to Sec
	11, 12, 13 & 14 on N.E. Slope of M
	An aspen 7" dia. bears N. 10° W. 2
	lks. marked T. 8 N R. 3 E. S. 11 B.
	An aspen 8" dia. bears N. 14° E
	40 lks. marked T. 8 N. R. 3 E. S.

Chains	
	B.
	An
	34
	S.
	A
	80
	S.
	7
	J
	T
	E
	Se
20.00	N
40.00	S
63.30	K
	a
	a
80.40	a

Salt Lake Meridian

Chains	B.T.
	An aspen 10" dia. bears S. 46° E.
	34 lks. Marked T. 8 N. R. 3 E.
	S. 13 B.T.
	An aspen 6" dia. bears S. 70° W.
	80 lks. Marked T. 8 N. R. 3 E
	S. 14 B.T.
	Mountainous 80.00 chs.
	Soil 3° salt. with transition.
	Timber 80.00 chs.
	East on random line bet.
	Secs. 12 & 13
	Va. 17° 50' E.
20.00	Ridge bears N.W.
40.00	Set temp. 1/4 Sec. Cor.
63.30	Road to timber, bears N. 20° W.
	An old saw mill bears N. 15° W.
	About 10 chs.
80.00	Intersect E. boundary at Cor.

Subdivision T. 8 N. R. 3 E.

Chains	
	to Secs. 12. 13. 7 & 18 from which
	West on true line between
	Secs. 12 & 13
40.20	Marked aspen 8" dia. ¼ S for
	¼ Sec. Cor. on Mountain Slopes
	An aspen 7" dia. bears N. 20° W.
	34 lks. marked ¼ S B.T.
	An aspen 6" dia. bears S. 42° E. 96
	lks. Marked ¼ S. B. T.
80.40	The Cor. to Secs. 11. 12. 13 & 14
	Mountainous 80.40 Chains.
	Soil 2d rate.
	Timber 80.40 chs.
	North between Secs. 11 & 12
	Va. 17° 50' E.
13.40	Road to Rich County bears N. 85
	Small brook, now dry.
35.00	Leave timber.
40.00	Set sandstone 15 x 14 x 8." 10 in

BOOK-A-1

Sa

Chains	
	deep
	Mar
	Cor.
45.00	Rid
	Ent
65.00	Lea
80.00	Se
	dee
	5
	Sec
	N.
	M
	So
	Ti
	E
	S
40.00	
80.16	

BOOK-A-166

Salt Lake Meridian

Chains	
	deep, in mound of stones, Marked ¼ on W. Sides for 1/4 Sec. Cor.
45.00	Ridge of mountain, bears E. & W. Enter timber.
65.00	Leave timber
80.00	Set stone stone 12 x 10 x 8." 8 in. deep, in mound of stones, mark 5 notches S. & 1 E. for Cor. to Secs. 1. 2. 11 & 12. in hollow drains N. W.
	Mountainous 80.00 Chs. Soil 3d rate, with trace of iron Timber 53.00 Chs.

	East on random line between Secs. 1 & 12
	Va. 17°30' E.
40.00	Set temp. 1/4 Sec. Cor.
80.16	Intersect E. boundary 27 lks.

Subdivision T. 8 N. R. 3 E.

Chains	
	N. of Cor. to Secs. 1 & 12 from which
	N. 89° 48' W. on true line between
	Secs. 1 & 12
40.08	Set sandstone 15 x 14 x 10" 10 in.
	deep. in mound of stones, marked
	¼ on N. side for ¼ sec. Cor.
80.16	The Cor. to Secs. 1, 2, 11 & 12
	Mountainous 80.16 chs.
	Soil 3rd rate. Traces of iron.
	No timber

North on true line between
Secs. 1 & 2
Va. 17° 50' E.

40.00	Set sandstone 12 x 10 x 4" 8 in.
	deep. in mound of stones, marked
	¼ on W. side for ¼ sec. Cor.
80.18	Intersected 2nd Standard Parallel North 7.80 chs. West of
	Standard Cor. to Secs. 35 & 36

BOOK-A-166

chains

and set sandstone 14x10x8."
9 in. deep. marked 6 notches S.
5 W. & 1 E. and C.C. for closing
Cor. to Secs. 1 & 2, on side of
mountain slopes N.
Mountainous 80.18 chs.
Soil 3° rate
No timber

Novr 2nd 1878

From the cor. to Secs. 34 & 35 on
South boundary, I run
North between Secs. 34 & 35
Va. 17° 50' E.

3.00. Hollow trains S.W.
12.00 Ridge bears E. & W.
22.00 Brook 6 lks. wide, runs W.
40.00 Set sandstone 17x12x10." 12 in
deep. in mound of stones, marked
1/4 on W. side for 1/4 Sec. Cor. on
mountain slopes S. E.

Subdivision 8 N R. 3 E.

Chains	
55.00	Ridge bears N. E. Enter timber.
70.00	Cañon dr. S.W. Leave "
80.00	Set sandstone 12x10x6." 8 in. deep in mound of stones. Marked 1 notch S & 2 E. for Cor. to Secs. 26. 34 & 35, in hollow drains S.W. Mountainous 80.00 Chs. Soil 3d rate, with traces of iron Timber 15.00 Chs.
	East on random line between Secs. 26 & 35 Va. 17°50' E.
14.00	Ridge, bears N. E.
40.00	Set temp. 1/4 Sec. Cor.
80.36	Intersect N. & S. line at Cor. Secs. 25. 26. 35 & 36, from which West on true line between Secs. 26 & 35

BOOK-A-16

Salt-

Chains	
40.18	Set deep. 1/4 on
80.36	The Mo Soil No
	Nort
23.00	Ri
40.00	Set in. d Mar Cor.
50.00	En
80.00	Set in. a Ma

Salt Lake Meridian

Chains

40.18 Set sandstone 16x14x10," 10 in. deep, in mound of stones, marked ¼ on N. side for 1/4 Sec. Cor.

36
80.36 The Cor. to Secs. 26. 27. 34. 35 — Mountains 80.36 Chs. Soil 3rd rate. Signs of iron no timber

North between Secs. 26 & 27
Va. 17° 30' E.

23.00 Ridge bears N. E.

40.00 Set sandstone 15x10x6," 10 in. deep, in mound of stones, marked ¼ on W. side for 1/4 sec Cor.

50.00 Enter timber.

80.00 Set sandstone 17x16x12," 12 in. deep, in mound of stones, marked 2 notches S. & E. for

Subdivision T. 8 N. R. 3 E.

Chains Cor. to Secs. 22, 23, 26 & 27 on
mountain slopes S. E.
Mountainous 80. on Chs.
Soil 2d rate
Timber 30. on Chs.

East on random line bet. Secs.
23 & 26
Va. 17°50' E.

40.00 Set temp. 1/4 Sec. Cor.
46.00 Top of high mountain bears E.
60.00 Leave timber
80.16 Intersect N. & S. lines at cor.
Secs. 23. 24. 25 & 26 from which
West on true line between
Secs. 23 & 26
40.08 Set Sandstone 10x10x8." 7 in
deep, in mound of stones, marked
4 on N. side for 1/4 Sec. Cor.
An aspen 7" diam. bears N. 16°

Salt Lake Meridian

Chains 42 lks. Marked ¼ S. B. T.

An aspen 9" dia. bears S. 35° 50' W.

93 lks. Marked ¼ S B. T.

80.16 The Cor. to Secs. 22. 23. 26. 27

Mountainous 80.16 Chs.

Soil Poor, Iron trace

Timber 60.00 Chs.

North between Secs. 22. & 23

Va. 17° 50' E.

21.00 Point of mountain, bears N. E.

40.00 Set Sandstone 10x9x8" 7 in. deep. in Mound of Stones, marked ¼ on W. side for ¼ Sec. Cor. in hollow drains N. 80° W.

An aspen 7" dia. bears N. 7° W.

90 lks, Marked ¼ S. B. T

51.90 Road to Rich County, bears N. E. Leave timber.

80.00 Set Sandstone 18x12x7", 12 in

Subdivision T. 8 N. R. 3 E.

Chains	deep, in mound of stones,	Chains
	Marked 3 notches S. & E. for	40.03
	Cor. to Secs. 14.15.22.23, on	
	divide between Cache and Weber	
	Counties, bears N. E. & W.	
	Mountainous 80.00 Chs.	80.06
	Soil 3° rate. indications of iron	
	Timber 57.90 chs.	

East on random line between
Secs. 14 & 23
Va. 17° 50' E.

7.00	Enter timber	40.00
19.30	Road to Rich County. bears N. 25	
	Enter aspens	
40.00	Set temp. 1/4 Sec. Cor.	
80.06	Intersect N. & S. line at Cor. to	45.00
	Secs. 13.14.23 & 24 from which	62.00
	West on true line between	74.00
	Secs. 14 & 23	80.00

BOOK-A-166

Salt Lake Meridian.

Chains

40.03 Set sandstone 19x10x8." 12in. deep, in mound of stones, marked ¼ on N. side, for 1/4 Sec. Cor. on mountain slopes N.

80.06 The Cor. to Secs. 14. 15. 22 & 23 Mountainous 80.06 Chs.
Soil 2d rate
Timber 73.06 Chs.

North between Secs. 14 & 15
Va. 17°50' E.

40.00 Set sandstone 15x12x7." 10 in. deep, in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor. on ridge slopes S.

45.00 Ridge bears E. & W.

62.00 Road to timber, bears E. & W.

74.00 Ridge, bears E. & W.

80.00 Set sandstone 12x8x6." 8in

Subdivision T. 8 N R. 3 E.

Chains	
	deep, in mound of stones, marked 4 notches S. & 2 E. for Cor. to Secs 10.11.14 & 15, on mountain slope North.
	Mountainous 80.00 Chs.
	Soil 3d rate
	No timber.
	Nov. 4th 1878
	East on random line between Secs. 11 & 14
	Va. 17°50' E.
20.00	Gulch, drains N. 40° W.
34.00	Ridge bears N. 10° E.
40.00	Set temp. 1/4 Sec. Cor.
48.20	Road to Rich County, bears S. W. and N. 70° E. in deep Cañon.
50.00	Deep Gulch about 10.00 Ch. N., turns to the north.
71.00	Top of ridge bears N. 20° E.

BOOK-A

Salt

Chains	
80.24	Ea
	In
	Sec
	10
	S
40.12	Set
	in N
	Sea
	Slop
80.24	Th
	M
	T
	T
	N
3.00	H
40.00	Se
	de
	1/4

BOOK-A-166

East Lake Meridian

Chains	Enter timber.
80.24	Intersect N. & S. line at cor. to Secs. 11.12.13 & 14 from which West on true line between Secs. 11 & 14
40.12	Set sandstone 12x10x6." 8 in. deep. in mound of stones, marked ¼ on N. side for ¼ Sec. Cor. on mountain slopes E.
80.24	The Cor. to Secs. 10.11.14 & 15 — Mountainous 80.24 chs. Soil 2° rate. Traces of iron Timber 9.24 chs.

North between Secs. 10 & 11
Va. 17°5-0' E.

3.00	Hollow, drains N. 80° W.
40.00	Set sandstone 10x10x8." 7 in. deep. in mound of stones marked ¼ on W. side for ¼ Sec. Cor.

Subdivision T. 8 N. R. 3 E.

Chains	
51.00	Low ridge, bears N. W.
80.00	Set Sandstone 12x8x5." 8in deep, in Mound of stones, Marked 5 notches S. & 2 E. for Cor. to Secs. 2.3.10 & 11
	Mountainous 80.00 chs.
	Soil 2d rate
	No timber

East on random line between Secs. 2 & 11

Va. 17°50' E.

40.00	Set temp. 1/4 Sec. Cor.
43.00	Dry wash, - a large stream in spring.
60.00	Ridge bears N. W.
79.86	Intersect N. & S. line 30 chs. N. of Cor. to Secs. 1.2.11 & 12 from which

BOOK-A-166

Salt Lake Meridian

Chains

N. 89° 47' W. on true line between Secs. 2 & 11

39.93 Set Sandstone 15 x 10 x 9." 10 in. deep, in mound of stones, marked ¼ on N. side for 1/4 Sec. Cor.

79.86 The Cor. to Secs. 2. 3. 10 & 11

Mountainous 79.86. Chs.

Soil 3° rate.

No timber

North on true line between Secs. 2 & 3, Var. 17° 50' E.

40.00 Set Sandstone 13 x 9 x 8, 8 in. deep, in mound of stones. Marked ¼ on W. side for 1/4 Sec. Cor.

80.26 Intersected 2° Standard Parallel North 7.62 chs. West of the Standard Cor. to Secs. 34 & 35, and set Sandstone 12 x 10 x 9." 8 in. deep, in mound

Subdivision T. 8 N. R. 3 E.

Chains	
	of Stones. Marked 4 notches W. E S. 2 E. & C. C. for closing Cor. to Secs. 2 & 3
	Mountainous 80.26 Chs.
	Soil 3° rate
	No timber
	From Cor. to secs 33 and 34 on South boundary North between Secs. 33 & 34
	Va. 17°50' E.
6.40	Brook 3 lks. wide, runs N. E.
35.70	Brook 6 lks. wide, runs S. 85° E. and into Beaver creek. Leave timber
40.00	Set sandstone 16 x 12 x 8".10 in. deep. in Mound of Stones. Marked 1/4 on W. side for 1/4 Sec. Cor.
64.00	Ridge. bears N. 15° E. & S. W.

BOOK-A-

Salt

Chains	
80.00	Set
	in.
	Ma
	Cor
	E.
	Ea
	Se
14.30	B
	ru
15.50	Ri
40.00	S
47.00	C
61.00	R

Salt Lake Meridian

Chains	
80.00	Set sandstone 15 x 12 x 10," 10 in. deep, in Mound of Stones, Marked 1 Notch S. & 3 E. for Cor. to Secs. 27. 28. 33 & 34 on E. Slope of mountain. Mountainous 80.00 Chs. Soil 2° rate Timber 35.70 Chains.
	East on random line between Secs. 27 & 34 Va. 17° 50' E.
14.30	Beaver creek, 6 lks. wide runs S.E. in deep Cañon.
15.50	Road to Huntsville
40.00	Set temp. 1/4 sec. Cor.
47.00	Cañon drains S.W.
61.00	Ridge bears S.W.

Subdivision T. 8 N. R. 3 E.

Chains	
80.28	Intersect N. & S. line at cor. to Secs. 26. 27. 34 & 35 from which
	West on true line between Secs. 27 & 34
40.14	Set sandstone 10 x 10 x 7" 7 in. deep. in Mound of Stones. Marked ¼ on N. side for 1/4 Sec. Cor.
80.28	The Cor. to Secs. 27. 28. 33. 34 Mountainous 80.28 Chs, Soil 3d rate, with trace of iron No timber.
	North between Secs. 27 & 28 Va. 17° 50' E.
40.00	Set sandstone 12 x 9 x 8" 8 in. deep. in Mound of Stones, Marked ¼ on W. side for 1/4

Salt

Chains	
49.17	Se
80.00	Bro
	Set
	deep
	Ma
	Cor.
	hil
	M
	S
	N
	Ea
	Se
19.00	Spu
22.10	N
	Co
40.00	S
70.00	N

Salt Lake Meridian

Chains	Sec. Cor.
49.17	Brook, runs S. E. 8 lks. wide.
80.00	Set sandstone 16 x 10 x 9." 10 in. deep, in mound of stones, marked 2 notches S. & 3 E. for Cor. to Secs. 21, 22, 27 & 28 on hill bears N & S.
	Mountainous 80.00 Chs.
	Soil 3° rate, with signs of iron
	No timber
	Nov. 5th 1878

East on random line between Secs. 22 & 27

Va. 17°50' E.

19.00	Spring branch 2 lks wide, heads N. about 20 chains
22.10	Road from Huntsville to Rich County, bears N. 60° E.
40.00	Set temp. 1/4 sec. Cor.
70.00	Ridge bears N. 20° E. and enter timber

Subdivision T. 8 N. R. 3 E.

Chains	
80.00	Intersect N. & S. line 26 chs. S. of Cor. to Secs. 22.23.26 & 27 from which S. 89°49' W. on true line between Secs. 22 & 27
40.00	Set sandstone 16x8x8" 10 in. deep in mound of stones. Marked ¼ on N. side for ¼ sec. Cor. in raine drains N.W.
80.00	The Cor. to Secs. 21.22.27.28. Mountainous 80.00 chs. Soil 3° rate No timber

North between Secs. 21 & 22
Va. 17°30' E.

25.70	Road to timber. bears W.
40.00	Set sandstone 12x10x6" 8 in. deep in mound of stones.

Salt Lake Meridian

Chains

Marked ¼ on W. side for 1/4 Sec. Cor.

43.40 Road to timber, bears N. 80° W.

70.00 Top of divide between Cache and Weber Counties, bears N. 80° E.

80.00 Set Sandstone 14 x 8 x 6" 4 in. deep, in mound of stones, mark'd 3 notches S. & 3 E. for Cor. to Secs. 15. 16. 21. 22.

Mountainous 80.00 Chs.

Soil 3° rate, Indications of iron.

No timber

East on random line between Secs. 15 & 22

Va. 17° 50' E.

40.00 Set temp. 1/4 Sec. Cor.

45.40 Road from Huntsville to Bear Lake Valley, bears N.

80.22 Intersect N. & S. line at Cor.

Subdivision T. 8 N. R. 3 E.

Chains	
	to Secs. 14. 15. 22. & 23 from which
	West on true line between
	Secs. 15 & 22
40.11	Set sandstone 14x12x10." 9 in.
	deep. in Mound of Stones. Marked
	¼ on N. Side for 1/4 Sec. Cor. on
	ridge bears E. & W. ~~divide between~~ and Weber &
	Dacke and Weber Counties
80.22	The Cor. to Secs. 15. 16. 21 & 22
	Mountainous 80.22 Chs.
	Soil 2d rate
	No timber

North between Secs. 15 & 16

Va. 17° 50' E.

11.00	Ravine, drains N. E.
31.00	Ridge bears N. E.
40.00	Set sandstone 11x10x5." 7 in.
	deep. in Mound of Stones, Marked
	¼ on W. Side for 1/4 Sec. Cor.
43.00	Gulch, drains N. 70° E.

Salt Lake Meridian

chains	
74.00	Point of ridge bears N. 80° E.
80.00	Set Sandstone 12x10x8" 8 in. deep in Mound of Stones, Marked 4 notches S. & 3 E. for Cor. to Secs. 9.10.15 & 16
Note.	From this Cor. a spring head of East Fork of Little Bear river bears about S. ~~45°~~ 45° E. ~~40.00~~ 40.00 chs. distant.
	F. A. Hammond's house and claim bears N. 42° E. about ~~150~~ 150 chs. distant, also springs.
	Mountainous 80.00 chs.
	Soil 2d rate.
	No timber

East on random line between Secs. 10 & 15

Va. 17° 50' E.

Subdivision T. 8 N. R. 3 E.

Chains	
15.60	Road to Bear Lake Valley, bears N. & S.
17.40	East Fork Little Bear river, 60 wide, runs N.
40.00	Set temp. 1/4 sec. Cor.
55.00	Enter timber
60.00	Leave "
80.00	Intersect N. & S. line 31 lks. N. of Cor. to Secs. 10.11.14 & 15 from W. N. 89° 47' W. on true line between Secs. 10 & 15
40.00	Set sandstone 9x8x6" 6 in. deep in mound of stones. Marked 1/4 on N. side for 1/4 sec. cor. on Mountain bears E. & W.
80.00	The Cor. to Secs. 9.10.15 & 16. Mountainous 80.00 chs. Soil 2d rate Timber 5.00 chs.

BOOK-A-166

Salt Lake Meridian

Chains	
	North between Secs. 9 & 10
	Va, 14° 50' E.
10.00	Gulch, drains E. Hammond's
	house, about 10.00 ch. E.
21.00	~~Ridge bears~~ N. 55° E.
34.00	Hammond's house and claim
	about 10.00 chs. E.
40.00	Set Sandstone 14x10x8." 9 ins.
	deep, in Mound of Stones. Marked
	1/4 on N. side, for 1/4 Sec. Cor.
45.50	Ridge bears N. E.
58.50	Gulch, drains N. E.
80.00	Set Sandstone 12x10x9." 8 ins.
	deep, in Mound of Stones, Marked
	5 notches S. & 3 E. for Cor. to Secs.
	3. 4. 9 & 10
	Mountainous 80.00 chs.
	Soil 2° rate
	No timber

Subdivision T. 8 N R. 3 E.

Chains	
	East on random line between Secs. 3 & 10
	Va. 17° 50' E.
17.40	E. fork Little Bear river 10 lks. wide runs N.
40.00	Set temp. 1/4 sec. Cor.
42.00	Road from Huntsville to Bear Lake Valley, bears N. E.
62.00	Steep ascent of Mountain
80.02	Intersect N. & S. line at Cor. to Secs. 2. 3. 10 & 11 from which West on true line between Secs. 3 & 10
40.01	Set sandstone 13 x 9 x 7", 8 in. deep, in Mound of Stones, marked 1/4 on N. Side for 1/4 sec. Cor.
80.02	The Cor. to Secs. 3. 4. 9 & 10
	Mountainous 80.02 Chs.
	Soil 3d rate
	No timber.

BOOK-A-

Salt

Chains	
	Nor
	Sec
40.00	Set
	deep
	1/4 o
	poi
58.00	Gu
63.00	Ri
80.22	I
	Par
	Sta
	an
	8 in
	M
	an
	Se

Salt Lake Meridian

Chains	North on true line between Secs. 3 & 4
	Va. 14° 50' E.
40.00	Set Sandstone 15 x 12 x 9" 10 in. deep, in Mound of Stones, Marked ¼ on W. Side for 1/4 Sec. Cor. on point of Mountain bears E.
58.00	Gully, drains E.
63.00	Ridge, bears E. & N.W.
80.22	~~Intersect~~ 2nd Standard Parallel North 8.00 chs. West of Standard Cor. to Secs. 33 & 34 and set Sandstone 13 x 10 x 10" 8 in. deep, in Mound of stone, Marked 3 Notches E. 6 S. 3 W. and C.C. for closing cor. to Secs. 3 & 4
	Mountainous 80.22 chs.
	Soil 3rd rate
	No timber

Nov. 6th 1878

157

Subdivision T. 8 N. R. 3 E.

Chains	
	From Cor. to secs 32 & 33 on South Boundary North between Secs. 32 & 33
	Va. 17° 50' E.
27.10	Brook 4 lks. wide, runs N. 88° E.
	Leave timber
40.00	Set Sandstone 15 x 10 x 9." 10 in. deep. in Mound of Stones. Marked 1/4 on W. Side for 1/4 Sec. Cor.
80.00	Set Sandstone 12 x 10 x 8." 8 in. deep. in Mound of Stones. Marked 1 Notch S. & 4 E. for Cor. to Secs. 28. 29. 32 & 33 on N. Slope of M
	Mountainous 80.00 chs.
	Soil 3 rate, with indications of iron
	Timber 27.10 chs.
	East on random line between Secs. 28 & 33

BOOK-A-1

Salt

Chains	
40.00	Set
51.20	Br
74.00	Ri
80.16	Inte
	Secs.
	We
40.08	Set
	deep
	Mo
	1/4
80.16	Th
	Mo
	Lo
	No
	No
8.60	Bro

Salt Lake Meridian

Chains	
	Va. 17° 50' E.
40.00	Set temp. 1/4 Sec. Cor
51.20	Brook 5 lks. mids, runs S. E.
74.00	Ridge bears S. 10° E.
80.16	Intersect N. & S. line at cor. to Secs. 27. 28. 33 & 34. from which West on true line between Secs. 28 & 33
40.08	Set Sandstone 11 x 10 x 10". 8 in. deep. in mound of stone, marked 1/4 on N. side for 1/4 Sec. Cor. in hollow drain E.
80.16	The Cor. to Secs. 28. 29. 32 & 33

Mountainous 80.16 chs.
Soil 3° rate
No timber

North between Secs. 28 & 29
Va. 17° 50' E.

80.00	Brook 3 lks. mids, runs E.

Subdivision T. 8 N. R. 3 E

Chains	
17.60	Brook 4 lks wide runs S. E.
31.00	Ridge bears S. E.
40.00	Set Sandstone 13 x 12 x 7." 9 in. deep. in Mound of stones, marked ¼ on W. Side for 1/4 sec. Cor.
45.50	Brook 3 lks. wide, heads about 10.00 ch. W. runs S. E.
71.00	Ridge bears S. 80° E.
74.00.	Enter J. Williams' Claim bears NW. & SE.
80.00	Set Sandstone 17 x 11 x 10." 12 in. deep. in Mound of stones, mark 2 notches S. & 4 E. for Cor. to Secs. 20. 21. 28 & 29
	Mountainous 80.00 chs.
	Soil 2d rate
	No. timber
	East on random line between Secs. 21 & 28
	Va. 17° 50' E.

BOOK-A-1

Salt

Chains	
4.00	Enti
24.00	Lea
	J. Willi
40.00	Set
59.00	Bro
79.96	Int
	Secs.
	Secs.
39.98	Set
	deep
	Mar
79.96	Th
	Mo
	Lo
	Fi
	Nor
7.90	Br

Salt Lake Meridian

Chains	
4.00	Enter aspens and pine
24.00	Leave " " " & leave J. Williams Claim, from NE to SW.
4.00	Set temp. 1/4 Sec. Cor.
59.00	Brook 8 lks. wide, runs S.E.
79.96	Intersect N. & S. line at Cor. to Secs. 21. 22. 27 & 28 from which West on true line between Secs. 21 & 28
39.98	Set Sandstone 14 x 10 x 6? 9 in. deep. in mound of stones, marked ¼ on N. side for 1/4 sec. Cor.
79.96	The Cor. to Secs. 20. 21. 28 & 29 Mountainous 79.96 chs. Soil 3rd rate, with traces of iron Timber 20.00 chs.

North between Secs. 20 & 21
Va. 17° 50' E.

7.90	Brook 4 lks. wide, runs E.

161

Subdivision T. 8 N. R. 3 E.

Chains	
	Heads 10.00 ch. W. J. William
	[illegible] house 5 ch. W.
24.00	Divide between Cache & Weber
	Counties, bears N. E.
40.00	Set sandstone 15 x 14 x 8," 10
	deep, in mound of stones, mark
	1/4 on W. side for 1/4 sec. Cor.
	on N. W. slope of ridge bears N
58.00	Wash drains N.E.
75.00	Ridge, bears N. E.
80.00	Set sandstone 18 x 17 x 16," 1
	deep, in mound of stones, mark
+	3 notches S. & 4 E. for cor. to Sec
	16, 17, 20 & 21 on N. W. slope of
	Mountain.
	Mountainous 80.00 chs.
	Soil 3d rate. Signs of iron
	No timber.
	East on random line between
	Secs. 16 & 21

BOOK-A-166

Salt L

Chains	
	[illegible]
8.00	Ridge
40.00	Set
47.00	Ente
70.00	Lea
80.10	Inter
	of Cor.
	from
	N. 8
	S
0.05	Set
	deep.
	1/4 on
80.10	The C
	Mo
	Soil
	Tim
	No

Salt Lake Meridian

	Va. 17° 50' E.
80.00	Ridge, bears N. E.
80.00	Set temp. 1/4 Sec. Cor.
47.00	Enter aspens
50.00	Leave "
80.10	Intersect N. & S. line 36 chs. N. of Cor. to Secs. 15. 16. 21 & 22 from which N. 89° 45' W. on true line between Secs. 16 & 21
0.05	Set sandstone 12 x 10 x 5" 8 ins. dep. in mound of stone, marked 1/4 on N. side for 1/4 sec. Cor.
80.10	The Cor. to Secs. 16. 17. 20 & 21

Mountainous 80.10 chs

Soil & rate

Timber 23.00 chs.

North between Secs. 16 & 17

Va. 17° 50' E.

Subdivision T. 8 N. R. 3 E.

Chains	
40.00	Set sandstone 10 x 10 x 6," 7 in. deep in mound of stones, marked ¼ on W. side for ¼ Sec. Cor. on ridge of mountains bears N. & S.
80.00	Set sandstone 19 x 15 x 10," 12 deep, in mound of stones, marked 4 notches S. & 4 E. for Cor. to Secs. 8, 9, 16 & 17 on mountain bears N. & S.
	Mountainous 80.00 Chs.
	Soil 3rd rate, with traces of iron
	No timber
	Nov. 7th 1878

East on random line between Secs. 9 & 16

Va. 14° 50' E.

10.00	Enter aspens
40.00	Set temp. ¼ Sec. Cor
65.00	Leave aspens

Chains	
80.14	Inter Secs. We
40.07	Set deep. ¼ on hollow
80.14	The Mou Soil Tim
	North
20.00. 40.00	Rid Set dep ¼ on on 9

Salt Lake Meridian

Chains	
80.14	Intersect N. & S. line at Cor. to Secs. 9. 10. 15 & 16 from which .....
	West on true line between Secs. 9 & 16
40.07	Set sandstone 15 x 12 x 7." 10 in. deep. in mound of stones, marked ¼ on N. side for 1/4 sec. Cor. in hollow drains E.
80.14	The Cor. to Secs. 8. 9. 16 & 17
	Mountainous 80.14 Chs.
	Soil 3d rate.
	Timber 55.00 Chs.
	North between Secs. 8 & 9
	Va. 17° 50' E.
20.00.	Ridge bears E & W.
40.00	Set sandstone 14 x 12 x 6." 9 in. deep. in mound of stones, marked ¼ on W. side for 1/4 sec. Cor. on Mountain bears N.

165

Subdivision T. 8 N. R. 3 E.

Chains	
80.00	Set Sandstone 15 x 7 x 6," 10 in. deep, in Mound of Stones, marked 5 notches S. & 4 E. for Cor. to Secs. 4. 5. 8 & 9. on E. Slope of mountain. Mountainous 80.00 chs. Soil 3d rate. Iron indications. No timber.
	East on random line between Secs. 4 & 9
	Va. 17° 50' E.
40.00	Set temp. 1/4 Sec. Cor.
80.12	Intersect N. & S. line at cor. to Secs. 3. 4. 9 & 10, from which West on true line between Secs. 4 & 9
40.06	Set Sandstone 16 x 14 x 10," 9 in. deep, in Mound of Stone, marked

BOOK-A-16

Salt

Chains	
	1/4 on
	hollow
80.12	The C
	Mou
	Soil
	No t
	Nor
12.00	Steep
40.00	Set
	deep.
	1/4 on
	Mou
80.14	Inter
	North
	Cor.
	Sand

BOOK-A-166

Salt Lake Meridian

ains	1/4 on N. Side for 1/4 Sec. Cor. in hollow drains N. E.
80.12	The Cor. to Secs. 4. 5. 8 & 9 Mountainous 80.12 Chs. Soil 3d rate No timber.
	North on true line between Secs. 4 & 5 Va. 17° 50' E.
12.00	Steep descent of Mountain
40.00	Set Sandstone 14x12x12", 9 in. deep in mound of stones, marked 1/4 on W. Side, for 1/4 Sec. Cor. on Mountain slopes N.
80.14	Intersect 2nd Standard Parallel North, 8.10 Chs. West of Standard Cor. to Secs. 32 & 33 and Set a Sandstone 12x11x10," 8 in. deep

Subdivision T. 8 N. R. 3 E.

Chains	
	Marked 2 notches W. 6 S. 4 E. and C.C. for closing Cor. to Secs. 4 & 5 on E. slope of Mountain.
	Mountainous 80.14 Chs.
	Soil 3d rate
	No timber
	Nov. 8th 1878
	From Cor. to secs 31 & 32 on South Boundary North between Secs. 31 & 32
	Va. 17°50' E.
10.00	Hollow, drains E.
36.00	Ridge bears E.
40.00	Set sandstone 15 x 10 x 9." 10 in. deep, in mound of Stones, marked 1/4 on W. side for 1/4 sec. cor
50.00	Hollow drains N. E. Enter timber
70.00	Ridge, bears N. E. Leave timber

BOOK-A-1

Salt La

Chains	
0.00	Set s
	in Md
	and 3
	& 32.
	Mo
	Soil
	Tim
	East
21.00	Rid
30.00	Des
40.00	Set
58.00	Bro
	tim
80.00	Int
	Cor.
	whe

E. Salt Lake Meridian

S. 4 E. Chains

Cor. to 80.00 Set sandstone 12 x 10 x 10" 8 in. dap. in Md. of Stones, Marked 1 notch S. and 5 E. for cor. to Secs. 29. 30 31 & 32.

Mountainous 80.00 chs.

Soil 3d rate.

1878 Timber, aspen. 20.00 Chs.

---

ndary East on random line between

31 & 32 Secs. 29 & 32

Va. 17° 50' E.

21.00 Ridge bears N. E.

30.00 Descend E. Enter aspens

" 10 in. 40.00 Set temp. 1/4 sec. Cor.

ked 1/4 58.00 Brook 2 lks. wide runs N.E. leave timber

timber 80.00 Intersect N. & S. line 18 lks. S. of

mber Cor. to Secs. 28. 29. 32 & 33 from which

169

Subdivision T. 8 N. R. 3 E.

Chains	
	S. 89° 52' W. on true line between Secs. 29 & 32
	Va. 17° 50' E.
40.00	Set Sandstone 17x12x6", 12in deep, in Mound of Stones, Marked ¼ on N. Side for ¼ Sec Cor
	An aspen 7" dia. bears N. 19° 40' E. 74 lks. Marked ¼ B.T.
	An aspen 10" dia. bears S. 37° W. 120 lks. Marked ¼ S B.T.
80.00	The Cor. to Secs. 29. 30. 31 & 32 Mountainous 80.00 chs. Soil 3° rate, with signs of iron Timber 28.00 chs.

West on random line between Secs. 30 & 31

Va. 17° 50' E.

40.00	Set temp. ¼ Sec. Cor
80.40	Intersect W. boundary at Cor

BOOK-A-

Salt La

Chains	
	to Secs
	Ea
	Se
40.40	Set
	in Mo
	for ¼
80.40	The C
	Mou
	Soil
	No ti
	Nort
15.00	Brook Holl
40.00	Set
	in M
	Sec
	A
	lks.
	A

Salt Lake Meridian

chains	to Secs. 30, 31, 25 & 36 from which
	East on true line between
	Secs. 30 & 31
40.40	Set limestone 18 x 16 x 7." 12 in. deep,
	in mound of stones, marked 1/4 on N. side
	for 1/4 sec. Cor.
80.40	The Cor. to Secs. 29, 30 31 & 32
	Mountainous 80.40 Chs.
	Soil 3° rate, with trace of iron
	No timber.
	North between Secs. 29 & 30
	Va. 17° 50' E.
18.00	Brook 4 lks wide, runs E. in Hollow drains E. Enter aspens.
40.00	Set sandstone 13 x 10 x 9." 8 in. deep,
	in mound of stones, marked 1/4 on W.
	side for 1/4 sec. Cor.
	An aspen 6" dia. bears N. 46° E, 18
	lks. marked 1/4 S B.T.
	An aspen 9" dia. bears S. 29° W. 90

171

Subdivision T. 8 N. R. 3 E.

Chains	
	Lks. marked ¼ S. B. T.
60.00	High ridge, bears N. 70° E. Divide between Cache & Weber Counties, Leave aspens
73.00.	Dry wash drains N.E.
80.00	Set sandstone 18 x 17 x 10". 12 in deep, in mound of stones, marked 2 notches S. & 5 E. for Cor. to Secs 19. 20. 29 & 30.
	Mountainous 80.00 Chs.
	Soil 3d rate. with trace of iron
	Timber 42.00 Chs.
	East on random line between Secs. 20 & 29
	Va. 17° 50' E.
10.00.	Dry wash drains N.E.
40.00	Set temp. ¼ Sec. Cor.
60.00.	Divide between Cache and Weber Counties
70.00	Enter J. Williams' claim bears N.W. and S.E. Springs about 800 Chs. North
80.18	Intersect N. & S. line 46. lks. N. of Cor to Secs 20. 21. 28 & 29 from

BOOK-A-1

Salt

Chains	
	which
	N. 8
	Sec
0.09	Set
	deep.
	¼ on
0.18	The
	Mou
	Soil
	No
	West
	Se
0.00	Set
0.08	Inte
	Cor.
	S.
	Sec
40.08	Set

Salt Lake Meridian

chains	which
	N. 89° 40' W. on true line between
	Secs. 20 & 29
0.09	Set sandstone 12 x 11 x 10." 8 in.
	deep, in mound of stones, marked
	¼ on N. side for ¼ Sec. Cor
0.18	The Cor. to secs. 19. 20. 29 & 30
	Mountainous 80.18 Chs.
	Soil 2d rate.
	No timber.
	West on random line between
	Secs. 19 & 30
	Va. 17° 50' E.
0.00	Set temp. ¼ Sec. Cor.
0.08	Intersected W. boundary 18 lks. S. of
	Cor. to Secs. 19. 30. 24 & 25, from which
	S. 89° 52' E. on true line between
	Secs. 19 & 30
40.08	Set sandstone 19 x 8 x 8." 12 in. deep.

Subdivision T. 8 N. R. 3 E.

Chains	
	in mound of stones, marked ¼ on side for 1/4 Sec. Cor.
80.08	The Cor. to Secs. 19. 20. 29 & 30
	Mountainous 80.08 chs.
	Soil 3rd rate, with indications of iron
	No timber.

North between Secs. 19 & 20
Va. 17° 50' E.

20.00	Mountain, bears N. E.
28.00	Enter timber
40.00	Set sandstone 18"x12"x12", 10 in. deep, in mound of stones marked ¼ on W. side for 1/4 Sec. Cor. in hollow drains N. E.
	An aspen 8" dia. bears N. 22° 40' E. 68 lks. marked ¼ S B.T.
	An aspen 7" dia. bears S. 61° W. 9 lks. marked ¼ S B.T.
64.00	point of ridge, bears N. E.

Last La

Chains	
	Leave
2.00	Set Sand
	in mound
	S. & S-E
	in hollow
	Mount
	Soil 3
	Timber

East o
Su

2.00	Enter
00	Set te
3.00	Leave
9.80	Inter
	Secs. 16.
	West
	17 &
9.90	Set

Salt Lake Meridian

Leave aspens.

.00 Set sandstone 14x14x10". 9 in. deep in mound of stones, marked 3 notches S. & S-E. for cor. to Secs. 17.18.19.20 in hollow drains N.E. "

Mountainous 80.00 chs.

Soil 3° rate

Timber 36.00 chs.

East on random line between Secs. 17 & 20

Va. 17° 50' E.

2.00 Enter aspens and pines

.00 Set temp. 1/4 sec. cor.

3.00 Leave timber

9.80 Intersect N. & S. line at cor. to Secs. 16.17.20 & 21 from which

West on true line between Secs. 17 & 20

9.90 Set sandstone 15x14x6" 10 in.

Subdivision T. 8 N R. 3 E.

Chains	
	deep, in Mound of Stones, Mark
	1/4 on N. Side for 1/4 Sec. Cor.
	hollow drains N. E
79.80	The Cor. to Secs. 17. 18. 19 & 20
	Mountainous 79.80 Chs.
	Soil 2d rate
	Timber 61.00 Chs.
	Nov. 9th 1878
	West on random line between
	Secs. 18 & 19
	Va. 17°50' E.
40.00	Set temp. 1/4 Sec. Cor.
80.12	~~Intersect~~ W. Boundary 29 Ch
	S. of Cor. to Secs. 18. 19. 13 & 24
	from which
	S. 89°47' E. on true line between
	Secs. 18 & 19
40.12	Set sandstone 15 x 14 x 7". 10 in.
	deep, in mound of Stones, Marke

BOOK-A-16

Salt L

ains	1/4 on N.
	hollow dr
0.12	The Cor.
	Mounta
	Soil 3
	No tim
	North be
	Va.
0.00	Set sa
	deep. in
	on W. S
0.00	Set sa
	in Mou
	S. & 5 E
	N. Slope
	Mount
	Soil 3
	No tim

Salt Lake Meridian

176

ains	1/4 on N. side for 1/4 sec. cor. in hollow drains N. E.
0.12	The cor. to secs. 17. 18. 19 & 20
	Mountainous 80.12 Chs.
	Soil 3d rate, with traces of iron
	No timber
	North between secs. 17 & 18
	Va. 17° 50' E.
0.00	Set sandstone 19 x 18 x 16", 12 in. deep, in mound of stone, marked 1/4 on W. side for 1/4 sec. cor.
0.00	Set sandstone 10 x 10 x 5", 7 in. deep, in mound of stone marked 4 notches S. & 5 E. for cor. to secs. 7. 8 17 & 18 on N. slope of mountain.
	Mountainous 80.00 Chs.
	Soil 3d rate
	No timber.

Blank

Page

178

Subdivision T. 8 N. R. 3 E.

Chains	
	East on random line between Secs. 8 & 17
	Va. 17°50' E.
21.00	Enter aspens
40.00	Set temp. 1/4 sec. Cor.
62.00	Bottom of open hollow drains N.W. Leave aspens
80.10	Intersect N. & S. line at Cor. to Secs. 8. 9. 16 & 17 from which
	West on true line between Secs. 8 &
40.05	Set sandstone 15"x10"x10". 10 in. deep in mound of stones, marked 1/4 on N. side for 1/4 sec. Cor. near bottom of hollow drains N.W.
	An aspen 6" dia. bears N. 15°40' W. 73 lks. marked 1/4 S. B.T.
	An aspen 11" dia. bears S. 12°10' E. 37 lks. marked 1/4 S B.T.
80.10	The Cor. to Secs. 7. 8. 17 & 18
	Mountainous 80.10 Chs.

BOOK-A-

Salt

Chains	
	Soil
	Timber
	West on
.00	Enter t
.00	Leave
.00	Set ter
.00	High
.20	Inters
	Secs. 7
	Eas
.20	Set S
	Mound
	for 1/
.20	The
	Mou
	Soil
	Tim

BOOK-A-166

Soil 2d rate
Timber 41.00 Chs.

West on random line between Secs. 7 & 18
Va. 17° 50' E.
Enter timber
Leave "
Set temp. 1/4 Sec. Cor.
High ridge bears N.W.
Intersect W. boundary of Cor. 15
Secs. 7.18.12 & 13 from which
East on true line between 7 & 18
Set Sandstone 10x9x7." 7 in. deep in
Mound of stones. Marked 1/4 on N. side
for 1/4 Sec. Cor. on E. slope of mountains.
The Cor. 15 Secs. 7.8.17 & 18
Mountainous 80.20 Chs.
Soil 3d rate, with signs of iron
Timber 20.00 Chs.

180

Subdivision T. 8 N. R. 3 E.

Chains	
	North between Secs. 7 & 8
	Va. 17° 50' E.
11.50	Enter timber
20.00	Bottom of ravine, drains N. W.
40.00	Set Sandstone 16 x 14 x 13", 10 deep, in Mound of Stones, Marked ¼ on W. Side for 1/4 Sec. Cor. no top of ridge bears N. W. Leave timber
80.00	Set sandstone 14 x 14 x 12" 9 in. deep in Mound of Stones, Marked 5 not S. & 5 E. for Cor. to Secs. 5. 6. 7 & 8
	Mountain bears N. 10° W.
	Mountainous 80.00 chs.
	Soil 3d rate
	Timber 28.50 Chs.
	East on random line between Secs. 5 & 8
	Va. 17° 50' E.
16.00	Ridge bears N. 10° W.

BOOK-A-1

Y. L.

	Set temp
5.00	Ridge
.44	Intersec
	Secs. 4.
	West
	Secs
.22	Set Sa
	deep, in
	on N. S
	ravine
.44	The Co
	Moun
	Soil 3
	No tim
	West
	Secs. 6
	V
.00.	Ridge
.00	Bottom

BOOK-A-166

G. L. Meridian 181

Set temp. 1/4 Sec. Cor.

Ridge bears N. W.

Intersect N. & S. lines at Cor. to Secs. 4. 5. 8 & 9 from which

West on true line between Secs. 5 & 8

Set Sandstone 10x9x8" 7 ins. deep, in Mound of Stones Marked 1/4 on N. side for 1/4 Sec. Cor. in ravine drains N. W.

The Cor. to Secs. 5. 6. 7. 8 Mountains 80.44 Chs. Soil 3 salt, traces of iron No timber

---

West on random line between Secs. 6 & 7

Va. 17°50' E.

Ridge bears NW.

Bottom of Cañon drains N. W.

Subdivision T. 8 N. R. 3 E.

Chains	
40.00	Set temp. 1/4 Sec. Cor.
59.00	Descend West
80.36	Intersect W. Boundary 16 lk. N. of Cor. to Secs. 6.7.1 & 12 from which
	N. 89°53' E. on true line between Secs. 6 & 7
40.36	Set sandstone 15 x 14 x 10" in. deep. in Mound of Stones, Marked 1/4 on N. Side for 1/4 Sec. corner
80.36	The Cor. to Secs. 5.6.7 & 8 Mountainous 80.36 Chs. Soil 3d rate, with traces of iron No timber .....
	North on true line between Secs. 5 & 6

BOOK-A-166

Salt Lake Meridian

ains	Va. 17° 50' E.
0.0	Descend North
0.00	Hollow, drains N. W.
0.00	Set Sandstone 16 x 10 x 8," 10 in. deep. in mound of Stones, Marked ¼ on W. side for 1/4 secs Cor. on ridge bears N. 10° W.
0.10	Intersect the Second Standard Parallel North. 7.70 Chs. West of Standard Cor. to Secs. 31 & 32, and set a Sandstone 12 x 7 x 7" 8 in. deep. in mound of Stones, Marked 1 notch W. 6 S. 5 E. & C. C. for closing cor. to Secs. 5 & 6. in Cañon drains N. W.
	Mountainous 80.10 Chs.
	Soil 2° rate, with signs of iron
	No timber.
	November 11th 1878

General Description.

This township is mountainous and broken, with considerable timber, aspen and red pine; a some arable land, situated Secs. 3. 10. 15, 21. 22. & 23

A road runs N. & S. through the township, leading from Huntsville to Bear Lake and Rich Counties; Also a ridge dividing Cache from Weber County runs nearly east and West.

Beaver creek heads in the part and runs South into Ogden river; and the East Fork of Li Bear river heads near the Beaver, and runs North through the township, then

BOOK-A-166

turning westerly

Traces of iron, with some float iron ore, occur all over the township, with some indications of Coal, but none crops out on any of the lines run. I therefore return as Mineral land, all, except that previously referred to as arable.

James H. Martineau
U. S. Deputy Surveyor

BOOK-A-166

156

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Feby 24th *1879.*

The foregoing field notes of the survey of Subdivision Lines —

Township No. 8 North, *Range No.* 3 East — of the Salt Lake Meridian — Utah T.

Executed by James H. Martineau —

Under his *contract* No 80 *of the* 30th *day of* August *1877, in the month of* November *1878, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.*

Frdc. Salomon.

Surveyor General for Utah.

BOOK-A-166

R: 1879 (A. 6) 187

Filed November 16th, 1878.

Examined by C. H. Cranwell C. C.

Compared by Otto Salomon and Wm. N. Goslinski

FIELD NOTES

OF

THE SURVEY OF THE

West and North Boundaries

of Township No 9 N., Range No 3 E.

of the Salt Lake Meridian in Utah Territory.

BY

James H. Martineau

U. S. DEPUTY SURVEYOR,

Under his Contract No. 80,

dated August 30th 1877.

Survey commenced Nov. 18th 1878.

Survey completed " 19th 1878.

BOOK-A-166

West Boundary T. 9 N R. 3 E.

Chain Survey commenced
November 18th 1898

From the cor. to Ranges 2 & 3
on 2d Standard Parallel North
E. T. 9 N. I run
North between Secs. 31 & 36
Va. 18° 00' E.

1.00 Ridge, bears N. 20° W.

40.00 Set post 4 x 3 x 3," 12 in. deep,
in mound of earth, marked
¼ S. on W. side for 1/4 sec.
Corner

0.00 Set sandstone 12 x 10 x 8,"
8 in. deep, in mound of stones,
marked 1 notch S. and 3
N. for Cor. to Secs. 30, 31,
25 & 36, in hollow drains
N. 20° W.

Mountainous 80.00 Ch.
Soil 2° salt
No timber

West Boundary T. 9 N.

Chains	
	North between Secs. 25 & 3
	Va. 18° 00' E.
26.00	Ridge bears W. & S. E.
40.00	Set sandstone 14 x 12 x 10
	9 in. deep, in mound of
	stones, marked 1/4 on W.
	side for 1/4 sec. cor., in
	Cañon drains S. E.
55.00	Top of ridge, bears N. W.
	and S. E.
80.00	Set sandstone 12 x 11 x 10"
	8 in. deep, in mound of stones,
	marked 2 notches S. & 4 N.
	for cor. to Secs. 19, 30, 24 & 25
	on steep, rocky side of
	mountains, slopes N. E.
	among high cliffs and
	precipices.
	Mountainous 80.00 chs.

BOOK-A-

R. 3 E. T.

Chains	
	Soil 3
	No tr
	North
	V
2.60	East
	river
	in vo
4.00	Set
	7 in. d
	Mark
	1/4 se
	ridge
47.00	Bott
	S. W
80.00	Set
	in. de
	Mark
	N. fo

BOOK-A-166

R. 3 E. S. L. Meridian

.25 x 3 chains	Soil 3d rate, with iron ore No timber
S. E.	
12 x 10	North between Secs. 19 & 24 Va. 18° 00' E
d of	
a W. 2.60	East Fork of Little Bear
., in	river 16 lks. wide, runs N.W.
E.	in very deep, rocky cañon.
N.W. 4.00	Set Sandstone 10 x 10 x 7." 7 in. deep, in Mound of Stones
11 x 10."	Marked ¼ on W. side for
of stones	1/4 Sec. Cor. on W. Slope of
4 N.	ridge
24 x 25 47.00	Bottom of Cañon, drains
of	S. W.
E. 80.00	Set Sandstone 16 x 14 x 7." 9
nd	in. deep, in Mound of Stones
	Marked 3 notches S. and 3
cls.	N. for Cor. to Secs. 18. 19.

West Boundary T. 9 N. R. 3 E.

Chains 13 & 24 on mountain
slopes &c.
Mountainous 80.00 chs.
Soil 3° rate, with iron ore
No timber

North between Secs. 13 & 18
Va. 18° 00' E.

4.00 Enter pines and aspens
40.00 Set post 48 x 3 x 3", 12 in.
deep, in mound of stones
and earth, marked ¼ S.
on W. side for 1/4 sec. Cor.
on S. slope of mountain.
A pine 14" dia. bears
N. 17° 40' W. 37 lks. dist.
Marked ¼ S. B. T
An aspen 8" dia. bears
S. 27° E. 114 lks. dist.

BOOK-A-166

Salt Lake Meridian

Marked ¼ S. B. T.

Set Sandstone 14 x 10 x 8."

9 in. deep, in Mound of

Stones, Marked 4 notches S.

and 2 N. for Cor. to secs.

7, 18, 12 & 13 on Mountain

Slope N. E.

An aspen 7" dia. bears

N. 34° 42' W., 98 lks. distant,

Marked T. 3 N. R. 2 E. S. 12

B. T.

An aspen 6" dia. bears

N. 12° E. 206 lks. distant,

Marked T. 3 N. R. 3 E. S. 7

B. T.

An aspen 9" dia. bears

S. 64° 30' E. 116 lks. distant

Marked T. 3 N. R. 3 E.

S. 18 B. T.

West Boundary T. 9 N R. 3 E

Chains	
	A pine 5" dia. bears S. 27° 20' W. 87 lks. distant, Marked T. 9 N. R. 2 E. S. 13. B. T.
	Mountainous 80.00 chs.
	Soil 2° rate
	Timber 76.00 chs.
	North between Secs. 7 & 12 Va. 18° 00' E.
10.00	Leave timber
40.00	Set post 48 x 3 x 3", 12 in. dep. in mound of earth and gravel, Marked 1/4 S. on high ridge, bears N. E.
56.00	Enter timber.
80.00	Set sandstone 12 x 12 x 4" 8 in. dep. in mound of stones, Marked 5 notches S.

BOOK-A

Last

Chains	
	and 1
	1 & 12
	An
	12 lks.
	T. 9 N.
	An
	S. 45°
	Mark
	B. T.
	An
	S. 70°
	Mark
	S. 12
	Mo
	Soil
	ions
	Tim
	North

BOOK-A-166

Salt Lake Meridian

Chains and 1 N. for cor. to Secs. 6, 7 1 & 12

An aspen 7" dia. bears N. 2° W. 12 lks. distant, marked T. 9 N. R. 2 E. S. 1 B. T.

An aspen 5" dia. bears S. 45° E. 20 lks. distant, marked T. 9 N. R. 3 E. S. 7 B. T.

An aspen 8 in. dia. bears S. 70° W. 5 lks. distant, marked T. 9 N. R. 2 E. S. 12. B. T.

Mountainous 80. cr Chs.

Soil 2d rate, with trees of iron

Timber 34 cr Chs.

North on true line between

West Boundary T. 9 N - R. 3 E

Chains	Sections 1 & 6
	Va. 18° 00' E
40.00	Set limestone 16 x 12 x 4" 10 in. deep, in mound of Stones, marked 1/4 on W. Side for 1/4 Sec. Cor. on East slope of mountain. An aspen 7" dia. bears N. 14° W. 40 lks. distant, Marked 1/4 S. B. T.
58.00.	Point of ridge, bears S.W.
74.00	Bottom of Cañon, drain East. Leave timber
80.00	Set limestone 15 x 12 x 8" 10 in. deep, in mound of Stones, marked 6 notches N. E. S. & W. for cor. to Tps. 9 & 10 N. R. 2 & 3 E. on S. Side of mountain Mountainous 80.00 Chs

BOOK-A-16

Salt

Chains Soil 3

iron.

Tim

Note.

For

see en

notes

Ja

U.

Nor

Sa

From

BOOK-A-166

Salt Lake Meridian

Chains Soil 3d rate, with trace of iron.

Timber 74. or Chains

November 18th 1878.

Note:

For General Description see end of Subdivision notes of this township.

James H. Martineau
U. S. Deputy Surveyor

North Boundary.

Survey commenced Nov. 18th 1878

From the Cor. to Tps. 9 & 10 N.

North Boundary T. 9 N. R 3 E.

Chains	
	Ranges 2 & 3 East. I run East on a random line. Setting temporary Cor. at every 40 & 80 Chs., and at a point 480.06 Chs. east. a point 72 lks. N. of Cor. to Tps. 9 & 10 N. R. S 3 & 4 E. from which point I run,
	N. 89° 55' W. on true line between Secs. 1 & 36.
	Va. 18° 00' E.
23.00	Bottom of Cañon, drains N. 45° W.
40.00	Set Sandstone 10 x 10 x 8", in. deep, in Mound of stones Marked ¼ on N. Side for ¼ Sec. Cor. on N. W. Slope of Mountain.
54.00	Top of ridge bears N. W.

Salt

Chains	
9.00	Set Sa
	deep. in
	Marke
	Cor. to
	Mou
	Soil 3
	No tr
	N. 89° 5
	Secs.
	Va
6.00	Hay's
	Fork
6.70	Road
8.60	Top of
0.00	Set Sa
	in Mo
	N. Side
	Slope

Salt Lake Meridian

Chain	
9.00	Set sandstone 18 x 12 x 8", 12 in. deep in mound of stones, marked 1 Notch E. & 5 W. for Cor. to Secs. 1, 2, 35 & 36
	Mountainous 80.00 Chs.
	Soil 3° rate.
	No timber. Nov. 18th 1878

N. 89° 55' W. on true line between Secs. 2 & 35

Va. 18° 00' E.

6.00	Hay's fork of Blacksmith Fork river, 12 lks. wide, runs N.
6.70	Road to timber, bears N.
8.60	Top of high sharp ridge bears N.
9.00	Set sandstone 12 x 10 x 6", 8 in deep in mound of stones, marked 1/4 on N. side for 1/4 sec. Cor, on W.
	Slope of ridge

North Boundary T. 9 N. R. 3

Chains	
55.70	Huntsville & Bear Lake road bears North & East
80.00	Set sandstone 13x11x5", dep. in mound of stones, marked 2 notches E. & 4 W., Cor. to Secs. 2. 3. 34 & 35 — Mountains 80.00 chs. Soil 3d rate No timber
	N. 89° 55' W. on true line between Secs. 3 & 34 ..... Va. 18° 00' E.
10.00	Brow of ridge, bears N. 30° E.
34.50	Mill creek, 10 lks. wide, run
37.30	Road to timber, bears N. 30°
40.00	Set sandstone 12x10x6", 8
	dep. in mound of stones,

BOOK-A

Salt L

ains	Marke
	Set S
	dep, in
	3 notch
	3.4.33.
	Mou
	Soil 3
	No ti
	N. 89° 5
	Se
9.20	Bro
9.00	Set S
	dep.
	Mark
7.50	Top
8	Set
	dep.

BOOK-A-166

Marked ¼ on N. side for 1/4 sec. Cor.
Set Sandstone 12 x 8 x 5" 8 in.
deep, in Mound of Stones, marked
3 notches E. & 3 W. for Cor. to Secs. 9
3. 4. 33. 34 on ridge bears E. & W.
Mountains 80.00 chs.
Soil 3° rate
No timber.

N. 89° 55' W. on true line between
Secs. 4 & 33
Va. 18° 00' E.
Brook 3 chs. wide, runs N 75° E.
Set sandstone 14 x 10 x 5" 9 in.
deep, in Mound of Stones,
Marked ¼ on N. side for 1/4 Sec. Cor.
Top of high ridge, bears N. 80° W.
Set sandstone 14 x 8 x 6" 9 in.
deep, in Mound of Stone, marked

201

North Boundary T. 9 N. R. 3 E

Chains

4 notches E. & 2 W. for Chains
to Secs. 4.5.32. & 33 on E.
Slope of Mountains.
Mountainous 80.00 Chs.
Soil 3d rate
No timber

N. 89° 55' W. on true line
between Secs. 5 & 32
Va. 18° 00' E.

35.00 Top of high ridge, bears N.
40.00 Set Sandstone 13 x 8 x 6. 8
deep, in Mound of Stones.
Marked ¼ on N. Side for 1/4
80.00 Set sandstone 14 x 10 x 8." 9
deep, in Mound of Stones. Mark
5 notches E. & 1 W. for Cor.
Secs. 5. 6. 31 & 32, on east
Slope of Mountain.

BOOK-A-1

Salt – L

Chains

Moun
Soil 3
No t

N. 89° 5
between
V

.00 Entr
5.00 Ridg
.00 Mar
¼ S. on
on W.
An
61 Chs.
An
86 Chs.
6.00 Gule
timb
.06 The

BOOK-A-166

Salt Lake Meridian

Mountainous 80.00 Chs.
Soil 3d rate
No timber.

N. 89°45' W. on true line
between Secs. 6 & 31
Va. 18°00' E.

Enter aspen

Ridge bears N. 10° E.

Marked an aspen 10" dia.
¼ S. on N. side for 1/4 sec. Cor.
on W. side of ridge.

An aspen 7" dia. bears N. 4 W.
61 Chs. dist. Marked ¼ S B. T.

An aspen 5" dia, bears S. 10 E.
86 Chs. Mkd. ¼ S B. T.

Gulch, drains N. 45° E. Leave
timber.

The Cor. to Tps. 9 & 10 N. R. 2

203

North Boundary T. 9 N R. 3 E.

Chains & 3 E.

Mountainous 80.06 Chs.

Soil 3d rate

Timber 53.00 Chs.

November 19th 1878

Note

For General Description see end of Subdivision notes of this Township.

James H. Martineau
U. S. Dep. Surveyor.

BOOK-A

U. S. SUR

Salt Lak

The foreg

West and

Township

of the Salt L

Executed b

Under

day of A

November

examined,

planations

surveys the

BOOK-A-166

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Feby 24th *1879*

The foregoing field notes of the survey of West and North Boundaries of

Township No. 7 North *Range No.* 3 East of the Salt Lake Meridian, Utah Ty —

Executed by James H. Martineau —

Under his contract No 80 *of the* 30th

day of August *1877, in the month of*

November *1878, having been critically*

examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Frd. Salomon.

Surveyor General for Utah.

BOOK-A-166
R. 1879

Filed November 16th, 1878.

Examined by C. H. Crawell, C. C.

Compared by [illegible]

FIELD NOTES

OF

THE SURVEY OF THE

West and North Boundaries

of Township No 9 N., Range No 4 E.

of the Salt Lake Meridian in Utah Territory.

BY

James H. Martineau

U. S. DEPUTY SURVEYOR,

Under his Contract No. 80

dated August 30th 1877.

Survey commenced Oct. 14th 1878.

Survey completed " 15th 1878.

BOOK-A-166

West Boundary T. 9 N - R 4 E.

Chain

Survey commenced
October 14. 1875

From the cor. to Ranges 3 & 4 E. T. 9 N. on 2nd Standard Parallel, I run North between Secs. 31 & 36 Va. 180 00' E.

7.50 Hollow, drains S. 60° W.
39.00 Top of ridge, bears N. W.
40.00 Set limestone 18 x 8 x 4". 12 in. deep. in Mound of Stones marked 1/4 on W. side for 1/4 Sec. Cor. on ridge
61.00 Top of ridge, bears N. E.
75.00 Ravine drains N. W.
80.00 Set limestone 16 x 8 x 6". 10 in. deep. in Mound of Stones. marked

West Boundary T. 9 N. R. 4 E.

Chains	
	1 Notch S. and 5 N. for Cor. to Secs. 30. 31. 25 & 36, in scattered pines, none near enough to mark.
	Mountainous 80.00 chs.
	Soil 3 rate
	No timber of Commercial value.
	North between Secs. 25 & 30
	Va. 18° 00' E.
23.00	Ridge, bears N. & S.E, Enter timber.
40.00	Marked an aspen 4" dia. 1/4 S on W. Side for 1/4 Sec. Cor, a ridge bears S. and N.W.
	An aspen 7" dia. bears N. 70° W. 72 lks. distant. Marked 1/4 S B.T.

Sect-

Chains	
	A
	S. 16
	Ma
80.00	Set
	Jin.
	Mar
	N.
	24
	A
	N. 1
	Ma
	B.
	A
	N. 3
	Ma
	A
	71
	R.

BOOK-A-166

Salt Lake Meridian

An aspen 9in. dia. bears S. 16° 30' E. 97 lks. distant. Marked ¼ S. B. T.

Set Sandstone 9x9x7" 7in. deep. in Mound of Stone, Marked 2 Notches S. and 4 N. for Cor. to Secs. 19, 30, 24 & 25

An aspen 6" dia. bears N. 14° 40' W. 26 lks. distant, Marked T. 9 N. R 3 E. S. 24 B. T

An aspen 7in. dia. bears N. 34° E. 37 lks. distant, Marked T. 9 N. R. 4 E. S. 19 B.T.

A pine 7" dia. bears S. 41° E. 71 lks. dist. Marked T. 9 N. R. 4 E. S. 30 B.T.

A pine 9" dia. S. 47° W. 82

West Boundary T. 9 N R. 4 E.

Chains	
	Lks. distant, marked T. 9 N R. 3 E. S. 25 B. T.
	Mountainous 80.00 Chs.
	Soil 3d rate.
	Timber 57.00 Chs.
	North between Secs. 19 & 24 Va. 18°00' E.
22.90	Hay's Fork of Blacksmith Fork river 18 lks. wide, runs N. W.
40.00	Marked rock in place (limestone) 24 x 18 x 15 in. above ground. 1/4 on W. side for 1/4 sec. Cor
62.00	Top of high ridge, bears W. Leave timber.
70.00	Hyrum Saw Mill, above 40.00 Ch. W.

BOOK-A-1

Salt

Chains	
0.00	Set, in. de Mar N. f & 24 W., Ma Mo Sa Tim
	No
40.00	Set 9 in Mar Sec.
80.00	Set

Salt Lake Meridian

ains	
0.00	Set sandstone 18x16x4." 12 in. deep, in mound of stones, marked 3 notches S. and 3 N. for Cor. to Secs. 18. 19. 23 & 24 on Mountain Slopes W., in grove of Mountain Mahogany.
	Mountainous 80.00 Chs.
	Soil 3d rate.
	Timber 62.00 Chs.
	North between Secs. 13 & 18
	Va. 18° 00' E.
40.00	Set sandstone 14x12x8." 9 in. deep, in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor. on ridge bears N.
80.00	Set sandstone 14x12x5"

West Boundary T. 9 N. R 4 E.

Chains	
	9 in. deep, in mound of stones, marked 4 notch S. and 2 N. for cor. to Secs. 7. 18. 12 & 13, on W. Slope of mountains Mountainous 80.00 ch Soil 3d rate, with trace of iron ore No timber
	North between Secs. 7 & 12 Va. 18° 00' E.
31.00	Ridge, bears N. W.
40.00	Set sandstone 16 x 12 x 11 in. deep, in mound of stone marked ¼ on W. side, for ¼ sec. cor. on ridge.
80.00	Set sandstone 12 x 8 x 6 8 in. deep, in mound of sto

BOOK-A-16

Salt

Chains	
	Mar for C Mon Mon Soil No T
	Nort
5.00	Ent
6.00	Gu
7.00	Gul
	tim
0.00	Set 8 in. Mar ¼ s
51.00	Ca
80.00	Set

BOOK-A-166

	Marked 5 notches S. & 1 N. for Cor. to Secs. 6, 7, 1 & 12, on Mountain Slopes N. Mountainous Sd. or Clay. Soil 3rd rate. No timber. No bearing trees.
	North between Secs. 1 & 6 Va. 18° or 'E.
5.00	Enter timber
6.00	Gulch, drains N. 25° W.
7.00	Gulch, drains N. E. Leave timber.
10.00	Set Sandstone 12x10x8." 8 in. deep, in Mound of Stones, Marked ¼ on W. side for 1/4 Sec. Cor.
51.00	Cañon, drains N. W.
52.00	Set Sandstone 24x20x18"

213

West Boundary T. 9 N R. 4 E.

Chains	18 in. deep, in Mound of Stones, Marked 6 notches N. S. E. & W. edges for Cor to Tps. 9 & 10 N. R's 3 & 4 E., on Mountain faces S.W.
	Mountainous 80.00 Chs.
	Soil 3d rate.
	Timber 22.00 Chs. No bea trees. Oct. 14th 187

Note.

For General Description see end of Subdivision notes of this Township.

BOOK-A-16

North Bo

Chains	Sa
	From 9 & 10 run Corn 80 C Chai of Cor 4 & 5 N. betw
40.00	Mau dia. see. of W N. 2

North Boundary T. 9 N-R. 4 E.

Chains | Survey commenced Oct. 15th 1878.

From the cor. to townships 9 & 10 N. Rangs 3 & 4 E. I run East, setting temporary corners at every 40 and 80 chains, and at 480.20 chains a point 46 lks. S. of Cor. to Tas. 9 & 10 N. R's 4 & 5 E. from which I run N. 89° 57' W. on true line between Secs. 1 and 36

Va. 18° 00' E.

40.00 Marked a twisted pine 24 in. dia. ¼ S. on N. side for 1/4 sec. cor. on top of main ridge of Wahsach Mountains, bears N. 20° E.

North Boundary T. 9 N. R. 4 E.

Chains	
76.00	Gulch, drains N. 15° E. into Cache County.
80.00	Set limestone 18x10x8", 1 in. deep, in mound of stone marked 1 Notch E. & 5 W. cor. to Secs. 1, 2, 35 & 36 in fire killed pines.
	Mountainous 80.00 chs.
	Soil 3rd rate
	No timber of commercial value, being fire-killed, & Sm
	N. 89° 57' W. on true line between Secs. 2 & 35
	Va. 18° 00' E.
20.00	Ridge, bears N. & S.
35.00	Wide, open hollow, drain

Last La

Chains	
	N. 10°
0.00	Set
	9 in.
	Stone
	side
	fire
	mou
9.00	Fir
0.00	Set
	10 in.
	Stone
	E. an
	Sec.
	Kille
	Mar
	Soil
	No tim
	valu

Salt Lake Meridian

...ins	N. 10° W.
...0.00	Set sandstone 14 x 8 x 6". 9 in. deep, in mound of stones, marked 1/4 on N. side for 1/4 sec. Cor. in fire killed pines, none marked.
...9.00	Top of ridge, bears N. & S.
...0.00	Set sandstone 15 x 10 x 8". 10 in. deep, in mound of stones, marked 2 notches E. and 4 W. for Cor. to Secs. 2. 3. 34 & 35 in small fire killed pines.
	Mountainous 80.00 Chs. Soil 3d rate. No timber of Commercial value

217

North Boundary T. 9 N. R. 4

Chains	
	N. 89° 57' W. on true line between Secs. 3 & 34
	Va. 18° 00' E.
11.00	Ridge, bears N. W.
40.00	Set sandstone 12 x 11 x 1 8 in. deep, in Mound of Stone Marked ¼ on N. Side for Sec. Cor. in fire killed pi
69.00	Cañon, drains N. W. 1 Blacksmith Fork river
80.00	Set sandstone 14 x 12 x 11. 9 in. deep, in Mound of Stone Marked 3 notches E. and for Cor. to Secs. 3. 4. 33 & 3 on Mountain slopes N. Mountainous 80.00 Chs. Soil 3° rate. No timber

BOOK-A-166

Salt La

Chains	
	N. 8 betw
	Along
40.00	Set in. de Mark Sec.
80.00	Set 12 in. Mark for on S North Mo Soil No vale

BOOK-A-166

Salt Lake Meridian

N. 89° 57' W. on true line
between Secs. 4 & 33
Va. 18° 00' E.
Along N. Slope of Mountain.
Set sandstone 16x12x10," 10
in. deep. in Mound of Stones,
Marked 1/4 on N. Side for 1/4
Sec. Cor.
Set Sandstone 18x10x9."
12 in. deep. in Mound of Stones
Marked 4 notches E. & W.
for Cor. to Secs. 4. 5. 32 & 33
on Side of Mountain slope
North.
Mountainous 80.00 Chs.
Soil 3rd rate
No timber of Commercial
value, being fire killed & small

North Boundary T. 9 N. R. 46

Chains	
	N. 89° 57' W. on true line between Secs. 5 & 32
	Var. 18° 0' E.
17.00	Hollow, drains N. W.
40.00	Set sandstone 19x16x12 12in. deep in mound of stones Marked ¼ on N. side for Sec. Cor. on point of mound bears N. W.
80.00	Set sandstone 13x12x16 8in. deep in mound of stones Marked 5 notches E. and W. for cor. to Secs. 5. 6. & 32, on N. slope of Mountain.
	Mountainous 80.00 ch.
	Soil 3° rate
	No timber.

Salt Lake Meridian

N. 89° 57' W. on true line between Secs. 6 & 31

Va. 18° 00' E.

Set sandstone 11 x 10 x 9." 7 in. deep. in Mound of Stones, Marked 1/4 on N. Side for 1/4 Sec. Cor.

The Cor. to Tps. 9 & 10 N. Ranges 3 & 4 E.

Mountainous 80. 20 Chs.

Soil 3d rate

No timber

Oct. 15th 1878

Note

For General Description, See end of Subdivision notes of this township.

James H. Martineau
U. S. Deputy Surveyor.

BOOK-A-166

221

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Feby 24th 1879.

The foregoing field notes of the survey of West and North Boundaries

Township No. 7 North Range No. 4 E.

of the Salt Lake Meridian, Utah T.

Executed by James H. Martineau

Under his contract No. 80 of the 30th

day of August 1877, in the month of

October 1878, having been critically

examined, the necessary corrections and ex-

planations made, the said field notes, and the

surveys they describe, are hereby approved.

Fred. Salomon

Surveyor General for Utah.

BOOK-A-166

Township 9 North — R. 5 East

6 259	5	4	3	2	1
258	257				
7 256	8	9	10	11	12
255	255				
18 254	17 244	16 237	15	14	13
253	252	243	236		
19 251	20 242	21 235	22 231	23 226	24
250	249	241	235	230	225
30 248	29 240	28 234	27 229	26 224	25
247	246	239	233	228	224
31 245	32 238	33 232	34 228	35 223	36

Subdivision T. 9 N. R. 5 E.

Chains		Chains
	Va. 18° 00' E.	
37.00	Brook 3 lks wide, runs N. E.	40.08
40.00	Set Sandstone 14×9×8, 9 in deep, in Mound of Stones, Marked 4 on N. side for 1/4 Sec. Cor.	
80.00	Set Sandstone 18×14×12, in 12 in. deep, in Mound of Stones, Marked 2 Notches S. & E. for Cor. to Secs. 23, 24, 25, 26.	40.04
	Mountainous 80. chs.	80.08
	Soil 3rd rate with traces of iron	
	No timber	

East on random line between Secs. 24 & 25

Va. 18° 00' E.

40.00	Set temp. 1/4 Sec. Cor.	
54.00	Brook 4 lks. wide, runs N	
62.00	Hollow drains N.W.	40.40

BOOK-A-166

Z Z 6

Salt Lake Meridian

Chains	
80.08	Intersected E. boundary 10 lks N. of Cor. to Secs. 24 & 25 from which North 89° 56' W. between Secs. 24 & 25
80.04	Set sandstone 12×11×10 in., 8 in. deep, in mound of stones, Marked ¼ on N. side for ¼ Sec. Cor.
80.08	The Cor. to Secs. 23, 24, 25 & 26. Soil 3rd rate on hills, 1st rate in bottoms, Mountainous 80.08 chs. No timber.
	North on random line between Secs. 23 & 24. Va. 18° 00' E.
15.70	Ridge bears N. easterly

Subdivision T. 9 N. R. 5 E.

Chains	
40.00	Set temp. 1/4 Sec. Cor
52.00	Brook, 4 lks. wide, runs E.
54.00	Road, bears E. & W.
80.24	Intersected South boundary of former survey 26 lks. W. of Cor. to Secs. 13, 14, 23, 24 from which S. 10' W. between Secs 23
40.12	Set Sandstone 17×12×11, 12 in deep, in mound of stones, marked 1/4 on W. side for 1/4 Sec. Cor.
80.24	The Cor. to Secs. 23, 24, 25 & 26

Soil 2nd rate
Mountainous 80.24 Chs
No timber

Sept. 16. 1878.

Sept. 17. 1878

From the Cor. to Secs. 34. & 35

BOOK-A-166

Salt Lake Meridian

Chains	
	on S. boundary.
	North between Secs 34 & 35
	Va. 18° 00' E;
35.00	Top of ridge, bears E. & W.
40.00	Set Sandstone 17x16x12 in, 11 in.
	deep, in mound of stones, marked
	1/4 on W. side for 1/4 Sec. Cor.
46.40	Brook 3 lks wide, runs easterly
1.00	Set sandstone 14x11x9 in, 9.
	in. deep in mound of stones
	marked 1 North S. & 2 E. for
	Cor. to Secs. 26, 27, 34 & 35
	Soil 2nd rate
	Mountainous 80.00 Chs.
	No. timber,

	East on random line
	between Secs. 26 & 35
	Va. 18° 00' E,
2.00	Brook 3 lks. wide runs N. E.

Subdivision T. 9 N. R. 5 E.

Chains	
40.00	Set temp. 1/4 Sec. Cor.
80.20	Intersect N. & S. line at Cor. to Secs. 25-26, 35 & 36 from which West on true line between Secs. 26 & 35
40.10	Set Sandstone 12x12x9" 8 in. deep, in mound of Stones Marked, 1/4 on N. side for 1/4 Sec. Cor.
80.20	The Cor. to Secs. 26, 27, 34 & 35. Soil 2°. rate. Mountainous 80.20 chs. No timber.
	North between Secs. 26 & 2[illegible] Va. 18° 00' E.
40.00	Set Sandstone 17x11x10 in. 11 in. deep in mound of Stones, Marked 1/4 on N. side

Salt Lake Meridian

Chains	
20.00	for 1/4 sec. Cor.
.00	Top of ridge, bears N. E.
	Set Sandstone 15 x 12 x 10" 10 in.
	dep. in mound of stones
	marked 2 notches S. & 2 E.
	for Cor. to Secs. 22. 23. 26, 27.
	Soil 3° rate with traces of iron
	Mountainous 80.00 chains.
	No timber

	East on random line
	between Secs. 23. & 26
	Va. 18° 00' E.
.00	Hollow drains North.
.00	do do N. W.
42.00	Set temp 1/4 sec. Cor.
2.46	Intersect N. & S. line 15 lks
	N. of Cor. to Secs. 23. 24. 25 & 26
	from which
	N. 89° 54' W. between Secs. 23

Subdivision T. 9. N. R. 5 E.

Chains	
	V 26
40.23	Set sandstone 14 x 11 x 10" 9 in. dep. in mound of stones, marked ¼ on N. side for ¼ Sec. Cor. on ridge bears N. E.
80.46	The Cor. to Secs. 22. 23. 26 & Soil 2nd rate with good grass Mountainous 80.46 chs. No timber
	North on random line between Secs. 22 & 23 Va. 18° 00' E.
20.00	Regine drains N.E.
40.00	Set temp ¼ Sec. Cor.
57.00	Brook 4 lks wide runs E.
58.00	Road, bears E.
80.16	Intersect S. boundary of former survey 12 lks. E. of Cor. to Secs. 14. 15. 22 &

Salt Lake Meridian

Chains

from which
S. 5' E. between Secs. 22 & 23
0.08 Set Sandstone 12x11x6" 8in.
deep in mound of stones, mar-
ked 1/4 on W. side for 1/4 Sec. Cor.
0.16 The Cor. to Secs. 22, 23, 26 & 27
Soil 2d rate
Mountainous 80.16 chs.
No timber
Sept. 17, 1878.

Sept. 18, 1878.
From Cor. to Secs. 33 & 34 on
S. boundary
North between Secs. 33 & 34
Va. 18° 00' E.
0.08 Set Sandstone 12x10x9", 8in.
deep, in mound of stones
marked 1/4 on W. side for 1/4
Sec. Cor. on mountain

Subdivision T. 9 N. R. 5 E.

Chains		Chains
80.00	Set sandstone 16 x 14 x 12 in. 10 in. deep in mound of stones marked 1 notch S & 3 E. for Cor. to Secs. 27. 28. 33 & 34	79.96
	Soil 2d rate	
	Mountainous 80.00 Chs.	
	No timber	
	East on random line between Secs. 27 & 34. Va. 18° 00' E.	7.40
40.00	Set temp ¼ sec. Cor.	
75.00	Brook 3 lks. wide runs S.	
79.96	Intersected N. & S. line at Cor. to Secs. 26. 27. 34 & 35	4.00
	from which	4.00
	West on true line between Secs. 27 & 34	7.00
39.98	Set sandstone 13 x 12 x 10	

Salt Lake Meridian

chains	8 in. deep, in mound of Stones, marked ¼ on N. side for 1/4 Sec. Cor.
9.96	The Cor. to Secs. 27, 28, 33, 34 Soil 3d rate Indications of iron. Mountainous 79.96 chains No timber.
	North between secs. 27 & 28 Va. 18°00' E.
1.40	Brook 3 links wide runs E.
0.00	Set sandstone 14×12×7" 9 in. deep, in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor. on Mountain bears E. & W.
4.00	Enter Aspens
4.00	Hollow drains N. E. Leave Aspens
0.00	Set sandstone 10×9×8" 7 in. deep, in mound of stones marked 2 Notches S. & 3 E. for Cor to

235

Subdivision T. 9 N. R. 5 E

Chains	
	Secs. 21, 22, 27, & 28
	Mountainous 80.00 Chains
	Soil 3rd rate
	Timber 10 Chs.
	East on random line between Secs. 22 & 27
	Va. 18° 00' E.
11.50	Bottom of ravine, drains N.
31.00	Top of bluff, bears N. E.
40.00	Set temp. 1/4 Sec. Cor.
46.00	Descend steep bluffs E.
73.00	Hollow drains N.
80.29	Intersect N. & S. line at Cor. to Secs. 22, 23, 26 & 27 from which
	Weston true line between Secs. 22 & 27
40.14	Set sandstone 15 x 11 x 10 in. 10 in. deep in of stones. Mkd. 1/4 on N. side for 1/4 Sec.
80.29	The Corner to Secs. 21, 22, 27 & 28 Mountainous 80.29 Chs. Soil 2d rate no timber
	North between Secs. 21 & 22

Salt Lake Meridian

Chains

Va. 18° 00' E.

0.00 Set sandstone 12×10×5", 8 in. deep in mound of stones, marked ¼ on N. side for ¼ Sec. Cor.

2.80 Brook 3 lks. wide runs N.E.

8.00 do 6 " " " S.E.

9.00 Road, bears easterly

14.00 Set sandstone 16×12×4" 10 in. deep in mound of stones. marked 3 notches S. & 3 E. for Cor. to Secs. 15, 16, 21 & 22.

Mountainous 80.00 Chs.

Soil 2nd rate

No timber

Sept. 18. 1878

Sept. 19. 1878

East on random line between Secs. 15 & 22

Va. 18° 00' E.

Subdivision T. 9 N. R. 5

Chains	
40.10	Intersect E. & W. line at 1/4 Sec. Cor. between Secs. 15 & 22, from which
	West on true line between Secs. 15 & 22
40.10	The cor. to Secs. 15. 16. 21 & 22
	Mountainous 40.10 chs.
	Soil 2d rate
	No timber
	North on random line between Secs. 15 & 16
	Va. 18° 00' E.
40.00	Set temp. 1/4 Sec. Cor.
80.20	Intersect S. boundary of former survey at 32 lks.
	W. of Cor. to Secs. 9, 10, 15 & 16
	from which
	S. 14' W. between Secs.

Salt L

Chains	
	15 X
0.10	Set S
	11 in
	mark
	Sec.
0.20	The Co
	Mou
	Soil
	No t
	Fro
	on
	Nor
36.00	Rea
40.00	Set
	deep
	Ma
	1/4 S
77.00	Bro
0.00	Se

Salt Lake Meridian

Chains	
	15 x 16
0.10	Set sandstone 17 x 12 x 10", 11in. deep, in mound of stones marked ¼ on W. side for ¼ sec. Cor.
0.20	The Cor. to Secs. 15. 16, 21. 22
	Mountainous 80. 20 chs.
	Soil 2° rate
	No timber

	From Cor. to Secs. 32 & 33 on S. boundary
	North between Secs. 32 & 33
	Va. 18° 00' E.
36.00	Ridge bears E. & W.
40.00	Set sandstone 14 x 9 x 8", 9in. deep, in mound of stones, marked ¼ on W. side for ¼ sec. Cor.
47.00	Brook 4 links, runs N.E.
50.00	Set sandstone 20 x 16 x 6"

Subdivision T. 9 N. R. 5 E.

Chains	
	15 in. deep, in mound of Stones marked 1 notch S. & 4 E. for Cor. to Secs. 28. 29 32 & 33 in hollow drains E. Mountainous 80.00 chs Soil 3rd rate No timber
	East on random line between Secs. 28 & 33 Va. 18°00' E.
3.00. 40.00	Brook 4 links wide, runs Easterly Set temp. 1/4 Sec. Cor.
48.70	Brook 3 lks. wide, runs south easterly
61.00	Brook 3 lks. wide runs N. Easterly
80.00	Intersect N. & S. line at 16 lks S. of Cor. to Secs. 27. 28. 33 & 34 from which

BOOK-A

Salt La

Chains	
	S.
40.00	Set
	deep
	Red
0.00	The
	Mo
	Soi
	No
	No
.10	B
00	To
00	Set
	dee
	Mo
	1/4
00	Ru
	E.
0.00	Eo

BOOK-A-166

S. 89° 53' W between Secs. 28 & 33
Set Sandstone 17 x 12 x 9", 11 in
deep, in mound of Stones, Mar-
ked 1/4 on N. side for 1/4 Sec. Cor.
The Cor. to Secs. 28, 29, 32 & 33.
Mountainous 80.00 chs.
Soil 2d rate
No timber

North between Secs. 28 & 29
Va. 18° 00' E.
Brook 3 lks wide runs E.
Top of rocky ledge bears E. & W.
Set Sandstone 12 x 10 x 5" 8 in.
deep, in Mound of Stones,
Marked 1/4 on N. side for
1/4 Sec. Cor.
Ridge bears E. & W. Road bears
E. & W.
Cooler aspens

Subdivision T. 9 N. R. 5 E

Chains	
76.00	Leave Aspens
80.00	Set sandstone 16×12×4", 11 deep, in mound of stones marked 2 Notches S. & 4 E. for Cor. to Secs. 20. 21. 28 & 29
	Note:— a spring about 3.00 chs. S. E. runs easterly
	Mountainous 80.00 chs.
	Soil 2° rate
	Timber 6.00 chs.
	Sept. 19. 1878.
	Sept. 20. 1878
	East on random line between Secs. 21 & 28
	Va. 18° 00 E.
5.70	Brook 1 lk. wide runs N.E.
40.00	Set temp. 1/4 Sec. Cor.
45.00	Enter timber, bears N. & S.

BOOK-A-16

Salt

Chains	
	abou
56.00	Leave
64.00	Poin
80.11	Inte
	to Sec
	Wis
	Secs.
40.05	Set
	deep
	ked
	Cor
80.11	The
	M
	Soil
	Tim
	No
40.00	Set
	deep

Salt Lake Meridian

Chains	about 25 chs.
56.00	Leave timber
4.00	Point of ridge, bears N. E.
80.11	Intersect N. & S. line at Cor. to Secs. 21.22.27 & 28 from which West on true line between Secs. 21 & 28
40.05	Set sandstone 16×10×8" 11 in. deep in mound of stones marked ¼ on N. side for 1/4 Sec. Cor.
80.11	The Cor. to Secs. 20.21.28 & 29 Mountainous 80.11 chs. Soils 1st rate Timber 11.00 chs.

North between Secs 20 & 21
Va 18° 00' E.

40.00	Set sandstone 17×12×10", 11 in. deep in mound of stones

Subdivision T. 9 N. R. 5 E

Chains	
	marked ¼ on N. side for ¼ Sec. Cor.
45.00	Ravine draines N. E.
58.00	Ridge bears N. E.
71.00	Brook 2 lks wide runs E.
72.00	Road bears S. E. & N. W.
80.00	Set Sandstone 17×12×10" 11" deep, in mound of stones marked 3 notches S. and 4 E. for Cor. to Secs. 20.21.16 & 17 Mountainous 80.00 chs. Soil 2d. rate No timber

---

East on run down line between Secs. 16 & 21
Va. 18° 00' E.

25.00	Road bears N. 20° W.
28.20	Brook 3 lks. wide runs S. 45°
40.00	Set stone, ¼ Sec. Cor.

BOOK-A-166

Salt Lake Meridian

chains	
7.50	Ridge, bears S.
0.30	Intersected N. & S. line at Cor. to Secs. 15, 16, 21 & 22 from which
	West on a true between
	Secs. 16 & 21
40.15	Set sandstone 12 x 11 x 8", 8 in.
	deep, in mound of stones
	marked t on N. side for 1/4
	sec. Cor.
80.30	The Cor. to Secs. 16, 17, 20 & 21
	Mountainous 80.30 chs.
	Soil 2nd rate — Grass.
	No timber

North on random line
between Secs. 16 & 17
Va. 18° 00' E.

11.00	Ridge bears N. 20° W.
40.00	Set temp. 1/4 sec. Cor.

Subdivision T. 9 N. R. 5 E.

Chains	
80.16	Intersect S. boundary of form[illegible] survey 39 lks. W. of Cor. to Se[illegible] 8, 9, 16 & 17 from which S. 17' W. between Secs. 16 & [illegible]
40.08	Set sandstone 13x12x10" 8 in. deep in mound of stones, marked 1/4 on W side for 1/4 Sec. Cor.
80.16	The Cor. to Secs. 16, 17, 20 & 21 Mountainous 80.16 Chs. Soil 2d rate Good Grass No timber
	From Cor. to Secs. 31 & 32 on S. boundary North between Secs. 31 & 32 Va 18° 00' E
35.00	Top of ridge bears E. & W.

BOOK-A-166

Salt Lake Meridian

Chains

40.00 Set sandstone 16×10×9" 10 in. deep, in mound of stones marked ¼ on W. side for 1/4 sec. Cor.

80.00 Set sandstone 12×10×8" 8 in. deep in mound of stones marked 1 notch S. 5 E. for Cor. to Secs. 29, 30, 31 & 32

Mountainous 80.00 chs.

Soil 2nd rate

Good grazing

No Timber

Sept. 20. 1878.

Sept. 21. 1878

East on random line between Secs. 29 & 32

Va. 18° 00' E

Enter timber.

Subdivision T. 9 N R. 4 E.

Chains	
40.00	Set temp. 1/4 sec. Cor
66.00	Brook 4 lks wide, runs S. E.
	Leave timber
80.16	Intersect N. & S. line at cor. to
	Secs. 28. 29. 32 & 33 from which
	West on true line between
	Secs. 29 & 32
40.08	Set Sandstone 15 x 12 x 10 in. 10
	deep, in Mound of Stones, marked
	1/4 on N. Side for 1/4 sec. Cor. in
	drains N.
80.16	The Cor. to Secs. 29. 30 31 & 32
	Mountainous 80.16 Chs.
	Soil 2d rate
	Timber 38.00 Chs.
	West on random line
	between Secs. 30 & 31
	Va. 18° 00' E.

BOOK-A-166

Salt Lake Meridian

Chains	
20.00	Raine drains N. E.
40.00	Set temp. 1/4 Sec. Cor.
67.12	Intersected W. boundary at Cor. to Secs. 25. 36. 30 & 31 from which East on true line between Secs. 30 & 31
67.12	Set sandstone 15x10x9 in. 10 in. deep, in mound of Stones, marked 1/4 on N. Side for 1/4 Sec. Cor.
67.12	The Cor. to Secs. 29. 30, 31 & 32
	Mountainous 67.12 Chs.
	Soil 2d rate
	No timber
	North between Secs. 29 & 30
	Va. 18° 00' E.
17.00	Brook 2 Cks. wide, runs E.
40.00	Set sandstone 18x10x9 in. 12 in. deep, in mound of Stones, marked 1/4

Subdivision T. 4 N. R. 5 E.

Chains	
	on W. side for 1/4 sec. Cor.
48.00	Ridge, bears N. 70° E.
62.00	Hollow drains N. E.
80.00	Set sandstone 12 x 12 x 10 in. in. deep, in mound of stones, marked 2 notches S. & 5 E. for Cor. to Secs. 19, 20, 29 & 30 on side of ridge bears N. E.
	Mountainous 80.00 chs
	Soil 2D rate
	No timber
	East on random line betw. Secs. 20 & 29
	Va. 18° 00' E.
29.30	Bottom of deep ravine, dr. N. E.
40.00	Set temp. 1/4 sec. cor.
44.00	Ridge bears North
80.48	Intersect N. & S. line at cor.

Salt Lake Meridian

Chains	to Secs. 21. 22. 28 & 29 from which
	West on true line between Secs.
	20 & 29
2.24	Set Sandstone 24 x 8 x 6 in. 18 in
	deep, in Mound of Stones marked 1/4
	on N. Side for 1/4 Sec. Cor.
2.48	The Cor. to Secs. 19. 20. 29 & 30
	Mountainous 80. or Chs.
	Soil 2d rate
	No timber on line, some north.
	West on random line between
	Secs. 19 & 30
	Va. 18° or E.
3.05	Marked limestone in place, a cross
	(+) on high ridge bears N. & S.
3.3. or	deep Cañon drains N. W.
[illegible] or	Ridge bears N. E.
[illegible]	Set temp. 1/4 Sec. Cor.
[illegible]	~~Deep ravine drains~~ N E.
[illegible]	Intersect W. boundary 12 lks. N. of

251

Subdivision T. 9 N. R. 5 E.

Chains	
	Cor. to Secs. 19 & 30 from which
	N. 89°55' E. on true line betwee
	Secs. 19 & 30
27.56	Set Sandstone 16 x 10 x 8 in.
	deep, in Mound of Stone, Ma
	1/4 on N. Side for 1/4 Sec. Cor.
67.56	The Cor. to Secs. 19. 20. 29 & 30
	Mountainous 67.56 Chs.
	Soil 2d rate
	No timber on line. Some on N
	Sept. 21. 1878
	Sept. 23d 18
	North between Secs. 19 & 20
	Va. 18°00' E.
11.00	Ridge bears N. E.
33.40	Brook 2 lks wide runs. N.
40.00	Set Sandstone 12 x 10 x 9 in. 8
	deep, in Mound of Stones, Ma
	1/4 on W. Side for 1/4 Sec. Cor.

BOOK A

Ta

Chain

Ba.00

de

3

17

C

E

2.00

2.00

0.00

.52

.36

C

Salt Lake Meridian

Chain	
80.00	Set Sandstone 13 x 11 x 6 in. 8 in. deep, in Mound of Stones, Marked 3 notches S. & 5 E. for Cor. to Secs. 17, 18, 19 & 20, on ridge bears N. 15° W.
	Mountainous 80.00 Chs.
	Soil 3d rate
	No timber
	East on random line between Secs. 17 & 20
	Va. 18° 00' E.
2.00	Rocky ridge, bears N. & S.
5.00	do do do do
0.00	Set temp. 1/4 Sec. Cor.
7.52	Road to wood, bears N. W & S. E.
1.36	Intersected N. & S. line 30 lks. S. of Cor. to Secs. 16, 17, 20 & 21 from which S. 89° 47' W. on true line between Secs. 17 & 20

358

Subdivision T. 9 N., R. 5 E.

Chains	
40.18	Set sandstone 12x10x8 in., 8 in. deep, in mound of stone marked ¼ on N. side for 1/4 Sec. Cor.
80.36	The Cor. to Secs. 17, 18, 19 & 20. Mountainous 80.36 Chs. Soil 2d rate. No timber.
	West on random line between Secs. 18 & 19 (Va. 8° 00' E.)
40.00	Set temp. 1/4 Sec. Cor.
41.00	Indian trail bears N. W.
59.00	Ridge bears N. 70° W.
67.44	Intersect W. boundary of Tp. to Secs. 18 & 19 from which East on true line between Secs. 18 & 19
27.44	Set sandstone 17x12x10

Salt Lake Meridian

ains	11 in. deep, in Mound of Stones
	Marked ¼ on N. Side, for ¼ sec. Cor.
	no gravities bears S.E.
7.44	The Cor. to Secs. 17, 18, 19 & 20
	Mountainous 67.44 Chs.
	Soil 2d rate
	No timber
	North between Secs. 17 & 18
	Va. 18° 00' E.
0.00	Set Sandstone 15 x 12 x 10 in. 10 in.
	deep, in Mound of Stones marked
	¼ on W. Side for ¼ Sec. Cor
3.67	Road to timber bears E. & W.
8.30	Road to Woodruff, bears E. & W.
	on top of ridge
0.00	Set Sandstone 16 x 10 x 8 in., 11 in.
	deep, in Mound of Stone, marked
	4 notches S. & 5 E. for Cor. to Secs.
	7, 8, 17 & 18, in hollow drains N. E.
	Mountainous 80.00 Chs
	Soil 2d rate
	No timber.

255

Subdivision T. 9 N. R. 5 E.

Chains	
	Sept. 23, 1878
	Sept. 24, 1878
	East on random line betwee
	Secs. 8 & 17
	Va. 18° 00' E.
22.00	Road to Wordruff bears N.
40.00	on top of ridge Set temp. 1/4 Sec. Cor.
79.90	Intersect N. & S. line 12 lks
	of Cor. to Secs. 8. 9. 16 & 17 from w
	S. 89° 55' W. on true line betw
	Secs. 8 & 17
39.95	Set Sandstone 11 x 8 x 6 in
	deep, in mound of Stones mar
	1/4 on N. Side for 1/4 Sec. Co
79.90	The Cor. to Secs. 7. 8. 17 & 18
	Mountainous 79.90 Chs
	Soil 1st rate
+	No timber
	West on random line betwee

BOOK-A

Sal

Chains	
20.00	Se
20.00	Re
50.00	Se
7.40	Hy
	In
	of C
	N.
	Sec
7.40	Se
	dee
	1/4
7.40	Th
	M
	G
	N
00	S
	in
	N

Salt Lake Meridian

Chains	Secs. 7 & 18
2.00	Ridge bears N. E.
4.00	Set temp. 1/4 Sec. Cor.
50.00	~~Hollow draws N.E.~~
7.40	Intersect W. boundary 34 lks. N. of Cor. to Secs. 7 & 18 from which N. 89°45' E. on true line between Secs. 7 & 18
7.40	Set sandstone 12 x 6 x 5 in. 8 in. deep, in Mound of Stones, marked 1/4 on N. Side for 1/4 Sec. Cor
7.40	The Cor. to Secs. 7. 8. 17 & 18
	Mountainous 67.40 Chs.
	Soil 2d rate
	No timber
	North between Secs. 7 & 8
	Va. 18° 00' E
4.00	Set sandstone 15 x 12 x 9 in. 10 in. deep, in Mound of Stones, Marked 1/4 on W. Side for 1/4 Sec.

Subdivision T. 9 N. R. 5 E.

Chains	
	Corner
74.00	Hollow and indian trail
	bear N. E.
80.00	Set Sandstone 14 x 12 x 10 in
	9 in. deep, in Mound of Stone
	Marked 5 notches S. and
	E. for Cor. to Secs. 5. 6. 7. 8
	in open hollow drains N.
	Mountains 80.00 Chains
	Soil 2d rate
	No timber
	East on random line
	between Secs. 5 & 8
	Va. 180 00' E.
12.00	Hollow, drains N. E.
40.00	Set temp. 1/4 Sec. Cor.
80.14	Intersect N. & S. line 22
	N. of Cor. to Secs. 4. 5. 8 & 9
	from which

BOOK-A-166

Salt Lake Meridian

N. 89°57' W. on true line between Secs. 5 & 8

Set sandstone 20x14x6 in., 15 in. dep. in mound of stones, marked ¼ on N. side for 1/4 Sec. Cor.

Fd. Cor. to Secs. 5, 6, 7 & 8

Mountainous 80.14 Chs.

Soil, 1st rate

No timber

West on random line between Secs. 6 & 7

Va. 18° 00' E.

Set temp. 1/4 Sec. Cor.

Road to timber bears N. E.

Enter timber

Intersect W. boundary of Cor. to Secs. 6 & 7 from which East on true line between Secs.

2579

Subdivision T. 9 N. R. 5 E.

Chains	
	6 & 7
27.22	Set sandstone 14 x 12 x 6
	9 in. deep, in mound of st
	Marked ¼ on N. side for ¼
	Sec. Cor.
67.22	The Cor. to Secs. 5. 6. 7 & 8
	Mountainous 67.22. chs.
	Soil 1st rate
	Timber 12. or chs.
	North on random line
	between Secs. 5 & 6
	Va. 18° 00' E.
30.00	Ridge bears N. E.
40.00	Set temp. ¼ Sec. Cor
61.50	Ravine drains N. 70° E.
79.84	Intersect N. boundary
	42 lks. W. of Cor. to Secs.
	5 & 6. from which

BOOK-A-166

Salt Lake Meridian

Gains S. 0° 18' W. on true line between Secs. 5 & 6

9.84 Set sandstone 16 x 12 x 10 in. 10 in. deep in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor. on N. slope of mountain

3.84 The Cor. to Secs. 5. 6. 7 & 8 Mountainous 79.84 Chs. Soil 1st rate No timber.

Sept. 24. 1878

General Description

This Township is mountainous and broken, but is covered with excellent grass; & with many fertile spots. Suitable

for farming on a small
scale. It is well adapte
for stock raising, and wi
produce abundance of C
lucerne, rye and other
hardy grains, and probab
winter wheat.

There is considerable wa
for irrigation, but much
the land will produce w
without it.

I return all of the
Township lying east of
line running N. & S. betw
Secs. 33 & 34 & 15 & 16 as
mineral, traces of iron
being frequently found
and some indication of C
the western part as
agricultural

BOOK-A-166

There is some timber in small scattered groves, mostly on the north slopes of ridges and Cañons.

James H. Martineau
U.S. Deputy Surveyor

BOOK-A-166

205

U.S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Feb'y 24th 1879.

The foregoing field notes of the survey of the ...

Subdivision Lines of

Township No. 7 North Range No. 5 East

of the Salt Lake Meridian, Utah Ty.

Executed by James H. Martineau

Under his contract No 80 of the 30th

day of August 1877, in the month of

September 1878, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred. Salomon,

U. S. Surveyor General for Utah.

BOOK-A-166

R: 1879. (A 39) 264

Filed November 16th, 1878.

Examined by C. H. Cranwell

Compared by Otto Salomon and Wm. A. Gorlinski

FIELD NOTES

OF

THE SURVEY OF THE

East Boundary

of Township No 10 N, , Range No 3 E,

of the Salt Lake Meridian in Utah Territory.

BY

James H. Martineau

U. S. DEPUTY SURVEYOR,

Under his Contract No. 80 ,

dated August 30th 1877.

Survey commenced Dec. 2d 1878.

Survey completed Dec. 2d 1878.

ast Boundary T. 10 N R 3 E.

ains Survey commenced
Dec. 2d 1878
From Cor. to Tps. 9 & 10 N.
R's 3 & 4 E. I run
North between Secs. 31 & 36
Va. 18°00' E.

0.00 Set sandstone 12x12x10" 8
in. deep, in mound of stones,
marked ¼ on W. side for 1/4
Sec. Cor. on Mt. Slopes W.

0.00 Descend North into Cañon.

0.00 Set sandstone 10x10x6"
7 in. deep, in mound of stones,
marked 1 Notch S. & 5 N. for
Cor. to Secs. 25. 36. 30 & 31
near foot of descent.
Mountainous 80.00 Chs.
Soil 2d rate
No timber

East Boundary T. 10 N. R. 3 E

Chains	North between Secs. 25 & 30
	Va. 18° 00' E.
8.70	Blacksmith Fork river, 30
	wide, runs N. 70° W.
9.10	Road to Cañon, bears N. 70°
	Ascend ridge bears E. & W.
40.00	Set Sandstone 11 x 9 x 6" 7
	deep, in Mound of Stones,
	Marked 1/4 on W. side for
	1/4 Sec. Cor. on ridge bears
	E. & W.
80.00	Set sandstone 14 x 10 x 7
	9 in. deep, in Mound of Stones
	Marked 2 Notches S. & 4 N.
	for cor. to Secs. 24, 25, 19 &
	on W. Slope of mountains.
	Mountainous 80.00 Chs
	Soil 2d rate.
	No timber.

BOOK-A-16

Last

Aba

pres

Cor

Sec c

of th

BOOK-A-166

East Lake Meridian

Abandon Survey for the present.

Dec. 20 1898.

For General Description, see end of Subdivision notes of this Township.

James H. Martineau
U.S. Deputy Surveyor

BOOK-A-166

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Feby 24th *1879.*

The foregoing field notes of the survey of the ...

East Boundary - of -

Township No 10. North *Range No* 3. East -
of the Salt Lake Meridian, Utah Ty -

Executed by James H. Martineau

Under his *contract* No 80 *of the* 30th

day of August *187*7, *in the month of*

December *187*8, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-166

R: 1879. (N.B.)

Filed November 16th, 1878.

Examined by C. H. Cranwell, C.C.

Compared by [illegible]

FIELD NOTES

OF

THE SURVEY OF THE

fractional Subdivision

of Township No 10 N., Range No 3 E.

of the Salt Lake Meridian in Utah Territory.

BY

James H. Martineau

U. S. DEPUTY SURVEYOR,

Under his Contract No. 80,

dated August 30th 1877.

Survey commenced Dec. 3d 1878.

Survey completed Dec. 3d 1878.

L.

Copied

BOOK-A-166

Township 10 North **R.** 3, East

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
				279	273
30	29	28	27	278 26	272 25 266
				275	271
31	32	33	34	274 35	270 36 265
~~202~~	~~201~~	~~200~~	~~199~~	~~198~~	~~197~~

BOOK-A-166

Subdivision T. 10 N. R. 3 E. S. L. M.

Chains

Subdivision commenced Dec. 3d 1878.

From the cor. to Secs. 35 & 36 on South Boundary, I run North between Secs. 35 & 36 Va. 18° 00' E.

33.40 Hays' Fork, 12 lks. Wide, runs N. 15° E.

34.00 Road to Cañon, bears N. 15° E.

40.00 Set Sandstone 10 x 9 x 4." 4 in. deep, in Mound of Stone, marked 1/4 on W. side for 1/4 Sec. Cor. in Cañon drains N. 15° E.

80.00 Set Sandstone 12 x 10 x 8." 8 in. deep, in Mound of Stone, marked 1 Notch S. and 1 E. for Cor. to Secs. 25. 26. 35 & 36 on side of ridge, Slopes E. Mountainous 80.00 chs.

Soil 2d rate.

Subdivision T. 10 N. R. 3 E.

Chains	No timber
	East on random line between Secs. 25 and 36 Va. 18° 00' E.
13.00	Road to Cañon, bears N. & S.
13.30	Hays' Fork, 12 lks. Wide, runs
40.00	Set temp. 1/4 sec. Cor.
80.08	Intersect E. boundary at cor. to Secs. 25. ~~26~~ 36. 30 & 31 from which
	West on true line between Secs. 25 & 36
40.04	Set Sandstone 12 x 11 x 10 in. deep, in mound of stones marked 1/4 on N. side for 1/4 sec. Cor. on north slope of Mountain
80.08	The cor. to Secs. 25. 26. 35 & 3 Mountainous 80.08 Chs.

Salt Lake Meridian

Chains	
	Soil E rate.
	No timber
	North between Secs. 25 & 26
	Va. 18° 00' E.
24.80	Cañon road, bears E. & W.
27.26	Left bank of Blacksmith Fork river 36 lks. wide, 1 ft. deep, runs N. 70° W.
32.70	Road to Cañon, bears N. 70° W.
40.00	Set sandstone 20 x 14 x 8", 15 in. deep, in mound of stones, marked ¼ on W. side for 1/4 sec. cor. on South slope of mountain.
53.00	Top of ridge bears W.
70.00	Bottom of ravine, drains N. W.
80.00	Set sandstone, 15 x 12 x 7", 10 in. deep, in mound of stones,

Subdivision T. 10 N. R. 3 E.

Chains	Marked 2 Notches S. and 1 E. for Cor. to Secs. 23, 24, 25 and 26, on West side of mountain.	
	Mountainous 80.00 Chs	80.14
	Soil 2d rate.	
	No timber.	
	East on random line between Secs. 24 and 25 Va. 18° 00' E.	
	Ascend side of mountain	
40.00	Set temp. 1/4 Sec. Cor.	
80.14	Intersect E. Boundary at 12 lks. S. of Cor. to Secs. 24 19 & 30, from which	5.35
	S. 89° 55' W. on true line between Secs. 24 & 25	5.20
40.07	Set sandstone 11 x 10 x 6	

Salt Lake Meridian

Chains. 7 in. deep, in mound of stone, marked ¼ on N. side, for ¼ Sec. Cor. on ridge bears west

20.14 The Cor. to Secs. 23. 24. 25 and 26

Mountainous 20.14 Chs.

Soil 2d rate.

No timber.

From cor. to Secs. 34 & 35 on South Boundary, I run North between Secs. 34 & 35

Va. 18° 00' E.

From this corner a spruce bears N. 60° E. about 35 chains distant

1.35 Mill creek. 10 lks. wide, runs N. 30° E.

2.20 Road to Cañon, bears N. 30° E.

2.50 Set sandstone, 14 x 10 x 10", 10 in. deep, in mound of

Subdivision T. 10 N. R. 3 E

Chains	
	Stones, marked ¼ on W side for ¼ sec. Cor. on Mountain slopes S. E.
80.00	Set sandstone 18 x 16 x 10," 12 in. deep, in mou of stones, marked 1 notch S. and 2 E. for cor. to Sec 26. 27. 34 & 35, on Mountain slopes S. E.
	Mountainous 80.00 Chs
	Soil 2d rate.
	No timber
	East on random line between Secs. 26 & 35
	Va. 18° 00' E.
30.30	Mill creek, 8 lks. wide runs N. 10° E. ahouse and corral bear south about 12 chains
33.00	Small branch of Mill cre

Salt Lake Meridian

Chains.	3 Chs. wide, runs N. 10° E.
5.80	Ogden and Bear Lake road bears N. 10° E.
0.00	Set temp. 1/4 sec. Cor.
0.00	Top of sharp ridge, bears N. & S.
0.06	Intersect N. & S. line at cor. to Secs. 25, 26, 35 & 36, from which
	West on true line between Secs. 26 & 35
0.03	Set sandstone 14 x 10 x 8," 9 in. deep, in Mound of Stones, Marked 1/4 on N. Side, for 1/4 Sec. Cor.
Note	A house and spring, about 8.00 Chs. N. by road.
	Hyrum Dairy and Cheese factory, about 35.00 Chs. N. 6° E. and a spring

Blank

Page

278 P277 DOES NOT EXIST

BOOK

Subdivision T. 10 N. R. 3 E.

Chains		Chains
80.06	at forks of roads. The Cor. to Secs. 26, 27, 34 and 35	
	Mountainous 80.06 Chs.	
	Soil 2nd rate.	
	No timber.	
	North between Secs. 26 & 27 Va. 18° 0' E.	
35.00	Dairy building about 45.00 Chs. East	40.00
		68.70
40.00	Set sandstone 10 x 9 x 8" 7 in. deep in mound of stone marked 4 on W. side for 1/4 Sec. Cor.	41.60
80.00	Set sandstone 11 x 10 x 7 6 in. deep in mound of stone marked 2 notches S. & 25 for Cor. to Secs. 22, 23, 2	80.10

Salt Lake Meridian

Chains.	and 27, on Mountain slopes S. E. Mountainous 80.00 Chs. Soil 2d rate. No timber.
	East on random line between Secs. 23 and 26 Va. 18°00' E.
4000	Set temp. 1/4 Sec. Cor.
68.70	Left bank of Blacksmith Fork river, 40 lks. wide, 1 ft deep, runs N. 10° E.
71.60	Ogden & Bear Lake road, bears N. 10° E.
80.10	Intersect N. & S. line at cor. to Secs. 23. 24, 25 & 26 from which
	West on true line between

Subdivision T. 10 N. R. 3 E.

Chains	
	Secs. 23 and 26
40.05	Set Sandstone 10x10x8!
	7 in. dep. in Mound of Stone
	Marked 1/4 on N. Side for
	Sec. Cor. on S. E. Slope of
	Mountains.
80.10	The Cor. to Secs. 22. 23. 26
	and 27.
	Mountainous 80.10 Chs.
	Soil 2d rate.
	No timber
	Dec. 3d 1878

BOOK-A-166

Salt Lake Meridian

hains

General Description

This fractional survey embraces land mostly broken and mountainous, but along the streams are narrow bottoms, suitable for cultivation, and claimed by actual settlers.

Blacksmith Fork is a fine clear stream, of excellent water, and abounding in Beaver.

The lands are agricultural.

Survey abandoned because of the conclusion of contract.

James N. Martineau
U. S. Deputy Surveyor

BOOK-A-166

LIST OF NAMES.

A list of the names of the individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing Field Notes of the

2nd Standard Parallel in Ranges 3, 4 & 5 E. ✓

The West and fractional North Boundaries, and subdivision of Tps. 9 and 10 N. R. 3 E.

N. and W. boundaries and subdivision of Tps. 9 N. Ranges 3 & 4 E.

The South, East, and fractional W. boundaries, and subdivision of T. 8 N. R. 3 E. and the

The fractional East boundary and fractional subdivision of T. 10 N. R. 3 E.

showing the respective capacities in

they acted.

Edward Hanson Chainma

George W. Lewis Chainma

Jesse N Martineau Flagma

F G Benson Axema

BOOK-A-16

We hereby

John

U. S. Deputy

The 2

in Rang

The W

Bound

of Tps.

North

and

of N. 7

The S

West 1

of T. 8

The f

and

of T. 1

BOOK-A-166

We hereby certify that we have assisted

James H. Martineau

U. S. Deputy Surveyor in surveying

The 2nd Standard Parallel in Ranges 3, 4 and 5 E.

The West and fractional North Boundaries and Subdivision of Tps. 9 and 10 N. Range 5 E.

North and West Boundaries and Subdivision of Townships 9 N. Rangs 3 & 4 E.

The South, East and fractional West Boundary, and Subdivision of T. 8 N. R. 3 E. and the,

The fractional E. boundary and fractional Subdivision of T. 10 N. R. 3 E.

and that said Boundary & subdivision

have been in all respects, to the best of our kno

ledge and belief, well and faithfully surveye

and the boundary monuments planted accord

ing to the instructions furnished by the Survey

or General.

Edward Hanson Chainman

George W. Lewis Chainman

Jesse N. Martineau Flagman

F G Benson Axeman

Subscribed and sworn to by the above name

persons, before me, a U. S. Deputy

Surveyor ~~, for the County~~

~~of~~ ~~in~~ for the Territory

of Utah, this 3d day of December 187

James H. Martineau

U. S. Deputy Surveyo

BOOK-A-

I, J

Deputy

that in

Nat

Surveyo

the Un

Utah, b

Au

conform

States, t

tions, a

the said

fully s

Parall

The w

bound

Tps. 9

North

and Su

Rang

BOOK-A-166

I, James H. Martineau
Deputy Surveyor, do solemnly swear that in pursuance of a contract with
Nathan Kimball
Surveyor General of the public lands of the United States in the Territory of Utah, bearing date the 30th day of August 1877, and in strict conformity to the laws of the United States, the Manual of Surveying Instructions, and the instructions fnrnished by the said Surveyor General, I have faithfully surveyed the 2nd Standard Parallel in Ranges 3. 4 & 5 E.
The west and fractional North boundaries, and subdivision of Tps. 9 & 10 N. R. 5 E.
North and West Boundaries and subdivision of Tps. 9 N. Ranges 3 & 4 E.

287

The South, East and practi
West Boundaries and subdivision of T. 8 N. R. 3
The fractional East bound
and fractional Subdivisi
of T. 10 N. R. 3 E.

in the Territory aforesaid, and do f
ther solemnly swear that the foregoi
are the true and original Field Notes
such survey.

James H. Martineau
Deputy Surveyor

Subscribed by the said James
H. Martineau Deputy Surve
and sworn to before me, a Notary
Public in and for
county of Cache, in the Ter
tory of Utah, this 21 day of De
187 8

James A. Lishman
Notary Public

BOOK-A-160

U. S. SURV

Salt Lake

The foregoi
Practi

Township N
of the Salt L
Executed by
Under
day of Aug
December

examined, th
planations n
surveys they

287

The South, East and practi
West Boundaries and subdivision of T. 8 N. R. 3
The fractional East bound
and fractional Subdivisi
of T. 10 N. R. 3 E.

in the Territory aforesaid, and do f
ther solemnly swear that the foregoi
are the true and original Field Notes
such survey.

James H. Martineau
Deputy Surveyor

Subscribed by the said James
H. Martineau Deputy Surve
and sworn to before me, a Notary
Public in and for
county of Cache, in the Ter
tory of Utah, this 21 day of De
187 8

James A. Lishman
Notary Public

BOOK-A-160

U. S. SURV

Salt Lake

The foregoi
Practi

Township N
of the Salt L
Executed by
Under
day of Aug
December

examined, th
planations n
surveys they

BOOK-A-166

R: 1879 (Nov 11) 289

Filed November 16th 9 a.m. 1878.

Examined by C. H. Cranwell C.C.

Compared by [illegible]

FIELD NOTES

OF

THE SURVEY OF THE

West and North Boundaries

of Township No 10 N. , Range No 5 E.

of the Salt Lake Meridian in Utah Territory.

BY

James H. Martineau

U. S. DEPUTY SURVEYOR,

Under his Contract No. 80 ,

dated August 30 1877.

Survey commenced September 26 1878.

Survey completed do 27th 1878.

BOOK-A-166

West Boundary T. 10 N. R. 5 E. S.L.M.

Chains

Survey commenced Sept. 26th 1878

From the cor. to Tps. 9 & 10 N. Ranges 4 & 5 E., I run

North between Secs. 31 & 36

Va. 18° 00' E.

3.00 Enter timber

13.00 Ravine, drains N. 75° E.

33.00 Ridge, bears N. 86° E. Leave timber.

40.00 Set sandstone 14 x 10 x 9." 9 in. deep. in Mound of Stones, marked ¼ on W. side for 1/4 Sec. Cor.

45.00 Enter timber

51.00 Hollow, drains N. 80° E.

75.00 Leave timber

80.00 Set sandstone 20 x 11 x 8, 15 in. deep, in Mound of Stone, marked 1 Notch S. and 5 north, for Cor. to Secs. 30. 31. 25 & 36, on ridge, bears E. & W.

West Boundary T. 10 N. R. 5 E.

Chains	
	Mountainous 80.00 Chs.
	Soil 2nd Rate
	Timber 60.00 Chs.

North between Secs. 25 & 30

Va. 18° 00' E.

5.00	Enter aspens
21.00	Ravine, drains East
40.00	Set sandstone 12 x 9 x 9, 8 in. deep, in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor. An aspen 7" dia. bears N. 10° W. 40 lks. distant, marked ¼ S. B. Two other tree within 300 lks.
80.00	Set sandstone 15 x 12 x 11, 10 in. deep, in mound of stones, marked 2 notches S. and 4 N. for cor. to Secs. 19, 30 24 & 25 in small opening
	Mountainous 80.00 Chs

BOOK-A-166

Salt Lake Meridian 2 9 2

Chains Soil 3° rate.
Timber 75.00 Chs.

North between Secs. 19 & 24
Va. 18° 00' E.

4.00 Enter timber
18.00 Hollow, drains east
40.00 Set sandstone 10 x 10 x 9. 7 in. deep, in mound of stone, marked ¼ on W. side for ¼ Sec. Cor.
80.00 Set sandstone 18 x 16 x 10. 12 in deep, in mound of stones, marked 3 notches S. & 3 N. for Cor. to Secs. 18. 19. 13 & 24

A pine 10" dia. bears N. 40° W. 46 lks. dist. marked T. 10 N. R. 4 E. S. 13. B. T

A pine 14 in. dia. bears N. 13° E. 74 lks. dist. marked T. 10 N. R. 5 E. S. 18 B T.

West Boundary T. 10 N R. 5 E.

Chains	A pine 24 in. dia. bears S. 10° 113 lks. distant. Marked T. 10 R. 4 E. S. 24 B. T.
	Mountainous 80.00 Chs.
	Soil 3 rate.
	Timber 76.00 Chains
	North between Secs. 13 & 18
	Va. 18° 00' E.
40.00	Set sandstone 14 x 12 x 9. 9 in. deep. in Mound of Stones, marked ¼ on W. side for ¼ sec. Cor. on side of mountain slopes E.
	A pine 12 in. dia. bears N. 14° W. 84 lks. distant. Marked ¼ S B T
49.50	Hollow, drains E.
80.00	Set sandstone 12 x 12 x 10." 8 in. deep. in Mound of Stones. Marked 4 Notches S. & 2 N. for Cor. to Secs. 7. 18. 12 & 13 Near top of mount. in fire killed pines.

BOOK-A-160

Salt

ains	Mou
	Soil
	Tim
	Nor
40.00	Set
	deep.
	on W
	Large
	3 00
80.00	Se
	deep
	5 no
	6. 7.
	fire
	8
	7
	S
	S

BOOK-A-166

Salt Lake Meridian

Mountainous 80. or Chs.
Soil 2d rate
Timber 80. or Chains.

North between Secs. 7 & 12
Va. 18° or' E.

Set Sandstone 18 x 11 x 10, 12 in. deep, in Mound of Stones, marked 1/4 on W. side for 1/4 sec. Cor. No trees large enough to mark within 3 or Chs..

Set Limestone 15 x 14 x 10, 10 in. deep, in Mound of Stones, marked 5 notches S. & 1 N. for Cor. to Secs. 6. 7. 1 & 12, in hollow drains E. in fire killed timber.

Did not mark any trees.
Mountainous 80. or Chains.
Soil 3d rate
Timber 80. or Chs.

Sept. 26. 1878

West Boundary T. 10 N. R. 5 E.

Chains	
	Sept. 27, 1878
	North between Secs. 1 & 6
	Va. 18° 00' E.
40.00	Set limestone 17 x 11 x 10 in. dep. in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor. Small aspens.
63.00	Hollow drains E. Leave to
80.00	Set limestone 16 x 14 x 10 in. 11 in dep. in mound of stones. mark 6 notches N. S. E. & W. for Cor 15 Tps. 10 & 11 N. Rs 4 & 5 E. on point of ridge bears E. Mountainous 80.00 Ch. Soil 3° rate. Timber 63.00 Chains.
	Sept. 27, 1878
Note.	For General Description see end of Subdivision Notes of this Township.

BOOK-A-166

North Boundary T. 10 N. R. 3 E.

Sept. 27. 1878

As a part of the north boundary of this Township has been previously run, from the Cor. to Tps. 10 & 11 N. Ranges 4 & 3 E. I run East on a random line, setting temporary Corns at every 40 and 80 chs., and at 30660 Chains, a point 40 lks. S. of Cor. to Secs. 2. 3. 34 & 35 which cor. was in place, viz:— a sandstone about 12 x 10 x 8 in. near some pines, and from this established cor. I run

S. 89° 55' W. on true line between Secs. 3 & 34

Va. 18° 00' E.

40.00 Set sandstone 17 x 12 x 10 in. 11 in. dep in mound of stone, marked ¼ on N. side for ¼ sec. Cor.

North Boundary T. 10 N R. 5 E.

80.00 Set sandstone 17x12x9 in. 11 inches
Chains deep, in mound of stones, marked
3 notches E. & 3 W. for Cor. to
Secs. 3. 4. 33 & 34
Mountainous 80.00 Chs.
Soil 2d rate.
No timber

S. 89° 55' W. on true line between
Secs. 4 & 33
Va. 18.00 Ch. E.

4 11.00 Set sandstone 10x9x8 in. 7 in
deep, in mound of stones, marked
1/4 on N. side for 1/4 Sec. Cor.

80.00 Set sandstone 18x12x10 in. 1
in. deep, in mound of stones, marked
4 notches E. & 2 W. for Cor. to
Secs. 4. 5. 32 & 33
Mountainous 80.00 Chs.
Soil 3d rate.
No timber.

BOOK-A-166

Salt Lake Meridian

ains	S. 89° 55' W. on true line between Secs. 5 & 32
	Va. 18° 00' E.
40.00	Set Limestone 15 x 12 x 11 in. 10 in. deep, in mound of Stones, marked ¼ on N. Side for ¼ sec. Cor.
80.00	Set limestone 19 x 14 x 11 in. 14 in. deep, in mound of Stones, marked 5 notches E. & 1 W. for Cor. to Secs. 5. 6. 31 & 32
	Mountainous 80.00 Chs.
	Soil 3d rate,
	No timber
	S. 89° 55' W. on true line between Secs. 6 & 31
	Va. 18° 00' E.
40.00	Set limestone 14 x 13 x 10 in. 10 in. deep, in mound of Stones, marked ¼ on N. Side for ¼ sec. Cor.

North Boundary T. 10 N R 5 E. S.L.M.

Chains

66.60 The Cor. to Tps. 10 & 11 N.
Ranges 4 & 5 E.
Mountainous 66.60 chs
Soil 3rd rate
No timber

Sept. 27, 1875

Note. For General Description
See end of Subdivision notes
of this Township

James H. Martineau
U. S. Deputy Surveyor

BOOK-A-

U. S. SURVEYOR

Salt Lake C

The foregoin

Township No. 10

Executed by

Under

day of

September

amined, the nece

made, the said fie

cribe are hereby a

BOOK-A-166

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 24th 1879.

The foregoing field notes of the survey of the West and North Boundaries

Township No. 10 North Range No. 5 East of the Salt Lake Meridian Utah T.

Executed by James H. Martineau

Under his contract No 50 of the 30th day of August 1879, in the month of September 1879, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-166

R: 1879. (N 512) 801

Filed November 16th 9. a.m. 1878.

Examined by C. H. Cranwell C.C.

Compared by Otto Lemmon W. H. Morhinski

FIELD NOTES

OF

THE SURVEY OF THE

Subdivision lines

of Township No 10 N. , Range No 5 E.

of the Salt Lake Meridian in Utah Territory.

BY

James H. Martineau

U. S. DEPUTY SURVEYOR,

Under his Contract No. 80 ,

dated August 30th 1877.

Survey commenced Sept. 28th 1878.

Survey completed October 2nd 1878.

BOOK-A-166

Township 10, North **R.** 5, East

	298		298		297		296				
295	6	331	5	318	4	312	3	312	2		1
	330		329		317		311				
294	7	328	8	316	9	310	10		11		12
	327		326		315		309				
293	18	325	17	313	16	307	15		14		13
	325		324		306						
292	19	322	20	306	21		22		23		24
	322		321		304						
291	30	319	29	303	28		27		26		25
	319		303								
290	31	302	32		33		34		35		36

BOOK-A-166

Subdivision T. 10 N. R. 3 E. S. L. M.

Chains

Subdivision commenced

Sept. 28. 1878.

From the cor. to Secs. 31 & 32 on South Boundary, I run North between Secs. 31 & 32

Va. 18° on E.

19.00 Bench, bears W. & S. E.

37.00 Hollow, drains N. 70° E.

40.00 Set sandstone 14 x 12 x 10 in, 9 in. deep, in mound of stone, marked ¼ on W. side for 1/4 sec. Cor.

48.00 Ridge, bears N. 70° W.

61.00 Hollow drains N. 75° E.

80.00 Set sandstone 12 x 11 x 11 in, 8 in. deep, in mound of stones, marked 1 notch S. and 5 E. for cor. to Secs. 29, 30, 31 & 32

Mountains 80.00 Ch.

Soil 2d rate

No timber.

BOOK-A-166

Salt Lake Meridian

Chains	
14.00	Brook 6 lks. wide runs E. in deep ravine
31.00	Point of ridge
40.00	Set sandstone 12 x 10 x 8 in. 8 in. deep, in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor. on ridge bears N. & S.
42.00	Beaver pond and springs about 10 chs. W. runs S.
80.00	Set sandstone 24 x 12 x 5 in. 18 in. deep, in mound of stones marked 2 notches S. and 4 E. for Cor. to Secs. 20, 21, 28 & 29

Mountainous 80.00 chs.
Soil 2d rate.
No timber

East on random line between Secs. 21 & 28
Va. 18° 00' E.

305

Subdivision T. 10 N. R. 5 E.

Chains		Chains
19.60	Beech, bears N. & S.	
40.00	Point for old cor. None visible anywhere, though diligent search was made. Set Stone for temp. 1/4 Sec. Cor. thence on resurvey	21.00 40.00
80.24	~~Intersect~~ N. & S. line 14 Chs. N. of Cor. to Secs 21. 22. 27 & 28 from which N. 89°54' W. on true line between Secs. 21 & 28	63.00 80.00
40.12	Set Sandstone 14x12x10 in. 4 in. deep, in mound of Stone marked 1/4 on N. side for 1/4 Sec. Cor. (Reestablished)	
80.24	The Cor. to Secs. 20. 21. 28 & 29 Mountainous 80.24 Chs. Soil 2d rate No timber.	

BOOK-A-166

Salt Lake Meridian

Chain | North between Secs. 20 & 21
Va. 18° 0' E.
21.00 | Hollow drains E.
40.00 | Set Sandstone 12 x 8 x 6 in. 8 in. deep, in Mound of Stones, marked 1/4 on W. Side for 1/4 Sec. Cor.
63.00 | Ridge bears E.
80.00 | Set Sandstone 17 x 12 x 10 in. 11 in. deep, in Mound of Stones, Marked 3 : notches S. & 4 E. for Cor. to Secs. 16, 17, 20 & 21.
Mountainous 80.00 Chs.
Soil 2d rate
No timber
Sept. 28. 1878

Sept. 29th. 1878
East on random line between Secs. 16 & 21
Va. 18° 0' E.

Subdivision T. 10 N. R. 5 E.

Chains		Chains
40.00	Set temp. 1/4 sec. Cor.	40.00
80.04	Intersect N.B.L. line at old	
	Cor. to Secs. 15.16.21 & 22 from	
	which	43.00
	West on true line between	64.60
	Secs. 16 & 21	
40.02	Set Sandstone 18x17x6 cu. 12	66.50
	in. deep, in mound of stones,	
	marked 1/4 on N. side for 1/4	80.00
	Sec. Cor.	
80.04	The Cor. to Secs. 16.17.20 & 21	
	Mountain 80.04 Chs.	
	Soil 2d rate	
	No timber	

From the cor. to Secs. 15.16.21 & 22

North between Secs. 15 & 16

Va. 18° 00' E.

17.00	Hollow drains E.

Salt Lake Meridian

Chains	
40.00	Set Sandstone 12 x 11 x 10 in. 8 in. deep, in mound of Stones. Marked ¼ on W. Side for 1/4 Sec. Cor.
43.00	Top of ridge, bears E. & W.
64.60	Road from Saw Mill to Randolph, bears E.
66.50	Randolph Creek, 10 lks. wide runs E.
80.00	Set Sandstone 16 x 12 x 10 in. 10 in. deep, in mound of Stones, Marked 4 Notches S. & 3 E. for Cor. to Secs. 9. 10. 15 & 16. on ridge bears E. & W.
	Mountainous 80.00 Chs.
	Soil 2d rate
	No timber, except a little Strip along creek, E. & W.

East on random line

Subdivision T. 10 N. R. 5 E.

Chains	between Secs. 10 & 15.	Chains
	Va. 18° 00' E	
21.00	Brow of hill	
30.40	Creek, runs S. E. 10 lks. wide	
37.00	Top of hill bears N. & S.	
40.00	Point for old corner. Looked	17.60
	find no trace of any. Set	29.00
	temp. 1/4 Sec. Cor. Thence on	40.00
	resurvey	
80.30	Intersect N. & S. line 26 lks. S.	
	of Cor. to Secs. 10, 11, 14 & 15 from	53.00
	which	80.00
	S. 89° 49' W. on true line between	
	Secs. 10 & 15	
40.15	Set Sandstone 12 x 10 x 8 in. 8	
	in. dep, in mound of stones,	
	Marked 1/4 on N. side for	
	reestablished 1/4 Sec. Cor.	
80.30	The Cor. to Secs. 9, 10, 15 & 16	
	Mountainous 80.30 Chs.	

Salt Lake Meridian

Chain	Soil 2d rate No timber
	North between Secs. 9 & 10 Va. 18° 00' E.
17.00	Hollow, drains E.
29.00	Ridge bears E. & W.
40.00	Set sandstone 15 x 14 x 4, 10 in. deep, in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor.
53.00	Hollow drains N. E.
80.00	Set sandstone 20 x 18 x 5 in. 15 in. deep, in mound of stones marked 5 notches S. & 3 E. for Cor. to Secs. 3. 4. 9 & 10
	Mountainous 80.00 chs.
	Soil 2d rate
	No timber
	East on random line

Subdivision T. 10 N. R. 5 E.

Chains		Chains
	between Secs. 3 & 10	
	Va. 18° 00' E.	40.00
40.00	Set temp. 1/4 Sec. Cor.	57.00
80.00	~~Intersect~~ N. & S. line 20 ch.	80.10
	S. of old Cor. to Secs. 2. 3. 10 & 11	
	from which	
	S. 89° 52' W. on true line between	
	Secs. 3 & 10	
40.00	Set sandstone 12 x 10 x 8 ins. 8	40.10
	ins. deep, in mound of stones,	
	marked 1/4 on N. side for 1/4	
	Section corner	
80.00	The Cor. to Secs. 3. 4. 9 & 10	80.10
	mountains 80.00 chs.	
	Soil 3rd rate	
	No timber	

From the cor. to Secs. 2. 3. 10

North on random line between

Secs. 2 & 3

Salt Lake Meridian

Chains	
	Va. 18° 00' E.
40.00	Set temp. 1/4 Sec. Cor.
57.00	Hollow drains E.
80.10	Intersect N. boundary 34 lks. W. of Cor. to Secs. 2 & 3 from which
	S. 0° 15' W. on true line between Secs. 2 & 3.
40.10	Set Sandstone 11 x 10 x 6 ins. Bris. dup. in Mound of Stones, Marked 1/4 on W. Side for 1/4 Sec. Cor.
80.10	The Cor. to Secs. 2. 3. 10 & 11 Mountainous 80.10 Chs. Soil 2d rate. No timber

From the Cor. to Secs. 3. 4. 9. 10 North between Secs. 3 & 4 Va. 18° 00' E.

Subdivision T. 10 N R. 5 E

Chains		Chains
15.00	Ridge bears E. & W.	9.00
36.00	Hollow, drains easterly	35.00
40.00	Set temp. 1/4 Sec. Cor.	40.00
52.00	Ridge bears N. 75° E.	
80.14	Intersect N. boundary at cor. to Secs. 3 & 4 from which South between Secs. 3 & 4	52.00
40.14	Set Sandstone 16 x 15 x 5 in. 10 in. dep. in Mound of Stones Marked 1/4 on W. side for 1/4 Sec. Cor.	56.00
		75.00
		80.00
80.14	The Cor. to Secs. 3. 4. 9 & 10 Mountainous 80.14 chs. Soil & rock No timber Sept. 29, 1878	

Sept. 30, 1878

From Cor. to Secs. 16. 17. 20 & 21
North between Secs. 16 & 17
Var. 18° 00' E.

Salt Lake Meridian

Chains	
9.00	Hollow drains E.
35.00	Ridge bears E. & W.
40.00	Set sandstone 12x12x9 ins. 8 ins. deep, in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor. in gully drains N. E.
52.00	Open hollow drains E.
56.00	Randolph Creek, 8 lks wide runs N. 80° E.
75.00	Ridge bears E. & W.
80.00	Set sandstone 10x9x6 ins. 8 ins deep in mound of stones, marked 4 notches S. & 4 E. for Cor. to Secs. 8, 9, 16 & 17

Mountainous 80.00 Chs.
Soil 2d rate
No timber on line. Some in center Sec. 16

Subdivision T. 10 N. R. 5 E.

Chains		Chains
	East on random line between Secs. 9 & 16 Va. 18°00' E.	40.00
20.00	Top of ridge bears N. E.	
40.00	Set temp. 1/4 Sec. Cor	
49.00	Hollow drains S. E.	
80.36	Intersect N. & S. line 16	45.00
	N. of Cor. to Secs. 9, 10, 15 & 16	56.00
	from which	62.00
	N. 89°53' W. on true line between Secs. 9 & 16	80.00
40.18	Set boulder stone 13 x 11 x 10	
	9 in. deep, in mound of stone marked 1/4 on N. side for 1/4 Sec. Cor.	
80.36	The Cor. to Secs. 8, 9, 16 & 17	
	Mountainous 80.36 Chs.	
	Soil 2d rate	
	No timber.	

Salt Lake Meridian

Chains	
	North between Secs. 8 & 9
	Va. 18° 00' E.
40.00	Set Sandstone 16 x 14 x 5, 10 in.
	deep, in Mound of Stones,
	Marked 1/4 on W. side for 1/4
	Sec. Cor. on hill side faces N. E.
45.00	Cañon drains N. 85° E.
56.00	Ridge bears N. W.
62.00	Ravine drains S. E.
80.00	Set Sandstone 16 x 12 x 5 in.
	11 in. deep, in Mound of Stones,
	Marked 5 notches S & 4 E. for
	Cor. to Secs. 4. 5. 8 & 9
	Mountainous 80.00 Chs.
	Soil 2d rate
	No timber

East on random line

Subdivision T. 10 N. R. 3 E.

Chains		Chains
	between Secs. 4 & 9	
	Va. 18° 00' E.	40.00
19.00	Hollow drains S. E.	45.00
40.00	Set temp. 1/4 Sec. Cor.	80.22
56.00	Ridge bears S.	
80.02	Intersect N. & S. line at co	
	15 Secs. 3, 4, 9 & 10 from which	
	West on true line between	
	Secs. 4 & 9	40.22
40.01	Set Sandstone 10x10x7 in.	
	7 in. deep, in mound of Stone	
	Marked 4 on N. side for 1/4	
	Sec. Cor.	80.22
80.02	The Cor. to Secs. 4, 5, 8 & 9	
	Mountains 80.02 Chs.	
	Soil 2d rate.	
	No timber	

North on random line
between Secs. 4 & 5

Salt Lake Meridian

Chains	Va. 18°00' E.
40.00	Set temp. 1/4 Sec. Cor.
45.00	Ridge bears E. & W.
80.22	Intersect N. boundary 44 lks. W. of Cor. to Secs. 4 & 5 from which S. 0°19' W. on true line between Secs. 4 & 5
40.22	Set sandstone 15 x 12 x 4 in. 10 in. deep, in mound of stones marked 1/4 on W. side for 1/4 Sec. Corner.
80.22	The Cor. to Secs. 4. 5. 8 & 9 Mountainous 80.22 Ch Soil 2d rate No timber.

From Cor. to Secs. 29 30 31 & 32

319

Subdivision T. 10 N. R 5 E.

Chains		Chains
	West on random line between Secs. 30 & 31	
	Va. 18° 00' E.	
	Along ridge bears E. & W.	5.00
40.00	Set temp. 1/4 Sec. Cor.	30.00
67.10	Intersect W. boundary at Cor. to Secs. 30. 31. 25 & 36 from which	40.00
	East on true line between Secs. 30 & 31	44.00
27.10	Set sandstone 15 x 10 x 11 in. 10 in. deep. in mound of stones marked 1/4 on N. side for 1/4 Sec. Cor.	80.00
67.10	The Cor. to Secs. 29. 30. 31. 3[illegible]	
	Mountainous 67.10 Chs.	
	Soil 2d rate	
	No timber	
	From the cor. to Secs. 29. 30	

Salt Lake Meridian

Trans. 31 & 32

North between Secs. 30 & 29

Va. 18° 00' E.

5.00 Top of ridge bears N. 65° E.

30.00 Hollow, drains N. 70° E.

40.00 Set sandstone 17x12x10 ins. 11 ins. deep, in mound of stones, marked 1/4 on W. side for 1/4 Sec. Cor. on hill slopes S. E.

44.00 Enter aspens.

80.00 Set sandstone 11x10x6 ins. 8 ins. deep, in mound of stones, marked 2 notches S. & 5 E. for Cor. to Secs. 19, 20, 29 & 30 on hill slopes N. in fire-killed pines.

Maintains 80.00 chs.

Soil 2d class.

timber 36.00 chs.

East on random line between

321

Subdivision T. 10 N. R. 5 E.

Chains	
	Secs. 20 & 29
	Va. 18° 00' E.
40.00	Set temp. 1/4 sec. Cor.
62.00	Ravine drains South
74.00	Rocky point of ridge, bears
	S. 10° E.
80.44.	Intersect N. & S. line at
	Cor. to Secs. 20. 21. 28 & 29
	from which
	West on true line between
	Secs. 20 & 29
40.22	Set sandstone 15 x 14 x 8
	10 in. deep, in mound of Sto
	Marked 1/4 on N. Side for
	1/4 sec. Cor.
80.44	The cor. to Secs. 19. 20 29 & 3
	Mountainous 80.44 Chs.
	Soil 2d rate
	No timber.
	Sept. 30. 1878

BOOK-A-166

Salt Lake Meridian

Oct. 1, 1878.

Chains | West on random line
between Secs. 19 & 30
Va. 18° 00' E.
10.00 Leave timber
20.00 Set temp. 1/4 Sec. Cor.
36.00 Enter timber
66.94 Intersect W. boundary 10
lks. N. of Cor. to Secs. 19 & 30
from which
N. 89° 56' E. on true line between Secs. 19 & 30
26.94 Set sandstone 17 x 12 x 10 in.
11 in. deep, in mound of stones
marked 1/4 on N. side for 1/4
Sec. Corner.
66.94 The Cor. to Secs. 19, 20 29 & 30
Mountainous 66.94 chs.
Soil 3rd rate
Timber 20.94 chs.

North between Secs. 19 & 20

Subdivision T. 10 N R. 5 E.

Chains		Chains
	Va. 18° 00' E	
20.00	Ravine drains E.	
40.00	Set sandstone 15 x 10 x 7 in	
	10 in. deep. in mound of stone	
	Marked ¼ on W. side for 1/4	
	Sec. Cor.	
	An aspen 7 in. dia. bears	9.00
	N. 17° W. 90 lks. dist. mark	40.00
	¼ S. B. T.	45.00
	An aspen 6 in. dia. bears	65.00
	S. 14° E. 74 lks. distant,	80.06
	Marked ¼ S B. T. T 10 N R 5	
63.00	Leave timber	
80.00	Set sandstone 12 x 8 x 7 in	
	8 in. deep. in mound of stone	40.03
	Marked 3 notches S. & 5 E. f	
	Cor. to Secs. 17, 18, 19 & 20 on	
	ridge bears N. E.	80.06
	Mountainous 80.00 Chs	
	Soil 3d rate	

Salt Lake Meridian

Chains	
	timber 65 Chains
	East on random line between Secs. 17 & 20 Va. 18° 00' E.
9.00	Birch bears N. W. & S. E.
40.00	Set temp. 1/4 Sec. Cor.
45.00	Birch, bears N. & S.
65.00	Cañon drains N. 65° E.
80.06	Intersect N. & S. line at cor. to Secs. 16, 17, 20 & 21 from which
	West on true line between Secs. 17 & 20
40.03	Set Sandstone 14 x 12 x 6 in. 10 in. deep, in Mound of Stone Marked 1/4 on N. side for 1/4 Sec. Cor.
80.06	The Cor. to Secs. 17, 18, 19 & 20
	Mountainous 80.06 Chs
	Soil 2d rate
	No timber

Subdivision T. 10 N. R. 5 E.

Chains		Chains
	West on random line between Secs. 18 & 19 Va. 18° 00' E.	80.00 25.00
40.00	Set temp. 1/4 sec. Cor.	40.00
47.00	Enter timber	
66.86	Intersect W. boundary at Cor. to Secs. 18 & 19 from which East on true line between Secs. 18 & 19	38.00
26.86	Set sandstone 14 x 12 x 5 in. 9 in. dep. in mound of stones marked 1/4 on N. side for 1/4 Sec Cor.	80.00
66.86	The Cors to Secs. 17, 18, 19 & 20 Mountainous 66.86 Chs. Soil 2d rate Timber 19.86 Chs.	
	North between Secs. 17 & 18 Va. 18° 00' E.	
5.00	Enter timber	

BOOK-A-166

Salt Lake Meridian

Chains	
20.00	Ravine drains N. 75° E.
25.00	Lean timber
40.00	Set post 4 8"x 3"x 3", in mound of earth, & pits each 24"x12"x12", marked ¼ S for 1/4 Sec. Cor. on ridge bears E.
58.00	Bottom of deep cañon, and Randolph Creek 6 lks. wide, runs N. 70° E.
80.00	Set limestone 20x14x6 ins. 15 in. deep, in mound of stones, marked 4 notches S. & 5 E. for cor. to Secs. 7, 8 17 & 18, on ridge slopes N. E.
	Mountainous 80.00 Chs.
	Soil 2d rate
	Timber 20.00 Chs.

East on random line between Secs. 8 & 17
Va. 18° 00' E.

Subdivision T. 10 N. R. 5 E.

Chains	
13.00	Beech bears N. & S.
31.00	do do do
40.00	Set temp. 1/4 sec. Cor
59.00	Beech bears N. W.
80.17	Intersect N. & S. line 44 lks. of Cor. to Secs. 8.9.16 & 17 from which N. 89°41' W. on true line between Secs. 8 & 17
40.08	Set Sandstone 17x12x.0, 11in. deep, in Mound of Stone Marked 1/4 on N. side for 1/4 sec. Cor.
80.17	The Cor. to Secs. 7.8.17 & 18

Mountainous 80.17 chs.
Soil 2° rate
No timber

Oct. 1st 1878

Oct. 2nd 1878

West on random line between Secs. 7 & 18
Va. 18° 00' E.

Chains	
35.00	
40.00	
56.00	
66.74	
26.74	
66.74	
15.00	
30.00	

Salt Lake Meridian

Chain	
35.00	Bench bears N. E.
40.00	Set temp. 1/4 Sec. Cor.
46.00	Enter timber
66.74	Intersect W. boundary 32 lks. N. of Cor. to Secs. 7 & 18 from which N. 89°46' E. on true line between Secs. 7 & 18
26.74	Set sandstone 12 x 10 x 9 in. 8 in. deep, in mound of stones marked 1/4 on N. side for 1/4 Sec. Cor.
66.74	The Cor. to Secs. 7. 8. 17 & 18
	Mountainous 66.74 Chs.
	Soil 2° rate
	Timber 20.74 Chs.
	North between Secs. 7 & 8
	Va. 18°00' E.
5.00	Enter timber
30.00	Leave timber

Subdivision T. 10 N. R. 5 E.

Chains		Chain
40.00	Set sandstone 10x10x8 in. 7 in. d in mound of stone marked ¼ on W. side for 1/4 sec. Cor.	40.03
50.50	Ravine drains S. 80° E.	
80.00	Set sandstone 14x12x11 in. 9 in. deep in mound of stone, marked 5 notches S. & 5 E. for Cor. to Secs. 5. 6. 7 & 8 on high ridge. Mountainous 80.00 chs. Soil 2d rate. Timber 25.00 chs.	80.06
	East on random line between Secs. 5 & 8 Va. 18° 00' E.	40.00
35.00	Hollow drains S. E.	46.60
40.00	Set temp. 1/4 sec. Cor.	66.68
62.00	Top of ridge, bears S. E.	
80.06	Intersect N. & S. line at Cor.	

BOOK-A-166

Salt Lake Meridian

Chain	
	Sec. 4.5.8 & 9 from which West on true line between Secs. 5 & 8
40.03	Set sandstone 20x15x10 in. 15 in. deep, in mound of stones marked 1/4 on N. side for 1/4 sec. cor.
80.06	The cor to Secs. 5.6.7 & 8 Mountainous 80.06 chs. Soil 2° rate. No timber
	West on random line between Secs. 6 & 7 Va. 18° 00' E.
40.00	Set temp. 1/4 sec. cor.
46.60	Enter timber
66.68	Intersect N. boundary of Cor. to Secs. 6 & 7 from which East on true line between Secs. 6 & 7

Subdivision T. 10 N. R. 5 E.

Chains	
26.68	Set Sandstone 15 x 10 x 8 in. 1[illegible] in. deep, in Mound of Stones Marked 1/4 on N. Side for 1/4 sec. C[illegible]
66.68	The Cor. to Secs. 5, 6, 7 & 8 Mountainous 66.68 Chs. Soil 3° rate Timber 20.08 Chs.
	North on random line between Secs. 5 & 6 Va. 18° 00' E.
7.00	Brow of bench, bears easterly
40.00	Set temporary 1/4 sec. Cor
80.18	Intersect W. boundary 38 Ch[illegible] W. of Cor. to Secs. 5 & 6 from which S. 0° 16' W. on true line between Secs. 5 & 6
40.18	Set Sandstone 15 x 12 x 8 in. 10 in. deep, in Mound of Stones

Salt Lake Meridian

Chains	Marked ¼ on W. side for 1/4 Sec. corner.
80.18	The Cor. to Secs. 5.6.7 & 8
	Mountainous 80.18 Chs.
	Soil 2d rate
	No timber
	Oct. 2nd 1878

General Description

This Township is mountainous and broken, being the foot hills sloping from the Main Wahsatch range, to the east. There is but little timber, mostly in small groves, and strips along the sides of the Cañons, except along the West boundary where it is almost continuous.

There is considerable arable land of good quality,

adapted to the hardier crops and hay. The general character of the land is agricultural and is hereby returned as such.

There is plenty of water for stock and considerable for irrigation.

Randolph creek carries considerable water, the current being very rapid. The water is clear and good.

James H. Martineau
Deputy U. S. Surveyor

BOOK-A-166

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Feb 12th 1879.

The foregoing field notes of the survey of the ...

Subdivision Lines

Township No. 10 North, Range No. 5 East

of the Salt Lake Meridian, Utah T.

Executed by James H. Martineau

Under his contract No 80 of the 30th

day of August, 1877, in the month of

~~September~~ and October 1878, having been critically, examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Frdc. Salomon

U. S. Surveyor General for Utah.

BOOK-A-166 335 335

R: 1879. (No 13)

Filed November 16th, 1878.

Examined by C. H. Cranwell, C. C.

Compared by Otto Salomon and Wm. A. Gorlinski,

FIELD NOTES

OF

THE SURVEY OF THE

Subdivision lines

of Township No 9 N., Range No 4 E.

of the Salt Lake Meridian in Utah Territory.

BY

James H. Martineau

U. S. DEPUTY SURVEYOR,

Under his Contract No. 80

dated August 30th 1877.

Survey commenced October 17 1878.

Survey completed October 26 1878.

BOOK-A-166

Township 9 North, **R.** 4, East

220,	219	218	217	215	214
212 6 394	5 379	4 368	3 357	2 346	1
393	392	378	367	356	345
211 7 391	8 377	9 367	10 355	11 344	12
390	390	376	366	354	343
210, 18 389	17 375	16 365	15 352b	14 342	13
388	387	370	364	352a	341
209 19 386	20 373	21 363	22 352	23 340	24
385	385	373	362	351	339
207 30 384	29 371	28 360	27 349	26 338	25
382	381	370	359	348	337
206 31 380	32 369	33 358	34 347	35 336	36

BOOK-A-166

Subdivision T. 9 N. R. 4 E.

Chains	
	Survey commenced Oct. 17, 1878
	From the cor. to Secs. 35 & 36 on
	South boundary, I run
	North between Secs: 35 & 36
	Va. 18° 00' E.
8.00	Open hollow, drains E.
40.00	Set sandstone 13 x 11 x 10", 9 in.
	deep in mound of stones: marked
	¼ on W. side for ¼ Sec. Cor. in
	grove of aspens too small to mark.
43.00	Ridge bears E. & W
70.00	Ridge bears N. 80° E.
80.00	Set sandstone 18 x 17 x 10", 12 in.
	deep, in mound of stones, marked.
	1 notch S & 1 E. for Cor. to Secs. 25
	26, 35 & 36, in scattering aspens,
	None within 30 lks.
	Mountainous 80.00 Chs. Soil 1st rate.
	Timber 80.00 Chs.

Subdivision T. 9 N. R. 4 E.

Chains	
	East on random line between Secs. 25 & 36
	Va. 18° 00' E.
21.00	Ridge bears N. 80° E.
40.00	Set temp. 1/4 Sec. Cor.
62.00	Enter open hollow, drains E.
	Leave timber
80.06	Intersect E. boundary at Cor. Secs. 25 & 36 from which
	West on true line between Secs. 25 and 36
40.03	Set sandstone 14x11x6", 9 in. deep in mound of stones. Mark 1/4 on N. side for 1/4 Sec. Cor. on S. slope of ridge
	An aspen 7" dia. bears N. 17° W. 40 lks. dist. marked 1/4 S. B.T.
	An aspen 10" dia. bears S. 32° E. 130 lks. dist. marked 1/4 S B.T.

Chains
80.06
6.40
40.00
80.00

BOOK-A-166

Salt Lake Meridian

Chains	
80.06	The Cor. to Secs. 25. 26. 35. 36 Soil 1st rate. Mountainous 80.06 Chs. Timber 62.00 Chs.
	North between Secs. 25 & 26 Va. 18° 00' E.
6.40	Indian trail. bears N. 80° E. in hollow.
40.00	Set sandstone 15x12x11" 10 in. deep. in mound of stones. Marked ¼ on W. side for ¼ Sec. Cor.
80.00	Set sandstone 18x14x14" 12 in. deep. in mound of stones, marked 2 notches S. & 1 E. for Cor. to Secs. 23. 24. 25 & 26
	An aspen 8 in. dia. bears N. 31° E. 46 lks. distant. marked T. 9

Subdivision T. 9 N. R. 4 E.

Chains	
	N. R. 4 E. S. 24 B.T.
	An aspen 7 in. dia. bears N. 16°
	210 lks. distant, marked T. 9
	R. 4 E. S. 23. B.T.
	An aspen 4" dia. bears S 3° W. 7
	lks. distant, marked T. 9 N. R. 4
	S. 26 B.T.
	Soil 1st rate. Wild oats & grass
	Mountainous 80.00 chs.
	Timber 80.00 chs.
	East on random line between
	Secs. 24 X 25
	Va. 18° 00' E.
40.00	Set temp. 1/4 Sec. Cor.
42.00	Head of ravine, drains N. E.
	Leave timber.
64.00	Ridge, bears N. E. & S. W.
80.14	Intersect E. boundary 12 lks

BOOK-A

Sub

Chains	
	N
	6
40.07	
	N
	7.
	1
80.14	
27.40	
40.00	

BOOK-A-166

Salt Lake Meridian

Chains	
	N. of Cor. to Secs. 24 & 25. from which N. 89°55' W. on true line between Secs. 24 & 25
40.07	Set Sandstone 15 x 14 x 7" 10 in. deep. in Mound of Stones, Marked 1/4 on N. Side for 1/4 Sec Corner
80.14	The Cor. to Secs. 23. 24. 25 & 26 Soil 1st rate, with wild oats & grass, Mountainous 80.14 Chs. Timber 42.00 Chs.
	North between Secs. 23 & 24 Va. 18°00' E.
27.40	Road to timber. bears E. & W. Leave timber.
40.00	Set limestone 12 x 12 x 10" 8 in. deep. in Mound of Stones marked 1/4 on W. Side for 1/4 Sec. Cor.

Subdivision T. 9 N. R. 4 E.

Chains	
58.00	Top of ridge, bears E. & W.
65.00	Enter timber
80.00	Set limestone 16x12x8" 11 in deep, in mound of stones, mark 3 notches S. & 1 E. for Cor. to Sec. 13, 14, 23 & 24
	An aspen 8" dia. bears N. 85° E. 1 lks. distant, marked T. 9 N. R. 4 E. S. B.T.
	An aspen 12" dia. bears S. 20° E. 25 lks. distant, marked T. 9 N R. 4 S. 24 B.T.
	No other trees within 3 or lks.
	Soil 1st rate. Wild oats & grass.
	Mountainous 80.00 Chs.
	Timbered 42.40 Chs.
	Oct. 17th 1878

East on random line between

Chains	
31.00	
40.00	
80.10	
40.05	
80.10	
80.0	

BOOK-A-166

Salt Lake Meridian

Chains	
	Secs. 13 & 24
	Va. 18° 00' E.
31.00	Leave aspens, Road bears N. & S.
40.00	Set temp. 1/4 Sec. Cor.
80.10	Intersect E. boundary of Cor. to Secs. 13 & 24 from which
	West on true line between
	Secs. 13 & 24
40.05	Set limestone 15 x 14 x 8", 10 ins. deep, in Mound of Stones, Marked 1/4 on N. Side for 1/4 Sec. Cor.
80.10	The Cor. to Secs. 13. 14. 23 & 24
	Soil 1st rate, Wild oats & grass
	Mountainous 80.10 Chs.
	Timber 31.00 Chs.
	North between Secs. 13 & 14
	Va. 18° 00' E.
85.0	Ravine, drains E. Leave timber.

Subdivision T. 9 N. R. 4 E.

Chains	
40.00	Set limestone 12x12x6" 8 in. deep in mound of stones, marked ¼ on side for 1/4 Sec. Cor.
68.80	Ravine, drains S. E., & timber on
80.00	Set sandstone 16x10x7" 11 in. deep in mound of stones. Marked 4 notches S. & 1 E. for Cor. to Secs. 11, 12, 13 & 14. Soil 1st rate, with wild oats and gra[illegible] Mountainous 80.00 Chs. Timber 8.50 Chs.
	East on random line between Secs. 12 & 13 — Va. 18° 00' E.
7.50	Point of ridge, bears S. E.
40.00	Set temp. 1/4 Sec. Cor.
44.00	Enter small grove of aspens
47.00	Leave aspens. A small spr[illegible]

Chains	
66.00	
80.22	
40.11	
80.22	
10.00	
40.00	

BOOK-A-166

Salt Lake Meridian

Chains	
	about 10 chs. N. runs E. & sinks
66.00	Road to timber, bears N. & S.
80.22	Intersect E. boundary 17 lks. S. of Cor. to Secs. 12 & 13. from which S. 89° 53' W. on true line between Secs. 12 & 13.
40.11	Set sandstone 40 x 10 x 6." 30 in. deep, in Mound of Stones, marked ¼ on N. side for 1/4 Sec. Cor.
80.22	The Cor. to Secs. 11, 12, 13 & 14
	Soil 2d crali. good grass
	Mountainous 80.22 Chs.
	Timber 3.00 Chs.

North between Secs. 11 & 12
Va. 18° 00' E.

10.00	Top of ridge, bears N. W.
40.00	Set limestone 16 x 12 x 8." 11 in. deep, in Mound of Stone, marked

Subdivision T. 9 N. R. 4 E. Salt

Chains	¼ on W. side for ¼ sec. Cor.	Chains	de
80.00	Set limestone 14x10x6" 9 in. d		¼
	in mound of stones, marked 5	80.34	
	notches S. & 1 E. for Cor. to Secs.		
	1, 2, 11 & 12 near top of high ridge		
	Soil 2d rate.		
	Mountainous 80.00 Chs.		
	Thin, scattering timber 80.00		
	of small value.		
		35.00	
	East on random line between	40.00	
	Secs. 1 & 12.	80.04	
	Va. 18° 00' E.		
40.00	Set temp. ¼ Sec. Cor.		
80.34	Intersect E. boundary at Cor.		
	Secs. 1 & 12 from which	40.04	
	West on true line between		
	Secs. 1 & 12		
40.17	Set sandstone 15x12x10" 10	80.04	

BOOK-A-166

Salt Lake Meridian

Chains

deep, in mound of Stones, Marked
¼ on N. side for 1/4 Sec. Cor.
80.34 The Cor. to Secs. 1, 2, 11 & 12
Soil 2d rate.
Mountainous 80.34 Chs.
No timber .....

North on random line between
Secs. 1 & 2
Va. 18° 00' E.
35.00 Main ridge between Cache & Rich Counties
40.00 Set temp. 1/4 Sec. Cor.
80.04 Intersect N. boundary 34 lks.
W. of Cor. to Secs. 1 & 2 from which
S. 0° 15' W. on true line between
Secs. 1 & 2
40.04 Set limestone 15 x 12 x 11", 10 in.
deep, in Mound of Stones, Marked
¼ on W. side for 1/4 Sec. Cor.
80.04 The Cor. to Secs. 1, 2, 11 & 12

BOOK-A

Subdivision T. 9 N. R. 4 E.

Chains	
	Soil 3° rate
	Mountainous 80.04 chs.
	No timber, of Commercial valu
	Oct. 18th. 1878.
	From the cor. to Secs. 34 & 35 on S. boundary, I run North between Secs. 34 & 35 Va. 18° 00' E.
13.00	Ridge, bears N. 70° E.
40.00	Set limestone 15 x 14 x 6", 10 in. deep, in mound of stones, mark ¼ on W. side, for 1/4 Sec. Cor.
	No trees within 3 or 4 chs.
51.00	Indian trail, in hollow, dran
80.00	Set sandstone 16 x 12 x 10", 11 in. deep, in mound of stones, marked Notch S. & E. for Cor. to Secs. 26, 27, 34 & 35, on point of mountain

Chains	
	40.00
	74.00

BOOK-A-166

Salt Lake Meridian

Chains in fire-killed pines. with a few green ones.

A red pine 20" dia. bears N. 17° W. 28 lks. distant, marked T. 7 N, R. 4 E. S. 27 B.T.

A red pine 15" dia. bears 26 ℄ lks. N. 38° E. marked T. 7 N R 4 E, S. 26 B.T.

No other trees near.

Soil 2d rate.

Mountainous 80. or Chs.

Timber 80. or Chs. Scattering

East on random line between Secs. 26 & 35

Va. 18° 00' E.

40.00 Set temp. 1/4 Sec. Cor.

74.00 Indian trail, in hollow, drains N. E.

Subdivision T. 9 N. R. 4 E.

Chains	
80.08	Intersect N. & S. line at cor. Secs. 25, 26, 35 & 36 from which West on true line between Secs. 26 & 35
40.04	Set post 48" x 4" x 4" 12 in. d in mound of equity, Marked ¼ S. on N. side, for ¼ sec corner — An aspen 9" dia. bears 27 lks S. 65° 15' W. Marked T. 9 N. R. 4 ¼ S. B.T.
	An aspen 7" dia. bears 10 lks S. 75° E. Marked ¼ S. B.T.
80.08	The Cor. to Secs. 26, 27, 34 & 35 Soil 1st rate, Wild oats & grass Timber 80.08 Chs.
	North between Secs. 26 & 27 Va. 18° 00' E.
6.00	Top of point of mountain, bear

BOOK-A

Chains
40.00
66.00
80.00

BOOK-A-166

552

Salt Lake Meridian

Chains	
40.00	Set limestone 14x10x8", 9 in. deep, in mound of stones marked ¼ on W. side for 1/4 Sec. Cor. An aspen 7" dia. bears N. 70° E. 47 lks, marked ¼ S. B. T. A pine 15" dia. bears 114 lks. N. 14° W. Marked ¼ S. B. T.
61.00	Top of ridge, bears Northerly
80.00	Set limestone 14x10x6", 9 in. deep, in mound of stones, marked 2 notches S. & 2 E. for Cor. to Secs. 22, 23, 26 & 27, on edge of gulch. A red pine 20" dia. bears 25-4 lks. N. 41° W. Marked T. 9 N R 4 E. S. 22 B. T. A red pine 14" dia, bears 177 lks, S. 16° W. Marked T. 9 N. R. 4 E. S. 27 B. T.

Subdivision T. 9 N. R. 4 E.

Chains		Chains
	Soil 2d rate,	
	Mountainous 80.00 chs.	
	Timber 80.00 chs.	80.10
	East on random line between	
	Secs. 23 & 26	
	Va. 18° 00' E.	
1.00	Edge of high limestone bluff, bears	
	N. & S. 100 ft high	
5.00	A. Saw Mill about ~~4~~ ch. N.	4.00
22.00	Road to timber, bears N. & S.	
35.00	Leave pines & enter aspens	
40.00	Set temp. 1/4 Sec. Cor.	27.00
80.10	Intersect N. & S. line 40 lks E.	34.00
	of Cor. to Secs. 23. 24. 25 & 26	40.00
	from which	
	N. 89° 43' W. on true line between	
	Secs. 23 & 26	
40.05	Set Sandstone 14 x 10 x 6," 9 in. d	

BOOK-A-166

Salt Lake Meridian

Chains

in mound of stones, marked ¼ on N. side, for 1/4 Sec. Cor.

80.10 The Cor. to Secs. 22. 23. 26 & 27

Soil 1st rate, with wild oats

Mountainous 80.10 Chs.

Timber 80.10 Chs.

North between Secs. 22 & 23

Va. 18° 00' E.

4.00 Rains drains E. and road to timber. A saw mill about 3.00 Chs. E. in timber

27.00 Ridge bears E. & W.

34.00 Rains, drains E.

40.00 Set limestone 15 x 14 x 6", 10 ins. deep, in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor.

A pine 10" dia. bears 140 lks. N. 70° E. marked ¼ S B. T.

BOOK-

Subdivision T. 9 N. — R 4 E.

Chains		Chains
	A pine 24" dia. bears 216 lks S. 36° W. Marked ¼ S. B. T.	40.00
54.00	Ridge, bears E. & W.	80.14
80.00	Set limestone 18x16x9," 12 in deep, in Mound of Stones, marked 3 notches S. & 2 E. for Cor. to Secs 14. 15. 22 & 23, on east slope of Mt.	40.07
	A pine 30" dia. bears N. 10° E. 147 lks. Marked T. 9 N. R. 4 E. S. 14 B. T.	
	A pine 10" dia. bears N. 42° W. 78 lks Marked T. 9 N. R. 4 E. S. 15. B. T.	
	A pine 25" dia, bears S. 64° E. 94 lks. Marked T. 9 N R 4 E. S. 23	
	Soil 2° rate, good grass	80.14
	Mountainous 80.00 Chs.	
	Timber 80.00 Chs.	

East on random line between Secs. 14 & 23

BOOK-A-166

Salt Lake Meridian

Chains	
	Va. 18° 0' E.
40.00	Set temp. 1/4 Sec. Cor.
80.14	Intersect N. & S. line at Cor. to Secs. 13. 14. 23 & 24 from which West on true line between Secs. 14 & 23 "
40.07	Set Sandstone 12 x 9 x 8", 8 in. deep, in Mound of Stones, Marked 1/4 on N. side for 1/4 Sec. Cor.
	An aspen 7" dia. bears N. 10° E. 70 lks. Mkd. 1/4 S B.T.
	An aspen 9" dia. bears S. 19° W. 72 lks. Marked 1/4 S. B. T.
80.14	The Cor. to Secs. 14, 15, 22 & 23
	Soil 1st rate
	Mountainous 80.14 chs
	Timber 80.14 chs.

North between Secs. 14 & 15

BOOK

Subdivision T. 9 N. R. 4 E.

Chains		Chains
	Va. 18° 00' E.	
40.00	Set limestone 16 x 12 x 10," 11 in. de	
	in mound of stones, marked ¼ on	
	W. side for 1/4 Sec. Cor.	40.00
80.00	Set limestone 20 x 15 x 9," 15 in.	51.00
	deep, in mound of stones, marked	72.00
	4 notches S. & 2 E. for Cor. to	80.48
	10.11.14 & 15 — in hollow drains N.	
	A pine 15 in. dia. bears N. 14° 35	
	93 lks. marked T. 9 N R 4 E. S. 1	
	B. T.	
	A pine 6" dia. bears N. 7° E. 3	40.24
	lks. marked T. 9 N. R. 4 E. S. 11 B. T.	
	An aspen 6" dia. bears S. 3 6	
	64 lks. marked T. 9 N. R. 4 E. S. 15	
	Soil 2d rate	80.48
	Mountainous 80.00 chs.	
	Timber 80.00 chs.	
	Oct. 19th. 1878	

BOOK-A-166

357

Salt Lake Meridian

Chains	
	East on random line between Secs. 11 & 14
	Va. 18°00' E.
40.00	Set temp. 1/4 Sec. Cor.
51.00	Ridge bears N.W. & S.E.
72.00	Hollow drains S.E. heavy timber.
80.48	Intersect N. & S. line 38 lks. S. of Cor. to Secs. 11, 12, 13, & 14
	from which
	S. 89°44' W. on true line between 11 & 14
40.24	Set limestone 9x8x8" 6 in. deep in mound of stones. Marked 1/4 on N. side for 1/4 Sec. Cor.
	No trees within 300 lks.
80.48	The Cor. to Secs. 10, 11, 14 & 15
	Soil 3° rate
	Mountainous 80.48 chs
	Timber 72.00 chs

BOOK-A

Subdivision T. 9 N R. 4 E.

Chains		Chains
	North between Secs. 10 & 11	
	Va. 18° 00' E.	
30.00	Top of dividing ridge between	
	Cache & Rich Counties, bears	
40.00	Set sandstone 15 x 12 x 10" 10	
	deep, in mound of stones,	
	Marked 1/4 on W. side for 1/4 Sec	
80.00	Set limestone 12 x 12 x 8", 8 in	
	deep, in mound of stones,	
	Marked 5 notches S. & E. for	19.50
	Cor. to Secs. 2. 3. 10 & 11	
	An aspen 6" dia. bears N. 34° 3	35.50
	W. 170 lks. Marked T. 9 N R. 4 E	40.00
	S! 3 B.T.	74.00
	A pine 15" dia. bears N. 13° 36	82.12
	67 lks. Marked T. 9 N. R. 4 E. S. 2 B	
	A pine 20" dia. bears S. 17° E. 36 lks	
	Marked T. 9 N. R. 4 E. S. 11 B.T.	
	A pine 7" dia. bears S. 38° 10' W.	40.06

BOOK-A-166

Salt Lake Meridian

Chains	
	63 lks. marked T. 9 N. R. 4 E. S. 10 B. T.
	Soil 2° rate,
	Mountainous 80.00 chs.
	Timber 80.00 chs.
	East on random line between Secs. 2 & 11
	Va. 18° 00' E.
19.50	Bottom of open hollow, drains N. 10° E.
35.50	Top of ridge, bears N. E.
40.00	Set temp. 1/4 Sec. Cor.
74.00	Ridge, bears North. Leave timber
80.12	Intersect N. & S. line 32 lks. N. of Cor. to Secs. 1, 2, 11 & 12 from which N. 89° 46' W. on true line between Secs. 2 & 11
40.06	Set limestone 18 x 10 x 5", 12 in

Subdivision T. 9 N. R. 4 E.

Chains		Chains
	deep, in mound of stones, marked ¼ on N. side for 1/4 Sec.	40.32
	in fire killed timber.	
80.12	The Cor. to Secs. 2, 3, 10 & 11	
	Sol 2d rate.	
	Mountainous 80.12 chs.	80.32
	Timbered 74.00 chs.	
	North on random line between Secs. 2 & 3.	
	Va. 18° 00' E.	
29.50	Creek, drains N.W. Leave timb	
40.00	Set temp. 1/4 Sec. Cor.	
44.00	Bottom of ravine, drains S. W	
71.00	Ridge, bears W. W	29.00
80.32	Intersect N. Boundary 16 ch	36.00
	W. of Cor. to Secs. 2 & 3. from wh	40.00
	S. 0° 7' W. on true line between	
	Secs. 2 & 3	

BOOK-A-166

Salt Lake Meridian

Chains

40.32 Set Sandstone 18x9x7" 12 ins. deep, in Mound of Stones, Marked ¼ on W. Side for 1/4 Sec. Cor. in fire killed pines.

80.32 The Cor. to Secs. 2. 3. 10 & 11
Soil 2d rate,
Mountainous 80.32 Chs.
Timber 29.50 Chs.
Oct. 21st. 1878

From the cor. to Secs. 33 & 34 on North Boundary North between Secs. 33 & 34
Va. 18°00' E.

29.00 Hollow draining S. E.
36.00 Divide between Cache & Rich counties.
40.00 Marked an aspen 8" dia. ¼ S. on W. Side for 1/4 Sec. Cor.
An aspen 14" dia. bears 14 Chs. S. 10° W. Marked ¼ S. B. T.
An aspen 8" dia. bears N. 9° W.

Subdivision T. 9 N R. 4 E.

Chains		Chains
	15 chs. distant, marked 4 S. B.T.	
60.00	Road to Saw Mill, bears N. E.	
72.30	road to Saw Mill, bears E.	
80.00	Set Sandstone 18 x 14 x 8." 12 in. deep, in Mound of Stones, marked 1 notch S. & 3 E. for cor. to Secs. 27. 28. 33. 34, in Small open Glade, surrounded by pines, Mountainous 80.00 chs. Soil 1st rate Timber 80.00 Chains.	40.21
		80.42
	East on random line between Secs. 27 x 34 Va. 18° 00' E.	
7.60	Road to timber, bears N. 15° E.	
40.00	Set temp. 1/4 Sec. Cor.	
53.00	Dividing ridge between Cache and Rich Counties, bears N.	40.00
80.42	Intersect N. & S. line at cor. to	

BOOK-A-166

360

Salt Lake Meridian

Chains	
	Secs. 26.27.34 & 35 from which West on true line between Secs. 27 & 34
40.21	Set limestone 14x12x6." 9 in. deep, in mound of Stones. Marked 1/4 on N. Side for 1/4 Sec. Cor.
	A pine 30" dia. bears N. 17° E. 42 lks. distant. Marked 1/4 S B. T. No other tree within 300 lks.
80.42	The Cor. to Secs. 27.28.33.34 Mountainous 80.42 Chs. Soil 1st rate. Trace of iron Timber 80.42 Chs.
	North between Secs. 27 & 28 Va. 18° 00' E.
40.00	Set Sandstone 10x9x8." 7 in. deep, in Mound of Stones. Mkd. 1/4 on W. Side for 1/4 Sec. Cor.

301

Subdivision T. 9 N. R. 4 E.

Chains	
	An aspen 10" dia. bears S. 85° E. 10 lks. distant, marked ¼ S B.T.
	An aspen 15 in. dia. bears N. 80° 60 lks. distant, marked ¼ S. B.
45.00	Ridge bears N. W.
73.00	Hollow drains N. W. Indian tra
80.00	Set sandstone 14 x 12 x 9." 9 in. deep, in mound of stones, marke 2 notches S. & 3 E. for cor. to 21, 22, 27 & 28
	A red pine 48 in. dia. bears S. 75° W. 130 lks. distant, marke T. 9 N. R. 4 E. S. 28 B. T.
	An aspen 7" dia. bears N. 34° E 79 lks. distant, marked T. 9 N. R. 4 E. S. 22. B. T.
	An aspen 6" dia. bears S. 83° E 73 lks. distant, marked T. 9 N. R. 4 E. S. 27. B. T.
	Mountains 80.00 Ch.

Chains
22.00
25.15
40.00
48.00
52.00
61.00
79.94

BOOK-A-166

Salt Lake Meridian

Chains	
	Soil 2° rate
	Timber 8v. or Chains.
	East on random line between Secs. 22 & 27 Va. 18° 0' E.
22.00	Top of Mountain, bears N.W. Summit between Cache and Rich Counties,
25.15	Road to Saw Mill, bears N & S.
40.00	Set temp. 1/4 Sec. Cor.
48.00	Road bears S. 85° E. then bends to N. E.
52.00	Road bears N. E., and forks just to the right
61.00	An old Saw Mill about 8. or Ch. N.
79.94	Intersect N. & S. line at Cor. to Secs. 22, 23, 26 & 27 from which

Subdivision T. 9 N R. 4 E.

Chains	
	West on true line between Secs. 22 & 27
39.97	Set sandstone 15x12x9." 10 in. deep, in mound of stone marked ¼ on N. side for ¼ Sec. Cor. near road.
79.94	The Cor. to Secs. 21, 22, 27 & 28 Mountainous 79.94 Chs. Soil 1st rate. Timber 79.94 Chs.
	North between Secs. 21 & 22 Va. 180 00' E.
29.00	Top of main divide, bears N.W. Leave timber.
40.00	Set post 48x4x4." 12 in. deep in mound of earth, marked ¼ S. on N. side for ¼ sec corner
65.00	Descend mountain to North
80.00	Set limestone 17x15x12 in. 11 lb.

Chains	
9.00	
40.00	
62.00	
80.18	
40.00	

Salt Lake Meridian

Chains | deep, in Mound of Stone, marked
3 Notches S. and 3 E. for Cor. to
Secs. 15, 16, 21 & 22
Mountainous 80.00 Chs.
Soil 2d rate. Rock with copper stain.
Timber 29.00 Chs.

East on random line between
Secs. 15 & 22
Va. 18° 00' E.
9.00 Enter timber
40.00 Set temp. 1/4 Sec. Cor.
62.00 Top of Main Divide, bears
N. & S. Enter timber.
80.18 Intersect N. & S. line 38 lks. N.
of Cor. to Secs. 14, 15, 22 & 23
from which
N. 89° 44' W. on true line
between Secs. 15 & 22
40.09 Set Sandstone 12 x 10 x 8" 8 ins.
deep, in Mound of Stone, marked

Subdivision T. 9 N. R. 4 E.

Chains		Chains
80.18	¼ on N. side for 1/4 Sec. Cor.	
	The Cor. to Secs. 15.16.21 & 22	
	Mountainous 80.18 Chs.	
	Soil 2d rate	7.00
	Timber 71.18 Chs.	34.00
		40.00
		63.00
	North between Secs. 15 & 16	
	Va. 18° 00' E.	80.32
40.00	Set sandstone 14x12x9." 9 in.	
	deep, in mound of stones,	
	marked ¼ on W. side for 1/4	
	Sec. Cor.	40.16
80.00	Set sandstone 17x10x7." 11 in.	
	deep, in mound of stones marked	
	4 notches S. and 3 E. for Cor. to	80.32
	Secs. 9.10, 15 & 16.	
	Mountainous 80.00 Chs.	
	Soil 2d rate	
	No timber	

BOOK-A-166

Salt Lake Meridian

Chains	East on random line between Secs. 10 & 15 Va. 18° 00' E.
7.00	Enter pine timber
34.00	Leave timber
40.00	Set temp. 1/4 Sec. Cor.
63.00	Point of mountain bears N. & S. Enter timber
80.32	Intersect N. & S. line 10 lks. S. of Cor. to Secs. 10, 11, 14 & 15 from which S. 89° 56' W. on true line between Secs. 10 & 15
40.16	Set sandstone 17 x 10 x 6", 11 in. deep, in mound of stones, marked 1/4 on N. side for 1/4 Sec. Cor.
80.32	The Cor. to Secs. 9, 10, 15 & 16
	Mountainous 80.32 Chs
	Soil 2d rate.
	Timber 44.32 Chs.

BOOK-A

Subdivision T. 9 N. R. 4 E.

Chains		Chains
	North between Secs. 9 & 10 Va. 18° 00' E.	63.00 80.40
34.00	Hollow drains N. W.	
40.00	Set sandstone 14x12x10" 9 in. deep, in mound of stones, marked 4 on W. side for 1/4 Sec. Cor.	40.20
80.00	Set sandstone 17x14x10" 12 in. deep, in mound of stones, marked 5 notches S. & 3 E. for cor. to Secs. 3. 4. 9 & 10 on side of mountain	80.40
	Slopes S. W.	
	Mountainous 80.00 Ch.	
	Soil 3° rate, with copper stain	
	No timber Oct. 22. 1878.	
	East on random line between Secs. 3 & 10 Va. 18° 00' E.	40.00 80.16
40.00	Set temp. 1/4 Sec. Cor.	
59.00	Ridge of mountains, bears N. W.	

Salt Lake Meridian

Chains	
62.00	Enter Timber —
80.40	Intersect N. & S. line at cor. to Secs. 2, 3, 10 & 11, from which West on true line between Secs. 3 & 10
40.20	Set sandstone 10 x 10 x 8", 7 in. deep, in mound of stone, marked ¼ on N. Side for 1/4 Sec. Cor.
80.40	The cor. to Secs. 3, 4, 9 & 10 Mountainous 80.40 Ch. Soil 3d rate Timber on 18.40 chains —
	on random line North between Secs. 3 & 4 Va. 18° 00' E.
40.00	Set temp. 1/4 Sec. Cor.
80.16	Intersect N. boundary 17 lks. W. of Cor. to Secs. 3 & 4, from which S. 0° 7' W. on true line between Secs. 3 & 4

BOOK

Subdivision T. 9 N. R. 4 E.

Chains		Chains
40.16	Set Sandstone 14x12x6", 9 in. deep, in Mound of Stones, marked ¼ on W. side for 1/4 Sec. Cor. on Mountain bears N. W.	44.00 69.00 76.00 80.00
80.16	The Cor. to Secs. 3. 4. 9 & 10 Mountainous 80.16 Chs. Soil 3rd rate. No timber.	

From the cor. to Secs. 32 & 33 on South boundary, I run North between Secs. 32 & 33 Va. 18° 00' E.

18.00	Road from Ogden to timber bears E.	
30.00	Ridge bears N. E.	27.00
40.00	Set Sandstone 16x12x7", 10 in. deep, in Mound of Stones, marked ¼ on W. side for 1/4 Sec. cor.	40.00 45.00 65.00

BOOK-A-166

Salt Lake Meridian

Chains	
44.00	Enter pine timber
69.00	Cañon, drains N.E. Leave pines
76.00	Fork of Cañon, drains N. 80° W.
80.00	Set sandstone 16x12x10", 10 ins. deep, in mound of stone, marked 1 Notch S. & 4 E. for Cor. to Secs. 28, 29, 32 & 33, on point of hill bears E. & W.
	Mountainous 80.00 Chs.
	Soil 2° rate
	Timber 25.00 Chs.

Easton random line between Secs. 28 & 33 Va. 18° 00' E.

27.00	Top of hill
40.00	Set temp. 1/4 Sec. Cor.
45.00	Enter timber
65.00	Ridge, bears N. & S. Leave timber.

Subdivision T. 9 N. R. 4 E.

Chains		Chains
80.08	Intersect ~~N.~~ & S. line 42 lks. N. of Cor. to Secs. 27, 28, 33 & 34 from which N. 89° 42' W. on true line between Secs. 28 & 33	40.00
40.04	Set limestone 14x10x6" 9 in. deep, in mound of stone, marked 1/4 on N. side for 1/4 Sec. Cor. on point in forks of Cañon, drains S. W.	44.15 50.00 61.20
80.08	The Cor. to Secs. 28, 29, 32 & 33. Timber 20.00 Ch. Mountainous 80.08 Chs.	80.00
	North between Secs. 28 & 29 Va. 18° 00' E.	
5.00.	Wash draws NW.	
6.67	Top of steep ledge, marked	

BOOK-A-166

Salt Lake Meridian

Chains	limestone in place, a cross (+) on line
40.00	Top of high ridge, bears E. & W. Set limestone 18x12x4" 12 in. deep, in mound of stone, marked 1/4 on W. side for 1/4 Sec. Cor.
44.15	Built high mound of stone on line
50.00	Enter pine
61.20	Bottom of Cañon, drains N.W. Indian trail bears N.W. Leave pine.
80.00	Set limestone 25x20x4" 18 in. deep, in mound of stone, marked 2 notches S. & 4 E. for Cor. to Secs. 20, 21, 28 & 29 on point of high ridge, bears E. & W.

Mountainous 80.00 Chs.

Soil 3d rate

Timber 11.20 Chs.

Subdivision 9 N. R. 4 E.

Chains		Chains
	East on random line between Secs. 21 & 28 Va. 18° 00' E.	Prov
40.00	Set temp. 1/4 Sec. Cor.	21.00 40.00
50.00	Ridge bears N. W.	
74.00	Indian trail in Cañon drains N.	
80.00	Intersect N. & S. line 30 chs. N. of Cor. to Secs. 21, 22, 27 & 28 from which N. 89° 47' W. on true line between Secs. 21 & 28	52.00 80.00
40.00	Set limestone 14 x 12 x 8", 9 in. deep, in mound of stone, marked 1/4 on N. side for 1/4 Sec. Cor.	
80.00	The cor. to Secs. 20, 21, 28 & 29 Mountainous 80.00 chs. Soil 3° rate No timber. Oct. 23 1878	

North between Secs. 20 & 21
Va. 18° 00' E.

BOOK-A-166

Salt Lake Meridian

374

Chains	
9.00	Small ravine, drains W.
	Enter aspens.
21.00	Leave aspens
40.00	Set sandstone 15 x 10 x 8," 10 in. deep, in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor.
52.00	Ridge of mountain, bears N. 80° W.
80.00	Set sandstone 14 x 12 x 11," 9 in. deep, in mound of stones, marked 3 notches S. and 4 E. for cor. to Secs. 16, 17, 20 & 21 on side of mountain, slopes N.
	Mountainous 80.00 Chs.
	Soil 2° rate
	Timber 12.00 Chs.

East on random line between Secs. 16 & 21

Va. 18° 00' E.

Subdivision T. 9 N – R. 4 E.

Chain		Chains
11.00	Ravine drains N.W.	40.00
40.00	Set temp. 1/4 Sec. Cor.	
60.00	Range bearing N.W.	
80.04	Intersect N. & S. line at cor.	
	to Secs. 15, 16, 21 & 22 from which	61.00
	West on true line between	80.00
	Secs. 16 & 21	
40.02	Set limestone 12x10x6" 8 in.	
	deep, in mound of stone, marked	
	1/4 on N. side for 1/4 Sec. Cor. on	
	side of mountain slopes W.	
80.04	The Cor. to Secs. 16, 17, 20 & 21	
	Mountainous 80.04 Chains	
	Soil 3d rate	
	No timber	

North between Secs. 16 & 17

Va. 18° 00' E.

12.00	Ravine drains N.W.	40.00
		80.06

BOOK-A-166

Salt Lake Meridian

Chains	
40.00	Set limestone 10x9x6" 8in. deep, in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor.
61.00	Ridge, bears N. W.
80.00	Set sandstone 12x11x10" 8in. deep, in mound of stones, marked 4 notches S. & 4 E. for cor. to Secs. 8, 9, 16 & 17 on mountain slope N. E.
	Mountainous 80.00 chs
	Soil 3rd rate, with trace of iron
	No timber

East on random line between Secs. 9 & 16

Va. 18° 00' E.

40.00	Set temp. 1/4 Sec. Cor.
80.06	Intersect N. & S. line at cor. to

Subdivision T. 9 N – R. 4 E.

Chains	
	Secs. 9, 10, 15 & 16, from which West on true line between Secs. 9 & 16
40.03	Set Sandstone 19 x 16 x 12", 12 in. deep, in mound of stone marked ¼ on N. side for 1/4 Sec. Cor.
80.06	The Cor. to Secs. 8, 9, 16 & 17 Mountainous 80.06 Chs. Soil 3rd rate
X	No timber

Chains	
40.00	
80.24	

North between Secs. 8 & 9
Va. 18° 00' E.

11.00	Enter timber
40.00	Set Sandstone 14 x 13 x 10", 9 in. deep, in mound of stone, marked ¼ on W. side for 1/4 Sec. Cor.
61.00	Leave timber
80.00	Set limestone 14 x 14 x 10", 9 in. deep, in mound of stone, marked

Chains	
40.12	
80.24	

BOOK-A-166

Salt Lake Meridian

Chains	5 notches S. & 4 E. for Cor. to Secs. 4. 5. 8 & 9 on mountain slopes N. E.
	Mountainous 80.00 Chs.
	Soil 2d rate
	timber, 50.00 Chains
	East on random line between Secs. 4 & 9
	Va. 18° 00' E.
40.00	Set temp. 1/4 Sec. Cor.
80.24	Intersect N. & S. line 19 chs. N. of Cor. to Secs. 3. 4. 9 & 10 from which
	N. 89° 32' W on true line between Secs. 4 & 9
40.12	Set sandstone 13 x 12 x 10" 8 in. deep, in mound of stones, marked 1/4 on N. side for 1/4 Sec. Cor. in hollow drains N. W.
80.24	The Cor. to Secs. 4. 5. 8 & 9

Subdivision T. 8 N. R. 4 E.

Chains	
	Mountainous 80.24 Chs.
	Soil 2° rate, with trace of iron
	No timber
	North on random line between
	Secs. 4 & 5
	Va. 18° 00' E.
7.00	Enter pine timber
37.00	Leave " "
40.00	Set temp. 1/4 Sec. Cor.
56.00	Cañon drains N. W. Enter timber
71.00	Leave timber
80.20	Intersect N. Boundary of Comm.
	to Secs. 4 & 5 from which
	South on true line between
	Secs. 4 & 5
40.20	Set Sandstone 19 x 10 x 7", 12 in.
	deep, in Mound of Stone, marked
	1/4 on W. Side for 1/4 Sec. Cor.

BOOK

Chains	
80.20	
40.00	
60.00	
69.00	
80.00	

BOOK-A-166 380

Salt Lake Meridian

Chains

80.20 The Cor. to Secs. 4, 5, 8 & 9
Mountainous 80.20 Chs.
Soil 3rd rate
Timber 45.00 Chs.
Oct. 24th 1878

From Cor. to Secs. 31 & 32 on
South Boundary
North between Secs. 31 & 32
Va. 18° 00' E.

40.00 Set limestone 14x10x12", 9 ins.
deep. in mound of Stone, marked
1/4 on W. side for 1/4 Sec. Cor.

60.00 Enter timber

69.00 Bottom of Gulch, drains N. 80° W.
and a spring branch 2 links wide, runs N.W.
Leave timber

80.00 Set limestone 14x10x6", 9 ins. deep
in mound of Stone, marked 1 notches.

BOOK

Subdivision T. 9 N. R. 4 E.

Chains	and 5 E. for cor. to Secs. 29; 30 31 & 32		Chains 80.10
	Mountainous 80.00 Chs. Soil 3rd rate, with signs of iron Timber 9.00 Chs.		
	East on random line between Secs. 29 & 32 Va. 18° 00' E.		
4.00	Enter pines & aspens	13.00	
40.00	Set temp. 1/4 Sec. Cor.		
44.00	Leave timber. Bottom of hollow	70.00	
	drains S.W.	57.00	
80.00	Intersect N. & S. line at cor. to Secs. 28. 29. 32 & 33 from which West on true line between Secs. 29 & 32.		80.12
40.05	Set limestone 10x10x8'. 7 in. deep in mound of stone, marked 1/4 on N.		40.12

BOOK-A-166

382

Salt Lake Meridian

0 Chains	Side for 1/4 Sec. Cor.
80.10	The Cor. to Secs. 29, 30, 31 & 32
	Mountainous 80.10 Chs.
	Soil 2d rate
	Timber 70.00 Chs.
	West on random line between
	Secs. 30 & 31
	Va. 18° 00' E.
13.00	Hollow, drains N.W. with brook
	2 Lks. wide
Cor. 40.00	Set temp. 1/4 Sec. Cor
57.00	Ridge bears N.W.
80.12	Intersect W. boundary at cor. to
	Secs. 30, 31, 25 & 36 from which
	East on true line between
	Secs. 30 & 31
0.12	Set sandstone 10x10x8" 7 in. deep,
	in mound of stones, marked 1/4 on N.

383-384

Subdivision T. 9 N. R. 4 E.

Chains	
	Side for 1/4 Sec. Cor.
80.12	The Cor. to Secs. 29, 30, 31 & 32
	Mountainous 80.12 Chs.
	Soil 3d rate
	No timber.
	North between Secs. 29 & 30
	Va. 18° 00' E.
16.00	Ridge, bears W. Enter timber.
38.00	Hollow drains W.
40.00	Set limestone 14 x 11 x 8." 9 in. deep, in mound of stones, marked 1/4 on W. side for 1/4 Sec. Cor.
71.00	Ridge bears N. 80° W. leave timber
80.00	Set limestone 12 x 10 x 8." 8 in. deep in mound of stones, marked 2 notches S. & 5 E. for Cor. to Secs. 19, 20, 29, 30
	Mountainous 80.00 Chs. Soil 3d rate
	Timber 55.00 Chs.

to here

BOOK-A-

Sa

Chains	
40.00	
49.00	
68.00	
80.30	
40.15	
80.30	

Blank

Page

Salt Lake Meridian leave

Chains	
	East on random line between Secs. 20 & 29
	Va. 18°00' E.
40.00	Set ~~temp.~~ 1/4 Sec. Cor.
49.00	Enter timber in hollow drains W.
68.00	Leave timber
80.30	Intersect N. & S. line at cor. to Secs. 20, 21, 28 & 29 from which
	West on true line between Secs. 20 & 29
40.15	Set limestone 15 x 12 x 11," 10 in. deep, in mound of stones, marked 1/4 on N. side for 1/4 Sec. Cor.
80.30	The Cor. to Secs. 19, 20, 29 & 30
	Mountainous 80.30 Chs.
	Soil 2d rate, with trace of iron
	Timber 19.00 Chs.

begin

West on random line between Secs. 19 & 30

BOOK-A

Subdivision T. 9 N. R. 4 E.

Chains		Chains
	Va. 18° 0' E.	
40.00	Set temp. 1/4 Sec. Cor	34.00
59.60	Hay's fork of Blacksmith Fork	40.00
	river, 12 lks. wide, runs N. W.	
61.50	Road up Cañon, bears N. 30° W.	
80.20	Intersect W. boundary 24 lks. S. of Cor. to Secs. 19, 30, 24 & 25 from which	61.00
	S. 89° 50' E. on true line between	80.00
	Secs. 19 & 30	
40.20	Set limestone 16x12x10", 10 in. deep	
	in mound of stones, marked 1/4 on	
	N. side for 1/4 Sec. Cor.	
80.20	The cor. to Secs. 19, 20, 29 & 30	
	Mountainous 80.20 Chs.	
	Soil 3rd rate.	
	No timber	
		40.00
	North between Secs. 19 & 20	59.98
	Va. 18° 0' E.	
17.00	Hollow, drains N. W.	

BOOK-A-166

Salt Lake Meridian

Chains	
34.00	Steep ascent of mountain, bears E. & W.
40.00	Set sandstone 16 x 12 x 11," 11 in. dep. in mound of stones, marked ¼ on W. side for 1/4 Sec. Cor.
	Mountain ridge bears E. & W.
S. 61.00	Set limestone 15 x 14 x 6," 10 in. dep. in mound of stones, marked 3 notches S. and 5 East, for Cor. to Secs. 17, 18, 19 & 20, on N. slope of mountain.
W. 00	Mountainous 80.00 Ch. Soil 2d rate. No timber

East on random line between Secs. 17 & 20 Va. 18° 00' E.

40.00	Set temp. 1/4 Sec. Cor.
69.98	Intersected N. & S. line at Cor. to Secs. 16, 17, 20 & 21 from which Western true line between Secs. 17 & 20

BOOK-A

Subdivision T. 9 N. R. 4 E.

Chains		Chains
39.99	Set limestone 18x14x10." 12 in. deep	0.16
	in Mound of Stones, marked ¼ on	
	N. side for ¼ Sec. Cor.	
79.98	The Cor. to Secs. 17, 18, 19 & 20	
	Mountainous 79.98 Chains	
	Soil 2d rate, with trace of iron	
	No timber Oct. 25. 1878	20.00
		40.00
	West on random line between	
	Secs. 18 & 19	
	Va. 18° 00' E.	20.00
19.00	Enter timber	
40.00	Set temp. ¼ Sec. Cor.	
69.00	Top of ridge, bears N. 10° W.	timber Leaning
80.16	Intersect W. boundary 29 lks. N.	
	of Cor. to Secs. 18, 19, 13 & 24 from which	
	N. 89° 48' E. between Secs. 18 & 19	
40.16	Set limestone 12x10x10." 8 in. deep	
	in Mound of Stones. Marked ¼ on	

BOOK-A-166

Salt Lake Meridian

Chains	Side for 1/4 Sec. Cor.
80.16	The Cor. to Secs. 17. 18. 19 & 20
	Mountainous 80.16 Chs. Soil 2d rate
	Timber. 50. Chains —
	North between Secs. 17 & 18
	Va. 18° 00' E.
40.00	Hollow drains W.
40.00	Set limestone 12 x 12 x 9." 8 in. deep. in Mound of Stones, Marked 1/4 on W.
	Side for 1/4 Sec. Cor.
80.00	Set sandstone 17 x 16 x 9." 11 in. deep. in Mound of Stones, Marked 4 notches S. & 5 E. for Cor. to Secs. 7. 8. 17 & 18 on Mountain slopes W.
	Mountainous 80.00 Chs.
	Soil 3d rate
	No timber

BOOK-A

Subdivision T. 9 N. R. 4 E.

Chains		Chains
	East on random line between	
	Secs. 8 & 17	4.00
	Va. 18° 00' E.	1.00
40.00	Set temp. 1/4 Sec. Cor.	2.00
63.00	Mountain, bears N. 10° W	2.20
80.38	Intersect N. & S. line 32 lks. N. of Cor. to Secs. 8, 9, 16 & 17, from which N. 89° 46' W. on true line between Secs. 8 & 17	2.20
40.19	Set limestone 12 x 12 x 10," 8 in. deep, in mound of stones, marked 1/4 on N. side for 1/4 Sec. Cor.	.20
80.38	The Cor. to Secs. 7, 8, 17 & 18	
	Mountainous 80.38 Chs.	
	Soil 2nd rate. Indications of copper	
	No timber	
	West on random line between Secs. 7 & 18	4.00

BOOK-A-166

Salt Lake Meridian

ains Va. 18° 00' E.

.00 Hollow drains N. Enter timber.

.00 Set temp. 1/4 sec. Cor.

.00 Ridge bears N. & S. Leave timber.

.20 Intersect W. boundary 30 lks. N. of

of Cor. to Secs. 7, 18, 12 & 13 from which

N. 89° 47' E. on true line between

Secs. 7 & 18

.20 Set limestone 15 x 10 x 9", 10 in. deep,

in Mound of Stone, marked 1/4 on N.

side for 1/4 sec. Cor

.20 The Cor. to Secs. 7, 8, 17 & 18

Mountainous 80.20 Chs.

Soil 3° rate

Timber 48.00 Chs.

North between Secs. 7 & 8

Va. 18° 00' E.

.00 Set sandstone 19 x 18 x 12", 12 in. deep.

BOOK-A

Subdivision T. 9 N. R. 4 E.

Chains		Chains
	in mound of stones, marked ¼ on W. side for ¼ Sec. Cor.	40.07
80.00	Set Sandstone 15 x 14 x 7", 10 in. deep, in mound of stones, marked 5 notches S. and 5 E. for Cor. to Secs. 5.6.7.8 on mountain slope	80.14
	Mountainous 80.00 Chs.	
	Soil 2d rate, with trace of copper	
	No timber	
	East on random line between Secs. 5 & 8 Va. 18° 00' E.	0.00
40.00	Set temp. ¼ Sec. Cor.	0.20
43.00	Ridge bears N. Enter timber	0.04
63.00	Leave timber	
80.14	Intersect N. & S. line at cor. to Secs. 4.5.8 & 9 from which	
	West on true line between	0.04

BOOK-A-166

Salt Lake Meridian

drains	Secs. 5 & 8
20.07	Set sandstone 10 x 10 x 9" 7 in. deep.
	in mound of stones, marked ¼ on N.
	side for 1/4 Sec. Cor.
20.14	The Cor to Secs. 5. 6. 7 & 8
	Mountainous 80.14 Chs.
	Soil 2d rate
	Timber 20.00 Chs.
	West on random line between
	Secs. 6 & 7
	Va. 18° 00' E.
0.00	Set temp. 1/4 Sec. Cor.
0.20	Hollow drains N. W.
0.04	Intersect W. boundary at cor. to
	Secs. 6. 7. 1 & 12 from which
	East on true line between
	Secs. 6 & 7
0.04	Set sandstone 16 x 14 x 12" 10 in.

Subdivision T. 9 N. R. 4 E.

Chains	
	deep. in mound of stones, marked ¼ on N. side for 1/4 sec. Cor. on S.W. slope of mountain.
80.04	The Cor. to Secs. 5. 6. 7 & 8
	Mountainous 80.04 Chs.
	Soil 3° rate
	No timber
	North on random line between Secs. 5 & 6
	Va. 18° 00' E
40.00	Set temp. 1/4 sec. Cor.
72.00	Steep descent towards Black-smith Fork river
80.12	Intersect N. boundary 38 lks of Cor. to Secs. 5 & 6 from which S. 0° 16' E. on true line between Secs. 5 & 6
40.12	Set sandstone 14 x 12 x 8" 9

Salt

Chains	
	dee
	¼ o
80.12	The
	Mo
	So
	N
	E
	Th
	mo
	ra
	T
	ma
	pe
	fu
	in
	N.

BOOK-A-166

Salt Lake Meridian

...ains	deep, in mound of stones, marked
	1/4 on W. side for 1/4 sec. Cor.
...0.12	The cor. to secs. 5.6.7 & 8
	Mountainous 80.12 Chs.
	Soil 3° rate
	No timber
	October 26th 1878

General Description.

This Township is high and mountainous, the Wahsatch range crossing it northeasterly.

There is considerable timber, but many square miles of excellent pine have been burned within a few years past.

Blacksmith Fork river heads in this Township and the Tp. 10 N., and affords considerable

Water.

Traces of Iron, copper and other minerals are found all over the township, and I therefore return the whole as mineral land.

James H. Martineau
U. S. Dep. Surveyor

BOOK-A-166

297

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Feb'y 24 1879,

The foregoing field notes of the survey of Subdivision Lines, of Township No. 9 North, Range No. 4 East of the Salt Lake Meridian, Utah, Executed by James H. Martineau Under his contract No. 80 of the 30th day of August 1877, in the month of October 1878, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Fred. Salsbury

Surveyor General for Utah.