185 BOOK-A-185 1

EPORT: 1882.

led 1882.

mined by John W. Crumpe.

npared by J. Linton & E. Salomon

FIELD NOTES

OF THE re SURVEY OF THE

Salt Lake Base line,

South boundary

OF

ownship No. 1 North

ange No. 2 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Gilbert

U. S. Deputy Surveyor,

Under his Contract No. 106.

Dated July 29th 1881.

Survey commenced August 24 1881.

Survey completed 25, 1881.

15

16

185 BOOK-A-185 1

EPORT: 1882.

led 1882.

mined by John W. Crumpe.

npared by J. Linton & E. Salomon

FIELD NOTES

OF THE re SURVEY OF THE

Salt Lake Base line,

South boundary

OF

ownship No. 1 North

ange No. 2 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Gilbert

U. S. Deputy Surveyor,

Under his Contract No. 106.

Dated July 29th 1881.

Survey commenced August 24 1881.

Survey completed 25, 1881.

15

16

1

BOOK-A-185

Township 1 N. R. 2 E.



4

NAMES AND DUTIES OF ASSISTANTS:

Samuel S. Moritz	Compassman.
Charles Rapier	Chainman.
Samuel S. Moritz	Chainman.
George Hughes	Chainman.
Johnny Turpin	Chainman.
J. H. Tillett	Axeman.
George Hughes	Axeman.
W. W. Bray	Axeman.
Wm. Bentes	Axeman. Flagman.

BOOK-A-18

[2.—PRELIMI

We, Cha

and Samue

to solemnly swear

fully execute the d

ye will level the

even ground and

sticking or dropp

report the true dist

the true length

measuring, to the

and in accordan

in the survey of th

T. 1 N. R. 2

ridian and

and first

of the Salt Lake

tory of Utah.

Sam

Cl

Subscribed and

day of

BOOK-A-185 3

[2.—PRELIMINARY OATH OF CHAINMEN,]

We, Charles Roper
and Samuel S. Smith.
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Salt Lake Base line T. 1 N. R. 2 & 3 E. survey of Guide Meridian and North and East boundaries and first half subdivisions T. 1 N. R. 3 E of the Salt Lake base and meridian in the Territory of Utah.

Samuel S. Smith, Chainman.
Chas Roper, Chainman.
....., Chainman.
....., Chainman.

Subscribed and sworn to before me this 24th day of August 1881

Edward Michaelis
Notary Public

3006-A-185 4

[8.—PRELIMINARY OATH OF AXEMEN.]

I, Jas. H. Tillett,

and ..... do solemly swear that I will well and truly perform the duties of axemen, in the establishment of corners and other duties, according to instructions given me, and to the best of my skill and ability, in the survey of Salt Lake Base line, T. 1 N. Rs 2 and 3 E; survey of Guide Meridian, North and East boundaries and first half of subdivisions T. 1 N. R 3 E

..... of the Salt Lake base and meridian in the Territory of Utah.

J. H. Tillett, Axeman.

....., Axeman.

Subscribed and sworn to before me this 24th day of August 1881

Edward Michaelis
Notary Public

BOOK-A-185 5

[1.—PRELIMINARY OATH OF COMPASSMAN.]

I, Samuel S. Maritz do solemly swear that I will well and truly perform the duties of compassman, according to the instructions given me, and to the best of my skill and ability, in the survey of the latter half of subdivisions T. 1 N. R. 3 E. North boundary and subdivisions T. 1 N. R. 4 E. Guide Meridian, North and West boundaries and subdivisions T. 2 N. R. 3 E. and North boundary and subdivisions T. 2 N. R. 4 E.

of the Salt Lake base and meridian in the Territory of Utah.

Samuel S. Maritz
Compassman.

Subscribed and sworn to before me this 6th day of September 1881.

Edward Michaelis
Notary Public

BOOK A-185

[2.—PRELIMINARY OATH OF CHAINMEN.]

We, W. D. Gay George Hughes

and Samuel S. Morris

do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the latter half of subs: T. 1 N. R. 3 E; N. bound'y and subs: T. 1 N. R. 4 E; Guide Merid'n, N. & W. bound'y and subs: T. 2 N. R. 3 E and N. bound'y and subs: T. 2 N. R. 4 E.

of the Salt Lake base and meridian in the Territory of Utah.

W. D. Gay, Chainman.

Samuel S. Morris, Chainman.

George Hughes, Chainman.

....., Chainman.

Subscribed and sworn to before me this 6th day of September 1881

Edward Michaelis

Notary Public

BOOK-A-185 -7

[3.—PRELIMINARY OATH OF AXEMEN.]

We, George Hughes

and W. B. Bray

do solemly swear that we will well and truly perform the duties of axemen, in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of Latter half of subdivisions T 1 N. R 3 E.; North boundary and Subdivisions T 1 N. R 4 E.; Guide Meridian, North and West boundaries and Subdivisions T 2 N. R 3 E. and North boundary and Subdivisions T. 2 N. R 4 E.

of the Salt Lake base and meridian in the Territory of Utah.

George Hughes, Axeman.

W. B. Bray, Axeman.

Subscribed and sworn to before me this 6th day of September 1881.

Edward Michaelis
Notary Public

BOOK-A-185 8

[2.—PRELIMINARY OATH OF CHAINMEN.]

We, Samuel S. Munits

and Johny Turpin

do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the North and West boundaries and subdivisions T. 1 North Range 1 East resurvey S.L.B. & M. line and certain fractional E. bound: and frac: subd: T. 1 S. R. 1 E. of the Salt Lake base and meridian in the Territory of Utah.

Flint Samuel S. Munits, Chainman.

Archaulis = John + Turpin, Chainman.
his mark

....., Chainman.

....., Chainman.

Subscribed and sworn to before me this 14 day of November 1881

Edward Michaelis

Notary Public

BOOK-A-185 9.

[3.—PRELIMINARY OATH OF AXEMEN.]

We, William Benitas

and _____

do solemly swear that we will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given ~~us,~~ me and to the best of ~~our~~ my skill and ability, in the survey of North and West boundaries and subdivisions T. 1 N. R. 2 E; resurvey of S. L. Base line and survey of fractional E. boundary and fractional subdivisions T. 1 S. R. 1 E

of the Salt Lake base and meridian in the Territory of Utah.

William Benitas Axeman.

_____, Axeman.

Subscribed and sworn to before me this 3 day of October 1881

Edward Michaelis

Notary Public

BOOK-A-185 R 2W E.

Resurvey of Salt Lake Base Line

min Survey commenced Aug 24th 1881
with a Burleys improved
Solar compass, found
correct by the Surveyor
Generals Office and my observation
From a mound of stones which
I identify as established
for Township Corner, and
were I set a red sandstone
16x12x9 ins. 10 ins. in ground
for Corner to Townships 1 N.
R. 1 and 2 E. marked with
6 notches on E. W and N.
edges raised mound of
stones alongside
~~thence~~ I run East on
South boundary of sec. 31.
Var. 16°35' E.

1.50 top of ridge bears N. & S.
2.00 gulch Drains South.

11R2E

Resurvey of Salt Lake Base Line

chains	
19.00	ridge bears N & S.
24.15	gulch trends S.
34.25	ridge N & S.
38.50	Ravine drains South.
40.00	Found old Corner & Limestone 30 x 7 x 5 ins. in ground mar... 1/4 cor N. faces raised mo... of stones alongside on ca... slope of gulch.
48.30	gulch drains South
52.50	Ridge bears South
74.00	Emigration road S.W & N.E.
76.10	Emigration Cr. 18 lks wide
77.00	Emigration Cr. 18 lks runs N.W.
80.00	Old Corner formerly in Cr. b... marked ancy, set sandsto... 16 x 14 x 6 ins. 10 ins. in ground for... to sec. 31 and 32 marked 1 M C... Wand 6 ns E. of pits and... mound of stones along ridge on right b... of Creek. Mountainous Soil 2nd rate.

BOOK-A-1

Resurvey of

ains	East...
	sec. 3
30	feet
50	Emig...
.00	pits
50	N. E...
.00	Emi...
.50	Emi...
	6 in.
0.00	no M...
	stone
	in gr...
	mark...
	mou...
	in d...
4.00	top
2.50	gul...
30.00	set ...
	set ...

BOOK A 135 1, 2 E

Resurvey of Salt Lake Base Line

Chains	
	East on South boundary of sec. 32.
	Var. 16° 35' E.
3.30	fence bears N.W & S.E.
2.50	Emigration road bears S.E. - N.W.
6.00	point of ridge bears N.
8.50	N.E. Corner of Grant 36 Rk. S.
10.00	Emigration road S.W. & N.E.
10.50	Emigration Cr. & Ridge
	6 in. Deep runs S.W.
40.00	no trees of Corner, set stone 14 x 12 x 12 in. 9 in. in ground for 1/4 sec. cor. marked 1/4 on N. fence raised mound of ground adjoining
64.00	top of ridge bears N. & S.
72.50	quarter Chains N.
80.00	set no trees of 1/4 Cor. set stone and stone 19 x 12 x 12

R 2 E

Resurvey of Sec 4 Twp 4 Range

Chains 12 lks. in ground for cor. to
secs. 32 and 33 marked
2 notches on W. and 4 notch
on L. edges Twig pits and
raised mound of earth, one
-side.

Land more timbered
with 2nd rate, beech
oak and Sycamore,

August 24th 1881

BOOK-A-185

Resurvey of Salt Lake Base Line

Chains	
	East on South boundary of sec. 33.
	Var. 16° 30' E.
10.00	Temporary point bears N. 2 E. Cabin bears N. 32° E. about 40 chains
22.50	gulch and creek 6 in. wide 1 in. deep runs North.
40.00	find old corner a sandstone 16 × 8 × 6 marked 1/4 on N. side raised mound of stones adjacent.
65.00	gulch drains north.
74.00	top of little mountain bears N. 2 E.
79.92	find old corner a sandstone 24 × 14 × 6 in ground marked 3 notches on W. and 3 notches on E. edges for corner to sec. 33 and 34 raised mound of stones adjacent.

Survey of Salt Lake Base line
Land monuments, soil
and rate, work undertaken
this season.

of Creeks, Mountains

BOOK-A-185 Sec 6.

Resurvey of Salt Lake Base Line

Chains	
	East along South boundary of sec. 34. Var. 16° 55' E.
30.50	Old Quigley tree bears N. W. & S. E.
40.00	find old Corner a limestone for 1/4 sec. cor 16 x 7 x 7 in ground mound 1/4 on N. pace raise mound of stones
42.00	Ravine 6 lks wide E & W. Drains South
44.50	road bears N W & S. E.
49.80	Ravine drains S.
50.00	road N & S.
65.50	road to Dairy Mountain
66.00	fence N E & S. W.
70.00	Railroad cut N E & S. W.
75.50	leave fence enter field
80.00	no trees of old Corner set Sandstone 19 x 13 x 8 ins. 12 ins in ground for cor. to sec. 34. 35

T. 2 S., R. 7 E.

Re-survey of Salt Lake Base Line.

Chains marked 4 notches on W. and 2 notches on E. edges raised mound of stones along side. Land 66 chains mountainous remainder rolling soil 1st rate, oak undergrowth fine grazing.

Cent along South boundary of sec. 35

Var. 16° 35' E.

5.33 W'ly Mountain Creek 30 lks wide runs S. W.
course on North side of Mountain

30.50 gulch. Course North

40.00 no trace of corner set red sandstone 14x12x10 ins. 10 ins in ground for 1/4 sec. cor. marked 1/4 on N. face and

of Creek, Mountainous.

BOOK-A-185

Survey of Salt Lake Base Line

Chains	
	raised mound of stones along side
59.00	top of ridge bears N & S.
78.00	Gulch trends North
80.00	Oak Corner a sandstone 16×12×5 in ground for cor. to secs. 35 and 36 marked 5 notches on W and 1 notch on E. edge. raised mound of earth alongside
	Land mountainous
	Soil 3d rate
	Oak underbrush, fine grazing.
	Cart along South boundary of sec. 36. Var. 16° 35' E.
25.00	Summit bet. [illegible] Mountain and Alexander Creek N [illegible] W.

N 219 C.

Resurvey of Salt Lake Base line.

Chains

40.00 set trees of old cor. set
sandstone 12 x 9 x 3 ins. 8 ins.
in ground for 1/4 sec. cor. marked
1/4 on N. face and raised mound
of stones alongside, as
also of quartz trees S.
75.00 quartz trees South
80.00 set trees of old Corner
set sandstone 14 x 8 x 6 ins.
in a rocky place in mound
of stones for Cor. to Townships
1 N. Ranges 2 and 3 E.
marked 2 quartz W. N. and E.
raised a mound of stones
alongside. 6850 high

Land mountainous
rocky, Oak undergrowth

August 26th 1881

General Description see
Subdivisions.

Fred. Dickert
U. S. Dep. Surveyor.

BOOK-A-185

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah August 2nd 1882

The foregoing field notes of the re *survey of the*
Salt Lake Base Line,
South boundary

Township No. 1 North *Range No.* 2 East
of the Salt Lake Meridian, Utah Territory,
Executed by Ferdinand Dickert
Under his *contract No* 106.
of the 29th *day of* July 1881,
in the month of August 1881,
having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby aproved.

Fred Salmon
U. S. Surveyor General for Utah.

2 BOOK-A-185

REPORT: 1882. 21.

Filed ..... 1882.

Examined by John W. Cannon.

Compared by F. Linton & E. Solomon

FIELD NOTES

OF THE SURVEY OF THE

North and West boundaries

OF

Township No. 1 North

Range No. 2 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Dickert

U. S. Deputy Surveyor,

Under his Contract No. 106.

Dated July 29, 1881

Survey commenced Aug. 28th 1881.

Survey completed December 3d 1881.

13

Exteriors

BOOK-A-185

North boundary T. 1 N., R. 2 E.

Survey commenced Aug. 28 1881.

Chains	
	From Cor. to T. 1 and 2 N.
	R. 2 and 3 E. as described
	in the foregoing field notes
	I run West bet. secs.
	1 and 36 E. Var. 16° 35' E.
10.00	at cent Came head of gulch
	thence along South side of
	mountain a gulch bears S. W.
34.00	ridge bears W. & S.
40.00	set Quartzite 18 x 15 x 12 ins.,
	12 ins. in ground for 1/4 sec. cor.,
	marked 1/4 on W. thence dig
	pits a Pine tree 18 in. diam
	bears South 60 feet marked
	1/4 S. B T.
	a Pine 18 in. diam., bears W.
	132 feet marked 1/4 S. B T.
48.00	head of gulch bears S. W.
	empties in Devils Canon
	about 1/2 mile below.

North boundary T. 1 N. R. 2 E.

Chain	
52.00	ridge bears N. and S.
62.50	head of gulch Drains East
71.00	ridge bears N. and S. 8100 ft mountain Fell bears S.
80.00	set red sandstone 16 x 16 x 6 in. 16 in. in ground (per cor. to sec. 1. 2. 35 and 36 mound 1 notch on E. 5 notches on N. dig pits and raised mound of earth, on each side,

Chain	
8.00	
5.00	
26.00	
9.00	

Land mountainous soil 3d rate.

Timber Pine scattered N. and S. of Line.
Oak underbrush.
Fine grazing.

Chain	
3.00	
2.00	
2.00	

BOOK-A-185 24

North boundary T. 1 N. R. 2 E.

Chain	
	West bet. sec. 2 and 35
	Var. 16° 35' E.
8.00	gulch Trains South 4600'
	head covered with fine pine
	about 600 feet above.
5.00	top of ridge bears N. & S.
	7900 ft.
26.00	enter pine timber
9.00	Creek ~~24 ft.~~ wide 8 in. deep
	runs S. E. 7500 ft.
	ascend ridge of gulch
3.00	Pine 3 ft. diam. on line
.00	set Quartz 18×12×6 ins.
	12 ins in ground for 1/4 sec.
	cor. marked 1/4 on N. face
	a Pine 8 in. diam. bears E.
	9 ft. marked 1/4 S. B.T.
	a Pine 12 in. diam. bears
	S. 9 ft. marked 1/4 S. B.T.
2.00	ridge bears N. and S.

North boundary 25 J. 1 N. R. 2 E. North

Chains
75.50
80.00 Chains head of gulch drains S. E. at Quartzite 20 x 18 x 6 ins. 12 ins. in ground for cor. to secs. 2. 3. 34 and 35 marked 2 notches on E and 4 on W. Edges dug pits and raised mound of earth alongside 38.00 39.50 40.00

Land mountainous and 3rd rate.
Pines South of line, heavy work underbrush.

West bet. secs. 3 and 34 50.00
Var. 16° 35' E. 53.00
15.00 Chains top of main divide between Emigrant Gulch and City Creek 67.00 67.50
Chains E. & W. 8780 ft. 74.00
35.00 Chains head of branch of Devils Gulch

BOOK-A-125

North boundary T. 1 N. R. 2 E.

	Chain	Trees South,
		Hard scrabble Canon
		Trees North
	38.00	Enter timber and City
		Creek Canon
	39.50	Quartzinary 12 in. Diam on
		Cone
	40.00	set red sandstone 20×9×9.
		12 ins. in ground for 1/4 cor.
		cor. marked 1/4 on W. face
		a Quartzinary 12 in. Diam. bears
		South 1 ft. marked 1/4 S. B.T.
		a Pine 16 in. Diam. bears
		West 50 ft. marked 1/4 S. B.T.
	50.00	trail runs S. W and W. E.
	53.00	trail runs S. W. and W. E.
	67.00	gulch Trees S.
	67.50	trail runs S. E. and W. W
	74.00	gulch, head of City Creek
		Trees S. W. Leave timber

27

North Boundary of T. 1 N. R. 2 E.

Chains

79.00 Cor. to sec. 31 point on line

80.00 set red oak tree 18×8×4 in.
12 ins. in ground for corner to
secs. 3, 4, 33 and 34 marked
3 notches on E and 3 notches on
W. sides raised mound of
stones adjacent

Land mountainous soil
2nd rate.
Timber Pines and Chestnut
oaks for 36 chains
Oak underbrush, fine
grazing.

August 28th 1871

West bet. secs 4 and 33
Var. 16° 35' E.

Line runs parallel on South
side of main Divide
creek Drains South.

6.50

Chains

15.00

27.00

30.50

35.00

40.00

44.50

56.50

57.50

63.00

67.00

BOOK-A-185

25

North Boundary T. 1 N. R. 2 E.

Chains	
15.00	tip of ridge bears N. & S. Knob on South side of Canon bears S. 9° E.
27.00	gulch Drains South
30.50	ridge bears South Knob bears S. 14° 5' E.
35.00	gulch Drains S. E.
40.00	at red sandstone 19 x 12 x 8, 12 ins in ground for 1/4 sec. cor. marked 1/4 on N. face dug pits and raised mound of earth, 33 feet North of conglomerate rock.
44.50	ridge bears N. & S.
56.50	enter gulch Drains South
57.50	trail bears N. & S.
63.50	Dry Creek 4 ft. wide 2 ft. Deep Drains South. fine Quaking aspen along Creek
67.00	Dry Creek 4 ft. wide 2 ft. deep.

27

North Bounding T. 1 N. R. 2 E.

Chains Trees South set witness no-
nument.

80.00 and set grav sandstone 19×12×9 in. 40.00
12 ins. in ground for cor. to secs
4. 5. 32 and 33 marked 4
notches on E and 2 notches W.
edges Dug pits and raised
mound of stones alongside.

Land mountainous, Soil
1st and 2nd rate, Quaternary
valleys N. and S. of fine
fine grazing.

Sept 11th 81.

West bet. secs. 5 and 32.
Var. 16°35' E.

10.00 top of ridge bears N. & S.
23.00 sink 12×12 ft. 20 feet deep
bears S. 39° W. 220 feet.

BO
Nart
Chain
24.8

49.5

BOOK-A-135

North Boundary T. 1 N. R. 2 E.

Chains	
24.80	bottom of gulch Bearing S. E. 500 ft. thence S. W 8 feet high
40.00	set limestone 12 x 12 x 6 ins. 8 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face and raised mound of stones. Fine Quartzite ledge about 1/2 mile North of line.
49.50	top of "Grand View" Mountain bears N. a "S. 9450 feet. South end Church Island bears S. 89 1/2° W. Temple East Lake City S. 53° W. Upper terminal Lawrence Mine bears S. 67° W. set witness monument marked W. M. 40 ft. north of South. 300 ft North head of a Ravine Bearing N. E.

3/

North Boundary T. 1 N. R. 2 E.

Chains	
	on other drains N. W.
60.00	head of gulch drains S. W.
77.50	ridge bears South
80.00	head of gulch drains South

set Cimertone 14 x 12 x 12 ins. 10 ins. in ground for cor. to secs. 5. 6. 31 and 32 marked 5 notches on E. 1 notch on W. edges dug pits and raised mound of stones alongside

Altitude 9100 ft.

3 Pine trees tentercorn 18 in. diam. bears N 44° E. 165 ft. marked T. 2 N. R. 2 E. S. 32 B T.

Land mountainous, rocky, Timber, Pines and Quaking Asp scattered, fine grazing.

BOON-A-185

North Boundary T. 32 N. R. 2 E.

Chains

West Cor. sec. 6 and 31

Var. 16° 35' E.

6.00 Top of ridge bears E. & W.
near head of Eleven Chains
West, North West 2 pine
trees 6 inches left on South
side, 2 pine saplings West 5
inches in circumference
set witness monument.

Sept 12th/81

General Description.

Land along this line is very broken and high mountains, covered with underbrush, fine pines and deciduous along the principal water courses.

1. 2 and 3 T. 1 W. R. 2 E.
and 34, 35 T. 2 W. R. 2 E.
also small groves in the Southern half of Township

Ford. Dickert 27.00
U. S. Dep. Surveyor. 30.50
40.00

41.00

BOOK-A-185

West boundary T. 1 N R. 2 E.

From Cor. to townships
1 N and 1 S. R. 1 and 2 E.
rec'd a sandstone, 16 x 12 x 9 in, in mound
of stones.

From North bet. secs.
31 and 36

Var. 16° 35' E.

and run along East w'ly side of
said Trans South

27.00 top of ridge bears S. E. & N. W.
distant

30.50 said Trans S. E.

40.00 set sandstone 22 x 16 x 6 in
15 in. deep
in mound of stones, 1 ft. W. 1/4
sec. cor., marked 1/4 on W. face
raised mound of stones
adjoins a Cedar stump
8 ft. high 22 in. diam. bears
S. 16 1/2° W. 33 ft. marked
1/4 S. B T.

41.00 top of Ridge bears S. E. & N. W.

West boundary T. 1 N R. 2 E

35

Chains	Forward		Chains
52.50		quartz Travis S. E.	
64.00		pine 18 ins. diam. bears W. W. & S. E.	
75.00		head of quartz Travis S. E.	6.00
80.00		set limestone 18×12×12 ins. in mound of stones to cor. to secs. 30. 31. 25 and 36 marked 1 notch on S. and 5 notches on W. edges raised mound of stones adjacent E. Alt. true 6350	28.00
			32
		Land mountainous rocky, heavy undergrowth, pine trees.	40.00
			52.00
			59.00
			66.00

BOOK-A-185 36

West boundary T. 1 W. R. 2 E.

Runs North bet. secs. 25 and 30

Var. 16° 35' E.

around top of Divide bet.

6.00 Emigrant'n and Red

Butte Canon N E & S. W.,

Alt. 6450'

Iron

9.00 Pine Stump 10 ft. high

5 ft. Iron, on pine mound

Pines scattered E & W.

28.00 gulch Runs N. W.

32 small ridge bears N W & S. E.

40.00 set new Quartzite 30 x 1856

ins. in mound of stones

for 1/4 sec. cor. marked 1/4

on W. fence raised mound

of stones adjoining

52.00 gulch Runs N. W.

59.00 ridge bears N. W & S. E.

66.00 Red Butte Canon road

bears N. W and S. E.

37

West boundary T. 1 W. R 2 E.

Chains
66.60 set Witness monument 3x3x
feet on left side of Red
Butte Creek 4 ft. wide
6 in. deep runs S. W.
Net 5550 feet.

December 3d 1881

For General Description
see North Boundary.

Ferdinand Dickens
U. S. Dep. Surveyr.

BOOK-A-185

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, 1882.

The foregoing field notes of the survey of the

North and West boundaries

Township No. 1 North *Range No.* 2 East

of the Salt Lake Meridian, Utah Territory,

Executed by Ferdinand Dickert

Under his *contract No.* 106. –

of the 29th *day of* July 1881,

in the months of Aug. Sept. & Dec. 1881,

having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby aproved.

W. H. Shearman

U. S. Surveyor General for Utah.

3 - BOOK-A-185

REPORT: 1882 39.

Filed ..... 1882.

Examined by John H. Crumpe

Compared by E. Salomon & F. Linton

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 1 North

Range No. 2 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Dickert

U. S. Deputy Surveyor,

Under his Contract No. 106

Dated July 29th, 1881.

Survey commenced November 19, 1881.

Survey completed December 15 1881.

If F. E.

BOOK-A-185
Subdivisions T. 1 N. R. 2 E.

Survey commenced Nov. 19th 01
Finding Solar Compass correct by observation
I commenced at the cor. to
sections 35 and 36 on the West
line which is a sandstone
16 x 12 x 5 ins. firmly set in the
ground with one notch on E. and
5 notches on W. edges, with
mound of earth alongside
thence I run North bet.
Secs 35 and 36
Var. 16° 35' E.

28.40 tip of ridge bears S. W. & N. E.
239.00 Fence S. W. & N. E. on foot of
Mountain
10.00 set a Quartzite 16 x 9 x 8 ins
10 ins in ground, for 1/4 sec. cor.
marked 1/4 on W. face, dug
pits 18 x 18 x 12 ins. W. & S. of stone
with mound of earth alongside

Subdivisions S. 1 W R. 2 E

Chains		Chains
43.50	Big Mountain Creek 9 lks 6 feet	
	1 ft. deep runs S. W.	
57.40	alter planed field fence S. W and W. E.	
	leave field	6.00
57.50	Ditch runs S. W. 1 ft. deep 1 ft.	6.30
58.60	Big Mountain road N E & S	6.40
80.00	Set red sandstone 20x12x4 ins	
	12 ins. in ground for corner	
	to secs. 25, 26, 35 and 36	
	marked 1 notch on S. and 1 notch	13.50
	on E. edges and mounth of	
	stones alongside	17.20
	Land 17 ch 40 lks bottom	18.00
	1st rate remainder mountain	21.50
	fine grazing	
		29.00
		34.00
		40.00

BOOK-A-185 42

Subdivisions S. 1 W. R 2 E.

Chains	
	East on random line bet. secs. 25 and 36
	Var. 16° 35' E.
	Set cent.
6.00	pit 12×12×12 ins for W. trees
6.30	Big Mountain road E. & W.
6.40	fence E. & W. enter farming land Cooks House bears S. 2 W. ~~100 feet~~ 1.51 chs, a Barn bears S. 35° E. ~~30 feet~~ 50 lks
13.50	Big Mountain ~~4 lks~~ Creek ~~2½ ft.~~ wide 8 in. deep runs West
17.20	right Bank of Big Mountain Cr. runs West
18.00	left Bank
21.50	fence N. & S. and foot of ridge
29.00	top of ridge bears N. & S. Set cent
34.00	Bottom and Creek ~~2 ft.~~ 3 lks wide 3 in. deep runs S. W.
40.00	set temporary 1/4 sec. cor.

runs: creek dark, fine grazing

Subdivisions T 1 N. R. 2 E.

Chains	
	ascend
60.00	top of ridge bears N & S.
	descend
70.00	bottom of gulch Trains South
80.40	Intersect East boundary of
	township 1 at the corner which is a sandstone
	18 x 12 x 12 12 ins in ground
	and marked 1 notch on S. and
	5 notches on N. edges and
	mound of stones alongside
	thence N run
	West on a true line bet.
	secs. 25 and 36
40.20	set grey sandstone 16 x 12 x 8 ins
	10 ins. in ground for 1/4 sec. cor.
	marked 1/4 on N. face and
	mound of stones alongside
	on side of ridge
80.40	The cor. to secs. 25, 26, 35 and 36
	Land 15 ch. 10 lks. level
	soil 1st rate, remainder
	mountainous, rocky, fine grazing

Chains	
	N
	al
	E
20.00	b
	m
	Se
36.50	R
	Tr
40.00	se
	1
	n
	n
48.50	a to
60.50	bu
70.00	to
78.00	bu
80.00	set
	gre
	mo
	and
	Ru

BOOK-A-185

Subdivisions S. 1 W. R. 2 E.

Chains	
	North bet. secs. 25 and 26
	Var. 16° 35' E.
	along West side of Big Mountain Canon
20.00	bottom of gulch Trains East road and Creek about ~~600 feet~~ 9.00 chs
	East
36.50	Ravine ~~4 ft.~~ 6 lks. wide 3 ft. deep Trains East
40.00	set sandstone 18 x 12 x 4 ins 12 ins in ground for 1/4 sec. cor. marked 1/4 on W. face mound of rock alongside
47.50	top of ridge E & W around
60.50	bottom of gulch Trains East
70.00	top of ridge bears East
6 18.00	bottom of gulch Trains East
80.00	set sandstone 14 x 8 x 8 ins. 12 ins in ground for cor. to secs. 23, 24, 25 and 26 marked with 2 notches on S and 1 notch E. face. and mound of rock alongside

Mountainous, scrub oak, fine grazing

45

Subdivisions S. 1 W. R. 2 E.

Chain. East on random line bet. secs. 24 and 25

Var. 16° 35' E.

16.00 Dig Mountain road N & S. W. set Witness monument a sandstone 18×18×12 marked W.

16.60 Dig Mountain Creek 12 lks wide 1 ft. deep runs S. W.

19.00 foot of Mountain

40.00 set ~~quarter sec. stone~~ a red sandstone temp. 1/4 sec. cor.

72.00 Witness Monument 3×3×3 ft. on top of Mountain N. & S.

80.76 Intersect East boundary of township at 68 lks north of the cor. to secs. 24, 19, 30 and 25 which is a sandstone 18×9×9 12 ins in ground marked 2 notches on S. and 1 notches on N. edges and mound of stones alongside on East side of Mountain

300-A-185

40

Subdivisions T. 1 N. R. 2 E.

E. Chains thence N
N 89° 31' W. on a true line
bet. secs. 24 and 25 with
same va.

1 40.38 to grey sandstone 16×9×8
10 ins. in ground, (per 1/4 sec. cor.
marked 1/4 on N. face, mound
of stones adjacent)

80.46 the cor. to secs. 23.24.25
and 26
Land mountainous,
rocky, little growing
save scrub oak.

Nov. 19th/81

Subdivisions T 1 N R. 2 E.

Chains. North bet. secs. 23 and 24 Var 16° 30' E.
along West side of 80 ft Mountain
Canon

19.00 Descend

30.50 Bottom of gulch Trains East

36.50 Creek 3 Lks 2 ft. wide 2 in. deep
runs East

40.00 set Quartzite 18 x 12 x 8 ins.
12 ins in ground, for 1/4 sec. cor.
marked 1/4 on W. face Dug
pits N and S. of stone and
mound of rocks alongside

41.00 Dry Creek 4 Lks 3 ft. wide 2 feet
deep Trains East

80.00 set gray sandstone 16 x 9 x 8 in.
10 ins in ground for cor. to secs.
13. 14. 23 and 24 marked 3 notches
on South side 1 notch on E. side
Dug pits 18 x 18 x 12 ins in each sec.
and raised mound of earth alongside
Mountainous, rocky earth and grass.

BUM-A-165

Subdivisions T. 1 W. R. 2 E.

Chains	
	Cent on random line bet. secs 13 and 24
	Descend Var. 16° 40' E.
13.00	O W road runs S. W. & N. E.
14.00	Branch of Dry Mountain Cr. 3 4 lks ft. wide 8 in. deep runs S. W. 6 lks
16.00	Dry Mountain Creek 4 ft. wide 6 in. deep runs S. W.
32.40	Creek 3 lks 2 ft. wide 5 in. deep runs S. W.
32.50	Timber road (Dry Mountain) bears S. W. and N. E. set W. tree 6 ft. long 4 x 4 in in gr. and mound of stones, mark'd W. P.
40.00	set temporary 1/4 sec. cor.
57.00	ascend top of Mountain S. W. & N. E. 2
65.00	gulch Drains S. W.
80.90	Intersect the East Boundary of the township at 72 Links

Subdivisions T. 49 N. R. 2 E.

Chains

Chains N. of the Cor. to secs. 13. 18. 19 and 24 which is a gray sand stone 14×9×8 in. 12 ins in ground marked with 3 notches on S. and W. edges and mound of stones adjacent

1
3
3

Thence N.

4 W. 89° 29' W. on a true line bet. secs. 13 and 24 with some var. 12.20

40.45 set Quartzite 12×12×8 ins. 8 ins. in ground, for 1/4 sec. cor. marked 1/4 on W. from hub 13.00

39.80

4 pits 6 and W. of stone 40.0

80.90 the corner to secs. 13. 14. 23 & 24. Land mountainous, some oak, & timber on creek

Fine grazing. 80.0

I discontinue the line further north the mountain being inaccessible and destitute of timber.

BOOK-A-185

Subdivisions T. 1 N. R. 2 E.

Chains	
	From the Corner to rec's.
	34,35 on Bare Line, which is a sandstone 19 × 12 × 8 ins. with 2 notches on E. and 4 notches on W. edges and mound of ground and pits 0 rocks N.
	North bet. rec's. 34 and 35 26
	Var. 16° 35' E.
12.20	Fence S. W & N. E.
13.00	Big Mountain road runs S. W and N. E.
39.80	Spring branch 3 in. wide runs S. W.
40.00	set Quartzite 16 × 9 × 8 ins. 10 ins. in ground, for 1/4 sec. cor. marked 1/4 on W. face mound of stones adding side
80.00	set Quartzite 20 × 9 × 9 ins. 12 ins. in ground for cor. to secs. 26. 27. 34 and 35 marked

Subdivisions of T. 14 N. R. 3 E.

Chains

8 Chains north on S and 2 notches on E.
[illegible], Egypt, and raised
[illegible] of trees alongside

1		8.00
3	Land 64.80 chs. mountain,	19.00
3	covered with oak underbrush	35.00
	Five posing; remainder	40.00
4	forming 2nd 1st rate.	42.50
		80.20
		40.
		80.

BOOK-A-185

52

Subdivisions T. 1 N. R. 2 E.

Chains East on a meridian line between
secs. 26 and 35

Var. 16° 35' E.

Descent
8.00 bottom of gulch, Trains South.
ascent
19.00 top of ridge bears South
Descent
35.00 bottom of gulch, Trains South
40.00 set temporary 1/4 sec. cor.
42.50 top of mountain bears W. S.
Ascent
80.20 Intersect N. and S. line
40 chs S. of Corner to secs.
25. 26. 35 and 36 thence
I run
S. 89° 45' W. on a true line
between secs. 26 and 35
40.10 set a sandstone 12 x 12 x 4 ins.
8 ins in ground for 1/4 sec. cor.
marked 1/4 on W. face and
raised mound of stones alongside
80.20 the cor. to secs. 26. 27. 34 and 35.
Land mountainous soil 3rd rate
Oak underbrush Pine grazing.

Subdivisions T. 1 N. R. 2 E.

℄ Chains	North bet. secs 26 and 27	
	Var. 16° 30' E.	
26.50	(1 round) top of ridge E & W.	
1 35.00	gulch Trends S. W	40.
3 38.00	top of ridge S. W & N. E.	62.0
5 40.00	set sandstone 12×10×6 ins.	79.
	8 ins in ground for 1/4 sec. cor,	
	marked 1/4 on W. face, and	
	mound of stones alongside	
54.00	bottom of gulch Trends S. W.	
54.50	top of ridge S. W & N. E.	34.9
70.50	Dry Creek 4 links wide 1 ft. deep	
	Trends S. W.	
75.50	top of ridge N. W & S. E.	
80.00	set sandstone 15×8×6 ins. 10	79.
	ins in ground for cor. to secs 2,	
	22. 23. 26 and 27 marked with	
	2 notches on S. and 2 on E. edges	
	mound of rocks alongside	
	Mountainous soil 3d rate	
	Oak undergrowth, Pine grubbing.	

Nov 24th 1881

BOOK-A-185

Surveying T. 14 N. R. 2 E.

Chains.	Ran on a random line bet.
	secs. 23 and 26
	Var. 16° 30' E.
	Record
40.00	set temporary 1/4 sec. cor.
62.00	top of mountain bears N. 8.
79.80	Intersect N. & S. line 37 lks.
	S. of cor. to secs. 23. 24. 25 & 26
	thence S.
	S. 89° 44' W. on a true line
	bet. secs. 23 and 26
34.90	set sandstone 16 x 12 x 5 ins.
	10 ins. in ground for 1/4 sec.
	cor. mar'kd 1/4 on N. face
	and mound of rocks adjacent
79.80	the cor. to secs. 22. 23. 26 & 27.
	Mountainous to
	3d mile, Oak undergrowth
	fine grazing.

55

Subdivisions T. 1 N. R. 2 E.

Chains North bet. secs. 22 and 23
Van 16° 30' E.
19.00 to prob. ridge bears N. & S.
Diamond
40.00 set rec. 2 and stone 12 x 9 x 8 ins.
8 ins. in ground for 1/4 sec. cor.
marked 1/4 on W. face, and
mound of stones alongside
49.50 East Fork of Emigration Cr.
3 lks
~~2 feet~~ wide 4 ins. deep.
runs S. E. 1875 feet above
Salt Lake City.
and
80.00 set limestone 18 x 6 x 5 ins. 12 ins.
in ground for cor. to secs.
14. 15. 22 and 23 marked 3 notches
on S. and 2 notches on E. edges
Hay pits and ruined mound
of rocks alongside, 2150 cub. cds.
thus
mountainous
heavy oak underbrush
pine gravelly.

14.50
23.50
40.0
48.0
79.60
39.80

BOOK-A-185

56

Subdivision T. 1 N. R. 2 E.

Chains	East on a random line bet.
	secs. 14 and 23
	Var. 16° 35' E.
14.50	Set Post for Quarter Sec. Cor. East Fork of Cunningham Creek 3 blks 2 feet wide 4 in. Top runs South 2000 feet above City
23.50	Set Post for Quarter Sec. Cor. top of ridge bears E. & W. line runs on South side of same
40.00	Set temporary 1/4 sec. cor.
48.00	top of Divide bet Dry Mountain and Cunningham Creeks 2250' above City
79.60	Intersect N. and S. line at the corner to secs. 13. 14. 23 and 24 thence Run West on true line bet. secs. 14 and 23 with same var.
39.80	Set red sandstone 18 x 14 x 5 ins 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face Dug pits

Subdivisions of T. 1 N. R. 2 E.

Chains E. & W. and N. of true and variat
mountain of times along said
79.60 the cor. to secs. 14. 15, 22 and 2 25.50
Mountainous, Oak under 27.00
soil 2nd rate fine 30.00
grazing.

40.00

44.00

55.0

BCC:A-125

Subdivisions T. 1 N. R. 2 E.

North bet. 14 and 15.

Var. 16° 35' E.

ascend top of ridge bears N. and S.

25.50 Pine tree 3 ft. diam. on line

27.00 Sandstone ledge E & W.

30.00 Set red sandstone 22×18×4 12 in. in gr. for 1/4 sec. cor. marked 1/4 on W. face. and mound of stones.

40.00 top of sandstone ridge

44.00 2700 feet above City

descend bottom of gulch runs S. E. and S. W.

Pine now ascend on high steep mountain divide between City Creek and Emigration Creek which prevents me from extending the survey northerly. Lines written E. W. & E. and W. of Pine mountainous, soil 3d rate Pine grazing.

November 25, 1881.

Subdivisions T. 1 N. R. 2 E.

Chains	Chains	From the Cor. to sec 3. 33 and 34
19.0		on Base Line, which is grey
40		sandstone 24 x 14 x 6 ins. 16 ins. in
		ground marked 3 notches on E. and
		3 notches on W. edges and
		pits and mound of stones.
49.		From North bet. secs. 33 and 34
		Var. 16° 35' E.
	3.00	top of ridge E. & W.
	8.00	Several Draws West
80	35.00	Little Mountain mound stones
		E. & W. set witness Monument
		timber 12 x 4 x 4 ins. marked W.M.
	40.00	set timber 12 x 3 x 6 ins. 8 ins
		in ground for 1/4 sec. cor. marked
		1/4 on W. faces mixed mound
		of stones, along ridge
		descend
	75.50	Emigrant Creek 4 ft. wide 6 ins
		deep runs S. W.
	76.20	Road S. W. & N. E.
	80.00	set red sandstone 14 x 12.5 q

BOOK-A-155

Subdivisions S. 1 W. R. 2 E.

34 Sections, and for cor. to secs. 27, 28, 33 and 34 with 4 notches on S. and 3 notches on E. edges raised mound of stones scharg- ing W.E.

Soil 3d rate, mean timber oak and walnut, grass grazing.

Subdivisions T. 14 N. R. 2 E.

Chain	Chains	
		Cor in a round iron bolt 6"
19.0		recs. 27 and 34
40.		Descend Var. 16° 35' E.
	5.00	road set sandstone 22×18×4
		marked W. mds. N. W. & W. S.
	6.50	Emigration Cr. 4 ft. wide
49.		1 ft. deep runs S. W.
	40.00	set temporary 1/4 rec. cor.
	54.50	top of ridge bears N. & S.
	65.50	gulch trends S. E.
80	80.40	Intersect N. & S. line 25 lks
		N. of corner to recs. 26. 27
		34 and 35
		thence N
		N 89° 49' W. on true line bet
		recs. 27 and 34 with same var.
	40.20	set sandstone 16×14×3 ins. 10
		ins. in ground for 1/4 rec. cor.
		marked 1/4 on N. face raised
		a mound of stones alongside

BOOK-A 135

62

Evangelium S. JOH. K. 2 &

Cap. 20. 40 Alia cap. to vers. 27. 28. 33 and 34.

Hand mountainous väl
3 d rata och underbruk
(rine graffing.

Subdivisions T. 1 N. R. 2 E.

Ch	Chains	
19.		North bet. secs. 27 and 28. Var. 16° 35' E.
4	2.00	Temporary corner 12×12×12 in line market W.
	4.00	Temporary mound 50 feet high
49	18.00	top of ridge bears W. S.
	10.00	set red sandstone 16×9×8 in. 10 in. deep for 1/4 sec. cor; mark 1/4 on W. bears raised mound of stones, alongside.
8		
	80.00	set limestone 14×9×6 ins. 9 ins. in ground for cor. to secs. 21. 22. 27 and 28 marked with 2 notches on S. and 3 notches on E. edges, temporary pit and raised mound of stones alongside.

Found mound stones, no 3rd rate, nor underbrush.

Dec 9th/82

BOOK-A-185

Subdivisions T. 1 N. R. 2 E.

	Chains Centers a random line bet.
	secs. 22 and 27.
	Var. 16° 35' E.
	Courses.
15.00	West Fork Emigrant Cr.
	6 lks 4 ft. wide 1 ft. deep runs S.
	among
16.50	round bears W. & S.
19.00	top of ridge bears W. & S.
38.50	Dry Creek 1 lk 2 ft. wide 2 ft. deep
	Course S.
39.00	trail W. & S.
40.00	set temporary 1/4 sec. cor.
42.00	Large sandstone on top of
	ridge
46.00	East Fork Emigrant Creek
	4 lks 3 ft. wide 6 in. deep runs S. W.
70.50	top of ridge bears W. E. & S. W.
79.80	Intersect W. & S. line 80 lks
	North of cor. to secs. 22, 23
	26 and 27 Course & true line
	N 89° 26' W. on true line

Subdivisions S. 1/4 N. W. 1/4 S. 2 E.

Chas Cherrin		Set 1. wood 2 2 and 2 1 with same mg
19	39.90	set a miniature 12×10×7 ins.
4		8 ins. in ground (for 1/4 sec. cors,
		marked 1/4 on N. face, raised
		mound of rock adjacent.
		Iron, mountainous,
4		soil 3rd rate, oak under-
		brush, fine grazing.

Chas

18.

29.

31

40

50

70

7

8

BCGR-A-135 66

Subdivisions T. 1 N. R. 2 E.

Chains North bet. secs. 21 and 22
Var. 16° 35' E.
Ascend in W. side of West Fork
of Immigration Ck.

18.00 Descend

29.00 West Fork of Immigration Ck.
~~4 ft.~~ 4 lks wide 2 in. deep runs S. E.
ascend on East side of creek.

31.00 trail N. W. & S. E.

40.00 Pine tree 24 in. diam marked
and blazed (cor 1/4 sec. corner)

50.00 Gulch Trail West
Pine and Mahogany scattered
E. and W. of line

70.00 Top of ridge timbered heavy W.
2700 ft. above West Fork
Mahogany 10 in. diam. on line

79.00 Bottom of gulch Trail W.

80.00 set sandstone 36 x 26 x 8 in
24 in. in ground for corner
for secs. 15. 16. 21 and 22.

Subdivision 67 T. IV. R. 2 E.

Chevis. marked with 3 notches on S.
and 3 notches on E. edges raised
mound of stones alongside.
from which a
Mahogany tree 10 in. Diam. bears
S. 59° E. 27 lks
Mahogany 11 in. Diam. bears
N 45° E. 50 lks
Mahogany 10 in. Diam. N. 35° W.
45 lks
Bears Mound of stones, with
3 notches, Pines and Mountain
Mahogany scattered,
Pine growing.

BOOK-A-135

Subdivisions T. 1 N. R. 2 E.

Chains Center on a random line bet. secs. 15 and 22.

Var. 16° 35' E.

7.00 top of sandstone ridge N. & S.

14.00 gulch trends S. E.

21.50 top of ridge N. & S.

35.00 bottom of gulch and small creek 4 in. wide runs South.

Enter Pine.

35.50 Pine 18 in. diam. on line

40.00 set temporary 1/4 sec. cor.

43.50 Pine 14 in. diam. on line

44.00 top of limestone ridge bears W. and S. set 11" stone

Monument 3 x 3 x 2 feet

2450 feet above Salt Lake City

54.50 Fork of Emigration Creek 3 ft. wide 6 in. deep runs S. E. 2000 ft. above City

60.00 Pine tree 3 ft. diam. on line

Subdivisions S. 1 W. N. 2 C.

Chains	Line Trees per 1/4 mile N. & S.
	Line along Creek.
69.00	top of ridge N & S.
73.00	Head of gulch Trees S.
79.00	top of ridge N & S.
80.66	Intersect N. & S. line 19 Chs North of Cor. to secs. 14. 15. 22 and 23 thence run N 89° 40' W. on true line bet. secs. 15 and 22 with same var.
40.33	Balsam tree 10 in. diam. bears 11 lks. marked 1/4 S. on N. face per 1/4 sec. cor. a Tree 14 in. diam. bears East 52 feet marked 1/4 S. BT. Balsam 14 in. diam. bears South 48 ft. marked 1/4 S. BT.
80.66	The cor. to secs. 15. 16. 21 and 22 Land mountainous, Timber Pine Pine grazing.

BOOK-A-185 75

Subdivisions T. 11 N. R. 2 E.

Chains North 1st. secs. 15 and 16.

Var. 16° 35' E.

ascend in mountainous ridge.

11.50 top of ridge bears E. a little
red sandstone 36 x 36 x 4
in. marked W M.

15.00 general Trend S. W. and
leave Mountainous Ridge

23.00 top of sandstone ridge
bears S. W and W. S. mark
edge W. 2500 feet above
Salt Lake City.

35.50 general Trend S. W.

40.00 ascend
A Quartzite age 3 in. Diam.
which I mark 1/4 on W.
Trees for 1/4 sec. cor.
a Quartzite bears West 62
feet marked 1/4 S. B T.
Pine scrub on high Mountain
Ridge East. City Creek Canon.
Good mountainous Timber Mahogany for 11.50 Ch. Pine Ridge

Mountain being to steep and rocky to ascend
Descent Mountain to the
South West

Dll 10th

Subdivisions T 1 N R. 2 E.

Chains From the cor. to secs. 32 and 33
on B'dary Line which is a
grey sandstone 19 x 12 x 12 ins.
12 in. in ground marked 4 notches
on E. edges and 2 notches on W.
edges and pits and mound of
ground adjacent I mile
North bet. secs. 32 and 33
Var. 16° 35' E.

Second
4.00 Conglomerate ridge runs E. & W.
set grey sandst. 36 x 19 x 12 in mark
W.

24.00 Emigration Cr. 8 ft. wide 10 in.
deep runs West

24.10 set witness monument marked W.

24.30 Emigration road E. & W.

40.00 set grey sandstone 14 x 12 x 9 ins.
9 ins in ground for 1/4 sec. cor. 2
marked 1/4 on W. face, raised
a mound of stones adjacent

BOOK-A-185

Subdivisions T. 1 N. R. 2 E.

chains
67.00 top of divide bet. Emigration and Brigham Creeks bears S. W. & N. E. 2000 ft. abt. dist.

Found
46.00 stone bears S. W. & N. E.

80.00 set stone post 12 x 12 x 6 ins 8 ins. in ground for cor. to secs 28, 29, 32 & 33 marked with 1 notch on S and 4 notches on E. edges sunpits and raised mound of stones alongside.

Mountain mahogany 1 ft and 2 ins dia. Oak 1 ft dia. Quaking aspen 6 ins dia, pine grazing

Subdivisions T. 1 N. R. 2 E.

Thence East on a random line between secs. 28 and 33

Var. 16° 35' E.

3.00 Intersected field N. & S.

14.00 Leave planted field N. & S.

15.00 Brigham Creek 1 lk. wide, 3 in. deep runs South

16.00 fence N. 60 & S. W.

25.00 top of ridge N. & S.

34.20 Trail bears N. & S.

40.00 set temporary 1/4 sec. cor.

43.50 bottom of gulch and Creek 3 lks. wide 8 in. deep runs South

58.60 top of ridge S. W and N. E.

80.20 Intersect N. & S. line between Secs. N. of Var. to secs. 27. 28 33 and 34 thence S. run N. 89° 49' W. on true line between secs. 28 and 33 with same var.

40.10 set standard 18 x 12 x 4 ins.

BOOK A 135

Subdivision S. 1/4 N. R. 2 E.

Chains 12 ins in ground for 1/4 sec. cor. marked 1/4 on V. fence raised mound of stones alongside

80.20 the corner to secs. 28. 29 32 and 33

Land monuments for 64 chains 2nd mete and remainder monuments but 1st mete and mound.

Oaks underbrush, prairie gravelly.

Subdivision S. 1. N. R. 2 E.

Chains. North bet. secs. 28 and 29

Var. 16° 30' E.

6.00 enter planed post in bottom of Brigham gulch Chains S. W.

9.50 fence bears S. W and N. E leave post

9.60 Wagon road N. E. & S. W. set grey sandst. 12×9×8 marked W. 9.00 chs

15.50 Cabin bears East about 600 ft.

18.50 top of ridge N E & S. W.

27.50 Stream

36.00 Wagon road N E & S. W.

Dug witness pit 2×2×1 ft. 10

40.00 set Limestone 12×9×8 ins. 8 ins in ground for 1/4 sec. cor. marked 1/4 on W. face rec'ed record of stones

Abbreviate

43.00 Big Creek 4 chs wide 1 ft. deep Chains S. E.

46.00 road bears N W and S. set

BOU-A-135

Substitution for J. W. R. 26.

Chain sundt. 12 × 8 × 6 marked W.
66.50 Frame horse bears J. 15° 6.
80.00 set Cimentare 10 × 12 × 12
in. 10 ins. in ground for
cer. to rec. 20. 21. 28 and 29
marked with 2 notches on S.
and 4 notches on E. edges,
Cuz pits and raised mound
Centers always
Leave measurements
for 46 ch. 50 Cks., next 2
rate 3 ch. 50 Cks. next
1st rate.
Oak corner bounds, fine
grading.

Dec. 11 th 11/81

Subdivisions T. 1 N. R. 2 E.

4 Chains East on a random line bet.
secs. 21 and 28
0.00 Top of ridge bears N. & S. 2900' above City.
10.00 set temporary 1/4 sec. cor
48.50 Brigham Creek 3 ft. wide
6 in. deep runs S. E.
grade of line 1/2 mile north.
48.70 road to Stone Quarry N. W. & E.
set sandstone 18 x 12 x 6 marked W.
60.00 top of ridge bears N. & S.
65.00 gulch draining South
75.00 top of ridge bears N. & S.
79.60 Intersect N. & S. line
60 Chs north of cor. to secs.
21, 22, 27 and 28
thence 3 runs
N 89° 34' W. on true line
bet. secs. 21 and 28 with secs. cor
39.80 set Cement 18 x 12 x 12 ins.

Book A 125

Subdivisions T. 1 N. R. 2 E.

Chains

12 in. in ground for 1/4 sec.
cor. marked 1/4 on N. face a.
Trenches and raised mound
4 trees above mound

79.60 the cor. trees. 20. 21
28 and 29
Sand mountaineers.
over 2 and 3 feet,
rock underneath, prairie
grassing.

Subdivisions T. 1 N. R. 2 E.

Chains North bet. secs. 20 and 21

Var. 16° 35' E.

6.00 tip of ridge bears N. E and S. W.

12.50 head of gulch Drains West

27.00 top of sandstone Rock

1.21 ch
~~80 feet~~ East.

38.00 head of gulch Drains S. W.

40.00 set sandstone 30 x 20 x 8 in

mound of stone. for 1/4 sec. cor.

marked 1/4 on W. face mine

mound of stones

a Mound ~~of~~ ~~stones~~ Mahogany 12 in.

Trees. ~~50 ft.~~ 50 lks West marked

1/4 S. BT.

47.50 top of ridge NE and SW.

51.00 head of gulch Drains East

52.50 West edge of Pine grove

64.50 Enter Quartzmary

76.50 Leave Quartzmary.

78.50 gulch Drains S. E.

Subdivision I. IV. R. 2 C.

Chains

30 Chains Traverse 12 x 8 x 8
8 in. in ground pegs.
to secs. 16. 17. 20 and 21
marked with 3 notches on
2 pegs 4 notches on 3 pegs
miles measured chains
along ridge

Finder Lines meeting
Quarter pegs 12 chains
East mean true
north, (pine pegs.

Subdivision T. 1 N. R. 2 E.

Chains Centers on a random line bet. secs. 16 and 21

Var. 16° 30' E.

20.50	Brigham Creek ~~1 ch.~~ 1 LK wide 3 in. deep runs S. E.
24.00	Old Ward road bears S. E. set sandstone 18 x 16 x 5 marked W.
37.00	top of ridge bears N & S.
40.00	set temporary 1/4 sec. cor 3100 feet above Salt Lake City
65.50	Creek ~~3 ft.~~ 4 LKs wide 8 in. deep banks 12 ft. deep ~~10 ft.~~ 15 LKs wide runs S. E. (West branch of Emigration Cr.)
66.50	road bears NW & S. E.
79.46	Intersect N & S. line 72 chs. north of corner to secs. 15. 16. 21 and 22 thence run N 89° 29' W. on true line bet. secs. 16 and 21 with true var.

39.

79.

Subdivisions T. 1 N. R. 2 E.

Chains

39.73 set soutstone 4 x 4 x 4 feet
and mound of rocks marked
1/4 sec. on N. posts.

79.46 the Corner to secs. 10. 11.
15 and 21.
Pine scattered N. and
S. of
Land mountainous
rocky.

Steep mountain divide
covered with snow stop
me from continuing my
survey in this direction.

December 13th 1881

Subdivisions S. 1 W. R. 2 E.

Chains From 10 cor. to secs 31 and 32 on Base line which is a sandstone 10 x 14 x 6 ins 10 ins. in ground, marked 5 notches on E. and 1 notch on W. with pits and mound of stones 1 rod North bet. secs 31 and 32

Var. 16° 35' E.

1.35 Leaves (r'd) and fence bears S. W.

1.40 Mr. Pleasant road bears W. S. W.

7.00 top of ridge S. W. & N. E.

8.50 fence bears N E & S. W.

13.00 bottom of Briggsdale gulch.

Chains S. W. road bears sandstone 12 x 8 x 8 ins. marked W. M. N E & S. W. at mile post, monument and

31.00 top of ridge bears N E & S. W.

40.00 at grey sandstone 14 x 12 x 5 ins. 7 ins. in ground for 1/4 sec. cor. marked 1/4 on W. fence dug pits and raised mound of stones

BOOK A 136

Subdivisions S. 1 W. N. 2 C.

Chains		
80.00		Commencing at the corner between sections 29 and 32 on the north boundary of the township and running thence south 80 chains to the corner between sections 29, 30, 31 and 32 marked 1 notches on S and 5 notches on E. edges being pits and trenches mound
		thence easterly 200 links to the corner between Sections 28 and 29 on the north boundary of the township thence north 78.65 chains to the north boundary of the township thence west 1 ch. 35 lks to the place of beginning. Land undulating, fair quality.

Subdivisions S. 1 W. R. 2 E.

Thence [illegible] on random line between sections 29 and 32.

Var. 16° 35' E.

12.50	Set [illegible] Thence S. E.
22.00	top of ridge bears W. & S.
40.00	at temporary 1/4 sec. cor. on West side of ridge
15.00	bottom of ridge Thence S.
50.00	top of ridge bears W. & S.
72.50	Wood road S. W. & W. E.
72.60	fence bears S. W. & N. E.
74.00	Intersect planked [illegible] W. E. & S. W.
75.80	Leave plank road [illegible] W. E. & S. W.
80.60	Intersect W. & S. line at the corner to secs. 28. 29. 32 and 33 Thence S. near West on true line with same var.
40.30	at grey sandstone 16 x 12 x 8 ins. 10 ins in ground for 1/4 sec. cor.

300K-A-185

Subdivision of T. 1 N. R. 2 E.

Chains meridional 1/4 on N. from Dry pits and ruined mound of clay stones adjacent

80.60 the Ev. to sec. 29. 30. 31. 32. 2 miles

Land mound brick on 2 miles

soil 2 miles and 1 at west

Oak and chestnut for 1 mile.

open prairie

Subdivisions T. 1 N R. 2 E.

Chains Western random line
bet. secs. 30 and 31

Var. 16° 35' E.

ascend

5.00 top of ridge bears N. & S.
11.50 gulch drains S. W.
17.80 top of ridge bears N. & S.
26.00 gulch drains South
34.50 top of ridge bears N. & S.
39.00 head of gulch drains S.
46.00 set temporary 1/4 sec. cor.
on West side of gulch.
44.66 top of ridge bears N. & S.
50.00 gulch drains S.
68.00 top of ridge bears N. & S.
80.20 Intersect West boundary
of township 28 Chs north of
the cor. to secs. 30. 31. 25 & 36
which is a limestone rock
of rock marked 1 notch on S.
and 5 notches on W. edges

BOOK-A-135

Subdivisions T. 1 N., R. 2 E.

Thence varied meand. of stones along
w'ly thence S. mean
N 89° 48' E on a true line
bet. secs. 30 and 31 with 3 mile
var.

40.20 set limestone 30 x 12 x 4 ins.
18 ins. in ground for 1/4 sec. cor.
marked 1/4 on N. face
dug pits and meand. mined
stones along w'ly
Land mountainous
See 2nd note
Ocak underbrush, fair
growing.

*80.20 the Cor. to secs. 29, 30
31 and 32

Dec. 14th/81

Edw. A-185

Subdivision I. IV. R. 2 E.

Plan

74.00 Pine tree 14 in. Plan marked IV. T.

80.00 at second turn 16 x 12 x 9 ins. 10 ins. in ground for corner to rec. 19. 20. 29 and 30 marked 2 notches on S. and 5 notches on E. edges Dug pit and raised mound of ground adjoining.

Found mound of ground.

Soil 2nd rate.

Timber, Pine, on Mountain Mahogany & shattered. Oak underbrush

Pine growing.

Subdivision T. 1 N. R. 2 E. E.

Chains Centers a random line ine
bet. secs. 20 and 29
Var. 16° 35' E. '35' E.
6.00 top of mountain N E & S. W.
Rises runs along top and
South side of Mountain S.
30.00 Creek, 7000 ft. high.
40.00 set temporary 1/4 sec. cor. S.
67.00 Creek 10 lk. wide 2 in. deep
runs S. r.
67.50 set prod bears N. & S.
80.40 Intersect N & S. line at
the corner to secs.
20. 21. 28 & 29 thence S.
1 mile West on a true line
bet. secs. 20 and 29. of
10.20 set a Pine post 4 x 4 in. 4 ft. 10
long in ground and mound of
stones marked 1/4 Sec N. Pine
for 1/4 sec. cor. Pits alongside

Book A-185

Subdivisions T. 1 N. R. 2 E

Chain
80.90 the N. W. to rec'd. 19. 20. 29 & 30

Land mountainous, Soil 3d rate
Pines and Cedars scattered, heavy underbrush, [illegible]

The steep and precipitous divide between Emigration and City Creek Cañons covered with deep snow necessitates me to discontinue the survey further west and north.

December 15, 1881.

93

Subdivisions T. 1 N. R. 2 E.

Chain from Corner to sections 3 and 4
on North boundary of township
1 chain South set sec. 3 and 4
Var. 16° 35' E

Increase

12.50 trail bears E. & W.

25.00 road to Salt Lake City
bears W. and N. E.

25.50 City Creek 3 Lks wide
1 lk. deep runs West

Increase

enter Pine timber

29.50 Quarkinang on Pine 12 in.
Diam.

32.00 Dry Creek 12 Lks wide 6 ft. deep 6 ft.
wide Trails West

40.00 set Quarkinang post 4 ft.
long 4 x 4 ins. in ground and
mound of earth marked 1/4 S.
on W. face for 1/4 sec. cor.
a Pine 18 in. Diam. bears
West 45 Lks a Pine 20 in.

BOOK A-135

Subdivisions T. 1 W. R. 2 E.

38 lks

Chains Pine. marked 75°

with marked ⅛ S. B. T.

Pine further South impracticable.

Land mountainous, rocky

Pine timber, Pines and

Deciduous.

From Corner to secs. 5 and 6

on North boundary of

Township 9 runs South

bet. secs. 5 and 6

Altitude 9100' Var. 16° 35' E.

Pine and on West side of gulch

25.50 bottom of gulch Pines

S. W. Alt. 8150 ft.

Pine on East S. side

40.00 at Quartzite 18 x 9 x 8 ins.

Subdivisions T. 1 N. R. 2 E.

Chains	12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face [illegible] pits. mound of stones alongside Henry Lawrence Boardinghouse bears S. 63 1/2° W.	Chains.
	upper workings of Mine bears S. 80° W.	39.00
57.20	point on West side of Grand View Run Town 8550 feet.	39.30
70.00	Ferry on East side	
80.00	set limestone 16 x 9 x 8 ins., 10 ins. in ground for cor. to secs 5, 6, 7 and 8 marked 5 notches on S. and 5 notches on E. edges. raised mound of stones alongside a Pine tree 12 in. Diam. bears N 80° E. ~~120 ft~~ 1.8 chs marked T. 1 N R. 2 E S. 5 B T. Low mountainous, heavy	40.00

BOOK-A-185

Subdivisions T. 1 W., R. 2 E.

Chains.	undertrunk.
	Altitude 8000'
	South bet. secs. 7 and 8
	Var. 16° 35' E.
39.00	Crosses Salt Lake City road
	bears E. & W.
39.50	City Creek Fork the
	same ninks about 1/4 mile
	above and appears 1/4 mile
	below.
40.00	at Quartzite 20 x 12 x 9 in
	mound of rocks, bears 1/4 sec. cor. marked 1/4
	on W. Pure veined mound
	of stones adjacent,
	Quartzite 4 in. diam., 2 ft. 3 lbs
	South marked 1/4 S. B.T.
	Altitude 7200'
	across
	cross further South
	impracticable steep high
	Mountain

BOOK-A-185

General Description.

This township is mountainous and the larger part heavily and rocky. There is some fine pine timber at the head of City Creek. Section 12 sec. 3 and 4 on good wagon road is within 3-400 feet of the same. also in secs. 15 and 22. There is a sandstone quarry in sec. 21. Fine sandstone also appears in secs. 14, 15 and 22. Some fine farming land is in Sec. 28 and along Cañon Creek. The township is well watered and adapted for grazing purposes.

Ferdinand Dickson
U.S. Dep. Surveyor.

BOOK-A-185

98

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 28th 1882

The foregoing field notes of the survey of the

Subdivisions

Township No. 1 North Range No. 2 East

of the Salt Lake Meridian, Utah Territory,

Executed by Ferdinand Dickert

Under his contract No. 106

of the 29th day of July 1881,

in the months of November & December 1881,

having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby aproved.

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-185

REPORT: 1882.

Filed March 22, 1882.

Examined by John H. Campe.

Compared by E. Salomon & F. Linton.

FIELD NOTES

OF THE SURVEY OF THE

Guide Meridian and North and East boundaries and Resurvey of Salt Lake Base line

OF

Township No. 1 North

Range No. 3 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Dickert

U. S. Deputy Surveyor,

Under his Contract No. 106

Dated July 29th, 1881.

Survey commenced Aug 26th 1881.

Survey completed " 30, 1881.

Resurvey of Meridional west F.L. [illegible]

2.

BOOK-A-185

Township 1 N. R. 3 E.



BOOK-A-185

Guide Meridian

Chains

Survey commenced with a Surveys Solar compass E. which I find correct by observation. S°W.

From the established Cor. to T. 1 N R. 2 and 3 E. viz: a sandstone 14 × 8 × 6 ins. marked 6 notches W. N. and E. and mound of stones alongside. I run North bet. secs 31 and 36 Var. 16° 35' E.

3.50 top of ridge bears E. & W. around

24.50 Wood road bears N.W. & S.E. forward

39.00 Gulch 8 links N.W. nearly ½ mile below is a fine Spring.

40.00 set Quartzite 14 × 9 × 8 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face

Guide Meridian
T. 1 N. R. 2 and 3 E. 1901.

Chains	
	and raised mound of stones
	along side
45.00	top of ridge bears N. & S.
	Beaches bears (?) bears W.
58.50	bottom of gulch and Creek
	3 lks. wide 2 in. deep runs N. W.
80.00	set sandstone 18×12×12 ins.
	12 ins in ground marked 1 notch
	on S. and 5 notches on N. edge
	for cor. to secs. 30, 31, 25 and 36
	Bay pits and raised mound
	of stones alongside
	Land mountainous
	rocky, timbered Quaking
	asp scattered, fine grazing

Guide Meridian

BOOK-A-185 102

T. 1 N. R. 2 and 3 E.

Chains	
	North bet. secs. 25 and 30
	Var. 16° 35' E.
	top of mountain bears N 8 a S. W.
9.15	Armstrongs Barn bears S. 63° W.
	along West side of Mountain Peak
	Ferrand
25.50	
40.00	a Quartzite 4 in. Diam.,
	which I mark 1/4 S. on W.
	face Dug pits a Quartzite
	asp 4 in. Diam. bears W.
	4 ft. marked 1/4 S. B T.
42.50	gulch Drains W.
45.50	top of ridge E a W.
50.50	Creek 3 lks. wide 8 in.
	deep. runs S. W.
62.00	gulch Drains S. W.
80.00	set sandstone 18 x 9 x 9 ins.
	12 ins in ground for cor. to secs.
	19. 30. 24 and 25 marked 2 notches
	on S. and 4 on W. edges Dug pits
	and raised mound of stones alongside

Boundaries of Sections 19 and 24 T. 1 W. R. 2 and 3 E. of the Boise Meridian

Chains	
	Land mountainous, rocky. Timber, Quaking asp, willow and oak underbrush.
	North bet. secs. 19 and 24 Var. 16° 35' E.
8.10	top of Mountain bears E. & W. Passed through heavy oak underbrush and Quaking asp.
40.00	set sandstone 18 x 12 x 6 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face Dug pits and raised mound of earth.
45.00	Wood road bears N E & S. W.
46.00	Dry Creek Trails S. W.
80.00	set gray sandstone 18 x 9 x 8 ins. 12 ins. in ground for cor. to secs. 18

Chains

800

BOOK-A-185

Boise Meridian

T. 1 N. R. 2 and 3 E.

Chains	
	19. S. C. 24 and 25 marked 3 notches on S. and 3 notches on W. edges raised mound of stones adjacent Sand mountainous soil 2nd and 3d rate, Timber, Quaking aspen scattered, heavy oak underbrush, pine grazing.
	North bet. secs 18 and 13 Var. 16° 35' E.
14.60	top of high mountain bears S. W. & N. E. 7450' distant
40.00	set Quartzite 18 x 9 x 8 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face Dug pits and raised mound adjacent

Guide Meridian

T. 1 N. R. 2 and 3 E.

Chains	
43.00	Big Mountain Cr. 1 lk. wide 3 in. deep runs S.W. nearly W.
43.50	Big Mountain road runs S.W. and W. E. set Witness Post 5 ft. long 8 in. square marked W.P. 6900 ft.
80.00	west
	set sandstone for corner to secs. 7. 18. 12 and 13 marked 4 notches on S. and 2 on W. edges raised mound of stones alongside
	Land mountainous, rocky heavy Chaparral and Oak underbrush.

Chains
37.00
40.00
43.00
53.00
67.00
80.00

BOOK-A-185 Ute Meridian
106
T. 1 N. R. 2 and 3 E.

Chains	
	North bet. secs. 7 and 12
	Var. 16° 35' E.
37.00	point 60 feet East of
	B. y Mountain Peak
	8200 ft. high
	Ontario Mill bears S. 34½ E.
	Cooks Ranche bears S. 15° W.
40.00	set red sandstone 12 x 9 x 8 in.
	on rocky place in mound of
	stones for ¼ sec. cor. marked
	¼ S. on W. face raised
	mound of stones always de
43.00	scend on E. side of
	B. y mountain
53.00	bottom of gulch trains E.
67.00	top runs parallel nies
80.00	set Quartzite 18 x 12 x 9 in.
	12 ins in ground for cor. to
	secs. 6. 7. 1 and 12 marked
	5 notches on S. 1 notch on W. edge.

Gulf de Mer. Diam

T. 1 N. R. 2 and 3 E.

Chains	and mixed mound of stones
	along side
	a Quelkinaye 12 in. Diam.
	bears N 55° E. 3 ch. 38 lks
	marked T. 1 N. R. 3 E. S. 6
	BT. No other trees within limits
	Sand mountainous, rocky,
	heavy Oak and Quelkinaye
	underbrush.
	Lines reattained E. - W.
	Aug 27th/81
	North bet. secs. 1 and 6,
	Var. 16° 35' E.
	along West side of Mountain
20.00	Pine tree 3 ft. Diam. 15 ft.
	west.
40.00	set Quelkinaye post 4 ft.
	long 4 in. square 12 ins. in ground
	for 1/4 sec. cor. marked 1/4 cor

BOOK-A-185

Guide Meridian

T. 1 N. — R. 2 and 3 E.

Chains	
	W. pace dug pits and raised mound of earth.
*	Land mountainous soil 2nd rate,
	Timber Pines scattered heavy Oak and Chestnut underbrush, fine grazing
*55.00	head of Green Prairie S. W.
69.00	top of divide bears E and W. 8500 ft. high
	set witness Monument, Sandstone.
80.00	set red sandstone 18 x 12 x 12 ins. 12 ins in ground for Corner to Townships 1 and 2 N. R. 2 and 3 E. marked 6 notches N. S. E and W. raised
	mound of stones alongside
	Pine tree 3 ft. D. bears N 88° W. 80 ft. dist marked
	T. 1 N. R. 2 E. S. 36 B T.
	no other tree within limit
	Aug 29th 1881

got out here did not make the mark the line P.D.C.

General Description

The land along this line is mountainous, covered with underbrush, Pines scattered along northern half, E & W. of line. The line further North in Township 2 North is impracticable on account of high, broken mountains.

Ford. D. McVert
U. S. Dep. Surveyor

BOOK-A-185 x 110

North Boundary T. 1 N. R. 3 E.

Chains	
	From Cor. to T. 1 and 2 N R, 2 and 3 E. viz a sandstone 18 x 12 x 12 and mound of stones from which a Pine tree 3 ft. diam. bears N 88° W. 1/2 link dist.
	From East bet. secs. 6 and 31. Var. 16° 35' E.
~~8.00~~	~~Pine tree on line 20 in. diam.~~
~~16.00~~	~~gulch trends N.~~
14.00	Pine stump 3 ft. diam. on line
40.00	set sandstone 16 x 8 x 8 in. 10 in. in ground for 1/4 sec. cor. marked 1/4 on N. face mound of earth 300 ft. South of Tank Altitude 8200 ft.
	Pine stump 3 ft. diam. on line
58.00	~~top of ridge bears E. x W.~~
	gulch trends North
64.00	~~Pine tree 18 in. diam. on line~~
73.00	Pine tree on line 20 in. diam.
80.00	set grey sandstone 14 x 12 x 12 10 ins. in ground for cor.

North Boundary T. 1 N. R. 3 E.

Chains

to recs. 5. 6. 31 and 32 marked
1 notch on W. and 5 on E. edges
a Pine tree 14 in. diam bears
N 2° E. 32 lks marked T. 2 N.
R. 3 E. S. 32 B.T.
a Pine 16 in. diam. bears S. 5° E.
100 lks. marked T. 1 N. R. 3 E.
S. 5. B.T.
a Pine 16 in. diam. bears
N 48° W. 50 lks marked
T. 2 N. R. 3 E. S. 31 B.T.
Altitude 7900'
Land mountainous, soil
3rd rate. Timber Pine
and Quakinaspen along line
heavy oak undergrowth.

Chains

20.0
28.0
40.0
80.0

BOOK-A-185

North Boundary T. 1 N. R. 3 E.

Chains	
	East bet. secs. 5 and 32
	Var. 16° 35' E.
20.00	ridge bears N.E. & S.W.
28.00	gulch bears S.E.
40.00	set sandstone 22×18×18 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face a Mountain Mahogany 10 in. diam. bears S. 83° E. 25 lks. marked 1/4 S.B.T. a Mountain Mahogany 10 in. diam. bears East 15 lks. marked 1/4 S.B.T. on top of ridge bears N. & S. line runs parallel of south side of Mountain
80.00	set a trachyte 36×24×24 ins. 24 in. in ground for cor. to secs. 4. 5. 32 and 33 marked 2 notches on W. and 4 notches on E. edges

North boundary T. 1 N R. 3 E.

Chains		Chains
	Dug pits and raised mound	40.00
	stones.	
	Land mountainous, rocky	
	Timber Pines partly burnt	
	on South side of line,	45.00
	oak undergrowth.	
	Alt. 6700'	
		61.00
	East bet. secs. 4 and 33	
	Var. 16° 35' E.	64.00
19.60	top of ridge bears N. & S.	
	trachyte rock 15 lks high	67.50
	20 ft. diam. bears S. 12° E.	80.00
	982 lks dist	
28.00	trachyte rock 30 ft. high	
	60 ft. diam. bears North 90 ft.	
	dist.	
33.50	Monument Creek 8 lks wide	
	4 in. deep runs NE.	

BOOK-A-185

E. North boundary T. 1 N. R. 3 E.

Chains	
40.00	set travlyte 18×12×10 ins. 12 ins in ground for 1/4 sec. cor. marked 1/4 on N. face raised mound of stones alongside
45.00	Big Mountain road bears S.E. and S.W. line runs in road
61.00	Leave road runs N.E. Beaver Cr. empties in Monument Cr. 45.3 Chs. N.
64.00	Big mountain road runs East
67.50	Leave road runs N.E.
80.00	set Quartzite 15×15×15 10 in. in ground for cor. trees. 3.4.33 and 3.4 marked 3 notches on W. and S. edges dug pits and raised mound of stones alongside. Road

North boundary T. 1 N. R. 3 E.

Chains	9/LKS N. Monument Creek
	182 Chs N.
	Land mountainous, rocky,
	pine Quaking asp along
	Creek, pine grazing.
	Cent. set. secs 3 and 34
	Var. 16° 35' E.
3.50	Monument Creek 6 Lks wide
	3 in. deep runs S. E. 76 Lks.
	Thence East
5.00	Creek 4 in. wide 2 in. deep runs S
8.00	R.y mountain road runs S. E
	and E. high mountains
	S. of line
40.00	set Quartzite 18 x 16 x 8 in.
	16 ins in ground for 1/4 sec. cor.
	marked 1/4 on W. face dug
	pits and raised mound of
	stones alongside. a Quaking

58.0

59.2

67.

80.0

BOOK-A-185

North boundary T. 1 N. R. 3 E.

Chains	8 in. diam. bears S. 22° W. 79 LKs. Wagon road 113 LKs S. Mon- ument Cr. 136 LKs South.
58.00	Monument Cr. 6 LKs wide 8 in. deep runs N. E.
59.20	Dry Mountain road bears N.E.
67.50	Muddy Creek 2 LKs wide 1 in. deep runs North.
80.00	set trachyte 18 x 12 x 12 ins. 12 ins in ground for cor. to secs. 2. 3. 34 and 35 marked 4 notches on W and 2 on E. adjoe. Dug pits and raised mound of stones alongside on West side of East Cañon
	Land mountainous, soil 3d rate, pine Chaparral along Creek, heavy Oak underbrush.

North boundary T. 1 N. R. 3 E.

Chains	
	East bet. secs. 2 and 35
	Var. 16° 35' E.
4.50	East Cantin Cr. 30 Lks. wide 1 ft. deep runs N.W. 76 Lks thence N 8.
13.20	Wagon road runs N & S. at witness monument of stones, a Willow tree 2 ft. diam N 30 Lks Altitude 5800 ft.
22.00	Cottonwood Cr. empties in East Cantin Cr. 75 Lks N.
32.00	foot of ridge bears N & S.
40.00	set Quartzite 16 x 16 x 12 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face dug pits and raised mound of stones on top of ridge
50.00	descend along N. side of mountain runs E & W.
65.00	trail S. E & N. W.
66.50	Cottonwood Cr. 6 Lks wide 8 ins

Var

Chains

80.00

15.00

19.50

BOOK-A-135

North boundary T. 1 N. R. 3 E.

Chains	
	Departures N. W.
80.00	set Quartzite 20 x 18 x 8 ins, 12 ins in ground for cor. to secs. 1. 2. 35 and 36 marked 5 notches on W. 1 notch on E. edges. Dug pits and raised mound of stones.
	Land mountainous,
	Timber fine Cottonwood and Quaking asp along E.
	fine Pine ½ mile up Cottonwood Creek, heavy oak undergrowth, fine grass
	Aug 29th 81
	Cant bet secs. 1 and 36
	Var. 16° 35' E.
15.00	right side of creek
19.50	bottom of creek and Sheep Creek 2 LKS wide 2 in. deep

North boundary T. 1 N. R. 3 E.

Chains.	
	runs S. W. empties 9.16 Chs.
	Cw in Cottonwood Creek
22.50	trail bears S. W. - N. E.
31.50	left side of gulch.
40.00	set Quartzite 18 × 16 × 12 in
	12 ins. in ground for 1/4
	cor. marked 1/4 on N. face
	Dug pits and raised mound
	of stones alongside
	Sheep Cr. 377 Chs. north.
47.50	Dug Creek 3 LKS wide 6 in.
	deep Trains N.
49.00	Enter Quartzite
68.00	Leave 91 LKS North
80.00	set Quartzite 18 × 12 × 10 ins
	12 ins. in ground for cor. to
	townships 1 and 2 N. R. 3 and
	4 E. marked 6 notches
	N. E. S. W. edges raise
	mound of stones alongside

BOOK-A-185

North boundary T. 1 N., R. 3 E.

Trees a Quakinaspen 10 in. diam. bears S. 57½° E. 28 lks marked T 1 N. R. 4 E. S. 6 B.T.,

a Quakinaspen 10 in. diam. bears N. 85½° E. 29 lks marked T. 2 N. R. 4 E S. 31 B.T.,

a Quakinaspen 6 in. diam. bears N. 7° E. 19 lks. dist. marked S. 31 B.T.

a Quakinaspen 10 in. diam. bears S. 71° W. 30 ft. marked T. 1 N. R. 3 E. S. 1. B.T.

Land mountainous Quakinaspen for 31 chains heavy oak underbrush fine grazing.

Aug 31st 81

BOOK A 185 121

East boundary T. 1 N. R. 3 E.

Chains	
	Commencing from Township Corner as described before
	3 rods South bet. secs. 1 and 6.
	Var. 16° 35' E.
5.00	Ground
40.00	Set grey sandstone 16×12×5 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face Dug pits and raised mound of stones along side
58.00	Cottonwood Creek 6 Lks wide 5 ins. deep runs West. enter Pine.
62.00	Pine 16 in. D'am. on line
73.00	Pine 20 in. D'am on line leave Pines.
80.00	Set grey sandstone 16×14×5 10 in. in ground for cor. to secs. 1. 12. 6 and 7 marked 1 notch on N. 5 notches on S. edges Dug pits and raised mound of earth along side.

East boundary T. 1 N. R. 3 E.

Chains	
	Land mountainous, soil 2nd rate, Pines for 15 ch. heavy oak underbrush. fine grazing.
	South bet. secs. 7 and 12 Var. 16° 30' E.
40.00	Fd set sandstone 19 x 16 x 12 ins. 12 ins in ground for 1/4 sec. cor. marked 1/4 on W. face a Dogwood 10 in. diam. bears N 45° E. 39 lks marked 1/4 S. B.T. a Oak tree 10 in. diam bears N. 42 lks marked 1/4 S. B.
48.50	Ascend top of mountain bears E & W
	Altitude 7500 ft.
80.00	Descend set Quartzite 14 x 9 x 3 in. 9 in. in ground for cor. to secs 12. 13. 7 and 18 marked 2 notches

Chains

3.5

25.

40.

BOOK-A-185

East boundary T. 1 N. R. 3 E.

	Chains	on N. and 4 notches on S. edges raised mound of stones along side. a Quakinary 7 in. Diam. bears N 13° E. 64 LKS marked T 1 N. R. 4 E. S. 7 B.T.
		Land mountainous soil 3d rate, Timber some Oak and Pine scattered, heavy underbrush, fine grazing.
		South bet. secs. 13 and 18 Var. 16° 35' E.
S. B.	3.50	Descend low type of Ridge bears E & W.
E & W	25.50	Retreat Dry Creek 5 LKS. wide 1 ft. deep in Bottom of North Fork Cumm Draws West
secs	40.00	around set grey sandstone 12 x 8 x 6 8 in. in ground for 1/4 sec. cor.

East boundary T. 1 W R. 3 E.

Chains	
	marked 1/4 on W. fence raised mound of stones alongside
55.50	top of mountain bears E × W.
72.00	Descend in Schuster Canon. sandstone prec. price 125 ft. deep 5 chains East.
80.00	set sandstone 22 × 18 × 12 ins. 14 ins. in ground for cor. to secs. 13. 24. 18 and 19 marked 3 notches on N. and 3 on S. edges raised mound of stones alongside
	East mountainous, rocky, Oak underbrush fine grazing.
	South bet. secs. 19 and 24 Var. 16° 35' E.
1.10	Descend Conglomerate 100 × 50 × 50 ft.

BOOK-A-185

East boundary T. 1 N. R. 3 E.

Chains	
14.80	Schuster Creek 8 Lks. wide 8 in. deep runs West around an East side of Deer Creek Drain North.
31.00	Pine 10 in. diam. on line
38.50	Deer Creek 8 Lks wide 3 in. deep runs N. W.
40.00	set grey sandstone 20 x 12 x 8 ins 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face a Pine 16 in. diam. bears West 4 Lks marked 1/4 S. B. T. a Hemlock 14 in. diam bears East 3 lks. marked 1/4 S. B. T.
40.80	around on West side of gulch. Pine 20 in. diam. on line
50.00	bottom of gulch Drain N. E.
80.00	set grey sandstone 19 x 8 x 8 ins 12 ins. in ground for cor. to secs. 24. 25. 19 and 30 marked 4 notches on N. and

126

East boundary T. 1 N. R. 3 E.

Chains. 2 notches on S. sides of pine mound of earth along side a Pine 12 in. diam. bears N. 60° W. 68 lks dist marked T. 1 N. R. 3 E. S. 24 B.T.

a Scrub oak 10 in. diam. bears S. 20° W. 42 lks. dist. marked S. 25. B.T.

top of mountain 1 ch. 80 lks further South bears E. & W. Altitude 7700 ft.

Land mountainous. Soil 3rd rate heavy underbrush. fine grazing.

Aug 30th 1881.

BOOK-A-185

General Description

Land along these lines
are mountainous, covered
with heavy underbrush.
Pines scattered and in
groves. Fine grazing.

Ferd. Dickert.
U. S. Dep. Surveyor.

Explanation

It being impossible to extend the Guide Meridian further North from Cor. to Townships 1 and 2 N. R. 2 and 3 E. I run the same from Corner to Townships 1 and 2 N. R. 3 and 4 E.

Fred. Dickert
U. S. Dep. Surveyor

BOOK-A-185

Resurvey of Salt Lake Base Line

Chains	From Cor. to Townships 1 N., Ranges 2 and 3 E. I run East along South boundary of sect. 31 Var. 16° 35' E. Line runs parallel Alexandria Canon, Deceased
4.50	gulch Trains South
8.50	ridge bears N. & S.
25.50	Deep gulch and spring branch runs South 6400 ft. Set
40.00	find old cor. 2 ch. 50 lks further East and 50 lks S. set sandstone 19 x 16 x 8 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face raised mound of stones alongside. on Western side of Mountain.
47.00	top of mountain bears N. & S.
57.00	gulch Trains South.

Resurvey Salt Lake Base line

63.00	Conglomerate ridge N. & S. N.
72.50	gulch Travis South
80.00	N. trace of old corner
	set sandstone 20 × 10 × 9
	on rocky ledge in mound of
	stones for cor. to sec. 5, 31 and
	32 marked 1 notch on W. and
	5 on E. edges raised mound
	of stones alongside.
	Sand mountainous
	rocky, oak underbrush
	East along South boundary
	of sec. 32
	Var. 16° 35' E.
28.00	Summit bet. Alexander
	and Bear gulches bears
	S E and N W 7175 ft.
	Descend and enter timber
34.80	Pine tree 3 ft. Diam. on line

Re-

Chains

40.00

45.

51.

61.

69.

76.

79.

80.

BOOK-A-185

Re-survey Salt Lake Base Line.

Chains	
W. 40.00	no brass of old corner, on account of burnt timber set sandstone 16 × 16 × 8 in. 10 in. in ground for 1/4 sec. cor. marked 1/4 on N. face and raised mound of stones alongside a Pine 10 in. diam. bears E. 10 feet marked 1/4 S. BT a Pine 18 in. diam. bears West 10 ft. marked 1/4 S. BT.
45.00	Pine 18 in. diam. on line
51.00	Pine 4 ft. diam. on line
61.00	Burnt Pine stump 5 ft. diam. on line
69.50	Double Pine each 18 in. diam on line.
76.00	Bear Creek 2 ft. wide 8 in. deep runs North
79.50	Pine 4 ft. diam. on line.
80.00	Quartzite 10 in. diam, which I mark

Re survey of Salt Lake Base Line

Chains	
	T. 1 N. R. 3 E. S. 33 on N.E. Sec. 32 on N.W. leaves 7300 ft. high a Quakinasp 10 in. diam bears N 50 W. 8 ft. Dist marked T. 1 N. R. 3 E. S. 32 B T,
	a Quakinasp 11 in. diam. bears N 5° E. 5 ft. Dist. marked T. 1 N. R. 3 E. Sec. 33 B.T.
	Quakenasp S. 88 W. 12 ft. Dist.
	Quakenasp S. 75° E. 15 ft. dis 10 in. diam.
	Land mountainous, fine Pine timber north of Line for 3/4 and South of Line for 3/4 miles.

Chains

34.50

35.00

40.00

50.50

71.10

78.00

80.00

BOOK-A-185

Re-survey of Salt Lake Base line.

Chain	
	Cont. along South boundary of sec. 33
	Var. 16° 35' E
	ascend an ridge side of gulch which trends N. E.
34.50	Pine tree 3 ft. diam. on line
35.00	Found 50 lks diam. 75 ft. S.
40.00	no trace of old Corner set sandstone 18×12×6 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face raised mound of stones from which a Quaking Asp 9 in. diam. bears South 33 ft. marked 1/4 S. B T.
	a Pine 14 in. diam. bears N. 28 ft. marked 1/4 S. B T.
50.50	Pine tree 22 in. diam. on line
71.10	Pine tree 16 in. diam. on line
78.00	top of divide
80.00	no trace of old Corner set.

T. 1 N. R. 3 E.

Resurvey of Salt Lake Base line

Chains	
	sandstone 16 x 16 x 5 in. 10 in. in ground for cor. to secs. 33 and 34 marked 3 notches on W. and 3 notches on E. edges. Dug pits and raised mound of stones adjoins Land mountainous, Timber Pines and Quakenas on 80 chains line grazing.
	Cent. along South boundary of sec. 34
	Var. 16° 35' E.
	line runs along North side of Wood Canon.
4.00	Second Steam Saw mill bears S. 31 about 1/2 mile Dist.
40.00	no trace of old cor. set grey

Chains

40.05

40.30

40.80

65.00

79.00

80.00

BOOK A 189 T 15 N. R 3 E.

Resurvey of Salt Lake Base Line

Chains	
	sandstone 48 x 36 x 24 ins.
	in ground for 1/4 sec. cor.
	marked 1/4 on N. face
	raised mound of stones
	alongside
40.05	Creek 12 in. wide 3 in. deep
	runs N. E.
40.30	road runs N E & S. W.
40.80	Creek and bottom of Wood
	Canon runs N. E.
	around along South side
	of Wood Canon
65.00	top of ridge bears N E & S. W.
79.00	descend Creek 12 in. wide 3 in.
	deep runs N. E.
80.00	no trace of old Corner
	set sandstone 18 x 12 x 10
	ins. 12 ins. in ground for
	cor. to secs. 34 and 35 mark'd
	4 notches on W. and 2 on E. edges

T. 1 N. R. 3 E.

136

Re-survey of Salt Lake Base Line

Chains	
	raised mound of stones about 3 ft. wide.
	Land mountainous,
	Soil 2nd rate,
	Quaking aspen scattered.
	Fine grazing.
	Cut on South boundary of sec. 35
	Var. 16° 35' E
15.00	Wagon road bears S. E. & N. W.
	set sandst. 15 x 12 x 4 mark.
	W. M. 6100 ft. high.
16.00	Cut Canon Creek 18 ft. wide 1 ft. deep runs N. W.
	Line ascends on high mountain destitute of timber consequently — Impracticable the line here. —

BOOK-A-185

General Description,

The land along the Base line in T. 2 and 3 S. is mountainous and rocky, covered with heavy undergrowth, Pines and Chaparral along line in Sect. 32 & 33 T. 3 S. R. 3 East.

Ferdinand V. Vert
U. S. Deputy Surveyor.

BOOK-A-185

138 138

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 28th 1882

The foregoing field notes of the survey of the Guide Meridian, North and East boundaries and resurvey of Salt Lake Baseline

Township No. 1 North Range No. 3 East

of the Salt Lake Meridian, Utah Territory,

Executed by Ferdinand Dickert

Under his contract No. 106

of the 29th day of July 1881,

in the month of August 1881,

having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby aproved.

J. Dap Salsbury

U. S. Surveyor General for Utah.

BOOK-A-185

139

REPORT: 1882.

Filed ..... 1882.

Examined by John A. Campe

Compared by F. Linton & E. Solomon

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 1 North

Range No. 3 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Dickert

U. S. Deputy Surveyor,

Under his Contract No. 106.

Dated July 29th, 1881.

Survey commenced August 31, 1881.

Survey completed October 10, 1881.

140

NAMES AND DUTIES OF ASSISTANTS:

..... Compassm

..... Chainman

..... Chainman

BOOK-A-185

Township 1 N. R. 3 E.



BOOK-A-185 = 141

Subd. mining T. 1 N R. 3 E.

Chain	Beginning at the cor. to secs.
	24. 25. 19 and 30 a grey sandstone
	19 × 8 × 8 marked 4 notches on N.
	and 2 notches on S. adjoins as
	described before I run
	West on a true line bet. secs.
	24 and 25.
	Var. 16° 30' E.
	Line runs along North side
	of steep mountain
9.50	general Trend N.
30.00	Ontario mill, Park City
	bears S. 17½° E.
40.00	set limestone 16 × 12 × 4 ins.
	9 ins. in ground for ¼ sec. cor.
	marked ¼ on W N. faces of
	raised mound of stones along-
	side
	Descend
70.00	ridge bears N & S.
80.00	set grey sandstone 19 × 12 × 8 ins.

Subdivisions S. 1 W. R. 3 E.

Chains 12 ins in ground for cor. to secs. 23. 24. 25 and 26 marked 2 notches on S. and 1 notch on E. edges raised mound of stones adjacent

Chains 35.00

40.00

Land mountainous, rocky, heavy oak, and blue cedar underbrush, Lines run to North of line.

South bet. secs. 25 and 26
Var. 16° 30' E.

1.00 top of ridge bears E. & W.

5.00 Bottom of gulch Chains West 1/4 mile below in Little Wilson creek

16.00 top of ridge bears N E and S.W. Alt. about 7400 ft.

BOOK A-185

143

Subdivisions T. 11 N., R. 3 E.

Chains

25.00 Line W. from Quar. Sec. 3 bks. wide 4 in. deep runs W. 300 ft., Alders N. W. Lat. tude 68 45' Shepherd's Cabin 66 ft. East. at Quartzburg 4 ft. long 4 in. square 12 ins. in ground for 1/4 secs. cor. marked 1/4 S. on W. face. Trenches and mound mound on south side 4 ft. at Quartzburg 4 in. diam. bears W. 1 lk. marked 1/4 S. B.T.

Line further South impracticable on account of steep mountain, covered only with thick underbrush.

Trail Mountaineers, Pines and Quartzburg resulted up and down the track.

Subdivision S. 1 W. R. 3 E.

Chains	
	From cor. to sec. 23. 24. 25 and 26 N. 89 W. Var. 16° 30' E.
3.00	gulch Trends West
10.00	ridge bears S. - W.
40.00	set gray sandstone 16 x 9 x 4 in. 10 in. in ground for 1/4 sec. cor. marked 1/4 on W. face, witness mound of stones alongside in gulch Trends East.
57.00	top of ridge bears E. - W.
66.00	gulch Trends East
76.00	top of ridge bears N 6 E 3.1
80.00	set gray sandstone 18 x 12 x 9 in. 12 in. in ground for cor. to secs. 13. 14. 23 and 24 marked 1/4 sec. on S. and 1 notch on E. edges Pits and mound of stones alongside

Subdivision

Chains	
	3
10.00	
30.00	
33.50	
40.00	
41.10	
80.60	

BOOK-A-185

Subdivisions T. 11 N. R. 3 E.

Trees: Hard maple, basswood, white ash, oak and poplar undergrowth, fine grazing.

East on a random line bet. secs. 13 and 24

Var. 16° 30' E.

10.00	top of ridge bears W & S.W.
30.00	quaking trees W.
33.50	ridge bears W & S.
40.00	set temporary 1/4 sec. cor. 3 bks
41.10	Pelican Creek 4 ft. wide 8 in. deep runs N. W. set 6350
80.60	intersect West boundary of the township 90 lks north of the cor. to secs 13. 24. 18 and 19 as described before

Trees 3 runs N 89° 21' W. on a true line

Subdivision T. 1 N. R. 3 E.

Chains		Chains
	bet. secs. 13 and 24. with mound	3.60
90.00	set Quartzite 12×9×8 ins.	8.00
	8 in. in ground for 1/4 sec. cor.	17.00
	marked 1/4 on N. face Dug	26.00
	pits and raised mound of stone	33.50
	adjacent to Quartzite 64 lks	40.00
	8 in. Diam. bears East 1.2 ch.	
	marked 1/4 S. B.T.	
80.60	the cor. to sec. 13. 14. 23. & 24.	
		46.00
	East mountainous soil;	53.50
	3rd rate, Timber fair	68.50
	Pine and Quartzite	
	scattered, heavy underbrush,	70.00
	Pine prairie.	79.00
		80.00
	North bet. secs. 13 and 14.	
	Var. 16° 30' E.	
	Descend	
1.50	gentle drain East.	
	No.	

BOOK-A-185

14

Subdivision S. 1 W. R. 3 E.

Chains 3.60	top of ridge E & W.
8.00	gulch Drains E.
17.00	ridge bears E & W.
26.00	gulch Drains East
33.50	top of ridge E & W.
40.00	set Quartzite 18 x 6 x 4 ins. 12 ins in ground for 1/4 sec. cor. marked 1/4 on W. face raised mound of stones alongside
46.00	gulch Drains N. E.
153.50	ridge bears E & W.
68.50	enter swamp in Schuster Creek runs N.West
170.00	Leave swamp.
79.00	top of ridge bears E & W.
80.00	set Quartzite 12 x 12 x 6 ins. 8 ins in ground for cor. to secs. 11. 12. 13 and 14 marked 4 notches on S. and 1 notch on E. edges raised mound of

Subdivisions S. 1 W. R. 3 E.

Chains		
	stones along side	71.5
	line mountains, via	80.0
	3rd route,	
	meanders along creek, heavy oak and pine along east and south. fine grazing.	
	part on line between sec. 12 and 13	40.
	Var. 16° 35' E.	
	ascend along ridge on W. side of North fork	
5.00	ridge bears N. & S.	80.
6.00	gulch Trends South	
40.00	set temporary 1/4 sec. cor.	
51.50	ridge bears N. & S.	
54.25	gulch Trends South	
66.50	ridge bears N. & S.	
71.50	gulch Trends S.	

Book A-125

129

Subdivisions T. 11 N., R. 3 E.

Chains	
71.50	Inter Quartzmeap
80.64	Intersect east boundary of township 60 lks north of cor. to secs. 12, 13, 1 and 13 thence N 89° 34' W. on true line bet. secs. 12 and 13 with same sec.
40.32	set sandstone 18 x 12 x 4 ins. 12 ins. in ground for 1/4 sec., marked 1/4 on N. face and raised mound of stones alongside
80.64	the cor. to secs. 11, 12, 13 and 14 Set mountainmens Sius 5 ins. Quartzmeap bears S 8 chains, and scattered along line, bearing under trees, Grade ~~Aug 8~~ Aug 8 1881,

Subdivisions T. 1 N. R. 3 E.

Chains		Chains
	North bet. secs. 11 and 12	
	Var. 16° 35' E.	
	Set	
40.00	set sandstone 12 x 9 x 9 ins.	
	8 ins. in ground for 1/4 sec. cor.	9.00
	marked 1/4 on W. face	
	mound of stones along side	25.50
	on south side of	40.00
	Trail bears W.	
76.00	top of ridge bears E & W.	56.00
80.00	set gray sandstone 14 x 12 x 10 ins.	79.20
	12 ins. in ground for cor. to secs.	
	1. 2. 11 and 12 marked S notch	
	on S. and 1 notch on E. edges.	
	raised mound of stones	
	along side.	
		39.60
	Trail meanders, with	
	3° curve, heavy oak and	
	brush under-growth.	
	Fine grazing.	
		74.2

BCRA-A-185

Subdivisions T. 1 N. R. 3 E.

Chains	Run on a random line bet. secs. 1 and 12.
	Var. 16° 35' E.
	Record
9.00	bank of gulch Chains N. W.
25.50	ridge bears N 6 and S. W.
40.00	gulch Chains N. W.
	set temporary 1/4 sec. cor.
56.00	ridge bears N 2 S.
79.20	Intersect bet boundary of Township 18 Ks. range of cor. to secs. 1. 12. 6 and 7
	thence I run N 89° 18' W. on true line bet. secs. 1 and 12. with random
39.60	set grey sandstone 24×20×16 18 in. in ground for 1/4 sec. cor. marked 1/4 on N. face raised mound of stones alongside.
74.20	the cor. to secs. 1. 2. 11 and 12

Subd. lines T. 1 N. R. 3 E.

Chains: Hard mountainous, Soil 3d rate. Timber pine, Quercus app. scattered, rock outcrops, fine grazing.

North on a random line between secs. 1 and 2 39.20

Var. 16° 35' E.

6.50 gulch Trains W.

28.50 ridge bears E & W.

30.50 gulch Trains West

40.00 set temporary 1/4 sec. cor. 79.20

41.00 Descend on North side of ridge bears E & W.

71.00 gulch and North [illegible] track 4 feet wide 6 in. deep runs West

79.20 Intersect North boundary of Township at the corner to secs. 1. 2. 35 and 36

BOUNDARY 185 153

Subdivisions T. 1 N. R. 3 E.

Chains which is a Quartzite 20x18x8
in. in pits and mound of stone
marked S notches on W and
1 notch on E. sides.
Thence Drive South with
Iron rod.

.39.20 set corner 18x12x12 ins
12 ins. in ground for 1/4 sec. cor.
marked 1/4 on W. face and
raised mound of stones
side.

79.20 the corner to secs. 1. 2. 11 and
12.
Iron monuments
Set 3 rocks
Pinder, Quartzite
& altered.

Sept 1st 81

Subdivisions T. 14 N. R. 3 E.

Chains West on a true line between Sections 23 and 26

Var. 16° 35' E.

along south side of gulch.

30.00 Set

36.50 W. 4 LKS Chain Creek 3 ft. wide

1 ft. deep runs N. W.

15.00

40.00 Set granite sandstone 12×8×8 ins.

8 ins. in ground for 1/4 sec. cor.

26.00

marked 1/4 on N. face

30.00

grave of 5 Quartzenary bears

40.00

N 6° E. 70.06 chs each marked

1/4 S. B T.

80.00 Set granite [illegible] 20×14×4 ins.

12 ins in ground for corner

to secs. 22. 23. 26 and 27 marked

1 notch on S and 2 on E. edges

Log pits and raised mound

of stones alongside

Land rises [illegible] very steep

200K-1-185

Subdivisions T. 1 N. R. 3 E.

Thence Soil 3d rate, heavy thick Oak and Dogwood undergrowth, Gum Flooring westward

Thence South bet. sec. 26-27
Var. 16° 35' E

15.00 top of ridge bears E & W.
Altitude 7500'
26.00 gulch Trends West
ridge bears E & W.
30.00 set stone 12x9x6 ins.
40.00 8 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face
raised mound of stones
alongside, in gulch Trends W.
Line passes over "upper A'rosa"
Sand Mountain's summit, heavy
Oak undergrowth, soil 3d
rate.

BOOK

Subdivisions S. 1 W. vi. 3 C. Sub

Chains		Chains
	From Corner to secs. 22. 23 26 and 27 From North East. secs. 22 and 23 Var. 16° 35'	
10.00	North East Wat	
36.00	top of Mountain bears S. & W.	
40.00	Set Sandstone 12 × 12 × 5 ins. 8 ins. in ground for ½ sec. cor. marked ½ on W. face raised mound of stones about 3 ft.	
5.00	Little Willow Creek 4 links wide 1 ft. deep runs W. W.	40.00
80.00	Set Sandstone 12×12×8 ins. 8 ins. in ground for corner to secs. 14. 15. 22 and 23 marked 3 notches on S. and 2 notches on E. 6 ft. pits and raised mound of stones about 3 ft. Land mountainous rocky.	50.50 59.00 66.50

BOOK A 195

Subdivisions T. 11 N. R. 3 E.

Chains Timber zone scattered
Trees and Quartzinous.
fine grained.

Centre a random line
bet. sec. 14 and 23
Var. 16° 35' E.
line runs alongside of
mountain
40.00 at grey ~~sandstone~~ temporary 1/4 sec. cor.
~~18 x 6 x 6 ins 12 ins in ground for 1/4 sec. cor.~~
marked.
50.50 typ beam S. E. & N. W.
Alt. trade 7200 ft.
59.00 gulch Timber N. W. fine
grove of Trees 4-5 acres
6 chs 600 ft. below.
enter Quartzinous.
66.50 leave Quartzinous.

Subdivisions S. 1 W. R. 3 E.

Chains		Chains
69.50	top of ridge bears N. & S.	5.00
80.80	Intersect N. & S. line 42	10.00
	lks north of cor. to secs.	25.50
	13. 14. 23 and 24 thence	
	run N 89° 21° W. on a true	
	line between secs. 14 and 23	34.00
40.40	at grey sandstone 18 x 6 x 6	38.00
	in. in ground for 1/4 sec. cor.	
	marked 1/4 on W. faces, runs	38.50
	mound of stones alongside	
80.80	the corner to secs. 14. 15. 22	40.00
	and 23	
	Sand mountainous, rocky	
	pines and Quercus	
	scattered. Oak understory	
	pine prevailing.	
		55.00

North bet. secs. 14 and 15

Var. 16° 35' E.

Book 205

Subdivisions T. 1 W., R. 3 E.

Chains around
5.00 top of ridge E & W.
10.00 Wagon road bears E & S.W.
25.50 Cut Canon Creek 22 ft.
wide 1 ft. deep runs W. E.
Altitude 6300 ft.
around
34.00 ridge bears E & W.
38.00 road bears S. E & N. W. set
Quartzite 19 x 12 x 12 W. M.
3 Rks.
38.50 Camp Creek 2 ft. wide 8 in.
deep runs S. E.
40.00 set Quartzite 24 x 12 x 12 in.
on ridge pence in mound of
stones ~~scratched~~ for 1/4 cor.
cor. marked 1/4 on W. fence
raised mound of stones along
ridge
around
55.00 top of divide set. Cut Canon
and Camp Creeks bears
W. W and S E. set witness
monument 3 x 3 x 3 ft. Altitude 6600

16

Subdivisions T. 1 N R. 3 E.

Chains		Chains
66.00	gulch Drains East, Cottonwood	19.50
	4.50 chn.	
	grass 300 ft. East.	34.00
74.00	ridge bears E & W.	
75.50	gulch Drains East.	40.00
80.00	set sandstone 18 x 18 x 9 ins.,	
	12 ins. in ground for cor. to secs.	
	10. 11. 14 and 15 marked 4 notches	65.00
	on S. and 2 on E. edges raised	
	mound of stones adjoining to	78.00
	sand mountain mesa, rocky,	
	heavy undergrowth, Quaking Asp	
	scattered. fine grazing.	80.50

Sept 2d 1881

East on a random line bet.
secs. 11 and 14.

Var. 16° 35' E.

10.00	East Cañon Creek 38 lks. wide,	
	1 ft. deep runs North	40.2
18.00	Enter Johnston Cañon Drains W.	

BOOK-A-185 161

Subdivision T. 1 N. R. 3 E.

Chains	
19.50	Road bears N. & S. et W. E.
34.00	Schuster Cr. 2 ft. wide 4 ins deep runs W.
40.00	set temporary 1/4 sec. cor. Line runs along W. side of Schuster Canon.
65.00	North Fork of Schuster Creek 4 ft. wide runs S. W. by
78.00	North Fork Schuster Creek 4 ft. wide 3 ft. deep by runs N. W.
80.50	Intersect N. & S. line 40 lks south of the Cr. to secs. 11. 12. 13 and 14 thence down S. 89° 43' W. on a true line bet. secs 11 and 14 with same var.
40.25	set sandstone 24 × 24 × 24 ins, 16 ins. in ground for 1/4 sec. cor.

Subdivisions T. 1 N. R. 3 E.

Chains

80.50 market 1/4 on N. face raised mound of stones adjacent. the cor. to secs. 10. 11. 14 and 15. Land mountainous, rocky. Timber Quaking Asp along Creek, oak underbrush, trees [illegible]

North bet. secs. 10 and 11 along West line of Lot Eleven, Var. 16° 40' E.

7.00 mound bears S. W.

20.50 Creek Drains S. E.

35.00 top of mound bears S. W.

40.00 set Quartzite 18 x 4 x 4 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face raised mound of stones adjacent, Altitude 680 23 26.

80.00 set Quartzite 28 x 26 x 6 ins. 18 ins. in ground for cor. to secs. 32

BOUN-A-188 163

Subdivisions S. 1 W. R. 3 E.

Chains 2. 3. 10 and 11 marked T
mounds on S. and 2 on E. adjoi
Dug pits and raised mound
of stones easterly side
pine grove of Cottonwood
bears North about 800 ft.
on East bank Creek
Land mountainous,
rocky Timber, Quaking-
asp, Cottonwood.
Oak underbrush, pine grove

Cent in a mound on line betw
ees. 2 and 11.
Var. 16° 40' E.
Second
23.00 road bears N & S.
26.00 Cut Canon 39 ft. wide
1 ft. deep runs North.
Second
32.50 timber bears

Subdivisions T. 1 N. R. 3 E.

Chains		Chains
39.80	gulch trains N. W.	
40.00	set temporary 1/4 sec. cor.	
80.64	Intersect N. & S. line 12 Lks	1.00
	North of the cor. to secs 1.2.11	17.00
	and 12 thence [illegible]	
	N 89° 42' W. on true line	
	bet. secs. 2 and 11 with same cor.	
40.02	set grey sandstone 16×9×8 ins.	40.00
	10 ins. [illegible] in ground for 1/4 sec.	47.00
	cor. marked 1/4 on N. face	
	raised mound of stones about	79.80
80.64	the cor. to secs. 2.3.10 and 11	
	Land mountainous, rocky	
	Timber, Cottonwood and	
	Quaking asp with light	39.80
	Oak undergrowth fine grazing	
		79.

BOOK A 186

Subdivisions T. 1 N. R. 3 E.

on random line

Chains	
1.00	North bet. secs. 2 and 3 Var. 16° 40' E. at long W. side of East Cañon type of ridge bears S. & W.
17.00	Quakinap Creek 2 ft. wide 6 in. deep empties 800 feet below in East Cañon Creek
40.00	at temporary 1/4 sec. cor.
47.00	Quakinap 6 in. diam. 17 lks. W. W. bears W.T.
79.80	Intersect North boundary 30 chs west of cor. to secs. 2. 3. 34 and 35 thence S. 0° 34' W. on true line bet. secs. 2 and 3 with same var.
39.80	set Accurate 16 x 9 x 9 ins. 10 ins in ground for 1/4 sec. cor. marked 1/4 on W. face mound of stones about 2
79.80	thence to secs. 2. 3. 10. & 11

Subdivision T. 1 N. R. 3 E.

Chains

Chains

80.00

Land mountainous, soil 2nd rate

Quartzmap scattered, rock

underneath fine grained.

Sept 6th 81.

From Corner to recs. 22. 23. 26

and 27 Iron West bearing

bet. recs. 22 and 27.

Var. 16° 35' E.

Found

40.00 set Quartzite 12×3×8 ins.

8 ins. in ground for 1/4 sec. cor.

marked 1/4 on N. face raised

mound of stones alongside

Quartzmap 4 in. diam. bears

West 4 ft. marked 1/4 S. B.T.

49.50 Cent Canon Creek 22 ft.

wide 1 ft. deep runs North

Altitude 6450'

53.50 road bears N & S. 5.00

72.00 apex top of Mountain bears N & S. 10.00

BOOK-A-185

1857

Subdivisions T. 1 N R. 3 E.

Chains	
80.00	set Chestnut 12×12×12 ins, 8 ins in ground for cor. trees 21. 22. 27. 28 marked 2 notches on South and 3 notches on E. edges Dug pits and raised mound of stones adjoining Altitude 7100 ft. Land mountainous, soil 2nd rate, heavy underbrush fine growth timber
	15 chains further South Bear Creek runs East also small grove of Pines on North side of high steep Mountain.
	North bet. sec. 21 and 22 Var. 16° 35' E.
5.00	ascend top of ridge bears E. & W.
10.00	gulch drains East.

Subdivisions T. 1 W R. 3 E.

Chains		Chains
15.00	top of ridge bears E. a W.	
29.50	gulch Trees Cent Act: tree 6800	
38.00	ridge bears E a W.	
40.00	set Quartzite 16 x 9 x 9 ins. 10 ins	10.00
	in ground for 1/4 sec. cor. marked	20.00
	1/4 on W. face, trees marked	26.50
	[illegible] a Union tree	39.00
	6 ins. diam. bears N 32° W. 23 1/2	40.00
	marked 1/4 S.B.T.	45.00
49.00	gulch Trees Cent	53.40
55.00	ridge bears E a W.	
68.00	gulch Trees Cent Act: tree 67	58.50
80.00	set sandstone 12 x 9 x 5 ins.	
	8 ins. in ground for cor. to sec.	
	15. 16. 21 and 22 marked	68.50
	3 notches on S and 3 on E. edges,	
	raised mound of stones adjoins	80.81
	Sand mountainous. rocky,	
	pines, chaparral scattered	
	heavy underbrush,	

BOOK A 185
Subdivisions T. 11 N. R. 3 E.

Chains	Center on a random line between secs. 15 and 22. Var. 16° 30' E.
10.00	top of ridge S.E. and N.W.
20.00	gulch trends S.E.
26.50	ridge bears S.E. and N.W.
39.00	gulch trends South
40.00	at temporary 1/4 sec. cor.
45.00	ridge bears N. & S.
53.44	Cent Canon Creek 33 22 ft. wide 12 in. deep runs N.W.
58.50	Wagon road bears S.W. & W.E. at Quartzite 12 x 12 x 12 W.M. Altitude 6400'
68.50	S.W. to W. Chan Cr. 3 ft. wide 6 in. deep runs N.W.
80.81	arrive Intersect N. & S. line 86 lks South of cor. to secs. 14, 15 22 and 23 thence Down S. 89° 23' W. on true line

Subdivisions T. 1 W R. 3 E.

Chains
40.40½ Chains bet. recs 15 and 22 with same var. at Quartzite 16×12×9 ins. 10 ins in ground for ¼ sec. cor. marked ¼ on W. face Dug pits and raised mound of stones adjacent

80.81 the cor. to secs. 15. 16. 21 and 22. Land mountainous rocky Timber Quaking aspen scattered heavy second growth oak underbrush fine country.

43.50
54.00
76.50
80.00

North bet. secs. 15 and 16
Var. 16° 35' E.

3.00 ridge bears E & W.
6.00 gulch Creek East
11.00 ridge bears E & W.
29.50 Pine tree 2 ft. Diam.
32.00 gulch Creek East
40.00 set sandstone 14×6×6 ins, 9 ins.

BOOK A-185 17

Subdivisions T. 1 N. R. 3 E.

Chains	in ground for 1/4 sec. cor. marked
	1/4 on W. (pace raised mound
	of stones alongside.
43.50	ridge bears E & W.
54.00	Dry Creek 3 ft. wide 6 in.
	deep flowing East
76.50	ridge bears E & W.
80.00	set sandstone 12 x 8 x 6 ins.
	8 ins in ground for corner to
	secs. 9. 10. 15 and 16 marked
	4 notches on S. and 3 notches on
	E. edges Dug pits and raised
	mound of earth alongside.

Land mountainous, Soil 3rd rate, Timber Pines scattered, with underbrush, Pine grazing.

Subdivisions T. 1 W. R. 3 E.

Chains Enter a meander line bet.
secs. 10 and 15
Var. 16° 35' E.
40.00 at temporary 1/4 sec. cor.
51.40 Temp. Creek 3 ft. wide
1 ft. deep runs East also
course of road S. E. & N. W.
Alt. Index 6450' at W. trail
Remount 3 x 3 x 3 ft.
71.50 top of W. at N. side of East Fork
at Granite 16 x 10 x 6 marked
W. M. 6750'
80.90 Intersect N. & S. line 26 Ch.
South of the cor. to secs.
10. 11. 14 and 15, thence
Down S. 89° 49' W. on true line
bet. secs. 10 and 15 with same
40.45 at sand dune 15 x 9 x 8 ins.
10 ins. in ground for 1/4 sec. cor.
marked 1/4 on N. face raised

BOOK A-185

Subdivisions T. 1 N. R. 3 E.

Chains | mound of stones alongside
a Quartzmarp 8 in. diam bears
N 45° W. 35 ft. marked 1/4 S.
B.T. a Quartzmarp 8 in. diam
bears N 60° E. 30 ft. marked
1/4 S. B.T.

Found monuments
as described, fine
Quartzmarp as stated
fine prospecting.

BLM-A-165

Subdivisions S. 1 W. R. 3 E.

Chains. North bet. secs. 9 and 10

Var. 16° 35' E.

29.50 Set and
Dug Creek 6 ft. wide 2 ft.
Deep Drains S. East, (Temp W.)

29.50 road bears N. W. & S. E.

set mineral Monument.

37.50 and
ridge bears E. & W.

40.00 set a post 4 ft. long 4 ins.
square 12 ins in ground for
1/4 sec. cor. marked 1/4 on W.
face Dug and raised
mound of earth around
post.

41.50 Dug Creek 2 ft. wide 1 ft.
Deep Drains East.

56.00 ridge bears E. & W.

65.00 Gulch Drains East.

73.00 ridge bears E. & W.

80.00 set Quartzite 20×12×12 ins.
12 ins. in ground for cor. trees.

10 3

Subdivisions T. 1 W. R. 3 E.

Chains 3. 4. 9 and 10 marked 5 notches on S. and 3 notches on E. edges

Dug pits and raised mounds of stones alongside.

Found Mountaineer, Fir 3 sets. Timber Pines and Quaking Asp scattered no. 1 thick underbrush.

Sept 6th/91

Cut in a random line between 3 and 10 N 16° 35' E.

25.50 enter Quaking Asp grove.

27.00 leave Quaking Asp grove and heart of Quaking Asp (Dug) Trees N. E.

40.00 set temporary 1/4 sec. cor.

80.72 Found Intersect N. and S. Line 42 Lks north of the cor. to secs. 2. 3. 10 and 11 thence N 89° 42' W. on true

Chains 40.36

80.72

Chains 40.00 68.00 80.40

BOOK-A-185

Subdivisions T. 1 W. R. 3 E.

Chains Line bet. secs. 3 and 10 mtd.
3 mean var.

40.36 set Quartzite 15 x 17 x 9 ins.
10 ins. in ground for 1/4 sec. cor.
marked 1/4 on W. face drg
pits and raised mound of
stones adjacent

80.72 the cor. to secs. 3. 4. 9 and 10
Land mountainous, soil
3 Poorly Timber Quaking Asp
along line, heavy under-
brush.

North on a random line
bet. secs. 3 and 4.
Var. 16° 35' E.
mean
40.00 set temporary 1/4 sec. cor.
68.00 top of mountain bears S. W.
Second
80.40 Intersect North Boundary
of township 40 chs. meander

Subdivisions T. 1 N. R. 3 E.

Chains		Chains
	Chains the cor. to secs. 3. 4. 33 and 34	19.00
	thence S. run S. 0° 39' W.	33.00
	on true line bet. secs 3 and 4	40.00
40.40	at Quartzite 16×12×9 ins. 10 ins in ground for 1/4 sec. cor. marked 1/4 on W. face mound of stones adjacent.	
	Land mountainous, soil 3d rate, Timber Quaking Aspen scattered, heavy undergrowth fair grazing.	80.00
	From the cor. to secs. 21. 22 27 and 28 I run West on a true line bet. secs 21 and 28 Var. 16° 35' E.	
9.00	Thence public Trails S. E.	
14.00	via Jefferson Trails S. E. & W. W.	

BOOK-A-185

Subdivisions S. 1 W. R. 3 E.

Chains

17.00 gulch trends S. E.

35.00 ri Tyc bears W. S. Alt. 6900'

40.00 at grey sandstone 16 × 9 × 8 ins.
10 ins. in ground for 1/4 sec. cor.
marked 1/4 on W. face variet
mound of stones alongside
gulch trends South
Pine runs along South
side of W. & E. gulch

80.00 at grey sandstone 19 × 12 × 6
12 ins. in ground for cor. to
sec. 20, 21, 28 and 29
marked 2 notches on S. and
1 notches on E. Tyc. variet
mound of stones alongside
Mountainous
Soil 3rd rate, heavy
with underbrush, pine
growing.

Subdivisional T. 1 N R. 3 E.

Chains		
	North bet. secs. 20 and 21	
	Var. 16° 35' E.	
15.00	Descend bottom of North Fork Deer Creek	
	Drains S. E.	2.00
40.00	Ascend set grey sandstone 12×9×8 ins.	5.00
	8 ins. in ground for 1/4 sec. cor.	9.00
	marked 1/4 on W. faces raised	19.00
	mound of stones adjacent	26.50
	of Mountain	
	top bears S. & W.	31.50
	Pines scattered along top	40.00
	~~along~~ of Mountain	
80.00	set sandstone 18×6×6 ins.	74.00
	12 ins. in ground for cor. to	79.40
	secs. 16. 17. 20 and 21 marked	
	3 notches on S. and 4 on E. edges	
	raised mound of stones	
	adjacent.	
	Land mountainous, rocky	
	Pines scattered,	39.70

BOOK-A-185

East on a random line bet.
secs. 16 and 21

Var. 16° 35' E.

around

2.00 top of ridge bears N & S.

Around

5.00 Dry "Creek" Trends S. E. in gulch

9.00 ridge bears N W & S. E

19.00 gulch Trends East.

26.50 ridge bears N. & S.

31.50 head of gulch Trends East.

40.00 top of ridge bears N W & E.

set temporary 1/4 sec. cor.

74.00 gulch Trends ~~East~~ South

79.40 Intersect N & S. line

79 lks South of cor. secs.
15. 16. 21 and 22 thence

Dem S. 89° 26' W. on a
true line bet. secs. 16 and 21

~~set~~ same cor.

39.70 set sandstone 12 x 9 x 6 ins
8 ins. in ground for 1/4 sec. cor.

Subdivisions T. 1 W R. 3 E.

Chains	
	marked 1/4 m N. from which
	mound of stones alongside
79.40	the cor. to secs. 16. 17. 20. & 21
	Land mountainous, soil
	3d rate, Timber Quercus
	scattered, heavy oak under
	brush.
	North bet. secs. 16 and 17
	Var. 16° 35' E.
6.50	Second Dry Creek 4 lks 3 ft. wide 1 ft. deep
	Trees S. E.
9.00	Tree bears N. W. & S. E.
15.00	Dry Creek 3 1/2 2 ft. wide 2 ft. deep
	Trees S. E.
27.00	Tree Trees E. & W.
40.00	set sandstone, 16 x 12 x 4 ins.
	8 ins. in ground for 1/4 sec. cor.

Chains
46.00
54.00
58.50
63.50
70.00
80.00

BOOK-A-185 182

Subdivisions T. 1 W. R. 3 E.

Chains	
	marked 1/4 m W. fence raised mound of stones alongside
46.00	enter Quartzmeyer grove
54.00	leave Quartzmeyer grove
58.50	enter Pine grove
63.50	leave Pine grove Big Creek 30 ft. wide 1½ ft. deep and Tributary Drains East
70.00	gulch Drains East
80.00	set sandstone 14 x 8 x 6 ins 9 ins. in ground for cor. to sec. 8. 9. 16 and 17 marked 4 notches on S. and 4 notches on E. edges raised mound of stones alongside.

Land Mountainous, soil 3d rate, Timber Pines and Quartzmeyer scattered heavy underbrush.

Subdivisions T. 1 N. R. 3 E.

Chains	
	Centers on random line bet. secs. 9 and 16 Var. 16° 35' E.
20.50	Second bottom of gulch Trends E.
27.50	ridge bears E a N.
30.50	gulch Trends S. E.
36.50	ridge bears E a N.
40.00	set temporary 1/4 sec. cor.
66.50	ridge bears E a N.
68.50	gulch Trends S. E.
78.00	ridge N. W. a S. E.
80.38	Intersect N a S. line 68 lks N. of cor. to secs. 9, 10, 15 and 16 thence Runs N 89° 31' W. on true line bet. secs. 9 and 16 with same var.
40.14	set sandstone 16 x 6 x 6 ins, 10 ins in ground for 1/4 sec. cor. marked 1/4 on W. face variation of stones alongside
80.38	to cor. to secs. 8, 9, 16 and 17

Chains	
5.00	
10.00	
10.50	
20.00	
26.0	
40.0	

BOOK-A-185

Subdivisions of T. 1 N. R. 3 E.

Chains	
	Land mountainous, soil 3d rate Timber Quartzite crop scattered along line heavy cedar underbrush fine grazing.
	North bet. secs. 8 and 9 Var. 16° 35' E.
	Enter Quartzite ledge.
5.00	
10.00	Leave Quartzite ledge.
10.50	mid. of bears E & W.
20.00	bottom of gulch Trees E.
26.00	mid. of bears E & W.
40.00	set sandstone 16 x 12 x 8 ins, 10 ins in ground for 1/4 sec. cor. marked 1/4 on W. faces. 8 in. Trees Quartzite ledge bears N 26° E. 20 lks. marked 1/4 S. B T. a Quartzite 6 in. Trees. bears N 38° W. 18 lks

Subdivisions T. 1 W. R. 3 E.

Chains		Chains
	marked 1/4 S. B T.	
46.50	Dry Creek 3 ft. wide 2 ft. deep	
	Trends S. E.	
49.00	ridge bears N W & S. E.	
51.50	ridge bears N W & S. E.	
	set Witness Monument	
	3 x 3 x 3 feet.	
52.00	Camp Creek 3 ft. wide	
	3 in. deep runs S. E.	
70.50	ridge bears N W & S. E.	
80.00	set Quartz stone 18 x 12 x 9 ins.	40.00
	12 ins. in ground for cor. to	57.50
	secs. 4. 5. 8 and 9 marked	
	5 notches on S. and 4 notches on	80.21
	E. edges raised mound of stones	
	adjacent. a Quartz 12 x 12	
	6 in. Diam. bears S. 20° W. 8 ft.	
	marked T. 1 N. R. 3 E S. 8 B T.	
	a Quartz 4 in. Diam. bears	40.10
	N 73 1/2° E. 6 ft. dist marked	

BOOK-A-185 /86

Subdivisions T. 1 N. R. 3 E.

Chain	S. 4 BT.
	Land mountainous, soil 2nd rate. Timber Quarkinaup dry pine, heavy oak and Quarkinaup underbrush.
	Centers a random line between secs. 4 and 9
	Var. 16° 35' E.
40.00	set temporary 1/4 sec. cor.
57.50	Dry Creek 3 ft. wide 3 ft. deep Drains North
80.21	Intersect N. and S. line 35 lks North of cor. to secs 3. 4. 9 and 10 thence I run N 89° 45 W. on true line between secs. 4 and 9 with same var.
40.10½	a Quarkinaup 5 in. diam. which I marked 1/4 on N. face

Subdivisional lines T. 1 N., R. 3 E.

Chains		Chains
	for 1/4 sec. cor. a Quartzite 4 in. diam. bears N. 20 E. 30 lks. dist. 1/4 S. B.T.	50.00
	a Quartzite 6 in. diam. bears East 3 1/2 lks. dist. marked 1/4 S. B.T.	53.80
80.21	the cor. to secs. 4. 5. 8 and 9	
	Land mountainous with 2nd rate Timber Quartzite rock underbrush.	54.90
		75.00
		75.20
	North on a random line bet. secs 4 and 5	80.90
	Var. 16° 35' E.	
14.50	Pines 11 in. diam.	
23.00	gulch bears East.	
27.00	ridge bears E & W.	
29.00	trail N W & S. E.	
40.00	set temporary 1/4 sec. cor.	

Subdivisions T. 1 W. R. 3 E.

Chains 50.00	Oak tree 18 in. diam. 35 ft. high on line
	Oak sheep corner 150 ft. west.
53.80	Wagon road at Pine post 4 ft. long 8 in. square in mound of rocks marked W.P. Another app. 12 in. diam. 60 ft. west marked W.T.
54.90	small Creek 4 in. wide 3 in. deep runs N.E. spring 40 ft. west
75.00	Pine tree 16 in. diam.
75.20	Monument Creek 2 ft. wide 6 in. deep runs East.
80.90	Intersect ~~N. & S. line~~ North boundary at the cor. trees. 4. 5. 32 and 33 a triangle 36 × 24 × 24 ins. marked 4 notches on E and 2 notches on W. edges thence I run South on true line

Subdivisions T. 1 N. R. 3 E.

Chains		Chains
40.90	bet. sec. 4 and 5 with same var. set trachyte 24×20×8 ins. 16 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face dug pits and raised mound of stones adamyite.	35.00
		40.00
80.40	the cor. to secs. 4. 5. 8 and 9.	
	Land mountainous, soil 3d rate. Timber Pines, Quercus aqp and Oak, heavy undergrowth, fine grazing.	62.00
		80.00
	From cor. to secs. 20. 21. 28 and 29 I run West on a true line bet. secs. 20 and 29. Var. 16° 35' E.	
14.00	Ontario mile bears S. 33 1/4° E. along South side of North Fork	

BOOK-A-185

Subdivisions T. 1 W. R. 3 E.

Chains	
	gave of Pine 5 acres North of line
35.00	creek divide and enter fork of Deer creek elev 7550'
40.00	set grey sandst. 18×12×3 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face raised mound of stones adjoining.
62.00	bottom of fork of Deer creek Travis S. C.
80.00	set grey sandstone 18×12×9 12 ins in ground for corner to secs. 19. 20. 29 and 30 marked 2 notches on S. edges and 5 notches on E. edges. raised mound of stones adjoining, on north side of creek Land mountainous, rocky 3rd rate timber, Pines scattered, underbrush fine grazing.

Subdivisions T. 1 W. R. 3 E.

Chains		Chains
	South bet. 29 and 30 and	
	West bet. 19 and 30 impracticable and no timber.	
	North bet. secs. 19 and 20.	
	Var. 16° 35' E.	7.50
	Line runs along East side of mountain	15.50
		19.00
40.00	set a cedar tree 12 x 12 x 8 ins.	25.00
	8 ins. in ground for 1/4 sec. cor.	38.00
	marked 1/4 on W. face raised	40.00
	mound of stones alongside	63.00
72.00	old wood road bears S. W.	63.50
80.00	set a cedar tree 24 x 12 x 2 ins.	
	16 ins. in ground for cor. to secs.	80.58
	17, 18, 19 & 20 marked 3 notches	
	on E. and 5 notches on S. edges	
	raised mound of stones alongside	
	Land mountainous, soil & rock,	
	Timber Cedar, Hemlock and Fir,	40.29
	scattered, heavy rock underbrush	

BOUR-A-185

Subdivisions T. 1 W. R. 3 E.

Chains	
	Ent on a random line bet.
	secs. 17 and 20
	Var. 16° 30' E.
	ascend
7.50	ridge bears N. & S.
15.50	head of Cañon traverse meters
19.00	Enter Pines
25.00	Leave Pines
38.00	ridge bears N & S.
40.00	set temporary 1/4 sec. cor.
63.00	Pine tree 2½ ft. diam.
63.50	about 6 acres Pines south
	of line
80.58	Intersect N & S. line 62
	chs. north of cor. to secs.
	16. 17. 20 and 21 thence
	run N 89° 33' W. on a true
	line bet. secs. 17 and 20 with
	same view.
40.29	set sandstone 14 x 12 x 8 ins.
	8 ins. in ground for 1/4 secs.

Subdivision No. 1 N R. 3 E.

Chains	
	cor. marked 1/4 on N. boun.
	raised mound of stones alongside
80.58	the cor. trees. 17. 18. 19 & 20.
	Land mountainous, with
	3rd rate, Timber Lines
	and Quartzmeap along line
	each undersigned, June
	Sept 10, 1881
	[illegible]
	[illegible]
	North bet. secs. 1 & 12 18
	Var 16° 30' E.
	ascend
22.00	ridge bears E & W.
30.00	gulch trends S. W.
32.50	ridge bears W 8 & S. W.
37.50	head of gulch trends S. W.
40.00	set sandstone 10×8×8 ins.
	6 ins. in ground for 1/4 sec. cor.
	marked 1/4 on W. boun raised
	mound of stones alongside
60.00	ridge bears W E & S. W.

Chains
80.00

BOOK-A-185

Subdivisions T. 1 W R. 3 E.

Chains	Remarks
80.00	set anchimarp post 3 ft. long 4 ins. square 12 ins. in ground for cor. to secs. 7. 8. 17 & 18 marked T. 1 W. S. 8 on N E. R. 3 E S. 17 on S. E. S. 18 on S. W. and S. 7 on N. W. Secs with 4 notches on S. and 5 notches on E. edges Bury pits and raised mound of earth alongside.
	Land mountainous, soil poor, Timber Pines and Anchimarp. heavy oak and Rose alder underbrush, fine grazing

BOOK

Subdivisions T. 1 N. R. 3 E.

Chains		Chains
	Cont on a random line bet. secs 8 and 17.	
	Var. 16° 30' E.	
3.50	ridge bears N. & S.	
23.50	Enter Pines	
35.50	Pine 4 ft. diam.	79.60
40.00	set sandstone 12×10×6 ins. 8 ins. in ground for 1/4 sec. cor. marked 1/4 set temp. 1/4 sec. cor. ~~Course Lines~~	
72.00	Pine tree 2 ft. diam. 30 ft. S. 45 lks	
54.00	ridge bears E. & W.	
79.60	Intersect N. & S. line 49 lks North of the cor. to secs 8. 9. 16 & 17 thence run N 89° 39' W on a true line bet. secs. 8 and 17 with same var.	12.00
37.80	set sandstone 12×10×6 ins 8 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face a Pine 4 ft.	20.00
		40.00
		49.00

BOOK-A-185

Subdivisions T. 1 W. R. 3 E.

Chains	
	Diam. bears West 99 ft. marked 1.50 chs.
	1/4 S. B T.
	Pine tree 16 in. Diam. bears ~~West~~ East 60 feet 91 links marked
	1/4 S. B T.
79.60	The cor. to secs. 7. 8. 17. 18
	Land mountainous, rocky
	3 Brute Timber Pines
	and Cruikinap along
	line.
	heavy underbrush.
	West on a random line
	bet. secs. 7 and 18
	Var. 16° 30' E.
12.00	Second head of gulch Drains S. W.
20.00	ridge bears N E & S. W.
40.00	set temporary 1/4 sec. cor.
49.00	R. of mountain road S. W. & N E.

Subdivisions T. 1 W R. 3 C. S.

Chains		Chains
49.25	Big mountain Creek 1½ ft. wide 3 in. deep runs S. W.	
50.00	set Pine post 5 ft. long 8 in. Diam. in ground and mound of stones marked W.P.	10.00
		40.00
80.60	Intersect West boundary of Township 27 Ks north of cor. to secs. 7. 18. 12 and 13 thence N. runs N. 89° 48' E. on a true line bet. secs. 7 and 18 with same var.	
40.60	set red sandstone 18 × 7 × 8 ins. 10 ins. in ground for ¼ sec. cor. marked ¼ on N. face mound of stones alongside.	41.75
		46.00
		46.10
80.60	the cor. to secs. 7. 8. 17. 18. Land Mountainous, rocky Timber Quaking asp and some Pines scattered heavy underbrush. Pine grazing.	75.50

BOOK-A-185

Subdivision T. 1 N. R. 3 E.

Chains	
	North bet. secs. 7 and 8 Var. 16° 30' E.
10.00	Leave heavy timber with underbrush enter Pines
40.00	set sandstone 16 × 12 × 9 ins., 10 ins. in ground for 1/4 sec. cor., marked 1/4 on W. face a Quartzite bears East 15 lks. dist., marked 1/4 S. B T. a Pine 16 in. diam. bears N W. 28 lks. marked 1/4 S. B T.
41.75	Dry Creek 3 ft. wide 2 ft. deep Drains east
46.00	Camp Creek 4 ft. wide 3 in. deep runs East
46.10	road bears N E & S. W. set Pine post 5 ft. long 8 in. diam marked W. P.
75.50	Dry Creek 4 ft. wide 1 ft. deep Drains East

Subdivisions T. 1 W. R. 3 E.

BOOK- Subdivisions

Chains		Chains
80.00	set Sandstone 15 x 14 x 9 ins., 10 ins. in ground for cor. trees 5. 6. 7 and 8 marked 5 notches on S. and 5 notches on E. edges raised mound of stones alongside a Pine tree 14 in. Diam. bears S. 66° E. ~~12~~ 1.09 ft.	26.00
		27.50
		33.25
		36.00
		40.00
	Land mountainous, soil 3d rate Pines & alder with underbrush.	56.00
		60.00
		73.00
	The last 4 miles were run by my Chainman, but controlled by me. Set on a random line between cors. 5 and 8	80.49
	Var. 16° 35' E.	40.24½
12.50	Pine tree 16 in. Diam.	
16.50	Pine 2½ ft. Diam.	
20.00	Pine stump 5 ft. Diam.	
	Line on four mounds along south side of ridge.	

BOOK-A-185 205

Subdivisions T. 1 N. R. 3 E.

Chains	
26.00	Pine 16 in. diam.
27.50	Dry mountain road N & S. at Pine post 5 ft. long 8 in. diam. marked W.P.
33.25	Creek 12 lks. wide 3 in. deep runs S.E.
36.00	Pine 12 in. diam.
40.00	at temporary 1/4 sec. cor.
56.00	wide beam South
60.00	gulch trains South
73.00	wide beam N & S.
80.49	Intersect N & S. line at the cor. to secs. 4. 5. 8. 9 thence ? mi. West on true line with same var.
40.24½	set sandstone 16 x 9 x 9 in. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face a Pine 12 in. diam bears N 64½° E. 1.0/cu 64 ft. marked 1/4 S. B.T.

Subdivisions S. 1 W R. 3 E.

Chains		Chains
	a Quartzinaw 12 in. Diam bears S. 46° E. 66 ft. marked 1/4 S. BT.	57.00
80.49	the cor. to secs. 5. 6. 7 and 8	61.00
		79.60
	Land mountainous soil 3rd rate Timber Pines and Quartzinaw along line, rock underbrush fine grazing.	
		39.60
	Water on a random line bet. secs. 6 and 7. Var. 16° 35' E.	
6.50	Dry Creek 2 ft. wide 2 ft. Deep S.	79.60
18.50	ridge bears W & S.	
27.00	gulch Drains S.	
40.00	set temporary 1/4 sec. cor.	
45.50	ridge bears W & S.	
54.50	Creek 1 ft. wide 1 in. deep runs South.	

BOOK-A-185 302

Subdividing T. 1 W. R. 3 E.

Chain 57.00	Pine tree 4 1/2 ft. Diam. 5 ft. South of line
61.00	Pine 3 ft. Diam.
79.60	Intersect West boundary 60 lks north of cor. to secs 6. 7. 1 and 12 thence I runs N 89° 34' E. on true line bet. secs. 6 and 7 with same var.
39.60	set a conditions 12 x 9 x 6 ins 8 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face dug pits and raised mound of stones alongside.
79.60	the cor. to secs. 5. 6. 7 & 8.

Land mountainous, soil 3d rate, Timber Pines and Quercitron along line heavy underbrush.

Subdivisions T. 1 W R. 3 E.

Chains		Chains
	North on a random line bet. secs. 5 and 6 Var. 16° 35' E.	
13.50	ridge bears E & W.	
23.00	head of gulch trees N E.	80.90
32.50	ridge bears N & S.	
39.50	gulch trees N E. ~~600 ft.~~ 2.00 chs thence East	
40.00	set temporary 1/4 sec. cor.	
45.00	ridge East	
55.00	Monument Creek 3 ~~2~~ ft. wide 8 in. deep runs N E. Water boundary	
80.90	Intersect ~~N & S.~~ line at the cor. to secs. 5. 6. 31 & 32 thence N run South on a true line bet. secs 5 and 6 with same var.	
40.90	set Quartzite 15 x 10 x 6 ins. 10 ins. in ground for 1/4 sec. cor. mark 1/4 on W. face raised	

BOOK-A-185 204

Subdivisions T. 1 N. R. 3 E.

Chains	mound of stones adjacent a Pine tree 16 in. diam. bears S. 48° E. 39 ft. marked 1/4 S. B.T.
80.90	the cor. to secs. 5. 6. 7. 8. Set mound of stones with Pine Timber Pines and Chestnut scattered, Oak underbrush fine grading.

Subdivisions T. 1 N. R. 3 E.

Chains	
	From cor. to secs. 33 and 34 on
	Dana line which is a sandstone
	16×16×5 ins marked 3 notches on W. and
	3 notches on E. edges in pits and mound
	of stones 3 rods North bet. secs.
	33 and 34 Var. 16° 35' E.
0.40	top of mountain E & W.
	Sec. and Quar. enter Pines
20.40	Pine 14 in. diam
40.00	set gray sandstone 14×12×5 ins
	9 ins in ground for 1/4 sec. cor.
	marked 1/4 on W. face a
	Quercus 10 in. diam. bears S. 8 W. 5 ft.
	a Pine 12 in. diam W. 40 ft. both marked
	1/4 S. BT.
41.10	Creek 3 ft. wide 3 in. deep runs NE.
	Reserve timber Altitude 6600
	Quar. enter timber
70.00	top of ridge E & W.
80.00	Quercus tree in line which I
	mark T. 1 N. S. 38 on N E. face
mixed	R. 3 E. S. 33 on S. E.

BOOK-A-185

Subdivisions T. 1 W. R. 3 E.

Chains

S. 32 on S. W. and
S. 29 on N. W. faces and
1 notch on S. and 3 on E. edges.
a Pine 14 in. Diam. bears S. 3° E.
~~10~~ 15 lks ft. marked T. 1 W. S. 34 BT
a Quartzite N. 33° E. 10 in. Diam
~~18~~ 27 lks ft. dist. R. 3 E. S. 27. BT.
Quartzite 8 in. Diam. S. 24° W.
~~2~~ 31 lks ft. S. 33 BT.
Quartzite 10 in. Diam. N 61½° W.
~~20~~ 30 ft. S. 28 BT.

Land mountainous, soil
2d rate, Timber Pine
and Quartzite for 50.20
chains. heavy underbrush.

T. 1 N. R. 3 E. Subdivisions.

Chains		Chains
	West on a true line bet. secs. 28 & 33	
	Var. 16° 5' E.	
2.50	gulch runs N. E.,	
	ascend along North side of gulch	
30.00	top of ridge 7200' high	
	line runs on North side of gulch	13.00
	Training West	
40.00	set grey sandstone 24×12×6 in.	30.00
	16 ins. in ground for 1/4 sec. cor.	
	marked 1/4 on W. face raised	40.00
	mound of stones alongside.	
57.00	Bear Creek 3 ft. wide 8 in. deep	
	runs N. E.	
58.00	Bear hollow dry, 1 ft. wide 3 in.	
	deep runs N E. 3 in 100 ft.	
	below.	
62.50	Point of Mountain N. & S.	40.50
65.20	Bear hollow dry 1 ft. wide 2 in.	41.50
	deep runs S. E.	52.00
	ascend along South side of gulch.	
80.00		

BOOK-A-185 206

T. 1 N. R. 3 E. Subdivision

Chains	
	From Cor. to secs. 32 and 33 on Base Line which is a Quartzmonument 10 in. diam. 1 mound North bet. secs. 32 and 33 Var. 16° 30' E.
13.00	Bear Creek 3 Lks 2 ft. wide 3 in. deep runs N E.
30.00	Double Pine each 20 in. diam. on Line
40.00	set Quartzite 12×10×5 ins 8 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face a raised mound of stones alongside a Pine 16 in. diam. bears S. 68 Lks W. 45 ft. a Quartzmonument 8 in. diam. bears W. 15 Lks 10 ft. both marked 1/4 S. BT.
40.50	Bear Creek runs West
41.50	Bear Creek runs East.
52.00	bottom of gulch and Dry Creek 6 Lks 4 ft. wide 1 ft. deep trends East.

Subdivisions S. 1 W R. 3 E.

Chains	
	empties 12 ft. east in Bear Cr. around clump West side of Bear Creek.
56.50	Balsam tree 16 in. D. am.
77.00	top of mountain bears E. a W.
80.00	Set red sand stone 14×12×6 ins 9 ins in ground for cor. to secs. 28. 29. 32 and 33 marked mts. on S. and 4 on E. edges raised mound of stones alongside
	Sand mountainous, rocky Timber Pines and Cedar for 56.50 chains, heavy underbrush.
	Cont on a reversed line bet. secs. 28 and 33, Var. 16° 30' E.
14.80	Set Bear Hollow Cr. 1 ft. wide 2 ins. Deep runs S. E.
17.50	point of Mountains bears N.

Chains	
22.00	
23.00	
40.00	
50.00	
77.50	
80.60	
	40.30
80.60	

BOOK-A-185 24

Subdivisions T. 1 N. R. 3 E.

Chains	
22.00	Bear balm Cr. runs N.E.
	1.57 chs
	joins Bear Cr. 100 ft. below.
	4 chs
23.00	Bear Cr. 3 ft. wide 8 in. deep
	runs N.E.
	course in N. side of grave Trees W.
40.00	set temporary 1/4 sec. cor.
50.00	top of ridge 200' higher
	Land along N. side of grave S.E.
77.50	grave Trees N.E.
80.60	Intersect N. & S. line
	69 chs. north of the cor. to
	secs. 27. 28. 33. and 34
	thence Run N 89° 30' W.
	on a true line bet. secs. 28 & 33
	with some var.
40.30	set grey sandstone 24×12×6
	16 ins. in ground for 1/4 sec. cor.
	marked 1/4 on N. face rock
	mound of stone adjoining
80.60	the cor. to secs. 28. 29. 32. & 33
	Land mountainous, Timber
	chestnut, heavy undergrowth

Subdivisions T. 1 N. R. 3 E.

Chains	
	From cor. to secs. 31 and 32 on Base line which is a mound 20×10×9 in mound of rocks 1 min North bet. secs. 31 and 32 Var. 16°35' E.
8.00	ascend Mountain bears S.E. & W.
29.80	gulch Trains East, fine Quartzite along gulch.
40.00	set Quartzite 12×12×6 ins. 8 ins. in ground for 1/4 secs. cor. marked 1/4 on W. face Bay pits and raised mound of earth alongside
55.50	top of Mountain bears N. and S.W. head of gulch Trains East
	head of Coots gulch Trains W.
77.00	fine rocks all along Mountain to ascend
80.00	set gr. sandstone 18×12×12 ins. 12 ins. in ground for cor. to secs. 29. 30. 31 and 32 marked 1 notch on S. and 5 notches on E. edge

BOOK

Subd

Chains

2.00

35.00

40.00

53.50

79.60

BOOK-A-185 2/2

Subdivisions T. 1 W. R. 3 E.

Chains

varied mount of trees alongside
Land mountainous,
soil 3d rate. Timber
quartzose and some Pines
heavy undergrowth.

Cont on a random line bet.
secs. 29 and 32
Var. 16° 35' E.

2.00 top of mountain bears S. & W.

35.00 ~~Finds bet. Creeks gulch and~~
~~to~~ head of gulch Trends
S. 1000 ft. thence Cont.

40.00 at temporary 1/4 sec. cor,

53.50 top of mountain bears
E. and N. W. Line runs
along North side of Mountain

79.60 Intersect N & S. line
80 Chs north of cor. to secs.
28. 29. 32 and 33 thence

Subdivisions T. 1 W. R. 3 E.

Chains		Chains
	From N. 89° 26' W. on true l.	80.40
	bet. secs. 29 and 32 with same var.	
39.80	set grey sandstone 12×9×8 ins.	
	8 ins. in ground for 1/4 secs. cor.	
	marked 1/4 on N. face mound	
	mound of stones along side	
79.60	the cor. to secs. 29. 30. 31 & 32	40.40
	Land mountainous, rocky	
	Timber Quartzite scattered	
	heavy underbrush.	
		80.40
	West on a mound on line bet.	
	secs. 30 and 31	
	Var. 16° 35' E.	
31.00	Set cor. Creek gulch and Creek 6 in. wide	
	1 in. Deep runs S. W.	
40.00	set temporary 1/4 secs. cor.	
50.00	ridge bears N. & S.	
55.00	gulch. drains S.	25.0

BOOK-A-185

Subdivisions T. 1 N. R. 3 E.

80 Chains 80.40	intersect West boundary of township 48 Chs north of cor. to secs. 30. 31. 25. 36 thence N. 89° 39' E. on true line bet. secs. 30 and 31 with same va.
40.40	set grey sandstone 16×12×12 ins, 10 ins in ground for 1/4 sec. cor. marked 1/4 on W. face mixed mound of stones adjacent.
80.40	the cor. to secs. 29. 30. 31×32 Land mountainous, rocky Timber Quercus along creek, heavy undergrowth fine grazing.
	North bet. secs. 29 and 30 Var. 16° 35' E.
25.00	top of divide bet. Creeks

Subdivisions T. 1 W. R. 3 E.

Chains

gulch and Deer hollow gulch
Alt: Inds 7900 ft.

40.00 set Quartzite 10 x 10 x 10 in.
for 1/4 sec. cor. mkd. 1/4 on W. face.
6 ins in, ground rocky pits and
mound of earth alongside
a Quartzing 10 in. Diam.
bears S. 22 ft. marked 1/4 S.B.
Rise further north, runs
along East side of Mountain
covered with heavy under-
brush.

good evidence will have to be searched that this corner is inaccessible

Land mountainous, rocky,
some Pine timber Deer
Deer hollow gulch.
heavy underbrush.

BOOK-A-185

316

General Description

This township is mountainous covered with heavy timber. Birch and pine groups. Pine and Hemlock timber is found in secs. 32. 33. 5 and 6 accessible by roads which only need repairing. also in part of sections 1. 14. 17 and 20.

The township is well watered by East Carrion Creek and its tributaries.

Fred. Dickert
U. S. Dep. Surveyor.

BOOK-A-185

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 28th 1882

The foregoing field notes of the survey of the

Subdivisions

Township No. 1 North *Range No.* 3 East

of the Salt Lake Meridian, Utah Territory,
Executed by Ferdinand Dickert
Under his *contract No.* 106
of the 29th *day of* July 1881,
in the months of Aug: Sept and Oct: 1881,
having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby aproved.

Fred Salomon
U. S. Surveyor General for Utah.

3.

BOOK-A-185

Township 1 N. R. 4 E.



BOOK-A-135

218

218

REPORT: 1882

Filed ..... 1882.

Examined by John H. Campe

Compared by E. Salomon & P. Landvoy

FIELD NOTES

OF THE SURVEY OF THE

North Boundary

OF

Township No. 1 North

Range No. 4 East.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Dickert

U. S. Deputy Surveyor,

Under his Contract No. 106.

Dated July 29th, 1881.

Survey commenced November 11th 1881.

Survey completed " " 1881.

(M.)

BOOK-A-185

North boundary T. 1 N. R. 4 E.

Chains

Survey commenced October 11/81
From Corner to T. 1 and 2 N.
R. 3 and 4 East, established
by me 3 mon East bet.
sec. 6 and 31

Var. 16° 35' E.

11.00 Stone Quartzite
18.50 top of ridge bears N. a S.
Altitude 6700 feet
34.00 Sheep Creek 5.45 ch 360 N.
40.00 set Quartzite 16 x 14 x 9 ins.
10 ins. in ground for 1/4 sec. cor.
marked 1/4 on N. face dug
pits and raised mound of
stones alongside.
Line runs along South
side of Sheep Creek
gulch.
56.50 ridge bears N. Alt. 7400
Sheep Cr. about 800 ft. N. 12.08 ch
60.00 gulch trains N.

220

North Boundary of T. 1 N. R. 4 W.

Chains	
73.00	gulch Trees N.
80.00	at Quartzite 19×9×5 ins. 12 ins. in ground for corner to rec'd. 5.6.31×32 marked 1 notch on W. and 5 notches on E. edges Dug pits and raised mound of stones alongside. on West side of Mountain bears N. 5° W.
	Land mountainous, Soil 3d rate and rocky, Timber, Quaking Asp, Oak underbrush, Fine grazing.

BOOK-A

North

Chains	
4.50	4
11.50	
35.00	
40.00	

BOOK-A-185 22

R. 4 E. North Boundary T. 1 N. R. 4 E.

Chains	
	East bet. secs. 5 and 32
	Var. 16° 35' E.
4.50	top of mountain bears S. W.
11.50	set Quartzite 30 x 22 x 9 ins. in mound of rocks marked W. M.
	descend on North side of mountain, Divide bet. Cottonwood and Sheep Creeks through burnt Pine and Quaking Asp timber
35.00	gulch Drains N. W. empties 600 ft. below into Sheep Creek, also 3 burnt Pines each 16 ins. Diam. on line
40.00	set Quaking Asp post 4 x 4 ins. 5 ft. long marked 1/4 S. on

North Boundary T. 1 W. R 4 E

N. fence in mound of earth and pits also a Quartzite marked 1/4 on N. fence. 10 x 10 in. a Quartzinary 8 in. Diam bears East 2 ch. 50 l. marked 1/4 S. B T.

62.50 top of Mountain bears N. 45 W. Altitude 8200 ft. set mitred Monument 3 x 3 x 3 feet. Pine runs along North side of Mountain.

73.00 Burnt Pine stump 6 ft. high 18 in. Diam. 10, 52 chs. Sharp Cr. about 700 ft. North. Pine timber N. of Pine.

80.00 set Quartzite 12 x 9 x 8 in. 8 ins. in ground for cor. to secs. 4. 5. 32 and 33 marked

BOOK-A-185

North Boundary T. 1 W. R. 4 E.

Chains | 2 notches on W. and 4 notches on E. at 40 links. Log pits and ruined mound of stones along line.

a Quartzite 4 in. Diam. bears S. 11° W. 16 feet marked T. 1 W. R. 4 E. S. 5 B T.

Land mountainous.
soil 3rd rate,
Pines and Quartzite scattered along line;
Pine growing.

Some Pines further East on line but not accepted.

November 11th 1881.

High and barren mountains covered with snow prevent me from continuing my survey in this direction.

November 11th 81

Ferdinand Dickrell

U. S. Dep. Surveyor.

BOOK-A-185 225

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 20th *1882*

The foregoing field notes of the survey of the

North boundary

Township No. 1 North *Range No.* 1 East

of the Salt Lake Meridian, Utah Territory,

Executed by Ferdinand Dickert

Under his *contract No.* 106

of the 29th *day of* July *1881,*

in the month of November *1881,*

having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby aproved.

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-185 226

REPORT: 1882

Filed 188

Examined by John H. Campe.

Compared by P. Linton & E. Salomon

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 1 North

Range No. 4 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Dreker

U. S. Deputy Surveyor,

Under his Contract No. 106

Dated July 29th 1881.

Survey commenced Nov. 14th 1881

Survey completed " 12th 1881.

1 F. 5

BOOK-A-185 27

Subdivisions T. 1 N. R. 4 E.

Nov. 11th. 1881

Trans Chas. to secs. 4. 5. 32 and 33 on North boundary of township 3 runs 3 on a true line South 1 bet. secs. 4 and 5.

Var. 16° 35' E.

Set

12.00 Quartz Quartzinary

22.00 Leave Quartzinary

31.50 Creek 3 lks. wide 2 in. deep runs West

Set

40.00 set Quartzite 18×10×5 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face Sug pits and raised mound of stones alongside

15.00 top of ridge bears E. & W.

18.00 gulch Trans West

28.00 ridge bears E. & W.

51.00 top of 2nd ridge bears E. & W.

Quartzinary 10 in. diam. on line

Subdivision T. 1 N. R. 4 E.

Chains		Chains
80.00	set Quartzite 18×16×9	
	12 ins. in ground for cor. to	
	secs. 4. 5. 8 and 9 marked	
	5 notches on S. edges and	40.00
	4 notches on E. edges. Dug	
	pits and raised mound of	
	stone adjoins. a Quartzite	
	10 in. diam. bears N 30° W. 18	60.00
	marked T. 1 N. R. 4 E. S. 5	
	a Quartzite 9 in. diam. bears	
	N 44° E. 18 LKS. marked T 1 N	77.00
	R. 4 E. S. 4 B.T.	
	Quartzite 8 in. diam. bears	79.50
	S. 65° E. 24 LKS marked Sec.	
	B.T. Alt. hills 7900 ft.	80.00
	Land mountainous,	
	soil 2 and 3 rate,	
	Fine Quartzite along	
	Creek, heavy underbrush	
	fine grazing. Nov 11th/81	

BOOK-A-185

Subdivisions T. 1 N. R. 4 E.

9	Chains	West on a true line bet. secs. 5 and 8.
		Var. 16° 35' E.
	40.00	Found stone for W. 1/4 sec. cor. set red sandstone 19 x 14 x 9 ins. in mound of stones. Pit 1/4 marked 1/4 on W. face and mound of stones adjacent.
18	60.00	Creek 3 lks. wide 3 in. deep runs S. W. emptied 453 lks. below in Cottonwood Cr.
1	77.00	Fine 4 pt. Pecan. 30 lks. South. enter Pines
	79.50	Cottonwood Cr. 6 lks. wide 8 in. deep runs West.
	80.00	set red sandstone 19 x 12 x 8 ins. in mound of stones for cor. to secs. 5. 6. 7 and 8 marked 5 notches on S. and 5 notches on E. edge. and mound of stones adjacent

Subdivisions T. 1 W. R. 4 E.

Chains		Chains
	Quartzite 14 in. diam., bears N 28½° E. 9 LKS, marked T. 1 W. R. 4 E. S. 5 B T.	
	Pine 3 LKS diam., bears N. 72° W. 20 T. 1 W. R. 4 E. S. 6 B T.	0.20
	Pine 18 in. diam. S. 65° W. 42 S. 7 B T.	40.00 62.00
	Pine 10 in. diam. S. 38° E. 18 T. 1 N. R. 4 E. S. 8 B. T.	80.60
	Land mountainous, rocky, Pines and Quartzite in abundance. Fine grazing.	40.60
		80.60

BOOK-A-1853

Subdivisions T. 1 W. R. 4 E.

Chains

North on a random line
bet. secs. 5 and 6.
Var. 16° 35' E.

0.20 Cottonwood 6 inch 12 links
wide 6 in. deep runs West.
around

42 40.00 set temporary 1/4 sec. cor.

62.00 top of mountain bears
E and N. W.

Variation
80.60 Intersect North boundary
90 lks west of cor. to secs.
5 and 6.

thence N
0° 38" W. on a true line
bet. secs. 5 and 6.

40.60 set red sandstone 18x9x6
ins., in mound of stones
marked 1/4 on W. face round
mound of stones adjoining
80.60 the cor. to secs. 5. 6. 7. & 8.

Land mountainous,

Subdivisions T. 1 W. R. 4 E.

Chains	
	Oak underbrush fine grazing.
	Watercourse runs fine bet. secs. 6 and 7 Var. 16° 35' E.
2.00	Cottonwood Creek 6 LKS wide 6 in. deep runs S. W.
4.55	Pine tree 2½ ft. diam.
5.00	Pine tree 2½ ft. diam.
40.00	set temp. ¼ sec. cor.
49.00	Cottonwood Creek 6 LKS. wide 8 in. deep runs W. W.
58.00	Conglomerate precipice
61.00	West side precipice Pine timber
80.60	Intersect west boundary of township 6 chs north of cor. to secs. 6. 7. 1 and 12

Chains

40.60

80.60

BOOK-A-185 223

E. Subdivisions of T. 1 N. R. 4 E.

Chains	thence 5 mm
	N 89° 34' E. on a true line
	bet. secs. 6 and 7 with same va,
40.60	set Quartzite 18×10×9 ins
	in mound of stones for 1/4 sec.
	cor. marked 1/4 on N. face
	raised mound of stones
	adjoins. a pine 12 ins.
	diam. S. 50° W. 88 LKS &
	marked 1/4 S. B. T.
	Quartzite 12 in. diam.
	West. 2.06 Chs. marked
	1/4 S. B T.
80.60	the Cor. to secs.
	5. 6. 7 and 8.
	Land mountainous
	rocky, pine Quartzite
	along and pines along
	line, pine ~~gauging~~ gauging.

Nov 12 II "/87

234

General Description

This fractional Township is very mountainous, and contains some fine Quakinaw along the southern 1/4 of the line bet. sec. 4 and 5. also fine Pine timber along Eastern half mile bet. secs. 6 and 7, but difficult of access.

Ferdinand Dickey
U. S. Dep. Surveyor.

BOOK-A-185

235

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 28th 1882

The foregoing field notes of the survey of the

Subdivisions

Township No. 1 North *Range No.* 4 East

of the Salt Lake Meridian, Utah Territory,

Executed by Ferdinand Dickert

Under his *contract No.* 106

of the 29th *day of* July 1881,

in the month of November 1881,

having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby aproved.

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-185

REPORT: 1882. - 236

Filed 1882.

Examined by John D. Campe.

Compared by F. Linton & E. Salomon

FIELD NOTES

OF THE SURVEY OF THE

Guide Meridian

east boundary

OF

Township No. 2 North

Range No. 3 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Ickert

U. S. Deputy Surveyor,

Under his Contract No. 106

Dated July 29th, 1881.

Survey commenced October 12th 1881.

Survey completed October 13 1881.

M.

BOOK-A-185

Township 2 N. **R.** 3. East



BOOK-A-185 297

Guide Meridian
T. 2 N. R. 3 and 4 E.

From Cor. to Townships 1 and 2 N. R. 3 and 4 E. which is a Quartzite 18×12×10 ins marked 6 notches on N. S. E & W. edges in mound of stones and witness trees 3 runs North bet. secs 36 and 31 Var. 16° 35' E.

5.00 Sheep Cr. 3 ft. wide 3 in. deep bears West

31.00 gulch Trends S. W.

40.00 set gray sandstone 14×8×6 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face raised mound of stones alongside

41.00 ridge bears N W & S. W.

53.00 gulch Trends West

53.00 ridge S. E.

70.00 trail in gulch bears E & W.

75.00 ridge bears E & W.

80.00 set gray sandstone 24×24×8 ins.

Guide Meridian

T. ~~south~~ 2 N. R. 3 and 4 E.

Chains		Chains
	16 ins. in ground for cor. to secs. 25. 36. 30 and 31 marked 1 notch on S. and 5 on N. edges raised mound of stones alongside,	
	Quartzite sp. 6 in Diam. N 24° E.	48.00
	1.50 Chs marked T. 2 N. R. 4 E.	72.00
	S. 30 B.T. Quartzite sp. 8 in. Diam.	80.00
	S. 50° E. 182 ft. marked S. 31 B.T.	
	Adj. hills 6900 ft.	
	Sand mountainous, soil 3d r.	
	Timber Quartzite scattered heavy underbrush fine grazing.	
	North bet. secs 25 and 30	
	Var. 16° 35' E.	
	Descend	
9.50	gulch Trends West	
33.00	ridge bears S. W. & N. E.	
40.00	gulch Trends S. W. set gr	

BOOK-A-185 237

Ute Meridian

T. ~~1 N.~~ 2 N. - R. 3 and 4 E.

Trans	sandstone 15×12×6 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face raised mound of stones adjacent
E. 18.00	ridge bears E. & W.
E. 72.00	gulch trans N. W.
Tr. 80.00	set Quartzite 24×18×18 ins. 16 ins. in ground for cor. to secs. 24. 25. 19 and 30 marked 2 notches on S. and 4 notches on W. edges Bury pits and raised mound of stones adjacent to ridge on top of ridge bears N. & S. Altitude 6950 ft. Land mountainous Soil 3rd rate, Timber Quaking aspen scattered, heavy undergrowth, fine grazing.

Oct 12 '81

Guide Meridian

T. 2 N., R. 3 and 4 E.

Chains		Chains
	North bet. secs. 24 and 19.	
	Descend Var. 16° 35'	
20.00	gulch Trees S.W.	
25.00	ridge bears E. & S.W.	
40.00	set grey sandstone 16×12×12 ins.	
	10 ins. in ground for 1/4 sec. cor.	40.00
	marked 1/4 on W. face Pits	
	and raised mound of stones	
	Pine trees on West side of gulch	
57.00	bottom of gulch and Creek	
	2 ft. wide 5 in. deep runs W.	
78.00	bottom of gulch and Dry Creek	80.00
	Trees West	
80.00	set Quartzite 24×20×10 ins.	
	in mound of stones	
	Various pits for cor. to secs.	
	13. 24. 18 and 19 marked 3	
	on S. and 3 on N. edges	
	mound of stones also pits	
	Land mountainous, rocky	
	Timber Quaking Asp, scattered	
	heavy underbrush.	

Principle Meridian
BOOK-A-135 24
T. 2 N. R. 3 and 4 E.

Chains	
	North bet. secs. 13 and 18
	Var. 16° 35' E.
.00	top of knob bears E. & W.
.50	trail in main gulch Trans
	West.
10.00	set sandstone 16 x 12 x 12 ins
	on rocky place in mound of
	stones for 1/4 sec. cor. marked
	1/4 on W. face raised mound
	of stones alway ajar
	on top Mountain bears E. & W.
80.00	set sandstone 15 x 10 x 8 ins
	10 ins. in ground for cor. to
	secs. 12. 13. 7 and 18 marked
	4 notches on S. and 2 notches
	on N. edges raised mound
	of stones alway ajar,
	Land mountainous, rocky
	Quartzite rock scattered, heavy
	underbrush.

Guide Meridian.

T. 2 N. R. 3 and 4 E.

Chains		Chains
	North bet. secs. 12 and 7, Var. 16° 35' E.	
	Descend gulch Trains West.	
5.50		
9.00	ridge bears E. & W.	
40.00	set sandstone 12×12×10 ins. 8 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face raised mound of stones alongside	2.00
43.00	bottom of gulch and Dry Creek 8 lks wide 6 in. deep Trains W.	27.50
57.00	ascend ridge bears E. & W.	40.00
64.50	Dry Creek 4 lks wide 1 ft. deep Trains West	
80.00	set sandstone 24×12×12 ins. 16 ins. in ground for cor. to secs. 1. 12. 6 and 7 marked 5 notches on S. and 1 notch on W. edges Dry pits and raised mound of stones alongside.	40.50 4.00 0.00 3.00
	Land mountainous, rocky	1.00

BOOK-A-185 Guide Meridian.
T. 2 N. R. 3 and 4 E.

	Timber Quaking asp scattered, heavy undergrowth, fine grazing.
	North bet. secs. 1 and 6. Var. 16° 35' E.
	around
2.00	ridge bears E & W.
27.50	Creek 3 ft. wide 3 in. deep runs West in gulch Fr. W.
40.00	set sandstone 15×12×8 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face raised mound of stones alongside
40.50	ridge bears E & W.
4.00	gulch and Creek 6 in. wide 2 in. deep runs West.
40.00	ridge bears E & W.
3.00	gulch Trains West
1.00	ridge bears E & W.

Guide Meridian
T. 2 N. R. 3 and 4 E.

Chains	
80.00	set Monument 5 x 4 x 4 feet. marked sandstone 16 x 12 x 9 ins.
87.50	gulch trends S. W.
108.10	set sandstone 18 x 12 x 10 ins. 12 ins in ground for cor. to T. 2 N. R. 3 and 4 E. marked 6 notches E. & S. Dug pits and raised mound of stones alongside.
7	
7.80	West of corner to Tps 1 & 2 North Rs 3 & 4 East.

Land mountainous, soil 3rd rate. Timber Quaking Asp scattered, heavy underbrush fine grazing.

October 13th 1881

BOOK-A-185

General Description

Land along this line is mountainous, covered with underbrush, fine grazing.

Sam'l. D. Vert
U. S. Dep. Surveyor.

BOOK-A-185

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 21st *1882*

The foregoing field notes of the survey of the

Guide Meridian,
east boundary

Township No. 2 North *Range No.* 3 East
of the Salt Lake Meridian, Utah Territory,
Executed by Ferdinand D'Ebert
Under his *contract No.* 106
of the 29th *day of* July *1881,*
in the month of October *1881,*
having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby aproved.

Wm. Salomon

U. S. Surveyor General for Utah.

BOOK-A-185

11

PORT: 247

d 1882

amined by John H. Campe

pared by E. Salomon & H. Linton

FIELD NOTES

OF THE SURVEY OF THE

North and West boundaries

OF

nship No. 2 North

ge No. 3 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Dickert

U. S. Deputy Surveyor,

Under his Contract No. 106.

ted July 29th 1881.

rvey commenced October 14th 1881

vey completed November 5th 1881.

BOOK-A-185

North boundary T. 2. N. R. 3 E.

Survey commenced October 1st 1881.

chains

From cor. to Tps. 2 & 3 N. R.

3 & 4 E.

Spun West betw secs 1 & 36.

Va. 16° 40' E.

9.00 Creek 4 lks wide 3 ins deep runs South.

29.00 Ravine drs. S.

31.20 Road bears N. E & S. W.

40.00 Old corner w sandstone 15x10x8 ins, marked 14 on N. face, Raised mound of stones alongside.

72.00 Gulch drs. South.

80.10 To old cor. for secs. 1. 2. 35 & 36. a boulder 15x10x8 ins marked 1 notch E. and 5 notches W. Raised mound of stones alongside.

Land, mountainous covered with underbrush

Soil 4th rate.

North boundary T. 2 N. R. 3 E.

The line further West being impractical on account of steep and rocky mountains I run on offset line from a point 8 chs. 10 lks West and 28 chs 60 lks South of old corner where I established a granite 12 x 12 x 8 ins in mound of stones, marked 1 notch on E. & S. on Wedges and marked W.M., raised mound of stones alongside.

Thence West on offset line between secs. 2 and 35.

Va. 16° 40' E.

40.00 Set sandstone 10 x 10 x 10 ins in mound of stones for 1/4 sec. cor., marked 1/4 on N. face and W. B. for witness corner, raised mound of stones alongside.

47.00 Ridge bears N. & S.

59.00 Gulch dra. S. W.

80.00

9.00

12.00

16.00

21.00

40.00

BOOK-A-185 257

North boundary T. 2 N. R. 3 E

80.00 Set quartzite 18x10x10 ins in mound of stones for witness closing corner to secs. 2 & 3, marked 2 notches on E. and 4 notches on W. edges and W. C. 23.50 chs South of true corner point, raised mound of stones alongside.
Land, mountainous
Soil 4th rate, gravelly & rocky
Underbrush
October 14th 1881.

West on Offset line between secs. 3 and 34.
Va. 16° 40' E.

9.00 Ridge bears N. & S.
12.00 Gulch drains S.
16.00 Ridge bears N. & S.
21.50 Gulch drs. South.
40.00 Set sandstone 30x18x3 ins, in

North Boundary T. 2 S. R. 3. E.

mound of stones for witness 1/4 sec. cor
marked 1/4 on N. face and W. B.,
raised mound of stones alongside
Ctn top of ridge bears N. & S. 43.50
59.00 Gulch drains South 76.00
80.00 Set quartzite 18x8x8 ins in mound
of stones for witness, closing cor. 76.50
to secs. 3 & 4, marked 3 notches on 80.00
E. and 3 notches on W. edges and W. B.
raised mound of stones alongside
on top of ridge N. W. & S. E. 28.40 chs
south of true cor. point. Altitude 6700
Land, mountainous, rocky
sage brush, fine grazing.

West on Offset line between secs. 4 & 33
Va. 16° 40' E.

35.00 Gulch drains S.
40.00 Set quartzite 30x24x12 ins in mound

North boundary. T. 2. N. R. 3. E.

of stones for witness 1/4 sec. cor. marked 1/4 on N. face and W. E., raised mound of stones alongside.

43.50 Ridge bears N. & S.

76.00 Red Cañon Creek 9 lks wide 6 ins deep runs S.

76.50 Trail bears N. & S.

80.00 Set porphyry 18 x 8 x 5 ins, 12 ins in ground for witness closing cor. to sec. 4 & 5., marked 4 notches on E. & W. edges and W. E. 28.30 chs South of true cor. point, dug pits and raised mound of stones alongside.

Land, mountainous, rocky Aspen along Creek Heavy undergrowth fine grazing.

West on Offset line between secs 5 & 32

North boundary Tp. 2. N. R. 3. E.

Va. 16° 40' E.

2.50 Top of ridge bears N. & S.
3.50 Gulch drs. S. E.
8.50 Ridge bears N. & S.
14.00 Gulch drs. S. E.
17.00 Ridge brs S. E. & N. W.
24.00 Gulch drs. S. empties 15 chs below in East Cañon creek
32.50 Ridge bears S. W. & N. E. find old stone monument 3 x 3 x 3 feet.
40.00 Set sandstone 18 x 12 x 6 ins 12 ins in ground for witness 1/4 sec. cor, marked 1/4 on N. face and W. 6, raised mound of stones alongside.
63.10 Road bears N. W. & S. E.
65.50 Road N. E. & S. W.
70.00 East Cañon creek 30 lks wide 14 ins deep runs N. W. Ascend
80.00 Set red sandstone 15 x 15 x 3 ins 10

10.10
17.00
28.2

BOOK-A-185

North boundary T. 2. S. R. 3. E.

ens in ground for witness, closing cor.
to secs. 5 & 6, marked 5 notches on E. & W.
notch on W. edges, and W. b. 28.20 chs.
South of true corner point, dug pits
& raised mound of stones alongside.
Land, mountainous, rocky.
Pines & gnarling aspis scattered
Oak brush under, fine grazing.

Thence Run
North on a true line betw. secs. 5 & 6.
Va. 16°, 40' E.

10.10. East Cañon Creek runs N. W.
17.00. Road bears N. W. & S. E.
28.20. Set monument marked C. C. for closing
corner to secs. 5 & 6. 13.35 chs west of
old cor. to secs. 31 & 32 on Township
line.

North boundary T. 2. N. R. 3. E.

From old cor. to secs 31 & 32 on E. Tp. line
a sandstone 20 x 7 x 7 ins, marked 3
notches on E. & 1 notch on W. edges.
Iron
West on a true resurvey line between secs 6 & 31.
Va. 16° 40' E.

13.35 Closing cor. to secs. 5 & 6. Tp. 2 N. R. 3 E.
21.85 Road brs N. W. & S. E.
34.35 East Cañon Creek line runs along creek.
43.35 Leave side of East Cañon
50.35 East Cañon Creek 45 lks wide 1 ft deep
runs W.
58.35 Road brs S. E. & N. W.
73.37 Ascend
80.00 Find old cor. partly destroyed, set
sandstone 12 x 10 x 9 ins, 8 ins in ground
cor. cor. to secs 31 & 36. to Tps 3. N. Rs
2 and 3 E. marked 6 notches N. S. E. W.
dug pits and raised mound of

North boundary T. 2. N. R. 3. E.

stones alongside.
End of former survey
Land, mountainous, rocky
Soil 4th rate.
Timber scattering pines, and
gnarling oaks, oak brush, fine
grazing.

October 18th 1881

West boundary Tp. 2. N. R. 3. E.

BOOK-

From cor. to Tps 2 & 3 N. R 2 & 3 E. Surv

West.

No. 16° 40' E

4.35 Small ridge bears N. & S.

13.35 Set sandstone 22x20x12 ins, marked W.M, closing corner to secs 1 & 6. T. 2 N. R. 2 & 3. East

Thence

South

28.20 Set sandstone 18x6x6 ins 12 ins in ground, marked W. C. for. witness closing cor. to Tps 2 & 3 N. R 2 & 3 E.

Ascend.

63.20 Top of ridge bears N. E & S. W. 6000 ft high

68.20 Set gray sandstone 14x8x8 ins, 8 ins in ground for 1/4 sec. cor, marked 1/4 on W. face dug pits and raised mound of earth alongside.

90.70

95.70

99.70

106.20

108.20

BOOK-A-185

West boundary T. 2 S. R. 3 E.

90.70 Descend.

95.70 Gulch and brook 1 RR wide 6 ins deep runs East

99.70 Wood road S.W. & N.E.

106.20 Top of ridge bars E & W.

108.20 Set sandstone 22 x 12 x 12 ins, 12 ins in ground for cor. to secs 6.7.18.12, marked 1 notch on N. & 5 notches on S. edges raised mound of stones alongside. Land, mountainous. Pines scattered, heavy underbrush Line further South impracticable on account of high & broken mountains.

November 5th 1881.

General Description.

The lines run over high broken mountains, groves of pine and spruce are found in the western part of the township, also fine streams of pure water.

Ferdinand Dickert
U. S. Dep. Surveyor.

BOOK-A-185

260

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 28th 1882

The foregoing field notes of the survey of the

North and West boundaries

of

Township No. 2 North *Range No.* 3 East

of the Salt Lake Meridian, Utah Territory,
Executed by Ferdinand Vickers
Under his *contract No.* 106.
of the 29th *day of* July 1881,
in the months of October, November 1881,
having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby aproved.

Fred Salomon
U. S. Surveyor General for Utah.

BOOK-A-135

REPORT: 1882 261

Filed 1882.

Examined by John H. Caupe.

Compared by Frank Linton & E. Salomon

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 2 North

Range No. 3 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Dickert

U. S. Deputy Surveyor,

Under his Contract No. 106

Dated July 29th, 1881.

Survey commenced October 20th 1881.

Survey completed November 5th 1881.

E M

BOOK-A-185 2/62

Subdivisions T. 2 N., R. 3 E.

Traverse From Cor. to secs. 35 and 36 on South boundary of Township which is a Quartzite 20 x 18 x 8 ins. marked S notches on W. and 1 on E. edges in pits and mound of stones From North bet. secs. 35 and 36.

Var. 16° 35' E.

16.00 gulch trends N. W.

36.00 ridge bears E. & W.

40.00 set grey sandstone 15 x 10 x 10 ins. 10 ins in ground for 1/4 sec. cor. marked 1/4 on W. face Dug pits and raised mound of stones alongside.

48.00 gulch trends West.

56.00 ridge bears E. & W.

70.00 ~~gulch trends N. W.~~

75.00 south side of gulch

78.50 bottom of gulch and Creek

Subdivisions T. 2 N. R. 3 E.

Chains	
	8 ins. wide 2 in. deep runs W.
80.00	set sandstone 15 x 12 x 12 ins. 10 ins. ~~deep~~ in ground for cor. to secs. 25. 26. 35 & 36 marked 1 notch on S. and 1 notch on E. edges Dug pit and raised mound of stones along side. Land mountainous, soil 2nd rate, heavy underbrush fair grazing.
	East on a random line bet. secs. 25 and 36. ~~Dis. 16.00 to cor.~~
4.50	bottom of gulch and Creek 6 in. wide 2 in. deep runs West line runs along South side of gulch.

Chains
40.00
80.50
40.25
80.50

BOOK-A-185 264

Subdivisions T. 2 W. R. 3 E.

Chains	
40.00	set temporary 1/4 sec. cor.
80.50	Intersect. East boundary of township. 80 lks. north of the cor. to secs. 25. 36. 30 and 31 thence N 88° 26' W. West on true line bet. secs 25 and 36 with same var.
40.25	set gray sandstone 16 x 10 x 10 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. side Bng pits and raised mound of earth alongside
80.50	the cor. to secs. 25. 26. 35. 36.

Land mountainous, soil 2nd rate Timber Quercus, scattered, heavy undergrowth fine grazing.

Subdivisions T. 2 N. R. 3 E.

Chains	
	North bet. secs. 25 and 26
	Var. 16° 45' E.
25.00	Spring ; 1. 51 lks. west.
35.00	gulch trends S. W.
40.00	set grey sandstone 16 x 12 x 5 ins.
	10 ins. in ground for 1/4 sec. cor.
	marked 1/4 on W. side Dug
	pits and raised mound alongside on East side of ridge
52.50	ridge bears N E & S. W.
75.40	gulch and Creek 2 l. Rds. wide 4 in. deep runs West.
80.00	set Quartzite 16 x 12 x 12 ins.
	10 ins. in ground for cor. to secs.
	23. 24. 25 and 26 marked 2 notches
	on S. and 1 on E. edges
	Dug pits and raised mound of stones alongside
	Land mountainous, soil
	3rd rate. Timber Quaking Asp

BOOK

Chains

10.00

40.00

51.00

80.60

40.3

Subdivisions T. 2 N. R. 3 E.

Chains | scattered, heavy undergrowth fine grazing

Cent on a random line bet. secs. 24 and 25. Va. 16° 45' E.

10.00 | gulch trends S. W.

line runs on S. side of gulch

40.00 | set temporary 1/4 sec. cor. on south side of gulch.

59.00 | gulch trends N. W.

80.60 | Intersect East boundary of township at the cor. to secs. 24. 25. 19 and 30

thence N. run West on a true line bet. secs. 24 and 25 with same var.

40.30 | set sandstone 16 x 9 x 8 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face scribed

Subdivisions T. 2 N. R. 3 E.

Chains	
	mound of stones alongside
80.60	the cor. to secs. 23. 24. 25. 26
	Land, mountainous, heavy
	underbrush, fine grazing,
	soil 3d rate.
	North bet. secs. 23 and 24
	Var. 16° 40' E.
4.50	gulch Trends S. W.
20.00	ridge bears E. & W.
22.00	gulch and spring branch
	Trends West
31.50	ridge bears E. & W.
40.00	head of gulch Trends N. W.
	set sandstone 22×18×6 ins.
	14 ins. in ground for 1/4 sec. cor.
	marked 1/4 on W. side raised
	mound of stones alongside.
63.50	gulch Trends S. W.
72.00	ridge bears E & W.

80.00

40.00

65.00

BOOK-A-185

Subdivisions T. 2 N. R. 3 E.

80.00 set Quartzite 36×30×15 ins, 20 ins. in ground for c.w. trees. 13. 14. 23. 24 marked 3 notches on S. 1 notch on E. edges dug pits and raised mound of stones alongside a Spruce bears N 37° E, about 9 chains on North side of gulch Trains West.

Land mountainous, soil 2nd rate, underbrush, fine grazing.

October 20th 87.

Cant on a random line bet. secs. 13 and 24,

Var. 16° 40' E,

along south side of gulch

40.00 at temp. 1/4 sec. cor.

65.00 Creek 2 lks wide 5 ins. deep runs N. W.

Subdivisions T. 2 N. R. 3 E.

Chains	
80.40	Intersect East boundary 60 lks north of cor. to secs. 13. 24. 18. 19 thence N run N 89° 34' W. on true line bet. secs. 13 and 24 = same var.
40.20	set = and pt. 16 × 9 × 8 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face raised mound of stones alongside
80.40	the cor. to secs. 13. 14. 23 & 24. Land mountainous. Quartz ledge = scattered, under brush fine grazing. Soil 3d rate.
	North bet. secs. 13 and 14 Var. 16° 40' E.
10.60	Taylor Cr. 6 lks wide 6 ins. deep runs W.
16.00	ridge bears E. & W.
20.00	Spring Cr. 3 lks wide 3 ins. de

BOOK-A-135

Subdivisions T. 2 N. R. 3 E.

Chains	
	Travis S. W.
37.50	ridge bears N. & S.
35.50	gulch Travis S. W.
40.00	set sandstone 12×6×6 ins., 8 in. in ground for 1/4 sec. cor. marked 1/4 on W. face raised mound of stones alongside
58.00	ridge bears E. & W.
62.50	gulch Travis W.
66.50	ridge bears E. & W.
77.40	gulch Travis West.
80.00	set sandstone 20×12×8 ins. 12 ins. in ground for cor. to secs. 11. 12. 13 and 14 marked 4 notches on S. edge on E. edge raised mound of stones alongside

Land mountainous, Quartzite - ap[parent]ly altered, heavy underbrush. Soil & rock.

Subdivisions S. 2 W. R. 3 E.

Chains	
	East on a random line bet. secs. 12 and 13 Var. 16° 40' E.
3.50	gulch trends S. W.
25.00	ridge bears N. & S.
36.50	gulch and dry creek 6 lks wide 1 ft. deep trends S.
40.00	set temporary 1/4 sec. cor.
41.00	ridge bears N. & S.
45.50	dry creek 6 lks. wide 1 ft deep trends S. W.
79.60	Intersect East boundary of township 10 N. South of cor. to secs. 12. 13. 7 and 18 thence run S. 89° 56' W. on true line bet. secs 12. 13 with same var.
39.80	set a witness 36 x 24 x 24 ins. in mound of stones 1/4 sec. cor. bearing 1/4 on N. pace mound of stones alongside

Subdivisions

Chains	
79.6	
12.50	
24.50	
28.00	
40.00	
59.00	
76.00	
80.00	

BOOK-A-185

Subdivisions T. 2 W. R. 3 E.

Chains	
79.60	the cor. to secs. 11. 12. 13. 14 Land mountainous, heavy undergrowth, fine grazing. Soil 3d rate
	North bet. secs 11 and 12 Var. 16° 35' E.
12.50	ridge bears E. & W.
24.50	head of gulch trends West
28.00	ridge bears E. & W.
40.00	a sandstone in place 6 x 5 x 5 feet for 1/4 sec. cor. marked 1/4 on W. face veined mound of stones also pits gulch and creek 1/2 mile 3 in. deep runs West
59.00	
76.00	ridge bears E. & W.
80.00	set sandstone 18 x 12 x 8 ins. 12 ins. in ground for cor. to secs. 1. 2. 11 and 12 marked

Subdivisions T. 2 N. R. 3 E.

Chains	
	5 notches on S. 1 notch on E. edges raised mound of stones alongside
	Land mountainous, soil 2d rate, Quaking asp, scattered heavy undergrowth.
	Cent on a round iron bolt. secs. 1 and 12
	Var. 16° 40' E.
5.00	gulch and creek 3 lks. wide 6 in. deep runs S.W.
9.50	Creek 3 lks. wide 4 in. deep runs S.W.
40.00	set temporary 1/4 sec. cor.
56.00	ridge bears W. & S.
76.50	gulch and dry creek 1 lk. wide 6 in. deep drains N.
80.80	Intersect. East boundary at the cor. to secs. 1, 12, 6 and 7 thence I run West

BOOK-A-185

Subdivisions T. 2 W. R. 3 E.

Chains	on a true line bet. secs. 1 & 12 with same va.
40.40	set Quartzite 12 x 12 x 6 ins. 8 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face raised mound of stones adjacent
80.80	the cor. to secs. 1. 2. 11 & 12
	Land mountainous rocky Quartzitic scattered, heavy underbrush. Soil 3d rate.
	North bet. secs 1 and 2 Var. 16° 40' E.
32.00	road bears N. E & S. W.
33.20	Creek 4 lks wide 6 in. deep runs S. W.
40.00	set Quartzite 12 x 9 x 8 ins in rocky place in mound of stones for 1/4 sec. cor. raised

Subdivisions T. 2 W. R. 3 E.

Chains	
	mound of stones alongside
80.00	set Quartzite 12×12×8 ins.
	in mound of rock marked W. M.
108.60	set sandstone 12×9×8 ins. in
	rocky ledge for cor. to secs.
	1 and 2 marked 1 notch on E.
	and 5 notches on W. adjoining
	raised mound of stones
	alongside. on foot of steep mountain
	Br. h. 10 lks. east to old
	cor. for secs. 35 and 36
	a Boulder 15×10×8 ins.

Land mountainous, rocky
with underbrush, pine
growing. Soil 3d rate.

October 21st 1881

Chains
8.00
17.00
21.00
27.00
40.00
42.00
48.50

Subdivisions T. 2 W. R. 3 E.

Chains

From Cr. to recs. 34 and 35 on South boundary of Township which is a trachyte 18×12×12 ins. marked 4 notches on W. and 2 notches on E. edges in pits and mound of stones. From North bet. recs. 34 and 35 Var. 16° 35' E. Line runs on West side of Cent Canon.

8.00 Old Roman Fortifications 1.65 chs. west.

17.00 Monument Creek 6 lks. wide 8 ins. deep runs E. empties 2.25 chs. below in Cent Canon Cr.

21.00 Dry mountain road W. and N.

27.00 Corrals 4.50 chs Cent.

40.00 set gray sandstone 19×16×10 ins. 12 ins. in ground for 1/4 sec. ~~Cor sec~~ marked 1/4 on W. face dug pits and raised mound of stones.

42.00 Spring trench 2 in. wide 1 in. deep E.

48.50 gulch and Creek 1 lk. wide 3 ins.

Subdivisions T. 2 W. R. 3 E.

Chains	
	Deep runs East.
41.00	gulch Trends E.
80.00	set Quartzite 18×10×3 ins. 12 ins. in ground for cor. to secs. 26. 27. 34 & 35 marked 1 notch on S. and 2 on E. edges raised mound of stones along side. Quartzite 6 in. diam. bears N 3° E. 8 lks marked T. 2 N. S. 26 B.T. Quartzite 4 in. diam. S. 4° W. 8 lks marked R 3 E. S. 34 B.T. Boulder 8 in. diam. S. 88° W. 4 lks marked S. 34 B.T. Land mountainous, rocky, Quartzite scattered, heavy underbrush, Pine growing. Soil 3d rate.
	East on a random line bet. secs. 26 & 35
	Var. 16° 35' E.
15.00	Cross Carson Creek 4/2 lks wide

Chains

18.0

26.0

29.5

40.0

48.0

69.0

79.6

39.80

BOOK-A-185

Subdivisions T. 2 N. R. 3 E.

Chains	
	1 pt. deep runs N. Net. 5950
18.00	road bears N. & S.
	around
26.00	ridge bears N. & S.
29.50	gulch and creek 2 lks. wide
	3 in. deep runs W. W.
40.00	set temporary 1/4 sec. cor.
48.00	gulch and creek 6 in. deep
	2 in. wide runs S. W.
69.00	gulch and creek 6 in. wide 3 in
	deep runs W. W.
79.60	Intersect N. & S. line 85 lks
	north of the cor. to secs. 25. 26
	35 and 36 thence I run
	N 89° 24' W. on a true line
	bet. secs. 26 and 35 with same va.
39.80	set sandstone 18 x 10 x 8 ins.
	on which I dug pits in mound of
	stones for 1/4 sec. cor. marked
	1/4 on N. face with mound of
	stones alongside, on North side of gulch

111

Subdivisions T. 2 W. R. 3 E.

Chains		Chains
79.60	the cor. to secs. 34. 35. 26 & 27.	
	Land mountainous rocky, Timber Quaking asp scattered, heavy undergrowth, fine grazing. Laid 3d inst. October 22d 1881	
	North bet. secs. 26 and 27 Var. 16° 40' E.	
16.50	ridge bears E. & W.	
22.50	gulch trains Cut small Spruce saline.	
30.50	ridge S.W. & N.E. 6275 ft.	
40.00	set Sandstone 14 x 8 x 5 ins in	19.00
	rocky ledge in mound of stones	33.50
	from 1/4 sec. cor. marked 1/4 on W. face	
	raised mound of stones alongside	39.70
51.50	Creek 4 lks. wide 6 in. deep	40.00
	runs S. E. Alt. 5950 ft.	48.00
69.00	top of Knoll	61.50
80.00	set grey sandst. 10 x 8 x 5 ins	
	6 ins. in ground for cor. to secs.	78.50

BOOK-A-185

Subdivisional T. 2 N., R. 3 E.

Chains

22. 23. 26 and 27 marked 2 notches on S. and 2 on E. edges Dug pits and raised mound of stones along side,
Land mountainous soil stony rate, Timber Quaking aspen scattered, heavy undergrowth fine grazing. Said 3rd rate.

Enter a random line bet. secs. 23 and 26. Var. 16° 40' E. Line runs on W. side of gulch around

19.00 top of west side of Cent Canon

33.50 Cent Canon Creek 27 lks. wide 1 ft. deep runs N.

39.70 Wagon road bears N E & S W.

40.00 set temporary 1/4 sec. cor. around

48.00 top of Cent side Cent Canon

61.50 Ravine 9 lks. wide 3 ft deep Trends S. W.

78.50 small gulch Trends S. W.

Subdivisions T. 2 N. R. 3 E.

Chains	
80.60	Intersect N. & S. line 45 lks. north of the cor. to secs. 23. 24. 25 & 26 thence N. run N 89° 41' W. on true line bet. secs. 23 and 26 with same var.
40.30	set gray sandstone 18 x 12 x 4 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face drig pits and raised mound of stones adjacent.
80.60	the cor. to secs. 22. 23. 26 & 27 Land mountainous, soil 3rd rate. Quercus scattered heavy willow brush along creeks, fine grazing.
	North bet. secs. 22 and 23. Var. 16° 40' E.
6.50	top of ridge bears E. & W.
21.00	gulch and creek 6 in. wide

Chains
21.40
40.00
50.50
62.00
70.50
75.50
76.80
80.00

Subdivisions T. 2 N. R. 3 E.

Chain	2 in. deep runs N. E.
21.40	trail runs N E & N. W.
40.00	ridge bears E & W. set
	porphyry 14 x 12 x 6 in mound
	of rocks for 1/4 sec. cor. marked
	1/4 on W. faces raised mound
	of stones alongside
50.50	gulch and creek 3 ft. wide
	3 in. deep runs East.
62.00	ridge bears E & W.
70.50	Creek 8 ins wide 1 in. deep E.
75.50	Log cabin 1.66 chs. west 5775
76.80	S. E. cor. corral 30 ft. West
80.00	set Quartzite 24 x 24 x 24 ins
	in rocky place in mound of
	rocks for cor. to secs. 14, 15
	22 and 23 marked 3 notches on
	S. 2 notches on E. ad yes raised
	mound of stones alongside
	Level mountainous, rocky
	heavy underbrush

Subdivisions T. 2 W. R. 3 E.

Chains		Chains
	Cent on a random line bet. secs. 14 and 23 Var. 16° 40' E.	80.82
5.00	fence S. W. & N. E.	
7.00	Wagon road bears N. W. & S. E.	
11.00	Cent Cañon Creek 33 Lks. wide 1 ft. deep runs N. E.	
27.00	ridge and top of Cent side of Cent Cañon Creek, line runs on South side of Fenjler Gulch.	0.10
40.00	set temporary 1/4 sec. cor.	
55.00	ridge runs S. E.	7.50
80.82	Intersect N. & S. line 62 Lks north of cor. to secs. 13. 14. 23 & 24 thence S. 89° 33' W. on true line bet. secs. 14 & 23 with same var.	12.10
		15.50
40.41	set gr. sandstone 18 x 10 x 8 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face Dug pits	20.00
		30.00
		40.00

BOOK-A-185

Subdivisions T. 2 N. R. 3 E.

Chains	
	raised mound of stones chlorite
80.82	the cor. to secs. 14. 15. 22. 23.
	Land mountainous, soil 3d rate, Timber Quaking-asp scattered, heavy under-brush, fine grazing.
	October 24th 1881
	North bet. secs. 14 and 15
	Var. 16° 40' E.
0.10	Clear Creek 4 lks wide 6 in. deep runs East.
7.50	Wagon road N. W. & S. E.
12.10	East Canon Creek 33 lks wide 14 in. deep runs N. W.
15.50	Taylor Creek 6 lks. wide 8 in deep runs West empties 1.50 lks. below in East Canon Cr.
20.00	ridge bears E. & W.
30.00	line between Secs. 14 & 15
40.00	set Quartzite 30 x 24 x 12 in. in mound of rocks for 1/4 sec. cor.
	East side of East Can

Subdivisions T. 2 N. R. 3 E.

Chains		Chains
	marked 1/4 on W. from which	41.50
	mound of stones alongside	66.50
41.50	enter East Cañon Creek runs N.	69.00
47.00	leave East Cañon Creek	
	runs N. W.	72.75
80.00	set Quartzite 24×16×10 ins	79.68
	16 ins in ground for cor. to secs.	
	10. 11. 14 & 15 marked 4 notches on	
	S. and 2 notches on E. edges	
	Dug pits and raised mound	
	of stones alongside. on west	39.84
	side of road. and altitude 5800'	
	Land mountainous, rocky	
	underbrush and sagebrush.	
	fine grazing.	79.68
	Cut on a round on line between	
	11 and 14. Var. 16° 40' E.	
0.10	across road bears N. & S.	
25.00	ridge bears N. & S.	
40.00	set temporary 1/4 sec. cor.	

BOOK-A-185

Subdivisions T. 2 N. R. 3 E.

Chains	
41.50	gulch Trends South.
66.50	ridge bears N. & S.
69.00	Dumping rock 12 ft. high 12 ft. Diam,
72.75	gulch Trends South.
79.68	Intersect N. & S. line 48 Lks S. of cor. to secs. 11. 12. 13. & 14 thence I run S. 89° 39' W. on true line bet. secs. 11 & 14 with same var,
39.84	set sandstone 18×18×18 ins in mound of rocks for 1/4 sec. cor. marked 1/4 on N. face raised mound of stones alongside
79.68	the cor. to secs. 10. 11. 14 & 15 Land mountainous, rocky, heavy underbrush fine grazing.

Subdivisions

Subdivisions T. 2 W. R. 3 E.

Chains	
	North bet. secs. 10 and 11
	Var. 16° 40' E.
25.50	ridge bears N. W & S. E.
	Sheep Corral bears W. 73° W.
	~~300 feet~~ 4.50 chs, Old grave N. 74 1/2° W.
	~~320 ft.~~ 4.80 chs
28.50	Old Emigration road E & W.
	set witness monument 3×3×3 ft.
36.00	Creek ~~4 ft.~~ 6 lks. wide 6 in. deep
	runs West enters ~~600 feet~~ 9 chs below
	in East Canon Creek
40.00	set Temporary 14×14×6 ins.
	9 ins. in ground for 1/4 sec. cor.
	marked 1/4 on W. face Dug pits
	raised mound of stones alongside
54.00	ridge bears S. E & N. W. East
	Canon narrows bears N 88° W.
	about 1/2 mile.
64.00	Creek Trends S. W.
80.00	top of Knoll set Quartz

Chains	
20.00	
40.00	
43.50	
49.50	
69.00	
69.50	
76.50	
80.40	

BOOK-A-185

Subdivisions T 2 N. R 3 E.

Chains	16 × 14 × 10 ins. 10 ins. in ground for cor. to secs. 2. 3. 10 and 11 marked S notches on S. and 2 notches on E. edges raised mound of stones alongside. Land mountainous, soil 3d rate, sagebrush, fine grazing.
	Cantera rand on line between secs. 2 and 11. Var. 16° 40' E.
20.00	ridge bears N E & S. W.
40.00	set temporary 1/4 sec. cor.
43.50	gulch trends South
49.50	ridge bears N. & S.
69.00	Creek ~~3 ft.~~ 4 links wide 6 ins. deep runs S. W.
69.50	road bears N. E & S. W.
76.50	ridge bears E & W.
80.40	Intersect N. & S. line at the

Subdivisions T. 2 N., R. 3 E.

Chains	
	cor. to secs. 1, 2, 11 & 12 thence
	from West on true line bet.
	secs. 2 and 11 with same var.
40.20	set sandstone 12 x 12 x 12 ins.
	in mound of rocks for 1/4 sec. cor.
	marked 1/4 on W. face raised
	mound of stones along side.
80.40	the cor. to secs. 2, 3, 10 & 11,
	Land mountainous, rocky
	Oak underbrush, page brush,
	fine grazing.
	on a random line
	North bet. secs. 2 and 3.
	Var. 16° 40' E.
8.00	side tree bears N. 8.
14.50	head of gulch from S. W.
25.00	side tree bears S. W. & N. E.
40.00	set temporary 1/4 sec. cor ~~Quartzite 12 x 12 x 12 ins.~~
	~~in mound of rocks for 1/4 sec. cor.~~
	~~marked 1/4 on W. face raised~~

Chains
41.00
53.50
61.00
63.50
80.30
40.30
80.30

BOOK-A-185

Subdivisions T. 2 W., R. 3 E.

Chains	
	~~Mound of stones along side~~
41.00	quartz trans S. W.
53.50	ridge bears E. & W.
61.00	quartz trans S. E.
63.50	sandstone wall 50 ft. high 1/4 chs 15 ft. wide
	Intersect offset cor.
80.30	~~set Quartzite 18×10×10 ins~~
	thence N. run S. on true line with same var.
40.30	set Quartzite 12×12×12 ins, in mound of stones for 1/4 sec. cor. marked 1/4 on W. face raised mound of stones along side.
80.30	the cor. to secs, 2. 3. 10 and 11

Land mountainous, rocky, gravelrock. Pine growing. Soil 3d rate October 26th

Subdivisions T. 3 N. R. 3 E.

Chains		Chains
	From cor. to secs 33. 34. 3. 4 on South boundary of Township which is a Quartzite 15×15×15 ins. imp marked 3 notches on W. and 3 notches on E. edges in pits and mound of stones S. from North bet. secs. 33 and 34. Var. 16° 35' E.	
0.90	reced bears E. & W.	
1.80	Monument Creek 6 links wide 4 ft 7 in. deep runs East.	
40.00	set grey sandstone 16×9×8 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. faces dug pit and raised mound alongside	3.00 19.00 40.00
65.00	top of mountain bears E. & W. Altitude 7050 ft. set witness pit S. 80.90 degrees	55.00
80.00	set sandstone 16×12×12 ins. 10 in ground for cor. to secs. 27. 28.	

BOOK-A-185

Subdivisions T. 2 N. R. 3 E.

	Chains	33 and 34 marked 1 notch on S. and 3 notches on E. edges Dug pits and raised mound. Ft trees alongside
		Land mountainous, soil 3d rate, some Quaking heavy scrub oak, fine grazing
		Centers a random line bet. secs. 27 and 34
		Var. 16° 35' E.
	3.00	gulch Trains North 1.50 chs. 100 lks. thence E.
	19.00	gulch Trains N E.
	40.00	set temporary 1/4 sec. cor.
	55.00	ridge bears S. W. & N. E.
	80.90	Intersect N. S. line 80 chs. north of the cor. to secs. 26. 27. 34. & 35 Alt. 6100 ft.
		thence Run N 89° 26' W.

Subdivisions T. 2 N. R. 3 E.

Chains		Chains
	on true line bet. secs 27 & 34	
	with same var 5°	
40.45	set Quartzite 24 x 12 x 10 ins.	55.00
	16 ins. in ground for 1/4 sec. cor,	
	marked 1/4 on N. face dug pits	
	raised mound of stones, on South	
	side of gulch Travis Ck E.	
80.90	the cor. to secs 27. 28. 33 & 34.	70.00
		80.00
	Land mountainous, soil 3d	
	rate, Quartzite scattered,	
	heavy underbrush, pine grass.	
	October 27th.	
	North bet. secs. 27 and 28	
	Var. 16° 35' E.	
16.00	descend gulch Travis Ck, North Ck.	
28.00	ridge bears N E & S W.	
40.00	set grey sandstone 12 x 12 x 12 ins.	
	8 ins. in ground for 1/4 sec. cor.	
	marked 1/4 on W. face, raised	Fine

BOOK-A-185

294

Subdivisions S. 2 W. R. 3 E.

Chains	
	mound of stones alongside on South side of gulch
55.00	bottom of gulch and creek 3 lks 2 ft. wide 3 in. deep runs E.
	Altitude 6550 ft.
	300 ft. above a gulch heads N.W. one S.W.
70.00	ridge bears E. and N.W.
80.00	set grey sandstone 18×12×12 in. 12 ins. in ground for cor. to secs. 21. 22. 27. 28 marked 2 notches on S. 3 notches on E. edges. Dug pits and raised mound of stones alongside.
	in head of gulch runs E 3 chs 200 ft thence N. 9 chs 600 ft. thence E. Land slide 1.20 lks 80 ft. wide bears S.W. 3 chs 200 ft.
	Land mountainous, soil & rocky.

Timber, Pines & Quakenaps scattered heavy underbrush.

Subdivisions T. 2 N R. 3 E.

Chains	Cont in a random line bet. secs 22 and 27 Var - 16° 35' E.
2.00	gulch Trees N.
8.50	ridge bears N & S.
20.00	gulch Trees N.
33.00	ridge bears N. & S.
40.00	set temporary 1/4 sec. cor. Altitude 6700 ft Line runs along N. side of gulch Trees Cont.
81.00	Intersect N & S. line 85 chs north of cor. to secs. 22. 23. 26 and 27 thence N 89° 23 W. on a true line bet secs. 22 & 27 with same va.
40.50	set perphyry 12×12×6 ins. 8 in in ground for 1/4 sec. cor. mark 1/4 on N. face Dug pits and raised mound of stones alongside
81.00	the cor. to secs. 21. 22. 27. 28.

Chains
10.00
40.00
69.00
71.50
80.00

BOOK-A-185 296

Subdivisions T. 2 N. R. 3 E.

Chains	
	Land mountainous, soil 3rd rate, Quartzinaw scattered, heavy undergrowth pine grazing.
	West on a true line between 21 & 28 Var. 16° 45' E.
10.00	ridge bears N.W. & S.E.
	Line runs along North side of gravel.
40.00	set sandstone 12×8×8 ins in mound of rock for 1/4 sec. cor. marked 1/4 on W. face raised mound of stones adjacent 1.50 chs ~~100 ft~~. north of creek.
69.00	ridge bears N. & S.
71.50	enter Quartzinaw
80.00	Quartzinaw 5 in. diam. marked T. 2 N. S. 21 N.E. face R. 3 E. S. 20 N.W face.

Subdivisions T. 2 W. R. 3 E.

Chains

S. 28 S. E. feet

S. 29 S. W. feet

Quartzmags 5 in. diam. bears W 10° 5.00

8 lks
5 ft. marked T 2 N. S. 21 B T.

Quartzmags 5 in. diam. S. 5° E. 18 lks 40.00
12 ft.

R 3 E S. 28 B T.

Quartzmags. 4 in. Diam S. 83° E.

6 lks
4 ft. Dist. marked S. 28 B T.

Quartzmags 6 in. diam. West 8 lks
5 ft.

S. 29 B T. Altitude 7900 ft.

foot of high steep precipice

further West.

Sand mountainous, very steep

rocky, Timber Pines a

Quartzmags. heavy under-

brush. Soil 3d rate

Chains

Oct 28

BOOK-A-185

Subdivisions T. 2 N. R. 3 E.

Chains	
	North bet. secs. 20 and 21
	Var. 16° 35' E.
5.00	quartz Trench Cut
	leave Quartzburg.
40.00	set a sandstone 12×12×4 ins. in mound of stones for 1/4 sec. cor. marked 1/4 on W. side
	raised mound of stones
	adamite. on side of Mountain
	bears E. W.

Limestone mountains, rocky Quartzburg, heavy underbrush, fine grazing.

Oct 28th

On account of precipitous mountains I abandon the line further north.

Subdivisions T. 2 N. R. 3 E.

Chains	
	North bet. secs. 21 and 22
	Var. 16°35' E.
	Descend
26.60	Enter Quartzite
32.50	gulch and Creek 8 in. wide
	2 in. deep runs East
	ascend
33.00	Leave Quartzite.
40.00	set Quartzite 12×8×4 ins.
	8 ins. in ground for 1/4 sec. cor.
	marked 1/4 on W. side Pits
	pits and raised mound of
	stones alongside
	on side of mountain bear
	E & W.
	Land mountainous soil
	3d rate. Timber Quartzite
	and Pines. heavy underbrush
	High and broken mountains
	debar further progress north.

BO

Su

Chain

10.7

40.0

55.0

61.5

78.7

80.0

BOOK-A-185

Subdivisions T. 2 N. R. 3 E

Chains	
	West bet. secs. 10 and 15
	Var. 16° 40' E.
	Second
10.75	East Canon Creek 44 lks. wide
	1 ft. deep runs N.
	and and along South side of gulch
40.00	set Quartzite 12×10×8 ins.
	in mound of stones for 1/4 sec. cor.
	marked 1/4 on W. face raised
	mound of stones adjacent
55.00	ridge bears N. W. & S. E.
61.50	head of gulch Drains N.
78.75	ridge bears W & S.
80.00	set Quartzite 18×10×4 ins
	in mound of stones for cor. to
	secs. 9. 10. 15 & 16 marked
	4 notches on S edges and 3 notches
	on E. edges raised mound of
	stones adjacent.
	Land mountainous, rocky
	heavy undergrowth.
	November 8th 11

Subdivisions T. 2 W N. 3 E.

Chains	
	North bet. secs 9 and 10.
	Var. 16° 40' E.
	Set and
12.50	gulch trends E.
19.00	ridge bears E. & W.
25.00	gulch trends N. E.
29.00	ridge bears E & W.
36.00	head of gulch trends East
40.00	top of ridge bears N E & S. W.
	set Quartzite 18 x 8 x 8 ins.
	in mound of stones for 1/4 sec. cor.
	marked 1/4 on W. fence raised
	mound of stones alongside.
52.00	gulch trends West.
54.50	ridge bears E & W.
67.50	East Cañon Creek 44 lks ~~29~~ ft.
	wide 1 ft. deep runs N. W.
73.50	road bears N E & S. W.
80.00	set Quartzite 18 x 16 x 12 ins.
	in mound of stones for cor. to
	secs 3. 4. 9 & 10 marked S mtrees.

Chains	
	6.00
	4.80
	17.0
	19.00
	00.20
	~~40.00~~

BOOK-A-185

302

Subdivisions T. 2 W. R. 3 E.

Chains

on S. and 3 notches on E. edges raised mound of stones alongside.

Land mountainous, rocky Quartzose and Trees scattered heavy underbrush. Fine grazing. Soil 3d rate.

Cent on a random line bet. secs. 3 and 10

Var. 16° 40' E.

6.00 Line runs along W. side of Cent Comm gulch drains S.

4.80 Conglomerate precipice 80 ft. high bears ~~60 ft.~~ 60 lks S.

17.00 Conglomerate precipice 40 ft. high bears ~~40 ft.~~ 60 lks S.

19.00 gulch drains S.

0.20 Conglomerate precipice 50 ft. high bears ~~20 ft.~~ 30 lks S.

40.00 ~~set temporary 1/4 sec. cor.~~ Line goes S. on S. side of Cent Comm 12 chs

Subdivisions T. 2 N., R. 3 E.

Chains		Chains.
38.00	Ridge bears N. & S. set gr. sandstone 30 x 30 x 10 in. in mound of stones marked W. M. 6350' high.	24.00
40.00	set temporary 1/4 sec. cor.	27.75
64.00	gulch trends S. W. 15 50'	40.00
69.00	ridge bears N. & S.	45.00
72.00	gulch trends S.	76.00
79.80	Intersect N. & S. line 62 lks N. of cor. to secs. 2. 3. 10 & 11 thence run N 89° 33' W. on true line bet. secs. 3 & 10 marsh ...	80.80
39.90	set Quartzite 19 x 12 x 8 in. in mound of stones for 1/4 sec. cor. marked 1/4 on N. face mound of stones adjoins	40.80
79.80	the cor. to secs. 3. 4. 9 & 10 Land mountainous, rocky underbrush. Soils 3d rate.	80.80

BOOK-A-185

Subdivisions T. 2 N., R. 3 E.

Chains.	
	North on a random line bet secs. 3 and 4 Var. 16° 40' E.
24.00	ridge bears E. & W.
27.75	quartz Travis Wash
40.00	set temporary 1/4 sec. cor.
45.00	sandstone rock 15×15×15"
76.00	ridge bears E. & W.
80.80	Intersect Offset for North boundary at the W. Cor. for secs. 3 and 4
	thence I run S. on a true line bet. secs. 3 and 4 with same vars.
40.80	set sandstone 20×10×3 ins in mound of stones for 1/4 sec. cor. marked 1/4 on W. face for raised mound of stones adjoining.
80.80	the cor. to secs. 3, 4, 9, 10 Land mountainous, rocky underbrush.

Subdivisions S. 2 W. R. 3 E.

Chains		
	West bet. secs. 4 and 9.	
	Var. 16° 40' E.	
10.50	road bears N. W. & S. E.	
	mouth of tunnel bears North	
	3.75 lks 250 ft. Cabin bears North 1.80 chs 120 ft.	12.50
15.20	East Canon Creek 42 lks 28 ft. wide	22.50
	1 ft. deep runs W. W.	
16.00	mouth of Incline 1.36 chs 90 feet S.	37.50
16.20	set sandstone 12 × 9 × 9 in.	
	in mound of stones marked W. M.	40.00
40.00	set sandstone 16 × 8 × 8 in. in	
	mound of stones for 1/4 sec. cor.	
	marked 1/4 on W. face varied	
	mound adjoining. on side	
	of high steep Mountain	
	bears N. W. & S. E.	
	Mountainous, very, heavy	
	underbrush, few Pines scattered	
	Coal indications.	80.00
	Abandon the line further west	
Nov 4th	on account of steep and unavailable	
"	mountains.	

BOOK-A-185

Subdivisions T. 2 W. R. 3 E.

Chains	From Cor. to secs. 32 and 33 on South boundary of township 3 nor. North bet. secs. 32 & 33 Var. 16° 35' E.
12.50	across top of mountain S. W.
22.50	to a Cedar tree 12 in. diam. on line
37.50	Beaver Cr. 8 lks wide 1 ft. deep runs S. E.
40.00	set Quartzite 10 x 9 x 8 in. 7 in. in ground for 1/4 sec. cor. marked 1/4 on W. face raised mound of stones also pits, a Quartzite 6 in. diam. bears S. 48° E. 15 lks a Quartzite 10 in. diam. S. 60° W. 68 lks marked both 1/4 S. B.T.
80.00	across set a Quartzite 19 x 12 x 9 in mound of rocks for cor. to secs.

Subdivisions S. 2 N. R. 3 E.

Chains

32.33.28 & 29 marked 1 notch on S and 4 notches on E. edges raised mound of stones alongside.

Land mountainous, rocky. Pines and Quaking Asp scattered, underbrush, pine grazing. Soil, 3d rate

Chains

40.40

80.80

Cent on a random line bet. secs. 28 and 33

Var. 16° 35' E

40.00 along south side of Mountain set Stamp. 1/4 sec. cor., on Pinite bears NE & SW. 7850 ft. high.

55.00 Summit head of gulch Trains Cent, NE.

71.00 ridge bears N & S.

80.80 Intersect N & S. line at the

Subdivisions T. 2 W., R. 3 E.

Chains

cor. to secs. 27. 28. 33. 34

thence S. run West on true line bet. secs. 28 & 33

40.40 set sandstone 18×15×12 in in mound of stones for 1/4 sec. cor. marked 1/4 on W. face raised mound of stones alongside.

80.80 the cor. to secs. 28. 29. 32 and 33.

Land mountainous, Pines and Quaking asp scattered, heavy undergrowth. Soil 3rd rate.

October 27th/81.

Subdivisions T. 2 N. R. 3 E.

Chains		Chains
	From Offset Cor. for secs. 4 and 5 on North boundary of Township 1 runs South bet. secs. 4 and 5.	25.50
15.00	Creek 9 lks Dia. 16° 40' E. ~~6 ft.~~ wide 6 in. deep runs S. W.	
		25.70
25.00	road E & W.	36.50
26.50	Cent Canon Creek ~~26 ft.~~ 38 lks wide 1 ft. deep runs N. W.	40.00
40.00	small grove of Pine ~~800 ft.~~ 12 chs E. and set gray sandstone 16 x 9 x 8 in. in mound of stones for 1/4 sec. cor. marked 1/4 on W. face and on W. side of grave mound of stones along side	51.00
	line further South impracticable on account of high mountains.	53.00
	Land mountainous, very rocky and rough. Soil 3d rate.	80.00

BOOK-A-185

310

Subdivisions T. 2 N. R. 3 E.

Chains.	
	Cont on a true line bet. secs. 6 and 7.
	Var. 16° 40' E.
25.50	Set cor. and Creek ~~4 ft.~~ Cedar wide 8 in. deep runs N E.
25.70	Wood road N E & S. W.
36.50	Ascend top of ridge bears N E & S. W.
40.00	Set gr. sandstone 18 x 12 x 4 in. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. Pits and raised mound of stones alongside.
51.00	Sheep Creek ~~10 ft.~~ 17 lks. wide 6 in. deep runs N.
53.00	Wood road bears N & S.
	Set W. M. 3 x 3 x 3 feet.
80.00	Ascend Set sandstone 12 x 9 x 8 in. mound of stones for cor. to secs. 5. 6. 7 and 8 marked 5 notches on S. and

BOOK

Section 1 T. 2 N R. 3 E.

Chain | 5 on E. edge raised mound of stones along side

Land mountainous, Oak underbrush, few Pines scattered. Pine grazing. Soil 3d rate.

Nov 5th 81

BOOK-A-185

3/2

General Description

This township is mountainous covered with undergrowth and fine grass.

Fine timber is scattered mostly along the high mountains, bordering the Western half of the Township. Fine Quartzite, ap along the Creeks, Coal prospects in secs. 4 and 9.

The township is well watered and adapted and used for stock raising.

Fred. D. Vert
U. S. Dep. Surveyor.

BOOK-A-185

313

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 28th 1882

The foregoing field notes of the survey of the

Subdivisions

Township No. 2 North Range No. 3 East

of the Salt Lake Meridian, Utah Territory,

Executed by Ferdinand Dickert

Under his contract No. 106

of the 29th day of July 1881,

in the month of October & November 1881,

having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby aproved.

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-185

REPORT: 1882. 314

Filed 1882

Examined by John H. Campe.

Compared by F. Linton & E. Salomon

FIELD NOTES

OF THE SURVEY OF THE

North boundary

OF

Township No. 2 North

Range No. 4 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Dickert

U. S. Deputy Surveyor,

Under his Contract No. 106

Dated July 29th 1881.

Survey commenced November 7, 1881.

Survey completed " 7, 1881.

F.D.

5

BOOK-A-185

Township 2 N. R. 4 E.



BOOK-A-185 315

North Boundary T. 3 N. R. 4 E.

Chains

From Re-established Cor. to 4 mounds, 2 cors. and 3 W. 780 lks. E. of cor. to T. 4 & 3 N. R. 3 & 4 E. on Guide Meridian R. 3 and 4 E. run on a true line 1 chain 1 chain along south boundary of sect. 31.

Var. 16° 38' E.

10.00 old corner, destroyed, set sandstone 15 x 9 x 8 ins., 10 ins. in ground, for 1/4 sec. cor. marked 1/4 on W. face, in pits and raised mound of earth alongside.

80.00 to old corner lying down a sandstone 16 x 12 x 5 ins. marked 1 notch on W. and 5 notches on E. edges. set the same 8 ins. in ground in pits and raised mound of stones alongside.

Land rolling, soil 2nd

November 7th 11 Dense undergrowth mate

End of former survey

High broken rugged Mountains covered with snow and destitute of timber stop me from advancing any further in this description

November 7th 1881.

Ferdinand Dickert
U.S. Dep. Surveyor

BOOK-A-185

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 28th 1882

The foregoing field notes of the survey of the

North boundary

Township No. 2 North Range No. 1 East

of the Salt Lake Meridian, Utah Territory,

Executed by Ferdinand Dickert

Under his contract No. 106.

of the 29th day of July 1881,

in the month of November 1881,

having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby aproved.

J. H. Salomon

U. S. Surveyor General for Utah.

BOOK-A-185

REPORT: 1882. 318

Filed 1882

Examined by John H Campbell

Compared by E. Solomon & F. Linton

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 2 North

Range No. 4 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Dickert

U. S. Deputy Surveyor,

Under his Contract No. 106.

Dated July 29th. 1881

Survey commenced November 8 1881.

Survey completed November 10, 1881.

3 T.

BOOK-A-185

-B19-

Subdivisions T. 2 W. R. 4 E.

Nov. 8th. 1881

Chains	
	From Corner to secs. 7. 18. 12 and 13 on West boundary of township 3 run East on true line bet. secs. 7 and 18
	Var. 16°35' E.
23.00	ridge bears E & W.
27.00	Second head of gulch trains S. W.
39.00	ridge bears E & W.
40.00	set porphyry stone 12×12×6 ins. 8 ins in ground for 1/4 secs. cor. marked 1/4 on N. face dug pits and raised mound of stones adjacent.
50.00	head of gulch trains South
62.00	ridge bears W E & S. W.
74.00	head of gulch trains S. W.
78.50	ridge bears E & W.
80.00	set sandstone 12×10×8 ins. in mound of rocks for corner

Subdivisions T. 2 N. R. 4 E.

Chains	
	To secs 7. 8. 17 and 18 meanders 4 notches on S and 5 notches on E. edges. raised mound of stones alongside
	Land mountainous, Timber some Quaking asp, Oak underbrush, fine grazing.
	Cent on a true line bet. secs. 8 and 17. Var 16° 35' E. Set wood along North side of gulch.
24.50	gulch bears S.W.
40.00	set sandstone 16 x 8 x 6, in mound of stones for 1/4 sec

BOO

Subd

Chains	
73.50	
77.50	
80.00	

Subdivisions T. 2 N. R. 4 E.

Chains	
	cor. marked 1/4 on N. pcre
	raised mound of stones alongside
73.50	ridge bears N E & S. W.
77.50	gulch trends S. W.
80.00	set Quartzite 12×12×12
	ins. in. mound of stones for
	cor. to secs. 8. 9. 16 and
	17 marked 4 notches on
	S. and 4 notches on E. edges
	raised mound of stones
	alongside.

Land mountainous.
Soil 3d rate.
Oak undergrowth, fine
grazing.
These bearings are refs to
the mountains South and E.
and only small groves of timber
in sight I now run West.

Subdivisions T. 2 W R. 4 E.

Chains	
	North bet. secs. 8 and 9
10.00	ridge bears N E & S. W.
14.50	Enter Quakinaxy
32.00	gulch Trends N. E.
35.00	Leave Quakinaxy
40.00	set Quartzite 8 x 8 x 4 ins. in mound of stones for 1/4 sec. cor. marked 1/4 on W. face raised mound of stones adjacent
44.00	ridge bears N E & S. W.
56.50	gulch Trends N E.
80.00	set sandstone 20 x 6 x 6 ins. in mound of stones for cor. to secs. 4. 5. 8 and 9 marked 5 notches on S. and 4 notches on E. edges raised mound of stones adjacent.
	Land mountainous and

BOOK

Subd

Chains	
6.00	
20.00	
32.00	
37.00	
40.00	
42.50	
45.75	
49.00	

Subdivisions T. 2 N. R. 4 E.

Chains	3rd rate, Timber fine Quaking ash on 20.50 chains Oak undergrowth, fine grazing. Nov. 8th /81
	East bet. secs. 4 and 9, Var. 16° 35' E.
6.00	ridge bears N. & S.
20.00	gulch trains N. E.
32.00	ridge bears. N. & S.
37.00	gulch trains N.
40.00	set a conc. stone 15×15×10 ins (10 ins) in ground for 1/4 sec. cor. marked 1/4 on N. face two pits and raised mound of stones adjacent,
42.50	ridge bears N. & S.
45.75	gulch trains N.
49.00	ridge bears N. & S.

Subdivisions T. 2 W. R. 4 E.

BOOK-

Chains		Chains
71.00	gulch Trends W. and set	
	mound B.T. at W. M.	
72.50	Dry Creek 4 lks. 3 ft. wide 1 ft.	
	deep Trends W.	
80.00	set a sandstone 18×12×6 ins.	
	12 ins. in ground for cor. to	40.00
	secs. 3. 4. 9 and 10 marked	
	5 notches on S. and 3 notches	
	on E. edges Dug pits and	
	raised mound of stones	
	adjacent.	42.50
		46.00
	Land mountainous, soil	80.00
	3d rate. Timber same	
	as heretofore described	
	Oak underbrush, fine	
	grazing.	
	Here being high mountains	
	further East and South	
	I abandon this line.	

BOOK-A-185 325

Subdivisions T. 2 W. R. 4 E.

Chains	
	From Corner to secs. 4, 5, 8 and 9 I run North bet. secs. 4 and 5. Var. 16° 35' E., ascend along ridge
40.00	set limestone, 9 x 9 x 6 ins. 6 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face. Dug pits and raised mound of stones alongside.
42.50	gulch trends West
46.00	ridge bears E. & W.
80.00	set red sandstone, 16 x 12 x 5 ins 10 ins. in ground for W.C for secs. 4 and 5 marked W. C. and 2 notches on W. and 4 notches on E. edges. Dug pits and raised mound of stones alongside near knee 8 ins. wide 3 in. deep. Altitude 6300' runs W. E.

Subdivisions. T. 326 S. R. 4 E.

Offset for north bound. sec. 5

Sand Mountain, Dixie 3rd rate

Chains		Chains
	E. and N. of this Corner are high Mountains, some Pines and Quakinasp scattering but not accessible. I therefore run West on Offset line for ~~along~~ North boundary of sect. 5. Var. 16° 35' E.	79.40
0.10	trail bears N E & S. W.	80.00
30.00	Enter Quakinasp	
40.00	Quakinasp 4 in. diam. on line marked 1/4 S. and N. pace	
	Quakinasp 5 in. diam. bears West 12 lks.	17.50
	Quakinasp 4 in. diam. bears South 9 lks. both marked 1/4 S. B T.	25.50
46.00	Leave Quakinasp	28.20
53.00	top of ridge bears N & S.	

BOOK-A-185 927

Subdivs. into T. 2 N. R. 4 E.

Offset. North. bound. sec. 5.

Chains	
	Altitude 6900'
79.40	Spring branch, 15 lks. wide, 2 in. deep runs W. W.
80.00	set Quartzite 24 x 20 x 20 ins. 18 ins. in ground for W. C. for secs. 5 and 6 dug pits and raised mound of stones alongside 60 lks east of old Ward road.
	Pine Cottonwood along Creek
	thence N. run North
17.50	Old Ward road N E.
25.50	Old Ward road N. W.
28.20	set sandstone 12 x 9 x 8 ins. in ground and mound of stones marked WC. and 1 notch on W and 5 notches on E. edges for cor. to secs. 5. and 6, on S. bound T. 2 N. R. 4 E.

Subdivisions T. 2 N. R. 4 E.

Chains	
8.14	East of Corner to Secs 31 and 32 on O. Boundary T. 3 N. R 4 E.
	Land mountainous, Soil 3rd rate, Timbered, Oak and scrub fine grazing. November 9th/81.

BOOK
Subdivisions
Chains

23.00
24.00
40.00
62.50
67.00
70.00
80.00

BOOK-A-185 (32)

Subdivisions T. 2 N. R. 4 E.

Chains	
	From Corner to secs. 7. 8. 17 and 18 I run North bet. secs. 7 and 8 Var. 16° 35' E.
23.00	mdg. bears N E & S. W.
24.00	head of gulch trends N. W.
40.00	set a oak post 3 ft. long 4 ins. square, 12 ins in ground for 1/4 sec. cor. marked 1/4 S. on W. face dug pits and raised mound of earth alongside. around post.
62.50	Enter Quartzburg
67.00	leave Quartzburg.
70.00	gulch trends S. W.
80.00	set sandstone 8×8×4 ins. 5 ins. in ground for cor. to secs. 5. 6. 7 and 8 marked 5 notches on S. and 5 notches on E. dug pits and

Subdivisions T. 2 N R. 4 E.

BOOK Subi

Chains		Chains
	raised mound of stones along ridge. Quadrimarp 6 in. diam. bears S. 39° W. 1.01 Ch. marked T. 2 N. R. 4 E. S. 7 B T.	63.50 64.50 80.40
	Land mountainous, soil 2 and 3rd rate. Timber, Quadrimarp scattered, fine grazing	40.20
	Centers a random line bet. secs. 5 and 8. Var. 16° 35' E.	80.40
12.00	course enter Quadrimarp.	
18.00	leave Quadrimarp.	
24.00	ridge bears N. & S.	
40.00	set temp. 1/4 sec. cor.	
49.00	gulch drains North	
~~47~~	enter Quadrimarp.	
57.50	ridge bears N. & S.	

Subdivisions T. 2 N. R. 4 E.

Chains	
63.50	gulch Trans North.
64.50	Leave Quartzburg.
80.40	Intersect N. & S. line at the cor. to secs. 4. 5. 8 and 9 thence Down West on true line bet. secs. 5 and 8 with same va.
40.20	set Quartzite 12 x 6 x 4 ins in mound of stones ~~mark~~ for 1/4 sec. cor. marked 1/4 on N. face raised mound of stones alongside
80.40	the cor. to secs. 5. 6. 7 & 8.

Land mountainous soil 2nd rate. Timber Quartzburg scattered, fine grazing.

Subdivisions T. 2 N. R. 4 E.

Chains.		Chains.
	West on a random line bet secs. 6 and 7.	80.80
	Var. 16° 35' E.	
	Set and.	
31.00	gulch trains S. W.	
38.00	ridge bears N. & S.	
40.00	set temp. 1/4 sec. cor.	
45.00	gulch trains N. and Creek 3 Lks wide 6 ins. deep runs N.	
64.00	ridge bears N. & S.	
80.80	Intersect West boundary 80 Lks South of cor. to secs 6. 7. 1 and 12	5.00
		20.00
	thence I run	29.50
	S. 89° 26' E. on a true line	40.00
	bet. secs. 6 and 7 with same va.	70.00
40.80	set purphyry stone 15 x 12 x 10 ins. in mound of stones for 1/4 secs. cor. marked 1/4 on N. face raised mound of stones adjoining,	80.80
		40.00
		80.00
		Note

BOOK-A-185 333

Subdivisions T. 2 N. R. 4 E.

Chains	
80.80	the cor. to secs. 5. 6. 7 and 8
	Land mountainous, soil 3d rate, some Quachita sandstone scattered, fine grazing.
	North on a random line bet secs. 5 and 6. Var. 16° 35' E.
5.00	set sand ridge bears E. & W.
20.00	road 1 chain East.
24.50	gulch Trends North.
40.00	set temp. 1/4 sec. cor.
70.00	ridge bears N E & S. W.
80.00	Intersect Offset Corner thence S run South on true line bet secs 5 and 6.
40.00	set pine log 12×12×8 in 8 in. in gr. for 1/4 sec. cor. marked 1/4 on W. face Pits mound with stones
80.00	to ~~cor~~ Corner for secs. 5 and 6. 7 & 8
Note	The Subdivisional lines were run by my Compassman but controlled by me November 10 to 11 1881. L. 2

334

General Description

This fractional Township is mountainous, covered with some fine Quaking asp groves, Oak underbrush and fine grazing. There are some fine groves in the Mountains East and South East but not accessible.

Ferdinand Dickert
U.S. Dep. Surveyor.

BOOK-A-185 335

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah April 28th 1887

The foregoing field notes of the survey of the

Subdivisions

Township No. 2 North *Range No.* 1 East

of the Salt Lake Meridian, Utah Territory,

Executed by Ferdinand Dickert

Under his *contract No.* 106

of the 29th *day of* July 1881;

in the month of November 1881,

having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby aproved.

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-185

R. 1882.

7236

Filed 187 .

Examined by John B. Campbell & R. Gorlinski

Compared by R. Gorlinski & F. Linton

FIELD NOTES

OF

THE SURVEY OF THE and resurvey Exterior

of Township No. 2 N. , Range No. 12 E.

of the Salt Lake Meridian in Utah Territory.

BY

A. D. Ferron

U. S. DEPUTY SURVEYOR,

Under his Contract No. 105

dated July 29th 1881.

Survey commenced Aug. 6th 1881

Survey completed Aug 11th 1881

6

BOOK-A-185

Township 2 N. R. 12 E.



NAMES AND DUTIES OF ASSISTANTS

R. A. Rowe	Compo
S. Poulsen	Chain
Frank Price	Chain
C. Carlson	Chainm
E. F. Osterhout	Chainm
S. J. Morrow	Axema
	Flagma

BOOK-A-185

[2.—PRELIMINARY OATH OF CHAINMEN.]

We, R. L. Rowe, S. Poulsen,
and Frank Price and C. Carlson
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the the exterior and subdivisions of Tps 2 & 3 S. R 12 & 13 E.
of the Salt Lake base and meridian in the Territory of Utah.

R L Rowe, Chainman.
S Poulsen, Chainman.
Frank Price, Chainman.
C. Carlson, Chainman.

Subscribed and sworn to before me this 5th
day of August 188

A D Finn
U. S. Dep. Surveyor

[3.—PRELIMINARY OATH OF AXEMEN.]

We, E. F. Osborn & flagman
and S. J. Morrow
do solemly swear that we will well and truly perform the duties of axemen, in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of the Extension and Subdivisions of Th 2 & 3 N. R 12 & 13 E.

of the Salt Lake base and meridian in the Territory of Utah.

E. F. Osborn, Axeman.
S. J. Morrow, Axeman & flagman

Subscribed and sworn to before me this 5th day of August 1881

A. D. Gunn
U. S. Dep. Surveyor

BOOK-A-18

Exteriors of West Boundary T. 2 N. R. 12 E. S.L.M.

Chs. Survey commenced August 6th 1881,

With young's Solar Transit #4901, Examined and approved by the Office.

I begin at the cor. to Twps. 1 and 2 N. R. 11 and 12 E. which is a quartzite rock 18×8×6 ins. 12 ins. in the ground, marked 6 notches on the N, S, E, and W. edges with mound of stone from which,

A pine 8 ins. diam, bears S. 45° E. 136 lks. dist. mkd. T. 1 N. R. 12 E. S. 6. B. T.

A pine 8 ins. diam, bears S. 43° E. 200 lks. dist. mkd. T. 1 N. R. 11 E. S. 1. B. T.

Thence I re survey

Re-Survey

Exteriors T. 2 N. R.

Chs.	
	North bet. Secs. 31 & 36. Va. 16' 35' E.
	Ascend
39.50	The ¼ Sec. cor. which is a boulder 13 × 8 × 3 ins. firmly in the ground, marked ¼ on the N. face, with stone mound
48.00	Gentle ascend.
79.95	The cor. to Secs. 25, 30, 31, 36 being a quartzite stone 30 × 16 × 3 ins. firmly in the ground mkd 5 - notches on N. end 1 notch on E. edge. 3 bearing trees standing, all agreeing with the description furnished by the office
	Land, barren mountains.
	Soil, 2nd rate.
	Timber, scattering dwarf pine.

BOOK-A-185

Reserve
12 C. 34 L.F.M.

Chs.	
	North bet. Sects. 25 and 30
	Va. 16° 35' E.
15.00	Hollow drains N.E.
35.00	Descend.
41.00	The 1/4 Sec. cor. being a round Stone 18×6×6 ins. firmly in the ground, marked 1/4 on W. face, 2 bearing trees Standing all agreeing with the description furnished by the Office
59.50	Mountain Saddle bears 6° W.
80.00	The cor. to Sects. 19, 24, 25 & 30. being a Sand Stone 16×14×4 ins. firmly in the ground, mkd 4 Notches on N. and 2 notches on S. edges, with Stone mound,
	Land, mountainous.
	Soil, 2nd rate.
	Timber, Scattering down pine.

Resurvey 343

Exterior T. 2 N. R. 12

Chs.	
	North bet. 19th and 24
	Va. 16° 35' E.
	Descend.
30.00	Foot of mountains.
40.00	The 1/4 Sec. cor. being a Sand Stone 14×12×6 ins. firmly in the ground, marked 1/4 on W. face, with stone mound, 2 bearing trees standing all agreeing with description furnished by the Office.
60.00	Ridge bears N.E.
80.00	The cor. to Sec. 13, 18, 19 and 24 being a Boulder 16×14×8 ins. firmly in the ground mkd. 3 notches on N.W. edge, 4 bearing trees standing all agreeing with description furnished by the office

Returned
BOOK-X-185 1944

Chs.	
	Land, mountainous.
	Soil, 3rd rate.
	Timber, pine, fir and spruce.
	North bet. Sec 13 & 18
	Va. 16° 35' E.
	Descend.
2.25	Wash drains N.W.
9.00	Foot of mountains
37.50	Spring drains N.W.
40.00	The 1/4 Sec. cor. being a Boulder 14×8×6 ins. firmly in the ground, marked 1/4 on W. face, 2 bearing trees standing, ~~66~~ agreeing with description furnished by the office.
55.00	Leave timber, Enter bottom,
66.90	W. fork of Black Fork 50 lks. wide, 15 ins. deep,

Re-Survey 345

Exteriors T. 2 N. R. 1

Chs.	runs N. E.
75.00	Spring branch 6 lks. wide 4 ins. deep, runs E.
80.16	The cor. to Secs. 7, 12, 13 & 18, being a boulder 15 × 10 × 6 ins. firmly in the ground marked 2 notches on N. and 4 notches on S. edges, with stone mound.
	Land, N. part level, S. part mountainous.
	Soil, 1st and 2nd rate.
	Timber, pine and fir on
55.00	Chains.
	August 6th 1881.
	North bet. Secs. 7 and 12
	Vol. 16 356.
2.00	Spring branch. 4 lks. wide, 2 ins. deep, runs E.

Chs.
17.6
21.5
31.0
40.16
43.0
44.5
57.5
63.5
70.5
80.00

BOOK-A-185

Re-Survey

E. L. M. 346

Chs.	
17.60	Small pond.
21.50	Road bears N.E. and S.W.
31.00	Ascend.
40.14	The 1/4 Sec. cor. being a boulder 16×12×5 ins. firmly in the ground, marked 1/4 on W. face, 2 bearing trees standing, all agreeing with description furnished by the office.
43.00	Ridge bears E and W.
44.50	Spring branch, 5 lks. wide 6 ins. deep, runs S.E.
57.50	Hollow drains S.E.
63.50	Enter park.
70.50	Leave same.
80.00	The cor. to Sec. 1. 6. 7 and 12 being a quartzite 18×12×10 ins. firmly in the ground, mkd.

Re-Survey 347

Exterior of T. 2 N. R. 12 E.

Cts.	I notch on N. and 5 notches on S. edges, 4 bearing trees Standing, all agreeing with description furnished by the office.
	Land, broken.
	Soil, 2nd rate.
	Timber, pine and aspen.
	North bet. Secs. 1 and 6.
	Va. 16" 35' E.
10.00	Enter opening.
11.00	Leave Land.
16.50	Holland, drains S.E.
35.50	Spring run S.E.
40.00	The 1/4 Sec. cor. being a Sandstone, 14 x 13 x 6 ins. firmly in the ground, mkd. 1/4 on N. face, 2 bearing trees Standing, all agreeing

BOO

C.

Cts.

46,00

55,00

84,28

BOOK-A-185

Re-survey

E. S. L. No. 348

	Ans.	with description furnished by the office,
	46.00	Ridge bears E and W.
	55.00	Spring branch 10 links wide 2 lks. deep, runs N. E.
	84.28	The cor. to Townships 2 and 3 N. R's 11 and 12 E. being a Sandstone 20×12×4 ins. firmly in the ground, mkd 6 notches on N. S. E & W. edges. 4 bearing trees standing, all agreeing with description furnished by the office.
		Land, Mountainous.
		Soil, 2nd rate.
		Timber, Pine and fir.
		North Boundary. Aug. 8/81
		From the cor. to Twpl. 2 and 3 N. R's 11 and 12 E, which

Re-Survey 349

Exteriors T. 2 N. R. 12 E.

Cor.	is a Sandstone 20×12×4 mkd 4 bearing trees. True.	Cor.
	S. 89° 39' E. on true lines bet. Sec 6 and 31	60.00
	Var. 16° 35' E.	73.00
	Note: The course given on old Survey is N. 89° 39' E. which is wrong by its own showing. The falling runs W. and S., consequently the corner must be S. E. and so I found it on the field.	14.00
8.50	Cedar Post.	
13.00	Leave Same.	
32.00	Spring branch, 3 lks. wide 6 ins. deep, runs S. W.	
34.00	The 1/4 Sec. cor., being a Sandstone 16×14×4 ins. firmly in the ground, mkd. 1/4 on N. face, 2 bearing trees Standing, all agreeing	150.00

BOOK-A-185 Re-Survey
E. S. L. M. 350

Chs.	with description furnished by the office.
60.00	Enter post.
72.00	Leave "
74.00	Pine cor. to Sec. 5. 6. 31 & 32, being a sandstone 17 x 7 x 4 ins. firmly in the ground marked 5 notches on E. and 1 notch on W. edge, 4 bearing trees standing all agreeing with descriptions furnished by the office.
	Land, rolling,
	Soil, 2nd rate.
	Timber, pine and aspen.
	S. 89° 39' E. on a true line, bet. Sec. 5 and 32
	Va. 16° 35' E.
150.00	Enter opening.

Re-Survey
Exteriors 35 T. 2 N. R. 12

Chs.	
20.00	Leave same.
36.00	Marsh.
31.50	Leave same.
40.16	The 1/4 Sec. cor. being a boulder, 18×16×12 ins. firmly in the ground, mkd. 1/4 on N. face. 2 bearing trees standing, all agreeing with description furnished by the office.
62.50	Ridge bears N.W. & S.E.
80.00	The cor. to Secs. 4, 5, 32 and 33, a boulder, 20×18×8 ins. firmly in the ground, marked 2 notches on W. and 4 notches on E. edges, 4 bearing trees standing all agreeing with description furnished by the office

Chs.
5.00
12.10
40.10

BOOK-A-185

Re-Survey
C. S. L. No. 352

Sd.

Land, broken.
Soil, 2nd rate.
Timber, pine, fir and aspen.

August 8th 1881

S. 89° 39' E. on a true line, bet. Secs. 4 & 5 33
Va. 16° 35' E.

5.00 Ridge bears N.W. & S.E.

12.10 Spring branch, 5 links wide, 4 ins. deep, runs S. E.

40.11 The 1/4 Sec. cor. being a boulder in place 18 x 12 x 6 ins. firmly in the ground marked. 1/4 on N. Pine, 2 bearing trees standing all agreeing with descriptions furnished by the office.

Re-Survey

Exteriors T. 2 N. R. 1 [illegible]

Lgt.	
45.75	Charcoal Kilns, Cor and Station tie camp, 1.50 chs. S. of line
48,00	Road bears N.E. and S.W.
50,00	Center opening.
70.40	on top of bluff, Brook Fork 50 feet below, flows N.E. 100 lks. wide, 12 ins. deep,
80,00	Pine con. to Sec. 3, H, 33 x 33 being a boulder 18 x 12 x 5 ins. firmly in the ground, with 3 notches on E. and W. edges H bearing trees blazed, all agreeing with descriptions furnished by the office. Land, rolling. Soil, 2nd rate. Timber, scattering pine and aspen.

	1.0 [illegible]
	12.5 [illegible]
	23. [illegible]
	26. [illegible]
	29.0
	30.0
	31.5
	40,0
	60,0
	63.5

BOOK-A-187

Re-Survey

G. L. No. 387

Std.	S. 89° 39' E on a true line, bet. Sec. 3 and 34 Va. 16° 35' E.
1.00	Foot of bluff bears N. & S.
12.50	Hollow drains N.
23.50	Enter willows and creek bottom.
26.10	East fork of Blackfoot 50 lks. wide, 15 ins. deep, runs N.
29.00	Branch of same 20 lks. wide, 6 ins. deep, runs N.
30.00	Leave bottom.
31.50	Foot of bluff bears N. W. & S. E.
40.00	The ¼ Sec. cor. being a pine 11 ins. diam., mkd ¼ on N. face, 2 bearing trees standing all agreeing with description furnished by the office.
60.00	Enter prairie
63.50	Leave "

Re-Survey

Exteriors T. 2 N. R. 12

Set 80.00	Pk cor. to Secs. 2, 3, 34 & 35 being a boulder 18 × 12 × 6 ins. firmly in the ground, with 2 notches on E. and 4 notches on W. edges. H bearing tree Standing, all agreeing with description furnished by the office.
	Land, broken,
	Soil 2nd rate.
	Timber, scattering pine and aspen.
	S. 89° 39' E. on a true line bet. Secs. 2 and 35 — Va. 16° 35' E.
1.50	Spring branch, 3 lks. wide 6 ins. deep, runs S.W.
4.00	Same runs N.W.
10.00	Same runs S.W.

BOOK-A-185 Re-Survey
of S.L.W. 356

Chs.	
17.50	Same runs N.W.
20.11	Same runs S.W.
35.50	Spring branch, 4 lks. wide 3 lks. deep, runs S.W.
40.00	The 1/4 Sec. cor., being a sandstone 15 × 8 × 7 ins. firmly in the ground, marked 1/4 on N. face, 2 bearing trees standing, all agreeing with description furnished by the office.
44.00	Spring branch 4 lks. wide 3 ins. deep, runs N.W.
72.50	Ridge bears N.E. & S.W.
80.18	The cor. to Secs. 1, 2, 35 and 36, being a sandstone 20 × 12 × 4 ins. firmly in the ground, mkd. 1 notch on E and 5 notches on W. edges. 4 bearing trees standing, all agreeing

Re-Survey

Extension of T. 2 N. R. 12

Chs	with description furnished by the office.
	Land, broken.
	Soil, 2nd rate.
	Timber, pine and aspen.
	S. 89° 39' E. on a true line bet. Secs 1 and 36.
	Va. 16° 35' E.
2.00	Opening.
4.00	Leave Lakes.
12.50	Ascend.
17.50	Ridge bears N. & S.
40.00	Pine 16 Dec. cor. being a pine 12 ins. diam. marked 14 on N. face, 2 bearing trees standing all agreeing with description furnished by the office.
80.00	Dec cor to Props 2. and 3.

BOOK-A-185

Re-Survey

C. S. L. No. 358

Cl. N. R^s 12 and 13 E., being a boulder 14 × 8 × 8 inch. firmly in the ground, mkd. 6 notched on N. S. E and W. edges, & bearing trees standing, all agreeing with description furnished by the office.

Land, rolling.

Soil, 2nd rate.

Timber, pine and aspen.

August 9th 1881.

East Boundary

From the cor. to Twpsh. 2 and 3 N. R^s 12 and 13 E. just described Run on (Reservoir line) South bet. Sec. 1 and 6

Va. 16° 35' E.

34.00 Wash drains N. E.

40.20 The 1/4 Sec. cor. being a boulder 14 × 7 × 6 inch. firmly in the

Re-Survey
Exterior 359 T. 2 N. R.

Sec. 8.00 = The cor. to sec. 1. 6. 7 & 12, a sandstone 8x12x4 ins. lying in mound of stone & marked 1/4 S. on it & 5 ins. S. 45° W. 5 links; 12 ins. diam. Chestnut, all agree with description furnished by office.

Ground, marked 1/4 on West face
2 bearing trees
Standing, all agreeing with description furnished by the office.
Land, high table mountain.
Soil, 2nd rate.
Timber, pine and aspen.
End of Resurvey.

5 0,
8 0,

New Survey
South bet. Secs. 7 and 12
Va. 16° E 5.6.

40.00 Set Sandstone 20 x 16 x 6 ins. 15 ins. in the ground, for 1/4 Sec. cor. mkd 1/4 on W. face from which
A pine 16 ins. diam, bears N. 25° E. 7 lks. dist. mkd 1/4 S. B.T.
A pine, 12 ins. diam, bears

BOOK-A-185

369

12 E. S. L. M.

Sec.	N. 80° E. 20 lks. dist. marked 1/4 S. B. T.
5 00,00	Spur ridge.
80,00	Set Sandstone 24 x 15 x 8 ins. 18 ins. in the ground, for cor. to Sec. 7, 12, 13 & 18 marked 2 notches on N. and 4 notches on S. edges, from which. A pine 12 ins. diam. bears N. 45° E. 23 lks. dist. marked T. 2 N. R. 13 E. S. 7 B. T. A pine 10 ins. diam, bears N. 70° W. 30 lks. dist. mkd. T. 2 N. R. 12 E. S. 12 B. T. A pine 8 ins. diam, bears S. 65° W. 14 lks. dist. marked T. 2 N. R. 12 E. S. 13 B. T. A pine 14 ins. diam, bears S. 15° E. 19 lks. dist. marked

Exteriors 361 T. 2 N.

Chs.	T. 2 N. R. 13 E. S. 18 B.P.
	Land, rolling table-mountains
	Soil, 2nd rate.
	Timber, pine and aspen
	on 80.00 Chains.
	South bet. Sec. 13 & 18
	Va. 16' 35' E.
31,00	Hollow drains N.W.
40,00	Set Sandstone 16 x 10 x 4 ins
	11 ins. in the ground, for 1/4
	Sec. cor. — marked 1/4 on W face
	from which,
	A pine, 6 inch. diam, bears
	S. 55' E. 65 links dist. mkd.
	1/4 S. B.T.
	A pine 14 ins. diam, bears
	S. 50' W. 45 links dist. mkd.
	1/4 S. B.T.
46,50	Spur ridge bears E & W.

BOOK-A-185

367

R. 12 E. S. L. M.

Chs	
52.00	Hollow drains N.
60.00	" " "
80.00	Set Limestone 16 x 12 x 8 ins. 11 ins. in the ground, for cor. to Secs. 13, 18, 19 & 24 marked 3 notches on N. & S. edges, from which A pine 14 ins. diam. bears N. 10° E. 83 lks. dist. mkd. T. 2 N. R. 13 E. S. 18 B. P. A pine 18 ins. diam. bears N. 10° W. 69 lks. dist. mkd T. 2 N. R. 12 E. S. 13. B. P. A pine 18 ins. diam. bears S. 45° W. 31 links dist. mkd T. 2 N. R. 12 E. S. 24 B. P. A pine, 12 ins. diam. bears S. 75° E. 19 lks. dist. mkd T. 2 N. R. 13 E. S. 19 B. P. Land, Mountainous

Exteriors 363 T. 2 N.

Chs.	
	Soil, 2nd rate.
	Timber, pine and fir.
	80.00 Chs
	South bet. 19 and 24.
	Va. 16° 35' E.
4.50	Ridge bears E. & W.
23.50	Very deep ravine, drains N.
39.50	Spur ridge bears N.
40.00	Set Sand stone, 24×10×3 ins. 18 ins. in the ground, for 1/4 Sec. cor. mkd. 1/4 on W. face, from which. A pine 8 ins. diam, bears N. 50° W. 8 lks. dist. mkd 1/4 S.B.T. A pine 8 ins. diam. bears N. 75° E. 25 lks. dist. mkd 1/4 S. B. T.
51.20	Ravine drains N.
58.00	Spur ridge bears N.
69.75	Ravine drains N.

BO
Ch
80.0
80.0

BOOK-A-185

364

R. 12 E. S.L.M.

Sec

80.00 Set Sandstone 36×18×8 ins. 24 ins. in the ground, for cor. to Sec. 19, 24, 25 & 30 marked 4 notches on N end 2 notches on S. edges, and raised a mound of stone alongside, from which A pine, 14 ins. diam, bears N. 47° W. 31 lks. dist. mkd. T. 2 N R. 12 W. S. 24 B.T. A fir 12 ins. diam, bears S. 86° W. 35 lks. dist. marked T. 2 N. R. 12 E. S. 25 B.T. No other trees within limit. Land, very rugged W. slope. Soil, 3rd rate. Timber, pine and aspen

8000 Chs. August 10th 1881

Ottawa P. 2 N.

Chs.	
	South bet. Sec. 25 & 30
	Va. 16° 35' E.
40.00	Set a sandstone 10 × 10 × 8 ins. 6 ins. in the ground, for 1/4 Sec. cor. mkd. 1/4 on W. face. and raised a mound of stone alongside
	No trees within limit.
	Thence on account of brake I offset E. 26.00 chs. South 40.00 chains to a point 26.00 chains E. of
80.00	which falls in inaccessible brake and cannot be established. Therefore at 26.00 chains E. of cor. point I set a sandstone 11 × 10 × 6 ins. 6 ins. in the ground, for Witness cor. to Sec. 25, 30, 31 & 36 80.00
	mkd. 5 notches on N. and

BOOK-A-185

R. 12 E. 366 S.L.M.

Chs. 80

I notch on S. edge and "W.C." and raised a mound of stone alongside

Land, very broken
Soil, 3rd rate.
No timber.

80.00 chains over mountainous land.

South bet. Secs. 31 and 36.
Va. 16° 35' E.

On account of very steep and broken ledge-masses I offset E. 16.00 chains, S. 80.00 chains and West 0.87 chains to a point on top of precipice 25.13 chs. East of

80.00 which falls in said precipice and cannot be set. I therefore

Ontario / T. 2 N.

Cts. at 25.83 chs. E of the cor. post marked a lone White Pine 10 ins. diam, for Witness cor. to Tps. 1 and 2 N. Rs. 12 and 13 E. marked 6 Notches on N.S. E and W. edges. Mds and raised a mound of stone alongside.

Land, very broken.
Soil, 3rd rate.
No timber.

80.00 Chains over mountainous land

August 11th 1881

South Boundary.

From the cor. to Tps. 1 and 2 N. Rs. 12 and 13 E, just described Runs,

West on a random line bet. said Tps. the variation

BOOK-A, 185

R. 12 E. S. L. M.

Chs.

of my compass being 16°
35' E. I get my distance
from the above Witness cor.
into the bottom of Blacks
Fork by triangulation and
deducting the distance East
of true cor point I set stake
1/2 mile and mile cors. every
40 and 80 chains, I find the
Tp. line to be 6 miles and
42 lks., and the falling
to be 3 chains S. of the
cor. to Twps 1 and 2 N. Rs 11
and 12 E. The correction for
the true line will therefore
be 5 links North per mile
and its course S. 89° 39' E.

From the cor to Twps
1 and 2 N. Rs. 11 and 12 E
described at the beginning of

Exteriors 369 9 3 71.

Chs.	
	Three notes of the exteriors of this Pine Trees.
	S. 89° 39' East on a true line bet. Secs. 6 & 31
	Va. 16° 35' E.
40.42	Set quartzite 16×10×8 ins. 11 ins. in the ground, for 1/4 Sec. cor. Marked 1/4 on N. face, and raised Stone mound alongside.
43.00	Steep descent.
75.00	N point of meadow 3 chs. diam.
80.42	Marked Stationary quartz rock 20×20×20 ins. above ground, for cor. to Secs. 5, 6, 31 & 32, Marked 5 notches on E. and 1 notch on W. edges, and raised a mound of stone alongside.
	Land, very broken.
	Soil, 3rd rate.

BOOK-A-185

R. 12 E. 37 T. S. L. M.

	Chs.	No timber.
		S. 89° 39' E. on a true line, bet. sec. 5 and 32 Va. 16° 35' E.
	41.00	marked a fir tree 3 ins. diam. for 1/4 Sec. cor. marked 1/4 on N. face from which A fir 12 ins. diam. bears N. 70° W. 41 lks. dist. mkd 1/4 S. B. T. A pine 14 ins. diam. bears S. 65° W. 16 links dist. mkd 1/4 S. B. T.
	45.00	Cataract creek 25 links wide 12 ins. deep, runs N.
	56.50	Spring branch 3 lks. wide 2 ins. deep, runs N. Enter rock slide.
	80.00	Marked Stationary Sandstone 20 x 20 x 20 feet, for cor. to.

Exteriors 37 T. 2 N. — BOO

Chs.		Chs.
	Sec. 4 5 32 and 33	
	mds on W. side W 11 + 1111 on E. side and raised	
	a mound of stone on top.	
	Land, very broken.	
	Soil, 3rd rate, rocky.	
	Timber a few pines.	
80.00	Chained over mountainous	46.5
	land	80.00
	S. 89° 39' E. on a true	
	line, bet. Sec. 4 and 33	
	Va. 16° 35' E.	
5.00	Perpendicular ledge 200 ft.	
	high, thence on bed rock	
	slide,	
35.00	Enter Willow Park,	
40.00	Set quartzite stone 16×10×6	
	ins. 11 ins. in the ground,	
	for 1/4 Sec. cor. — marked 1/4 on	
	N. face, from which	

BOOK-A-185

R. 12 E. 37½ S.L.M.

	Chs.	A pine, 15 ins. diam, bears S. 15° E. 42 lks. dist. marked 1/4 S.B.T.
		A pine, 12 ins. diam. bears N. 10° E. 20 lks. dist. mkd 1/4 S.B.T.
	46.50	Spring branch, 5 lks. wide 4 ins. deep, runs N. A Sand.
	80.00	Set quartzite rock 16×10×6 ins. 11 ins. in the ground, for cor. to Sec. 3, 4, 33 & 34 marked 3 notches on E. and W. edges, and raised a mound of stone alongside,
		Land, very broken
		Soil, 3rd rate.
		No. timber.
		8.50 Chs. runs over mountainous land.

Exteriors of T. 2 N. R.

Chs.		Chs.
	S. 89° 39' E. on a true line, bet. Sec. 3 and 34 Va. 16° 35' E.	
40.00	Set a quartz rock 20×12×6 ins. 15 ins. in the ground, for 1/4 Sec. cor. marked 1/4 on N. face, and raised a mound of Stone alongside.	7.00 25.50 40.00
65.00	Descend a Steep Slope.	
80.00	Set a quartzite Stone 10×10×6 ins. 6 ins. in the ground, for cor. to Sec. 2, 3, 34 and 35, marked 4 notches on W. and 2 notches on E. edges and raised a mound of Stone alongside.	69.00 80.00
	Land very Rugged. Soil, 3rd rate. No timber.	

BOOK-A-185

R. 12 E. 3rd S. L. M.

Chs.	
	S. 89° 39' E. on a true bet. Secs. 2 and 35
	Va. 16° 35' E.
7.00	Head of hollow drains N.
25.50	Top of long hill.
40.00	Set quartzite 16 x 10 x 10 ins. 9 ins. deep, in the ground for 1/4 Sec. cor. mkd 1/4 on N. face, and raised a mound of stone alongside
69.00	Branch of east fork of Black fork 30 links wide, 10 ins. deep, runs N.
80.00	Set Sandstone 22 x 14 x 3 ins. 16 ins. in the ground, for cor. to Secs. 1, 12, 35 and 36, marked 1 notch on E. and 5 notches on W. edge from which
	A pine 10 ins. diam. bears

Exteriors 375 T. 2 76.

Chs.		Chs
	N. 45° E. 4 links dist. mkd. T. 2 N. R. 12 E. S. 36 B.P.	
	A pine 8 ins. diam. bears N. 68° W. 35 lks. dist. mkd. T. 2 N. R. 12 E. S. 35 B.T.	33.
		38.0
	A pine, 12 ins. diam, bears S. 60° W. 26 lks. dist, mkd. T. 1 N. R. 12 E. S. 2 B.T.	40.0
	A pine 6 ins. diam, bears S. 10° E. 18 lks. dist mkd. T. 1 N. R. 12 E. S. 1 B.T.	45.0
	Land very broken.	49.0
	Soil, 2nd rate,	80.0
	Timber, pine and fir.	
	80.00 Chs. over mountainous land.	

BOOK-A-185

R. 12 E. 37 S. L. M.

	Sts. S. 89° 39' E. on a true line bet. Sects. 1 and 36 Va. 16° 35' E.
33.50	Black Fork 30 lks. wide
	10 lks. deep, runs N.
38.00	Enter grassy opening
40.00	Set Sand Stone 20 x 10 x 10 ins. 18 ins. in the ground. for 1/4 Sec. cor. - mkd 1/4 on N. face, and raised a mound of Stone alongside.
45.00	Leave park
49.00	Ascend.
80.00	Pt. cor. to Pts. 1 and 2 N. R. 12 and 13 E.
	Land, broken cañon flat.
	Soil, 3rd rate.
	Timber, pine on 1/2 acre.
	August 11th, 1881

Note

For Genl. Description see end of Subdivision field Notes of this Tp.

A. A. Ferron
U.S. Dep. Surveyor

UK-A-185

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Jan 28, 1882

The foregoing field notes of the survey of the Resurvey

Exteriors

Township No 2 N. *Range No* 12 E.

of the Salt Lake Meridian, Utah Territory,

Executed by A. D. Ferron

Under his *contract No* 105

of the 29 *day of* July 18 81,

in the month of Aug 18 81,

having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Jno. Salomon

U. S. Surveyor General for Utah.

BOOK-A-185

R: 1882. 379

Filed 187 .

Examined by John E. Campe.

Compared by J. T. Knudson & Gorham

FIELD NOTES

OF

THE SURVEY and returned OF THE Subdivisions

of Township No. 2 N. , Range No. 12 E.

of the Salt Lake Meridian in Utah Territor

BY

A. D. Perron

U. S. DEPUTY SURVEYOR,

Under his Contract No. 105

dated July 29th 1881.

Survey commenced Aug 24th 1881.

Survey completed Aug 31st 1881.

BOOK-A-185

380 Resurvey

Subdivision T. 2 N. R 12 E.

Survey commenced Aug. 24th 1881

The instrument used is a Young's Solar Transit #4901, examined and approved by the office,

Note: as the T.p. had been partially surveyed, I resurvey the extreme out boundaries of the old survey in order to obtain the proper data for connection, Therefore

From the cor. to Secs. 1 & 12 on the east boundary of the T.p. and re-established by me during this survey I

Resurvey

West on a true line bet. Secs. 1 & 12.

3 Subdivisions T 27 N. R. 12

Chs.		
	Va. 16° 35' E.	
25.00	Descend, bears N. W. & S. E.	
40.06	The 1/4 Sec. cor, which is a Sand Stone 10 x 12 x 5 ins. 10 ins. in the ground, marked 1/4 on N face, two bearing trees Standing and all agreeing with description furnished by the office	40.00
44.00	S. point of Spur ridge.	
80.00	The cor to Sec. 1, 2, 11 & 12, bears a Sandstone 16 x 10 x 6, firmly in the ground, marked 5 notches on S. and 1 notch on E. edge, with 4 bearing trees Standing and all agreeing with description furnished by the office	45.00
		55.50
		80.00
	Land, Canon flat & Mountainous	
	Soil, 2nd rate.	
	Timber, pine & fir.	

BOOK-A-185

12 E. S. L. M.

West on a Redgrowy Trunk line, bet. Sect. 2 and 11

Va. 16° 35' E.

40.00 The 1/4 Sec. cor. being a Sandstone 18x10x10 ins. firmly in the ground marked 1/4 on N. face, with 2 bearing trees standing and all agreeing with description furnished by the office.

45.00 Blackfoot 65 lks. wide 18 ins. deep, runs N.

55.50 Branch 10 lks. wide 8 ins deep runs N.E.

80.00 The cor to Sect. 2. 3. 10 and 11 being a pine post 36" 3" 3" ~~1~~ long, marked with 5 notches on S. and 2 notches on E. edges. 4 Bearing trees standing and all agreeing with description furnished by the office.

BOOK
J 2

Resurvey of the Subdivisions

Chs.		Chs
	Land, mostly level,	80.11
	Soil, 1st rate.	
	Timber, pine and aspen.	
	West on a true line bet. Secs	
	3 & 10	
	Va. 16° 35' E.	
37.90	Spring branch, 10 lks. wide,	
	6 ins. deep, runs N.	
40.00	The 1/4 Sec. cor. being a Sand	
	Stone 18×6×4 ins. firmly in the	
	ground, marked 1/4 on N. face	
	2 bearing trees standing and	
	all agreeing with description	
	furnished by the office.	14.00
43.20	Spring branch 6 lks. wide	15.50
	and 4 ins. deep, runs N.	29.50
55.00	North point of Spur ridge.	40.00
70.20	Spring branch 6 lks. wide	
	5 ins. deep, runs N. W.	

BOOK-A-185

384

T. 2 N. R. 12 E. S. L. M.

Cal.	
80.10	Spec. cor. to Secs. 3, 4, 9 and 10
	being a sandstone 18×12×10
	firmly in the ground, marked
	5 notches on S. and 3 notches
	on E. edges, Four bearing
	trees Standing, all agreeing
	with description furnished by
	the office
	Land, rolling.
	Soil 2nd rate.
	Timber, pine and aspen.
	South bet. Secs 9 and 10
	Va. 16° 35' E.
14.00	Wash draws N. E.
15.50	Same " N. W.
29.50	Enter brook on W. slope
40.00	The 1/4 Sec. cor, being a sandstone
	17×16×8 ins. firmly in the ground
	marked 1/4 on W. face and

Resurvey of the Subdivisions of Sec

		Chs.
Sub.	Stone mound alongside,	40.00
	bearing tree Standing, all	
	agreeing with description fur-	
	nished by the office.	
79.90	The cor. to Secs. 9, 10, 15 and 16	
	being a boulder stone 18×12×	
	4 ins. firmly in the ground,	5.01
	4 notches on S. and 3 notches	55.50
	on E. edges, 4 bearing trees	61.50
	Standing, all agreeing with	63.60
	description furnished by the	
	office.	79.80
	Land, west slope of mountain	
	Soil, 2nd rate.	
	Timber, Pine, Spruce & fir.	
	South bet. Secs. 15 and 16.	
	Var 16° 35' E.	
6.75	Enter Emerald Park	
14.50	Leave Same	

BOOK-A-185

T. 2 N. R. 12 E. S.L.M.

Chs.	
40.00	Not being formerly established I set a sand stone 22×18×5 ins. 16 ins. in the ground, for 1/4 Sec. cor. mkd. 1/4 on W. face and raised a mound of stone along side. No tree within limit.
55.00	Head of hollow draining W.
55.50	No trace of old Witness cor. tree.
61.50	Head of hollow draining W.
63.60	Spring branch, 4 ft. wide 2 ins. deep, runs N.W. in hollow
79.80	The cor to Secs. 15. 16. 21 & 22 being a sand stone 20×12×10 ins. firmly in the ground, mkd. 3 notches on S. & E. edges, 4 bearing trees standing, all agreeing with descriptions furnished by the office

Land Mountainous. Soil Inferior
Timber, Pine, Spruce & Firs

West on true line bet.

Resurvey of Subdivisions

Chs.		Chs.
	Sect. 16 and 21	
	Var. 16° 35' E.	
15.50	Leave timber	
29.50	Spring branch 8 lks. wide, 6 deep, runs N	
32.00	Enter timber.	
38.60	Spring branch 20 links wide 10 ins. deep, runs N	
40.00	The 1/4 Sec. cor. being a boulder stone 16×16×12 ins firmly in the ground, marked 1/4 on N face, 2 bearing trees Stand all agreeing with descriptions furnished by the office.	17.00 24.00
50.00	Ascend.	35.50
73.00	Hollow drains N. E.	
80.00	The cor. to Sects. 16, 17, 20 and 21, being a sandstone 16×14×4 ins, firmly in the ground Marked 3 notches on S. and	40.00

BOOK-A-185

T. 2 N. R. 12 E. S. L. M.

Cld. 4 notches on E. edge 4 bearing trees standing, all agreeing with description furnished by the office.

Land rolling.

Soil, 2nd rate.

Timber, pine, fir, and cedar.

August 24th 1881

West on a true line, bet. Secs. 17 and 20.

Va. 16° 25' E.

17.00 Steep ascent.

24.00 Top of slope descend.

35.50 Spring branch 5 lks wide, 4 ins. deep, in hollow runs N.

40.00 The 1/4 Sec. cor. being a boulder 14 x 12 x 6 ins. firmly in the ground marked 1/4 on N. face, 2 bearing trees standing, all agreeing

Resurvey of Subdivisions

Chs.	with description furnished by the office.	Chs.
80.12	Rec cor. to Secs. 17, 18, 19 & 20, being a Sandstone 20 × 8 × 4 ins. firmly in the ground, it bearing trees standing, all agreeing with description furnished by the office.	40.00
	Land mountainous.	80.00
	Soil, 2nd rate.	
	Timber, pine and fir.	
	West on true line bet. Secs. 18 & 19	
	Va. 16° 35' E.	
15.50	Head of Hollow, drains N.	
19.50	Leave timber.	
22.25	Spring branch 6 lks. wide 4 ins. deep, runs N.	
27.35	Spring branch 5 lks. wide	

BOOK-A-185

T. 2 N. R. 12 E. of L. M.

Chs. 3 mis. deep, runs N.
40.00 Enter timber.
The 1/4 Sec. cor. being a sand stone 16 x 14 x 3 ins. firmly in the ground Marked 1/4 on N. face, 2 bearing trees standing, all agreeing with description furnished by the office.
80.00 The cor. to secs. 18 and 19 on the W. boundary of Tp. reestablished by me during this survey.
Land, rolling.
Soil, 2nd rate.
Timber, Pine and fir.
~~Subdivision of T. 2 N. R. 12 E.~~ Near Survey
From corner to secs 35 and 36. on South boundary of Tp established by me during this survey I run,

37

Subdivisional T. 2 N.

Chs. North bet. Secs. 35 and 36.
Va. 16° 35' E.

40.00 Set Sandstone 15 x 14 x 7 ins.
10 ins. in the ground, for 1/4
Sec. cor. marked 1/4 on W. face
from which
A pine 10 ins. diam, bears
S. 80° E. 7 lks. dist. mkd 1/4 S.B.T.
A pine 8 ins. diam. bears S. 5°
W. 13 links dist, mkd. 1/4 S.B.T.

60.00 Leave timber.

63.15 Black Fork 3 chs. wide, 12 ins.
deep, runs S.W.

76.25 Enter timber.

80.00 Set Cobble Stone 13 x 8 x 6 ins.
9 ins. in the ground, for cor. to
Secs 25, 26, 35 and 36.
mkd. 1 notch on S. and E. edges
and raised a mound of stone
alongside, from which.

Tow

34/7
34/5
34/4
34
3

BOOK-A-185

R. 12 E. S. L. M.

	Mrs.	A pine, 4 ins. diam. bears N. 6° W. 75 lks. dist. mkd T. 2 N. R. 12 E. S. 26 B. T.
		A pine, 3 ins. diam, bears N. 10° E. 92 lks. dist, marked T. 2 N. R. 12 E. S. 25 B. T.
		No other trees in limit.
		Land, rolling.
		Soil, 2nd rate.
		Timber, pine and balsam,
		80.00 chains over-mountains.
		East on a random line bet. Sec. 25 & 36
		Va. 16° 35' E.
	21.00	Black Fork 30 lks. wide,
		12 ins. deep, runs S. W.
	32.00	Black Fork 30 lks. wide,
		12 ins. deep runs N.
	39.00	Ascend.

37

Subdivisions T. 2 N.,

chs.	
40.00	Set Temporary 1/4 Sec. cor. Finding it impracticable to chain further, I measure a base 10.00 chs. N. from which a flag at Witness cor. 26 chs. E. of cor. point to Sect. 25 and 36 on E. boundary of T.p., bears S. 81° 25' E. Distance by calculation 66.25 + 40.00 106.25 − 26.00
	Length of Line = 80.25
80.25	Intersect East boundary of T.p. as established by me on this Survey at point to cor. to Sect. 25 and 36 from which: West on a true line, bet. Sect. 25 and 36. with Same va,
40.13	Set quartzite 20 × 8 × 8 ins. 15 ins. in the ground, for 1/4 Sec. cor. mkd.

Tow

34 7

34 5

34 4

3 1/2

34

3

Chs.

80.2

19.7

40.0

BOOK-A-185

R. 12 E. S.L.M.

Chs.	1/4 on N. face from which
	A pine 14 ins. diam, bears N.
	8 lks dist. mkd. 1/4 S. B. T.
	A pine 12 ins. diam. bears
	S. 86° W. 15 lks dist. mkd 1/4 S. B. T.
80.25	The cor. to Secs 25. 26. 35
	and 36.
	Land, rolling and level.
	Soil, 1st and 3rd rate.
	Timber, pine on 80.00 chs.
	North bet. Secs. 25 and 26
	Va. 16° 35' E.
19.71	Black's Fork, 30 lks. wide,
	10 ins. deep, runs N. E.
40.00	Set quartzite Stone 12×8×7
	ins. 8 ins. in the ground, for
	1/4 Sec. cor. mkd 1/4 on W. face
	from which
	A pine 3 ins. diam, bears S.

Subdivisions T. 2 N.

Sd.	45° W. 3 lks. dist. mkd. 1/4 S. B.T.
	A pine, 10 ins. diam, bears S.
	52° E. 9 lks. dist. mkd. 1/4 S.B.T.
40.25	Lead timber.
64.50	Cedar "
80.00	Set grey sand stone 12×10×6 ins.
	8 ins. in the ground, for cor.
	Sec. 23, 24, 25 & 26. mkd
	2 notches on S. and 1 notch on
	E. edges, and raised a mound
	of stone alongside, from which
	A pine, 4 ins. diam, bears N.
	20° E. 15 lks dist. mkd T. 2 N.
	R. 12 E. S. 24 B.T.
	A pine 8 ins. diam. bears S.
	57° E. 24 links dist. mkd. T. 2
	N. R. 12 E. S. 25 B.T.
	A pine 15 ins. diam. bears S.
	40° W. 22 lks. dist. mkd. T. 2
	N. R. 12 E. S. 26. B.T.

Town



BOOK-A-185

R. 12 E. S.L.M.

	Chs.	Land, rolling
		Soil, 2nd rate.
		Timber, pine and fir.
		80.00 chs over mountains.
		East on a random line
		bet. Sec. 24 and 25
		Va. 16° 35' E.
	13.00	Leave timber.
	70.50	Enter "
	25.00	Leave "
	32.00	East Fork of Black Fork
		50 lks. wide 18 ins deep,
		runs N
	40.00	Set temporary 1/4 Sec. cor.
	42.75	Enter timber. Ascend.
	80.40	Intersect E. boundary of T 1 N.
		23 lks. S. of cor. to Secs 24
		and 25, established by me
		during this Survey from which

Subdivisions of T. 2 N.

Chs.		Chs.
	I run	
	S. 89° 50' W. on a true line, bet. Sec. 24 and 25 — with same var.	
40.20	Set Sandstone 20 x 8 x 6 ins 15 ins. in the ground, for ¼ Sec. cor. mkd ¼ on N. face and raised a mound of stone alongside	80.00
80.40	Rhe cor. to Secs. 23, 24, 25 & 26.	
	Land, rolling.	
	Soil, 1st and 2nd rate.	
	Timber, pine partly burnt,	
	80.40 chains over mountains	
	August 25th 1881	
	North bet. Secs. 23 and 24 Va. 16° 35' E.	
40.00	A pine tree 4 ins. diam, whence I mark ¼ S. on W. face, for	

BOOK-A-185

BOOK-A-185

R. 12 E. 393 S. L. M.

chs.	1/4 Sec. cor.; from which
	An aspen 5 ins. diam. bears
	S. 10° E. 18 lks. dist. mkd 1/4 S.B.T.
	An aspen 8 ins. diam. bears
	S. 5° W. 19 links dist. mkd 1/4 S.B.T.
80.00	Set Sandstone 18 x 12 x 3 ins
	12 ins. in the ground, for
	cor. to Secs 13. 14. 23 and 24
	marked 3 notches on S. and
	1 notch on E. edges, from
	which
	A pine 14 ins. diam. bears
	N. 55° E. 35 links dist, marked
	T. 2 N. R. 12 E. S. 13 B.T.
	A pine 10 ins. diam. bears
	S. 60° E. 8 lks. dist. marked T. 2
	N. R. 12 E. S. 24 B.T.
	A pine 16 ins. diam. bears N.
	50° W. 25 lks. dist. marked T. 2
	N. R. 12 E. S. 14 B.T.

Subdivisions T. 2 N.

Chs.		Chs.
	A pine, 14 ins. diam. bears S. 63° W. 27 lks. dist. mks T. 2 N. R. 12 E. S. 23 B. T.	H 000
	Land, rolling	80.00
	Soil, 1st rate	
	Timber, pine partly burnt—	
	on 80.00 chains	
	East on random line bet. Sec. 13 and 24	
	Va. 16° 35' E.	
28.00	Branch of Black Fork 50 lks. wide, 12 ins. deep, runs N.	40.16
31.24	Main east fork of Black fork, 60 lks. wide, 15 ins. deep runs N	
34.18	A pine 23 ins. diam.	
35.20	Spring branch 3 lks. wide 4 ins. deep runs N.W.	

BOOK-A-185

BOOK-A-185

R. 12 E. Yoo J. L. M.

chs.	
40.00	At foot of hill 1200 ft high Set temporary 1/4 Sec. cor.
80.32	Intersect E. boundary of Pk. 47 links S. of cor. to Sec. 13 and 24. established by me during this survey from which I run, S. 89° 40' W. on a true line bet. Secs 13 and 24 with same mn.
40.16	Set quartzite 18 x 10 x 5 ins, 12 ins in the ground, for 1/4 Sec. cor. mkd. 1/4 on N. face from which A pine 8 ins. diam, bears S. 50° W. 16 links dist, mkd 1/4 S. B. T. A pine 12 ins. diam, bears N. 12° E. 12 lks dist, mkd 1/4 S. B. T.

Subdivision T. 2 N.

Chs.	
80.32	The cor. to Secs. 13, 14, 23, & 24.
	Land, rolling, & steep West side
	Soil, 1st rate,
	Timber, pine and 80.32 chs.
	North bet. Secs. 13 and 14
	Va 16° 35' E.
2.05	Spring branch, 3 lks. wide
	2 lnks. deep, runs N.E.
39.96	Spring branch 6 lks. wide
	4 lnks. deep, runs N.E.
40.00	Set Sand Stone 12×10×10 ins.
	8 lnks. in the ground, for 1/4 Sec.
	cor. Marked 1/4 on W. face, and
	raised a mound of stone along
	side, from which
	A pine 8 lnks. diam, bears S.
	5° E. 71 lks dist, mkd 1/4 S.B.T.
	No other trees within limits.
75.75	Spring branch 3 lks. wide

Chs.
80.0

402

R. 12 E. S.L.M.

Chs.	4 mis. dist., runs N.E.
80.00	Set Sandstone 24×16×4 ins. 18 ins. in the ground, for cor. to Secs 11. 12. 13 and 14, mkd 4 notches on S. and 1 notch on E. edges, and raised a mound of stone alongside. from which
	A pine 14 ins. diam, bears N 30° W. 23 lks. dist, mkd T. 2 N. R. 12 E. S. 11 B.T.
	A pine, 10 ins. diam, bears S. 12° E. 38 lks dist. mkd T. 2 N. R. 12 E. S. 13 B.T.
	A pine, 10 ins. diam, bears S. 82° W. 81 lks. dist. mkd T. 2 N. R. 12 E. S. 14 B.T.
	Land, rolling,
	Soil, 2nd rate
	Timber, pine & balsam on 80.00 chs.

Subdivisions T 2 N.

Sec.	East on a random line bet. Secs. 12 and 13 Va 16° 35' E.	39.75
1.00	Black Fork, 50 lks. wide 12 lks. deep, runs N.W.	
5.00	Same runs S.W.	
9.00	Same " N.W.	
13.75	Steep ascent.	79.50
38.00	South end of ~~sand~~ small pond.	
40.00	Set temporary 1/4 Sec. cor.	
44.00	Spring branch 3 lks. wide 2 lks deep, runs N.W.	
45.00	Same runs S.W.	
47.50	" " N.W.	
79.50	Intersect E. boundary of T. 51.46 N. of cor. to Secs. 12 and 13. established by me during Survey from which I run N. 89° 38' W. on true line bet. Secs. 12 and 13, with same va	5.2 30.00

BOOK-A-185

R. 12 E. S. L. M.

chs. 39.75	Set Sand Stone 14 x 9 x 6 ins. 9 ins in the ground, for 1/4 Sec. cor. marked 1/4 on N. face from which A pine 12 ins. diam, bears S. 25° E. 45 lks dist, mkd 1/4 S. B. T. A pine, 8 ins. diam. bears N. 170° W. 23 lks. dist. mkd 1/4 S.B.T.
79.50	The cor. to Secs. 11. 12. 13 and 14 Land, mostly W. slope. Soil, 2nd rate. Timber, pine on 79.50 chs.
	Note: The cor. to Secs. 1. 2. 11 & 12 being Lat, Therefore I run North on a random line bet. Secs 11 and 12 Va 16° 35' E.
5.25	East Fork of Black Fork 50 lks. wide, 18 ins. deep runs N.
30.00	South East point of Duck Lake

Subdivisions T. 2 N.

Chs.	
38.00	South edge of Duck Lake, bet. N. E. 5 chains and S. W. 6 chains
40.00	Set temporary 1/4 Sec. cor.
41.75	N. edge of Duck Lake
55.50	E. end of small pond.
58.85	Small pond 150 lks wide
63.00	" " 150. " "
67.00	Enter park
75.00	Leave same.
80.00	Intersect E. and W. lines at cor. to Sec. 1. 2. 11 and 12, reestablished by me during this survey from which I run. South on true line, bet. Sec. 11 and 12 with same.
40.00	Falls in pond, can not by Set, therefore at 2.00 chains S. from cor. post I set a sand stone 16 x 11 x 5 in. 10 ins. in the ground for Witness 1/4 Sec. cor. marked 1/4 W. C. on W.

Chs.	
80.00	
40.00	
66.00	

BOOK-A-185

406

R. 12 E. S. L. M.

Chs.	face, and raised a mound of stone along side.
80.00	The cor. to Sect. 11. 12. 13 and 14
	Land, rolling.
	Soil, 1st rate.
	Timber, Pine on 80.00 chs.
	From cor. to Sect. 24 & 35 on S. boundary of Tp, established by me during this Survey
	Trav.
	North bet. Sect. 24 & 35
	Va. 16° 35' E.
	Along rolling east slope.
40.00	Set Sand Stone 10 x 10 x 7 ins 6 ins. in the ground, for 1/4 Sec. cor. marked 1/4 on W. face and raised a mound of stone along side,
66.00	Spring branch 2 lks. wide

Subdivisions T. 2 N.

Chs.	
	3 mis. dup, mi Holland runs N.E.
80.00	Set quartzite stone 20x14x12 ins, 15 ins. in the ground, for cor. to Secs. 26. 27. 34 and 35 — mkd 1 notch on S. and 2 notches on E. edges. and raised a mound of stone along side, from which A pine 12 ins. diam, bears S. 60° E. 79 lks. dist. marked T. 2 N. R. 12 E. S. 35 B.T. A pine 10 ins. diam. bears N 60° E. 101 lks. dist. mkd T. 2 N. R 12. E. S. 26. B.T. No other trees within limit. Land, rolling E. slope. Soil, 2nd rate, Timber, pine & fir on 80.00 chains
	East on a random line bet.

To

BOOK-A-185

R. 12 E. S.L.M.

Mi.	Sect. 26 and 35
	Va. 16° 35' E.
32.80	Spring branch 2 lks. wide 4 ins. deep runs N.E. in hollow
40.00	Set temporary 1/4 Sec. cor.
55.00	Foot of steep slope.
61.00	Spring branch, 2 lks. wide, 4 ins. deep, runs S.E.
65.00	Leave timber.
67.50	East fork of Black Fork. 30 lks. wide, 10 ins deep, runs N.E.
80.60	Intersect N. and S. line 19 lks. S. of cor. to Sect 25. 26 35 and 36, from which Brs. S. 89° 52' W. on true line, bet. Sect. 26 and 35 with Same va.
40.30	Set quartzite 18×16×5 ins. 12 ins. in the ground, for 1/4 Sec. cor.

Subdivision 709 T. 2 N. R.

Chs.	
	marked ½ on N. face, from which
	A pine 12 ins. diam. bears S. 60° E. 79 lks. dist. - mkd ½ S. B. T.
	A pine 10 ins. diam, bears N. 60° E. 101 lks. dist. - marked ½ S. B. T.
80.60	The cor to Sect. 26. 27. 34 & 35.
	Land, rolling, & slope
	Soil, 3rd rate
	Timber, pine and aspen,
	80.60 chains over mountains
	August 26th 1881
	North bet. Sect 26 & 27 Va 16° 35' E.
3.50	Spring branch 3 lks, wide
	Flint. dep, runs N.E.
21.00	E. & W. of ridge

BOOK-A-185

R. 12 E. S.L.M.

Chs.	
40.00	Set Sandstone 20 × 12 × 4 ins 15 ins. in the ground, for 1/4 Sec. cor. mkd 1/4 on W. face from which. A pine 16 ins. diam. bears N. 44E dist. mkd. 1/4 S. B. T. A pine 10 ins. diam. bears S. 80° E. 36 lks. dist, mkd 1/4 S.B.T.
47.00	Springbranch, 3 lks. wide 1 in deep runs N.E.
60.00	" " 3 " 4 " " " N.E.
62.00	" " 4 " 4 " " " E.
75.00	E. Spur of ridge
80.00	Set quartzite 18 × 11 × 10 ins. 12 ins. in the ground, for cor. to Secs. 22, 23, 26 and 27. mkd 2 notches on S. and E. edges, and raised a stone mound along side, from which A pine 10 ins. diam, bears N. 50° W.

Subdivisions T. 2 N.

Chs.

2 3 Mks. dist. marked T. 2 N.
R. 12 E. S. 22 B. T.
A pine 8 ins. diam. bears S.
80° W. 30 lks. dist. mkd T. 2
N. R. 12 E. S. 27. B. T.
A pine 8 ins. diam. bears S. 65°
E. 7 lks. dist. mkd T. 2 N. R. 12
E. S. 26 B. T.

3 Land, Hilly - east slope
Soil, 3rd rate
3 Timber, pine on 80.00 chains

3 Cattons a random line bet.
Sec 23 and 26
Var 16° 35' E.

Second.

40.00 Set temporary 1/4 Sec. cor.
56.00 Foot of bluff E. slope.
80.42 Intersect N. S. line 31 lks.
S. of cor to 23. 24. 25 and 26

Chs.

40.2

80.4

BOOK-A-185

R. 12 E. 4 1/2 S. L. M.

chs.	
	from which Trees.
	S. 89° 47' W. on true
	line bet. Secs. 23 and 26.
	with bears as
40.21	Set quartzite stone 18×14×
	4 ins, 12 ins. in ground, for
	1/4 Sec. cor. mkd 1/4 on N. face
	from which
	A pine 8 ins. diam, bears
	N. 3° W. 4 lks. dist. mkd. 1/4
	S. B. T.
	A pine 10 ins. diam, bears
	S. 5° E. 12 lks. dist. mkd. 1/4
	S. B. T.
80.42	The cor. to Secs. 22. 23. 26
	and 27.
	Land, mostly steep E. slope
	Soil, 2nd rate
	Timber, pine on 80.42 chs.

Subdivisions T. 27 N.

Chs. — North bet. 22nd & 23rd
W. 16° 35' E.

41.00 — In hollow drains N.E. Set quartzite stone 10 x 10 x 8 ins., 6 ins. in the ground, for 1/4 Sec. cor. marked 1/4 on W. face and raised a mound of stone alongside.

3 80.00 — Set quartzite 10 x 8 x 6 ins., 9 ins. in the ground, for cor. to Secs. 14, 15, 22 and 23, marked 3 notches on S. and 2 notches on E. edges, and raised a mound of stone alongside, from which

40.0

51.0

A pine 12 ins. diam., bears N. 59.0
26° E. 24 lks. dist., marked T. 2.
N. R. 12 E. S. 14 B.T.

69.0

80.7

A pine 10 ins. diam., bears N.
57° W. 11 links dist., marked T. 2

BOOK-A-185

R. 12 E. 1/4 S. L. M.

Cor.	N. R. 12 E. S. 15 B.T.
	A pine 11 ins. diam, bears S. 53° E. 12 links dist, marked T. 2 N. R 12 E. S-23 B.T.
	Land, rolling & Slope.
	Soil, 2nd rate.
	Timber, pine on 80.00 Chains.
	East on a random line bet. 14 & 23
	Va. 16° 35' E.
40.00	Set temporary 1/4 Sec. cor.
51.00	Spring branch 2 lks. wide 4 ins. deep, runs N. at foot of Steep Slope.
59.00	Enter park.
69.00	Leave same.
80.74	Intersect N. & S. line 75 links N. of cor. to Secs 14 23 & 24, from which I run

Subdivisions T 2 N. R.

Chs.		Chs.
	N. 89° 28' W. on true line bet. Sec. 14 & 23, with same va.	4.11
11.37	Set quartzite stone 20×6×10 ins. 15 ins. in the ground, for ¼ Sec. cor. marked ¼ on W. face from which	7.0
	An aspen 6 ins. diam, bears N. 20° E. 3 lks. dist. mkd ¼ B.T.	11.0
	An aspen 10 ins. diam, bears S. 50° E. 3 links dist. mkd ¼ B.T.	13.0
80.74	The cor. to Sec. 14, 15, 22 & 23	71.3
	Land, rolling.	
	Soil, 3rd rate.	80.3
	Timber, pine on 80.74 chs.	
	Note: The cor. to Sec. 15, 16, 21 & 22 being set I run W. on a random line bet. Sec. 15 & 22 Va. 16° 35' E.	

BOOK-A-185 416

R. 12 E. T 2 L. M.

Chs.	
11.00	Spring on N. side of line
7.00	Spring branch 2 lks. wide 3 ins. deep, runs N.
40.00	Set temporary 1/4 Sec. cor.
N 3.00	Ridge bears N. 60 E.
71.50	Spring branch 2 lks. wide, 5 ins. deep runs N.W. in bottom.
80.60	Intersect N. 60 E. line 1.40 lks S. of cor. to Secs. 15, 16, 21 & 22 from which I run S. 89° E. on true line bet. Secs. 15 & 22, with same va.
40.20	Set quartzite Stone 12×10×10 ins. 8 ins. in the ground, for 1/4 Sec. cor. marked 1/4 on N. face from which A pine 24 ins. diam, bears S. 15° E. 10 lks. dist. - mkd. 1/4 S. B. T. A pine 14 ins. diam, bears North 16 links dist. mkd. 1/4 S. B. T.

Subdivisions T. 2 N.

Chs.		
80.60	The cor. to Sec. 14, 15, 22 and 23	
	Land, rolling.	
	Soil, 2nd rate	
	Timber, pine, on 80.60 chains	
	August 27th 1881	
	North bet. Sec. 14 and 15	
	Va. 16° 35' E.	
29.50	Marshy Park.	
32.10	Leave Same.	
40.00	Set Sandstone 16 x 14 x 6 ins.	
	10 ins. in the ground, for 1/4	
	Sec. cor. - mkd 1/4 on N. face	
	from which	
	A pine 5 ins. diam. bears N. 15°	
	W. 10 lks. dist. - mkd 1/4 S. B. T.	
4	A fir 6 ins. diam. bears S. 75°	
5	E. 16 lks. dist. - mkd 1/4 S. B. T.	
8		
80.00	Set Sandstone 28 x 15 x 12 ins.	
	20 ins. in the ground, for cor. to	

BOOK-A-185

R. 12 E. S.L.M.

Sec. 10. 11. 14 and 15, — marked 4 notches on S. and 2 notches on E. edges. from which.

A pine, 10 ins. diam, bears N. 40° E. 7 lks. dist. — mkd. T. 2 N. R. 12 E. S. 11. B.T.

A pine, 6 ins. diam. bears S. 75° E. 22 lks. dist. — mkd. T. 2 N. R. 12 E. S. 14. B.T.

A pine 12 ins. diam, bears S. 10° W. 22 lks. dist, — mkd T. 2 N. R. 12 E. S. 15 B.T.

A pine 10 ins. diam, bears N. 45° W. 10 lks. dist. — mkd T. 2 N. R. 12 E. S. 10 B.T.

Land, rolling.

Soil, 2nd rate.

Timber, pine, on 80.00 chains.

East on a random line

Subdivisions T. 27 N.

Chs.	bet. Secs. 11 and 14
	Va. 16° 35' E.
14.00	Enter S. end of Park.
16.00	Leave same.
29.50	Head of hollow drains N.
37.75	Ridge bears N. W. & S. E.
40.00	Set temporary 1/4 Sec. cor.
43.50	Rocky wash, drains N
49.00	Ridge bears N. and S.
59.50	" " " " "
68.50	" " " " "
75.00	Spring branch 3 lks. wide, 4 ins. deep, runs N
80.90	Intersect N. and S. line 110 lks. N. of cor. to Secs. 11, 12, 13, & 14, from which I run N. 89° 13' W. on true line, bet Secs. 11 and 14 with same va.
40.45	Set Sand Stone 16 x 12 x 5

BOOK-A-185

R. 12 E. T. 2 L. M.

	Chs.	10 lks. in the ground, for 1/4 Sec. cor. mkd 1/4 N. from which A pine 10 ins. diam. bears N. 23° E. 11 lks. dist, mkd 1/4 S.B.T. A pine 12 ins. diam, bears S. 45° E. 31 lks dist. mkd 1/4 S.B.T.
	80.90	The cor. to Sect. 10. 11. 14 and 15, Land, mountainous. Soil, 3rd rate. Timber, pine, on 80.90 chs.
		Note: The cor. to Sect. 9. 10, 15 and 16 being Set Drum West on a random line bet. Sect. 10 and 15 Va. 16° 35' E.
	13.50	Enter Park
	17.50	Leave same.

Subdivision T. 2 N.

Chs.	
40.00	Set temp. 1/4 Sec. cor.
48.00	Ridge bears N. 11° W. 5 Chs.
80.40	Intersect N. and S. line, 1.10 chs. S. of cor. to Secs. 9, 10, 15 and 16, reestablished by me on this survey, from which I run S. 89° 13' E. on a true line bet. Secs. 10 and 15, with same var. 17.00
40.20	Set quartzite stone 12×12×8 ins. 8 ins. in the ground, for 1/4 Sec. cor., mkd 1/4 on N. face 40.00 77.00 80.00 from which A pine 12 ins. diam. bears S. 35° E. 4 lks. dist., mkd 1/4 S.B.T. A pine 8 ins. diam, bears N. 35° W. 6 lks. dist. mkd 1/4 S.B.T.
80.40	The cor. to Secs. 10, 11, 14 and 15
	Land, Sierra mountains, Soil, 2nd rate

BOOK-A-185

R. 12 E. T. 2 S. M.

Chs.	Timber, pine on 80.40 chs.
	Note: The cor. to Sect. 2, 3, 10 and 11 being Set Drum, North on a random line bet. Sects. 10 and 11 Var. 16° 35' E.
17.00	Wash, drains N. E.
40.00	Set temp. 1/4 Sec. cor.
77.00	Leave timber.
80.00	Intersect E. & W. lines at cor. to Sect. 2, 3, 10 and 11, reestablished by me during this survey from which Drum South on a true line, bet. Sect 10 and 11, with same va.
40.00	Set Sandstone 14 x 13 x 10 ins. quis. in the ground, for 1/4 Sec. cor. mkd 1/4 on W. face from which.

Subdivisions T. 2 N.

Chs.	A pine 8 ins. diam, bears East, 14 lks. dist, mkd 1/4 S.B.T. A pine 8 ins. diam, bears N. 80° W. 7 lks. dist, mkd 1/4 S.B.T.	
80.00	The cor. to Sec. 10, 11, 14 & 15. Land, rolling. Soil, 2nd rate. Timber, pine, on 77.00 chs.	
	From the cor. to Sec. 33 & 34 on the South boundary of the Twp. established by me on this Survey, I run, North bet. Sec. 33 & 34 Var. 16° 35' E.	70.00 80.00
4 5 8 22.50	Descend, leave rolling table mountains.	
38.00	foot of rock slide, enter timber,	

BOOK-A-185 424

R. 12 E. 4 S. L. M.

Chs.	
40.00	Set quartzite 36×14×8 ins. 18 ins. in the ground, for 1/4 Sec. cor, marked 1/4 on W. face, from which A pine 10 ins. diam, bears S. 5° W. 6 lks. dist, marked 1/4 S.B.T. A pine 9 ins. diam, bears N. 5° E. 11 lks. dist, mkd. 1/4 S.B.T.
70.00	Spring branch, 2 lks. wide 4 ins. deep, runs N.W.
80.00	Set quartzite stone 14×9×8 ins. 9 ins. in the ground for cor. to Sec, 27, 28, 33 and 34 mkd 1 notch on S. and 3 notches on E. edge and raised a mound of stone along side from which

Subdivisions T. 27 N.

Chs.

A pine 12 ins. diam, bears
S. 40° E. 21 lks. dist. mks
T. 27 N. R. 12 E. S. 34 B. T.
A pine 16 ins. diam, bears
S. 40° W. 13 lks. dist. mks
T. 27 N. R. 12 E. S. 33 B. T.
A pine 23 ins. diam, bears
N. 60° E. 13 lks. dist. mks
T. 27 N. R. 12 E. S. 27 B. T.
Land, broken mountains.
Soil, 2nd and 3rd rates.
Timber, pine on 42 chains
80.00 chs over mountainous land.

East on a random line
bet. Secs. 27 and 34
Var. 16° 35' E.

Graded ascend.
40.00 Set Temp. 1/4 Sec. cor.
73.00 Ridge bears N. and S.

BOOK-A-185

27 N. R. 12 E. 4th P.M. Mont.

, bears		
mkd		
B.T.		
ars		
mkd		
B.T.	39.93	Set quartzite stone 12×8×6
bears		ins. in the ground, for
mkd		1/4 Sec. cor. marked 1/4 on N.
B.T.		face, from which
ains.		A pine 10 ins. diam. bears
rales		S. 85° E. 21 lks. dist. mkd 1/4
ains		S.B.T.
land		A pine 11 ins. diam. bears
		N. 88° E. 25 lks. dist. mkd
line		1/4 S.B.T.
	79.86	The cor. to Secs. 27. 28. 33
5° E.		and 34
		Land, mountainous.
r.		Soil, 2nd rate.
		Timber, pine on 79.86 Acs.

Subdivision T. 27 R

Chs.	August 29th 1884	Chs.
	North bet. Sec. 27 and 28 Va. 16° 35' E.	
40.00	Set quartzite 16×8×6 ins, 11 ins. in the ground, for 1/4 Sec. cor. mkd 1/4 on W. face and raised a mound of stone alongside.	
42.00	Spring branch 5 lks. wide 6 ins. deep, ins gulch runs S.W.	
52.00	Hollow, drains S.W.	
60.50	West spur of ridge.	
70.25	Spring branch, 2 lks. wide 6 ins. deep, runs W. in broad hollow.	
80.00	Set Limestone 16×15×4 ins 11 ins in the ground, for cor. to Sec. 21, 22, 27 & 28	4.00 22.00 40.00

BOOK-A-185

R. 12 E. S. L. M.

188	Sts.	marked 2 notches on S. and 3 notches on E edges, and raised a mound of stone alongside, from which A pine 7 feet in diam, bears S. 3° E. 48 lks. dist, mkd B.T. T. 2 N. R. 12 E. S. 24 B.T. No other trees in limit.
		Land, mountainous.
		Soil, 2nd rate.
		Timber, pine.
		80.00 chains over mountainous land.
		East on a random line bet. Secs. 22 and 24 Va. 16° 35' E.
		Ascend
	4.00	Pine 7 feet diam.
	22.00	Enter E & W ridge & spur.
	40.00	Set temporary 1/4 Sec. cor.

Subdivisions T. 2 N. R.

Chs.		Chs.
72.00	Main Ch. ridge, N. & W. Descend.	
80.22	Intersect N. and S. line, at cor. to Secs 22. 23. 26 & 27 from which I run West on a true line bet Secs 22 and 27, with same va.	7.00
		23.00
40.11	Set Sandstone 20 x 14 x 8 ins. 15 ins. in the ground, for 1/4 Sec. cor. mkd 1/4 on N. face and raised a mound of Stone along side.	40.00
		49.00
		56.00
		80.00
80.22	The cor. to Secs. 21. 22. 27 and 28.	
	Land, rolling mountains.	
	Soil, 3rd rate.	
	Timber, scattering pine.	
4		
5	80.22 Chs, over mountainous land	40.00
8		
	Note: The cor. to Secs 15, 16, 21 and 22 being Set, therefore	

BOOK-A-185

R. 12 E. 430 S.L.M.

		Chs. Irons
		North on a random
		line bet. Sect. 21 and 22
		Va. 16° 35' E.
	7.00	Top of high peak.
	23.00	Descend.
	40.00	Set temporary 1/4 Sec. cor.
	49.00	Hollow drains N.W.
	56.00	" " "
	80.00	Intersect E. & W. line at cor. to
		Sect. 15. 16. 21 and 22 re-
		established by me during
		this Survey. from which
		Irons,
		South on a true line
		bet. Sect. 21 and 22 with same va.
	40.00	Set quartzite Stone 10 x 10 x 6
		ins. 6 ins. in the ground,
		for 1/4 Sec. cor. - marked 1/4 on
		W. face, and raised a mound of stone
		along side.

Sub-divisions T. 2 N. R.

Chs. 80.00	The cor. to Sect. 21, 22, 27 & 28,	Chs.
	Land, very broken mountainous.	
	Soil, 2nd and 3rd rate.	
	Timber, scattering pines.	55.00
	80.00 Chs. over mountainous land.	
	From the cor. to Sect. 32 & 33 on the South boundary of the Twp. established by me on this survey. I run North bet. Sect. 32 & 33 Var. 16° 35' E.	62.00
		80.00
	Descend on rock slide.	
34.00	Leave rock slide.	
40.00	Set quartzite stone 18×16×10 ins. 12 ins. in the ground. for 1/4 Sec. cor. marked 1/4 on W. face from which A pine 8 ins. diam. bears	

BOOK-A-185

R. 12 E. 432 L. M.

Chs.	N. 20° W. 31 lks. dist.
	mkd 1/4 S. B. T.
	A pine 16 ins. diam. bears
	S. 1° E 20 lks dist. mkd 1/4 S. B. T.
55.00	Bend of Cataract creek 30 lks
	wide, 18 ins. deep, bears S. W.
	runs N. W.
62.00	Enter dense timber.
80.00	Set Sand Stone 16 x 8 x 4 ins.
	11 ins. in the ground, for cor.
	to Sec. 28. 29. 32 and 33
	marked 1 notch on S. and 4
	notches on E. edges, from which
	A pine, 10 ins. diam, bears S.
	30° E. 7 lks. dist. marked T. 2
	N. R. 12 E. S. 33 B. T.
	A pine 10 ins. diam, bears
	S. 45° W. 11 lks. dist. mkd.
	T. 2 N. R. 12 E. S. 32 B. T.
	A pine 10 ins. diam, bears N. 35°

BOOK

Subdivisions T. 2 N. R. 1

Chs.	W. 22 lks. dist. mkd. T. 2 N. R. 12 E. S. 29, B.T.	Chs. 80.46
	A pine 10 ins. diam, bears N. 60° E. 11 lks. dist. marked T. 2 N. R. 12 E. S. 28 B.T.	
	Land, very broken mountains	
	Soil, 2nd rate.	
	Timber, pine on 17 chs.	40.23
	80.11 chs. over mountainous land.	
	East on a random line bet. Sects. 28 and 33	
	Var. 16° 35' E.	
17.80	Quartzite boulder 7 ft. diam.	
24.00	Ridge bears N. & S.	
40.00	Set Temp. 1/4 Sec. cor.	
65.75	Spring branch 15 lks. wide 10 ins. deep, runs N.	80.46
66.25	Spring branch 15 lks. wide 6 ins. deep, runs N. Azimuth	

BOOK-A-185

R. 12 E. S. L. M.

Chs.	
80.46	Intersect N. and S. line 36 Chs. N. of cor. to Secs. 27, 28, 33 & 34, from which Drum. N. 89° 45' W. on a true line, bet. Secs. 28 and 33 with same va.
40.23	Set Sandstone 20x10x8 ins. 15 ins. in the ground, for 1/4 Sec. cor. - mkd. 1/4 on N. face from which, A pine 8 ins. diam, bears N. 35° E. 35 links dist. mkd 1/4 S. B. T. A pine 10 ins. diam, bears S. 10° E. 19 lks. dist. marked 1/4 S. B. T.
80.46	The cor. to Secs. 28, 29, 32 and 33, Land, rolling mountains

Sub-divisions T. 2 N. R. 1

Ch.		Ch.
	Soil, 2nd rate.	
	Timber pine on 80.46 chs.	52.50
	North bet. Sec. 28 X 29	80.00
	Va. 16° 35' E.	
21.00	Creek in hollow, 20 links wide	
	10 ins. deep, runs N.E.	
38.50	Spring branch 3 lks. wide	
	6 ins. deep, runs N.E. in hollow	
40.00	Set sandstone 18 X 12 X 4 ins.	
	12 ins. in the ground, for 1/4	
	Sec. cor. marked 1/4 on W. face	
	from which	
	A pine 6 ins. dia. bears N 85°	
	E. 12 lks. dist. mks. 1/4 S. B. T.	
	A pine 5 ins. diam, bears N.	
	30° W. 7 lks. dist. mks. 1/4 S. B. T.	
49.70	Spring branch 7 lks wide	
	4 ins. deep, runs N.E.	
51.75	Spring branch 3 lks wide	

BOOK-A-185
436

R. 12 E. S.L.M.

C/s.	6 lks dep, runs N.E.
52.50	Spring branch, 3 lks, wide
	4 lks. dep, runs N E.
80.00	Set Sand Stone 16×10×6 ins,
	11 ins. in the ground, for cor.
	to Sec's. 20. 21. 28 & 29.
	marked 2 notches on S. and
	4 notches on E. edges and
	raised a mound of Stone
	along side from which
	A Oak and 7 ins. diam, bears
	N. 40° E. 13 lks. dist, mks
	T. 27 N. R. 12 E. S. 21 B.T.
	A pine 6 ins. diam, bears
	N. 15° W. 13 lks. dist, mks
	T. 27 N. R. 12 E. S. 28 B.T.
	A Oak and 6 ins. diam, bears
	S. 21° W. 21 lks. dist, mks
	T. 27 N R. 12 E. S. 29 B.T.
	A Pine 8 ins. diam, bears

BOOK-

Subdivisions T. 2 N. R. 1

Cls.	S. 6.00 E. 76 lks. mkd. T. 2 N. R. 1 E. S. 28 B.T.	Cls.
	Land, rolling Soil, 2nd rate. Timber, pine & fir on 80 ac.	
	East on a random line bet. Secs. 21 and 28	80.18
	Va. 16.00 E.	
27.75	Creek 25 lks. wide, 10 ds. deep, in bottom, runs N.	
40.00	Set Temp. 1/4 Sec. cor.	
80.18	Intersect N. bd. line, 49 lks. S. of cor. to Secs. 21, 22, 27 and 28 from which Drum, S. 89° 30' W. on true line bet. Secs. 21 and 28, with same mks.	
40.49	Set quartzite 36 x 15 x 10 ins. 18 ins. in the ground, for 1/4 Sec. cor. mkd. 1/4 on N. face	

BOOK-A-185

R. 12 E. S. L. M.

Chs.	from which A fir 12 ins. diam, bears N. 20° W. 81 lks. dist. - marks 1/4 S. B. T. A pine 10 ins. diam, bears S. 60 W. 17 lks. dist, - mks 1/4 S. B. T.
80.18	The cor. to Secs. 20, 21, 28 and 29. Land, broken. Soil, 2nd rate. Timber, pine & fir on 80.18 chains August 30th 1881
	Note: The cor. to Secs. 16, 17, 20 and 21 being lost Drew:- North on a random line bet. Secs. 20 and 21

Subdivisions T. 2 N.

Chs.		Chs.
	Var. 16° 35' E.	
4.00	Hollow drains N. E.	80.00
27.50	Ridge bears N. E. & S. W.	
37.50	Hollow drains E.	
40.00	Set stone 1/4 Sec. cor.	
80.00	Intersect E. & W. line at cor. to Sec. 16. 17. 20. 21. restablished by me during this survey from which I run South on a true line bet. Secs. 20 & 21 with same var.	
44.00	Set Limestone 18 x 14 x 4 ins. 12 ins. in the ground, for 1/4 Sec. cor. marked 1/4 on W. face, from which A pine 10 ins. diam. bears S. 11° W. 54 lks. dist. mkd 1/4 S. B. T.	19.00 44.00
	A pine 8 ins. diam. bears S. 75° E. 82 lks. dist. mkd 1/4 S. B. T.	

BOOK-A-185

R. 12 E. S.L.M.

Chs.	
80.00	The cor. to Sects. 30. 31. 28 and 29.
	Land, broken.
	Soil, 2nd rate.
	Timber, pine and fir on 80.00 Chains.
	From the cor. to Sects. 31 and 32 on the South boundary of the Prop. established by me during this Survey I run
	North bet. Sects 31 and 32 Va. 16° 35' E.
19.00	Ascend
41.00	Set Sandstone 10×10×6 ins. 6 ins. in the ground, for 1/4 Sec. cor. mkd 1/4 on W. face, and raised a mound of stone, along side.

Subdivisions T. 2 N.

Chs.		Chs.
65.00	Ridge bears N.E. & S.W.	
80.00	Set Sandstone 20×16×10 ins.	
	15 ins. in the ground, for	
	Cor. to Secs 29, 30, 31, & 32	
	Mkd 1 notch on S. and 5	10.00
	notches on E. edges and	30.00
	raised a mound of stone	40.00
	alongside, from which	
	A pine 2 ½ ins. diam, bears	50.00
	S. 31° E. 12 lks. dist. mkd.	69.30
	T. 2 N. R. 12 E. S. 31 & 32 B.T.	
	A pine 18 ins. diam, bears	80.16
	S. 51° E. 14 lks. dist. mkd	
	T. 2 N. R. 12 E. S. 32. B.T.	
	A pine 14 ins. diam, bears	
	N. 60° E. 10 lks. dist. marked	
	T. 2 N. R. 12 E. S. 29 B.T.	
	Land, rolling.	40.48
	Soil 2nd rate	
	Timber, pine & aspen on 80 chs.	

BOOK-A-185

T. 42 N. R. 12 E. S. L. M.

Mt.	East on a random line bet. Secs. 29 and 32 Va. 16° 35' E. Mound
10.00	Ridge bears N.E. & S.W. dists.
30.00	Head of hollow drains N.E.
41.11	Set temp. 1/4 Sec. cor. at head of hollow drains N.E.
50.00	Head of hollow drains N.E.
69.30	Cataract creek 35 lks. wide. 12 ins. deep runs N. across
80.16	Intersect N.S. line 41 lks. S. of cor. to Secs. 28, 29, 32 and 33. from which true S. 89° 42' W. on a true line, bet. Secs. 29 and 32 with same var.
41.08	Set quartzite stone 14 x 10 x 8 ins. 9 ins. in the ground, for 1/4 Sec. cor. mkd. 1/4 on N. face

BOOK-A-1

Subdivisions T. 27 N. R. 12

Chs.		Chs.
	from which A pine 10 ins. diam., bears N. 70° E. 18 lks. dist., marked 1/4 S. B. T. A pine 8 ins. diam., bears S. 39° E. 20 lks. dist., marked 1/4 S. B. T.	
80.16	The cor. to secs. 29, 30, 31 and 32. Land, rolling. Soil, 2nd rate. Timber, pine and fir on 80.16 chs.	40.24
	West on a random line between secs. 31 and 31 Var. 16° 35' E.	
40.11	Set temp. 1/4 sec. cor.	
53.91	Head of flat canon, drains N. E.	80.24
80.24	Intersect W. boundary of	

BOOK-A-185

R. 12 E. S.L.M.

Chs. Trop. 2.29 Chains S. of cor. to Sec. 30 and 31 re-established by me on this Survey, from which I run,
S. 88° 22' E. on true line bet. Sec. 30 and 31 with same var.

M.24 Set quartzite stone 13 x 10 x 6 ins. 9 ins. in the ground for 1/4 Sec. cor. mkd 1/4 on N. face, from which
A pine 18 ins. diam, bears S. 58° E. 37 links. dist. mkd 1/4 S.B.P.
A pine 15 ins. diam, bears N. 30° W. 21 links dist, marked 1/4 S.B.P.

80.24 The cor. to Sec. 29. 30. 31 and 32.
Land, rolling.

445

Subdivisions T. 2 N. R.

Chs.		Chs.
	Soil, 2nd rate.	
	Timber, pine on 80.24 chs.	
		71.00
	North bet. Sec. 29 & 30	80.00
	Va. 16° 35' E.	
	Descend.	
24.00	Bottom of flat hollow, and	
	Spring branch 5 lks. wide	
	6 ins. deep runs N.E.	
40.00	Set quartzite 16×6×6 ins. 11 ins.	
	in the ground, for 1/4 Sec. Cor.	
	mkd 1/4 on W. face from	
	which	
	A pine 18 ins. diam, bears	
	S. 89° W. 5 lks. dist. marked	12 E
	1/4 S.B.T.	
	A pine 16 ins. diam. bears S.	
	69° E. 28 lks. dist. marked 1/4	
	S.B.T.	
44.50	Spring branch 5 lks. wide	

BOOK-A-185

R. 12 E. S. L. M.

Chs.	
	4 mis. deep, runs N.E. in broad flat hollow, Ascends
71.00	Spur ridge bears E. & W.
80.00	Set Limestone 22 × 14 × 6 ins. 15 ins. in the ground, for cor. to Sect. 19. 20. 29 & 30 Marked 2 Notches on S. and 5 notches on E. edges. From which,
	A pine 13 ins. diam, bears N. 41° W. 12 lks. dist, mkd. T. 2 N. R. 12 E. S. 19 B.T.
	A pine 12 ins. diam, bears S. 3° W. 45 links dist. mkd T. 2 N. R. 13 E. S. 30 B.T.
12 E	A pine 26 ins. diam, bears S. 30 E. 41 links. dist. mkd T. 2 N. R. 12 E. S. 29 B.T.
	A pine 10 ins. diam, bears N 8° E 26 links dist, mkd.

Subdivisions T. 2 N. O

Chs.		Chs.
	T. 2 N. R. 12 E. S. 20 By.	
	Land, rolling.	40.00
	Soil, 1st rate	
	Timber, pine and fir on	
	80.00 chains.	
	East on a random line	
	bet. Secs. 20 and 29	80.60
	Var. 16° 35' E.	
	Descend.	
27.50	Creek 5 links wide 4 ins. deep	
	runs N. in broad hollow, A stand.	
40.00	Set temporary 1/4 Sec. cor.	
47.50	Ridge bears N.E. and S.W.	
62.50	Head of hollow drains N.E.	
80.60	Intersect N. and S. line 70 links	
	S. of cor. to Secs. 20, 21, 28 & 29	40.00
	from which bears	55.00
	S. 89° 51' W. on a true line	80.26
	bet. Secs. 20 and 29, with same va.	

BOOK-A-185

N. R. 12 E. S. L. M.

Chs.

80.30 Set Sandstone 15×14×6 ins., 10 ins. in the ground, for 1/4 Sec. cor., mkd 1/4 on N. face and raised a mound of stone alongside.

No trees within limit

80.60 The cor. to Sec. 19, 20, 29 & 30

Land, Mountainous.

Soil, 2nd rate.

Timber, pine on 80.60 chains.

West on a random line bet. Secs. 19 & 30

Var. 16° 35' E.

Along gentle N. Slopes

40.00 Set Temporary 1/4 Sec. cor.

55.00 A hollow drains N. E.

80.26 Intersect W. Boundary of Rsvp. 2.21 chains S. of cor. to Secs.

Subdivisions 449 T. 27 N. R.

		Chs.
Chs.	19 & 30. from which Drum S. 88° 26' E on true line bet. Sec. 19 & 30 with Sam.	16.50
41.26	Set quartzite Stone 10×10×6 ins. 6 ins in the ground, for 1/4 Sec. cor. marked 1/4 on N. face	40.00
	from which	73.00
	A pine 20 ins. diam. bears	80.50
	N. 70° E. 21 links dist. marked 1/4 S.B.T.	
	A pine 4 ins. diam, bears S. 50° E. 20 links dist. marked 1/4 S.B.T.	
80.26	The cor. to Sec. 19, 20, 29 & 30.	40.25
	Land, rolling.	
	Soil, 2nd rate.	
	Timber, pine on 80.26 chs.	
	Note: The cor. to Sec 17, 18, 19 and 20 being Set Drum. North on a random line	

BOOK-A-185

R. 12 E. T. 45 S. I. L. M.

Chs.	
	Set. Sec. 19 and 20
	Va. 16° 35' E.
16.50	Spring branch 4 links wide 6 ins. deep, in broad flat hollow runs E.
40.00	Set temporary 1/4 Sec. cor.
73.00	Ridge bears N. W. & S. E.
80.50	Intersect E. & W. line 10 lks. N. of cor. to Sec. 17. 18. 19 and 20 from which I run, S. 0° 4' W. on a true line.
	Set. Sec. 19 and 20 with same cor.
40.25	Set Sandstone 24 x 16 x 7 ins 18 ins in the ground, for 1/4 Sec. cor. marked 1/4 on W. face and raised a mound of stone alongside from which A pine 15 ins. diam, bears N. 78° W. 33 lks dist, mks.

Sub. T. 27 N. R. 12 E. S. L. M.

Chs.	
	1/4 S. B. T.
	No other trees on limit.
80.50	The cor. to Sects. 19. 20. 29 & 30
	Land, rolling.
	Soil, 2nd rate.
	Timber, pine.
	Mountainous on 80.50 chains
	August 31st 1881

BOOK-A-185

452

General Description

The land is, in this Township, good timber land, but rather inaccessible on account of the ruggedness of the ground. The timber is mostly yellow pine of an average thickness of 18 inches. There is some 4 x 5 feet in diam, but the greater part is as above.

A. L. Ferrow
U. S. Deputy Surveyor.

BOOK-A-185

Oct 5th 1887

In retracing line between Secs. 26 and 27 T 2 N R 3 E on the above day I found a quarter section corner as herein described (viz a Sandstone 14" x 8" x 5" with mound of stones alongside and marked 1/4 on West face) which showed no indications of having been moved but which was about 30 chns north of the cor to Secs 26, 27, 34 & 35 and 50 chns south of the cor to Secs 22, 23, 26 and 27

Simon J. Mackie
U.S. Deputy Surveyor
Salt Lake City Utah
Oct 7th 1887

BOOK-A-185

454

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Jan 26th, 1882

The foregoing field notes of the survey ~~of the~~

and Resurvey of the

Subdivisions

Township No 2 N. *Range No* 12 E.

of the Salt Lake Meridian, Utah Territory,

Executed by A. D. Fenton

Under his *contract No* 105

of the 29th *day of* July 18 81,

in the month of August 1881,

having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Wm. Salomon.

U. S. Surveyor General for Utah.