BOOK-A-195

EPORT: 1884

iled 188

xamined by .....

ranscribed by .....

ompared by Stevenson & Linton

FIELD NOTES

OF THE RE SURVEY OF THE

South Boundary and Survey of Lands

OF

ownship No 7 South

ange No 19 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Linton

U. S. Deputy Surveyor,

Under his Contract No. 112

Dated September 15th 1882

Survey commenced November 28th 1882

Survey completed December 1st 1882

BOOK-A-195

EPORT: 1884

iled 188

xamined by .....

ranscribed by .....

ompared by Stevenson & Linton

FIELD NOTES

OF THE RE SURVEY OF THE

South Boundary and Survey of Lands

OF

ownship No 7 South

ange No 19 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Linton

U. S. Deputy Surveyor,

Under his Contract No. 112

Dated September 15th 1882

Survey commenced November 28th 1882

Survey completed December 1st 1882

BOOK-A-195

REPORT: 1884

Filed 188

Examined by .....

Transcribed by .....

Compared by Stevenson & Linton

FIELD NOTES

OF THE RE SURVEY OF THE

South Boundary and Survey of South

OF

Township No 7 South

Range No 19 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Perkins

U. S. Deputy Surveyor,

Under his Contract No. 112

Dated September 15th 1882

Survey commenced November 28th 1882

Survey completed December 1st 1882

Compared [illegible]

Running of North Boundary

BOOK-A-195

T. 7 N., R. 19 W.

Nov 28th 1872

[illegible] From the established
Cor. to T. 7 and 8 N.,
R. 18 and 19 W. Run
West on a true line bet.
secs. 1 and 36

Va. 18°10' E.

.00 Road bears N. & S.

1.00 ridge bears N. & S.

2.00 no trace of old corner
set a Quartz 14×10×8
ins. 9 ins. in ground for
1/4 sec. cor. marked 1/4
on N. face with vege-
tation mound & pits.

53.00 North end of rocky
ridge bears South.

60.00 find mound of old corner
post decayed set a lime-
stone 24×18×6 ins. 16 ins.
in ground for cor. to secs.

2 Resurvey of North Boundary
T. 7 N. R. 19 W.

Chains 1. 2. 35 and 36 marked
1 notch on E. 5 notches on
W. edges with regulation
mound & pits.
Land high rolling, with
3d rate, dense growth
and green wood, heavily
augmented on 80 chains

West on a true line be
secs. 2 and 35
Va. 18° 10' E

6.00 Low limestone ridge
23.00 Dry Creek Travis W.
25.00 Dry Creek Travis W.
40.00 Find old mound pit
Cying Dum set a Pine
pit 3½ feet long 3
square 12 ins. in groun
for ½ sec. cor. marked

Resurvey
BOOK-A
T. 7

Chains on
Land
W
57.90
8.00 to
9.00 Ce
bea
10.60 to
W
80.00 E
cor
3½
sec
as
cor
wi
and
lar
cor
se
co

BOOK-A-1951

Remarks of North Boundary
T. 7 N. — R. 19 W. 3

chains on N. fence with regulation mound & pits

57.90 Wagon road bears N E & S.W.

8.00 telegraph line N E & S.W.

9.00 Central Pacific R. R. bears N E and S. W.

0.60 telegraph line bears N E & S. W.

80.00 find old post in good condition, a Pine 3½ feet long 3 ins. square reset and remark same as per instructions for cor. to secs. 2. 3. 34. 35 with regulation mound and pits.

Land rolling, soil 2nd and 3rd rate, some sagebrush.

augmented on 80 chains.

4 Resurvey of North Boundary
T. 7 N. R. 19 W.

Chains

West on a true line between secs. 3 and 34
Va. 18°10' E.

2.00 Road from Tecumseh to Squaw Creek bears NW S. E.

20.00 foot of Bluff bears W.

40.00 old corner destroyed set a Pine post 3½ ft. long 4 ins. square 12 ins. in ground for ¼ sec. cor. marked ¼ on N. face with regulation mound, pits & trenches.

66.00 Creek 3 links E.

70.50 Road from Tecumseh to Lucin and Squaw Creek bears N E & S. W.

80.00 Old corner destroyed no trace set a limestone 18×12×9 ins. 12 ins. in

BOOK-A
Resurv
T.

40.00

Meanders of North Boundary
T. 7 N. R. 19 W.

chains ground for corner to secs.
3. 4. 33 and 34 marked
3 notches on E 3 notches
on W. edges with regulation
mound & pits. on South
side of bench.
Land level, with nat
rate, dense sagebrush
and grass.
augmented on 80 chains

West on a true line
bet. secs. 4 and 33.
Var. 18° 10' E.

40.00 old Corner destroyed
set a limestone 16 x 12 x 4
ins 10 ins. in ground for
1/4 sec cor. marked 1/4
on W. face with regulation
mound & pits.

6 Ramsey North Boundary
T. 7 N. R. 19 W.

Chains
80.36 to Pine post blazed
6 ins. square 3 feet abo
ground 2 feet in ground
marked Utah on East
Nevada on W. side
T. 8 N. R. 19 W. S. 33
on N. and T. 7 N. R. 19
S. 4 on S. sides. remark
same, make regulation
mound and pits.
Land level, soil 1st
rate, high sagebrush
and wheat grass 6-7 feet
high.
augmented on 80.36 chains
This corner is by actual
measurement 1 mile 30.3
chains N and 124 lks.
East of the Initial
point on the Nevada

BOOK-A-195

Reynosa North Boundary
T. 7 N. R. 19 W.

boundary.

November 28th-82

General Description.

There is some fine land North and South of this line and should be subdivided.

Ferdinand Dievert
U. S. Dep. Surveyor.

BOOK-A-195

South Boundary of
T. 7 N. R. 19 W.

hmis From the established
Cr. to T. 6 and 7 N.
R. 18 and 19 W. I run
West on a true line
bet. secs. 1 and 36
Va. 17°50' E.

.00 road bears N. & S. wit-
ness mound & pits 2×1×1 ft.

0.00 set limestone 12×10×10
ins. 8 ins. in ground for
1/4 sec. cor. marked 1/4 on
N. face with regulation
mound & pits.
a Cedar 10 in. diam. bears
S. 30 lks. marked 1/4 S.
B.T.

0.00 set a sandstone 14×8×6
ins. 9 ins. in ground for
cor. to secs. 35. 36. 1 and 2
marked 1 notch on E. 5 notches

9 South Boundary
T. 7 N. R. 19 W.

Chain on W. edges with regulation mounds & pits.

a Cedar 10 in. diam. bears N. 30° E. 80 lks. marked T. 7 N. R. 19 W. S. 36 B T.

a Cedar 9 in. diam. bea... T. 10 W. 20 lks. marke... T. 6 N. R. 19 W. S. 2...

Rolling bench land, soil 1st and 2nd rate, scattered cedars, sagebrush, bunch gra... augmented on 80 ch...

West on a true line bet. secs. 2 and 35.

Va. 17° 50'...

35.00 top of high ridge; bears N...
40.00 set limestone 14 x 9 x...

BOOK-A-195 South Boundary 10
T. 7 W. R. 19 W.

regulation
ins in mound of stones
for 1/4 sec. cor. marked
1/4 on W. face with mound
of stones alongside.
A spur of Sierra
Mountain bears N. & S.,
line further West
impracticable to
abandon the same.
augmented on 40 chains
Dec 1st 1882

General Description
There is some pine timber
land north and South
of this line. Some pine
Springs in Secs. 24 and 25
T. 7 W. R. 19 W. The T.
should be subdivided.
Fred. Dickert
U. S. Dep. Surveyor.

BOOK-A-195

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Jan 20th *1883*

The foregoing field notes of the Re *survey of the* North Boundary and Survey of South

Township No. 7 N. *Range No.* 19 W

Executed by Ferdinand Ficken

Under Sur 112 *contract of the* 15th

day of Sept *1882, in the month of* Nov *1882, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fr. Salomon

U. S. Surveyor General for Utah.

BOOK-A-195

13

REPORT: 1884

Filed 188

Examined by .....

Transcribed by E. Michaelis

Compared by Benj. Stevenson & H. F. Linton.

FIELD NOTES

OF THE SURVEY OF THE

Fractional

Subdivisions

OF

Township No 7 North

Range No 19 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Dickert

U. S. Deputy Surveyor,

Under his Contract No. 112

Dated September 15th 1882.

Survey commenced December 9th 1882

Survey completed December 11th 1882

V

195 a

BOOK-A-195

Township 7 North R. 19 West

		5	4	2	1		
6	5	43 4	40 3	34 2	24 1		
		42	39	33	23		
7	8	45 9	37 10	31 11	22 12		
		47	36	30	20		
18	17	48 16	15	29 14	19 13		
		50		28	18		
19	20	50 21	22	27 23	17 24		
				26	15		
30	29	52 28	27	26	14 25		
		53			12		
31	32	54 33	34	35	11 36		
				9	8		

BOOK-A-195

Subdivisions

T. 7 N. R. 19 W.

Survey commenced Dec. 9th 82 with a Gurleys improved Solar Compass from the established cor. to secs 35. 36. 1 and 2 on South boundary of township 3 run

North bet. secs. 35 & 36. Va. 18° E.

2.00 Dry Creek Trans E.

0.00 set a Quartz 18×12×6 ins, 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound of stones, pits impracticable

5.00 Top of Cedar ridge

6.50 Deep rocky Ravine Trans E.

0.00 set a Quartz 20×16×4 ins.

12 Subdivisions.

T. 7 N. R. 19 W.

BOUN-A

Chains		Chains
	in mound of stones for cor.	40.00
	to secs. 25. 26. 35 & 36	80.40
	marked 1 notch on S. 1	
	notch on E edges with	
	regulation mound of	
	stones alongside pits	
	impracticable.	
	a Cedar 10 in. diam bears	40.20
	S. 62° E. 30 lks. marked	
	T. 7 N. R. 19 W, S. 36 BT	
	Overflowland, said 2nd	
	rate, scattered Cedar	
	Dense swamp,	80.40
	augmented on 80 chains	
	Post on a random line	
	bet. secs. 25 & 36	
	Va. 18° E.	
35.00	Dry Creek 3 rods N E.	

W
be
su
ret
rio
1/4
N.
mo
th
35
be
an
sa
an

Subdivisions 13

BOUN-A-195

T. 7 N. R. 19 W.

Chains	
40.00	set temp. 1/4 sec. cor.
80.40	Intersect East boundary at the cor. to secs. 25.36 30 and 31 thence I run West on a true line bet. secs. 25 & 36 with same va.
40.20	set limestone 18 x 8 x 8 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound a pits,
80.40	the cor. to secs. 25. 26, 35 & 36 benchland, soil 2nd and 3d rate, dense sagebrush, grass wood augmented on 80.40 ch.

T. 7 N. R. 19 W.

Subdivisions.

Chains		Chains
	North bet. secs. 25 & 26	
	Va. 18° E.	
4.50	mi Dye bears E. & W.	
32.00	gulch trends East.	
40.00	set a Quartz 16 x 9 x 8	
	10 ins. in ground for 1/4	
	sec. cor. marked 1/4 on W.	28.00
	face with regulation	
	mound & pits,	31.90
80.00	set a limestone 14 x 8 x 8	
	ins. 9 ins. in ground for	
	cor. to secs. 23. 24. 25 & 26	
	mar ked 2 notches on S.	35.50
	1 notch on E. edges	
	with regulation mound	
	& pits on top of mi Dye	38.60
	bears E & W.	39.20
	Land hilly heavy black	
	soil 2nd and 3d rate.	40.00

BOOK 195

T. 7 N. R. 19 W.

	Chains	Dense cottonwood & cornbb augmented on 80 chains,
		East on a random line bet. secs. 24 & 25 Va. 18° C.
	28.00	top of low ridge N.W and S.E.
	31.90	Creek 3 lks. wide 4 in. deep runs North fine Spring 300 feet above.
	35.50	Wagon road bears S.E. & N.W. witness mound and pit 2x1x1 ft.
	38.60	road bears S and N.W.
	39.20	road bears NW & S.E. witness mound & pit 2x1x1 ft.
	40.00	set temp. 1/4 sec. cor.

Subdivision's
T. 7 N. R. 19 W.

Chains		Chains
64.20	wagon road bears S. W. & N	
80.00	Intersect East boundary	
	at the cor. to secs 24. 25	37.00
	19. 30 thence Down	40.00
	West on a true line bet	
	secs. 24. 25 with same va	
40.00	set a limestone 14×12×9	
	ins. 9 ins. in ground for	
	1/4 sec. cor. marked 1/4 on	
	N. face with regulation	
	mound & pits. a Cedar	
	10 in. diam. bears West	
	222 lks. marked 1/4 S,	47.50
	B T.	60.50
80.00	the cor. to secs 23. 24. 25. 2	75.00
	Rich bottomland, fine	
	grass. ? Some cottonwood	
	greenwood,	80.00
	augmented on 80 chains	

BOOK-A-195 Subdivisions 17

T. 7 N. R. 19 W.

Chains	North bet. secs. 23 & 24
	Va. 18° E.
37.00	Low ridge bears E. & W.
40.00	set a Quartz 18 x 10 x 4 ins.
	in mound of stones, for
	1/4 sec. cor. marked 1/4 on
	W. face with regulation
	mound of stones alongside
	pits impracticable
	a Pine 22 in. diam. bears
	East 60 lks. marked
	1/4 S. B T.
47.50	Dry Creek trends E.
60.50	Dry Creek trends E.
75.00	Wagon road bears
	S. E. & N. W. witness mound
	and pit 2 x 1 x 1 ft.
80.00	set a Quartz 16 x 12 x 8 ins
	10 ins. in ground for cor.

18

Subdivisions

T. 7 N. R. 19 W.

Chains		Chains
	to recs 13.14.23 & 24 mark	
	3 notches on S. 1 notch on E.	
	edges with regulation mound	40.05
	& pits	
	bench land soil 2nd and	
	3d rate, dense sagebrush	
	& rabbits.	
	augmented on 80 chains	80.10
	Cut on a random line	
	bet. recs. 13 and 24	
	Va. 18° E.	
40.00	set temp. 1/4 sec. cor.	
45.00	road bears S. E. & N. W.	
59.50	gulch drains E.	3.50
80.10	Intersect Cut bounds	8.50
	38 lks. N. of the cor. to	10.00
	secs. 13. 24. 18 & 19 there	
	I run N 89° 44' W. on a	

BOOK-A-193

Subdivisions

T. 7 N. R. 19 W.

	true line bet. secs. 13 & 24 with same va,
40.05	set conglomerate 15x12x4 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits
80.10	the cor. to secs. 13. 14. 23 & 24 beech, soil 2nd rate, dense sagebrush augmented on 80.10 chains
	North bet. secs. 13 & 14 Va. 18° E.
3.50	gulch drains East
8.50	dry creek drains N.E.
10.00	set a Quartz 16x6x6 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W.

Subdivisions

T. 7 N. R. 19 W.

Chains	
	fence with regulation mound pits.
76.75	Dry Creek Trans N E.
80.00	set a Quarter 18 x 6 x 5 ins. 12 ins. in ground for cor. to secs. 11. 12. 13 & 14 marked 4 notches on S. 1 notch on E edges with regulation mound pits.
	Land rolling, soil 2nd rate scattered Cedars, dense Sagebrush & greasewood. augmented on 80 chains.
	Centers a random line bet. secs. 12 & 13 Va. 18° E.
3.00	Dry Creek Trans N. E.
40.00	set temp. 1/4 sec. cor.

Chains	
2.00	fen
0.30	Dr
	bo
	of
	Fa
	N
	Li
	wi
10.15	re
	ins
	1/4
	an
	-t
10.30	fe
	E
	D
	D
	wa
	an

Subdivisions 21

T. 7 N. R. 19 W.

chains	
2.00	Course bears outer flat.
0.30	Intersect ~~West~~ East boundary 42 lks. North of the cor. to secs. 12 & 13. Land 18 thence S. run N. 89° 42' W. on a true line bet. secs. 12 & 13 with same va.
10.15	set a limestone 15 x 12 x 10 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regula-tion mound & pits.
10.30	the cor. to secs. 11. 12. 13 & 14 land partly rolling soil 2nd rate, Course S. a glen creek & grave-yard.

augmented on 80.30 chains.

Subdivisions

T. 7 N. R. 19 W.

Chains		Chains
	North bet. recs. 11 and 12 Va. 18° E.	
40.00	set a Quarter 15 x 8 x 6 ins 10 ins. in ground for 1/4 sec cor. marked 1/4 and W. fence with regulation mound and pits.	32.00
		40.00
		45.00
		70.00
80.00	set a Quarter 16 x 10 x 9 ins 10 ins. in ground for cor. to recs. 1. 2, 11 & 12 marked 5 notches on S. 1 notch on E. edges with regulation mound & pits.	30.00
	Bench land, soil 2nd rate	10.00
	Same as last, augmented on 80 chains	
		80.00

BOOK-A-195

T. 7 N. R. 19 W.

Chains	
	Cent on a random line bet. secs. 1 and 12 Va. 18° E.
32.00	post of ridge bears N. & S.
40.00	set temp. 1/4 sec. cor.
45.00	top of ridge bears N. & S.
70.00	post of ridge
80.00	Intersect East boundary 12 chs. North of the cor. to secs. 1. 12. & 7. thence N. run N. 89° 55' W. on a true line bet. secs. 1 and 12 with same va.
10.00	set a limestone 18x12x8 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.
80.00	the cor. to secs. 1. 2. 11 & 12.

Chains

land rolling, rocky and sandy, Same as last mile augmented on 80 chains

North on a random line bet. secs. 1 and 2

Va. 18° E.
temp. 1/4 sec. cor.

40.00 set a ~~Quarter~~ 16 x 9 x 4 in ~~stone in ground for 1/4 sec cor marked 1/4 cor W. face with notation and pits.~~

80.00 Intersect North boundary at the cor. to secs. 1. 2. 35 and 36 thence West South on a true line bet. secs. 1 and 2 with same sec.

40.00 set a Quarter 16 x 9 x 4 in

Chains

80.00

T. 7 N. R. 19 W.

Chains

10 lks. in ground for 1/4 sec. cor. marked 1/4 on W. fence with regulation mound & pits.

80.00 the cor. to secs. 1. 2. 11 & 12 land rolling, soil 3d rate, sandy, some sagebrush, augmented on 80 chains. Dec. 9th 82.

The lower part of this tier being mountainous and broken I commence at the cor. of secs. 23. 24. 25 and 26 and run West on a true line bet. secs. 23 and 26.

Subdivisions

T. 7 N. R. 19 W.

		Chains
	Va. 18° E.	
21.50	gneiss trans N E.	
26.00	ridge bears N E & S. W.	3.00
40.00	set a limestone 20x6x6 ins.	7.00
	12 ins. in ground for 1/4 sec. cor	13.50
	marked 1/4 on N. face with	40.00
	regulation mound & pits.	
80.00	set a Quartz 22x10x4 ins,	
	14 in. in ground for cor.	
	to secs. 22. 23. 26 & 27 mark	42.00
	2 notches on S. 2 notches on	64.00
	E. edges with regulation	
	mound & pits.	80.00
	Land mountainous, rid	
	3d rate, scattered Cedar	
	Dense undergrowth,	
	augmented on 80 chains	

C.	Chains	North bet. secs. 22 & 23 Va. 18° E.
S. W.	3.00	ridge bears N. & S.
6 x 6 ins.	7.00	gulch trends N E,
sec. cor	13.50	ridge N E & S. W.
with	40.00	set a Quartz 18 x 6 x 6 ins.
pits,		12 ins. in ground for 1/4
x 4 ins,		sec. cor. marked 1/4 on W. face
cor,		with regulation mound & pits.
7 marks	42.00	gulch trends N E,
hes on	64.00	mayor trail bears N E. & S. W.
lation		
	80.00	set a limestone 12 x 10 x 4
no, rid		ins. 8 ins. in ground for
Cedars		cor. to secs. 14. 15. 22 & 23
		marked 3 notches on S.
chains		2 notches on E. adjoe
		with regulation mound
		& pits. Land mountainous

28 Subdivisions
T. 7 N. R. 19 W.

Chains		Chains
	scattered Cedars, dense	
	sagebrush,	
	augmented on 80 chains	
	Cent on a random line	
	bet. secs. 14 and 23	80.20
	Va. 18° E.	
11.00	Dry Creek in gulch Br. N	
13.00	road bears N E & S. W.	
40.00	set temp. 1/4 sec. cor.	
72.00	Road bears N W and S. E.	
80.20	Intersect N. & S. line	
	16 lks. S. of the cor. to	
	secs. 13. 14. 23 & 24 thence	
	I run S. 89° 53' W. on a true	4.00
	line bet. secs. 14 & 23 with	40.00
	same va.	
40.10	set a limestone 36 x 12 x 12	
	ins. in mound of stones for	
	1/4 sec. cor. marked 1/4 on N.	

	Chains	fence with regulation mound of stones, pits impracticable on top of low ridge bears E. & W.
	80.20	the cor. to secs. 14. 15. 22 & 23. Marshland, soil 3d rate Some sagebrush & greasewood. augmented on 80.20 ch.
		North bet. secs. 14 & 15 Vol. 18° E,
	4.00	low ridge bears NE & SW
	40.00	set a limestone 18×7×6 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.

Subdivisions

T. 7 N. R. 19 W.

Chains		
47.00	Wagon trail bears N W	40.00
64.70	Road to Tecumseh bears	80.00
	N. W. & S. E. mi trees mar	
	and pit 2×1×1 ft.	
80.00	set a sandstone 14×10×	
	9 ins. in ground for cor. t	
	recs. 10. 11. 14 & 15 mark	40.00
	4 notches on S. 2 notches	
	E. edges with regulat	
	mound & pits.	
	land rolling, soil 2	
	rate, scattered cedar	80.00
	dense sugar mud & gra	
	wood.	
	augmented on 80 chs	
	Cent on a random line	
	bet. recs. 11 and 14	
	Va. 18°	

Subdivisions 31

BOOK-A-195

T. 7 N. R. 19 W.

40.00 set temp. 1/4 sec. cor.

80.00 Intersect N. & S. line at the cor. to secs. 12, 13 11, and 14 ~~with same cors~~ thence Down West Meas. secs. 11, 14 on a true line with same.

40.00 set a limestone 18×8×6 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.

80.00 the cor. to secs. 10. 11. 14. 15 land rolling, soil 1st and 2nd rate, high sagebrush & greasewood. augmented on 80 chains

North bet. secs. 10 & 11
Va. 18° E.

32 Subdivisions

T. 7 N. R. 19 W.

Chains		Chains
40.00	set a Quarter 14 x 12 x 4 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits. a Cedar 10 ins. diam. bears South 50 lks.	40.00
	a Cedar 8 in. diam. bears East 60 lks. both marked 1/4 SBT	20.00 39.10 40.00 80.00
80.00	set a Quarter 15 x 9 x 4 ins. 10 ins. in ground for ~~1/4 sec.~~ cor. to secs. 2. 3. 10 & 11 marked 5 notches on S. 2 notches on E. edges with regulation mound & pits, land rolling, soil 2nd rate, sandy, dense sage brush.	40.00

Surveyed in 80 chains,

BOOK A-195

T. 7 N. R. 19 W.

x 4 ins.	Chains	Cont on a random line
ret.		bet. secs. 2 and 11
oa		Va. 18° E.
und	~~40.00~~	~~et temp. 1/4 sec. cor.~~
. Diam.	20.00	Dry Creek Trans N.
s.	39.10	Dry Creek Trans N.
ears	40.00	et temp. 1/4 sec. cor.
1/4 SBT	80.00	Intersect N. & S. line
4 ins.		at the cor. to secs.
~~sec.~~		1. 2. 11 & 12 thence
1		3 runs West on a true
S.		line bet. secs. 2 and 11
		with same var.
und	40.00	set a limestone 14 x 10 x 5
		ins. 9 ins. in ground for
~~sec.~~		~~sec. cor.~~ 1/4 sec. cor.
		marked 1/4 on N. face
		with regulation mound
		& pits.
ays		
ains,		

Subdivisions

T. 7 N. R. 19 W.

Chains		Chains
80.00	The cor. to secs. 2. 3. 10 & 11 land level, soil 1st and 2nd rate, some sagebrush and greasewood, augmented on 80 chains.	40.30
	North on a random line bet. secs 2 and 3 Va. 18° E.	80.30
40.00	set temp. 1/4 sec. cor.	
56.90	Old Rail road track	
61.30	telegraph line bears S W & N E.	
62.70	Central Pacific R. R bears S. W. & N E.	
63.50	Telegraph line bears S. W & N E.	
80.30	Intersect N bound at the cor. to secs. 2. 3. 34 &	

T. 7 N. R. 19 W.

Chain thence N. run South on a true line bet. secs 2 and 3 with same va. W.

40.30 set a limestone 16×9×8 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits

80.30 the cor. to secs 2.3.10 & 11 land rolling, soil sandy, bright sagebrush and greasewood augmented on 80.30 ch.

The land in the southern centre of the township being very rocky and broken. Commence from the established cor. to

Subdivisions

T. 7 N. R. 19 W.

Chains recs, 10. 11. 14 and 15 thence
from West bet. recs.
10 and 15.
Va. 18° E.

20.50 Dry Creek Draws N.

37.00 road bears N. W and S E.
witness mound a pit 2×1×1 ft.

40.00 set a limestone 12×9×5
ins. 8 ins. in ground for
1/4 sec. cor. marked 1/4 on
N. face with regulation
mound a pits.

70.35 gulch draws N.

80.00 set a limestone 36×36×6
in mound of stones for cor.
to secs. 9. 10. 15 & 16 marked
4 notches on S. 3 notches
on E. edges with mound
of stones alongside, pits

Chains

29.20

40.00

BOUN-A-195 Subdivisions 39

T. 7 N. R. 19 W.

	Chains	impracticable. on perpendicular side of Mountain.
		Land 1st part rolling soil 2nd rate, rest mountainous, rocky some sagebrush, scattered Cedars.
		augmented on 80 chains
		North bet. recs. 9 & 10 Var. 18° E.
	29.20	Post of trachyte Mountain bears South and mayn road bears N. W and S. E. witness mound & pit 2×1×1 ft.
	40.00	set a limestone 20×12×9 ins. 12 ins. in ground for

Subdivisions

T. 7 N. R. 19 W.

Chains	
	1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits
44.00	gulch trends N.W.
80.00	set a trachyte 22x12x8 ins 14 ins. in ground for cor. to secs. 3. 4. 9 & 10 marked 5 notches on S. 3 notches on E. edges with regulation mound & pits. a telegraph pole 8 ins. square bears N. 19° W. 400 lks. marked T. 7 N. R. 19 W. S. 4 B T. a telegraph pole 8 in. square bears N. 18° E. 465 lks. marked T. 7 N. R. 19 W S. 3. B T.
	land low rolling, soil 2nd rate, sandy, dense

BOOK-A-195

T. 7 N. R. 19 W.

Chains

Says thence a greasewood
augmented on 80 chains
Dec. 10 = 82
Cant on a random line
bet. secs. 3 and 10
Va. 18° E.

16.00 road bears N. W. & S. E.,
witness mound a pit 2×1×1 ft.

40.00 set temp. 1/4 sec. cor.,

80.20 Intersect N. & S. line
42 lks N. of the cor. to
secs. 2. 3. 10 & 11 thence
run N. 89° 42' W. on
a true line bet. secs.
3 and 10 with same va.

40.10 set a limestone 18×10×3
ins. 12 ins. in ground for
1/4 sec. cor. marked 1/4 on
N. face with regulation

40 Subdivisions

T. 7 N. R. 19 W.

Chains		Chains
Chains	mound & pits	65.20
80.20	the cor. to secs. 3. 4. 9 & 10	77.35
	land low rolling, soil 2d-rate sandy, dense sagebrush & greasewood	80.60
	augmented on 80.20 chains	
	North on a random line bet. secs. 3 and 4.	
	Va. 18° E.	40.60
4.10	road bears N.E. & S.W.	
5.25	Central Pacific Rail road bears NE & S.W.	
6.00	telegraph line bears N.E. & S.W.	
40.00	set temp. 1/4 sec. cor.	80.60
42.70	Road bears N.E & S.W.	
	witness mound and pit 2×1×1 ft.	
61.20	road bears NE & S.W. witness mound & pit 2×1×1 ft.	

Subdivisions
BOUND-195
S. 7 N. R. 19 W.
41

Chains.	
65.20	Road bears E. & W.
77.35	Creek 6 lks. wide 4 ins. deep runs East
80.60	Intersect North boundary at the cor. to secs. 3. 4. 33 and 34. thence S run South on a true line bet. secs. 3 and 4 with same ver,
40.60	set a trachyte 15×10×8 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound and pits.
80.60	the cor. to secs. 3.4.9 & 10 land level, soil 1st rate, dense sagebrush & greasewood. augmented on 80.60 ch.

42 Subdivisions

T. 7 N. R. 19 W.

Chains.		Chains
	The southern part of the next tier being rocky and broken, I commence from the cor, to secs. 3. 4. 9 & 10 and run West on a true line bet. secs. 4 and 9.	5.30
	Va. 18° E.	
1.50	road bears N E & S. W.	
3.00	telegraph bears N E & S.	
6.50	Central Pacific Rail road bears N E & S. W.	
8.50	telegraph bears N. E. & S. W.	
25.00	Dry Creek Trains N E.	
40.00	set a Quartz x 14 x 10 x 9 ins. in ground for 1/4 sec cor. marked 1/4 on N. face with regulation mound and pits.	80.00
		0.00

BOOK-A-195

T. 7 N. R. 19 W.

Chains	
5.30	road bears N E & S W. witness mound & pits 2×1×1 ft
80.00	set a trachyte 16×12×8 ins. 10 ins. in ground for cor. to secs. 4. 5. 8 and 9 marked 5 notches on S. 4 notches on E. edges with regulation mound & pits. Land level, sandy, dense sagebrush and greasewood. augmented on 80 chains.
	North on a random line bet. secs. 4 and 5 Va. 18° E.
0.00	set temp. ¼ sec. cor.

Subdivisions

T 7 N. R. 19 W.

Chains		Chains
48.50	Pat of Nevada line lying down 20 lks. West a saved Pine pnt 6 feet long 8 ins. square marked 1 on S. L. W 37 on N. Nevada on W. and Utah on East sides.	80.00
63.50	enter bottom	
69.80	road bears E & W. witness mound & pit 2 x 1 x 1 ft.	
77.50	Creek 20 lks. wide 3 ins. deep runs East	
80.00	Intersect North Boundary at the corner to secs. 4. 5. 32 and 33 thence I run South on a true line bet. secs. 4 and 5 with same va.	28.40
40.00	set a Quartz 16 x 14 x 3 ins	29.20

Subdivisions
BOUN-A-195
T. 7 N. R. 19 W.

Chains	10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
80.00	The cor. to secs. 4. 5. 8. 9 land first half sandy 2nd half mil 1st rate, some sage brush & grease wood.
	augmented on 80 chains
	From cor. to secs. 4. 5. 8. 9 I run South bet. secs. 8 and 9 on a true line and parallel to the Nevada Boundary. Va. 18° E
28.40	road bears S. W. & E.
29.20	Central Pacific R. R.

Subdivisions

T. 7 N. R. 19 W.

Chain bears S. W. and E.

30.32 telegraph line bears S W and E.

Initial point of W. road a boundary bears West 124 lks. a Gran Monument 6 feet high 20 ins. square in mo of stones marked. 1870 on N. Nevada on W. LW 37 N L. on S. Utah on E. ri Sch.

39.60 Wagon road bears E a mi to S mound a pit 2 x 1 x 1

40.00 set a trachyte 16 x 12 x ins. 10 ins. in ground fo 1/4 sec. cw. marked 1/4 on W. face with irregular

chains mound & pits. on old rail road grade bears E. & W.

43.00 Race track

30.00 set a trachyte 18×12×12 ins. 12 ins. in ground for cor. to secs. 8. 9. 16 & 17 marked 4 notches on S. 4 notches on E. edges with regulation mound & pits.

Land level, soil 2nd rate, dense sagebrush & greasewood, augmented on 80 chains.

Cut on a true line bet. secs. 9 and 16 Va. 18° E.

5.10 road bears S. W. & N. E.

Subdivisions

T. 7 N. R. 19 W.

Chains		Chains
6.50	gulch. Trees N.	29.00
40.00	set a trachyte 36×30×18in. in mound of stones for 1/4 sec. cor. marked 1/4 on W. face with mound of stones alongside 4×4×4 feet on West side of ~~trap~~ perpendicular Mountain bears N. & S.	40.00
	land level, soil 1st rate, dense growth augmented on 40 chains	68.50
		80.00
	South on a true line bet. secs. 16 & 17 Va. 18° E.	
22.00	Wagon road bears N.W. & E. witness mound a pit 2×1×1 feet.	

Subdivisions 49

T. 7 N. R. 19 W.

chains	
29.00	Boundary Cor. 1 mile South of Initial Point 114 lks. west.
40.00	set a trachyte 16×10×8 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
68.50	road bears E. & W.
80.00	set a trachyte 14×12×12 ins. 9 ins. in ground for cor. to secs. 16, 17, 20 & 21 marked 3 notches on S. 4 notches on E. edges with regulation mound and pits. land level, soil 1st rate, dense sagebrush

augmented on 80 chains.

Subdivisions
T. 7 N. R. 19 W.

Chains	
	East on a true line between secs. 16 and 21
	Va. 18° E.
14.60	road bears S. E. & N. W.
40.00	set a trachyte 16 x 8 ins., 10 ins. in ground, 1/4 sec. cor. marked 1/4 N. face with mound & pits in f... of trachyte mon... bears W. & S.
	beechland, soil 1st rate, dense growth of greenwood,
	augmented on 40 ch...
	South bet. secs. 2...
	Va. 18
28.00	2 mile post South ...

BOOK-A-195 Subdivisions 51

T. 7 N. R. 19 W.

Initial point on steep trachyte ridge about 200 lks. west

trachyte ridge bears N.W. & S.E.

set a trachyte 22 x 20 x 5 ins. in mound of stones for 1/4 sec. cor. marked 1/4 on W. side with mound of stones alongside, pits impracticable, on West side of rocky ridge bears N. & S.

set a trachyte 22 x 12 x 3 ins. in mound of stones for cor. to secs 20. 21. 28 and 29 marked 2 notches on S. 4 notches on E. edges with mound of stones

52 Subdivisions

T. 7 N. R. 19 W.

Chains alongside pits impracticable. on West side of Mountain mountains, rocky ridge, augmented on 80 chains

South bet. secs. 28 & 29
Va. 18° E.

12.00 gulch drains N. W.
12.70 road bears S. E & N. W.
witness mound a pit 2 x 1 x 1 ft.
28.00 no trace of boundary pit.
40.00 set a Quartz 20 x 8 x 8 ins
in mound of stones for 1/4
sec. cor. marked 1/4 on W.
face with mound of stones
alongside pits impracti-
cable. in gulch drains
N. W.
68.20 Road bears S. E & N. W.

Subdivisions

BOOK A-195

T. 7 N. R. 19 W.

Chains

80.00 witness mound a pit 2x1x1 ft. sets a limestone 22x18x10 ins. 14 ins. in ground for cor. to secs. 28. 29. 32 & 33 marked 1 notch on S. 4 notches on E. edges with regulation mound & pits. Station Flume in Tetonia bears N 45° W. benchland, soil 1st and 2nd rate, dense sagebrush & greasewood augmented on 80 chains.

Cent on a true line bet. secs. 28 & 33 Va 18° E.

19.50 Road bears N. W. & S. E.

Subdivisions

T. 7 N. R. 19 W.

Chains	
40.00	set a limestone 22×10× ins. 14 ins. in ground for ¼ sec. cor. marked ¼ on N. face with regulati mound & pits. on West side of Cedar Mounta bears N E & S. W. line further East im- practicable bench land 2nd rate, Tops sagebr augmented on 40 chai
	South bet. secs 32 & 3 Va. 18° E.
15.00	road bears S. E & W. N witness mound & pit 2×1
17.50	gulch trends N. W.
40.00	set a limestone 20×20×

Survey Gen. Office Sept 1

T. 7 N. R. 19 W. 5th

BCCM-A-195

General Description

This fractional township contains rich farming and grazeland. There are some fine Springs in secs. 25. There is a fine Creek in secs. 3. and 4 with rich bottom land alongside.

Part of Lucin Mining District comes into sections 33 and 34.

Fine Cedars and some Pinon Pines are to be found in the Mountains.

Ferdinand Dickert
U.S. Dep. Surveyor.

56 Subdivisions

T. 7 N. R. 19 W.

Chains | ins. 12 ins. in ground for
1/4 sec. cor. marked 1/4 on
W. face with regulation
mound & pits.

80.00 | set a limestone 22x16x12
ins. in mound of stones for
cor. to secs. 32. 33. 4 & 5
on South boundary of
township marked
4 notches on E. 2 notches
on W. edges with re-
gulation mound & pits,
rolling heavily timbered
soil 2nd & 3d rate
dense sagebrush
scattered Cedars.
augmented on 80 chains
Dec. 11th 82

U. S. SURVE

Salt La

The for

Face

Township No.

Executed by

Under

day of

-amined, the n

the said field

hereby approv

BOOK-A-195

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 30 1883

The foregoing field notes of the survey of the Fractional Subdivisions

Township No. 7 North Range No. 19 West

Executed by Ferdinand Dickert

Under Inco contract No 112 of the 15th

day of September 1882, in the month of

Dec 1882, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salsbury

U. S. Surveyor General for Utah.

BOOK-A-195

ORT: 1884

188

ined by

scribed by

pared by

FIELD NOTES

OF THE SURVEY OF THE

2nd Standard Parallel North

through

ship No

es No 8 15. 16. 17. 18 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Beckert

U. S. Deputy Surveyor,

Under his Contract No. 112

ed September 15th 1882.

vey commenced October 21st 1882

vey completed October 25th 1882

BOOK-A-195

Township 8 North R. 16 West

63	62	61	59	58	57
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Resurvey Trans. Ltr. 5/7/92.

2nd Standard Parallel N. R 15 W. Compared

BOOK-A-193

Chains From the established Cor. of
to T. 9 N. R. 14 and 15 W.
on 2nd Standard Parallel
I run West along South H.
boundary of sec 36
Va. 18° E

23.00 Wagon road from Terrace
to Grantsville bears N. & S.,
witness mound & pit 2×1×1 ft.

40.00 Old corner destroyed, set
Cedar post 3½ ft. long 4 ins.
square for Standard ¼ sec.
cor. marked S. C. ¼ on N. face
with regulation mound & pits
Ranch a bears S. 28° E. about
10 miles,

72.14 Dry Creek 4 ins. wide, runs S.

77.20 Dry Creek 4 ins. wide, runs S.

80.00 Old post destroyed set
Fine post 6½ ft. long 4 ins. N.

518 Resurvey 2nd Standard Parallel N. R. 15 W.

Chains

Square 12 ins. in ground for Standard cor. to sec. 35 & 36 marked as per instruction with regulation mound & pits land level, soil 1st and 2nd rate dense sagebrush augmented on 80 chains. 80.00

West on the South true sec. 35

Va. 18° E

31.80 Dry Creek 3 chains S.

40.00 found old mound set Cedar post 3 feet long 4 in square 12 ins. in ground for Standard 1/4 sec. cor. marked S. C. 1/4 on N. face with regulation mound & pits. 24.00 40.00

62.00 Dry Creek 16 lks. wide 3 ft deep 3 chains S.

Romney

2nd Standard Parallel N.

R. 15 W.

BOOK-A-195

30.00 Find old mound corner
destroyed set limestone
12 x 9 x 8 ins. 8 ins. in ground
for Standard cor. to secs.
34 & 35 marked S C. W. and
2 notches on E. and
4 on W. edges with regulation
mound & pits. 22 lks. further
chiring pit for secs. 2 & 3
T. 8 N. R. 15 W.
Land level, soil 2nd rate
dense sugar wood,
augmented on 80 chains.

West on South boundary
of sec. 34. Var 18° E.
24.00 Dry Creek 4 ins. S. E.
40.00 Find old corner, set
Cedar post 3 ft. long 4 ins.
square 12 ins. in ground for

60 Runway 2nd Standard Parallel North
R. 15 W.

Chains Standard 1/4 sec. cor. marked
S.C. 1/4 on W. fence with re-
gulation mound & pits
68.70 Dry Creek trains S.
77.80 Dry Creek trains S.
80.00 Find old post marks
destroyed set a limestone
12×9×8 ins. 8 ins. in ground
for Standard cor. to secs.
33 and 34 marked S C on.
W. ~~fence~~ and 3 notches on
E. and 3 notches on W. edges
with regulation mound
and pits.
~~Land~~ Level, soil 2nd rate
Same as above
augmented on 80 chains.

Kennewy
2nd Standard Parallel N.
R. 15 W.

BOOK A-195

Chains West along South boundary
sec. 33.

Va. 18° E.

20.00 Dry Creek 8 lks. wide 3 ft.
deep Travis S.

40.00 Cind mound and set
pit on ground set 2 aired
Pine 3 ft. long 4 ins. square
12 ins. in ground for Stan-
dard 1/4 sec. cor. marked
S.C. 1/4 on N. face with regu-
lation mound & pits.

40.10 Dry Creek Travis S.

64.50 Dry Creek Travis S.

80.00 Set pit rotten set
limestone 14 x 9 x 6 ins. 9 ins.
in ground for Standard
cor. to secs. 32 and 33
marked S. C on N. and
4 notches on E. 2 notches on W.

Remarks
62 2nd Standard Parallel N.
R. 15 W.

Chains adjoo with regulation mound and pits, a small post 2×2 ins. 16 ins. out ground 6 lks west no marks.
Land level, soil 1st rate Dense ; original surface augmented on 80 chains.

October 21st

West along South boundary sec 32.

Va. 18° C.

40.00 Old post destroyed, set Cedar post 3 ft. long 4 ins. square 12 ins. in ground for Standard 1/4 sec. cor. marked S. C. 1/4 on N. face with regulation mound & pits.

80.00 Old post on ground, rotten, set limestone 16×9×5 ins. 10 ins. in ground for Standard

Romney
2nd Standard Parallel N. 3
R. 15 W.

BOOK A 195

Chains on. to sec. 31 and 32.
marked S. C on N. 5 inches
on E. 1 inch on W. edges
with regulation mound pits.
Land level, soil 1st rate
Dense sagebrush,
augmented on 80 chains.

West along South boundary
sec. 31. Va. 18° E.

40.00 find old post 2 ft. long
no marks, set a limestone
14x10x6 ins. 9 ins. in ground
for Standard 1/4 sec. cor.
marked S. C. 1/4 on N. face
with regulation mound
and pits

75.00 Dry Creek trends S.

80.00 find old corner in good
condition a pine post 3 1/2 ft.

64 Resurvey 2nd Standard Parallel N.
R. 15 W.

Chains Lay 4 x 6 ins. 12 ins. in ground
for Standard township
cor. to T. 9 N. R. 15 & 16 W.
marked as per instructions
with regulation mound
and pits.
land level, soil 1st rate
Same as last mile
augmented on 80 chains

4.00

40.00

75.00

80.00

Reviney
2nd Standard Parallel N. 51
R. 16 W.

BOOK-A-195

From the established
cor. to T. 9 N. R. 15 & 16 W.
on 2nd Standard Parallel
N. Drum West along
South boundary sec. 36.
Va. 18° E.

4.00 Fine post 2 feet above
ground 4 x 4 ins. closing
post for T. 9 N. R.
15 & 16 W.

40.00 Fine a post 1 ft. above
ground 2 x 2 ins. no marks
set a limestone 12 x 9 x 5 in
8 ins. in ground for Standard
1/4 sec. cor. marked S. C. 1/4
on N. face with regulation
mound & pits

75.00 Dry Creek trends S.

80.00 no trace of old corner
set a limestone 12 x 8 x 5 ins

BOOK-A-195

Township 8 North R. 16 West

71	70	69	68	66	65
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Resurvey of 2nd Standard Parallel N.
R. 16 W.

Chains

8 ins. in ground for Standard Chain
cor. to secs 35 and 36 marked 75.00
S. C. on N. 1 notch on E.
5 notches on W. edges with 75.10
regulation mound & pits
Land level, with 3rd rate 78.00
Dense angelwood

80.00

Westerly South boundary
sec. 35

Va. 18° E.

40.00 find small pit without
mark 8 Ks. Pt. set
a conglomerate 16×8×4 ins.
10 ins. in ground for Standard
S.C.
1/4 sec. cor. marked 1/4 on
N. face with regulation
mound & pits

72.50 telegraph line N. W. & S. E.

73.50 Central Pacific R. R.

Kearney

N. 2nd Standard Parallel N.

BOOK A-195 R. 16 W.

	Chains	
ndard		bears N. 64° E.
erked	75.00	telegraph line N. E.,
E.		and S. W.
ith	75.10	Pole in line bears same
its	78.00	Overland road bears
2nd rule		N E & S. W.
	80.00	Find small pit no
		mark set a Quartz
		12 x 9 x 8 ins. 8 ins. in
ndary		ground for Standard cr.
		to recs. 34 - 35 marked
s.		S C on N. 2 notches on E.
thwest		4 notches on W. edges
et		with mound of stones
		and regulation pits
x 4 ins.		Valuable.
tandard		Land level, with 2nd rate
d on		dense sagebrush.
ation		augmented on 80 chains.
2 S.E.		
R.		

Runway
68 2nd Standard Parallel N.
Range 16 West.

Chains West along South boundary sec. 34.

Va. 18° C.

40.00 Find old post 2 ft. long 2×2 ins square lying down 15 Lks East. set a limestone 10×8×6 ins. 6 ins. in ground for Standard 1/4 sec. cor. marked S.C. 1/4 on N. face with regulation mound 2 pits.

80.00 Find old Corner pine post 3 ft. long 4 ins. square reset and remark same as per instruction, with regulation mound 2 pits. Land low rolling, wild 3rd rate, sagebrush.

Ramney
2nd Standard Parallel N.
Range 16 West.

Chain West along South boundary sec. 33.

Va. 18° C.

13.10 Wagon road bears S.W and N.E.

40.00 Find old corner a Quartz 17×12×8 ins; 10 ins. in ground mark same S.C. 1/4 on W. proc with regulation mound & pits.

64.20 South end of rocky ridge bears N.

80.00 put destroyed Pine marks set a limestone 18×12×6 ins. 12 ins. in ground for Standard cor. to secs. 32 and 33 marked S.C. on N. 4 notches on E. and 2 notches on W. edges with regulation mound

Romney

T 10 2nd Standard Parallel N.
R. 16 W.

Chains and pits.

land rolling, partly rocky and broken, rocks 3d rate, sagebrush.

West along S. bdy. Sec. 32. Va. 18° E.

3.50 mound pit 2×2 ins. 1 ft. above ground no marks.

40.00 find old mound no trace of cor. set a sandstone 22×12×10 ins. 14 ins. in ground for Standard 1/4 sec. cor. marked 1/4 S.C. S on W. face with regulation mound & pits.

69.50 Dry Creek 30 lks. wide runs S.

80.00 find old pit a Pine 2 ft. long 2×2 ins. lying down set a limestone 22×14×12 ins. 14 ins. in ground for Standard cor. to

18.00

40.00

2nd Standard Parallel N.,

BOUK-A-195 — R. 16 W. 71

Chain rec. 31 and 32. marked S.C. on N. ~~Va. 18° E.~~ and 5 notches on E. and 1 notch on W. edges with regulation mound & pits. Land low rolling, soil pretty rocky or 3rd rate sagebrush.

West along South boundary rec. 31

Va. 18° E.

18.00 Top and S.E. end of limestone ridge bears N.

40.00 find mound of old corner set a limestone 10×9×9 ins. 6 ins. in ground for Standard 1/4 sec. cor. marked S.C. 1/4 on W. fence with regulation mound & pits.

Kennedy

12 2nd Standard Parallel N.
R. 16 W.

50.10 Dry Creek Bears S.

80.00 Find old pot iron and remark same, set also a sandstone 14 x 12 x 12 ins., 9 ins. in ground for Standard Corner to T. 9 N. R. ~~17~~ 16 and 17 W. marked S C. on N. 6 notches on W. E. W. edges with regulation mound & pits.

Station House in Basin bears S. 55° E.

Land low rolling, mid 3d rate, sagebrush.

October 23rd 82

BOOK-A-192

Kearney

2nd Standard Parallel N.

R. 16 W.

73

General Description.

The land North of the line is broken and the mountainous, the township South is subdivided.

Ferdinand Dickert

U. S. Dep. Surveyr.

BOOK A-195

Kenney

2nd Standard Parallel North

Range 17 W.

Rem From the established cor. to T. 9 N. R. ~~17 & 18 W.~~ 16 + 17 on 2nd Standard Parallel W. 3 mm West along south boundary sec. 36 Va 18° E.

70 closing corner for T. 8 N. R. 17 & 18 W.

40.00 find a small pit marked 1/4 lying 20 lks. south set a limestone 12×9×5 ins. 8 ins. in ground for Standard 1/4 sec. cor. marked SC. 1/4 on N. face with regulation mound & pits.

75.00 enter Cedar
76.50 Dry Creek, 2 rods South.
80.00 set new trace of old corner set a Cedar post 4 ft. long 4 ins. square 12 ins. in ground for Standard cor. to secs.

BOOK-A-195

Township 8 North R. 17 West

81	80	79	78	77	76	75
6	5	4	3	2	1	
7	8	9	10	11	12	
18	17	16	15	14	13	
19	20	21	22	23	24	
30	29	28	27	26	25	
31	32	33	34	35	36	

Kenney's
2nd Standard Parallel N.
R. 17 W.

Chains 35 and 36 marked S. C.
on W. 1 notch on E. 5 notches
on W. adjoin with regulation
mound & pits.
Cedar tree 14 in. diam.
bears S. 48° E. 145 lks,
marked T. 8 N. R. 17 W.
S. 1 B.T.
land low rolling, soil
2nd rate or rocky, roots and
Cedars, bears Sagebrush.
augmented on 80 chains.

West on South boundary
of sec. 35

Va. 18° E.

15.00 Dry Creek Trends S.
20.15 Dry Creek Trends S.
33.50 Dry Creek Trends S.
40.00 find old mound and pit

2

BOOK

Chains

59.00
63.50
80.00

Romney
2nd Standard Parallel N.
R. 17 W.

BOOK-A-195

Chains northwest at a limestone 14 x 8 x 5 ins. 9 ins. in ground for Standard 1/4 sec. cor. marked X S. 1/4 on W. face with regulation mound & pits.

59.00 Dry Creek trends S.

63.50 Dry Creek trends S.

80.00 Found old mound, post destroyed set a sandstone 26 x 24 x 6 ins. 14 ins. in ground for Standard cor. to secs. 34 and 35 marked S. C. on W. 2 notches on E. 4 notches on W. edges with regulation mound & pits. a Cedar 8 ins. diam. bears N. 71° W. 150 lks. marked T. 9 W. R. 17 W. S. 34 BT.

Runway
2nd Standard Parallel N.
R. 17 W.

Chain land low rolling, poor to very poor or 2nd rate, scattered cedar brush, dense sagebrush, augmented on 80 chains.

West along South boundary ret. 34

Va. 18° E,

16.00 Dry Creek Trends S. in deep gulch.

40.00 Find old mound no trace of corner set Cedar post 3½ ft. long 4 ins square 12 ins in ground for ¼ Standard ¼ sec. cor. marked S. C, ¼ on N. fence with rock laid in mound and pits, 3.85

60.00 Dry Creek 10 lks. wide 2 ft. deep Trends S. Set mound

80.00 Void post Set stone set Cedar post 3½ ft. long 29.50 40.00

Chains 4 ins. square 12 ins. in ground for Standard cor. to secs. 33 and 34 marked S C. on W. 3 notches on E. 3 notches on W. edges with regulation mound and pits.

Land level, soil 2nd rate, scattered Cedars, dense sagebrush, augmented on 80 chains

West along South boundary sec. 33,

Va. 10 E.

3.85 Closing cor. 16 ins. high 4 ins. square mark destroyed

29.50 Dry Creek Trends S. E.

40.00 no trace of old corner

79 Runway 2nd Standard Parallel N. R. 17 W.

	Chains set limestone 12 x 8 x 6 8 ins. in ground for Standard 1/4 sec. cor. marked S.C. 1/4 on N. face with reference mound & pits.	Chains
	East end of small Alkali flat about 800 ft. South.	29.80
80.00	Old post in mound a Pine 4 ins. square 3 1/2 ft. long set same 12 ins. in ground for Standard cor. to secs. 32 and 33 marked same as per instruction with ref. reference mound & pits.	40.00
	* Land level, soil 2nd rate, dense sagebrush scattered Cedars,	50.7
	augmented on 80 chains, West end Alkali flat bears S. 60° W. 800 ft.	80.00

2nd Standard Parallel N.
R. 17 W.

	Chains	West along South boundary sec. 32
		Va. 18° E.
	29.80	Overland road bears N. E & S W. witness mound and pit 2×1×1 ft.
	40.00	found old post on ground 10 lks. East set a limestone 15×8×5 ins. 10 ins. in ground for Standard 1/4 sec. cor. marked S C. 1/4 on N. face with regulation mound & pits.
	50.75	Road from Darwin to Grave Creek bears S. E. and N. W. witness mound and pit 2×1×1 feet
	80.00	old post destroyed found mound of rocks set a limestone 16×12×6 ins

Runners
2nd Standard Parallel N.
R. 17 W.

Chain 10 ins. in ground for Standard
cor. to secs. 31 and 32 marked
S.C. on N. 5 notches on E. and
notch on W. edges with mo-
pulation mound & pits,
found low rolling, with
3d rate Dense Daye-
brush.

80.00

augmented on 80 chains

West along South
boundary sec. 31,
Va. 18° E.

40.00 find old mound set
Cedar post 2 1/2 ft. long
4 ins. square 12 ins. in ground
for Standard 1/4 sec. cor.
marked S.C. 1/4 on W. faces
with regulation mound
and pits.

Remarks
2nd Standard Parallel N.
BOOK-A-195 R. 17 W.
82

80.00 Old corner destroyed
set Pine post 4 feet
long 4 ins. square 12 ins.
in ground for Standard
Township cor. to town-
ships 9 N. R. 17 and 18
W. marked as per in-
struction with regu-
lation mound and pits.
Land level, soil
2nd rate, dense cover
brush augmented on 80 chains.
Oct 24th 82

General Description.

There is some fine timber
land in the township north, the township South
is mostly low flat

Ferdinand Dichat
U. S. Dep. Surveyor.

Runway
2nd Standard Parallel N.
R. 18 W.

2nd

Chains From the established Cr.
to T. 9 N. R. 17 & 18 W.
on 2nd Standard Parallel
I run West along South
boundary of sec. 36
Va. 18.90 C.

40.00 find mound of old corner
set a Quartz 11×8×6 ins.
9 ins. in ground for Standard 5.00
1/4 sec. cor. marked S C 1/4 40.00
on N. face with regulation
mound & pits.

64.00 Dry Creek Trains S.

77.10 Dry Creek Trains S.

80.00 old cor. destroyed set
Quartz 12×8×6 ins. 8 ins.
in ground for Standard 41.00
cor. to secs. 35 & 36 marked 80.00
S C. on N. 1 ~~Edge~~ mound on E. 5 ~~edges~~ notches
on W. edges with regula

BOOK-A-195

Township 8 North R. 18 West



Ramsey

2nd Standard Parallel N.

BOOK A 195 R. 18 W.

Chains tie mound & pits
land Road, soil 1st rate.
Dense sagebrush
augmented on 80 chains.

West along South boundary
of sec. 35

Va. 18° 10' E.

5.00 road bears N. & S.

40.00 mound of and remains
of old cor. set a Pine post
3 1/2 ft. long 4 ins. square
12 ins. in ground for
Standard 1/4 sec. cor. marked
S.C. 1/4 on N. face with
regulation mound & pits

41.00 Dry Creek bears S.

80.00 Old cor. destroyed set
limestone 18 x 8 x 8 ins.
12 ins. in ground for

Kennedy

S. B. 2nd Standard Parallel N.

R. 18 W.

Chains		
	Chains Standard cor. to secs.	30.00
	34 and 35 marked S. C.	
	on N. 2 notches on E. 4	
	notches on W. edges with	
	regulation mound & pit	
	land level, soil 1st	
	rate and sandy, high	
	sagebrush brushy	
	augmented on 80 chains	
	West along South boundary	
	of sec. 34	
	Va. 18° 10' E.	
40.00	remains of old post 10 cl	
	South set pine post 3½	
	buy 4 in. square 12 in. in	5.85
	ground for Standard ¼	
	cor. marked S.C. ¼ on N.	17.00
	face with regulation mound	40.00
	and pits.	

2nd BOOK

Runney
2nd Standard Parallel N.
R. 18 W. S.

Chains	
30.00	remains of old corner set Pine pnt 3½ ft. long 4 ins square 12 ins. in ground for Standard cor. to secs. 33 and 34 marked S C. on N. 3 notches on E. and 3 notches on W. edges with regulation mound & pits land level, soil 2nd rate, Some sagebrush augmented on 80 chains.
	West along South boundary of sec. 33. Va. 18.10' E.
5.85	road from Lucin to Grouse Creek bears N. & S.
17.00	low sandy ridge N. & S.
40.00	no trace of old corner set Cedar pnt 3½ ft. long.

Runway
87 2nd Standard Parallel N
R. 18 W.

Chains	4 ins. square 12 ins. in ground for Standard 1/4 sec. cor. marked S C 1/4 on W. face with regulation mound and pits. in Grouse Creek bottom.
58.70	Grouse Creek 10 lks. wide 24 ins Deep, Dry, Trends South
60.50	West fork 8 lks. wide 4 lks. Deep Trends S.
80.00	no trace of old corner set a Cedar post 3 1/2 ft long 4 ins. square 12 ins. in ground for Standard 1/4 cor. to secs. 32 & 33 marked ~~S C. on W. 4 notches on S. 2 notches on W. edges~~ as per instruction with regulation mound & pits

Chains

40.00

80.00

Resurvey
2nd Standard Parallel N.
R. 18 W.
88

BOOK-A-195

Chains land, low rolling, rich
1st rate, high fence
vegetation.
augmented on 80 chains

West along South boundary of sec. 32.

no trace of old corner Va. 18° 10' E.
40.00 Set a Cedar post 3½ ft.
long 4 ins. square for
Standard ¼ sec. cor. marked
S.C. ¼ on W. face with
regulation mound & pits
80.00 mound of old corner
set Cedar post 3½ ft.
long 4 ins. square for
Standard cor. to sec. 31 & 32
marked as per instruction
with regulation mound
& pits.

89 2nd Standard Parallel N.
Resurvey
R. 18 W.

Chains	
	Land level, soil 1st rate, Same vegetation augmented on 80 chains.
	Westerly South boundary of sec. 31 Va. 18° 10' E.
56.80	road from Fermata to Grouse Creek bears N. 40
	witness mound & pit 2x1x1 ft.
40.00	mound of red cedar post 3½ ft. long 4 ins. square 12 ins. in ground for Standard ¼ sec. cor. marked S. C. ¼ on N. face with regulation mound & pits.
80.00	mound of red cedar post 4 ft. long 4 ins. square, 12 ins. in ground

Resurvey
2nd Standard Parallel N.
BOOK-A-195 R. 18 W. 90

Chains for Standard cor. to
T. 9 N. R. 18 & 19 W.
marked as per instruction
with regulation mound
& pits.
Land level, soil 1st
rate, dense sagebrush
augmented on 80 chains
Oct 25 1882

General Description.
The land N. and S. of
this line is fine farming
land and should be
subdivided.

Fred. Dickert
U. S. Dep. Surveyor.

BOOK-A-195

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, June 24th *1883*

The foregoing field notes of the NE *survey of the*

2nd Standard Parallel North through

Township No. *Range No.* 8 15.16.17.18 West

Executed by Ferdinand Ficken

Under his 10th *contract of the* 15th

day of Sept *1882, in the month of*

Oct *1882, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fdk Salomon

U. S. Surveyor General for Utah.

BOOK-A-195

REPORT: 1884

Filed 188

Examined by .....

Transcribed by B. K. Stevenson

Compared by Lieutenant B. Stevenson

FIELD NOTES

OF THE RESURVEY OF THE

South and East Boundaries

OF

Township No 8 North

Range No 18 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Ouckert

U. S. Deputy Surveyor,

Under his Contract No. 112

Dated September 15th 1882

Survey commenced November 29th 1882

Survey completed November 30th 1882

Resurvey
South Boundary
T. 8 N., R. 18 W.

91

BUON-A-195

Chains

From the established Cor. to T. 7 and 8 N. R. 18 & 19 W. Iron Post on a true line bet. secs. 6 and 31

Va. 18°10'E

40.00 Find old post lying down reset same a Pine 3½ ft long 3 ins. square 12 ins. in ground for ¼ sec. cor. marked ¼ on W. face with regulation mound & pits.

80.00 Find old mound set Pine post 3½ ft long 4 ins. square 12 ins. in ground for cor. to secs. 31. 32. 5 and 6. marked as per instructions with regulation mound. pits.

Land level, soil 2nd rate

Runney of South Bound
T. 8 N. R. 18 W.

Chains.	
	say set rock a greasewood
	Cut on a true line bet. secs. 5 and 32
	Va. 18° 10'
5.00	telegraph line bears NW & SE.
8.00	Central Pacific R. R. bears N.W & S.E.
9.50	Road bears N. W & S. E
10.50	telegraph line bears NW & SE.
40.00	find old mound, set a Pine post 3½ feet long 3 ins. square 12 ins. in ground for ¼ sec. cor. mark ¼ on N. fence with pegs cut in mound & pits.
80.00	find old post in good condition reset same a Pine

Chains
28.00
30.00
39.00
40.00

Resurvey of South Boundary
T. 8 W., R. 18 W. 93

chains put 3½ Ct. Lmy 4 ins. square
12 ins. in ground from cor.
to secs. 4. 5. 32 & 33
marked as per instruction
with regulation mound
and pits.
Land rolling soil 2nd rate
Dense sagebrush,
augmented on 80 chains.

Cut on a true line bet.
secs. 4 and 33
Va. 18° 10' E.

28.00 Dry Creek Travis S.
30.00 Spruce Creek (Dry)
Travis S.
39.00 Road to Susanville bears
N. W & S. E.
40.00 Set mound cor. for target
set Pine post 3½ ft. long 3 ins.

Runney of South Boundary
T. 8 N. R. 18 W.

Chains		Chains
	square 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits	10.00
48.00	Wagon trail bears N. & S.	40.00
67.50	rocky ridge bears N & S.	
80.00	old mound no trace of cor. set a Quartz 16×8×5 ins. 10 ins. in ground for cor. to secs. 3. 4. 33 & 34 marked 3 notches on W.	79.25
	3 notches on E. edges with regulation mound & pits	80.00
	land rolling, soil 2nd rate high sagebrush and greasewood.	
	augmented on 80 chains.	

Chain Cent on a true line bet.
secs. 3 and 34.
Va. 18° 10' E
10.00 foot of ridge bears N. & S.
40.00 find old mound, cv. de-
stroyed set a Pine post
3½ ft. long 3 ins. square
for ¼ sec. cv. marked ¼
on W. face with regulation
mound and pits. Station stone
in Engineers bears S. 60° E.
79.25 road bears N & S.
80.00 found old mound, cv.
destroyed set a Pine post
4 ft. long 3 ins. square 12 ins
in ground for cv. to secs.
2. 3. 34 & 35 marked 4
notches on W. 2 notches on
E. edges with regulation
mound & pits.
Soil 2nd rate
Land level, dense page

96 Resurvey of South Boundary
T. 8 N. R. 18 W.

Chains

Brush and greenwood.
augmented on 80 chains
Station Stone bears S. 18° W.
Cent on a true line bet.
secs. 2 and 35
Va. 18° 10' E.

32.50 road bears N E & S. W.

33.50 telegraph line bears
N E & S. W.

35.00 Central Pacific R. R.
bears N 60° E and S. 60° W.

36.50 telegraph line bears
N E & S. W.

40.00 old mound corner destroyed
set a Tree post 3 1/2 ft.
long 3 ins square 12 ins. in
ground for 1/4 sec. cor. marked
1/4 on N. face with regu-
lation mound pits.

80.00 Find old mound cor. de

Resurvey of South Boundary
T. 8 N. R. 18 W. 97

Chains

Set a Quartz
14 × 8 × 4 ins. 9 ins. in grd
for cor. to rec's. 1. 2. 3 5. 36
marked 5 notches on W.
1 notch on E. edges with
regulation mound & pits
Land level, soil 2nd
rate & sagebrush & grease
wood.

augmented on 80 chains

East on a true line
bet. rec's. 1 and 36
Va. 18° 10' E.

40.00 old corner destroyed set
a Pine post 3½ ft. long
3 ins. square 12 ins. in
ground for ¼ sec. cor.
marked ¼ on N. face
with regulation mound pits

98

Runney of South Boundy
T. 8 W. R. 18 W.

Chains	
80.00	Find old mound, corner lying down, set a Tree put 4 feet long, 4 ins. square 12 ins. in ground for cor. to T. 7 and 8 W. R. 17 and 18 W. marked as per instruction with regulation mound & pits. Land level, soil sandy or 2nd rate, Dense sagebrush. Augmented on 80 chains
	40.00
	63.50
	November 29th 82 64.38
	65.00
	65.2
	80.00

Boundy

Resurvey of East boundary
BOOK-A-195
T. 8 N. R. 18 W. 99

	Chains	From the established cor. to T. 7 and 8 N. R. 17 and 18 W. I run North bet. secs 31 and 36 Va. 18° 10' E.
	40.00	find old mound corner destroyed set a Pine post 3½ feet. long 3 ins. square 12 ins. in ground for ¼ sec. cor. marked ¼ on W. face with regulation mound & pits.
	63.50	telegraph line bears NE.
82	64.38	Central Pacific R.R. bears N 63° E, S. 63° W.
	65.00	telegraph line bears NE.
	65.20	Wagon road bears NE & S.W. witness mound and pit 2×1×1 feet.
	80.00	find old mound corner

Resurvey of East boundary
T. 8 W. R. 18 W.

Chains

Chain Set a stone post 80.00
3½ ft. long 4 ins. square
12 ins. in ground, for cor. to
secs. 25. 36. 30 and 31
marked as per instruction
with regulation mound
and pits.
Land level, soil 2nd
rate, some sagebrush
and greasewood
encountered on 80 chains.

North bet. secs. 25 and 30
Va. 18° 10' E. 40.00

40.00 Found old post lying down
a pine post 3½ feet long
2×4 ins. & 12 ins. in ground
for ¼ sec. cor. marked ¼
on W. face with regulation
mound & pits.

Chains

80.00 find old corner destroyed set a Quartz 12×12×6 ins 8 ins. in ground for cor. to secs. 24. 25. 19 and 30 marked 2 notches on S. 4 notches on W. edges with regulation mound & pits.

Land level, soil 2nd rate Dense sagebrush augmented on 80 chains.

North bet. secs. 19 and 24 Va. 18° 10' E.

40.00 find old mound corner destroyed set a Stone post 3½ feet. long 3 ins square 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.

Resurvey of East boundary
T. 8 N., R. 18 W.

Chains		Chains
70.70	Road to Bovine bears SE and NW.	
80.00	find old mound 15 lks. west, set a Pine post	41.00
	3½ feet long 3 ins. square	71.50
	12 ins. in ground for cor,	80.00
	to secs. 13. 24. 18 & 19 marked	
	as per instruction with	
	regulation mound & pits.	
	Land level, soil 2nd rate	
	dense ragebrush and grease	
	wood, coarse grass.	
	augmented on 80 chains	
	North bet. secs. 13 and 18	
	Var. 18° 10' E.	
40.00	Old corner destroyed find	
	mound set a Pine post	
	3½ ft. long 3 ins. square	
	12 ins. in ground for ¼ sec.	

Resurvey of East Boundary
BOUNDARY
T. 8 N. R. 18 W. 103

Chains cor. marked 1/4 on W. face with regulation mound and pits.

41.00 Dy Creek Travis S. E.

71.50 Dy Creek Travis S. E.

80.00 Find old mound pit lying 10 lks. South, set a Pine post 3½ ft. long 4 ins. square 12 ins. in ground for cor. to secs 12. 13. 7 and 18 marked as per instruction with regulation mound & pits, Land Level, vil 1st and 2nd rate, high sagebrush and greasewood some salt grass

augmented on 80 chains

Renewey of East boundary
T. 8 W. R. 18 W.

Chains	North bet. secs. 7 and 12. Var. 18° 10' E.	Chains
40.00	Found old mound, put lying down 40 lks. East set a Tree put 3½ ft. long 3 ins. square 12 ins. in ground for ¼ sec. cor. marked ¼ on W. face with regulation mound and pits.	10.00 40.00
73.75	Overland road bears NE and SW. witness mound a pit 2×1×1 feet	
80.00	Old post destroyed set a Tree post 3½ feet long 3 ins. square ~~to~~ 12 ins. in ground for cor. to secs 1. 12. 6 and 7 marked a per instruction with regulation mound a pit	39.60

BOUN-A-195 Resurvey of Cent Bound.
T. 8 N. R. 18 W. 1051

Chains

Land newly level
veil 2nd rate, dense
vegetation and bunch-
grass.
augmented on 8 0 chains.

North bet. secs. 1 and 6
Va. 18° 10' E.

10.00 ridge bears E. W.

40.00 set old corner destroyed
set a Pine post 3½ ft.
long 3 ins. square 12 ins.
in ground for ¼ sec. cor.
marked ¼ on W. face
with regulation mound
and pits.

59.60 Intersect the 2nd
Standard Parallel 1.90
chains West of the
corner to T. 9 N. R. 17 & 18 W.

106 Resurvey of East boundary
T. 8 W. R. 18 W.

Chains at a Pine post 3½ ft. long
3 ins. square 12 ins. in ground
marked as per instructions
with requirements in mind
and pits for closing cor.
to T 8 W. R. 17 and 18 W
Land rolling, soil 2nd
rate, Some swamp land
and gravel, timber pine
augmented on ~~80~~ 79.60 chains

General Description
There is fine farming
land in this township
mostly along Goose
Creek and should be
subdivided.

Fred. Dickert
U. S. Dep. Surveyor.
November 30th 1882

BOOK-A-195

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, January *1883*

The foregoing field notes of the re *survey of the*
South and East Boundaries
Township No. 8 North *Range No.* 18 West
Executed by Ferdinand Duchert
Under his *contract of the* 15th
day of September *1882., in the month of*
November *1882, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

J. H. Salomon

U. S. Surveyor General for Utah.

8

REPORT: 1884

Filed February 1st 1883

Examined by

Transcribed by Michaelis

Compared by Benj Stevenson J H Linton

FIELD NOTES

OF THE fractional Re SURVEY ~~OF THIS~~

and Survey of the Subdivisions

OF

Township No 8 South

Range No 18 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Lickert

U. S. Deputy Surveyor,

Under his Contract No. 112

Dated September 15th 1882

Survey commenced Dec 13th 1882

Survey completed Dec 18 1882

T. 8 N. R. 18 W.

Chains

Survey commenced Dec. 12-82 with a Gurleys improved Solar Compass I commence at the cor. to secs. 35 and 36. 1 and 2 on the South Boundary re-established by me, and run North bet. secs. 35 & 36

Va. 18°05' E.

22.00 road bears N E & S. W.

23.00 Central Pacific R. R. bears N E & S. W.

24.00 telegraph line bears N E & S. W.

40.00 found old mound, no trace of Pit, set a Quartz 16 x 8 x 5 ins, 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits

Subdivisions (Re-

T. 8 N. R. 18 W.

Chains	
45.00	Wagon trail bears S
	N.E.
51.00	S.E. end of notch in T
52.50	Wagon trail S.E. & W
	no trace of set corner
80.00	set a limestone 18×8
	12 ins. in ground for cor
	recs. 25. 36. 35 and 3
	marked 1 notch on
	notch on E. edges mi
	regulation mound
	Land level, roll
	2nd rate, dense sa
	brush and greasewo
	augmented on 80 ch
	Cut on a round oa
	bet. recs. 25 and 36
	Va. 18°
40	no trace of set co
	set temp. 1/4 sec. cor

Intersect Cent bdry at the cor. to secs 25. 36. 30 and 31 thence I run West on a true line bet. secs. 25 and 36.

with same var.

set a Quartz 16x8x5 ins, 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits

the cor. to secs. 25. 26 35 and 36

Land level, soil 2nd rate, Timber sage brush and greasewood

augmented on 80.20 chains.

Subdivisions (Re-survey)
T. 8 N. R. 18 W.

Chains North bet. secs. 25 and 26 | Chains

Va. 18 '05

40.00 found old mound and remains of pit, set a Quartz 18 x 10 x 4 ins., 12 ins. in ground for 1/4 sec. cor., marked 1/4 on W. face with regulation mound & pits | 40.00

80.00 no trace of old corner set a Quartz 16 x 8 x 4 ins., 10 ins. in ground for cor. to secs. 23. 24. 25. 26 marked 2 notches on S. and 1 notch on E. edges with regulation mound & pits. | 80.00

land level, soil 2nd rate. Dense undergrowth, brushwood, | 40.00

augmented on 80 chains. | 80.00

Subdivisions (Re-survey)

BOOK A-195

T. 8 W., R. 18 W.

	Chains	Cont on a random line bet. secs 24 and 25. Va. 18°05' E.
	40.00	no trace of old corner set temp. 1/4 sec. cor.
	80.00	Intersect Cont bearing 40 lks. north of cor. to secs. 24. 25. 19 & 30 thence Drun N 89° 43' W. on a true line bet. secs. 24 & 25 with same va.
	40.00	set a Quartz 15x10x5 ins 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound and pits.
	80.00	the cor. to secs. 23. 24. 25 & 26 Found, level & angle mounds, Salt grass.

Subdivisions Re-survey
T. 8 W. R. 18 W.

Chains		Chains
	North bet. secs. 23 & 24	
	Va. 18° 05' E.	
40.00	nw trace of old corner	
	set a limestone 16 x 8 x 4 ins	7.50
	10 ins. in ground for 1/4 sec	40.00
	cor. marked 1/4 on W. face with	
	regulation mound & pits	80.30
53.50	Dry Creek, trends S.E.	
68.50	Old road bears E. & W.	
73.00	Old road bears E. & W.	
80.00	found old corner lying	
	on ground set Tree post	
	3 ft. long 3 ins. square 12 ins	40.15
	in ground for corner to	
	secs. 13. 14. 23 & 24 marked	
	as per instruction with	
	regulation mound & pits	
	Land level, soil 2nd	80.30
	rate, sagebrush, saltgrass	

BUUR-A-195 Subdivisions Re-survey 1903

J. 8 N. R. 18 W.

24	Chains	Cont on a random line
8°05' E		bet. secs. 13 and 24
		Va. 18°05' E.
8×4 ins	7.50	Dry Creek bears S. E
r 1/4 sec	40.00	no trace of old corner
e with		set a temp. 1/4 sec. cor,
its	80.30	Intersect Cont bearing
. E.		28 chs. W. of the cor. to
a W.		secs. 13. 24. 18 and 19
x W,		thence N run N 89° 48' W.
ing		on a true line bet. secs.
ent		13 and 24 with same va.
12 ins	40.15	set a limestone 18×8×3
to		ins, 12 ins. in ground for
arked		1/4 sec. cor. marked 1/4
with		on W. face with regulation
pits		mound a pits.
2nd	80.30	the cor. to secs. 13. 14. 23. 24
etgng		Land Level, mil 2nd rate
		high cultivated ground

Subdivisional Re-survey
T 8 N., R. 18 W.,

Chains	augmented on 80.30 chains	Chains
	North bet. secs. 13 & 14	
	Va. 18° 05' E.	
11.00	Dry Creek Drain S.E.	
40.00	found old mound, set a Pine post 3½ ft. long 3 ins. square 12 ins. in ground for ¼ sec. cor. marked ¼ S., on W. face with regulation mound & pits,	15.10
		40.00
59.50	Overland road bears S.W. and N.E.	
		80.00
80.00	find old corner lying down set a Pine post 3 ft. long 3 ins. square 12 ins. in ground for cor. to secs. 11. 12. 13 & 14 marked as per instruction with regulation mound & pits.	40.00

	Chains	Land low rolling, soil 2nd rate, high sage-brush & greasewood, Salt grass, augmented on 80 chs
		Cut on a random line bet. secs. 12 and 13 Va. 18° 05' E.
	15.10	Overland road bears S.W & N.E.
	40.00	no trace of old cor. set a temp. 1/4 sec. cor.
	80.00	Intersect East boundary at the cor. to secs. 12, 13, 7 & 18 thence Drive West on a true line bet. secs. 12 & 13 with same va,
	40.00	set a limestone 18 x 8 x 5 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face

Subdivisions Resurvey

T. 8 N. R. 18 W.

Chains

80.00 with regulation mound & pits
the Cor. to secs 11.12.13.14
Land rolling, sandy
High sagebrush & grease-
wood.
augmented on 80 chains

North bet. secs. 11 and 12
Va. 18° 05' E

40.00 no trace of old corner,
set a limestone 18×8×3 ins
12 ins. in ground for 1/4 sec.
cor. marked 1/4 on W. face
with regulation mound & pits

52.00 Dry Creek Trends S. E.

80.00 no trace of old corner
set a limestone 18×9×3 ins
12 ins. in ground for cor.
to secs. 1. 2. 11 and 12 marked
5 notches on S. 1 notch on E.

Chains

11.2
17.5
27.0
40.0
80.1
40.0

Subdivisions Romney
BOUN-A-195
T. 8 N. — R. 18 W.
117

pits	Chains	edges with regulation mound a pits. Soil 2nd rate Land level, V Dense sagebrush. augmented on 80 chains.
.13.14		
/		
ure —		
rains		
		Cont on a random line
12		bet. secs. 1 and 12,
8°05'E.		Va. 18°05'E.
ver,	11.25	Old road bears N. & S.
8×3 ins	17.50	Dry Creek drains S.
, sec.	27.00	Dry Creek drains S.
ure	40.00	no trace of old cor.
ins pits		set temp. 1/4 sec. cor,
E.	80.10	Intersect Cont boundary
ner		at the cor to secs.
9×3 ins		1. 12. 6 and 7 thence N
cor.		run West on a true line
mer		bet. secs. 1 and 12 with allowance
n E.	40.05	set a limestone 19×8×5 ins.

Subdivisions Re-survey
T. 8 N. R. 18 W.

Chain 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.

80.10 the cor. to secs. 1. 2. 11 & 12 found loose, rail 2nd rate fence & ditch augmented on 80 1/2 chains

North on a true line bet. secs. 1 and 2 Va. 18° 05' E.

36.00 Old road bears E. & W.

40.00 no trace of old cor. set a limestone 16x10x10 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits

80.60 Intersect 2nd Standard Parallel 38 Lks. W. of the

Instructions

T. 8 N. — R. 18 W

Chain Corner to secs 35 and 36
no trace of old closing
cor. set a pine post 3½ ft.
long 3×3 ins. square 12 ins. in ground
~~marked~~ for closing cor.
to secs. 1 and 2 marked
as per instructions with
regulation mound & pits

Land level, soil
2nd rate, dense sage-
brush, timber slight
augmented on 80.60 chs.

Dec. 13th - 82

Subdivisions

T. 8 W. R. 18 W.

Chains		Chains
	From the established Cor. to secs. 34 and 35, 2 and 3 on South Boundary of Township 7 run North bet. secs. 34 and 35 Va. 18° 05' E.	0.75
40.00	set a limestone 18x8x4 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.	40.00
77.50	Dry Creek runs S. W.	62.50
80.00	set a limestone 18x7x6 ins. 12 ins. in ground for cor. to secs. 26. 27. 34 & 35 marked 1 notch on S. 2 notches on E. edges with regulation mound & pits	80.00
	land level, soil 2nd rate.	
	Dense woodland, growth	80.00

Chains	augmented on 80 chains
	Cont on a random line bet. secs. 26 and 35 Va. 18° 05' E,
0.75	Dry Creek Drains S.
40.00	set temp. 1/4 sec. cor.
62.50	rocky ridge bears NW & SE.
80.00	Intersect N. & S. line at the cor. to secs. 25.26.35 & 36 thence Drive West on a true line (with same va. between secs 26 & 35)
40.00	set a limestone 14x8x5 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.
80.00	the cor. to secs. 26.27.34.35

Subdivisions

T. 8 W. R. 18 W.

Chains		Chains
	land rolling, soil 2nd rate, scrub, dense sagebrush augmented on 80 chains	
	North bet. recs 26 and 27	40.00
	Va. 18° 05' E.	79.90
40.00	set a limestone 16 x 8 x 5 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face, with regulation mound of pits.	
80.00	set a limestone 15 x 6 x 6 ins. 10 ins. in ground for cor. to secs. 22. 23. 26 & 27 marked 2 notches on S, 2 notches on E. edges with regulation mound of pits	39.95
		79.90
	land low rolling, soil 2nd rate, dense sagebrush augmented on 80 chains.	

T. 8 N. R. 18 W.

Chains	Centon a random line bet. secs. 23 and 26 Va. 18° 05' E.
40.00	set temp. 1/4 sec. cor.
79.90	Intersect N. & S. line at the cor. to secs. 23.24 25 & 26 thence N run West on a true line bet. secs. 23 & 26 with same m.
39.95	set a limestone 19 x 6 x 5 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.
79.90	the cor. to secs. 22. 23 26 and 27. land low rolling soil 2nd rate Dense sagebrush and greasewood timbered as 79.90 chains.

Subdivisions

T. 8 N. R. 18 W.

Chains		Chains
	North bet. secs. 22 and 23	
	Va. 18° 05' E.	
4.00	Low ridge bears S. W. & N. E.	
32.25	Overland road bears	
	S. W. & N. E.	
40.00	Set a limestone 16 x 9 x	
	10 ins. in ground for 1/4 sec.	
	cor. marked 1/4 on W. face,	
	with regulation mound	20.00
	and pits.	
45.75	Road from Grouse Creek	
	to Dorrie bears E. & W.	40.00
	with help mound & pit 3 x 1 x 1 ft.	57.25
80.00	Set a limestone 18 x 8 x 5	80.30
	ins. 12 ins. in ground for cor.	
	to secs. 14. 15. 22 & 23 marked	
	3 notches on S. 2 notches on	
	E. adjoining with regulation	
	mound & pits.	

Land first half level, second half

T. 8 W. R. 18 W.

Chains Link rolling, sandy
high & ugly with a green-
wood
augmented on 80 chains

Cut on a random line
bet. secs. 14 and 23
Va. 18° 05' E.,
20.00 Overland road bears
NE. & SW. witness mound
and pit 2×1×1 ft.
40.00 set temp. 1/4 sec. cor.
57.25 road bears N. & S.
80.30 Intersect N. & S. line
30 lks. North of the
ex. to secs. 13. 14. 23. 24
thence I run
N 89° 47' W. on a true
line bet secs. 14 and 23
with same va.

Subdivisions

T. 8 W. R. 18 W.

Chains

40.15 set a Quarter 14 x 10 x 4 ins. 9 ins. in ground for 1/4 sec cor. marked 1/4 on W. face with regulation mound and pits

80.30 the cor. to secs. 14. 15. 22 & 23. Land level & soil 2nd rate. Dense sagebrush augmented on 80.30 ch

North bet. secs. 14 and 15 Va. 18° 05' E.

40.00 set a limestone 16 x 8 x 4 ins 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.

80.00 set a limestone 15 x 9 x 4 ins. 10 ins. in ground for cor. to secs. 10. 11. 14 & 15.

BOOK-A-195

T. 8 N. — R. 18 W.

Chains

marked 4 notches on S. 2 notches on E. edges with regulation mound & pits land low rolling soil 2nd rate, sandy high greenewood, sage brush augmented on 80 chains

East on a random line bet. secs. 11 and 14
Va. 18° 05' E.

40.00 set temp. 1/4 sec. cor.

80.30 Intersect N. & S. line at the cor. to secs. 11. 12. 13 & 14 thence I run West on a true line bet. secs. 11 and 14 with camera,

40.15 set limestone 12×10×9 ins. 8 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face

Subdivisions

T. 8 N. R. 18 W.

Chains	with regulation mound and pits	Chains
80.30	the corner to secs. 10. 11. 14. & 15 land low rolling, soil 2nd rate, sandy, high sagebrush & greasewood: augmented on 80.30 chains	
	North bet. secs. 10 and 11 Va. 18° 05' E.	
8.00	Dry Creek Drains S. W.	9.50
40.00	set Quartz 12×10×8 ins. 8 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face	40.00
	with regulation mound and pits.	80.00
80.00	set a limestone 19×8×4 12 ins. in ground for cor. to secs. 2. 3. 10 & 11 marked 5 notches on S. 2 notches	40.00

BOU-A-195

T. 8 N. R. 18 W.

nd	Chains	on E. edges with vegetation around pits
11.14.15		land level, soil 2nd
rich		rate, high sagebrush &
high		greasewood, bunchgrass.
wood.		augmented on 80 chains.
0 chains		
		Cont on a random line
11		bet. secs. 2 and 11
5' E.		Va. 18° 05' E.
W.	9.50	ridge bears N. & S.
8 in.	40.00	set temp. 1/4 sec. cor,
1/4 sec.		on point of rocky point
face		bears N.
und	80.00	Intersect N. & S. line
		at the cor. to secs.
		1. 2. 11 and 12 thence
x8x4		run West on a true line
cor.		bdry. secs. 2 & 11
narked		with same vs.
tubes	40.00	set a limestone 12x10x6

Subdivisions.

T. 8 N. R. 18 W.

Chains

8 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.

80.00 the cor. to secs. 2. 3. 10 & 11, land level, soil 2nd rate, dense sagebrush & greasewood,

augmented on 80 chains.

North on a true line bet. secs. 2 and 3,

Va. 18° 05' E.

40.00 set a limestone 14 x 10 x 6 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.

80.60 Intersect 2nd Standard Parallel 30 chs. West of cor. to secs. 34 & 35 set

BOOK-A-195

T. 8 W. — R. 18 W.

Chains

Iron post 3½ feet long 3 ins. square 1 ft. in ground for Closing cor. to secs. 2 and 3 marked as per instructions with regulation mound 2 pits.

Land level, soil 2nd rate, dense sagebrush and greasewood.

augmented on 80.60 chains.

Dec. 14th 82

Subdivisions
T. 8 N. R. 18 W.

Chains	
	From the established cor. to secs. 33 and 34 on South Boundary of township 2 nun North bet. secs. 33 and 34 Va. 18° 05' E.
40.00	set a limestone 18 x 8 x 8 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits on ridge bears E. & W.
57.50	East end of low ridge bears West
80.00	set limestone 18 x 8 x 4 ins. 12 ins. in ground for cor. secs. 27. 28. 33 and 34, marked 1 notch on S. 3 notches on E. edges with regulation mound & pits

T. 8 N. R. 18 W.

ed cr.	Chains	land low rolling,
n		soil 2nd rate, Sause
tem-		sagebrush & greasewood.
et.		augmented on 80 chains.
5' E.		Cut on a random line
8 x 8 ins		bet. secs. 27 and 34
1/4 sec.		Va. 18° 05' E.
face	40.00	set temp. 1/4 sec. cor.
ound	78.75	Road from Lucin to
ars		Grouse Cr. bears N & S.
	80.20	Intersect N. & S. line
idge		28 chs. N. of the cor. to
		secs. 26. 27. 34. & 35 thence
8 x 4 ins		run N 89° 48' W. on a
cor.		true line bet. secs. 27 & 34
34,		with same va.
S.	40.10	set a limestone 19 x 9 x 5
es with		ins. 12 ins. in ground for
pits		1/4 sec. cor. marked 1/4 on

Subdivisions

T. 8 N. R. 18 W.

Chains

N. face with regulation mound & pits

80.20 the cor. to secs. 27. 28. 33. 34 and level, soil 2nd rate, dense sagebrush & greasewood augmented on 80.20 chains

North bet. secs. 27 & 28 Va. 18° 05' E.

24.80 Old wagon road bears NE & SW.

40.00 set a limestone 18x10x6 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.

50.75 Overland road bears E & W.

witness mound & pit 2x1x1 ft.

80.00 set a limestone 30x16x4 ins. 20 ins. in ground for

T. 8 N. R. 18 W.

	Chains	cor. to secs 21.22.27-28 marked 2 notches on S. 3 notches on E. edges with regulation mound & pits. Land low rolling, soil 2nd class, some sagebrush & grease-wood.
		augmented on 80 chains
		Cut on a random line bet. secs. 22 and 27 Va. 18°05' E.
	15.00	foot of low ridge
	40.00	set temp. 1/4 sec. cor.
	60.00	Overland road bears N. & S. witness mound and pit 2×1×1 ft.
	80.10	Intersect N. & S. line at the cor. to secs. 22.23. 26 & 27 thence I run

T. 8 N. R. 18 W.

Chains West on a true line bet. Chains
recs. 22 and 27 with same va.

40.05 set a Quartz 15 × 8 × 8 ins. 80.0
10 ins. in ground for 1/4 sec.
cor. marked 1/4 on N. face
with regulation mound
& pits

80.10 the cor. to recs. 21. 22. 27. 28.
land low rolling,
soil 2nd rate, savan-
nah & greenwood.

North bet. recs. 21 & 22
Va. 18° 05' E.

0.50 foot of low ridge

37.50 top of low ridge bears
E. & W.

40.00 set a Quartz 14 × 7 × 6 ins
9 ins. in ground for 1/4 sec. 30.
cor. marked 1/4 on W. face

	Chains	with regulation mound & pits
	80.00	set a limestone 18×8×5 ins. 12 ins. in ground for cor. to secs. 15. 16. 21 & 22 marked 3 notches on S. 3 notches on E. edges with regulation mound and pits. land rolling, partly rocky, soil 2nd rate Dense sagebrush and Rosewood. augmented on 80 chains.
		East on a random line bet. secs. 15 and 22 Va. 18° 05' E.
	30.00	foot of ridge bears N. & S.

BOG-A-195

T. 8 N. — R. 18 W.

Chains	North bet. secs. 15 and 16 Va. 18° 05' E.
20.00	foot of low ridge bears N. & S.
40.00	set a Quartz 18×10×5 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound and pits
45.00	top of low ridge bears N.W. & S.E.
65.50	Road bears NW & S.E.
80.00	set a Quartz 18×8×5 ins. 12 ins. in ground for cor. to secs. 9. 10. 15 & 16 marked 4 notches on S. 3 notches on E. edges with regulation mound & pits. Land rolling, soil 2nd & 3d rate, dense sagebrush

Subdivisions

T. 8 N. R. 18 W.

Chains		Chains
	augmented on 80 chains.	
	Cut on a random line bet. secs. 10 and 15. Va. 18° 05' E.	
40.00	set temp. 1/4 sec. cor.	37.75
80.30	Intersect N. & S. line 28 lks. North of the cor. to secs. 10. 11. 14 & 15, thence I run N 89° 48' W. on true line bet. secs. 10 & 15 with same va.	40.00
40.15	set a Quartz 12 x 8 x 6 ins. 8 ins in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound and pits.	44.25 50.00
80.30	the cor. to secs. 9. 10. 15. 16 land level, soil 2nd rate, dense sagebrush	80.00

T. 8 W. R. 18 W.

Chains and greenwood.
augmented on 80.30 chain

North bet. secs. 9 and 10
Va. 18° 05' E.

37.75 foot of knoll South side
40.00 set a limestone 20×10×8
ins. in mound of stones for
1/4 sec. cor. marked 1/4 on
W. face, with mound of
stones alongside pits
impracticable, on N.
side of knoll.
44.25 Dry Creek trends S. W.
50.00 foot of ridge bears
E. & W.
80.00 top of ridge set a
limestone 22×12×7 ins.
in mound of stones for
cor. to secs. 3. 4. 9 and 10

Subdivisions.

T. 8 N. R. 18 W.

Chains		Chains
	marked 5 notches on S. 3 notches on E. edges, with mound of stones alongside pits impracticable land low rolling soil 2nd rate, dense sagebrush & greasewood augmented on 80 chains.	80.00
	Cont on a random line bet. secs. 3 and 10 Va. 18° 05' E.	
40.00	set temp. ¼ sec. cor.	
58.00	low ridge bears N. & S.	5.00
80.00	Intersect N. & S. line at the cor. to secs. 2. 3. 10 & 11	40.00
	thence I run West on a true line bet. secs. 3 & 10 with same va.	
40.00	set a limestone 16×10×6 ins	80.60

T. 8 N. R. 18 W.

Chains	10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits
80.00	the cor. to secs. 3. 4. 9. & 10 land rolling, soil 2nd and 3rd rate, high sage brush & greasewood. augmented on 80 chains
	North on a true line bet. secs. 3 and 4 Va. 18° 05' E.
5.00	leave ridge
40.00	set a limestone 15x10x6 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits
80.60	Intersect 2nd Standard

Subdivisions

T. 8 N. R. 18 W.

Chains

Parallel 20 lks. W. of the Corner to secs. 33 and 34
Set a Pine post 3½ feet long 3 ins. square 12 ins. in ground for Closing cor. to secs. 3 and 4 marked as per instruction with regulation mound & pits.
Land level, soil 2nd rate, dense growth of hazel brush and greasewood.
augmented on 80.60 chains.

Dec. 15 12

Chains

20.00
40.00

72.00
80.00

BOOK-A-195

T. 8 N. R. 18 W.

Chains	
	From the established Corner to secs. 4. 5. 32 and and 33 on the south boundary of Township I run North bet. secs. 32 and 33
	Va. 18° 05' E.
20.00	grease creek bears E
40.00	set a Quartz 12x10x4 ins. 8 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
72.00	Dry Creek bears S. W.
80.00	set a Quartz 16x8x4 ins. 10 ins. in ground for cor. to secs. 28. 29. 32 & 33 marked 1 notch on S. 4 notches on E. edges with regulation mound and pits.

Subdivisions

T. 8 N. R. 18 W.

Chains		Chains
	land rolling, soil 2nd rate high sagebrush and greasewood, sand grass. augmented on 80 chains.	80.30
	Cont on a random line bet. secs. 28 & 33 Va. 18° 05' E.	
40.00	set temp. 1/4 sec. cor.	
59.25	Road bears S. W. & N. E.	14.90
80.30	Intersect N. & S. line at the cor. to secs. 27. 28 33 and 34 thence N run West on a true line bet. secs. 28 & 33 with same va.	40.00
40.15	set limestone 16 x 8 x 7 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound and pits.	51.50 80.00

Chains	
80.30	Theow. to recs. 28.29.32 and 33 land low rolling, soil 2nd rate, dense sage-brush & greasewood. augmented on 80.30 chains
	North bet. recs. 28 & 29 Va. 18°05' E.
14.90	Overland road bears NE. and SW. witness mound & pits 2×1×1 ft.
40.00	set a Quartz 14×10×5 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
51.50	low rocky ridge E. & W.
80.00	set a Quartz 20×10×8 ins. 12 ins. in ground for

Subdivisions
T. 8 N. R. 18 W.

4	Chains	cor. to secs. 20. 21. 28 & 29 marked 2 notches on S. 4 notches on E. edges with regulation mound & pits, land level, soil 2nd rate, some sagebrush and greasewood. augmented on 80 chains	mis 10 ret fa me 0.30 th l 2nd an an
		Cut on a random line bet. secs. 21 and 28 Va. 18° 05'	
40.00		set temp. 1/4 sec. cor.	5.00 l
80.30		Intersect N. & S. line 20 chs. N. of the cor. to secs. 21. 22. 27. & 28 thence run N 89° 51' W. on a true line bet. secs. 21 & 28 with same va.	0.00 r mis 1/4 W. m 0.00
40.15		set a Quartz 15 x 9 x 6 in	6

BOOK-A-195

S. 8 N. R. 18 W.

ins 10 ins. in ground for 1/4
rec. cor. marked 1/4 on N.
face with regulation
mound & pits.

0.30 the cor. to secs. 20. 21. 28. 29
land rolling, soil
2nd rate, some sagebrush
and greasewood,
augmented on 80.30 chains

North bet. secs. 20 and 21
Va. 18° 05' E.

5.00 low ridge bears E. & W.

0.00 set a limestone 16×16×10
ins. 10 ins. in ground for
1/4 sec. cor. marked 1/4 on
W. face with regulation
mound & pits,

0.00 set a Quartz 9×9×9 ins.
6 ins in ground for cor. to secs

Subdivisions

T. 8 N. R. 18 W.

Chains

Chains 16. 17. 20 and 21 marked
3 notches on S. 4 notches on
E. edges with regulation
mound & pits
land rolling, soil 2nd
rate, dense sagebrush
and greasewood. 80.00
augmented on 80 chains

Cant on a random line
bet. secs. 16 and 21
Va. 18° 05' E.

40.00 set temp. 1/4 sec. cor. 40.00
80.00 Intersect N & S. line
40 lks. N. of the cor. to
secs. 15. 16. 21 & 22, then
I run N 89° 56' W. on a
true line bet. secs. 16 & 56.50
with same va. 71.00

40.00 set a Quartz 12 x 8 x 7 in

T. 8 N. R. 18 W.

Chains	8 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound and pits.
80.00	the cor. to secs. 16.17.20.21. land level, soil 2nd rate, dense sagebrush and greasewood augmented on 80 chains.
	North bet. secs. 16.17 Va. 18°05' E.
40.00	set a Quartz 18x10x6 ins, 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
56.50	enter Grouse Creek bottom
71.00	Grouse Creek, (Dry) Trends S. W.

Subdivisions.
T. 8 N. R. 18 W.

Chains	
80.00	set Quartz 18×8×5 ins. 12 ins. in ground for cor. to secs. 8. 9. 16 & 17 marked 4 notches on S. 4 notches on E. edges with regulation mound & pits. Land level, soil 1st and 2nd rate, high sage brush and greasewood. augmented on 80 chains.
	Cent on a random line bet. secs. 9 and 16. Va. 18° 05' E.
12.00	Grouse Creek dries S. W. (dry)
40.00	set temp. 1/4 sec. cor.
64.50	Road to Grouse Creek bears N.W. & S.E.
80.60	~~the cor. to~~ Intersect N. and S. line at the cor. to secs. 9. 10. 15 & 16 thence

Chains

40.3

80.6

40.0

Chains	
	Run West on a true line bet. secs. 9 and 16 with same va.
40.30	set a Quartz 18×9×4 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.
80.60	The cor. to secs. 8. 9. 16. 17 land rolling, soil 2nd rate, sandy, some sagebrush and greasewood. augmented on 80.60 chains.
	North bet. secs. 8 and 9 Va. 18° 05' E.
40.00	set a Quartz 16×9×5 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound

Subdivisions
T 8 N. R. 18 W.

Chains	
	and pits.
80.00	set a limestone 30×10×2 ins. 20 ins. in ground for cor. to secs. 4. 5. 8 and 9 marked 5 notches on E. 4 notches on E. edges with regulation mound & pits.
	Land level, soil 1st rate, high sagebrush and greasewood.
	augmented on 80 chains
	Cut on a random line bet. secs. 4 and 9.
	Var. 18° 05' E.
5.00	Grouse Creek flows S.
40.00	set temp. 1/4 sec. cor.
48.50	Road bears N E & S. W. witness mound & pit 2×1×1 ft.
60.00	low ridge bears N. & S.

Chains
80.20

40.10

80.20

T. 8 N. R. 18 W.

Chains	
80.20	Intersect W. & S. line at the cor. to secs. 3. 4. 9 & 10 thence N run West on a true line bet. secs. 4 and 9 with same va.
40.10	set a limestone 14×10×6 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.
80.20	the cor. to secs. 4. 5. 8. 9. Land rolling, soil 1st and 2nd rate, dense sagebrush & greasewood. augmented on 80.20 chains
	North on a true line bet. secs. 4 and 5.
	Va. 18°05' E
	line runs along West side of

1851 Subdivisions

T. 8 N. R. 18 W.

BOO

Chains	Grouse Creek.	Chains
40.00	set a limestone 18×9×3 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound and pits.	
80.30	Intersect 2nd Standard Parallel at the cor. to secs. 32 and 33 set a Tine Pst 3 1/2 ft. long 3 ins. square 12 ins. in ground for closing cor. to secs. 4 and 5 marked as per instruction with regulation mound & pits. Land rolling, soil 1st and 2nd rate, high sagebrush and grass. Surveyed and augmented on 80.30 ch.	2.00 2.75 3.50 5.00 40.00 53.20
	Dec 16	55.50
		64.90

T. 8 N. R. 18 W.

Chains	
	From the established cor. to secs. 31. 32. 5 and 6 on South boundary of township 9 run North bet. secs. 31 and 32 Va. 18° 05' E.
2.00	telegraph line bears S.E. & N.W.
2.75	Central Pacific Rail road bears S.E & N.W.
3.50	telegraph line bears S.E. & N.W.
5.00	Old road bears S.E. & N.W.
40.00	set a Quartz 2 x 8 x 4 ins. 14 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound and pits.
53.20	Dry Creek trends E.
55.50	Dry Creek trends E.
64.90	Overland road bears

Subdivisions

T. 8 N. R. 18 W.

Chains		Chains
	witness mound & pit 2x1x1 ft.	39.9
80.00	set a Quartz 34x12x6 ins.	
	22 ins. in ground for cor. to	40.00
	secs. 29. 30. 31 and 32	43.00
	marked 1 notch on S. 5	80.10
	notches on E. edges with	
	regulation mound & pits	
	land rolling, soil 1st and	
	2nd rate. high sagebrush	
	and greasewood.	40.05
	augmented on 80 chains.	
	Cut an a road on line	
	bet. secs. 29 and 32	
	Va. 18° 05' E,	80.10
2.00	Dry Creek Drains S. E.	
15.00	line & and ridge bears Va S.	
35.00	Overland road bears	
	N. E & S. W. witness mound and	
	pit 2x1x1 feet	

T. 8 N. R. 18 W.

x1 ft.	Chains 39.90	Grouse Creek, Dry, Trail South
6 ins.		
r. to	40.00	set temp. 1/4 sec. cor.
	43.00	Old road bears N & S.
5	80.10	Intersect N & S. line
with		22 lks North of the cor.
pits		to secs. 28.29.32.33
nt and		thence Drym N 89° 51' W.
mark		(below secs. 29 & 32) on a true line, with same mk.
	40.05	set a Quartz 24x10x3 ins.
ins.		16 ins. in ground for 1/4 sec.
		cor. marked 1/4 on N. face
line		with regulation mound
		and pits.
05' E,	80.10	the cor. to secs. 29.30.31.32
E.		Land mostly level
& N & S.		soil 1st rate, high
to		sagebrush & greasewood.
and		augmented on 80.10 chains

Subdivisions

T. 8 N. R. 18 W.

Chains		Chains
	West on a random line bet. recs. 30 and 31	
	Va. 18° 05' E.	1.50
40.00	set temp. 1/4 sec. cor.	40.00
80.60	~~the cor. to secs.~~. Intersect Boundary at the cor. to secs. 30. 31. 25. 36	
	thence S run East on a true line bet. secs. 30 & 31 with	80.00
	same va.	
40.60	set a Quartz 22x14x3 ins. 14 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with	
	regulation mound & pits,	
80.60	the cor. to secs 29. 30. 31 & 32	
	land rolling, soil 1st & 2nd rate, high sage brush timber chaparral	
	augmented on 80.60 ch.	

et.	Chains	North bet. secs. 29 & 30
		Va. 18° 05' E.
5' E.	1.50	Dry Creek Trans. E.
	40.00	set a limestone 32x10x6
		ins. 20 ins. in ground for
tanset		1/4 sec. cor. marked 1/4 on W.
he		face with regulation
36		mound & pits
a		
1 with	80.00	set a limestone 20x9x3
		ins. 12 ins. in ground for
x3 ins.		cor. to secs 19. 20. 29 & 30
. cor.		marked 3 notches on S.
ith		5 notches on E. edges with
s,		regulation mound & pits.
31 & 32		Land level, soil 1st
1st		and 2nd rate. high
ge-		sagebrush & bunchgrass
		augmented on 80 chains.
ch.		

Chains		Chains
	East on a random line bet. secs. 20 and 29	
	Va. 18° 05' E.	
37.00	Dry Creek Trans S. E.	
40.00	set temp. 1/4 sec. cor.	
45.50	Grouse Creek Trans South.	
80.20	Intersect N. & S. line 24 lks. North of the cor. to secs. 20. 21. 28 & 29	35.00 40.00 80.00
	thence S run N 89° 50' W on a true line bet. secs. 20 & 29 with same var.	
40.10	set a Quartz 16x8x4 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.	40.00
80.20	the cor. to secs. 19. 20. 29 & 30 land low rolling soil	

	Chains	1st and 2nd rate, high sagebrush & grass covered augmented on 80.20 chains.
		West on a random line bet. secs. 19 and 30 Var. 18° 05' E.
	35.00	Dry Creek Trans S.
	40.00	set temp. 1/4 sec. cor.
	80.00	Intersect West boundary of township 42 chs. N. of the cor. to secs. 19. 30. 24-25 thence Drum N 89° 42' E, on a true line bet. secs. 19 & 30 with same va.
	40.00	set a limestone 18x10x3 in. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound and pits,

Subdivisions
T. 8 N. R. 18 W.

Chains		Chains
80.00	the cor. to secs. 19. 20. 29. 30. land level, soil 1st and 2nd rate. Some sagebrush greasewood. augmented on 80 chains.	
		10.00
	North bet. secs. 19 and 20 Va. 18°05' E	37.50
40.00	set limestone 15x12x3 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.	40.00
		44.00
		80.00
80.00	set a limestone 15x8x6 ins 10 ins. in ground for cor. to secs, 17. 18. 19 & 20 marked 3 notches on S. 5 notches on E. dyes with regulation mound & pits.	40.00
	land level, soil 2nd rate	

BOOK A-195

T. 8 N. R. 18 W.

29. 30.	Chains	sagebrush, brushy. Dec. 17th 82
t and		Cut on a random line
rush		bet. secs. 17 and 20
hains.		Va. 18° 05' E.
	10.00	enter Grouse Cr. bottom
nd 20	37.50	Grouse Creek (dry)
8°05'E		Drains S.
12×3	40.00	set temp. 1/4 sec. cor.
per	44.00	Grouse bottom
4 on	80.00	Intersect N. & S. line
ution		at the cor. to secs. 16. 17.
		20 and 21 thence Drive
8×6 ins		bet. secs. 17 & 20 West on a true line with
cor. to		Grouse va.
rked	40.00	set a Quartz 18×8×5 ins
hes on		12 ins. in ground for 1/4 sec.
ution		cor. marked 1/4 on N. face
		with regulation mound
and rete		and pits.

Subdivisions

T. 8 N. R. 18 W.

Chains		Chains
80.00	the cor. to secs. 17. 18. 19 & 20	
	land line rolling, with	79.9
	1st and 2nd rate, high	
	sagebrush & greasewood	
	augmented on 80 chains	
	West on a random line	
	bet. secs. 18 and 19	
	Va. 18° 05' E.	
40.00	set temp. 1/4 sec. cor.	3.50
79.90	Intersect West boun-	10.00
	20 lks. South of the cor	
	to secs. 18. 19. 13 & 24, t	
	from S. 89° 51' E. on a t	
	line bet. secs. 18 & 19 wit	
	same vec.	50.00
39.90	set a limestone 18x9x5	66.50
	ins. 12 ins in ground for	79.25
	1/4 sec. cor. marked 1/4 on	80.00
	N. face with regulation	

	Chains	mound & pits.
	79.90	the cy. to secs. 17.18.19.20
		land level, said 2nd
		rate, dense sagebrush
		and greasewood.
		augmented on 79.90 ch.
		North bet. secs. 17 & 18
		Va. 18° 05' E.
	3.50	Dry Creek Trans S. E.,
	10.00	set a Quartz 18 x 9 x 4
		ins. 12 ins. in ground for
		1/4 sec. cor. marked 1/4 on
		W. face with regulation
		mound & pits,
	50.00	Dry Creek Trans S. E.,
	66.50	Dry Creek Trans S. E.,
	79.25	Dry Creek Trans S. E.
	80.00	set a Quartz 16 x 10 x 4 ins.
		10 ins. in ground for cor.

Subdivisions

T. 8 N. R. 18 W.

BOO

		Chains
Chains	to rec's. 7.8.17 & 18 marked	40.10
	4 notches on S. 5 notches	
	on E. edges with regulation	
	mound & pits.	
	Land low rolling,	
	soil 2nd rate, some	80.20
	sagebrush & greasewood	
	augmented on 80 chains.	
	Cut on a random line	
	bet. recs. 8 and 17	
	Va. 18° 05' E.	
22.00	Dry Creek Trends S. E.	
29.00	Dry Creek Trends S. E.	
40.00	set temp. 1/4 sec. cor.	
80.20	Intersect N. & S. Line	0.50
	28 lks. North of the cor.	7.00
	to rec's. 8.9.16 & 17 thence	30.00
	I run N 89° 48' W. on a	40.00
	true line bet. recs. 8 & 17.	80.00

with same variation.

Chains	
40.10	set a limestone 18×8×4 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
80.20	the cor. to secs. 7. 8. 17. 18 land low rolling, soil 1st and 2nd rate, high poplar, spruce & green wood, augmented on 80.20 chains.
	West on a random line bet. secs. 7 and 18 Va. 18° 05' E.
0.50	Dry Creek Trains S. E.
7.00	Dry Creek Trains S. E.
30.00	Dry Creek Trains S. E.
40.00	set temp. 1/4 sec. cor.
80.00	Intersect West bound.

Subdivisions

T. 8 N. R. 18 W.

Chains. 30 lks. North of the cor. to secs. 7. 18. 12 and 13, thence Drun N 89° 47' E, on a true line bet. secs. 7 and 18. with same var.

40.00 set a Quartz 18×7×5 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pit.

80.00 the cor. to secs 7. 8. 17. & 18 land low rolling, soil 2nd rate, dense cover of & grass & underwood.

augmented on 80 chains.

North bet. secs. 7 and 8 ... 40.00

Va. 18° 05' E.

40.00 set a Quartz 18×10×6 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face

Chains

80.00

70.00

80.10

	Chains	
	80.00	with regulation mound & pits set a limestone 16×8×5 ins. 10 ins. in ground for cor. to secs. 5. 6. 7 and 8 marked 5 notches on S, 5 notches on E. edges with regulation mound & pits Land level, soil 2nd rate, Dense sagebrush and greasewood. augmented on 80 chains
		East on a random line bet. secs. 5 and 8 Va. 18° 05' E.
	40.00	set temp. 1/4 sec. cor. in quick from S.
	70.00	enter Brown Creek bottom
	80.10	Intersect N. & S. line

Subdivisions

T. 8 N. R. 18 W.

Chains	24 lks N. of the cor. to secs. 4. 5. 8 & 9 thence N. 89° 50' W. on a true line bet. secs. 5 and 8 with same set a limestone 19 x 6 x 5 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.	Chains
40.05		80.00
80.10	the cor. to secs. 5. 6. 7 & 8. Land low rolling; soil 1st and 2nd rate, dense sagebrush & grass covered. augmented on 80.10 chains	40.00
	West on a run on true line bet. secs. 6 and 7 Va. 18° 05' E.	80.00
40.00	set temp. 1/4 sec. cor.	
50.00	road from Jerome to	

	Grove Creek N E & S.W.
	with trees mound a pit 2×1×1 ft.
Chains 80.00	Intersect W bank running
	at the cor. to secs. 6.7.1
	and 12 thence down
	Cant on a true line bet.
	secs. 6 and 7 with same cor.
40.00	set a limestone 16×7×5
	ins. 10 in. in ground for 1/4
	sec. cor. marked 1/4 on N.
	face with regulation
	mound & pits
80.00	the cor. to secs. 5.6.7 & 8.
	land level, mid
	2nd rate down rough
	ascent to 80 ch.
	North on a true line
	bet. secs. 5 and 6
	Va. 18° 05' E.

173

Subdivisions

T 8 N. R. 18 W.

Chains	
40.00	set Quartz 16 x 8 x 6 ins 10 ins. in ground for 1/4 cor. marked 1/4 on W. face with regulation mound & pits.
80.00	Intersect 2nd Standard Parallel at the corner to secs. 31 and 32 set a Stone post 3½ ft. long 3 ins. square 12 ins. in ground for following cor. to secs. 5 and 6 marked as per instructed with regulation mound and pits
	Land Level, with 2nd rate Theodolite & Gunters chain
	augmented on 80 chains

Dec 18th 82

Subdivisions. 1774

T. 8 N. R. 18 W.

General Description.

There is a large amount of rich farming land in this township, mostly along Grouse-creek. Some of the land has to be irrigated by Artesian Wells, several of which the Central Pacific Rail road has already in operation in the neighbourhood. There is a large fine Spring in the centre of section 14, known as Owl or Rabbit Spring.

The extreme eastern Tier of this township was already subdivided

1751

Subdivisions,

T. 8 N., R. 18 W.

in 1873 but only a few owners could be found, and I found it necessary for to make connection, to resurvey same. Some creeks runs through the western half of the township. Part of Eastwater is used in the townships further North for irrigation purposes.

No Mineral indications

Ferdinand Dickert
U. S. Dep. Surveyor.

BOOK-A 195

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 30 1883

The foregoing field notes of the survey ~~of the~~ fractional Re and Survey of the Subdivisions

Township No. 8 N. Range No. 18 W.

Executed by Ferdinand Lickert

Under his No 112 contract of the 15th

day of September 188 2 in the month of

Dec 1882, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

U. S. Surveyor General for Utah.

BOOK-A-195

REPORT: 1884

Filed 188

Examined by .....

Transcribed by E. Michaelis

Compared by .....

FIELD NOTES

OF THE SURVEY OF THE

Fractional

Subdivisions

OF

Township No 8 North

Range No 19 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Dickert

U. S. Deputy Surveyor,

Under his Contract No. 112.

Dated September 15th 1882

Survey commenced Nov. 20th 1882

Survey completed Nov. 22nd 1882

BOOK-A-195

Township 8 North R. 19 West



Subdivisions

T. 8 N. R. 19 W.

Survey commenced Nov. 20th 82.

Chains

From the established Cor. to secs. 35. 36. 1 & 2 on South Boundary of Township I run North bet. secs. 35 & 36 Va. 18° E,

40.00 set a Quartz 20×9×9 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.

46.30 Telegraph line bears N E & S. W.

47.32 Central Pacific R. R. bears N E & S. W.

48.30 Telegraph line bears N E & S. W.

60.20 Creek 6 lks. wide 3 in. deep runs E, N.

Subdivisions
T. 8 N. R. 19 W.

Chains		Chains
70.00	Road bears E & W. mi trees mound & pit 2×1×1 ft.	
75.00	Leave bottom enter bench	
80.00	set a limestone 14×9×8 ins, 9 ins. in ground for cor. to secs. 25. 26. 35 & 36 marked 1 notch on S. 1 notch on E. edges with regulation mound and pits.	80.40
	land low rolling, soil 1st and 2nd rate, dense high sagebrush. augmented on 80 chains,	40.20
	Cant as a rand on line bet. secs. 25 and 36	80.40
	Va. 18° E. set temp. 1/4 sec. cor.	
40.00	~~set limestone 12×9×6~~ ~~ins 8 ins in ground for~~	

T. 8 N. R. 19 W.

	Chains	
mi tneg		~~Mg to cor. on marked~~
—bewk		~~Mg on N. face with~~
		~~regulation mound & pits~~
×9×8	80.40	Intersect East boundary
for		30 lks. North of the
1 36		cor. to secs. 25. 36. 30 & 31
Inwtd		thence Jrun N 89° 47' W.
ulation		on a true line bet. secs.
		25 & 36. with same var.
mil	40.20	set a limestone 12×9×6
Tense		ins. 8 ins. in ground for
		1/4 [redacted] cor. marked 1/4
hains,		on N. face with regu-
		lation mound & pits.
ns	80.40	the cor. to secs. 25. 26
		35 & 36
E.		low rolling bench land
×9×6		mil 1st and 2nd rate
for		dense sagebrush.

Subdivisions

T. 8 W. R. 19 W.

Chains.		Chains
	augmented on 80.40 chains	
	North bet. secs. 25 & 26	
	Va. 18° E.	40.00
40.00	set a trachyte 14×10×8 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.	80.10
80.00	set a Quartz 32×18×10. 14 ins. in ground for cor. to secs. 23. 24. 25 & 26 mkd 2 notches on S. 1 notch on E. edges with regulation mound & pits	1.05
	Land level, rail & at rate, dense & cagebrush augmented on 80 chains	80.10

T. 8 N. R. 19 W.

Chains	Cont on a rand on line bet. secs. 24 and 25
	Va. 18° E.
40.00	set temp. 1/4 sec. cor.
30.10	Intersect Int Cont boundary at the cor. to secs. 24, 25, 19 & 30
	thence S. run West on a true line bet. secs. 24 & 25 with same var.
1.05	set a Quartz 18 x 12 x 6 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
20.10	the cor. to secs. 23, 24, 25 & 26.
	Land level, soil 1st rate Some sagebrush & greasewood

Subdivisions
T. 8 N. R. 19 W.

Chains augmented on 80.10 chains

North bet. secs. 23 & 24
Va. 18° E.

22.00 Road from Terrace to Greene Creek bears N E & S. W. Witness mound and pit 2 x 1 x 1 ft.

40.00 set a Quartz 20 x 9 x 4 ins, 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits. 16.

80.00 set a Quartz 22 x 14 x 5 ins. 14 ins. in ground for cor. to secs. 13. 14. 23 & 24 marked 3 notches on S., 1 notch on E. edges with regulation mound & pits. Land level, soil 1st and 25. 40. 80.2

BOOK-A-195

Subdivisions

T. 8 N. R. 19 W.

hains		2nd note, Dems, magnets and greenwood. augmented on 80 chains.
24		
o E.		
to		Cent on a random line bet, secs. 13 and 24 Va. 18° E.
s mound		
4 ins,	16.00	top of small limestone
/4 sec.		ridge bears N 800' S. 600'
face	25.85	Road from Jemima to
mound		Grouse Creek bears NE, & SW. witness mound
x 5		and pit 2x1x1 ft.
for	40.00	set temp. 1/4 sec. cor.
24	80.20	Intersect Cent boun-
S.,		dary 12 lks. North of
with		the cor. to secs. 13.24.
pits.		18 & 19 thence I run
nt and		N 89° 55' W. on a true line

Subdivisions

T. 8 N. R. 19 W.

Chains

bet. secs. 13 and 24 with same va.

40.10 set a limestone 18×12×9 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.

80.20 the cor. to secs. 13. 14. 23 & 24 land level, soil 1st rate, some sagebrush & greasewood.

augmented on 80.20 chain

North bet. secs. 13 & 14 Va. 18° E.

40.00 set a limestone 22×9×8 ins. 14 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation

Subdivisions

BOOK-A-195

1824

T. 8 N. R. 19 W.

Chains

76.60 mound & pits
Road from Fermoy to Grouse Creek bears S.W. & N.E. witness mound & pit 2×1×1 ft.

80.00 set a limestone 11×12×5 ins. 12 ins. in ground for cor. to secs. 11. 12. 13 & 14 marked 4 notches on S. 1 notch on E. edges with regulation mound & pits, land level, soil 2nd and 3d rate, dense sagebrush & greasewood

augmented on 80 chains

East on a random line bet. secs. 12 and 13.
Va. 18° E.

Subdivisions

T. 8 N. R. 19 W.

Chains		Chains
25.00	road from Fetcma to Grouse Creek bears N E & S W. mitred mound and pit 2×1×1 ft.	
38.00	Dry Creek Trail S. E.	40.00
40.00	set temp. 1/4 sec. cor.	
80.00	Intersect East boundary at the cor. to secs. 12. 13 and 18 thence N run West on a true line bet. secs. 12 and 13 with a meas.	80.00
40.00	set a Quartz 16×12×5 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.	
80.00	the cor. to secs. 11. 12. 13 & 14 land level, soil 2nd rate Some sagebrush	

BOOK A-195

T. 8 N. — R. 19 W.

to	Chains	augmented on 80 chains
mound		North bet. secs. 11 and 12 Va. 18° E.
S. E.	40.00	set a Quartz 17 x 12 x 4 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound and pits.
ver.		
ndary		
. 13		
on		
e bet.	80.00	set a Quartz 16 x 10 x 6 ins. 10 ins. in ground for cor. to secs. 1. 2. 11 and 12 marked 5 notches on S. 1 notch on E. each face with regulation mound & pits.
same		
x 5 ins.		
1/4 sec.		
face		
ound		
.. 13-14		land level, soil 2nd and 3rd rate, dense chaparral and greasewood.
nd rate		augmented on 80 chains.

Subdivisions

T. 8 N. R. 19 W.

Chains. Cont on a random line bet. secs. 1 and 12

Va. 18° E.

12.00 Dry Creek Trans S. E.

18.00 Dry Creek Trans S. E.

40.00 set temp. 1/4 sec. cor.

80.40 Intersect Cont bon Dry 20 lks. S. of the cor. to secs. 1. 12. 6 and 7 thence I run S. 89° 51' W. on a true line bet. secs. 12 & 12 with same va.

40.20 set a limestone 14x12x5 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits

80.40 the cor. to secs 1. 2. 11 & 12 land level, soil 2nd and

BOOK-A-195

T. 8 N. R. 19 W.

Chains.

3rd rate, Dense sagebrush

augmented on 80.40 chains

North on a random true line

bet. secs. 1 and 2

Va. 18° E.,

40.00 set a Quartz 15x9x4

ins. 10 ins. in ground for

1/4 sec. cor. marked 1/4 on

W. face with regulation

mound & pits.

80.60 Intersect 2nd S Standard

Parallel North at the

cor. to secs. 35 & 36

marked as per instruction

Land level, soil

2nd rate, Dense sagebrush

& greasewood.

augmented on 80.60 chains

Subdivisions

T. 8 W. R. 19 W.

Chains		Chains
	West on a true line bet. secs. 2 and 11, Va. 18° E.	
40.00	at a Quartz 16×12×8 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. fence with regulation mound & pits near foot of Cedar ridge, line further impracticable verified, said 2nd rate, fence angle much augmented on 40 chains.	
		8.00
		35.40
		40.00
	Nov. 20th 82	
		65.50

T. 8 N. R. 19 W.

Chains	
	From the established cor. to secs. 34. 35. 2. 3 on South boundary of township 3 rods North bet secs. 34. 35 Va. 18° E.
8.00	Creek 5 lks. wide 4 in. deep runs East
35.40	Road bears E. & W. witness mound & pit 2×1×1 ft
40.00	set Quartz 16×12×9 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
65.50	Road from Tecumseh to Grouse Creek bears N. E and S. W. witness mound & pit 2×1×1 ft.

Subdivisions

T. 8 N. R. 19 W.

Chains	
80.00	ret a Quartz 14×12×6 ins, 9 ins. in ground for cor. to rets. 26. 27. 34 & 35 marked 1 notch on S. 2 notches on E. edges with regulation mound & pits.
	~~Land~~ first half level rich bottom land, next bench land, dense and high sagebrush. augmented on 80 chains.
	Cent on a random line bet. rets. 26 and 35 Va. 18° E.
8.50	Road from Jerome to Grouse Creek bears N.E. and S.W. witness mound and pit 2×1×1 feet.

Chains	
	40.00
	80.00
	40.00
	80.00

Chains	
40.00	set temp. 1/4 sec. cor.
80.00	Intersect N. & S. line at the cor. to secs. 25. 26. 35 & 36 thence S. run West on a true line bet. secs. 26 and 35 with same var.
40.00	set a trachyte 18×12×5 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits
80.00	the cor. to secs 26. 27. 34 & 35 land low rolling, soil 2nd rate, dense sagebrush and greasewood.
	augmented on 80 chains
	North bet. secs. 26 & 27 Var. 18° E.

Subdivisions

T. 8 N. R. 19 W.

Chains.		
5.00	foot of high rocky ridge	Chs
24.50	top of same ridge bears East 1800 feet and N.W.	
40.00	a Quartz 4×4×4 feet mark same 1/4 on W. face with mound of stones alongside	35. 40.
	leave top	68.8
74.00	Dry Creek Trends S.E. and foot of rocky ridge	
80.00	set a Conglomerate 14×12×3 ins. 8 ins. in grnd for cor. to secs. 22.23.26&27 marked 2 notches on S. 2 notches on E. edges with regulation mound and pits.	8
	mountainous, rocky,	40.
	augmented on 80 chains	

Subdivisions 1914.

BOOK-A-195

T. 8 N. R. 19 W.

y ridge	Chains	Cent on a random line
bears		bet. secs 23 and 26
N.W.		Va. 18° E.
feet	35.00	South end of rocky ridge
N. face		bears N.
ves	40.00	set temp. 1/4 sec. cor.,
	68.80	Road from Jerome to
		Grouse Creek bears
S. E.		N E & S. W. witness mound
ridge		& pit 2 x 1 x 1 ft.
	80.20	Intersect N. & S. line
in grnd		at the cor. to secs. 23. 24
3. 26 & 27		25 & 26 thence Drun
S.		West on a true line
ges		bet. secs. 23 & 26 with
mund		same ves.
	40.10	set a Quartz 20 x 10 x 8 ins.
ky,		12 ins. in ground for 1/4
chains		sec. cor. marked 1/4 on N.

Subdivisional

T. 8 N. R. 19 W.

Chains. Fence with regulation mound and pits.

80.20 the cor. to secs. 22. 23. 26 & 27. Land level, soil 2nd rate loam & gravel, much augmented on 80.20 chains.

The line North bet. secs. 22 & 23 is very rocky and impracticable, I commence from the cor. to secs. 13 & 14. 23 & 24 and run West on a true line bet. secs 14 and 23

Vo. 18 C.

40.00 set a Quartz, 18 x 12 x 8 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on N. fence with regulation mound & pits

Chains

28.20

40.00

T. 8 N. R. 19 W.

Chains near point of rocky ridge
line further West impracti-
cable.
land level, soil 2nd
rate, some sagebrush
and greasewood.
augmented on 40 chains.

line North bet. 14 and 15
is over rocky ridges, and
impracticable.
Commence at the cor.
to secs. 11.12.13.14 and
run West on a true
line bet. secs. 11 and 14
Va. 18° E.

28.20 Dry Creek Trends S. E.,
40.00 set a Quartz 16×12×4 ins.
10 ins. in ground for 1/4 sec.

Subdivisions

T. 8 N. R. 19 W.

Chain cor. marked 1/4 on W. fence with regulation mound & pit. near foot of rocky ridge bears N. & S. line further West impracticable. Ground, rise 2 in 1 rate decline 3 mgts. augmented to 40 chs. The land North being over rocky ridge I commence from the cor. to secs. 33 and 34 on South boundary of township and run North bet. secs. 33 and 34

Va. 18° E.

40.00 set a Quartz 30 x 12 x 3 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. fence with regulation mound and pits.

80.00 set a Quartz 24 x 12 x 12 ins.

Chain

40.00

80.00

T. 8 N. R. 19 W.

Chains	16 ins. in ground for cor. to secs. 27.28. 33 and 34 marked 1 notch on S. 3 notches on E. edges with regulation mound & pits.
	Land low rolling bench land, soil 1st and 2nd rate, sandy, some sagebrush and greasewood; augmented on 80 chains.
	Cart on a random line bet. secs. 27 and 34 Va. 18° E.
40.00	set temp. 1/4 sec. cor.
80.10	Intersect N. & S. line at the cor. to secs. 26.27 34 and 35 thence I run West on a true line bet.

Subdivisions

T. 8 N. R. 19 W.

Chains.		Chains
	recs 27 and 34 with same va.	80.00
40.05	set a Quartz 18×12×9 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.	
80.10	the cor. to secs 27. 28. 33 & 34. Land low rolling, soil 2nd rate, dense sagebrush and greasewood, augmented on 80.10 chains.	
	North bet. secs. 27 & 28 Va. 18° E.	
40.00	set a Quartz 18×12×6 ins. in mound of stones for 1/4 sec. cor. marked 1/4 on W. face with regulation mound of stones on low rocky ridge bears E. & W.	20.00
		40.00
		80.00

T. 8 N. R. 19 W.

Chains	
80.00	set a Quartz 18×12×6 ins. 12 ins. in ground for cor. to secs. 21. 22. 27 & 28 marked 2 notches on S. 3 notches on E. also yes with regulation mound & pits. land rolling, soil 2nd and 3d rate, dense sagebrush & greasewood. augmented on 80 chains. Nov. 21st 82
	Cont on a random line bet. secs. 22 and 27. Va. 18° E.
20.00	top of low ridge bears N. & S.
40.00	set temp. 1/4 sec. cor.
80.00	Intersect N. & S. line at the cor. to secs.

201 Subdivisions

T. 8 N. R. 19 W.

Chains, 22. 23. 26 & 27 thence I
run West on a true line
bet. secs. 22 and 27 Spirit Lake ext.
40.00 set a Quartz 15×9×8 ins.,
10 ins. in ground for 1/4 sec.
cw. marked 1/4 on N. face
with regulation mound
pits.
80.00 the cw. to secs. 21. 22. 27. 28
~~Land summit~~ benchland
soil 2nd rate, some
rock. Some sagebrush
& greasewood
augmented on 80 chains

North bet. secs. 21 and 22
Va. 18° E.
10.30 Cedar 14 in. diam. on line
40.00 set a Quartz 16×12×6 ins.

Chains
80.0

BOOK-A-195

T. 8 N. R. 19 W.

Chains	
	10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
80.00	set a trachyte 26×25×4 ins, in mound of stones for cor. to secs. 15.16.21.22 marked 3 notches on S. 3 notches on E. edges with mound of stones alongside pits impracticable. bears NW, dist 3 links, dense cedar and greenwood.
	augmented on 80 chains
	Cent on a true line between secs. 15 and 22 Va. 18° E.

T. 8 N. R. 19 W.

T. 8

Chains		Chains
40.00	set a Quartz 19×18×12 in mound of stones for 1/4 sec. cor. marked 1/4 on N. face with mound of stones alongside pits impracticable on West side of rocky ridge bears N. & S. Line further Cont'd impracticable bench land. Soil 12 in and 3 ft rocky. Dense growth of greenwood augmented on 40 chains	10.00
	North bet. secs. 15 and 16 Va. 18° E.	
3.30	road from Texas to Grouse Creek bears NE & SW	

	Chains	
18×12	10.00	set Quartz 18×9×6 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound and pits. on South side of Cedar ridge bears E. & W. line further North, impracticable benchland, soil 2nd rate, dense sagebrush scattered cedars. augmented on 40 chains
		From the cor. to secs. 32 and 33 on South Boundary of township 1 mile North bet. secs. 32 and 33. Va. 18° E.

Subdivisions

T. 8 W. R. 19 W.

BOO

Chains		Chains
40.00	set a limestone 16×12×3 ins, 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound and pits.	20.50 40.00 80.00
80.00	set a Quartz 16×9×6 ins 10 ins. in ground for cor. to secs. 28. 29. 32. 33 marked 1 notch on S. 4 notches on E. edges with regulation mound & pits.) bearhland, soil sandy and 2nd rate, Terra sagebrush & greasewood. augmented on 80 chains.	40.00 80.00

Cant on a random line bet. secs. 28 and 33 Var. 18° E.

Subdivisions 206

BOOK A-195

T. 8 N. R. 19 W.

	Chains	
2 x 3 ins,	20.50	Dry Creek Bears S.
rec.	40.00	set temp. 1/4 sec. cor.
fence	80.00	Intersect N. & S. line
and		at the cor. to secs. 27. 28
		33 and 34 thence N run
x 6 ins		West on a true line
cor. to		bet. secs. 28 & 33 with
marked		same va.
on	40.00	set a Quartz 16 x 12 x 5
ation		ins. 10 ins. in ground for
		1/4 sec. cor. marked 1/4 on
nding		N. face with regulation
		mound & pits.
ard.	80.00	the cor. to secs. 28. 29. 32. 33
ravines.		low rolling bench land
		soil 2nd rate, dense
ade		sagebrush & greasewood
		augmented on 80 chains.
E.		

T. 8 N. R. 19 W.

Chains		Chains
	North bet. secs. 28 and 2. Va. 18° E.	
40.00	set a Quartz 18×9×4 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.	
48.80	Old Line post 6 feet long 8×8 ins. lying on ground marked L.37 on N. Nevada on W. 3 on S. and Utah on E. face. 20 lks. E. of line	0.00
58.20	Small cedar post of Nevada survey marked 1/4 S 1/4 Sec	0.20
80.00	set a Quartz 16×13×7 ins 10 ins. in ground for cor. to secs. 20. 21. 28. marked 2 notches on 4 notches on E. edge with regulation m	0.10

T. 8 N. R. 19 W.

d 2.	chains	and pits. Tecumseh bears
C.		S. 24° W.
9 x 4 in.		Beechland, said 2nd
r 1/4		rate, dense sugeltrunk
on W.		and greenwood,
'in		augmented on 80 chains
eet		Cont on a random line
on		bet. secs. 21 and 28
2.37		Va. 18° E.
W.	".00	Dry Creek drains S.
on	.0.00	set temp. 1/4 sec. cor,
ling	80.20	Intersect W. & S. line
13 x		30 lks. North of the
f		cor. to secs. 21. 22. 27. 28.
28		thence N run N 89° 47' W.
on		on a true line bet. secs.
get		21 and 28 with same va.
on	.0.10	set a limestone 14 x 9 x 6

Subdivisions

T. 8 N. R. 19 W.

Chains

ins. 9 ins. in ground for 1/4
sec. cw. marked 1/4 on N. fence
with regulation mound
and pits

80.20 the cw. to secs. 20. 21. 28. 29
bears blazed, with 2nd
rate, bears agalmed
and grauenwood.
augmented on 80.20 chs.

North bet. secs. 20 and 21.
Va. 18° E.

5.50 Dry Creek trends S. E.

19.00 Road from Tacoma to
Orting Creek bears N E.
and S W. with regs mound & pit 2x1x1

40.00 set a limestone 12x9x5
ins. 8 ins. in ground for
1/4 sec. cw. marked 1/4 on

Chains

48.50
80.00

36.50

BOOK-A 195

T. 8 N. R. 19 W.

Chains W. Fence with regulation mound & pits on East side of Dry Creek Draw S. E.

48.50 One Ring post 5 feet long 8 ins. square marked T. 8 N. R. 19 W. 1914 Set
80.00 at a Quarter 18 x 12 x 5 ins. 12 ins. in ground for cor. to secs. 16. 17. 20. 21 marked 3 notches on S. 4 notches on E. edges with regulation mound and pits.

bench land, with 3% rate, some sagebrush and greasewood.

augmented on 80 chains.

East on a record on line bet. secs. 16 and 21

Va. 18° E.

36.50 gulch draws South.

T. 8 N. R. 19 W.

Chains	
40.00	set temp. 1/4 sec. cor.
74.70	Road from Jerome to Grouse Creek bears N, E and S. W. witness mound & pit 2 x 1 x 1 ft.
80.00	Intersect N. & S. line at the cor. to secs. 15. 21 and 22 thence N. on West on a true line bet. secs. 16 and 21 mi same sec.
40.00	set a Quartz 18 x 12 x 6 i 12 ins. in ground for 1/4 cor. marked 1/4 on N. face with regulation mou and pits.
80.00	the cor. to secs 16. 17. 2 level bench land, soil rate, Some sagebrush a

BOOK-
J.

Chains	
	g
	a
5.30	
10.00	
	8
	c
	w
	a
	ri

	chains	greasewood augmented on 80 chains.
		North bet. secs. 16 and 17 Va. 18° E.
	5.30	Cedar in line
	10.00	set a Quartz 12x9x5 ins 8 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound and pits. on South side of Cedar ridge line further North impracticable. bare hillside, soil 2nd rate. bare sagebrush and greasewood. augmented on 40 chains. Nov. 22nd 82.

213 Subdivisions

T. 8 N. R. 19 W.

General Description

There is some fine bottom land in the Southern part of this fractional Township. A fine Creek runs through secs. 35 and 36. The rest of the township is hill land. There is some fine Cedar timber in the northern part.

Fred. Dickert
U. S. Dep. Surveyor.

BOOK-A-195

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 20 1883

The foregoing field notes of the survey of the

Fractional Subdivisions

Township No. 8 North *Range No.* 19 West

Executed by Ferdinand Dickert

Under his No 112 *contract of the* 15th

day of September 1882, *in the month of*

Dec 1882, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salsbury

U. S. Surveyor General for Utah.

3 10 BOOK-A-195

REPORT: 1884

Filed 188

Examined by .....

Transcribed by .....

Compared by .....

FIELD NOTES

OF THE Re SURVEY OF THE

Guide Meridian

OF

Township No S. 9. 10. 11. and 12 North

Ranges No S 14 and 15 West.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Bickert

U. S. Deputy Surveyor,

Under his Contract No. 112

Dated September 15th 1882

Survey commenced October 19th 1882

Survey completed October 21st 1882

BOOK-A-195

Township 12 North R. 15 West

6	5	4	3	2	1	214
7	8	9	10	11	12	215
18	17	16	15	14	13	216
19	20	21	22	23	24	217
30	29	28	27	26	25	218
31	32	33	34	35	36	220

Oct 19th 82

chains

From the established
Cor. to secs. 31 and 36
T. 13 N. R. 14 and 15 W.
on 3d Standard Parallel
North 5 rods
South bet. secs. 1 and 6
Va. 18° 15' E.

33.00 Dry Creek Trends S. E.

40.00 Find old post, but
destroyed set a Cedar post
4 ft. long 4 ins. square
12 ins. in ground for 1/4
sec. cor. marked 1/4 on W.
face with regulation
mound & pits.

~~80.00~~ Find old mound corner
destroyed set a Cedar post
4 ft. long 4 ins. square 12 ins
in ground for cor. to secs
1, 12, 6 and 7 marked

2/15 Resurvey of Guide Meridian
T. 12 N.
Ranges 14 and 15 W.

BOOK

according to instructions and

Chains | Chains

Vmarked on N. 5 notches on S. edges with regulation mound & pits.

soil, nt rate
Land level, V scattered Cedars, high sagebrush augmented on 80 chains.

South bet. sec. 7 and 12,
Va. 18°15' E., 30.00

40.00 find a small stake marked 1/4 set Cedar post 4 feet long 4 ins. square for 1/4 sec. cor. marked 1/4 S. on W. faces with regulation mound & pits 31.40

37.80

40.00

found old mound, no post set Cedar post 4 ft 12 ins. in ground
80.00 long 4 ins. square V for cor. to secs. 12. 13. 7 & 18.
according to instructions and
marked V3 notches on N. 43.00

	Chains	4 notches on S. edges with regulation mound & pits
		Land level, soil 1st rate, same as last mile augmented in 80 chains.
		South bet. secs. 13 and 18 Va. 18°15' E.
	30.00	road bears S. E. & N. W.
	30.60	Dave Creek 4 lks. wide 6 in. deep runs S. E.
	31.40	Irrigation ditch runs S. E.
	37.80	Irrigation ditch runs S. E.
	40.00	witness of old corner set Quartz 14 x 12 x 10 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
	43.00	road bears E. & W.

Runway of Ws. Meridian
bet. R. 14 12 and 15 W.

		Chains
46.00	leave bottom, enter sage	80.0
80.00	no trace of old corner	
	set Cedar post 4 ft. long	
	12 ins. in ground	
	4 ins. square for cor. to	
	secs. 13, 24, 18 & 19 marked	
	according to instruction with	
	regulation mound & pits.	
	Land level, with 1st rate	
	sagebrush, some Cedars.	
	South bet. secs. 19 & 24	
	Va. 18° 15' E	
16.80	road bears S.W. & N.E.	
40.00	no trace of old corner	
	set Cedar post 4 ft. long	
	4 ins. square 12 ins. in	
	ground for 1/4 sec. cor. marked	3.50
	1/4 on W. face with regula-	23.50
	tion mound & pits	40.00
63.00	enter a few scattered Cedars	

Runway of G. Meridian
BOOK-A-195 T. 12 N., R. 14 and 15 W.

Chains	
80.00	find old mound and stake in bad condition ret a Cedar post 4 ft. long 4 ins. square 12 ins. in ground for cor. to secs. 24. 25. 19 & 30 marked according to instruction with regulation mound & pits. Land low rolling soil 1st rate, dense second growth scattered Cedars. augmented on 80 chains
	South bet. secs. 25 & 30 Va. 18° 15' E.
3.50	Dry Creek Trans E.
23.50	leave scattered Cedars
40.00	old mound ret a Cedar post 4 ft. long 4 ins. square

219

Resurvey of 6th Meridian
T. 12 N.
bet. R. 14 and 15 W.

BOOK

Chains		Chains
	12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits	7.0
71.00	road bears N E & S. W.	32.0
80.00	find old post lying on mound set cedar post 4 ft. long 4 ins. square, 12 ins. in ground marked ~~according to~~ instruction with regulation mound & pits.	32.5
	Land a Ranch 10 chs	40.0
	West	80.00
	Same land level, Vs as last mile,	
	said 1st rate.	
	augmented on 80 chains	

BOOK-A-195 T. 12 W. bet. R. 14 and 15 W.

	Chains	
		South bet. secs. 31 & 36 Va. 18° 15' E,
	7.00	road bears E & N. W.
	32.00	Dry Creek Trends S. E.
	32.50	Irrigation Ditch Tr. S. E.
	40.00	Find old mound set a Cedar post 4 ft. long 4 ins. square 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. Fence with re- guleation mound & pits
	80.00	Find Township corner in place remark same according to instruction and make regulation mound & pits.
		Land level, soil 1st rate dense sagebrush and grass wood,
		augmented on 80 chains

22 Resurvey of 6th Principal Meridian
T. 12 N.
bet. Ranges 14 & 15 W.

BOO

General Description
There is some fine bench
land further West off
the subdivisions in
T. 12 N. R. 15° W.

Ferdinand Dickert
U. S. Dep. Surveyor.

40.0

62.0

80.0

From the established cor.
to T. 11 & 12 W. R. 14 and
15 W. 3 miles South bet
secs. 1 and 6

Va. 18° E.

40.00 Find old post lying on
mound set a Cedar post
4 feet long 4 ins. square
12 ins. in ground for 1/4 sec.
cor. marked 1/4 on W. face
with regulation mound
& pits.

62.00 Dry Creek Trends S. E.

80.00 Find old Corner a Cedar
post 4 ins. square in good
condition remarks same
for cor. to secs. 1. 12. 6 & 7
according & instruction with
regulation mound & pits.
Land level, soil 1st rate.

BOOK-A-195

Township 11 North R. 15 West

6	5	4	3	2	1	222
7	8	9	10	11	12	223
18	17	16	15	14	13	224
19	20	21	22	23	24	225
30	29	28	27	26	25	226
31	32	33	34	35	36	227

Resurvey of 6th Meridian
T. 11 N.
R. 14 and 15 W.

Chains	Dense sagebrush, augmented on 80 chains
	South bet. secs. 7 and 12
	Va. 18° E.
10.50	Emigrant road bears W 6° S.W.
40.00	old corner destroyed set Cedar post 4 Ft. long 4 ins. square 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
80.00	find old mound; set Cedar post 3½ Ft. long 4 ins. square 12 ins. in ground for cor. to secs. 12. 13. 7 and 18 marked according to instruction with regulation mound & pits
	land low rolling sagebrush & grass ground. soil 1st rate

Chains	South bet. secs. 13 & 18 Va. 18° E.
20.50	top of low ridge E. & W.
29.50	Dry Creek. Drains N. E.
40.00	Find old mound & Cedar post 3 ft. long 4 ins square 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits
62.00	top of ridge bears E. & W.
80.00	Find old corner lying down 50 lks. North, set Cedar post 3 1/2 ft. long 4 ins. square 12 ins. in ground for cor. to secs. 13. 24. 18 & 19 marked according to instruction with regulation mound & pits. Land rolling, soil 2nd rate, sagebrush, grease wood scattered Cedars. Oct. 19th 82.

225 Kennedy S. Meridian
T. 11 W.
bet. R. 14 & 15 W.

Chains		
	South bet. secs. 19 and 24	
	Va. 18° E.	
10.50	Dry Creek trends W.	
23.50	top of ridge bears E. & W.	
29.00	Dry Creek trends West	
40.00	old corner destroyed set	
	Cedar post 3½ ft. long	
	4 ins square 12 ins. in ground	
	for ¼ sec. cor. marked	
	on W. face with regular	
	mound & pits	
46.50	top of ridge bears E. & W.	
52.60	Dry Creek trends W.	
64.00	ridge bears S. E. & N. W.	
75.00	Dry Creek trends S. W.	
80.00	find mound of old corner	
	set Cedar post 3½ ft.	
	long 4 ins. square 12 ins. in	
	ground for cor. to secs. 24,	
	25, 19 and 30. marked.	

Accepted as surveyed Nov. 15th 1911 subject to approval of mound and pits
Nov. 22nd 1911 subject to approval of pits
Nov. 27th 1911 subject to approval of mound and pits

Chains South bet. secs. 25 and 30
Va. 18° E.

21.50 Dry Creek Trends N. W.

27.00 ridge bears N W & S. E.

34.00 Dry Creek Trends N. W.

40.00 no trace of corner set a
Cedar post 3½ ft. long
4 ins. square 12 ins. in ground
for ¼ sec. cor. marked ¼
on W. face with regulation
mound & pits.

43.50 Dry Creek Trends N. W.

53.00 ridge bears N W & S. E.

58.00 Dry Creek Trends N. W.

58.10 Conglomerate rock 20×20×20 feet
per line

66.25 top of ridge bears N W & S. E.

75.00 Dry Creek Trends N. W.

80.00 find no trace of old corner
set a sandstone 20×12×4 ins.
12 ins. in ground for cor. to

Runney of W. Meridian
bet. R^T. 11 W. & 14 and 15 W.

BOOK

Chains

recs. 25, 36, 30 and 31 marked 5 notches on N. 1 notch on S. edges with regulation mound & pits. Ridge rolling, soil 3d rate, timber, scattered cedars.

South bet. recs. 31 and 36 Va. 18° E.

4.00 ridge bears E & W.

40.00 find old corner lying down set sandstone 16 x 12 x 8 ins., 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.

60.00 enter bottom.

80.00 find old post and mound set a conglomerate. altered

24 x 20 x 20 ins, 16 ins. in.
ground for cor. to T. 10 & 11 N.
R. 14 and 15 W. marked
6 notches N. S. E. & W., with
regulation mound and pits.
Land first 60 ch. rolling
soil 3d rate, next level
soil 1st rate, sagebrush.

October 20th 82

General Description
There is fine farming
land East and West
of Erie and should be
subdivided.

Ferdinand Dickert
U. S. Dep. Surveyor.

Ex. Corp. Survey S. Meridian 229

BOOK-A-195 T. 10 W.
bet. R. 14 and 15 West.

By a preliminary survey along the old line I find the half mile and mile corners each short 30 chs, the land South along line being subdivided I re-establish the 1/4 sec corners with 39 ch. 70 lks. and mile corners with 79. 40 ch. The resurvey of this line being necessary to establish the positions of the starting corner for the 2nd Standard Parallel North.

From the established cor. to T. 10 and 11 W. bet. R. 14 and 15 W. I run South bet. secs. 1 and 6.

Va. 18° E.

BOOK-A-195

ownship 10 North R. 15 West

6	5	4	3	2	1 229
7	8	9	10	11	12 230
18	17	16	15	14	13 231
19	20	21	22	23	24 232
30	29	28	27	26	25 233
31	32	33	34	35	36 234

Resurvey G. Meridian
T. 10 W.
bet. R. 14 and 15 W.

Chains		Links
39.70	find old corner a cruglin 18×16×5 ins, ret same 12 in ground for 1/4 sec. cor. mo same 1/4 m W. Gave mile	76.50
	regulation mound, pits	79.40
79.40	find old mound ret Cd. put 3½ ft. long 4 ins. square 12 ins in ground for cor. to secs. 1. 12. 6 and marked as per instructi with regulation mou and pits	
	land level, with rate, rugged.	
	South bet. secs. 7. 12 Va. 18° E	
39.70	find old corner reset same a cruglmonite 20×16×7 ins, 12 ins. in	30.00

	ground for corner to 1/4 sec
	mark same 1/4 on W. fence
	with regulation mound & pits
76.50	Dry Creek Trains S. W.
79.40	find old mound corner
	lying down reset same
	a Conglomerate 20x17x12
	ins. 18 ins. in ground for
	cor. to secs. 12. 13. 7 and 18
	mark same 2 notches on
	N. 4 notches on S. edges
	with regulation mound
	and pits.
	Land low rolling,
	soil 2nd rate. Some Cedars
	& underbrush.
	South bet. secs. 13 & 18
	Va. 18° E.
30.00	Dry Creek Trains S. E.

Runners of G. Meridian
T. 10 W.,
bet. R. 14 & 15 W.

35.00 came to Dry Creek Trends S. W. Chain
39.70 find old corner a conglomerate 16x14x7 ins. reset same 10 ins. in ground for 1/4 sec. cor. mark same 1/4 on W. fence with regulation mound & pits 79.40
79.40 old corner destroyed find old mound set a Cedar post 3½ ft. long 4 ins. square 12 ins. in ground, same for cor. to secs. 13. 24. 18 & 19 mark same as per instructions with regulation mound & pits land level, brush land soil 2nd rate, sagebrush.

South bet. secs. 19 and 24 12.00
Va. 18° E. 39.70

39.70 find old corner a conglomerate

S. W. Chains
14 x 12 x 8 ins. 9 ins. in ground for 1/4 sec. cor. mark same 1/4 on W. fence with regulation mound & pits
79.40 find old mound set cedar post 3 1/2 ft. long 4 ins. square 12 ins. in ground for cor. to secs. 24. 25. 19 and 30 marked as per instructions with regulation mound and pits.
land level bench, soil 2nd rate, same vegetation & growth augmented on 80 chain

South bet. secs. 25 & 30
Vg. 18° E.
12.00 road bears S. E & W. W.
39.70 find old mound and a small stake set a limestone

Runway of 6. Meridian
T. 10 N.
bet. R. 14 & 15 W.

Chain 10 x 10 x 6 ins. 6 ins in ground for 1/4 sec. cor, marked 1/4 on W. face with regulation mound & pits

79.40 find old corner, Cedar post 3 ft. long 4 ins. square, reset same 12 ins. in ground for cor. to secs. 25. 36. 30 & 31, mark same as per instructions with regulation mound and pits.
Land level, rail 2nd rate ongelmann.

South bet. secs. 31 & 36
Va. 18° E.

39.70 find old corner a triangular monument 14 x 12 x 8 ins. .V9 ins, in ground for 1/4 sec. cor. marked 1/4 on W. face with

Chains	
79.40	regulation mound & pits find old corner, set Cedar post 3½ Ft. long 4×4 ins square 12 ins. in ground for cor. to T. 9 and 10 N. R. 14 & 15 W. mark same as per instructions with regulation mound & pits set also a limestone 12×12×3 ins. 8 ins. in ground marked 6 notches W. S. & E. & W. alongside.
	land level, soil 1st rate sagebrush and greasewood

Oct. 20th 82

Runway of G. Meridian
T. 9 N.
bet. R. 14 & 15 W.

	From the established cor. to T. 9 and 10 N. R. 14 & [redacted] W. I run South bet. secs 1 and 6	Chain
	Va. 18° E.	
39.70	old mound not destroyed set a limestone 10×10×5 ins, 6 ins. in ground for 1/4 sec. cor., marked 1/4 on W. face with regulation mound & pits	
62.00	road bears N E & S. W.	
77.20	telegraph line bears S. 20° W. N 70° E.	
78.12	Track of C. T. R. R. bears S. 20° W. and N 70° E,	35.00
78.50	telegraph line S.W. & N.E.	39.70
79.50	Old corner destroyed, set a Cedar post 3½ ft. long 4 ins. square 12 ins. in ground marked as per instruction	

BOOK-A-195

Township 9 North R. 15 West

6	5	4	3	2	1	236
7	8	9	10	11	12	237
18	17	16	15	14	13	238
19	20	21	22	23	24	239
30	29	28	27	26	25	240
31	32	33	34	35	36	241

	Chains	with regulation mound & pits also set limestone 18×12×9 ins. 12 ins. in ground for cor. to secs. 1. 12. 6 and 7 marked 1 notch on N. and 5 notches on S. edges a telegraph Pine bears N 66½° W. 100 lks. marked T. 9 N. R. 15 W S. 1 B.T. land level, soil 2nd rate, sagebrush, gravel.
		South bet. secs. 7 and 12 Va. 18° E.
	35.00	grave yard 250 lks East
	39.70	old corner destroyed set limestone 14×9×6 ins. 9 ins. in ground for ¼ sec. cor. marked ¼ on W. face with regulation mound & pits,

238 Ramsey G. Meridian
T. 9 N.
bet. R. 14 and 15 W.

Chains 70. 79.40	track C. T. R. R. 150 lks. west. found old post lying down set a sawed pine post 3½ ft. long 4 ins square 1 ft. in ground for cor. to secs. 12. 13 7. 18 marked as per instruction— with regulation mound & pits. Land level, soil sandy Fence & cattle trail augmented on 79.40 chains
	South bet. secs. 13 & 18 Va. 18° E.
14.50	Road bears E. & W.
39.40	find old post a sawed pine 3½ ft. long 4 ins square set 12 ins in ground for ¼ sec. cor. marked ¼ on W. face with regulation mound & pits. N E. corner of machine shop in Terrace

Chains 79.40

39.40

Chains

Bears N. 89° 30' W.

79.40 old post destroyed set
named Pine post 3½ ft.
long 4 ins. square 12 ins. in
ground for cor. to secs.
13. 24. 18 and 19 marked
as per instruction with
regulation mound & pits.
Soil sandy 2nd rate
Some sage brush and
grass wood.
augmented on 79.40 ch.

South bet. secs. 19 & 24
Va. 18° E.

39.70 Old corner destroyed found
post on ground set a lime-
stone 12 × 8 × 6 ins. 8 ins.
in ground for ¼ sec. cor. marked
¼ on W. fence with regulation

Ramney S. Meridian
T. 9 W.
bet. R. 14 and 15 W.

Chains	
	mound a pits.
79.40	find old post, partly decayed set a limestone 18×6×6 ins. 12 ins. in ground for c w. to sec's. 24. 25. 19. 30 marked 4 notches on N. 2 notches on S. edges with regulation mound a pits and level, sandy soil gravelmuds.
	South bet. sec's. 25 and 30 Va. 18° E.
39.70	found old post partly destroyed set a Quartz 12×9×8 ins. 8 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound a pits also front of high rocky ridge.
55.00	large Quartz rock in place

Cha
79.4
39.7

Chains

30 x 20 x 10 feet

79.40 found no trace of Corner
set a limestone 16 x 9 x 8 ins
10 ins. in ground for cor. to
secs. 25. 36. 30 and 31 mark'd
5 notches on N. 1 edge on
S. edges with regulation
mound & pits,
on 39.90 chs
land mountainous & rugg-
ed, soil rocky 3d rate
augmented on 39.70 ch.

South bet. secs. 31 & 36
Va. 18° E.

39.70 found mound of rocks on
top of Quartz croppings
set a sawed Pine post 3 ft.
long 4 ins. square in mound
of stones for 1/4 sec. cor
marked 1/4 on W.
face with regulation mound

Runnings of S. Meridian
T. 9 N.,
bet. R. 14 and 15 W.

Chains	
	of stones alongside
	gulch Trees S. W.
50.25	
79.40	Find old scarred Tree
	post in good condition
	5 feet long 6 ins. square
	remarks same as per
	instruction with
	regulation mound & pits
	also establish mound
	of stones 3×3×4 feet along
	side. on West side of Mountain
	land mountainous,
	rocky
	augmented on 79.40 chs

Oct 21st 1882

BOOK-A-195 Resurvey of G. Meridian
bet. T. 14 N. & 15 W.

General Description

For General Description
see subdivision notes

Ferdinand Dickert
U. S. Dep. Surveyor.

BOOK-A-195

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, June 20th 1883

The foregoing field notes of the survey of the Boundaries

Township No. 9, 10, 11 & 12 N *Range Nos* 14 & 15 W,

Executed by Ferdinand Hucker

Under Inst. No. 112 *contract of the* 16th

day of Sept *188*2, *in the month of*

Oct *188*2, *having been critically examined. the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-195

PORT: 1884

ed 188

mined by .....

nscribed by F. J. Linton

npared by Linton & Stevenson

FIELD NOTES

OF THE SURVEY OF THE

Fractional

North & East boundary

OF

vnship No 9 South

ge No 17 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Fickert

U. S. Deputy Surveyor,

Under his Contract No. 112

ted September 15th 1882

rvey commenced November 25th 1882

rvey completed November 25th 1882

BOOK-A-195

Township 9 North R. 17 West

243	244	245	246	248	249
6 307 5		4 282	3 268	2 262	1 257
306		282	281	267	261
7 304 8		9 279	10 266	11 260	12
303		279	278	264	
18 302 17		16 277	15 263	14 259	13
301	299	289	275	257	
19 298	20 288	21 274	22 256	23	24
297	295	287	273		
30 294	29 286	28 272	27 255	26	25
293	292	285	271		
31 291	32 283	33 269	34 254	35	36

14 Ex Compared Field Notes Vol. 2.
Estaviro 243
BOOK-A-195
North boundary T 9 W. R. 17 W.

Nov 25 '82

Chains From the established
Cor. to T. 9 and 10 W. R.
17 and 18 W. I run
East on a true line
bet. secs. 6 and 31
Va. 18° E.

18.00 Dry Creek I cross S. 150 lks
thence W.

40.00 same Dry Creek I cross W.W.
set a sandstone 20 x 10 x 6
on W. bank 12 ins. in
ground for 1/4 sec. cor.
marked 1/4 on W. face
with mound of stones
alongside. a Cedar 10 ins.
diam. bears W. 20 lks.
marked 1/4 S BT.

80.60 set a limestone 14 x 9 x 6
ins. 9 ins. in ground for cor.
to secs. 5. 6. 31 and 32

Esteriors

North Boundary T. 9 W. R. 17 W

Chains marked 1 notch on W. 5 notches on E. edges, with regulation mound & pits and rolling, rail 2nd and 3d rate, high sage brush, augmented on 80.0

Cent on a true line bet. secs. 5 and 32

Va. 18° E.

40.00 set a limestone 12x9x5 ins. 8 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits

41.00 South end of ridge bears W.

80.00 gulch trends S.

set a Quartz 12x10x8. 8 ins. in ground for cor. to secs. 4. 5. 32 & 33 marked

BOOK-A-195 Posterior

North Boundary T. 9 W. R. 17 W.

Chain 2 notches on W. 4 notches on S. edges with regulation mound & pits

Land rolling soil 3rd rate, scattered Cedars Dense sagebrush

augmented on 80 chains

Cast on a true line bet. secs. 4 and 33.

Va. 18° E.

23.50 ridge bears N. & S.

29.50 gulch bears S.W.

40.00 set a limestone 14x9x6 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits road to Terrace bears W. 10 chains bears E. & W.

Esteriors

North boundary T. 9 W. R. 17 W.

Chains	
75.00	gulch trends W. W.
80.00	set a Quarter 18×10×7 ins. 12 ins. in ground for cor. to secs. 3. 4. 33 and 34 marked 3 notches on W. 3 notches on S. edges with regulation mound & pits, a Cedar 10 ins. diam. bears S. 20° E. 40 lks. Land mountainous, scattered Cedars, sagebrush, bunchgrass
	augmented on 80 chains.
	Cent on a true line bet. secs. 3 and 34.
	Var. 18° E.
23.50	ridge bears N.W and S.E.
34.50	Dry Creek trends N.
40.00	set a limestone 20×9×6 ins. 12 ins. in ground for

BOO
No.

Chains

79.50

80.00

Chains 1/4 sec. cor. marked 1/4 on W. fence with regulation mound & pits
a Cedar 4 in. diam. bears S. 40 E. 20 lks.
a Pine 10 in. diam bears N 35° E. 30 lks. both marked 1/4 S. B T.

79.50 Old wagon trail bears N. W and S. E,

80.00 set a limestone 22x12x4 ins. 14 ins. in ground for cor. to secs. 2. 3. 34 and 35 marked 4 notches on N. 2 notches on E. edges with regulation mound and pits.
Land mountainous soil 3d rate, scattered Cedars, sagebrush augmented on 80 ch.

Exteriors

North Boundary T. 7 N. R. 17W.

Chains		Chains
	Cont on a true line bet. secs. 2 and 35 Va. 18° E.	
20.35	Quartzingar spring bears S. 2 chains.	
39.00	top of rocky divide bears N & S. covered with mahogany ~~trees~~	
40.00	set limestone 24×10×9 ins. in mound of stones for 1/4 sec. cor. marked 1/4 on W. face with mound of stones alongside. Machine shop in Terrace bears S. 79° E.	2.50
41.50	Second	40.00
60.00	Gulch Trails N. 5 chains thence Cont.	
80.00	set limestone 30×8×8 ins. in mound of stones for cor. to secs. 1. 2. 35. 36 marked.	80.00

BOOK-A-195 Petaluma

17W. North boundary T. 9 N. R. 17 W.

rec.	Chains	5 notches on W. 1 notch on E.
		edges with regulation
ers		mound ~~of~~ stones
		pits impracticable.
		Land mountainous,
		rocky, mahogany roots
ubs		sagebrush, brushwood.
ea.		Augmented on 80 chains.
89		
		Center a true line bet.
		rec. 1 and 36.
		Va. 18° E.
ide.		
mate	2.50	rocky ridge bears N. & S.
	40.00	set granite 16×16×5 ins.
		in mound of stones for
hain		1/4 sec. cor. marked 1/4 on
		W. face with mound of
8 ins.		stones alongside.
cor.	80.00	set a Quartz 20×16×6 ins.
rked.		in mound of stones for cor.

257 Cotesivo

North boundary T. 9 N. R. 17 W.

	Chains
to T. 9 and 10 N. R. 16 and 17 W. marked 6 notches on N. S. E. & W. edges with regulation mound of stones alongside pits impracticable.	
Cabin and Spring near road to Terrace bears N 42° W. 20 chains.	12.5
Corral bears N. 35° 30' W. 19 chains. a Cedar 12 ins. diam. bears S. 63° 15' E. 100 lks. marked T. 9 N. R. 16 W. S. 6 B T.	39.0
Land mountainous rock 3rd rate, scattered Cedars.	40.0
Dense cedar swamp,	53.5
augmented on 80 chains	55.0
	78.0
	80.0

East boundary T. 9 W. R. 17 W.

Chains. From the established cor. to T. 9 and 10 W. R. 16 and 17 W. I run South bet. secs. 1 and 6 Va. 18° E.

12.50 ridge bears E. a W.

39.00 ridge bears E. a W.

40.00 set a limestone 18x12x4 ins. in mound of stones for 1/4 sec. cor. marked 1/4 on W. face with mound of stones alongside pits impracticable.

53.50 road bears E. a W.

55.00 Dry Creek flows E.

78.00 Cedar ridge bears E. W.

80.00 set a limestone 17x12x5 ins. in mound of stones for cor to secs. 1. 12. 6 & 7

2 252 Esterions

East boundary T. 9 N. R. 17

BOOK A

Chains marked 1 notch on N. 5 notches on S. edges with mound of stones alongside pits impracticable.

a Cedar 20 in. diam. bears S. 70° E. 15 lks. marked T. 9 N. R. 16 W. S. 7 B.T.

Land mountainous, rocky, scattered Cedars and Pine. Pines, brushy growth augmented on 80 chains.

The line further South being very rocky and broken I abandoned the same.

Nov 25th 1882

T. 9 W R. 17 W.

General Description

The land in this township is partly high rolling and mountainous in the eastern half. There is some fine farming land in the western part. There are several fine springs in the township The same should be subdivided,

Fred. Dickerk
U. S. Dep. Surveyor.

BOOK-A-195

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, January 1883

The foregoing field notes of the survey of the Fractional East Portion of Township

Township No. 9 N. *Range No.* 17 W.

Executed by Henry Wood & Wilkins

Under Inst. No. 112 *contract of the* 15th *day of* Sept 1882, *in the month of* Oct 1882, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

John Salomon

U. S. Surveyor General for Utah.

Incorrect. Described omitted

12 BOOK-A-195 X

REPORT: 1884

Filed 188

Examined by O. E. Solomon

Transcribed by E. Michaelis

Compared by Benj. Stevenson & A. Leitch

FIELD NOTES

OF THE SURVEY OF THE

Fractional Subdivisions

OF

Township No 9 North

Range No 17 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Dickert

U. S. Deputy Surveyor,

Under his Contract No 112

Dated September 15th 1882

Survey commenced December 19th 1882

Survey completed December 22d 1882

BOOK-A-195

Township 9 North R. 18 West



Subdivisions. 2574

BOOK-A-195

T. 9 N. R. 17 W.

Survey commenced December 19th 1882

chains From the established
cor. to Sections 34 and 35
on 2nd Standard Parallel
N. 3 rods North bet.
secs. 34 and 35

Va. 17° 50' E.

10.00 chains S. W.
40.00 set a limestone 30×10×3
ins. 20 ins. in ground for
1/4 sec. cor. marked 1/4 on
W. face, with regulation
mound & pits

71.00 chains S. W.,
80.00 set a limestone 32×12×4
ins. 20 ins. in ground for
cor. to secs. 26.27.34 & 35
marked 4 notches on S. 2 notches
on E. & pos with regulation
mound & pits.
land high rolling,

Subdivisions

T. 9 W. R. 17 W.

Chains

sail 2nd and 3d rate,
scattered cedars, high
sagebrush and grasswood
bunchgrass.
augmented on 80 chains.
mountainous Country
this line.

North bet. secs. 26 and 27
Va. 17° 50' E
Overland road bears
NW & S.E. with mound
and pit 2 x 1 x 1 ft.

40.00 set a limestone 18 x 9 x 6
ins. 12 ins. in ground for
1/4 sec. cor. marked 1/4 on
W. face with regulation
mound & pits.

80.00 set a Quartz 22 x 14 x 9 ins
14 ins. in ground for cor. to

BOOK-A-195 Subdivisions 254
T. 9 N.; R. 17 W.

Chains rec's. 22. 23. 26 and 27 marked 2 notches on S. 2 notches on E. edges with regulation mound & pits and rolling broken soil 2nd and 3d rate. scattered Cedars, high sagebrush, boundary surveyed on 80 chains. Land East of line mountainous,

North bet. sec. 22 & 23
Va. 17° 50' E.

40.00 set a limestone 19x10x6 ins 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits

45.50 top of ridge bears N E & S.W.

Subdivisions
T. 9 W. R. 17 W,

Chains		Chains
47.00	Dry Creek bears S.W.	
80.00	set a limestone 13×10×6 ins. 8 ins. in ground for cor. to secs. 14. 15. 22 & 23	50 00
	marked 3 notches on S.	61.00
	2 notches on E. adjoins with	80.00
	regulation mound and pits	
	in gulch bears S. E.	
	land rolling, fair hills,	
	soil 2nd rate, scattered	
	Cedars, high sagebrush	
	brush	
	augmented on 80 chains.	
	Cent on a true line	
	bet. secs. 14 and 23	
	Va. 17° 50' E	
40.00	set a limestone 18×10×7	
	ins. 12 ins. in ground for	
	1/4 sec. cor. marked 1/4 m	

Chains N. from, with regulation mound & pits in ground from S. E.

50 00 ridge bears N. W. from S. E.

61.00 Dry Creek from S. E.

80.00 set a limestone 30×20×15 ins. 20 ins. in ground for cor. to secs. 13. 14. 23 & 24 marked 3 notches on S. 1 notch on E. adjoe with regulation mounds & pits land rolling, part hills, soil 2nd rate, scattered Cedars, some sagebrush, brushy

augmented on 80 chains mountainous East of line.

Overland road East 15 chains,

Subdivisions
T. 9 W. R. 17 W.

Ch	Chains		Chains
		North bet. secs. 13 and 14	
		Va. 17°50' E	
		ascend	
	11.50	Ravine drains E.	
	40.00	set a limestone 18×10×5	
		ins. 12 ins. in ground for	
		1/4 sec. cor. marked 1/4 on W.	
		face with regulation	
		mound a pits on top of	
		ridge bears E a W.	15.00
	50.00	Ravine drains E.	32.00
	61.00	ridge, rocky, bears E & W	40.00
	70.00	gulch drains E.	
4	80.00	set limestone 20×10×6 ins	
		in mound of stones for	
		cor. to secs. 11. 12. 13 & 14	80.00
		marked 4 notches on S.	
		1 notch on E. edges with	
8		mound of stones alongside	
		pits impracticable	

Chains land mountainous,
sal[e] rocky
" scattered Cedars, large
trees.

augmented on 80 chains.
mountainous East
of line.

North bet. sec. 11 & 12
Va. 17° 50' E

15.00 quartz Trees E.

32.00 quartz Trees E.

40.00 set a limestone 16 x 9 x 8 ins.
10 ins. in ground for 1/4 sec. cor. marked
1/4 on W. face with regulation
mound and pits

80.00 set a granite 22 x 10 x 4 ins.
14 ins. in ground for cor. to secs.
1. 2. 11 & 12 marked 5 notches on S.
1 notch on E. edges with regulation
mound & pits. Land rolling sal[e] gravelly
" scattered Cedars
high Sagebrush, augmented on 80 chains

Subdivisions

T. 9 N. R. 17 W.

Chains		Chains
	Cent on a road on line bet. secs. 1 and 12	
	Va. 17° 50' E.	
20.00	Red Wood road bears NE & SW.	
28.00	top of ridge bears N. & S.	
40.00	set temp. 1/4 sec. cor.	24.00
79.70	Intersect East boundary of Township at the cor. to secs. 1. 12. 6 and 7, thence West on a true line bet. secs. 1 and 12, with same va.	25.50
		40.00
		80.60
39.85	set limestone 16×9×5 ins, 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits	
79.70	the cor. to secs 1. 2. 11 & 12, found high rolling, scattered Cedars & Pines	40.60

T 9 W. R. 17 W.

Chains	Pines high 3 azimuth augmented on 79.70 chains
	North on a random line bet. secs. 1 and 2 Va. 17° 50' E.
24.00	Dry Creek trends N E.
25.50	road bears N E & S. W. Willow Springs about 5 chains East
40.00	set temp. 1/4 sec. cor.
80.60	Intersect North boundary at the corner to secs. 1. 2. 35 & 36 thence Down South on a true line bet. secs. 1 and 2 with same sec.
40.60	set Quartz 10 x 9 x 6 ins. 6 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face

263 Subdivisions
T. 9 N. R. 17 W.

	Chains with regulation mound & pits	chains 80.00
80.60	the cor. to secs. 1. 2. 11 & 12	
	land high rolling, scattered cedars, high sagebrush. augmented on 80.60 chains Dec. 19 1911	
	From the cor. to secs. 14. 15. 22 & 23 I run North bet. secs. 14 and 15 Var. 17° 40' E	
20.00	Dry Creek bears S. E.	
40.00	set a limestone 17 x 9 x 5 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on S.	45.00
	W. fence with regulation mound & pits	9.00
		35.50
55.00	Ravine bears W.	
72.00	ridge bears E. & W.	40.00

T. 9 N. R. 17 W.

chains	
80.00	set a limestone 30×12×8 ins. in mound of stones marked 4 notches on S. 2 notches on E. edges. with ~~negative~~ mound of stones alongside puts impracticable. Land mountainous, soil 3d rate, scattered Cedars Some sagebrush. surrounded on 80 chains
	Cent on a random line bet. secs. 11 and 14 Va. 17° 40' E.
45.00	ridge bears N. & S.
9.00	gulch trains S.
35.50	dry Creek trains S. W. a Spring bears N. 20 ch.
40.00	set temp. 1/4 sec. cor.

Subdivisions

T. 9 W. R. 17 W.

Chains	
48.00	ridge bears N. & S.
53.50	gulch draws S.
59.00	top of high ridge bears N. & S.
66.50	gulch draws S.
80.20	Intersect N. & S. line 24 chs N. of corner to secs. 11. 12. 13 & 14 thence Drum N. 89° 50' W. on a true line bet. secs. 11 & 14 with same va.
40.10	set a limestone 18x14x10 ins. 12 ins. in ground for 1/4 sec. cr. marked 1/4 on W. face with regulation mound & pits, a Pine 20 in. Diam. bears S. 66 E. 15 lks, marked 1/4 S. BT.
80.20	the cr. to secs. 10. 11. 14. 15 Land mountainous and 3rd rate, scattered Cedars and Pines.

Chains augmented on 20th Chains

North bet. secs. 10 and 11
Va. 17° 40' E.

15.00 ridge bears E. & W.

27.50 gulch trends E.

38.00 ridge bears E. & W.

40.00 Limestone in place
3 x 2½ x 2 feet, marked
¼ on W. face, with
mound of stones alongside
pits impracticable.
for ¼ sec. cor.

65.00 gulch trends E.

80.00 set a limestone 20 x 9 x 9
ins. in mound of stones
for cor. to secs. 2, 3, 10 & 11
marked 5 notches on S.
2 notches on E. edges, with
mound of stones alongside.
Land mountainous, soil

Subdivisions
T. 9 N. R. 17 W.

Chains		Chains
	3d rate. scattered Pines Cedars and Mahogany augmented on 80 chains.	80.40
	Run on a random line bet. secs 2 and 11 Va. 17° 50' E.	
11.50	gulch Trends S.	
20.00	Tabernacle rock bears North about 10 chains mrs E. & W.	
40.00	set temp. 1/4 sec. cor.	
65.00	ridge bears N. & S.	
80.40	Intersect N. & S. line at the cor. to secs. 1. 2. 11 and 12 thence Down West on a true line bet. secs. 2 and 11 with same var.	22.50 40.00 80.00
40.20	set Quarter 12 x 10 x 5 ins. 8 ins. in ground for 1/4 sec.	

EEEH-A-195 Subdivisions
T. 9 W. R. 17 W.

Chains	cor. marked 1/4 on N. face with regulation mound pits
80.40	the cor. to secs. 2. 3. 10. 11
	Land mountainous
	soil 3d rate.
	scattered pines averaging
	20 ins. diam. Cedars and
	Mountain Mahogany
	augmented on 80 40 chains.
	North on a random line
	bet. secs. 2 and 3
	Va. 17° 50' E.
22.50	gulch drains W.
40.00	set temp. 1/4 sec. cor.
80.00	Intersect North boundary
	20 lks. East of cor. to
	secs. 2. 3. 34. 35 thence
	Down S 0° 9' E. on a true
	line bet. secs. 2 and 3 with
	same on.

Subdivisions

T. 9 W. R. 17 W.

Chains		Chains.
40.00	set a limestone 30×9×3 in mound of stones for 1/4 sec. cor. marked 1/4 on W. face with mound of stones alongside pits impracticable.	55.00
	on top of ridge bears E. & W.	64.50
80.00	the cor. to secs. 2. 3. 10 & 11	80.00
	land mountainous, soil 3d rate, scattered Cedars.	
	augmented on 80 chains Dec. 19th 82	
	From the cor. to secs. 33 and 34 on South boundary of township 9 run North bet. secs. 33 and 34 Va. 17° 50' E.	
40.00	set a limestone 17×9×4 in 11 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with	

BOOK-A-195 Subdivisions 270

T. 9 W. R. 17 W.

	Mons.	regulation mound & pits
	55.00	Dry Creek Trees S. E.
	64.50	Overland road bears
		N E & S. W. mitre & mound
		and pit 2×1×1 ft.
	80.00	set a limestone 20×9×4
		ins. 12 ins. in ground for
		cor. to secs. 27. 28. 33. 34
		marked 1 notch on S. 3
		notches on E. adjoa with
		regulation mound & pits
		a cedar 15 in. diam. bears
		S. 42° E. 75 lks. marked
		T. 9 N. R. 17 W. S. 34 BT.
		land rolling soil 1st
		and 2nd rate, scattered
		cedars high & young
		augmented on 80 chains.

271 Subdivisions

T. 9 W. R. 17 W.

BOO

Chains		Chains
	Cont on a random line bet	80.35
	secs. 27 and 34	
	Va. 17° 50' E	
6.00	gulch. Trans S.	
30.00	Overland road bears N E. &	
	S. W. witness mound and	
	pits 2 x 1 x 1 ft.	
40.00	Temp. 1/4 sec. cor.	
55.50	Deep rocky gulch dr. S. W.	
73.00	" " " " S. W.	5.50
80.35	Intersect N a S. line at	18.50
	the cor. to secs. 26. 27. 34	40.00
	and 35, thence N run	
	West on a true line bet 27	
	with same va.	
40.17½	set Quartz 14 x 9 x 9 ins.	
	in mound of stones for 1/4	
	sec. cor. marked 1/4 on W. face	
	mound of stones adjacent	
	in rocky ledge trees S.	57.00

	chains	
	80.35	the cw. two rees 27.28, 33 and 34; land broken, mid 2nd and 3d rate, dame vegetation, brushy reg. augmented on 8 0.35/100 chains
		North bet. secs. 27 and 28 Va. 17° 50' E.
	5.50	creek trees S.W.
	18.50	creek trees S.E.
	40.00	set a limestone 10 x 9 x 9 ins., 6 ins. in ground for 1/4 sec. cor., marked 1/4 on W. face with regulation mound & pits.
		a Cedar 10 in. diam. bears S. 50 lks marked 1/4 S B T.
	57.00	ridge bears E. & W.

273 Subdivisions
T. 9 W. R. 17 W.

Chains		
63.50	Dry Creek Trail S. E.	Chai
80.00	set a limestone 20x20x6	
	ins. 12 ins. in ground for	
	cor. to secs. 21. 22. 27 & 28	40.1
	marked 2 notches on S.	
	3 notches on E. edges with	
	regulation mound & pits	
	and high rolling,	
	soil 2nd and 3d rate	80.2
	same sagebrush scattering	
	Cedars	
	augmented on 80 chains	
	Cut on a random line	
	bet. secs. 22 and 27	
	Va. 17° 50' E.	40.0
40.00	set temp. 1/4 sec. cor.	
61.00	gulch. Trail S.	
80.20	Intersect W a S. line	
	at the cor. to secs 22. 23. 26	

Subdivisions

BOOK-A-195

T. 9 W. R. 17 W.

274

Chns	and 27 thence Down West on a true line, with same va. (Intersects 22 & 27)
40.10	set a limestone 22×14×6 ins. 14 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
80.20	the cor. to secs. 21. 22. 27. 28 land low rolling, soil 2nd rate, some sagebrush augmented on 80 chns. (20)
	North bet. secs 21 & 22 Va. 17° 50' E.
40.00	set a limestone 15×10×6 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits

BOOK

		Chains
Chains 80.00	around set a Quartz 30×10×6 ins	40.00
	in mound of stones for cor.	41.50
	to secs. 15. 16. 21 & 22 mutl	77.00
	3 notches on S. 3 notches	80.30
	on E. edges with regulation	
	mound of stones pits im-	
	practicable. near	
	top of mountain bears	
	N. [redacted]	
	land first half level	40.15
	and 2nd rate Jura	
	angelrock, vert mun.	
	taines,	
	augmented on 80 chains	
	East on a random line	80.30
	bet. secs. 15 and 22	
	Va. 17° 50' E	
4.00	top of mountain bears	
	N. & S.	

BOOK-A-195 Subdivisions 276
T. 9 N. R. 17 W.

Chns	
40.00	set temp. 1/4 sec. cor.,
41.50	grave 6 ins S.
77.00	ridge bears S. E.
80.30	Intersect N. & S. line 22 chs. North of the cor. to secs. 14-15-22 & 23 thence run N. 89° 51' W. on a true line bet. secs 15 and 22 with same va,
40.15	set a limestone 15x9x9 ins, 10 ins in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits on front of high mountain
80.30	the corner to secs 15. 16. 21 & 22, found 1st half [illegible] mountainous, rocky, rests level 1/2 mile, thence

Subdivisions

T. 9 W. R. 17 W.

Chains		Chains
	Sagebrush, scattered Cedars. augmented on 80 30 chains	
	North bet. secs. 15 and 16 Va. 17° 50' E.	
30.00	foot of steep mountain	
40.00	set a Quartz 12×10×9 ins. 8 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits. a Cedar 10 in. diam bears W. 123 lks. marked 1/4 S. B T.	
60.00	ridge bears E & W.	
68.00	Dry Creek Trends W.	29.00
80.00	set a limestone 16×9×8 ins. 10 ins. in ground for cor. to secs 9. 10. 15 and 16 marked 4 notches on S. 3 notches on E. edges with regulation	40.00 45.00 54.00 80.16

Chain mound & pits a Pine 6 in. diam. bears N 45° 15' E. 135 lks. marked T. 9 W. R. 17 W. S. 10 B T.

brit sock.
Land mountainous, rest rolling soil 2nd rate, scattered Cedars and Pinon Pines, same vegetation

augmented on 80 chains

Cut on a rock on line bet. secs. 10 and 15 Va. 17° 50' E.

29.00 gulch trends S. W.

40.00 set temp. 1/4 sec. cor.

45.00 ridge bears S. W. & N. E.

54.00 dry creek trends S.

80.16 Intersect N. & S. line at the cor. to secs. 10. 11. 14. 15

Subdivisions

2/9 T. 9 N. R. 17 W.

Chains	thence Down W. on a true line bet. secs 10 and 15 with same va.	Chains 40.00
40.08	set a limestone 18x10x6 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits. a pine 15 in. diam. bears E. 30 lks. marked 1/4 S. B T.	
80.16	thence W. to secs 9.10.15 & 16 land mountainous, soil 3rd rate, scattered Cedars & pine trees, some cedar brush	48.00 80.00

augmented on 80.16 chains.

West bet. secs 9 and 16 Va. 17° 50' E.

12.00 Big Creek Down South.

22.00 Cedar ridge bears N. & S.

40.00 stone limestone 18x18x18 ins. in mound of stones for 1/4 sec. cor. marked 1/4 on W. face mound of stones

North bet. secs. 9 and 10 Va. 17° 50' E.

18.00 gulch Down W.

Cedar ridge Down S. and N.

Big Creek Down S.

limestone 18x18x18 ins. in mound of stones for 1/4 sec. cor. marked 1/4 on W. face mound of stones

line fence West

with stays and mostly barbed wire

some Cedar, some scrub brush augmented on 80 chains

BOOK-A-195

T. 9 N. R. 17 W.

Chains	
40.00	set a limestone 16×9×4 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits, on top of ridge bears E. & W. a Cedar 10 in. diam. bears W. 60 lks. Sams Spring bears N. 75° 30' W. 13 chains;
48.00	gulch trends S. W.
80.00	set a limestone 14×9×4 ins 9 ins. in ground for cor. to secs. 3. 4. 9 and 10 marked 5 notches on S. 3 notches on E. edges with regulation mound & pits a Pine 7 in. diam. bears N. 27½° W. 90 lks. marked T. 9 W. R. 17 W. S. 4 B.T. a Pine

T. 9 W. R. 17 W.

Chain 6 ins. Timn. bears S. 15° E.
30 lks. marked S. 10 B.T.
Land high rolling,
Cedars and Timn Pine
Tense sandstone
augmented in 80 chains

Enter on a random line
bet. secs. 3 and 10
~~section line~~. Va. 17° 50' E
25.00 Dry Creek trends S.
40.00 set temp. 1/4 sec. cor.
80.40 Intersect N. & S. line
at the c.w. to secs.
2. 3. 10 and 11 thence
I run W. on a true line
bet. secs. 3 and 10 with
same va.
40.20 set a limestone 18×9×4
ins. 12 ins. in ground for

T. 9 N. R. 17 W.

.15° E.	Chains	1/4 sec. cor marked 1/4 on
BT.		W. fence with regulation
		mound & pits
	80.40	the cor. to secs. 3. 4. 9. & 10
		Land rolling soil
		2nd rate, scattered
		Cedars & Juniper Trees.
		high sagebrush
		augmented on 80.40 Chains
50' E	17.00	West on a true line bet. secs. 4 and 9. Va. 17° 50' E.
	40.00	gulch drains E.
		set a Limest. 14x10x6 ins. in mound of stones for 1/4 sec.
		cor. marked 1/4 on W. fence mound of stones adjacent pits impeding
		line fence about 4 rods and bottom 2 adjacent same
Land mountainous 2nd rate scattered Cedars high sagebrush augments 40 ch.		North on a random line
		bet. secs. 3 and 4
		Va. 17° 50' E.
	9.50	gulch drains W.
	24.00	gulch drains W.
	40.00	set temp. 1/4 sec. cor.
	60.00	ridge bears N.W. & S.E.
	77.50	gulch drains N.W.
	80.20	Intersect N. Boundary
		28 lks. W. of the cor. to

283 Subdivisions

T. 9 N. R. 17 W.

Chains		Chains
Chains	recs. 3. 4. 33 and 34 thence	25.00
	I run S. 0° 12' W. on a true	
	line bet. recs. 3 and 4 with	
	same va.	40.00
40.20	set a limestone 14×9×4	
	ins. 9 ins. in ground for	
	1/4 sec. cor. marked 1/4 on	
	W. face with regulation	
	mound & pits	49.00
80.20	the cor. to secs. 3. 4. 9 & 10.	56.50
	Land mound ~~mi~~ mines, with	
	Cedars & Jack Pines,	80.00
	sagebrush. bearings	
	augmented on 80.20 chains	
	Dec. 20 — 82	
	From the cor. of secs.	
	32 and 33 on South boun-	
	dary of T. I run	
	North bet. secs. 32 & 33	
	Va. 17° 50' E.	

T. 9 N. R. 17 W.

Chains

25.00 Overland Road

bears N. W & S. E. witness mound & pits 2×1×1 ft.

40.00 set a Quartz 15×8×8 ins 10 ins in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound and pits

49.00 enter small Lake

56.50 leave same, water level.

80.00 set a limestone 15×11×4 ins. 10 ins. in ground for cor. to secs. 32. 33. 28 & 29 marked 1 notch on S. 4 notches on E. edges with regulation mound & pits land rolling soil 2nd rate, timber sagebrush.

augmented on 80 chains

T. 9 N. R. 17 W.

Chains		Chains
	Cart on a road on line bet. secs. 28 and 33	
	Va. 17° 50' E.	16.50
40.00	set temp. 1/4 sec. cor.	
42.50	Dry Creek Travis S.	40.00
80.40	Intersect N. S. line 38 Ks. North of the cor. to secs. 27. 28. 33 and 34 thence	
	Runs N 89° 44' W. on a	72.00
	true line bet. secs. 28 & 33	80.00
	with same va.	
40.20	set a Quartz 12 x 12 x 4 ins. 8 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound and pits.	
80.40	the cor. to secs. 28. 29. 32. 33 Land rolling soil 2nd rate Dense sagebrush & greasewood	
	augmented on 80 chains.	

Chains	North bet. secs. 28 & 29
	Va. 17° 50' E,
16.50	foot of steep rocky
	mountain bears N. & S,
40.00	mark a perpendicular
	ledge of rock 12 feet
	high 1/4 S establish
	mound of stones alongside
72.00	ledge bears W.
80.00	set a Quartz 40 x 12 x 4
	ins in mound of stones
	for cor. to secs.
	~~mark~~ 20. 21. 28 & 29
	marked 2 notches on S,
	4 notches on E, edges
	with regulation mound
	of stones alongside on
	top of rocky mountain
	land mountainous and
	rocky as 63.50 ch. with
	rolling 3d rate, Fence says

Subdivisions
T. 9 N. R. 17 W.

Chains		Chains
	brush. scattered Cedars	
	augmented on 80 chains	80.16
	Cont on a random line	
	bet. secs. 21 and 28	
	Va. 17° 50' E.	
18.75	Stones	
40.00	at temp. 1/4 sec. cor.	
46.20	to Creek Brush S.	
80.16	Intersect N. & S. line	
	at the cor. to secs. 21, 22	
	27 and 28 thence N. run	25.00
	N. on a true line bet.	
	secs. 21 and 28 with same	40.00
	va.,	
40.08	set a limestone 14 x 10 x 8	
	in mound of stones for	
	1/4 sec. cor. marked 1/4 on	
	N. face raised mound of	
	stones alongside, on	80.00

T. 9 N. R. 17 W.

Chains	
	foot of steep mountain
80.16	thence on W. to recs. 20, 21 28 and 29. Land first half rocky, mountainous, next rolling, mixed rate, scattered cedars some sagebrush, burnings augmented on 80 chains,
	North bet. recs. 20, 21 Va. 17° 50' E,
25.00	foot of rocky mountain bears N. & S.
40.00	set a limestone 14×10×6 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with mound of stones alongside pits impracticable
80.00	set a sandstone 20×9×6 ins.

Subdivisions

T. 9 W. R. 17 W.

		Chains
Chains	in mound of stones. for cor.	40.00
	to secs. 16. 17. 20 and 21	
	marked 3 notches on S.	
	4 notches on E. edges,	73.00
	with mound of stones alongside, pits impracticable	80.00
	land mountainous on	
	25 ch. no Wy, rest rolling	
	soil 3d rate, scattered	
	Cedars, Some sagebrush	
	augmented on 80 chains	40.00
	Center a random line	
	bet. secs. 16 and 21	
	Va. 17° 50' E	80.00
20.00	ridge bears N. & S.	
32.00	Dry Creek in gulch	
	draws S.	
38.00	foot of mountain bears	
	N. & S.	

BOOK-A-195 Subdivisions # 290

T. 9 N. R. 17 W.

Chains	
40.00	mark a sandstone for temp. 1/4 sec. cor.
	around
73.00	top of Mountain
80.00	Intersect N. & S. line. 20 lks. N. of the cor. to secs. 15. 16. 21 and 22 thence N 89° 51' W. on a true line bet. secs. 16 and 21 with same va.
40.00	sandstone in place for 1/4 sec. cor. 20 x 15 x 10 feet marked 1/4 on W. face raised mound of stones alongside.
80.00	the cor. to secs. 16. 17 20 and 21.
	land mountainous, soil 3d rate, scattered Cedars. brushwood
	augmented on 80 chains

Subdivisions

T. 9 N. R. 17 W.

Chains		Chains
	From the Cor. to secs. 31 and 32 on South Boun.	
	day of Township 9 nor. North bet. secs. 31 and 32	
	Va. 17° 50' E.	
8.00	Road to Grouse Creek bears N W & S. E.	
40.00	set a Quartz 15x10x8 ins. 10 ins. in ground for	37.50
	1/4 sec. cor. marked 1/4 on	40.00
	W. face with regulation	80.00
	mound & pits.	
65.00	foot of bench bears E. W.	
80.00	set a limestone 16x12x12 ins.	
	10 ins. in ground for cor. to	
	secs. 29. 30. 31 and 32	40.00
	marked 1 notch on S. & notch	
	on E. edges with regulation	
	mound & pits.	
	land mostly level soil	

T. 9 N. R. 17 W.

Chains 2nd rate, scattered Cedars dense sagebrush & greasewood augmented on 80 chains

Cut on a random line bet. secs. 29 and 32
Va. 17° 50' E.

37.50 Gulch Drains S.

40.00 set a temp. 1/4 sec. cor.

80.00 Intersect N. & S. line 36 chs. N. of the Cor., to secs. 28. 29. 32 & 33

thence I run N 89° 45' W. on a true line bet. secs. 29 & 32 with same va.

40.00 set a limestone 12x10x5 ins 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.

Subdivisions
T. 9 N. R. 17 W.

Chains.		Chains
80.00	the Cor. to secs. 29. 30. 31 and 32.	
	Land rolling, soil 2nd rate dense sagebrush & greasewood. augmented on 80 chains.	80.60
	West on a random line bet. secs. 30 and 31 Va. 17° 50' E.	
27.25	Dry Creek Trends S. W.	
38.50	foot of hill bears N. & S.	
40.00	set temp. 1/4 sec. cor.	
80.60	Intersect West boundary at the cor. to secs. 30. 31. 25 and 36 thence S run East on a true line bet. secs. 30 and 31 with same va.	40.00
40.60	set a limestone 10 x 9 x 5 ins 6 ins. in ground for 1/4 sec.	41.10 68.00

T. 9 N. R. 17 W.

Chains cw. marked 1/4 on N. face with regulation mound and pits.

80.60 the cw. to secs. 29. 30. 31 and 32.
land rolling soil 2nd rate, scattered Cedars Some sugarmaple and greenwood.
augmented on 80.60 chains

North bet. secs. 29 and 30
Va. 17° 50' E.

40.00 set a limestone 36×12×10 ins. 18 ins. in ground for 1/4 sec. cw. marked 1/4 on W. face with regulation mound & pits.

41.70 Deep creek crosses W.

68.00 enter marsh crosses S. W.

		Chains
78.50	leave mark.	60.50
80.00	set a limestone 36×18×10	72.75
	ins. 24 ins in ground for	
	cw. to rec a 19.20.29 & 30,	80.30
	marked 2 notches on S.	
	3 notches on E. edges	
	with regulation mound	
	& pits.	
	Land rolling, soil	
	2nd rate, scattered Cedar	40.15
	high ridge mark	
	augmented on 80 chain	
	Cut on a road on line	
	bet. secs. 20 and 29	
	Va. 17° 50' E	80.30
17.75	Dry Creek Draw S.	
27.50	ridge bears N. & S.	
38.00	gulch Draw S.	
40.00	set temp. 1/4 sec. cor.	

Chains	
60.50	ridge bears N E & S. W.
72.75	foot of perpendicular ledge
80.30	Intersect N & S. line 28 lks. W. of the cor. to secs. 20. 21. 28 & 29
	thence S run N 89° 48' W. on a true line bet. secs. 20 and 29 with same va.
40.15	set a Quartz 24×18×8 ins. in mound of stones for 1/4 sec. cor. marked 1/4 on N. face with regulation mound of stones pits impracticable.
80.30	the cor. to secs. 19. 20. 29 & 30
	land mountainous, soil 3d rate scattered Cedars dense underbrush, sandstone

Subdivisions

T. 9 W. R. 17 W.

		Chains
Chs	augmented on 8 0.t lines 30	80.50
	Westerly a random line bet. secs. 19 and 30 Va. 17° 50' E.	
11.50	quartz trees S. W.	
22.00	ridge bears N. & S.	
40.00	set temp. 1/4 sec. cor.	
65.50	Dry Creek trees S.	
80.50	Intersect West boundary	
	22 lks. N. of the cor. to	28.00
	secs. 19. 30. 24 and 25 thence	35.00
	N. 89° 51' E. on a	40.00
	true line bet. secs. 19. 30	
	with same va.	
40.50	set a Quartz 12 x 12 x 6 ins.	
	in mound of stones from	
	1/4 sec. cor. marked 1/4 on N.	
	face with mound of stones	6.6.50
	alongside pits impracticable	

Subdivisions

T. 9 N. R. 17 W.

298

Chains	
80.50	The cor. to secs. 19, 20, 29 and 30 land rolling, fert hills soil 3d rate, scattered cedars, some sagebrush and greasewood augmented on 80th Chains. Dec. 21st
	North bet. secs. 19 and 30 Va. 17° 50' E.
28.00	rocky ridge bears E. & W.
35.00	Dry Creek Trends S.W.
40.00	set a limestone 40×14×4 ins. in mound of stones for 1/4 sec. cor. marked 1/4 on W. face with mound of stones alongside pits impracticable.
66.50	head of Dry Creek Trends S. E.

Subdivisions

T. 9 N. R. 17 W.

		Chains
68.00	ridge bears E. & W.	70.00
80.00	set a limestone 18 x 9 x 12 ins. in ground for cor. to secs. 17. 18. 19 and 20 marked 3 notches on S. 5 notches on E. edges with regulation mound and pits.	80.40
	land mountainous, mix'd scattered timber, cedars, high sagebrush	40.20
	augmented on 80 chains.	
		80.40
	Cut on a round on line bet. secs. 17 and 20 Va. 17° 50' E.	
27.50	gulch trends S. W.	
40.00	set temp. 1/4 sec. cor.	
50.00	ridge bears N. & S.	
63.00	gulch trends S.	

Subdivisions 300

T. 9 N. R. 17 W.

Chains.	
70.00	ridge bears N. & S.
80.40	Intersect N. & S. line at the cor. to secs. 16. 17. 20 & 21 thence 3 mm West on a true line bet. secs. 17 and 20 with same va.
40.20	set red sandstone 36×30×9 ins. in mound of stones for 1/4 sec. cor. marked 1/4 on N. face with mound of stones alongside pits impracticable.
80.40	the cor. to secs. 17. 18. 19 & 20
	land mountainous, side 3d rate, scattered cedars, some sagebrush and grass.
	augmented on 80 40 chains line runs along South side of steep rocky mountain

Subdivisions

T. 9 N. R. 17 W.

Chains		Chains
	West on a random line bet. secs. 18 and 19 Va. 17° 50' E.	
27.50	ridge bears N & S.	
40.00	set temp. 1/4 sec. cor.	39.75
45.00	Gulch bears S.	40.00
79.70	Intersect West boundary at the cor. to secs. 18. 19, 13 and 24 thence Drive East on a true line bet. secs. 18 & 19 with same va.	
39.70	set a limestone 12 x 8 x 5 ins. 8 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.	52.50 60.00 80.00
79.70	the cor. to secs. 17. 18. 19. 20. Land rolling, soil 2nd rate scattered Cedars three sagebrush.	

T. 9 N. R. 17 W.

Chain augmented on 79.71 chains.

North bet. secs. 17 and 18
Va. 17° 50' E.

39.75 Dry Creek bears W.

40.00 set a sandstone 36 x 9 x 6 ins. in mound of stones for 1/4 sec. cor. marked 1/4 on W. face with mound of stones alongside, pits impracticable.

52.50 gulch bears W.

60.00 rocky ridge S. W.

80.00 set a limestone 20 x 19 x 9 ins in mound of stones for cor. to secs. 7. 8. 17 and 18 marked 4 notches on S. 5 notches on E. edges with mound of stones alongside pits impracticable.

Subdivisions
T. 9 N. R. 17 W.

Chains		Chains
	Land mountainous, soil 3d rate, scattered Cedars augmented on 80 chains	
		39.70
	The line East bet. secs. 8 and 17 being very rocky and broken I abandoned the same.	
		79.70
	West on a random line bet. secs 7 and 18 Va. 17° 50' E.	
12.00	gulch Trends S.	
19.00	ridge bears N. & S.	
40.00	set a Quarts temp. 1/4 sec. cor	
45.00	Dry Creek Trends S.	
54.50	ridge bears N. & S.	7.00
79.70	Intersect West boundary	12.00
	of the township at the	20.00
	cor. to secs. 12. 13. 7. & 18	33.00

T. 9 W. R. 17 W.

Chain thence I run East on a true line bet. secs. 7. 18 with same sec.

39.70 set a Quartz 18×9×6 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.

79.70 the cor. to secs. 7. 8. 17. 18. Land mountainous soil 2nd rate, scattered cedars, sagebrush augmented on 79.70 chains.

North bet. secs. 7 and 8 Va. 17° 50' E.

7.00 rocky ridge bears S. W.

12.00 gulch drains W.

20.00 ridge bears S. W.

33.00 Dry Creek drains W.

Subdivisions

T. 9 N. R. 17 W.

Chains		Chains
40.00	set a limestone 19×9×7 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with	5
	regulation mound & pits	9.50
73.00	Dry Creek bears W.	18.50
80.00	set a sandstone 22×10×10	26.00
	ins. in mound of stones	40.00
	marked 5 notches on S.	42.50
	5 notches on E. edges	43.00
	with regulation mound	79.70
	of stones pits impracti-	
	cable. Land mountainous	
	& 1st 2nd and 3d rate.	
	scattered Cedars, high	
	sagebrush.	
	augmented on 80 chains	39.70

The line Cor. bet. secs 5 and 8 being rocky and broken I abandon same.

Chains	West on a random line
5	bet. secs. 6 and 7
	Va. 17° 50' E.
9.50	ridge bears N. & S.
18.50	Dry Creek trends S.
26.00	ridge bears N. & S.
40.00	set temp. 1/4 sec. cor.
42.50	Dry Creek trends S.
43.00	ridge bears N & S.
79.70	Intersect West boundary 40 lks. N. of the cor. to secs. 6. 7. 1 and 12 thence run N. 89° 43' E. on a true line bet. secs. 6 and 7 with same var.
39.70	set a limestone 15 x 9 x 6 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with mound of stones alongside pits impracti-

Subdivisions E.

T 9 W. R. 17 W.

Chains		Chains
79.70	the cor. to secs. 5. 6. 7 & 8. land rolling soil 2nd rate, high range timber augmented on 79.70 chains.	80.00
	North bet. secs. 5 and 6 Va. 17° 50' E.	
8.00	ridge bears E. & W.	
40.00	set temp. 1/4 sec. cor.	
60.00	Dry Creek drains W.	
80.00	Intersect North boundary at the cor. to secs. 5. 6. 31 and 32 thence Drum South on a true line bet. secs 5 and 6 with same va.	
40.00	set a limestone 22x9x6 ins. 14 ins. in ground for 1/4 sec. cor. marked 1/4 on	

Chains
W. Course with regulation mound & pits
80.00 the cor. to secs. 5. 6. 7 and 8.
Land rolling, soil 2nd rate, scattered Cedars, high & ragged brushy ridges.
augmented on 80 chains.
Dec. 22nd

General Description
The land in this township is partly high rolling and mountainous in the Eastern half, covered with fine Pine Trees and Cedars. There is some fine farming land in the western part, and around the Springs

209 Subdivisions
T. 9 N. R. 17 W.

in the Eastern half.
There is much prospecting
done for coal, but no
without success.

Ferdinand Dicker
U. S. Dep. Surveyor

BOO

U. S. SURV

Salt L

The f

fra

Township N

Executed by

Under

day of

amined, the

the said fi

hereby appr

BOOK-A-195

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 30 1883

The foregoing field notes of the survey of the

fractional Subdivisions

Township No. 9 North *Range No.* 17 West

Executed by Ferdinand Dickert

Under his No. 112 *contract of the* 15th

day of September 1882, *in the month of*

Dec 1882, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fd Salomon

U. S. Surveyor General for Utah.

BOOK-A-195

Township 9 North R. 18 West



BOOK-A-195

Township 9 North R. 17 West



BOOK-A-195

13

REPORT: 1884

Filed 188

Examined by .....

Transcribed by Benj. Stevenson

Compared by Linton & Stevenson

FIELD NOTES

OF THE SURVEY OF THE

East and North Boundaries

OF

Township No 9 South

Range No 18 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ferdinand Lickert

U. S. Deputy Surveyor,

Under his Contract No. 112

Dated September 15th 1882

Survey commenced November 7th 1882

Survey completed November 8th 1882

BOOK-A-195

Township 9 North R. 18 West



BOOK-A-195

East Boundary T. 9 N. R. 18 W.

Nov 7th 1882

Chains I began at the Standard Cor. to Townships 9 N. R. 17 and 18 West and run North bet. secs. 31 and 36 Va. 18 C.

40.00 set a limestone 14×8×5 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.

80.00 set a limestone 15×8×6 10 ins. in ground for cor. to secs. 25. 36. 30 & 31 marked 1 notch on S. and 5 notches on N. edges with regulation mound & pits. Land level, soil 1st rate, high & rolling, growth of timber principally oak.

311 Exteriors

Cent Boundary T. 9 N. R. 18 W.

Chains		Chains
	North bet. secs. 25 & 30	
	Va. 18° E.	65.00
40.00	set a limestone 12×9×4 ins.,	80.00
	8 ins. in ground for 1/4 sec. cor.	
	marked 1/4 on W. face with re-	
	gulation mound & pits	
80.00	set a limestone 22×10×8 ins.,	
	14 ins. in ground for cor. to secs.	
	24. 25. 19 & 30 marked 2 nitch	
	on S. & notches on N. edges with	
	regulation mound & pits	
	Live rolling, soil 1st rate.	
	High ridge & ravine	
	augmented 80 chains	
		40.00
	North bet. secs. 19 & 24	
	Va. 18° E.	
40.00	set a limestone 18×10×6 ins.,	
	12 ins. in ground for 1/4 sec. cor.	80.00
	marked 1/4 on W. face	

Cent Boundary T. 9 N. R. 18 W.

Chains	
	with regulation mound & pits
65.00	ridge bears E & W.
80.00	set limestone 24×14×2
	16 ins. in ground for cor. to
	secs. 13. 24. 18 & 19. marked
	3 notches on S. 3 on N. edges
	with mound of stones, pits
	impracticable.
	land low rolling, 2nd rate
	high sagebrush, scattered
	cedars, augmented on 80 chain
	North bet. secs. 13 and 18
	Va. 18° E.
40.00	set a limestone 12×10×7 ins.
	8 ins. in ground for 1/4 sec. cor.
	marked 1/4 on W. face with
	regulation mound & pits
80.00	set a sandstone 12×8×6 ins.
	8 ins. in ground for cor. to

Meanders

East Boundary T. 9 W. R. 18 W.

Chains		Chains
	secs. 12. 13. 7 and 18 marked	70.00
	4 notches on S. 2 notches on	80.00
	N. edges with regulation	
	mound & pits. a cedar 10 in.	
	diam. bears S. 45 W. 50 lks.	
	marked T. 9 W. R. 18 W.	
	S. 13 B T. land rolling	
	2nd & 3d-rate high sage-	
	brush, scattered cedars	
	augmented on 80 chains	
	North bet. secs. 7 and 12	
	Va. 18° E.	
40.00	set a Quartz 19 x 12 x 7 ins.	10.00
	12 ins. in ground for 1/4 sec. cor.	40.00
	marked 1/4 on W. fence with	
	mound of rocks alongside	
40.50	dry Creek trends S. W.	
48.00	top of main ridge rocky	
	bears E & W.	50.00

Chains	
70.00	top of Cedar ridge bears E. W.
80.00	set a sandstone 22×14×4 ins. in mound of stones for cor. to secs. 1. 12. 6 and 7 marked 5 notches on S. 1 notch on W. edges with mound of stones alongside pits impracticable Land mountainous, hills Soil 2nd rate sagebrush, scattering Cedars V augmented on 80 chains.
	North bet. secs. 1 and 6 Va. 18° E.
10.00	top of ridge bears E & W.
40.00	set a sandstone 24×12×4 ins. 16 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
50.00	top of ridge bears E & W.

315' Coteriors East boundary.

T. 9 N. R. 18 W.

chains	
80.00	set a trap light 26 x 20 x 4 ins., 16 ins. in ground for cor. to T. 9 and 10 N. R. 17 & 18 W. marked 6 notches N. S. E. W. edges with mound of rocks 4 x 4 x 4 feet and regulation pits. a Cedar 12 in. diam. bears S. 40° E. 117 lks. marked T. 9 N. R. 17 W. S. 6 B T. land mountainous, scattered Cedars, sagebrush, soil 4th rate
	augmented on 80 chains

November 1st 82

Copy of Mrs Exteriors.

BOOK-A-195

316

North Boundary T. 9 N. R. 18 W.

From the cor. to T 9 & 10 N. R. 18 and 19 West, I run East on a random line last said Townships the variation being 18° E. I set temporary half mile and mile corners at each 40 and 80 chains and find the Township line to be 5 miles 79 ch. long and the falling to be 25 lks. N. of the cor. to T. 9 and 10 N. R. 17 and 18 W. The correction for the true line will therefore be 4/6 lks S. and 1 chain West per mile, and its course will be N. 79° 58' W.

From the cor. to T. 9 & 10 N. R. 17 and 18 W. a tree 6 ins 26 x 20 x 4 marked 6 mtr blazed on

Ontario

North Boundary T. 9 W. R. 18 W.

Chains		Chains
	N. S. P. a W. edges with regulation mound & pits. I run N. 89° 58' W. on a true line bet. recs. 1 and 36 Var. 18° E.	
40.00	set a trachyte 16×6×5 ins. 10 ins. in ground for 1/4 rec. cor. marked 1/4 on N. face with regulation mound & pits on West end of low ridge bears Cent.	40.00
57.50	Dry Creek and trail bears S. W.	
80.00	set trachyte 20×10×8 ins. 12 ins. in ground for cor. to recs. 1. 2. 35 and 36 ~~with~~ marked 5 notches on W. and 1 on E. edges with regulation mound & pits. Land rolling, high thick	80.00

North Boundary T. 9 W. R. 18 W.

Chains

Chains sagebrush, augmented on 80 chains Soil & veg. Type

N 89° 58' W. on a true line bet. recs. 2 and 35

Va. 18° E.

40.00 set trachyte 15×7×6 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on W. fence with regulation mound 2 pits

80.00 set trachyte 20×12×5 ins. 12 ins. in ground for corner to secs. 2. 3. 34 & 35 marked 4 notches on W. 2 notches on E. edges with regulation mound 4 pits.

land level, soil 1st rate

high thick sagebrush augmented on 80 chains.

Esteavios

North Boundary T. 9 N. R. 18 W.

Chains		Chains
	N 89° 58' W. on a true line bet. secs. 3 and 34.	10.00
	Var. 18° E.	
40.00	at trachyte 16 x 12 x 5 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.	27.85
		31.50
		40.00
76.50	road bears N & S. with pits mound & pit 2 x 1 x 1 feet.	
80.00	trachyte 16 x 10 x 9 ins, 10 ins, in ground for cor. to secs. 3. 4. 33 and 34 marked 3 with on W. and 3 on E. edges with regulation mound & pits	53.00
	Land level, soil 1st rate, high cultivation	65.50
	augmented on 80 chains.	66.60
	N 89° 58 W. on a true line bet. secs. 4 and 33	

North Boundary T. 9 N. R. 18 W.

Chains	
	Va. 18° E.
10.00	North end of rocky ridge bears N. & S.
27.85	Iruna Creek 3 feet wide 1 ft. deep runs South,
31.50	foot of rocky ridge N & S.
40.00	set trachyte 24×18×10 ins in mound of rocks ~~marked~~ for 1/4 sec. cor. marked 1/4 on N. face ~~and~~ mound of rocks pits impracticable on top of ridge bears N. & S.
53.00	foot of same ridge extends about 300 feet S. and 800 ft. North,
65.50	Dry Creek trains South
66.60	Road from Teruna to Iruna Creek bears N. & S. witness mound & pit, 2×1×1 feet.

321 Between North Boundary

T. 9 N. R. 18 W.

BOOK- North

Chains		Chains
80.00	set trachyte 16×12×8 ins. 10 ins. in ground for cor. to secs.	
	4. 5. 32 & 33 marked 2 notches on W. 4 on E. sides with regulation mound & pits.	55.00
	land level for 58.50 ch.	65.00
	soil 1st rate, covered with high thick sagebrush vert. mountainous, rocky augmented on 80 chains.	80.00
	N. 89° 58' W. on a true line bet. secs. 5 and 32	
	Va. 18° E.	
	ascend on East side of ridge	
11.50	top of ridge bears N. & S.	
30.00	west side of ridge (flint)	
40.00	set trachyte 15×15×4 ins, 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with	

Chains	regulation mound & pits on East side of ridge
55.00	top of ridge bears North about 600 feet and South 600 feet
65.00	foot of ridge.
80.00	set trachyte 18×12×4 ins., 12 ins. in ground for cor. to secs. 5. 6. 31 and 32 marked 1 notch on W. 5 notches on E. edges with regulation mound & pits.
	land mountainous on 65 chains, rocky level 1st rate, covered with high thick sage brush augmented on 80 ch.
	N. 89° 58' W. on a true line bet. secs. 6 and 31

North Boundary T. 9 W. R. 18 W.

Chains.	Var. 18° E.
20.00	Leave bottom
	ascend ridge
40.00	set trachyte 19×12×12 ins.
	12 ins. in ground for 1/4 sec.
	cor. marked 1/4 on N. face
	with regulation mound &
	pits. on North side of ridge bears S.
47.50	Dry Creek 3 ins. East
49.00	Wood road bears N E & S. W.
	set trachyte 18×18×18 ins,
	marked W.
79.00	the cor. to Townships 9 and 10
	N. R. 18 & 19 West
	land level for 20 chains
	soil 1st rate, covered with
	high sagebrush, rest
	mountainous,
	augmented on 79.00 chains.

BOOK-A-195

Petaluma

324

North Boundary T. 9 N. R. 18 W.

General Description

The western part of this township is mountainous and rocky, the eastern part mostly level and rich soil, covered with high sagebrush, greasewood and grass.

The township should be subdivided.

Ferdinand Dickert

U. S. Deputy Surveyor.

Approved 8th 1882

BOOK-A-195

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, January 6th *1883*

The foregoing field notes of the survey of the

East and North Boundaries.

Township No. 2 North *Range No.* 18 West

Executed by Ferdinand Ricketts

Under Inst No 112 *contract of the* 15th

day of Sept *188*2, *in the month of*

Nov *188*2, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-195

Township 9 North R. 18 West

322	321	320	319	318	317
6 384	5 361	4 355	3 345	2 335	1 314
383	382	366	354	344	334
7 387	8 365	9 353	10 343	11 333	12 313
380	379	364	352	342	332
18 378	17 363	16 352	15 342	14 331	13 312
377	376	361	351	340	330
19 375	20 360	21 350	22 340	23 329	24 311
373	372	359	349	339	328
30 371	29 358	28 348	27 338	26 327	25 310
370	369	357	347	337	326
31 368	32 356	33 346	34 336	35 325	36 310

BOOK-A-195

Township 9 North R. 18 West



BOOK-A-195

325

Subdivisions T 9 N. R. 18 W.

Chains	
	Survey commenced Novbr 12th 1882 with a Gurleys solar compass. From the cor. to secs. 1. 2. 35 and 36 on the south boundary as described in my field notes I run
	North bet. secs 35. 36 Va. 17° 55' E.
10.00	set limestone 18×18×10 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits
20.00	set limestone 12×8×6 ins 8 ins. in ground for cor. to secs. 25. 26. 35 and 36 marked 1 notch on S. one notch on E. edges with regulation mound and pits. Soil sandy Land level, cane brake, grey wood. bunch grass.

Subdivisions T. 9 N. R. 18 W.

Chains	
	Cont on a random line bet mers. 25 and 36
	Va. 17° 55' E
3.40	mark Sp mers S.W.
30.00	Road from Lucin to Ore Creek bears NW & S.E.
40.00	set temporary 1/4 sec. cor.
80.00	Intersect the east bound of the township at the cor. to secs. 25. 30. 31 & 36 established by me, then I run West on a true line bet. secs. 25 & 36
40.00	set limestone 14 x 8 x 4 ins 9 ins. in ground for 1/4 sec. c marked 1/4 on W. face wit regulation mound a pits
80.00	the cor. to secs. 25, 26, 35 & 36. Land level 1/2 mi Soil high sagebrush, grease wood

BOOK

Subdiv

Chains	
	cor
	N
20.00	Road
40.00	set
	10 in
	cor.
	wit
	and
55.00	Dry
80.00	set
	10 i
	sec
	wit
	mo
	reg
	le
	hi
	a

W. Subdivisions T. 9 N. R. 18 W.

ne bet
°55'E
To Iron
S. E.
co. cor.
found
at the
. 31 W.
, thence
. true
5 & 36
x 8 x 4 ins
1/4 sec. c
ce with
pits
. 26. 31
Soil
N 2nd rate
mound

augmented on 80 chains.

North bet. secs. 25 & 26
Va. 17°55' E

20.00 Road E & W
40.00 set Quartz 16 x 8 x 4 ins,
10 ins. in ground for 1/4 sec.
cor. marked 1/4 on W. face
with regulation mound
and pits.
55.00 Dry Creek Trees S. W.
80.00 set limestone 16 x 10 x 6 ins
10 ins. in ground for cor. to
secs. 23. 24. 25 & 26 marked
with 2 notches on S. and
notch on E. edges with
regulation mound & pits,
land level & soil 2nd rate
high & swampy, grass mound
augmented on 80 chains

Subdivisions T. 9 W. R. 18 W.

Chains	
	Centar a Random line bet. secs. 24 and 25 Va. 17° 55' E.
19.50	Wagon road bears N. W. & S. E.
33.25	Dry Creek bears S.
40.00	set temporary 1/4 sec. cor.
79.80	Intersect East Boundary of township 30 chs. N. of cor. to secs. 19. 24. 25 and 30.
	thence Down N 89° 47' W. on a true line bet. secs. 24 and 25 with 2 mile res,
39.90	set a limestone 16 x 10 x 4 ins. 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits.
79.80	the cor. to secs. 23. 24. 25. 26

Subdivisions T. 9 N. R. 18 W.

Chains	
	land level soil 2nd rate, high sagebrush augmented on 8 chains.
	North bet. secs. 23 & 24 Va. 17° 55' E,
40.00	set a limestone 14×9×6 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits,
80.00	set a limestone 22×12×7 ins. 14 ins. in ground for cor. to secs. 13. 14. 23 & 24 marked with 3 notches on S. edges and 1 on E. edges with regulation mound & pits, land rolling, soil 3d rate, high sagebrush, scattered cedars, augmented on 80 chains.

330

Subdivisions T. 9 N. R. 18 W.

Chains	
	Cont on a Random line bet. secs. 13 and 24.
	Va. 17° 55' E
40.00	set temp. 1/4 sec. cor.
65.00	low ridge bears N E & S. W.
79.60	the Corner to secs. 13. 18 19 & 24
	thence N
	West on a true line bet secs. 13 and 24 with same va.
39.80	set limestone 14 x 12 x 8 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face
79.60	the cor. to secs. 13. 14. 23 & 24. land rolling, third 2nd rate, high sage-brush augmented on 79.60 chains.
	November 12th 82

Subdi

Chains	
40.00	
62.50	
80.00	

Subdivisions T. 9 N. R. 18 W.

Chains	
	North bet. secs. 13 and 14 Va. 17° 55' E.
40.00	set a Quartz 18 x 8 x 3 ins, 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits
62.50	ridge bears E. & W.
80.00	set sandstone 14 x 8 x 5 ins 9 ins. in ground for cor. to secs. 11. 12. 13 and 14 marked 4 notches on S. one notch on E. edges with regulation mound & pits, Soil 2d rate land low rolling, high sagebrush, grease wood augmented on 80 chains,
	Cant on a random line bet. secs. 12 and 13.

Subdivisions T. 9 W. R. 18 W.

Chains	
	Va. 17° 55' E.
40.00	set temporary 1/4 sec. cor,
80.00	Intersect East boundary of township 60 lks. north of cor. to secs. 7. 12, 13 & 18
	thence N. 89° 34' W. on a true line bet. secs. 12 and 13 with same va,
40.00	set a sandstone 16 x 8 x 4 ins, 10 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound and pits.
80.00	the cor. to secs. 11. 12. 13 & 14 Land rolling, Soil 2nd rate high sage brush, scattered cedars
	augmented on 80 chains

Subdivisions T. 9 N. R. 18 W.

Chains North bet. secs. 11 and 12
Va. 17° 55' E.

36.00 Dry Creek bears West

40.00 set a sandstone 18x10x5 ins.
in mound of stones for 1/4 sec.
cor. marked 1/4 on W. face
established mound of rocks
adjoining.

80.00 set Quartz 20x10x5 ins.
in mound of stones for 1/4
sec. cor. witness trees,
1. 2. 11 and 12 marked 5
notches on S. 1 notch on
E. edges with mound of
stones adjoining. pits
impracticable,
Land rolling, soil 3d rate
high overgrown, scattered
cedars.

augmented on 80 chains,

Subdivisions of 9 W. R. 18 W.

Chains		Chains
	Cont on a random line bet. secs. 1 and 12	
	Va. 17° 55' E	
40.00	set temporary 1/4 sec. cor. on top of low ridge bears N. 1° E.	40.00
80.10	Intersect Cont boundary at the cor. to secs. 1. 6. 7 and 12 thence N 89° W on a true line bet. secs. 1 and 12 with same va	80.20
40.05	set a sandstone 20x18x9 ins in mound of stones for 1/4 sec. cor. marked 1/4 on W. face and mound of stones pits impracticable.	40.20
80.10	the cor. to secs. 1. 2. 11 and 12 found loose, with 1st rate high bearings. augmented on 80 chains.	80.20

Subdivisions T. 9 N. R. 18 W.

	Chains North on a random line bet. secs. 1 and 2, Va. 17° 55' E,
40.00	set temporary 1/4 sec. cor,
80.20	Intersect north boundary of township at 40 chs, west of cor. to secs. 1. 2 35 and 36, thence Drum S. 0.17 W. on a true line bet. secs. 1 and 2.
40.20	set a limestone 14x10x4 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits,
80.20	the cor. to secs. 1. 2. 11 & 12 found leved, mid 1st rate high o aspen, 20 augmented on 80 1/2 chains,
	November 13d 82.

Subdivisions T. 9 W. R. 18 W.

Chains.	
	From the cor. to secs. 2. 3, 34 & 35 established by me 3 rods North bet. secs. 34 & 35. Va. 17° 55' E.
40.00	set a sandstone 14 x 8 x 5 ins; 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face; with regulation mound & pits,
80.00	set a limestone 24 x 12 x 4 ins. 16 ins. in ground for cor. to secs. 26. 27. 34 and 35 marked 1 notch on S. 2 notches on E. edges with regulation mound & pits.
	Land level, soil 1st rate, high & agricultural greenwood,
	augmented on 80 chains,

Chains

40.00

64.50

80.30

40.15

80.30

Subdivisions T. 9 N., R. 18 W.

Chains

Cont on a random line
bet. secs. 26 and 35
Va. 17° 55' E

40.00 set temporary 1/4 sec. cor.
64.50 road bears N. & S.,
80.30 Intersect N. & S. line
at the cor. to secs. 25, 26
35 and 36 thence N. run
West on a true line
bet. secs. 26 and 35 with same va
40.15 set limestone 15 x 8 x 6
ins., 10 ins. in ground for
1/4 sec. cor. marked 1/4 on N.
face with regulation mound
& pits.
80.30 the cor. to secs. 26, 27, 34
and 35.
land level, soil 1st rate,
high & gravelly, timber
unimproved and 80.30 chains,

Subdivisions T. 9 N. R. 1 W.

Chains		Chains
	North bet. secs. 26 and 27— Va. 17° 55' E,	
40.00	set a sandstone 12×9×4 ins., 8 ins. in ground for 1/4 sec. cor., marked 1/4 on W. face with regulation mound & pits,	40.00
72.53	Road from Grouse Creek to Terrace bears N. W. and S. E. Witness mound & pit. 2×1×1 ft.	80.30
80.00	set a sandstone 18×9×4 ins. 12 ins. in ground for cor. to secs. 22. 23. 26 and 27 marked 2 notches on S. 2 notches on E. edges with regulation mound & pits	40.15
	Land level, soil 1st rate, high sagebrush, grass; surveyed on 80 chains.	80.30

W. Subdivisions T. 9 N. R. 18 W.

27-
'E,
×4 ins.,
rec. cw.
with
ints,
Rock
W. and
it.

9×4 ins.
cw. to
mark
hence
ation"

nt rate
easured
ains.

Chains. Pent on a random line
bet. secs 23 and 26,
Va. 17° 55' E.

40.00 at temporary 1/4 sec. cw.

80.30 Intersect N. & S. line
25 lks. north of the cw.
to secs. 23. 24. 25 and 26
thence N 89° 49' W,
on a true line bet. secs.
23 and 26 with same sec.

40.15 set a limestone 12×9×4
ins. 8 ins in ground for
1/4 sec. cw. marked 1/4 on
W. face with regulation
mound & pits,

80.30 the cw. to secs. 22. 23. 26. 27
found level, with 2nd rate
high magnetic, ground
augmented on 80 34 chains,

Subdivisions T. 9 N. R. 18 W.

Chains		Chains.
	North bet. secs. 22 and 23	40.00
	Va. 17°55' E.	80.30
40.00	set a sandstone 10×8×6 ins., 6 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound ~~of pits~~ of rocks and pits	
80.00	set limestone 14×9×5 ins., 9 ins. in ground for cor. to secs. 14. 15. 22 and 23 marked 3 notches on S. 2 notches on E. edges with regulation mound of pits,	40.15
	land level, soil first rate	80.30
	high sagebrush,	
	augmented on 80 chains	
	Enter a random line, ~~the~~	
	secs 14 and 23	
	Va. 17° 55' E.	

Subdivisions T. 9 N. R. 18 W.

chains.	
40.00	at temp. preliminary 1/4 sec. cor.,
80.30	Intersect N. & S. line 30 ch. North of corner to secs. 13. 14. 23 and 24 thence I run N 89° 47' W. on a true line bet. secs. 14 and 23 with same var.
40.15	set Quartz 10 x 8 x 6 ins, 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
80.30	the cor. to secs. 14. 15. 22 and 23. Soil 1st rate land level, high range timber and undergrowth of a few cedars. augmented on 80.30 chains

Subdivisions T 9 N. R. 18 W.

Chains		Chains.
	North bet. secs. 14 and 15	40.00
	Va. 17° 55' E,	80.00
20.30	Post of bench bears S. a W.	
40.00	sets a limestone 12 x 8 x 6 ins 8 ins in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits	40.00
80.00	sets a sandstone 14 x 10 x 4 ins. 9 ins. in ground for cor. to secs. 10. 11. 14 & 15 marked 4 notches on S. 2 notches on E. edges with regulation mound & pits,	80.00
	Land level soil 1st rate high sagebrush. augmented on 80 chains	
	Contra a random line bet. secs. 11 and 14	40.00
	Va. 17° 55' E.	

Subdivisions T. 9 N. R. 18 W.

Chains.	
40.00	set temp. ~~preliminary~~ 1/4 sec. cor.
80.00	Intersect N. B. line at the cor. to secs. 11. 12. 13. & 14 thence N. run Westerly true line bet. secs. 11 and 14 with same va.
40.00	set sandstone 20 x 8 x 6 ins., 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits
80.00	the cor. to secs. 10. 11. 14 & 15 land low rolling, soil 1st rate, dense sage brush scattered cedars augmented on 80 chains,
	North bet. secs. 10 and 11 Var. 17° 50' E.
40.00	set a sandstone 14 x 9 x 8 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face

Subdivisions T. 9 W. R. 18 W. Sub

Chains		Chains
	with regulation mound and pits.	
80.00	set a limestone 18x12x3 ins., 12 ins. in ground for cor. to secs. 2. 3. 10 and 11 marked 5 notches on S. 2 notches on E. edges with regulation mound & pit.	40.05 with 80.10
	Land level soil 1st rate dense sagebrush, grease wood	
	augmented on 80 chains,	
	Cont on a random line	40.00
	bet. secs. 2 and 11	80.30
	Va. 17° 55' E.,	
40.00	set temporary 1/4 sec. cor.	
80.10	Intersect N. & S. line 40 lks	
	north of the cor. to secs.	
	1. 2. 11 and 12 thence run	40.30

345

V.

Subdivisions T. 9 N., R. 18 W.

d and

Chains N. 89° 43' W. on a true line bet. secs. 2 and 11 with same va.

2 x 3 ins.,

40.05 set a Quartz 18 x 10 x 3 ins 12 ins. in ge. bur 1/4 sec. cor. marked 1/4 m W Bas. with mound of rocks and pits,

to

ted

80.10 the corner to secs. 2. 3. 10 and 11

s on

land level soil 1st rate

ti'n

high Vaqueros.

t rate

augmented on 80.10 chains,

ura-

November 14th 1882

North on a random line bet. secs. 2 and 3

ains,

Va. 17° 55' E.

ine

40.00 set temporary 1/4 sec. cor,

80.30 Intersect North boundary

5' E,

at the corner to secs. 2. 3. 34 and 35 thence Drun S. on true line bet. secs. 2 and 3

cor,

. 40 lks

secs,

with same va.

Drun

40.30 set a sandstone 14 x 9 x 5 ins

Subdivisions T. 9 N. R. 18 W.

Chains		Chains
	9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. fence with regulation mound & pits	
80.30	the cor. to secs. 2. 3. 10 & 11 Land level, soil 1st rate High & gravelly. augmented on 80.30 chains. November 16th 82	
	From the cor. to secs. 33 and 34 on South boundary of township 9 run.	40.00
	North bet. secs. 33 and 34 Var. 17° 55' E,	79.80
40.00	set a sandstone 18 x 12 x 9 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. fence with regulation mound & pits.	39.90
80.00	set a sandstone 20 x 10 x 4 ins. 12 ins. in ground for cor. to secs. 27. 28. 33 and 34	79.80

8 W. | Subdivisions T. 7 N. R. 18 W

. cor.	Chains	marked 1 notch on S. 3 notches on E. edges with regulation mound & pits
ter		land level, sandy, sagebrush.
its		
d 11		
t rate		
		East on a random line bet. secs. 27 and 34
hains		Va. 17° 55' E.
o.		
unday	40.00	set temporary 1/4 sec. cor.
	79.80	Intersect N. & S. line at the cor. to secs. 26. 27. 34 and 35 thence I run
d 34		
5' E,		
49 ins.		West on a true line bet.
n cor.		secs. 27 and 34 with same va.
with	39.90	set a sandstone 14 x 7 x 4 ins.
ts,		9 ins. in ground for 1/4 sec. cor,
0 x 4 ins.		marked 1/4 on N. face
r cor.	79.80	the cor. to secs, 27. 28. 33 & 34
l		land level, soil 1st rate

Subdivisions T. 9 N. R. 18 W.

Chains		Chains
	high ouzelwood, augmented on 7.9.80 chains	
	North bet. secs. 27 and 28 Va. 17° 55' E.	
15.00	top of low rocky knoll bears E & W.	40.00
28.00	road bears NE & SW.	80.40
40.00	set a limestone 10×9×7 ins. 6 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound and pit	
70.00	road bears East ~~about~~ 1 chains thence South.	40.20
80.00	set a limestone 22×10×3 ins. 14 ins. in ground for cor. to secs. 21. 22. 27 & 28 marked 2 notches on S and 3 on E. edges with regulation mound & pits; land level, soil 1st rate	80.40

Subdivisions T. 9 N. R. 18 W.

Chains	~~Dense~~ high sage ground. augmented on 80 chains
	Enter a random line bet. 22 and 27 Va. 17° 55' E.
40.00	set temporary 1/4 sec. cor.
82.00	Road N W to S E
80.40	Intersect W & S. line 15 lks. north of the cor. to secs. 22. 23. 26 and 27. thence
	I run N. 89° 54' W. on a true line bet. secs. 22 & 27 with same var.
40.20	set limestone 19x10x4 ins 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
80.40	the cor to secs. 21. 22. 27 & 28, found cored oak 1 in. dia high sage, augmented 80 lks.

Subdivisions T. 9 N. R. 18 W.

Chains		Chains
	North bet. secs. 21 and 22 Va. 17° 55' E.	
40.00	set limestone 14 x 10 x 3 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits	33.50 40.00 80.00
53.00	Road bears N. W. & S. E. junction of roads about 7 chains N. W.	
67.50	West end of rocky knoll bears East about 5 chains	40.00
80.00	set a limestone 20 x 10 x 3 ins. 12 ins. in ground for cor. to secs. 15. 16. 21 & 22 marked 3 notches on S. 3 notches on E. edges with regulation mound & pits.	80.00
	Land level, soil 1st rate high cultivated,	
	augmented 80 ch.	

Subdivisions T. 9 N. R. 18 W.

	Chains
	33.50
	40.00
	80.00
	40.00
	80.00

Cent on a random line bet
recs. 15 and 22 Va. 17° 55' E.
Foot of bench bears N. & S.
set temporary 1/4 sec. cor.
Intersect N. & S. line
at the cor. to secs. 14. 15.
22 and 23 thence Drun
West on a true line
bet. secs. 15 and 22 with
same va.
set limestone 14 x 10 x 4
ins. 9 ins. in ground for 1/4
sec. cor. marked 1/4 on W.
face with regulation
mound & pits
the corner to secs. 15. 16. 21
and 22 found level
soil 1st rate, dense sage
and greasewood
augmented on 80 chains

Subdivisions T. 9 N. R. 18 W.

Chains	
	North bet. secs. 15 and 16
	Va. 17° 55' E.
40.00	set a sandstone 12x12x6 ins. 8 ins in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits,
80.00	set a sandstone 12x9x8 ins 8 ins. in. ground for cor. to secs 9. 10. 15 and 16 marked 4 notches on S. 3 on E. edges with regulation mound & pits and level, with 1st tree Jesse ouglewich,
	augmented on 80 chains,
	Cut on a random line bet. 10 and 15
	Va. 17° 55' E.
40.00	set temporary 1/4 sec. cor,
80.30	Intersect N. & S. line 35

Subdivisions

Chains

40.15

80.30

40,00

Subdivisions T. 9 N. R. 18 W.

Chains	Vs N. of cor. to secs.
	10. 11. 14 & 15 thence Dmn
	N 89° 45' W. on a true line
	bet. secs 10 and 15 with same.
40.15	set sandstone 12x9x6 ins
	8 ins. in ground for 1/4 sec. cor.
	marked 1/4 on N. face with
	regulation mound & pits
80.30	the cor. to secs. 9. 10. 15. 16
	and level, veil 1st rate
	dense sage and greasewood
	augmented on 80.30 chains
	North bet. secs. 9 and 10
	Vs. 17° 55' E.
40,00	set a sandstone 10x8x6 in
	6 ins. in ground for 1/4 sec.
	cor. marked 1/4 on W. face
	with regulation mound
	& pits,

Subdivisions T. 9 N. R. 18 W.

Chains		Chains
49.00	road bears S. W. & N. E.	39.90
80.00	set a sandstone 14 x 8 x 8 ins 9 ins. in ground for cor. to secs 3. 4. 9 and 10 marked 5 notches on S. 3 notches on E. edges with regulation mound & pits	79.80
	Land level, soil 1st rate dense sugar trees, augmented on 80 chains. Nov. 15th 1882	
	Ent on a random line bet. secs 3 and 10 Va. 17° 55' E.	14.00
40.00	set temporary 1/4 sec. cor,	40.00
79.80	Intersect N. & S. line 10 chs. N. of the cor. to secs, 2. 3. 10 and 11 thence I run N. 89° 56' W. on a true line bet. secs 3 and 10 with same va.	80.00

Subdivisions T. 9 N. R. 18 W.

Chains 39.90	set a limestone 19×9×7 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits
79.80	thence w. to sec. 3, 4, 9 & 10 land level, soil 1st rate high & dry & grassy & ground, augmented on 79.80 chains.
	North on a random line bet. secs. 3 and 4. Va. 17° 55' E.
14.00	road bears N W & S. E.
40.00	set temporary 1/4 sec. cor.
80.00	Intersect North Boundary of township at the corner to secs. 3, 4 33 and 34 thence 1 mile South on a true line

Subdivisions T. 9 N. R. 18 W.

Chains		Chains
	bet. secs. 3 and 4 with same va	
40.00	set a sandstone 12×10×8 ins.	80.00
	8 ins. in ground for 1/4 sec. cor.	
	marked 1/4 on W. face with	
	regulation mound a pit	
80.00	the cor. to secs. 3, 4, 9 & 10	
	land level, soil 1st rate	
	same	
	Vs cayebrush & grease wood	
	augmented in 80 chains,	
	From the cor. to secs.	
	32 and 33 on South bdy.	
	of township I run North	
	bet. secs. 32 and 33	16.50
	Va. 17° 55' E,	40.00
40.00	top of small ridge bears	68.20
	E & W. set Cedar post 4×4 ins.	80.40
	4 ft. long marked 1/4 on W. face	
	for 1/4 sec. cor. with regulation	

Subdivisions T. 9 N. R. 18 W.

Chains

80.00 mound a pits
set a limestone 16x10x6
ins. 10 ins. in ground for cor.
to secs. 28, 29, 32 & 33
marked 1 notch on S. 4
notches on E. edges with
regulation mound a pits
land level, with
rate, high & eagle
augmented on 80 chains.

East on a random line
bet. secs. 28 & 33
Va. 17° 55' E,

16.50 Grouse Creek drains S. E.

40.00 set temporary 1/4 sec. cor.

68.20 road bears N. W & S. E.

80.40 Intersect N & S. line
28 chs. North of cor. to
secs. 27, 28, 33 and 34

Subdivisions T. 9 N. R. 18 W.

Chains		Chains
	thence N 89° 48' W. on true line bet. secs. 28 & 33 with camera.	71.00
40.20	set a sandstone 14 x 8 x 6 ins. 9 ins. in ground for 1/4 sec. cor., marked 1/4 on W. face with regulation mound & pits,	80.00
80.40	the cor. to secs. 28, 29, 32 & 33, land level, with 1st rate high sage brush and Willows along Grouse Cr., augmented on 80.40 chains	
	North bet. secs. 28 & 29 Va. 17° 55' E.,	
25.50	Grouse Creek Xing, Trails S. E.	
40.00	set a limestone 14 x 10 x 6 ins., 9 ins. in ground for 1/4 sec. cor., marked 1/4 on W. face with	10.00

Subdivisions T. 9 N., R. 18 W.

Chains

regulation mound & pits
1 chain East of Grouse Cr.

71.00 Grouse Creek 2 chs. wide
6 in. deep runs S. W.

80.00 set limestone 22×8×4 ins.
14 ins. in ground for cor. to
secs. 20. 21. 28 & 29 marked
2 notches on S. 4 notches on
E. edges with regulation
mound & pits.
Land level, with 1st rate
high & uplands and
Willows, augmented
on 80 chains

East on a random line
bet. secs. 21 and 28.
Va. 17° 55' E.

10.00 Grouse Creek 2 chs wide
6 in. deep runs South

Subdivisions T. 9 W. R. 18 W.

Chains	
40.00	set temporary 1/4 sec. cor.
65.00	Road N & S.
80.20	Intersect N. & S. line at the cor. to secs. 21, 22, 27 & 28 thence Due West on a true line bet. secs. 21 and 28 with same va
40.10	set sandstone 18 x 10 x 3 ins, 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits,
80.20	the cor. to secs 20. 21. 28 & 29 land level, with st rate high & swampy augmented on 80 chains
	North bet. secs. 20 & 21 Va. 17° 55' E,
40.00	set limestone 12 x 8 x 6 ins, 8 ins. in ground for 1/4 sec.

Subdi

Chains

54.00

80.00

Chains

cor. marked 1/4 on W. fence with regulation mound a pits, on West side of Grouse Creek.

54.00 Grouse Creek Travis S. W.

80.00 set a limestone 12x9x4 ins. 8 ins. in ground cor. to secs. 16. 17. 20 & 21 marked 3 notches on S. 4 notches on E. edges with regulation mound a pits.

Land low rolling, soil 1st rate, brigh sage brush.

augmented on 80 chains

Post on a random line bet. secs 16 and 21

Va. 17° 55' E.

Subdivisions T. 9 N. R. 18 W.

Chains	
15.00	Grouse Creek 3 lks. wide 6 in. deep runs S.
40.00	set temporary 1/4 sec. cor.,
60.50	road bears N.W. & S.E.,
72.00	road bears N.W. & S.E.,
80.00	Intersect N. & S. line 60 lks north of the cor., to secs. 15. 16. 21 and 22
	thence I run N 89° 34' W. on a true line bet. secs. 16 and 21. with same var.,
40.00	set a limestone 26 x 10 x 4 ins. 16 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face with regulation mound & pits
80.00	the cor. to secs. 16. 17. 20 & 21. Land level soil 1st rate, high sagebrush,
	augmented on 80 chains.
	November 16th 82

Subdi

Chains	
	N
16.40	ro
19.00	r
30.50	r
39.50	8
40.00	r
	in
	1/4
	V
	n
80.00	r
	in
	t
	4
	8
	r

Subdivisions T. 9 N. R. 18 W.

	Chains	North bet. secs. 16 and 17 Va. 17° 55' E.
	16.40	road bears S. W. & N. E.
	19.00	road " S. W. & N. E.
	30.50	road " S. W. & N. E.
	39.50	Dry Creek bears S. E.
	40.00	set a sandstone 18x10x8 ins. 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits.
	80.00	set a limestone 18x10x7 ins. 12 ins. in ground for cor. to secs. 8. 9. 16 and 17 marked 4 notches on S. and 4 on E. edges with regulation mound & pits.
		Land level, soil 1st rate oak brush, dense,
		encountered on 80 chains

Subdivisions

T. 9 N. R. 18 W.

Chains

Cont on a random line bet
secs. 9 and 16.

Va. 17° 55' E.

19.50 Road from Greene Creek
to Tecumseh bears N & S,
witness mound a pit 2 x 1 x 1 ft.

40.00 set temporary 1/4 sec. cor,
2.00 dry Creek Greene S.
56.90 road bears N. & S.
20.60 Intersect N & S. line
40 chs north of cor. to secs,
9. 10. 15 and 16 thence Dem
N 89° 45' W. on a true
line bet. secs. 9 and 16 with
same va.

40.30 set a willow post 3 x 3 ins.
4 ft. long 12 ins. in ground
for 1/4 sec. cor. marked 1/4 on
N. face with regulation
mound & pits

365 Subdivisions

T. 9 W. R. 18 W.

Chains		Chains
80.60	the ow. to recs. 8.9.16 & 17	
	land level, soil & tra	
	dense sagebrush.	
	augmented on 80.60 chains	
	North bet. recs. 8 and 9	
	Va. 17° 55' E.	27.50
40.00	set a limestone 20x10x1	40.00
	ins. 12 ins. in ground for	45.90
	1/4 sec. cor. marked 1/4 on	80.00
	W. fence with regulat	
	mound and pits	
52.30	small rocky ridge E. & W.,	
80.00	set a limestone 18x9x8	
	ins. 12 ins. in ground for	
	cor. to recs. 4. 5. 8 and 9	
	marked 5 notches on S.	40.00
	and 4 on E. edges with re	
	gulation mound & pits	
	land level soil & tra	

T. 9 N. R. 18 W.

.16 a 17	Chains	Dense growth augmented on 80 chains
d 1 tree		
Chains		Cut on a random line bet. recs. 4 and 9
nd 9		Va 17° 55' E.,
° 55' E.	27.50	road bears N. & S.
0 x 10 x 4	40.00	at temporary 1/4 sec. cor.
for	45.90	Dry Creek Trends S.
1/4 cor	80.00	Intersect N and S. line 20 lks north of cor. to recs. 3, 4, 9 and 10 thence
egulat		N run
E. & W.		N 89° 51' W. on a true line bet. recs. 4 and 9 with same va.
18 x 9 x 8		
for		
and 9		
on S.	40.00	at a Quartz 14 x 10 x 6 ins, 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face
ith re		
pits		with regulation mound
1 tree		

Subdivisions
T. 9 W. R. 18 W.

Chains	and pits
80.00	the cw. to rec's. 4. 5. 8 & 9
	land level, soil, st
	rate dense sagebrush
	augmented on 80 chain
	North on a random line
	bet. recs. 4 and 5. Va. 17° 55' E.
40.00	set temporary 1/4 sec. cw.
80.36	Intersect North Boun
	dary of township at the
	cw. to recs. 4. 5. 32 & 33
	thence I run South
	on a true line (Let'w. recs. 4 & 5.) with a cur
	ve.
40.36	set a limestone 18 x 9 x 3
	12. ins. in ground for 1/4
	sec. cor. marked 1/4 on W.
	face with regular mon
	ument & pits.

BOOK-A

T. 9

Chains	
80.36	t
	8 c
	le
	rat
	an
	Fr
	31
	Ran
	No
40.00	set
	ins.
	1/4
	W.
	mon
80.00	set
	ins,
	cor
	mar

T. 9 N. R. 18 W.

Chains	
80.36	the cor to secs. 4, 5, 8 and 9 land level, soil 1st rate, dense sagebrush augmented on 8 0/100 chains.
	From corner to secs. 31 and 32 on South boundary of township 9 north bet. secs. 31 and 32 Va. 17° 55' E
40.00	set a limestone 14x10x8 ins. 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound & pits
80.00	set a sandstone 18x18x1 ins, 12 ins. in ground for cor. to secs. 30. 31. 29 & 32 marked 1 notch on S. 5 notches

Subdivisions
T. 9 W. R. 18 W.

Chains on E. edges with regulation mound & pits
land level, vid 1st rect 80.00
lines sagebrush,
augmented on 80 chains

Enter on a random line
bet. secs. 29 and 32
Va. 17° 55' E

40.00 set temporary 1/4 sec. cor.
75.00 enter creek bottom
80.00 Intersect N. & S. line 5.25
at the cor. to secs. 30.00
28. 29. 32. 33 thence
run West on a true line 40.00
bet. secs 29 & 32 with va 80.20
va,
40.00 set a sandstone 20x10x4 in
12 ins. in ground for 1/4 sec.
cor. marked 1/4 on N. face

regular chains		with regulation mound & pits
st rate	80.00	the cor. to secs. 30, 31, 29 and 32
chains		land level, with 1st rate, dense sagebrush augmented on 80 chains.
line		
2		
° 55' E.		West on a random line
et. cor.		bet. secs. 30 and 31
n		Va. 17° 55' E.,
. line	5.25	road bears N. & S.,
s,	30.00	top of low rocky ridge
ence S		bears N. & S.
e line	40.00	set temporary 1/4 sec. cor.
with zinc	80.20	Intersect West boundary
		of township 40 chs. N.
0 x 10 x 4 in.		of corner to secs. 30, 31,
° 1/4 sec.		25 and 36. thence run
E. post		N 89° 43' E. on a true line

371

Subdivisions

T. 9 W. R. 18 W.

Chains	
	bet. recs. 30 and 31 with var.
	va.
40.20	set Quarter 14x12x4 ins.
	9 ins. in ground for 1/4 sec.
	marked 1/4 on W. face with
	regulation mound & pits.
80.20	the corner to secs. 30. 31. 29
	and 32
	Land level, with 1st
	and 2nd rate, Dense
	vegetation augmented
	on 8 of 9 chains.
	North bet. recs. 29 and 31
	Va. 17° 50'
40.00	set a limestone 12x10x6
	8 ins. in ground for 1/4 sec.
	cor. marked 1/4 on W. face
	with regulation mound
	& pits,

BOOK-A-
T. 9

Chains	
50.50	re
80.00	set
	ins.
	cor.
	ma
	5 n
	reg
	rat
	and
	an
	Co
	bet
30.60	R
	to
40.00	set
66.50	9
	4 i

BOOK-A-195

Subdivisions
T. 9 N. R. 18 W.

3/12

Chains	
50.50	road bears N E & S. W.
80.00	set a sandstone 18×12×12 ins. 12 ins. in ground cor. to secs. 19. 30. 20. 29 marked 2 notches on S. 5 notches on E. edges with regulation mound & pits
	Land level, soil 1st rate high sagebrush and grass and
	augmented on 80 chains,
	Cent on a random line bet. secs. 20 and 29
	Va. 17° 50' E,
30.60	Road from Grouse Cr. to Tecuna bears N E & S. W,
40.00	set temporary 1/4 sec. cor,
66.50	Grouse Creek 3 chs. wide 4 in. deep runs S.

3 of 3 Subdivisions
T. 9 N., R. 18 W.

BOOK-A-
J.

Chains		Chains	
80.00	Intersect N. & S. line 28 chs. North of the Cor. to secs. 20. 29. 21 & 28 thence I run N 89° 48' W. on a true line bet. secs. 20 & 29 with same va.	40.00	se
		80.30	I run off of 19 I r a
40.00	set limestone 25 x 19 x 8 in 16 ins. in ground for 1/4 sec cor. marked 1/4 on N. face with regulation mound & pits.	40.30	se ins 1/4 N
80.00	the cor. to secs. 19. 30. 20 & land level soil 1st rate, dense sagebrush augmented on 80 chains	80.30	th 20 la ra a
	November 17th 1882		
	West on a random line bet. secs. 19 and 30		
	Va 17° 30' E		

Chains	
40.00	set temporary 1/4 sec. cor.
80.30	Intersect West boundary of township 28 chs north of cor. to ~~townships~~ secs. 19, 30, 24 and 25 thence from N 89° 48' E. on a true line bet. secs. 19 and 30. with same va.
40.30	set limestone 12×9×8 ins. 8 ins. in ground for 1/4 sec. cor. marked 1/4 on N face with regulation mound & pits,
80.30	the cor. to secs. 19, 30 20 and 29 land level, soil 1st rate, dense sagebrush augmented on 80 30 chains

3751 Subdivisions

T. 9 N. R. 18 W.

Chains		Chains
	North bet. secs. 19 and 20. Va. 17° 50' E	
40.00	set a sandstone 36×10×6	
	in mound of stones for 1/4	38.00
	sec. cor. marked 1/4 on W.	40.00
	face with mound of	71.60
	stones alongside.	80.10
80.00	set a limestone 16×10×6	
	ins. 10 ins. in ground for	
	cor. to secs. 18.19.17.20	
	marked 3 notches on S.	
	5 notches on E. edges with	40.05
	regulation mound & pits	
	land low rolling,	
	soil 2nd rate, some	
	angelwood	
	augmented on 80 chains	80.10

nd 20	Chains	East on a random line bet.
7° 50' E		recs. 17 and 20
x10x6		Va. 17° 50' E.
for 1/4	38.00	low ridge bears N E & S. W.
on W.	40.00	set temporary 1/4 sec. cor.
of	71.60	Road bears N. & S.
	80.10	Intersect N. & S. line at
16x10x		the corner to recs. 16. 17,
for		20 and 21 thence N. run
7 & 20		Sect. 10. Regs 17 & 20
on S.		West on a true line with
ges with	40.05	same va.
a pits		set sandstone 18x9x4 ins.
ing'		12 ins in ground for 1/4 sec.
Same		cor. marked 1/4 on W. fence
		with regulation mound
		& pits.
0 chains	80.10	the corner to recs 17. 18. 19
		and 20.
		Land rolling. soil 1st
		and 2nd rate dense sage

Subdivisions

T. 9 W. R. 18 W.

BOOK A.

Chains		Chains
	bunch some scattered Cedars	
	south of line.	
	augmented on 80 1/10 chains	
	West on a random line	13.50
	bet. secs. 18 and 19	40.00
	Va. 17° 50'	
40.00	set temporary 1/4 sec. cor	
80.26	Intersect west boundary	
	38 chs North of the cor.	
	secs. 13. 24. 18 & 19 thence	80.00
	I run N 89° 44' E. on a true	
	line bet. secs. 18 & 19,	
	with same Variation:	
40.26	set limestone 18×12×4 ins	
	12 ins. in ground for 1/4 sec. cor	
	marked 1/4 on W. face with	
	regulation mound a pits	
80.26	the cor. to secs. 17. 18. 19	
	and 20. Land rolling Va	
	page brush, augmented on	

80.26 chains	80.26 chains
	North bet. secs. 17 and 18
	Va. 17° 50' E.
13.50	top of low ridge bears S.W.
40.00	set sandstone 14 x 10 x 6 ins., 9 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face with regulation mound and pits
80.00	set a sandstone 12 x 10 x 6 ins. 8 ins. in ground for cor. to secs. 7. 18. 8. 17 marked 4 notches on S. 5 notches on E. edges with regulation mound & pits.
	Land rolling, soil 1st and 2nd rate, some rocky. Thick second growth, augmented on 80 chains.

Subdivisions
T. 9 N. R. 18 W.

Chains		Chains	
	East on a random line between secs. 8 and 17, Va. 17° 50' E.		
25.00	Post of ridge		
40.00	set temporary 1/4 sec. cor., on top of ridge bears N. & S.		
50.00	Post of ridge		
80.70	Intersect W. & S. line at the corner to secs. 8. 9. 16. & 17. thence Dra	40.00	
		50.00	
		80.10	
	West on a true line between secs. 8 and 17 with sa	80.40	
	secs.,		
40.35	set a limestone 30×18× ins., in mound of stones marked 1/4 sec. W. from mound of stones alongside pits impracticable.	40.40	
80.70	the corner to secs. 7. 8. 17. &		

BOOK-A-195 Subdivisions
J. 9 N. R. 18 W.

370

		Land
		Rolling, soil 2nd rate
		same variety, high range-
		lands.
		augmented on 80 chains
		West on a random line
		bet. secs. 7 and 18
		Va. 17° 50' E,
	40.00	set temporary 1/4 sec. cor.,
	50.00	gravel drains S.W.
	0.10	ridge bears S W a W. E,
	0.40	Intersect West boundary
		of township 22 chs north
		of the cor. to secs, 12. 13.
		7 and 18 thence I run
		N 89° 51' E. on a true
		line bet. secs. 7 and 18 with
		same var,
	40.40	set 3 ant stone 24×18×7 ins,
		16 ins. in ground for 1/4 sec

Chains		Chains
	cor, marked 1/4 on N. face	
	with regulation mound, p	
80.40	the cor. to secs. 7. 8. 17. 18	
	Land rolling, some rock	
	soil 2nd rate, high	
	sagebrush & greasewood	
	augmented on 8 chs	
	North bet. secs. 7 and 8	80.00
	Va. 17° 50' E	80.00
40.00	set a sandstone 14 x 10 x 4	
	9 ins. in ground for 1/4 sec	
	cor. marked 1/4 on W. face	
	with regulation mound	
	& pits.	80.00
80.00	set a sandstone 20 x 8 x 6	
	12 ins. in ground for cor. to	
	secs. 5. 6. 7 and 8 marked	
	5 notches on S. and 5 notch	
	on E. edges with regulat	80.00

T. 9 W. R. 18 W.

face chains		mound & pits
ound & p		land level, soil 1st
. 17. 18		rate dense sagebrush
ne rut		augmented in 80 chains.
'gh		
mound		
40 d chs		
		Cont on a random line
		bet. secs. 5 and 8
		Va. 17°50' E.
and 8	0.00	set temporary 1/4 sec. cor,
7° 50' E	0.00	Intersect N. & S. line
4 x 10 x 4		at the cor. to secs. 4, 5, 8.
1/4 sec		and 9 thence I run West
fence		on a true line bet. secs
mound		5 and 8. with same va.
	0.00	set sandstone 14 x 8 x 8 ins,
0 x 8 x 6		9 ins. in ground for 1/4 sec.
cor. to		cor. marked 1/4 on W. face
marked		with regulation mound
stone		and pits.
regulat	0.00	the cor. to secs. 5. 6. 7 and 8

383 Subdivisions
T. 9 W. R. 18 W.

Chains	
	land level, with 1st rate
	high sagebrush, growing
	augmented on 80 chains
	West on a random line
	bet. secs. 6 and 7, —
	Va. 17° 50'
40.00	set temporary 1/4 sec. cor
47.00	front of high sandstone
	ridge bears N. & S.
68.00	top of ridge bears N & S
80.00	Intersect West boundary
	of township 20 lks S.
	of cor. to secs. 6, 7, 11 & 12
	thence N. run
	S. 89° 51' E. on a true line
	bet. secs. 6 and 7 with same
40.00	set sandstone 14 x 10 x 4 ins.
	9 ins. in ground for 1/4 sec.
	marked 1/4 on W. face

Su
BOOK-A-19
T. 9 N

Chains	
	with
80.00	the e
	land
	1st
	high
	high,
	sagel
	ann
	Nor
	bet.
.00	set
.20	Int
	of tow
	secs.
	then
	on a t
	5 and
.20	set
	8 ins.

rate chains
eurem 80.00
chains
line
17° 50'
ec. cor
ortan
, N a 9
ound 0.00
hs 80.20
1 a 12
ne lin
d same
x10x4 u
1/4 sec. .20
ace

with regulation mound & pits
the corner to secs 5. 6. 7. 8
and
V 1st half V mile 1st rate,
level
high sagebrush, 2nd half
high, rocky with dense
sagebrush.
augmented on 80 chains

North on a record ~~line~~
bet. secs. 5 and 6.
Va. 17° 50' E.
set temporary 1/4 sec. cor.
Intersect North boundary
of township at the cor. to
secs. 5. 6. 31 and 32 ~~mound~~
thence S run South
on a true line bet. secs.
5 and 6 with same va.
set limestone 12 x 8 x 3 ins.
8 ins. in ground for 1/4 sec.

3831

Subdivisions
T. 9 N. R. 18 W.

Chains

80.20

cor. marked 1/4 on W. bear
with regulation mound a
the corner to secs. 5. 6. 7
land rolling, with 1st
rate, high & agricult
augmented in 20 chains

November 18th 82.

General Descripti
This township contai
nearly level land.
There is fine farmin
land on both sides of
Grouse Creek. Irri
is necessary. There is
an abundant growth
rich grasses. Cedars
in the Eastern part o
the township.

Jno. J. Dickso
U. S. Dep. Sur

U. S. SURVEY

Salt Lake

The forego

Township No.

Executed by

Under

day of Sep

amined. the nece

the said field n

hereby approved

BOOK-A-195

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, January 21st *1883.*

The foregoing field notes of the survey of the

Subdivisions

Township No. 9 N. *Range No.* 18 West

Executed by Fenton Bickmore

Under his *contract of the* 15th

day of September *1882., in the month of*

November *1883, having been critically examined. the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.