Townsl

8
74
7
70
18
67
19
64
30
62
31

BOOK-A-204

1

REPORT:

Filed 188

Examined by [illegible]

Transcribed by E. Michaelis

Compared by O.E.S. H.R.M.A.

FIELD NOTES

OF THE Re SURVEY OF THE

North Boundary

OF

Township No 11 North

Range No 14 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Henry Fitzhugh

U. S. Deputy Surveyor,

Under his Contract No. 174

Dated March 19 1884

Survey commenced May 30th 1884

Survey completed " 1884

2

NAMES AND DUTIES OF ASSISTANTS:

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A-204

Township 11 N R. 14 W.

9	8	7	6	5	4
6 75	5 58	4 47	3 37	2 27	1
74	72	57	46	36	26
7 72	8 56	9 45	10 36	11 25	12
70	69	55	45	35	24
18 68	17 54	16 44	15 34	14 23	13
67	66	54	43	33	22
19 65	20 53	21 42	22 32	23 21	24
64	63	52	41	31	20
30 63	29 51	28 40	27 30	26 19	25
62	61	50	40	29	18
31 60	32 49	33 39	34 29	35 17	36

BOOK-A-204

Re-Survey

M. By. T. 11 N. R. 14 W. S. L. M.

Note

Before making the subdivision of T. 11 N. R. 14 W. I find it necessary to make a re-survey of the North By. of said Township in order to determine my connections. I therefore on the night of May 29th 1884 take an observation of the star Polaris in order to determine the true bearing of the needle, and the correctness of my instrument. Having established a meridian in accordance with instructions contained in the Manual of Surveys. I test my instrument the following morning and find it to be correct and the bearing of the needle to be 18° 10' E.

Survey commenced with a Gurley transit May 30th 1884

Re-Survey N. By. T. 11 N.

Chs. From the Cor. to Tps. 11 & 12 N. R. 13 & 14 W. which is a a large cottonwood post, properly marked, and re-set by me under contract No. 116. - follow the course of old line & run

N. 89° 30' W on re-survey line 10 ct. Secs. 1 & 36

Va 18° 10' E

40.00 Find old cor. thrown down (a cottonwood post) and sufficient of old mound to identify the true position of old cor. I remark same 1/4 S. on N. face, and drive same in old mound for re-established 1/4 Sec. Cor. I re-new old mound from regulation mound & pits.

80.00 Find old cor. which is a cottonwood post thrown down & sufficient of old mound remaining to fully identify it. I re-set old post in old

R. 14 W. - S. L. M.

Chs. Mound it being properly marked for re-established Cor. to Secs. 1, 2, 35 & 36.

Land flat
Soil 1st rate
Dense sage brush & Greasewood undergrowth on 80.00 Chs.

N. 89° 50' W. on reservoir line
Bet. Secs. 2 & 35
Va 18° 10' E.

40.00 Find old Cor (a Cottonwood post) thrown down & sufficient of old mound remaining to identify true position of old Cor. I re-set same in old mound & re-mark 1/4 S. on N. face for re-established 1/4 Sec. Cor. I remove old mound from regulation field.

63.00 Low ridge bears N. W. & S. E.

80.00 Find old Cor. (a Cottonwood post) thrown down and sufficient of old mound remaining to fully identify the true position of

R. – Survey N. By. T. 11 N. –

Chs. of old Cor. I reset same in old mound, et being properly marked for reestablished Cor. to Secs. 2, 3, 34 & 35, I renew old mound from regulation pits
Land rolling
Soil 1st rate
Dense Sage brush & Greasewood undergrowth on 80.00 Chs.

N. 89° 50' W. on resurvey line
Bet. Secs. 3 & 34
Va 18° 10' E.

4.50 Wash drains S.E.
9.90 " " "
40.00 Find old Cor. a cottonwood post thrown down, & sufficient of old mound remaining to fully identify the true position of old Cor. I reset same in old mound it being properly marked for re-established 1/4 Sec. Cor.
80.00 Find old Cor. a cottonwood post thrown down & sufficient of

R. 14 W. S. L. M.

Chs. Old mound remaining to fully identify the true position of old Cor. I re-set same in old mound, it being properly marked for re-established Cor. to Secs. 3.4, 33 & 34. I renew old mound from regulation pits.

Sand flat

Soil 1st rate

Dense sage brush & Greasewood ~~on~~ underprooth on 80.00 Chs.

N. 89° 50' W. on re-survey line

Bet. Secs. 4 & 33

Vn 18° 10' E.

4.50 Wash drains S.E.

9.75 " " "

40.00 Find old Cor. (a Cottonwood post) thrown down X Sufficient of old mound remaining to fully identify the true position of old Cor. I reset same in old mound, it being properly marked for re-established 1/4 Sec. Cor.

Re-Survey N. By. T. 11 N.

Chs.
80.00 Find old Cor. (a cottonwood post) thrown down & sufficient of old mound remaining to fully identify old Cor. & re-set same, it being properly marked for re-established Cor. to Secs. 4, 5, 32 & 33, & re-new old mound from regulation pits.

Land flat

Soil 1st rate

Dense sage brush & Greasewood undergrowth on 80.00 chs

N. 89°50' W. on Re-Survey line
Bet. Secs. 5 & 32
Va. 18°15' E.

35.00 Deep wash drains S.E.

40.00 Find old Cor. (a cottonwood post) thrown down & sufficient of old mound remaining to fully identify the true position of old Cor. & re-set same, it being properly marked for re-established 1/4 Sec. Cor.

BOOK-A-204

R. 14 W. – S. L. M.

Chs. I renew old mound, from regulation pits.

50.00 Bend of wash heads S.E. drains N.E.

59.00 Road bears N.E. & S.W.

80.00 Find old cor. a cottonwood post thrown down & sufficient of old mound remaining to fully identify old position of cor. I reset same in old mound, it being properly marked for re-established cor. to Secs. 5, 6, 31 & 32, I renew old mound from regulation pits.

Sand flat

Soil 1st rate

Dense sage brush & greasewood undergrowth on 80.00 Chs.

N. 89° 50' W. on resurvey line

Bet. Secs. 6 & 31

Va 18° 10' E.

7.60 Road bears N.W. & S.E.

7.50 Eater meadow bears N.W. & S.E.

8.

R. — Survey N. By. T. 11 N.

Chs.
21.50 Leave same
31.40 Old road bears N & S
40.00 Find old cor. (a collinwood post) thrown down & sufficient of old mound remaining to fully identify the true position of old cor. I re-set same in old mound, it being properly marked, for re-established 1/4 Sec. Cor. I renew old mound from regulation pits.
89.87 Intersect guide meridian at Cor. to Tps. 11 & 12 N. Rs. 14 & 15 W. which is a cedar post 2 1/2 ft. above ground 4 x 4 ins. square, properly marked & mound & pits alongside.

Land flat
Soil 1st rate
Dense sage brush & breasewood
Under growth on 85.87 Chs.
— May 30th 1884

BOOK-A-204

R. 14 W. S. L. M.

Chs. ~~General Description~~

For general Description
See end of subdivision
notes of T. fs. 11 & 12 N.
R. 14 W.

Henry Fitzhugh
U.S. Deputy Surveyor.

BOO

U. S. SURVE

Salt Lak

The foreg

Nov

Township No.

Executed by

Under No

day of O

May

amined, the nec

the said field

hereby approved

BOOK-A-204

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, October 11th 1884

The foregoing field notes of the re*survey of the* North Boundary

Township No. 11 North *Range No.* 14 West

Executed by Henry Fitzhugh

Under No 124 *contract of the* 19th

day of March 1884, *in the month of* May 1884, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A

10

REPORT: 1885

Filed

Examined by

Transcribed by

Compared by

FIE

OF THE

Subdivis

Township No 1

Range No 14

SALT L

U

D. S.

Under his Co

Dated Ma

Survey commenc

Survey completed

BOOK-A-204

1885

10

15

REPORT: 1885

Filed 188

Examined by John H. Dumpe

Transcribed by E. Michaelis

Compared by A.E.S. & E. Michaelis

FIELD NOTES

OF THE SURVEY OF THE

Subdivision lines

OF

Township No 11 North

Range No 14 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Henry Fitzhugh

U. S. Deputy Surveyor,

Under his Contract No. 124

Dated March 19 1884

Survey commenced May 3rd 1884

Survey completed June 8th 1884.

NAMES AND DUTIES OF ASSISTANTS:

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A-204

Subdivisions 9

T. N. R. 14 W. S. L. M.

Before commencing this Survey I took an observation of the Star Polaris, in accordance with instructions contained in the manual of Surveys, on the night of May 29th 1884, and find my instrument to be in adjustment upon testing it upon the line thus established –

Survey commenced May 31st 1884 with a Burts improved Solar Compass

From the Cor. to Secs. 1, 2, 35 and 36 on the S. By. of Township which is a pine stake properly marked and standing in pit – ?

Iron

North Bet. Secs. 35 & 36

Va 18° 10' E.

4000 Set Flint 12 x 10 x 8 ins – 8 ins in the ground for 1/4 Sec. Cor.

Subdivisions T. 11 N.

Chs. marked 1/4 on W face and made regulation mound & pits

45.00 Wash drains W.

80.00 at Ep. point of ridge Set Limestone 13 x 9 x 8 ins - 8 ins in the ground for Cor. to Secs. 25, 26. 35 & 36, marked 1 notch on S. & E. edges and made regulation mound & pits

Land rolling

Soil 1st rate

Dense Sage brush & shadscale undergrowth on 80.00 Chs

East on random line

Bet. Secs. 25 & 36

Va 18° 10' E.

40.00 Set Temporary 1/4 Sec. Cor.

80.20 Intersect E. By. of Township 46 Ks. N. of Cor. to Secs. 25. 30, 31 & 36, which is a limestone 4 x 5 x 7 marked 1 Notch on Sand 5 on Nedges

Thence L mn

N. 89° 40' W. on true line

Bet. Secs. 25 & 36

BOOK

R. 14

Chs.

0.10 Set In

in th

Mark

made

0.20 Holl

0.20 The C

Dens

under

North

4.00 Entr

4.90 Wash

8.00 Sion

0.00 Set C

ins.

Cor. N

and

Mom

6.00 Grell

8.50 "

BOOK-A-204

R. 14 W. - S. L. M.

Va 18° 10' E.

Chs.

0.10 Set Quartz 12×10×8 ins. - 8 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face, and made regulation mound & pits

0.20 Hollow drains N. W.

0.20 The Cor. to Secs. 25, 26, 35 & 36

Land rolling

Soil 1st rate

Dense sage brush & shadscale undergrowth on 80.20 Chs.

North Bet. Secs. 25 & 26

Va 18° 10' E.

4.00 Enter hollow drains S. W.

4.90 Wash drains S. W.

8.00 Leave hollow

0.00 Set Conglomerate 14×12×3 ins. 10 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and made regulation mound & pits

6.00 Gully drains N. W.

8.50 " " "

Subdivisions T. 11 N.

Chs.
66.50 Gully drains N.W.
80.00 Set Limestone 14×9×5 ins. 10 ins. in the ground, for Cor. to Secs. 23, 24, 25 & 26 marked 2 notches on S. & 1 notch on E. edges, and made regulation mound & pits.
Land rolling
Soil 1st rate
Dense sage brush & shadscale undergrowth on 80.00 Chs.

East on random line
Bet. Secs. 24 & 25
Va 18° 10' E.

40.00 Set Temporary 1/4 Sec. Cor.
80.52 Intersect E. By. of Township 39 Rks. S. of Cor. to Secs. 19, 24, 25 & 30 which is a limestone 7"×10"×9" marked 2 Notches on S and 4 on Nedges
Thence Sun
S. 89° 43' W. on true line
Bet. Secs. 24 & 25
Va 18° 10' E.

R. 14 W. - S. L. M.

Chs. 0.00 Gulch drains N.W.

0.50 " " "

0.36 On ridge bears N.W. & S.E., set Limestone 16 x 9 x 8 ins. 10 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face, and made regulation mound & pits

65.50 Gulch drains S.W.

80.52 The Cor. to Secs. 23, 24, 25 & 26

Land hilly

Soil 3rd rate

Dense sage brush & shadscale undergrowth on 80.52 Chs.

North Bet. Secs. 23 & 24

Va 18° 10' E

3.25 Hollow drains S.W.

9.00 Ridge bears E. & W.

40.00 In gulch drains N.E.

Set Limestone 12 x 10 x 10 ins. 8 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face and made regulation mound & pits

No suitable trees for marking

Subdivisions T. 11 N.

Chs.	
45.00	Gneck drains N.E.
48.00	" " E.
56.00	Ridge bears E. & W.
60.50	Gneck drains N.E.
67.00	" " "
80.00	Set Limestone 14×9×7 ins. 10 ins. in the ground for Cor. to Secs. 13, 14, 23 & 24, marked 3 notches on S. & 1 notch on E. edges and made regulation mound & pits. No suitable trees for marking. Sand hilly. Soil 3rd rate. Some scattering cedars. Dense sap brush & shadscale undergrowth on 80.00 chs

East on random line
By Secs. 13 & 24
Va. 8°10' E.

40.00	Set Temporary 1/4 Sec. Cor.
80.13	Intersect E. Bdy. of Township 28 Rks. N. of Cor. to Secs. 13, 18,

R. 14 W - S. L. M

Chs. 19 & 24 which is a limestone
4"x8"x9" marked 3 notches on N & S edges
Thence Same
N. 89° 48' W. on true line
Bet. Secs. 13 & 24
With Same &c.

23.10 Gulch drains N. W.
40.06 Set Limestone 19x7x7 ins - 13
ins. in the ground for 1/4 Sec. Cor.
marked 1/4 on N. face, and made
vegetation mound & pits.
45.15 Ridge bears N. W. & S. E.
75.50 Wash in broad hollow drains N. W.
80.13 The Cor. to Secs. 13. 14. 23 & 24
Sand hilly
Soil 2nd & 3rd rate
Dense Sage brush underground
on 80.13 Chs.

North Bet. Secs. 13 & 14
Vn 18.10 E.

22.00 Wash drains N. W.
40.00 Set Conglomerate 22x8x6 ins - 16
ins. in the ground for 1/4 Sec. Cor.

Subdivisions T. 11 N.

Chs. marked 1/4 on W. face and made regulation mound & pits

42.00 Enter bench bears N.E. & S.W.

80.00 Set Limestone 17 x 8 x 8 ins - 12 ins in the ground for Cor. to Secs. 11, 12, 13 & 14, marked 4 notches on S. & 1 notch on E. edges and made regulation mound & pits.

Sand hilly & bench
Soil 2nd & 1st rate
Dense sage brush & shadscale underground on 80.00 Chs.

May 31. 1884

East on random line
Bet. Secs. 12 & 13
Va 18° 10' E.

40.00 Set Temporary 1/4 Sec. Cor.

79.80 Intersect E. By. of Township 25 Rs. N. of Cor. to Secs. 7. 12, 13 & 18 which is a limestone 6 x 8 x 8" marked 4 notches on S and 2 on N edges

Thence I run
N. 89° 49' W. on true line

R. 14 W. - S. L. M.

Chs. Bet. Secs. 12 & 13
Va 18° 10' E.

4.00 Wash Arains N.W.
13.00 Pond ridge bears N.W. & S.E.
39.90 Set Limestone 14 x 8 x 7 ins. 10 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face, and made regulation mound & pits
79.80 The Cor. to Secs. 11, 12, 13 & 14
Sand rolling
Soil 1st rate
Dense Sage brush underwrowth on 79.80 Chs

North Bet. Secs. 11 and 12
Va. 18° 10' E.
40.00 Set Conglomerate 12 x 8 x 8 ins - 8 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face, and made regulation mound & pits
47.75 Wash Arains N.E.
80.00 Set Sandstone 17 x 9 x 4 ins. 12 ins. in the ground for Cor. to Secs. 1, 2, 11 & 12, marked 5 notches on S. & 1 notch on E. edges

Subdivisions T. 11 N.

Chs.	
	and made regulation mound & pits
	Sand bench
	Soil 1st rate
	Dense sage brush undergrowth on 80.00 chs.
	East on sand one line
	Bet. Secs. 1 & 12
	Va 18° 10' E.
40.00	Set Temporary 1/4 Sec. Cor.
80.41	Intersect E. By. of Township 17 Rs. S. of Cor. to Secs. 1, 6, 7 & 12 which is a limestone 7"x12"x12" marked 5 Notches on Sand 1 on Nedges
	Thence from
	S. 89° 53' W. on true line
	Bet. Secs. 1 & 12
	With same Va
8.40	Leave low hills
	Enter bench bears N.E. & S.W.
40.20	Set Charred Balsam post 3 ft. long 3 ins. square, 12 ins. in the ground for 1/4 Sec. Cor.

R. 14 W - S. L. M

Chs. Marked 1/4 S. on W. face and made regulation mound & pits

8.00 Wash drain N.E.

80.41 The Cor. to Secs. 1, 2, 11 & 12
Sand hilly & brush
Soil 1st & 3rd rate
Dense Sage brush undergrowth
on 80.41 Chs.

Knowing from the connections made by the E. & W. boundaries of this township with the N. By. under my Contract No. 116 that I will fall West outside of the limit for connecting.
I run
North on true line
Bet. Secs. 1 & 2
Va 18° 10' E.

40.00 Set charred spruce post 3 ft. long 3 ins. Square 12 ins. in the ground for 1/4 Sec. Cor. Marked 1/4 S. on W. face and made regulation mound & pits.

Subdivisions T. 11 N.

Chs.	
50.00	Enter bottom beads N.E. & S.W.
51.00	Wash drains N.E.
55.25	" " "
62.10	" " "
76.80	Intersect N. By. of Township 12.50 Chs. West of Cor. to Secs. 35 & 36 Where I set Sandstone 24 x 10 x 6 ins - 18 ins in the ground for Closing Cor. to Secs. 1 & 2 marked 6 notches on S. 1 on E. & 5 on W. edges with C.C. and made regulation Mound & pits.

Sand bench & bottom

Soil 1st rate

Dense sage brush & grease wood under growth on 76.80 Chs.

From the Cor. to Secs. 2, 3, 34 & 35 on the S. By. of Township which is a limestone 12 x 9 x 5 in marked 4 notches on W and 2 on E edges

R. 14 W. – S. L. M.

Chs

Inn

North Bet. Secs. 34 & 35

Va 18° 10' E.

Over low hills

10.00 Leave low hills

Enter bench bears E. & W.

40.00 Set Limestone 20 x 11 x 8 ins – 15 ins. in the ground, for 1/4 Sec. Cor. marked 1/4 on W. face and made regulation mound & pits

80.00 Set Limestone 18 x 12 x 5 ins – 12 ins. in the ground for Cor. to Secs. 26. 27. 34 & 35, marked 1 notch on S. & 2 notches on E. edges and made regulation mound & pits

Land hilly & bench

Soil 2nd & 1st rate

Dense sage brush underground on 80.00 Chs.

East on random line

Bet. Secs. 26 & 35

Va 18° 10' E.

Subdivisions T. 11 N.

Chs.	
40.00	Set Temporary 1/4 Sec. Cor.
80.20	Intersect N. & S. line 20 Chs.
	N. of Cor. to Secs. 25, 26, 35 & 36
	Thence I run
	N. 89° 51' W. on true line
	Bet. Secs. 26 & 35
	With same Co.
	along ridge
35.00	Gulch arains S.E.
40.10	Set Limestone 16 x 7 x 6 ins. 10 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face, and made regulation mound & pits
47.00	Enter rolling bench bears N.W. & S.
	Wash arains N.W.
80.20	The Cor. to Secs. 26, 27, 34 & 35
	Land Mountainous & bench
	Soil 4th & 1st rate
	Dense Sage brush undergrowth on 80.20 Chs.
	North Bet. Secs. 26 & 27
	Va 18° 10' E.
13.00	Enter hills bear E. & W.

BOOK-

R. 1

Chs.	
27.50	Ridg
40.00	Set
	ins.
	Mar
	Mad
44.50	Gul
50.00	Rid
60.00	Ent
	Wa
80.00	Set
	in
	22,
	Note
	Mad
	Dens
	on
	Ea
40.00	Set
79.80	Inte

R. 14 W. - S. L. M.

Chs.	
27.50	Ridge bears E. & W.
40.00	Set Conglomerate 12×7×6 ins - 8 ins. in the ground for 1/4 Sec. Cor. Marked 1/4 on W. face, and made regulation mound & pits
44.50	Gulch drains S. W.
50.00	Ridge bears E. & W.
60.00	Enter rolling bench bears N. E. & S. W. Wash drains N. E.
80.00	Set Limestone 13×10×9 ins - 9 ins. in the ground for Cor to Secs. 22, 23, 26 & 27, marked 2 notches on S. & E. edges and made regulation mound & pits

Land bench & hilly
Soil 1st & 3rd rate
Dense sage brush undergrowth on 80.00 Chs

East on random line
Bet. Secs. 23 & 26
Va 18° 10' E

40.00	Set Temporary 1/4 Sec. Cor.
79.80	Intersect N. & S. line 23 8 Rs. S. of

Subdivisions T. 11 N.

Chs.	Cor. to Secs. 23, 24, 25 & 26
	Thence Iron ×23 & 26
	S. 89° 50' W. on true line Set.
	With same Va
7.20	Hollow drains S. W.
39.90	Set Flint 12×10×6 ins - 8 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face, and made regulation mound & pits
47.80	Wash drains N. W.
67.30	" " N. E.
79.80	The Cor. to Secs. 22, 23, 26 & 27
	Land rolling
	Soil 1st rate
	Dense sage brush undergrowth on 79.80 chs. —
	— June 2nd 1884
	North Bet. Secs. 22 & 23
	Va 18° 10' E.
16.00	Wash drains E.
40.00	Set Limestone 12×12×9 ins - 8 ins in the ground for 1/4 Sec. Cor. marked 1/4 on W. face, and made regulation mound & pits

R. 14 W. - S. L. M.

Chs	
52.50	Wash Arains N.E.
80.00	Set Limestone 15×10×8 ins. 10 ins. in the ground for Cor. to Secs. 14, 15, 22 & 23 Marked 3 notches on S. & 2 on E. edges and made regulation Mound & pits
	Sand Rolling
	Soil 1st Rate
	Dense Sage brush underwrowth on 80.00 Chs
	East on random line
	Bet. Secs. 14 & 23
	Do 18° 10' E.
40.00	Set Temporary 1/4 Sec. Cor.
80.25	Intersect N. & S. line 32 8 Ns. S. of Cor. to Secs. 13, 14, 23 & 24
	Thence Same
	S. 89° 46' W. on true line
	Bet. Secs. 14 & 23
	With Same Do
18.75	Ridge bears N. & S.
40.12	Set Limestone 15×10×8 ins - 10 ins. in the ground for 1/4 Sec.

Subdivisions T. 11 N.

Chs.	
	Cor. marked 1/4 on N. face and made regulation mound & pits
48.75	Wash drains N.E.
80.25	The Cor. to Secs. 14, 15, 22 & 23
	Land high rolling
	Soil 1st rate
	Dense sage brush undergrowth on 80.25 chs.
	North Bet. Secs. 14 & 15
	Va 18° 10' E.
40.00	Set Limestone 15 x 10 x 8 ins. 10 ins. in the ground for 1/4 Sec.
	Cor. marked 1/4 on N. face ~~and~~ and made regulation mound & pits
55.50	Wash drains N.E.
80.00	Set Limestone 16 x 9 x 7 ins - 10 ins in the ground for Cor. to Secs. 10, 11, 14 & 15, marked 4 notches on S. X 2 on E. edges and made regulation mound & pits
	Land rolling
	Soil 1st rate

BOOK-A-204

R. 14 W. S. L. M.

Chs. Dense sage brush undergrowth on 80.00 Chs.

East on random line
Bet. Secs. 11 & 14
Va 18° 10' E.

40.00 Set temporary 1/4 Sec. Cor.
80.00 Intersect N. & S. line 29 8 Lks. N. of Cor. to Secs. 11, 12, 13 & 14
Thence Iron
N. 89° 48' W. on true line
Bet. Secs. 11 & 14
With same Va

11.20 Wash arains N. W.
40.00 Set Limestone 12 x 8 x 7 ins - 8 ins in the ground for 1/4 Sec. Cor. marked 1/4 on N. face, and made regulation mound & pits
68.80 Wash arains N. W.
80.00 The Cor. to Secs. 10, 11, 14 & 15
Sand Rolling
Soil 1st rate
Dense sage brush under-growth on 80.00 Chs

Subdivisions T. 11 N.

Chs.	North Bet. Secs. 10 & 11 Va 18° 10' E.
40.00	Set Limestone 20 x 10 x 3 ins 15 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and made regulation Mound & pits
80.00	Set Limestone 15 x 9 x 4 ins. 10 ins. in the ground for Cor. to Secs. 2, 3, 10 & 11, marked 5 notches on S. & 2 on E. edges and made regulation Mound & pits
	Land rolling
	Soil 1st rate
	Dense sage brush undergrowth on 80.00 Chs.

East on random line
Bet. Secs. 2 & 11
Va 18° 10' E.

40.00	Set Temporary 1/4 Sec. Cor.
79.78	Intersect N. & S. line 27 8 Ks. N. of Cor. to Secs. 1, 2, 11 & 12.
	Thence down
	N. 89° 48' W. on true line

R. 14 W. S. L. M.

Chs. Bet. Secs. 2 & 11
With same Va

18.30 Wash drains N.E.

37.89 Set Cobble stone 12 x 7 x 7 ins - 8 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face, and made regulation mound & pits

79.78 Fi - Cor. to Secs. 2, 3, 10 & 11
Sandbench
Soil 1st rate
Dense sage brush underrgrowth on 79.78 Chs.

Knowing from previous connections made by myself under Contract No. 116 that I will fall West outside of the limit for connecting
Sun
North on true line
Bet. Secs. 2 & 3
Va 18° 10' E.

4.00 Set Sandstone 20 x 15 x 6 ins - 15 ins. in the ground for 1/4 Sec. Cor.

Subdivisions T. 11 N.

Chs.	Marked 1/4 on W. face and made regulation mound & pits
46.50	Deep Wash Arains N.E.
76.10	Intersect N. Bdy. of Township 12.50 Chs. West of Cor. to Secs. 34 & 35 Where I set Charred Cedar post 4 ft. long 4 ins. square, 12 ins. in the ground for Closing Cor. to Secs. 2 & 3, marked T. 11 N. R. 14 W. on S.E. and C.C.S. 3 on S.W. with 6 notches on S. 2 on E. & 4 on W. edges, and made regulation mound & pits.
	Sand flat
	Soil 1st rate
	Dense Sage brush & Greasewood undergrowth on 76.10 Chs.
	June 3d 1884

BOOK-A-204

R. 14 W. – S. L. M.

Chs. From the Cor. to Secs. 3, 4, 33 & 34 on the S. By. of Township which is a limestone 3"x8"x5" marked with 3 notches on E. & Wedges
Sum
North Bet. Secs. 33 & 34
Va 18°10' E.
over low hills
7.00 Enter rolling bench beals N.W. & S.E.
40.00 Set charred Cedar post 3 ft. long 3 ins. sq. ave. 12 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and made regulation mound & pits
69.00 Wash drains S.E.
80.00 Set Conglomerate 20x10x6 ins. 15 ins. in the ground for Cor. to Secs. 7, 28, 34 & 35, marked 1 notch on S. & 3 notches on E. edges and made regulation mound & pits
Land hills & bench
Soil 2nd & 1st rate
Dense sage brush & shadscale undergrowth on 80.00 Chs.

Subdivision T. 11 N.

Chs. East on Township line
Bet. Secs. 27 & 34
Va 18° 10' E.

40.00 Set Temporary 1/4 Sec. Cor.
80.00 Intersect R. & S. line ascr. to Secs.
26. 27, 34 & 35.
Thence Sym
West Bet. Secs. 27 & 34
With Comm Va

40.00 Set Sandstone 13x9x7 ins - 9 ins.
in the ground for 1/4 Sec. Cor.
marked 1/4 on N. face and made
regulation mound & pits.
80.00 The Cor. to Secs. 27, 28, 33 & 34
Land Valley
Soil 1st rate
Dense Sage Brush & shadscale
undergrowth in 80.00 chs.

North Bet. Secs. 27 & 28
Va 18° 10' E.
28.50 Track crains E.
40.00 Set Stone 16x10x8 ins - 11 ins. in
the ground for 1/4 Sec. Cor.

R. 14 W. S. F. M.

. Marked 1/4 on W. face and made regulation mound & pits

75 Wash drains E.

00 Low ridge bears N.W. & S.E.

00 Set Limestone 14x8x6 ins. gins. in the ground for Cor. to Secs. 21, 22, 27 & 28, marked 2 notches on S. & 3 on E. edges and made regulation mound & pits

Sand rolling

Soil 1st rate

Dense sage brush & shadscale undergrowth on 80.00 chs.

East on random line

Bet. Secs. 22 & 27

Va 18° 10' E.

4.00 Set Temporary 1/4 Sec. Cor.

.10 Intersect N. & S. line 30 Rks. S. of Cor. to Secs. 22, 23, 26 & 27

Thence Down

S. 89° 47' W. on true line

Bet. Secs. 22 & 27

with same Va.

Subdivisions T. 11 N.

Ch.	
30.00	Wash in hollow drains N.
40.05	Set Conglomerate 10×8×7 ins - 7 ins in the ground for 1/4 Sec. Cor. marked 1/4 on N. face and made regulation mound & pits
80.10	The Cor. to Secs. 21, 22, 27 & 28
	Land rolling
	Soil 1st rate
	Dense sage brush & shad scale under growth on 80.10 Chs
	North Bet. Secs. 21 & 22
	Va 18° 10' E.
1.50	Wash drains N.E.
24.00	Low ridge bears E. & W.
40.00	Set Conglomerate 13×10×5 ins - 8 ins - in the ground for 1/4 Sec. Cor. marked 1/4 on W. face, and made regulation mound & pits
80.00	Set Cobble Stone 12×7×6 ins 8 ins in the ground for Cor. to Secs. 15, 16, 21 & 22, marked 3 notches on S. & E. edges, and made regulation mound & pits.

BOOK-A-2

R. 14 [illegible]

Sa[illegible]

Sai[illegible]

Dense sa[illegible]

on 80.00

East on [illegible]

[illegible]00 Set Tem[illegible]

[illegible].29 Intersect [illegible]

Cor. to S[illegible]

Thence [illegible]

N. 89° 53 [illegible]

Bet [illegible]

[illegible]5.00 Low rid[illegible]

[illegible]0.14 Set Tem[illegible]

ins. in [illegible]

Cor. mar[illegible]

made re[illegible]

[illegible]1.50 Gulch [illegible]

[illegible]0.29 The Cor. [illegible]

Sam[illegible]

So[illegible]

BOOK-A-204

R. 14 W. - S.L.M.

Land rolling
Soil 1st rate
Dense sage brush & shadscale
on 80,00 chs

East on random line
Bet. Secs. 15 & 22
Va 18°10' E.

00 Set temporary 1/4 Sec. Cor.
.29 Intersect N.&S. line 16 8 Ks. N. of
Cor. to Secs 14, 15, 22 & 23
Thence Sam
N. 89°53' W. on true line
Bet. Secs 15 & 22
Va 18°10' E.

5.00 Low ridge bears N.W. & S.E.
0.14 Set Limestone 14 x 10 x 8 ins. 10
ins. in the ground for 1/4 Sec.
Cor. marked 1/4 on N. face, and
made regulation mound & pits
1.50 Gulch arains N.E.
0.29 The Cor. to Secs. 15, 16, 21 & 22
Land rolling
Soil 1st rate

Subdivisions T. 11 N.

Chs.	
	Dense sage brush & shadscale undergrowth on 80.29 Chs
	North Bet. Secs. 15 & 16 Va 18° 10' E.
11.50	Low ridge bears N.E. & S.W.
40.00	Set Limestone 16×8×5 ins - 10 ins in the ground for 1/4 Sec. Cor. marked 1/4 on N. face, and made regulation mound & pits.
41.50	Low ridge bears E & W.
65.00	Low " " "
80.00	Set Limestone 14×9×7 ins - 10 ins. in the ground for Cor. to Secs. 9.10.15 & 16, marked 4 notches on S. & 3 on E. edges and made regulation mound & pits
	Land hilly
	Soil 2nd rate
	Dense sage brush & shadscale undergrowth on 80.00 Chs

R. 14 W. - S. L. M.

Chs. East on random line
Bet. Secs. 10 & 15
Va 18° 10' E.

0.00 Set temporary 1/4 Sec. Cor.
9.78 Intersect N. & S. line 28 Rks. S. of
Cor. to Secs. 10, 11, 14 & 15.
Thence Same
S. 89° 48' W. on true line
Bet. Secs. 10 & 15
With same Va

9.89 Set Limestone 17 x 8 x 5 ins - 12 ins.
in the ground for 1/4 Sec. Cor.
marked 1/4 on N. face, and made
regulation mound & pits
9.78 The Cor. to Secs. 9, 10, 15 & 16
Land Rolling
Soil 1st rate
Dense Sage brush & thadscale
undergrowth on 79.78 Chs

North Bet. Secs. 9 & 10
Va 18° 10' E.

0.00 Set Limestone 17 x 8 x 4 ins - 12

Subdivisions T. 11 N.

Chs.	
	ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face and made regulation mound & pits
57.00	Wash arains N.E.
80.00	Set Limestone 13 x 8 x 5 ins. 8 ins. in the ground for Cor. to Secs. 3, 4, 9 & 10, marked 4 notches on S. & 3 on E. edges and made regulation mound & pits
	Land bench
	Soil 1st rate
	Dense Sage brush & shadscale undergrowth on 80.00 Chs.
	East on random line
	Bet. Secs. 3 & 10
	Va 18°10' E.
40.00	Set Temporary 1/4 Sec. Cor.
80.00	Intersect N. & S. line 30 8 Ks N. of Cor. to Secs 2, 3, 10 & 11
	Thence Same
	N. 89°47' W on true line
	Bet. Secs. 3 & 10
	With Same Va

BOOK-A-

R. 14

Chs.	
0.00	Wash
0.00	Set Sa
	ins. i
	marke
	made
6.00	Wash
0.00	The Cor
	Sa
	&
	Dense
	Underg
	Known
	nectio
	that
	side of
	Sam
	North
0.00	Set Sm
	in th
	marke
	Mad

BOOK-A-204

R. 14 W. - S. L. M.

Chs.	
0.00	Wash drains N.
10.00	Set Sandstone 15 x 12 x 4 ins - 10 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face, and made regulation mound & pits
6.00	Wash drains N.
0.00	The Cor. to Secs. 3, 4, 9 & 10

Land rolling
Soil 1st rate
Dense sage brush & shadscale
Undergrowth on 80.00 Chs.

Knowing from previous connections made by myself that I will fall West outside of the limit for connecting Inn
North on true line Bet. Secs. 3 & 4
Da 1870' E.

0.00	Set Limestone 13 x 7 x 6 ins - 8 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face, and made regulation mound & pits

Subdivisions T. 11 N.

Chs.
47.00 Wash drains E.
76.47 Intersect N. By. of Township
12.30 Chs. West of Cor. to Secs
33 & 34 Where I set.
Charred Cedar post 4 ft. long
4 ins. square, 12 ins. in the
ground for Closing Cor. to Secs
3 & 4, Marked 6 notches on S.
& 3 on E & W. Edges and
T. 11 N. R. 14 W. on S.E. and
C.C. S. 4 on S.W. faces
and made regulation
mound & pits.
Land rolling
Soil 1st rate
Dense sage brush & shadscale
undergrowth on 76.47 Chs

June 4th 1884

BOOK-A-204

R. 14 W. — S. L. M.

hs. From the Cor. to Secs. 4, 5, 32 & 33 on the S. By. of Township which is a pine stake properly marked and standing in pit

North 1 Bet. Secs. 32 & 33
Va 18° 10' E.

Over low hills

00 Enter bench bears E. & W.

00 Set Conglomerate 12 x 8 x 7 ins. 8 ins in the ground for 1/4 Sec. Cor. marked 1/4 on W. face, and made regulation mound & pits

5.00 Leave bench & sage brush

Enter mountains bear N.E. & S.W.

00 Set Conglomerate 40 x 30 x 10 ins. 30 ins. in the ground for Cor. to Secs. 28, 29, 32 & 33 marked 1 notch on S. and 4 on E. edges, and made regulation mound & pits

Land bench & mountains

Soil 1st & 3rd rate

Dense sage brush undergrowth on 65.00 chs.

Mountainous on 15.00 chs.

Subdivisions T. 11 N.

Chs.	Augmented on 80.00 Chs.
	East on sandown line
	Bet. Secs. 28 & 33
	Va 18°10' E.
40.00	Set Temporary 1/4 Sec. Cor.
80.29	Intersect N. & S. line 30 Rds. N. of Cor. to Secs. 27, 28, 33 & 34
	Thence Sun
	N. 89°47' W. on true line
	Bet. Secs. 28 & 33
	With same Va
33.00	Leave bench & sage brush
	Enter Mountains bear N. & S.
40.14	Set Conglomerate 20 x 15 x 8 ins - 15 ins in the ground for 1/4 Sec. Cor. Marked 1/4 on N face, and made regulation mound & pits
61.70	Ravine drains S.
69.70	" " S.
77.25	" " "
80.29	The Cor. to Secs. 28, 29, 32 & 33
	Land bench & mountains
	Soil 1st & 3rd rate

BOOK-A

R. 14

Ks	Dense
	on 33.
	Mount
	Augm
	North R
9.50	Ridge
00	Set Cong
	in the
	marked
	regula
5.00	Ravine
7.00	Gulch
	Enter
80.00	Set Sim
	in the
	21, 28
	& 4 on
	regul
	Land
	Soil
	Mounta
	Dense

R. 14 W. — S. L. M.

hs Dense sage brush undergrowth on 33 chs.
Mountainous on 47.29 chs.
Augmented on 80.29 chs

North Bet. Secs. 28 & 29
Va 18°10' E.

9.50 Ridge bears N.E. & S.W.
0.00 Set Conglomerate 18 x 12 x 6 ins - 12 ins in the ground for 1/4 Sec. Cor. marked 1/4 on N. face, and made regulation mound & pits.
5.00 Ravine drains S.W.
7.00 Gulch drains N.E.
Enter rolling hills & sage brush
80.00 Set Limestone 22 x 20 x 16 ins - 15 ins in the ground for Cor. to Secs. 20, 21, 28 & 29, marked 2 notches on S. & 4 on E. edges, and made regulation mound & pits
Land mountains & hilly
Soil 3rd rate
Mountainous on 77.00 chs.
Dense sage brush undergrowth

Subdivisions T. 11 N.

Chs. on 3.00 Chs.
Augmented on 80.00 Chs.

East on random line
Bet. Secs. 21 & 28
Va 18°10' E.

40.00 Set Temporary 1/4 Sec. Cor.
80.60 Intersect N & S. line 9 Sks. S. of Cor.
to Secs. 21, 22, 27 & 28.
Thence Iron
S. 89°56' W. on true line
Bet. Secs. 21 & 28
With same Va

5.20 Wash drains N E
40.3 Set Brimstone 12 x 10 x 6 ins. 8 ins.
in the ground for 1/4 Sec. Cor.
marked 1/4 on N. face, and made
regulation Mound & pits
72.00 Greek drains N E
Enter rolling hills
80.60 The Cor. to Secs. 20, 21, 28 & 29
Land brush & hilly
Soil 1st & 3rd rate
Dense sage brush undergrowth

BOOK-A-204

R. 14 W - S. L. M

Chs. on 80.60 Chs

North Bet. Secs. 20 & 21
Va 18° 10' E.

5.00 Gulch drains N.E.
18.00 Gulch " "
40.00 Set Sandstone 14x8x6 ins - 10 ins in the ground for 1/4 Sec. Cor. marked 1/4 on W. face, and made regulation mound & pits
63.00 Gulch drains N.E.
77.00 " " "
80.00 Set Limestone 18x10x6 ins. 12 ins in the ground for Cor. to Secs. 16, 17, 20 & 21 marked 3 notches on S. & 4 on E. edges, and made regulation mound & pits
Sand hilly
Soil 2nd rate
Dense sage brush & Greasewood underwrowth on 80.00 Chs.

Subdivision T. 11 N.

Chs.	
	East on random line Bet. Secs. 16 & 21 Va 18°10' E.
40.00	Set Temporary 1/4 Sec. Cor.
79.40	Intersect N. & S. line 21 Sks. S. of Cor. to Secs. 15, 16, 21 & 22
	Thence Irm.
	S. 89°51' W. on true line Bet. Secs. 16 & 21 Va 18°10' E.
28.40	Line ridge bears N.E. & S.W.
39.70	Set Limestone 13 x 7 x 6 ins. " 8 ins. in the ground for 1/4 Sec. Cor. Marked 1/4 on N. face and made regulation mound & pits
52.50	Enter hollow drains N.E.
70.50	Leave same
79.40	The Cor. to Secs. 16, 17, 20 & 21
	Land high rolling
	Soil 1st rate
	Dense sage brush & shadscale undergrowth on 79.40 Chs

North Bet. Secs. 16 & 17 Va 18°10' E.

BOOK-A-20

R. 14

Chs.	
5.00	Creek
23.50	"
40.00	Set Tr
	ins. in
	marked
	regula
41.50	Creek
56.00	Enter
80.00	Set Tr
	ins. in
	8, 9, 16
	S. & E.
	Mound
	Dense
	undergr
	East
40.00	Set T
80.08	Intersec
	Cor. to

BOOK-A-204

R. 14 W. 55 S. L. M.

Chs.
5.00 Creek drains N.E.
23.50 " " "
40.00 Set Limestone 16×10×7 ins - 11 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face, and made regulation mound & pits.
41.50 Creek drains N.E.
56.00 Enter hollow drains N.E.
80.00 Set Limestone 17×10×6 ins. 11 ins. in the ground for Cor. to Secs. 8, 9, 16 & 17, marked 4 notches on S. & E. edges & made regulation mound & pits

Land hilly
Soil 2nd rate
Dense sage brush & Greasewood undergrowth on 80.00 Chs.

East on random line
Bet. Secs. 9 & 16
Va 1870 E.

40.00 Set Temporary 1/4 Sec. Cor.
80.08 Intersect N. & S. line 10 Sks. N. of Cor. to Secs. 9, 10, 15 & 16

Subdivisions T. 11 N.

Chs.	
	Thence Iron
	N. 89° 56' W. on true line
	Bet. Secs. 9 & 16
	Va 18° 10' E.
2.50	Enter low hills bear N.W. & S.E.
38.00	Gulch drains N.E.
40.04	Set Limestone 14×9×7 ins - 10 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face, and made regulation mound & pits.
67.00	Enter hollow drains N.E.
80.08	The Cor. to Secs. 8. 9. 16 & 17
	Land hilly
	Soil 1st rate
	Dense sage brush & shadscale
	Undergrowth on 80.08 Chs.
	June 5th 1884
	North Bet. Secs. 8 & 9
	Va 18° 10' E.
8.00	Leave hollow drains N.E.
15.00	Gulch drains S.E.
21.80	Ridge bears N.E. & S.W.
40.00	Set Conglomerate 17×8×8 ins - 11 ins. in the ground for 1/4 Sec. Cor.

BOOK-A-2

R. 14

Chs.	
	Mark
	regul
50.00	Gulch
68.50	Ridge
80.00	Set Con
	ins. i
	4, 5, 8
	S. &
	regul
	Dens
	under
	East
40.00	Set
79.70	Intr
	Cor. to
	Then
	S. 89°

BOOK-A-204

R. 14 W. S. L. M

Chs. c. Marked 1/4 on W. face, and made regulation mound & pits

50.00 Gulch trains N.E.

68.50 Ridge bears N.E. & S.W.

80.00 Set Conglomerate 24 x 8 x 5 ins - 16 ins. in the ground for Cor. to Secs. 4, 5, 8, & 9, marked 5 notches on S. & 4 on E. edges, and made regulation mound & pits

Land hilly

Soil 3rd rate

Dense sage brush & shadscale under growth on 80.00 Chs.

East on random line ~~Bet~~

Bet. Secs. 4 & 9

Va 18° 10' E.

40.00 Set Temporary 1/4 Sec. Cor.

79.70 Intersect N. & S. line 39 Rs. S. of Cor. to Secs. 3, 4, 9 & 10,

Thence Down

S. 89° 43' W. on true line

Bet. Secs. 4 & 9

With same Va

Subdivisions T. 11 N.

Chs.	
39.85	Set Quartz 13 x 8 x 7 ins - 9 ins in the ground for 1/4 Sec. Cor. marked 1/4 on its face, and made regulation mound & pits
58.50	Wash drains N.W.
61.00	" " N.E.
72.00	Enter hills bear N.&S.
79.70	The Cor. to Secs. 4.5.8 & 9

Land Rolling
Soil 1st rate
Dense sage brush & shadscale undergrowth on 79.70 Chs.

Knowing from previous connections made by myself under contract No. 116 that I will fall West outside of the limit for connecting

Down
North on true line Bet. Secs. 4 & 5
Vt 18°10' E.

12.00	Leave hills
	Enter bench bears N.W. & S.E.

BOOK-A-204

R. 14 W. — S. L. M.

Chs.
4.00 Set Sandstone 22 x 14 x 3 ins - 15 ins in the ground for 1/4 Sec. Cor. marked 1/4 on W. face, and made regulation mound & pits.
59.00 Enter bottom bears N.E. & S.W.
71.00 Wash drains N.E.
71.75 " " N.E.
77.75 Intersect N. By. of Township 12.30 Chs. West of Cor. to Secs. 32 & 33 where I set.
Charred Cedar post 4 ft. long 4 ins. Square 12 ins in the ground for Closing Cor. to Secs. 4 & 5 marked T. 11 N. R. 14 W. on S.E. and C.C. S. 5 on S.W. with 6 notches on S. 4 on E & 2. on W. edges, and made regulation mound & pits.
Land rolling & flat
Soil 1st rate
Dense sage brush & greasewood undergrowth on 77.75 chs.

Subdivisions T. 11 N.

Chs. From the Cor. to Secs. 5, 6, 31 & 32 on the S. By. of Township. Which is a pine stake properly marked and standing in pit Town

North Bet. Secs. 31 & 32
Va 18°10' E.

40.00 Set Sandstone 14×8×6 ins. 10 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and made regulation mound & pits

45.00 Cover flat & sage brush
Enter Mountains bear E. & W.

57.50 Wash drains S. E.

77.00 " " "

80.00 Set Limestone 20×12×10 ins. 15 ins. in the ground for Cor. to Secs 29, 30, 31 & 32, marked 1 notch on S & 5 notches on E. edges, and made regulation mound & pits
Sand flat & Mountains
Soil 1st & 3rd rate.
Dense sage brush undergrowth on 45.00 Chs.
Mountainous on 35.00 Chs.

BOOK-A-2

R. 14

Chs. Augm

East

40.00 Set

80.00 Inters
to Sec
Then
N. 89
B

5.00 Rain

27.50 "

40.00 Set
in th
ed 1/4
regu

67.50 Grec

80.00 The

Mount

BOOK-A-204

R. 14 W. S. L. M.

Chs. Augmented on 80.00 Chs

East on sand one line
Bet. Secs. 29 & 32
Va 18° 10' E.

40.00 Set Temporary 1/4 Sec. Cor.
80.00 Intersect N & S. line 7 Ms. N. of Cor.
to Secs. 28, 29, 32 & 33.
Thence Inm
N. 89° 57' W. on true line
Bet. Secs. 29 & 32
With same Va

5.00 Raine drains S.
27.50 " " "
40.00 Set Limestone 16 x 10 x 10 ins - 11 ins.
in the ground for 1/4 Sec. Cor. mark-
ed 1/4 on N. face, and made
regulation mound & pits.
67.50 Creek drains S.W.
80.00 The Cor. to Secs. 29, 30, 31 & 32
Sand Mountainous
Soil 3rd rate
Mountainous on 80.00 Chs.

Subdivisions T. 11 N.

Chs. West on random line
Bet. Secs. 30 & 31
Va 18° 10' E.

40.00 Set Temporary 1/4 Sec. Cor.
80.09 Intersect N. Bdy. of Township
37 8 Ks. N. of Cor. to Secs. 25.30.31 &
36, which is a sandstone 8" x 12"
x 4' marked 5 notches on N & 1 on S edges
Thence Sum
N. 89° 44' E. on true line
Bet. Secs. 30 & 31
With same Va
22.00 Ridge brass N. & S.
40.09 Set Slate 12 x 12 x 12 ins. - 8 ins
in the ground for 1/4 Sec. Cor.
marked 1/4 on N. face, and
made regulation mound & pits
70.10 Gulch trains S.
80.09 The Cor. to Secs. 29.30.31 & 32
Sand Mountainous
Soil 3rd rate
Mountainous on 80.09 Chs

June 6th, 1884

BOOK-A-2

R. 14

Chs. North

30.00 Gulch
40.00 Set Flu
in the
marki
regula
53.50 Gulch
78.00 "
80.00 Set Co
Tocius
Secs. 1
notch
and m
o
&
Mon

East

40.00 Set
79.63 Intr
Cor. to

BOOK-A-204

R. 14 W. S. L. M.

Ch. North Bet. Secs. 29 & 30
Va 18° 10' E.

30.00 Greek Arains N.E.

40.00 Set Flint 12 x 12 x 10 ins - 8 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face, and made regulation mound & pits

53.50 Greek Arains N.E.

78.00 " " S.E.

80.00 Set Conglomerate 30 x 14 x 10 ins & 10 ins in the ground for Cor to Secs. 19, 20, 29 & 30. marked 2 notches on S. & 5 on E. edges and made regulation mound & pits

Land Mountainous
Soil 4th rate
Mountainous on 80.00 Chs.

East on random line
Bet. Secs. 20 & 29
Va 18° 10' E.

40.00 Set Temporary 1/4 Sec. Cor.

79.63 Intersect N. & S. line 25 Rks. S. of Cor. to Secs. 20, 21, 28 & 29

Subdivisions T. 11 N.

Chs.	Thence Dun
	S. 89° 49' W. on true line
	Bet. Secs. 20 & 29
	With same Va
4.00	Raine drains N.E.
22.50	Ridge bears N. & S.
37.00	Gulch drains S.W.
39.81	Set Sandstone 13 x 11 x 6 ins - 8 ins.
	in the ground for 1/4 Sec. Cor.
	marked 1/4 on N. face and made
	regulation mound & pits.
	No suitable trees for marking
58.00	Ridge bears N.E. & S.W.
72.50	Gulch drains S.E.
79.63	The Cor. to Secs. 19, 20, 29 & 30
	Sand Mountainous,
	Soil 4th rate
	Few scattering cedars.
	Mountainous on 79.63 chs.

West on random line

Bet. Secs. 19 & 30

Va 18° 10' E.

40.00	Set Temporary 1/4 Sec. Cor.

R. 14 W. 65 S. L. M.

9.53 Intersect W. By. of Township
19 Sks. N. of Cor. to Secs. 19. 24. 25
& 30 which is a cedar post, formly
set in the ground and properly marked
Thence Same
N. 89° 52' E. on true line
Bet. Secs. 19 & 30
With same Do

2.00 Ridge bears N. & S.
9.53 Set Conglomerate 18 x 9 x 7 ins - 12 ins.
in the ground for 1/4 Sec. Cor.
marked 1/4 on N. face, and made
regulation Mound & pits
9.30 Gulch drains S. E.
9.00 " " "
9.53 The Cor. to Secs. 19. 20, 29 & 30
Sand Mountainous
Soil 4th rate
Mountainous on 79.53 chs

North Bet. Secs. 19 & 20
Do 18° 10' E.
5.50 Gulch drains S. E.
6.60 " " S. W.

Subdivisions T. 11 N.

Chs.	
31.00	Gulch drains S.W.
36.00	Ridge bears N.E. & S.W.
40.00	Set Conglomerate 40×20×10 ins. 3 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and made regulation Mound & pits
44.50	Gulch drains S.W.
50.50	" " "
60.50	" " "
80.00	Set Conglomerate 16×10×8 ins. 11 ins. in the ground for Cor. to Secs. 17.18 19 & 20, marked 3 notches on S. & 5 on E. edges, and made regulation Mound & pits

Land Mountainous

Soil 4th rate

Mountainous on 80.00 Chs.

East on random line

Bet. Secs. 17 & 20

Dn 18° 10' E.

40.00	Set Temporary 1/4 Sec. Cor.
79.74	Intersect N. & S. line 30 Rks. S. of Cor. to Secs. 16. 17. 20 & 21

Thence Inn

R. 14 W. – S. [illegible]

S. 89° 47' W. on true line
Bet. Secs. 17 & 20
With same Va

00 Wash in hollow arains N.E.
00 Long ridge bears N.E. & S.W.
87 Set Limestone 22 x 7 x 6 ins – 15 ins.
in the ground for 1/4 Sec. Cor.
marked 1/4 on N. face, and made
regulation mound & pits
5.00 Creek arains N.E.
9.74 The Cor. to Secs. 17, 18, 19 & 20
Land Mountainous
Soil 3rd rate
Mountainous on 79.74 Chs.

West on random line
Bet. Secs. 18 & 19
Va 18° 10' E.

0.00 Set Temporary 1/4 Sec. Cor.
9.20 Intersect St. Bry. of Township
40 Chs. N. of Cor. to Secs. 13, 18, 19
& 24 which is a cedar post formly
set in the ground and properly marked?
Thence Sum

Subdivisions T. 11 N.

Chs. N. 89° 43' E. on true line
Bet. Secs. 18 & 19
With same Va

39.20 Set Limestone 18×10×8 ins. - 12
ins. in the ground for 1/4 Sec.
Cor. marked 1/4 on N. face, and
made regulation mound & pits.

49.00 Gulch drains S.E.

79.20 The Cor. to Secs. 17, 18, 19 & 20.
Sand Mountainous
Soil 3rd rate
Mountainous on 79.20 chs.

North Bet. Secs. 17 & 18
Va 18° 10' E.

3.00 Gulch drains W.

19.00 Gulch drains N.E.

40.00 Set Conglomerate 18×10×8 ins. - 12
ins. in the ground for 1/4 Sec. Cor.
marked 1/4 on W. face, and made
regulation mound & pits.

79.50 Gulch drains N.W.

80.00 Set Limestone 19×8×6 ins. - 13
ins. in the ground for Cor. to

R. 14 W. — S. L. M.

Secs. 7, 8, 17 & 18 marked 4
notches on S. & 5 on E. edges.
and made regulation Ground & pits
from which
A cedar tree 20 ins. diam. bears. S. 11°
E. 13 lks. dist. marked
S. 17. T. 11 N. R. 14 W. B.T.
A cedar tree 32 ins. diam. bears.
S. 15° W. 10 3 lks. dist. marked
S. 18. T. 11 N. R. 14 W. B.T.
Land Mountainous
Soil 3rd rate
Some Scat cedars
Mountainous on 80.00 Chs.
June 7th 1884

East on random line
Bet. Secs. 8 & 17
Va 18°-10 E.
40.00 Set Temporary 1/4 Sec. Cor.
9.70 Intersect N. & S. line 25 lks. S. of
Cor. to Secs. 8, 9, 16 & 17
Thence Same
S. 89° 49' W. on true line
Bet. Secs. 8 & 17

Subdivisions T. 11 N.

Va 18° 10' E.

Chs.

7.50 Sloop hollow. & sage brush.
Enter Mountains bear N.E. & S.W.
24.00 Gulch drains S.W.
35.00 " " S.E.
39.00 Ridge bears N.W. & S.E.
39.85 Set Limestone 14 x 12 x 5 ins – 10 in
in the ground for 1/4 Sec. Cor.
Marked 1/4 on N. face, and made
regulation mound & pits
No trees suitable for marking
48.50 Ridge bears N.E. & S.W.
56.50 Gulch drains S.W.
67.50 " " N.W.
79.70 The Cor. to Secs. 7. 8. 17 & 18
Land mostly mountains
Soil 3d 14th rate
Some scattering cedars
Mountainous on 72.20 Chs.
Dense sage brush underground
on 7.50 Chs.
Augmented on 79.70 Chs.

West on random line
Bet. Secs. 7 & 18

BOOK-A-20

R. 14 [illegible]

[illegible]00 Set Tem[illegible]
[illegible]75 Intersec[illegible]
68 Sks. [illegible]
Which i[illegible]
Set in the g[illegible]
Thence
N. 89° 3[illegible]
7[illegible]

[illegible]8.75 Set Lim[illegible]
in the g[illegible]
1/4 on N. [illegible]
tion m[illegible]
[illegible]2.00 Gulch
[illegible]6.25 "
[illegible]9.25 "
[illegible]8.75 The Co[illegible]
[illegible]
So[illegible]
Some
mount[illegible]

R. 1st W. — S. L. M.

Va 18° 10' E.

.00 Set Temporary 1/4 Sec. Cor.

.75 Intersect W. Bdy. of Township

68 Sks. N. of Cor. to Secs. 7, 12, 13 & 18

Which is a cedar post, firmly ?

set in the ground and properly marked

Thence Run

N. 89° 31' E. on true line —

Bet. Secs. 7 & 18

Va 18° 10' E.

.75 Set Limestone 22 & 16 & 8 ins - 15 ins.

in the ground for 1/4 Sec. Cor. marked

1/4 on N. face and made regula-

tion mound & pits

.00 Creek drains N. W.

.25 " " "

.25 " " "

.75 The Cor. to Secs. 7, 8, 17 & 18

Land Mountainous

Soil 4th rate

Some Scattering cedars

Mountainous on 78.75 chs.

Subdivisions T. 11 N.

Chs.	North Bet. Secs. 7 & 8 Va 18° 10' E.
6.00	Gulch drains N. W.
25.00	Lower Mountains
	Enter bench bears E. & W.
	and dense sage brush
40.00	Set Limestone 16×10×8 ins - 11 ins
	in the ground for 1/4 Sec. Cor.
	marked 1/4 on W. face, and
	made regulation mound & pits
80.00	Set Limestone 16×10×8 ins - 11 ins
	in the ground for Cor. to Secs
	5, 6, 7 & 8, marked 5 notches
	on S. & E. edges and made
	regulation mound & pits.
	Land Mountains & bench
	Soil 3rd & 1st rate
	Mountainous on 25.00 Chs.
	Dense sage brush under growth
	on 55.00 Chs
	Augmented on 80.00 chs
	East on random line
	Bet. Secs. 5 & 8
	Va 18° 10' E.

BOOK-A-204

R. 14 E

Chs.	
40.00	Set Fr
80.00	Intrese
	Cor. to
	Thun
	N. 89° 5
9.25	Large
12.00	Gulch
25.00	Ridge
27.50	Hollow
40.00	Set Co
	ins. in
	Marki
	regul
	No Su
67.50	Leave
	Enter
	and
80.00	The C
	Land
	So
	Some
	Mo
	Dense

BOOK-A-204

R. 14 W. S. L. M.

Chs.
40.00 Set Temporary 1/4 Sec. Cor.
80.00 Intersect N. & S. line 15 Chs. N. of
Cor. to Secs. 4, 5, 8 & 9.
Thence Run
N. 89° 54' W. on true line
Bet. Secs. 5 & 8
With same &c.
9.25 Large Conglomerate boulder.
12.00 Gulch drains N.E.
25.00 Ridge bears N. & S.
27.50 Hollow drains N.E.
40.00 Set Conglomerate 15 x 8 x 6 ins - 10
ins. in the ground for 1/4 Sec. Cor.
Marked 1/4 on N. face and made
regulation mound & pits
No suitable trees for marking
67.50 Leave Mountains
Enter bench bears N.E. & S.W.
and dense sage brush
80.00 The Cor. to Secs. 5, 6, 7 & 8
Land nuts & bench
Soil 4th & 1st rate
Some scattering cedars
Mountainous on 67.50 chs.
Dense sage brush underground

Subdivisions T. 11 N.

Chs.	
	on 12.00 Chs.
	Augmented on 80.00 Chs.
	Went on random line
	Bet. Secs. 6 & 7
	Va 18°10' E.
40.00	Set Temporary 1/4 Sec. Cor.
78.13	Intersect W. By. of Township
	73 Rs. N. of Cor. to Secs. 1, 6, 7 & 12
?	Which is a cedar post firmly set
	in the ground and properly marked
	Thence from
	N. 89° 29' E. on true line
	Bet. Secs. 6 & 7
	Va 18°10' E.
38.13	Set Charred Aspen post 3 ft.
	long 3 ins. square 12 ins. in the
	ground for 1/4 Sec. Cor. marked
	1/4 S. on N. face, and made
	regulation mound & pits
78.13	The Cor. to Secs. 5, 6, 7 & 8
	Land bench
	Soil 1st rate
	Dense sage brush undergrowth

BOOK-A-204

R. 14 [illegible]

Chs.	
	on 7
	Known
	neite
	my C
	will
	the
	North
35.00	Enter
40.00	Set S
	ins.
	Cor.
	made
60.00	Hash
77.69	Inter
	12.40
	31 & 3
	a. Lines
	in the
	to Se

BOOK-A-204

R. 14 W. S. L. M.

Chs. on 78.13 Chs.

Knowing from previous connections made under my contract No. 116 that I will fall West outside of the limit for connecting

Sum

North on true line

Bet. Secs. 5 & 6

Va 18° 10' E.

35.00 Enter bottom bears E. & W.

40.00 Set Limestone 15 x 8 x 8 ins. 10 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on W face, and made regulation mound & pits

60.00 Wash Creek N.E.

77.69 Intersect N. By. of Township 12.40 Chs. West. of Cor. to Secs. 31 & 32 Where I set

a. Limestone 24 x 22 x 4 ins. 18 ins. in the ground for Closing Cor. to Secs. 5 & 6, marked

Subdivisions T. 11 N.

Chs. 6 notches on S. 5 on E. & 1 on W. edges with C.C. and made regulation mound & pits
Land bench & bottom
Soil 1st rate
Dense sage brush & Greasewood
underwrowth on 77.69 Chs.
June 8. 1884

General Description

The land in this Township is mostly high rolling bench with some hills in the Eastern and mountains in the Western portions. There is a fine growth of White sage & shadscale affording excellent Winter range for stock, it is now extensively used as such. By boring artesian Wells water might be secured.

BOOK-A-204

R. 14 W

in Su
for Ag

BOOK-A-204

R. M. W. S. L. M.

in sufficient quantities
for agricultural purposes.
Henry Fitzhugh
U. S. Deputy Surveyor

BOOK-A-2

U. S. SURVEYO

Salt Lake C

The foregoi

Sa

Township No.

Executed by F

Under his

day of Ma

May & J

amined, the neces

the said field n

hereby approved.

BOOK-A-204

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Oct. 10th 1884

The foregoing field notes of the survey of the Subdivision lines

Township No. 11 N. *Range No.* 14 W

Executed by Henry Fitzhugh

Under his *contract* No 124 *of the* 19th

day of March 1884, *in the month of*

May & June 1884, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Selowsky

U. S. Surveyor General for Utah.

BOOK-A-204

11

REPORT: 1886

Filed

Examined by

Transcribed by

Compared by

FIEL

OF THE S

Subdivis

Township No 11

Range No 16

SALT LA

UTA

AS

Henry F

U. S. D

Under his Contr

Dated Ma

Survey commenced

Survey completed

BOOK-A-204

REPORT: 81

Filed 188

Examined by .....

Transcribed by Henry R. Atkinson

Compared by Atkinson & Michaelis

FIELD NOTES

OF THE SURVEY OF THE

Subdivision Lines

OF

Township No. 11 North

Range No. 16 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Henry Fitzhugh

U. S. Deputy Surveyor,

Under his Contract No. 124

Dated March 19. 1884

Survey commenced June 10 1884

Survey completed June 17 1884

BOOK-A-204

Township 11 N R. 16 W.

6	146	5	128	4	115	3	104	2	93	1
145		143		127		115		103		91
7	142	8	126	9	114	10	102	11	90	12
141		140		125		113		101		89
18	139	17	124	16	111	15	99	14	89	13
138		137		122		110		99		87
19	136	20	121	21	109	22	98	23	86	24
135		133		120		108		97		85
30	132	29	119	28	108	27	96	26	85	25
131		130		118		107		95		84
31	129	32	117	33	106	34	94	35	83	36

NAMES AND DUTIES OF ASSISTANTS:

Compassman.

Chainman.

Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

Flagman.

BOOK-A-204

Subdivisio

Sal

Ch.S, Survey
with a C
Compass
Corner
on the
of the
North

Descend

10,00 High r
30,00 Gulch
40,00 Set lin
in in th
Cor, ma
with reg
50,50 Foot of
Enter
53,00 Road be
57,00 Wash
80,00 Set lin
in in the
Secs, 2
1 notch
with reg
pits al

BOOK-A-204 83

Subdivisions Tp. 11 N. R. 16 W.
Salt Lake Meridian.

Chs. Survey commenced June 10 1884 with a Burts improved Solar Compass from the re-established Corner to Secs. 1. 2. 35 & 36, on the South Boundary of the Tp. Sun, North bet. Secs. 35 & 36, va. 18° E.

Descend.

10,00 High ridge bears N.E. & S.W.
30,00 Gulch drains N.E.
40,00 Set limestone 18 x 8 x 4 in. 12 in in the ground for 1/4 Sec. Cor. marked 1/4 on W. face, with regulation Mound & pits.
50,50 Foot of mountains bear N.W. & S.E. Enter rolling hills and dense sage.
53,00 Road bears N.W. & S.E.
57,00 Wash drains S.E.
80,00 Set limestone 13 x 8 x 6 in. 8 in in the ground for Cor. to Secs. 25, 26, 35 & 36, marked 1 notch on S. & 1 on E. edges with regulation mound & pits alongside.

Subdivisions Tp. 11 N. R. 16 W.

Chs, Land Mountainous & rolling
Dense Undergrowth on 29.50 chs,
Mountainous on 50,50 "
augmented on 80 chs

East on a random line
bet. Secs. 25 & 36,
Va. 18° E.

40,00 Set temporary 1/4 Sec. Cor.
80,13 Intersect N. & S. line 51
lks. N. of Cor. to Secs. 2.5.30.
31 & 36, from which I run.
N. 89° 38' W. on a true line
bet. Secs. 25 & 36, with same V
3,00 Deep Gulch draws S.
20,00 High ridge bears N.W. & S.E.
40,06 Set granite 30 x 20 x 9 in, 22
in. in the ground for 1/4 Sec.
Cor. marked 1/4 on N. face
with Stone Mound alongside, Descend
65.00 Gulch draws S.W.
80,13 The cor. to Secs. 25.26.35. & 36
Land Mountainous,
Soil. 3rd rate,
Mountainous on 80.13 chs.

Chs, North

40,00 Set
in the
mark
regul
55,50 Gul
rolling
ascen
80,00 Set l
the g
24. 2
notch
with
Land
Soil.
Dens

East
b

40,00 Set
79.46 Int

Salt Lake Meridian

Chs, North bet. Secs. 25 & 26,
Va. 18° E,

40,00 Set limestone 13 x 8 x 6 in, 8 in, in the ground for 1/4 Sec. Cor. marked 1/4 on W. face with regulation mound & pits.

55,50 Gulch drains S. W. Leave rolling bench bears N. E. & S. W. ascend.

80,00 Set limestone 13 x 7 x 6 in, 8 in, in the ground for Cor. to Secs. 23, 24, 25, & 26, marked with 2 notches on S. & 1 on E. edges with Stone mound alongside, Land mostly rolling bench. Soil. 1st rate,
Dense Undergrowth on 80. Chs,

East on a random line bet. Secs. 24 & 25,
Va. 18° E,

40,00 Set temporary 1/4 Sec. Cor,

79,46 Intersect East Boundary

Subdivisions Tp. 11 N. R. 16 W.

Chs. of Tp. 28 lks. N. of Cor. to Sec. 17, 24, 25 & 30, from which I run,

N. 89° 48' W on a true line bet Secs. 24 & 25 with same Va.

21,00 High ridge bears N.E. S.W.

36,00 Dry Gulch drains N.E.

39,73 Set limestone 18×11×8 in. 12 in. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face with stone mound alongside

64,50 High ridge bears N.E. & S.E.

79,46 The Cor. to Secs. 23, 24, 25 & 26

Land ~~mostly~~ Mountainous

Soil. 1st & 4th rate,

Mountainous on 79 46 chs.

North bet. Secs. 23 & 24.

Va. 18° E.

6,00 Gulch drains W.

24,50 " " "

30,50 Ridge bears E. & W.

34,00 Gulch drains N.W.

40,00 Set limestone 17×9×4 in.

BOOK-A-20

Salt

Chs. 12 in. m

Sec. Co

face.

and p

43,50 Gulch

4,00 Leave

Enter

7,50 Road

0,00 Set

8 in. in

Secs. 1

with 3

Edges

and p

Land

Soil.

Mount

Dense

Aug

Earth

be

40,00 Set

79,83 Inte

Salt Lake Meridian

Chs. 12 in. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face. with regulation Mound and pits.

43.50 Gulch drains N.W.

74.00 Leave Mountains bear N.E. & S.W. ✗
Enter Sage Brush

77.50 Road bears N.E. & S.W.

80.00 Set limestone 13×7×6 in. 8 in. in the ground for Cor. to Secs. 13. 14. 23. & 24. marked with 3 Notches on S. & 1 on E. Edges with regulation mound and pits.

Land Mountainous.
Soil. 4th rate. rocky.
Mountainous on 74.00 chs.
Dense Undergrowth on 6 chs
Augmented on 80. chs

East on a random line
bet Secs. 13 & 24.
va. 18° E.

40.00 Set temporary 1/4 Sec. Cor.

79.83 Intersect E. boundary of W.

Subdivisions Tp. 11 N. R. 16 W.

Chs. 43 lks. S. of Cor. to Secs. 13, 19 & 24. from which I run S. 89° 42' W on a true line bet. Secs. 13 & 24 with same

18,50 Gulch drains N. E.

29,00 Ridge bears N.E. & S.W.

39,91 In gulch drains N. E. Set limestone 16x6x6 in. 10 in. in ~~the~~ ground for 1/4 Sec. Cor. marked 1/4 on N. face with stone mound alongside.

51,00 Gulch drains N.E.

56,70 " " "

63,00 Leave mountains bear N.E. and S.W. Enter dense sage and greasewood

74,50 Road bears N.E. & S.W.

79,83 The cor. to Secs. 13. 14 23 & 24. hand Mountainous & flat, Soil, 3rd & 1st rate, Mountainous on 63. Chs. Dense Undergrowth on 16.83 " Augmented on 79.83 Chs.

BOOK-A-204

Salt

Chs. Nort

40,00 Set Cor in the g marked regulation

62,00 Enter

70,50 Dry bea S.E.

71,00 Leave

80,00 Set Cor in the 11, 12, 1 Land Soil. Dense

East bet.

40,00 Set

79,50 Inter Tp. 10

BOOK-A-204

Salt Lake Meridian.

Chs. North bet. Secs. 13 & 14.
Va. 18° E.

40,00 Set Quartzite 14×8×4 in, 10 in, in the ground for 1/4 Sec. Cor, marked 1/4 on W. face with regulation Mound & pits.

62,00 Enter hollow drains S.E.

70,50 Dry bed of Birch creek. drains S.E.

71,00 Leave hollow.

80,00 Set Quartzite 18×8×7 in, 12 in in the ground for cor. to Secs. 11, 12, 13 & 14.

Land rolling.

Soil. 1st rate — Sandy.

Dense Undergrowth on 80 chs.

East on a random line.
bet. Secs. 12 & 13.
Va. 18° E.

40,00 Set temporary 1/4 Sec. Cor.

79,50 Intersect E. boundary of Tp. 10 lks. S. of cor. to Secs.

Subdivisions Tp. 11 N. R. 16 W.

Chs. 7.12 13 & 18. from which I run
S. 89°56' W. on a true line
bet. Secs. 12 & 13. with same
39.75 Set Quartzite 18x12x8 in, 1
in in the ground for 1/4 Sec.
Cor. marked 1/4 on N. face
with regulation Mound & pits,
79.50 The Cor. to Secs. 11. 12. 13 & 14.
Land. rolling.
Soil. 1st rate, gravelly,
Dense Undergrowth on 79.50 ch

North bet. Secs. 11 & 12.
Va. 18° E.
40.00 Set Quartzite 23.x10x8 in, 18
in in the ground for 1/4 Sec.
Cor. marked 1/4 on W. face
with regulation Mound and
pits.
45.00 Descend.
60.50 W. R. Russells house bears
S. 75°40' E. 26.50 chs. dist.
Corral & Stack yard bear

Sulk

Chs. S. 73° 2
Middle
deep ru
drains
0.75 Irriga
3.25 "
6.00 Enter
5.00 Sulch
0.00 Set C
in. in t
Secs. 1
5 Notch
with
Land
Soil.
Dense

East
be

40.00 Set
79.87 Inte
of Po

Salt Lake Meridian.

Chs. S. 73° 20' E. 31 Chs. dist.
Middle Creek 6 lks. wide, 6 in.
deep runs S.E. Enter hollow
drains S.E.
0.75 Irrigation ditch runs S.E.
3.25 " " " "
6.00 Enter bench "bars" S.E.,
5.00 Gulch drains S.E.
0.00 Set Quartzite 16x6x6 in. 10
in. in the ground for Cor. to
Secs. 1. 2. 11 & 12. marked with
5 Notches on S. & 1 on E. edges.
with Stone Mound alongside.
Land rolling
Soil. 1st & 2nd rate,
Dense Underbrush on 80. Chs.

Enter a random line
bet. Secs. 1 & 12.
Va. 18° E.

4.00 Set temporary 1/4 Sec. Cor.,
79.87 Intersect East boundary
of Township 65 lks. South

Subdivisions T. 11 N. R. 16 W.

Chs, of cor. to Secs, 1. 6. 7. & 12
from which I run,
S. 89° 32 W. on a true line
bet. Secs, 1 & 12, with Same Va
28,50 Road bears N. W. & S. E.
34,90 Spring Creek 6 lks. wide,
4 in. deep, in hollow, drain
S. E.
39,93 Set Quartzite 14 x 8 x 4 in, 9
in, in the ground for 1/4 Sec
Cor. Marked 1/4 on N. face
with regulation mound and
pits alongside, from which
Acedar 12 in. dia. bears N.
60° W. 49 lks. dist. Marked 1/4 S.
No other trees near,
79,87 Tie cor. to Secs, 1. 2, 11. & 12,
Land rolling,
Soil 1st rate,
Dense Undergrowth on 79.87 ch

Sec
Nor
bet,
40,00 Set
80,33 Inter
29 lk
35 & 36,
S. 0°
bet,
21,00 Spri
40,33 Set
8 in, w
Sec, C
face
mound
80,33 The
Land
Soil
Dense

Salt Lake Meridian.

North on a random line
bet. Secs. 1 & 2,
Va. 18° E.

40.00 Set temporary 1/4 Sec. Cor.,
80.33 Intersect N. Boundary of T.
29 lks. W. of cor. to Secs. 1. 2.
35 & 36, from which I run
S. 0° 12' W. on a true line
bet. Secs. 1 & 2. with same Va.,
2100 Spring bears W. 1 chn.,
40.33 Set Quartzite 12 x 12 x 5 in.
8 in. in the ground for 1/4
Sec. Cor. marked 1/4 on W.
face with regulation
mound & pits. alongside,
80.33 The Cor. to Secs. 1. 2. 11 & 12.
Land. rolling.
Soil. 1st rate, gravelly,
Stone underground on 80.33 chs.
June 10th 1884

Subdivisions Tp. 11 N. R. 16 W.

Chs. From the cor. to Secs. 2, 3, 34 & 35, on the South boundary of the Tp. I run
North bet. Secs. 34 & 35,
Va. 18° E.
Through dense Sage. rabbit brush and greasewood
17,00 Ridge bears E. & W.
28,00 Gulch drains N.E.
40,00 Set Quartzite 12×8×6 in, 8 in. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face with regulation mound and pits alongside.
42,50 Leave hills and enter flat bears S.W. & S.E.
80,00 Set limestone 13×8×5 in, 8 in. in the ground for Cor. to Secs. 26, 27, 34 & 35, marked with 1 notch on S. & 2 on E. edges with regulation mound and pits
Land rolling,
Soil 1st rate,
Dense Undergrowth on 80. chs.

BOOK-A-

Salt La

chs. East
bet. S
40.00 Set te
80.30 Inte
S. of co
36. fro
S. 89°
bet. S
10.00 Enter
leave
8.00 Road
40.15 Set
10 in.
cor. m
from
A Ceda
50 lks.
A Ced
E. 61
Both
65.00 Wash

Salt Lake Meridian

chs. East on a random line
bet. Secs 26 & 35
Va. 18° E.
40.00 Set temp 1/4 Sec. cor.
80.30 Intersect N & S. line 12 lks.
S. of cor. to Secs. 25. 26. 35 &
36. from which I run
S. 89° 55' W. on true line
bet. Secs. 26. & 35
with same va.
10.00 Enter heavy Cedars and
leave sage
18.00 Road bvs. N. W. & S. E.
40.15 Set Granite 15 x 12 x 8 in
10 in. in ground for 1/4 Sec.
cor. marked 1/4 on N. face
from which
A Cedar 15 in dia. bvs. N. 7° W
50 lks. dist.
A Cedar 7 in. dia. bvs. S. 43°
E. 61 lks dist.
Both marked 1/4 S. B. T.
65.00 Wash drains S. E.

Subdivisions Tp. 11 N. R 16 W

chs

Leave heavey cedars, Ente
flat bears N & S. & dense
sage and rabbit brush
80.30 The cor. to Secs. 26. 27. 3
& 35
Land rolling & flat
soil 1st rate gravelly
Heavey Timber, Cedars
65 chs.
Dense Undergrowth on 15.
Augmented 80.30 chs.

North bet. Secs. 26 & 27
Va. 18° E.

34.00 Wash drns. S. E.
40.00 Set Lime stone 13 x 8 x 5 in.
8 in. in ground, for 1/4 Sec. c
marked 1/4 on W face, with
reg. mound of earth and pitt
80.00 Set Lime stone 15 x 7 x 6 in.
10 in. in ground, for cor. to Sec
22. 23. 26 & 27. marked with
2 notches on S and 2 on E. ed

BOOK A-2

Salt La
with re
earth
Land
Soil
Dense
East
bet. S
40.00 Set
79.80 Inter
cor.
from
West
bet. S
23.00 Ent
and
36.00 Road
39.90 Set
15 in.
cor. m
with

Salt Lake Meridian

with regulation mound of
earth and pitts
Land level
Soil 1st rate gravelly
Dense Undergrowth on 80 chs

East on random line
bet. Secs. 23 & 26
Va. 18° E.
40.00 Set temp. 1/4 Sec. cor.
79.80 Intersect N & S. line at
cor. to Secs. 23, 24, 25 & 26
from which I run
West on true line
bet. Secs. 23 & 26
with same va.
23.00 Enter flat & Dense sage & rabbit brush Leave mountains
and scattering Cedars
36.00 Road brs N & S.
39.90 Set Granite 20 x 15 x 6 in.
15 in. in ground for 1/4 Sec
cor. marked 1/4 on N face
with reg mound and pitts.

Subdivisions Tp. 11 N. R 16 W.

42.50 Wash drus. S. W.
79.80 The cor. to Secs. 22. 23. 26 & 27
Land Mtns. & level
Soil 4th & 1st rate
Dense Undergrowth on 56.8
Mountainous on 23.00
Augmented on 79.80

North bet. Secs. 22 & 23
Va. 18° E.

40.00 Set Granite 17 x 8 x 5 in.
12 in. in ground, for 1/4 Sec. co
marked 1/4 on N face with
reg. mound and pitts.
80.00 Set Quartzite 18 x 5 x 5 in.
12 in. in ground for cor. to
Secs 14. 15. 22 & 23 marked
with 3 notches on S and 2 on
E. edges with regulation mound
and pitts.
Land level
Soil 1st rate gravelly
Dense Undergrowth on 80 ch

BOOK-A-2

Salt La

East
bet. S

40.00 Set te
0.00 Interv
cor. to
from
West
bet. S

40.00 Set
8 in.
Sec. C
N face
and
0.00 The
22 &
L
Soil
Dense

North

BOOK-A-204

6 W. Salt Lake Meridian

East on random line
bet. Secs. 14 & 23
Va. 18° E.

4.00 Set temp. 1/4 Sec. Cor.
56.00 Intersect N & S. line at-
23.00 cor. to Secs. 13, 14, 23 & 24
79.80 from which I run
West on true line
bet. Secs. 14 & 23
with same va.

4.00 Set Lime stone 13 x 7 x 4 in
8 in. in ground, for 1/4
Sec. Cor. marked 1/4 on
N face with reg. Mound
and Pits.

0.00 The Cor. to Secs. 14. 15.
22 & 23.
Land level
Soil 1st rate gravelly
Dense Undergrowth on 80 chs

North bet Secs. 14 & 15
Va. 18° E.

Subdivisions Tp. 11 N. R. 16 W.

26.50 Hollow drns. E.
Enter scattering Cedars
40.00 Set Quartzite 26 x 12 x 9 in.
18 in. in ground for 1/4
Sec. cor. marked 1/4 on
W. face with reg. Mains
and Pitts alongside from which a
Cedar 13 in. dia. brs.
S. 39° E. 140 lks. dist.
marked 1/4 S.B.T.
no other tree near
57.50 Gulch drns. N.E.
79.50 " " S.E.
80.00 Set Quartzite 15 x 10 x 8
in. 10 in. in ground
for cor. to Secs. 10.11.14
& 15 marked with 4 notes
on S and 2 on E. edges
with Stone mound along
side.
No trees suitable for
marking at hand
Land rolling

Salt
Soil
Some
Dense
East
bet.
40.00 Set
80.00 Int
cor.
from
Wes
bet
17.50 Roa
In
24.50 Bir
3 in
drns
40.00 Set
10 in
Sec.

BOOK-A-204

Salt Lake Meridian

Soil 2nd & 4th rate
some scattering cedars
Dense Undergrowth on 80 chs.

East on random line
bet. Secs. 11 & 14
Var. 18° E.

40.00 set temp. 1/4 Sec. cor.
80.00 Intersect N. & S. line at
cor. to Secs. 11. 12. 13 & 14
from which I run
West on true line
bet. Secs. 11 & 14
with same va.

17.50 Road bears N. W. & S. E.
In hollow bears S. E.

24.50 Birch Creek 3 lks. wide
3 in. deep in same hollow
bears S. E.

40.00 Set Quartzite 16 x 8 x 5 in.
10 in. in ground, for 1/4
Sec. Cor. marked 1/4 on N face

Subdivisions Tp. 11 N. R. 16 W.

with regulation mound & pit
68.50 Gulch drns. S. E.
80.00 The cor. to Secs. 10. 11. 14 & 1
Land rolling
soil 1st & 2nd rate
Dense Undergrowth on 80 ch

North bet. Secs. 10 & 11
Va. 18° E.
14.50 Birch creek 4 lks. wide
3 in. deep rns. S. E. in hollow
24.75 Old road brs. E & W
33.50 Gulch drns. S. E.
40.00 Set Quartzite 17 x 8 x 8 in.
12 in. in ground for 1/4 Sec.
cor. marked 1/4 on W. face
with regulation mound & pit
67.00 Gulch drns. S. E.
80.00 In Gulch drns. S. E. set
Quartzite 15 x 10 x 6 in. 10 in
in ground, for cor. to Secs.
2. 3. 10 & 11 marked with 5 notch

BOOK-A-204

Salt La

on Sa
with m
along
La
S
Dense

East
bet. S
40.00 Set tec
79.97 Inter
lks. S.
11 & 12
S. 89° 5
bet. S
8.00 Spring
5 in. d
hollow
19.00 Enter
27.50 Spring

Salt Lake Meridian

on S and 2 on E. edges
with mound of stone
alongside.
Land rolling
Soil 2nd rate gravelly
Dense Undergrowth bw 80 chs

East on random line
bet. Secs. 2 & 11
Va, 18° E.
4.00 Set temp. 1/4 sec. cor.
79.97 Intersect N & S. line 12
lks. S. of cor. to Secs. 1, 2
11 & 12 from which I run
S. 89° 55' W on true line
bet. Secs. 2 & 11
with same va.
8.00 Spring branch 5 lks. wide
5 in. deep runs S.E. in
hollow
19.00 Enter Hollow drns. S.E.
27.50 Spring bns. S. 60 lks. dist.

Subdivisions Tp. 11 N. R. 16 W.

chs.
29.00 Spring brs. N. 40 lks. di
Leave hollow drus S. E.
39.98 Set Quartzite 14 x 8 x 6 in
9 in. in ground for 1/4
Sec. cor. marked 1/4 on
N. face with reg. Mounds
& Pitts.
60.00 Gulch drus. S. E.
68.50 " " " "
79.97 The cor. to Secs. 2. 3. 10
11.
Land broken
Soil 3rd rate
Dense Undergrowth on 79.9

North on random line
bet. Secs. 2 & 3
Va. 18° E.
40.00 Set temp. 1/4 Sec. cor.
79.58 Intersect N. Bd. of Tp. 16 lk
E. of cor. to Secs. 2. 3. 34 & 3
from which I run

BOOK-A-

Salt La

chs
S. 0°
Set
14.00 Gul
16.50 Eute
38.50 Was
39.58 In
Set
15 in.
Cor.
with
Pitts
41.00 Leave
48.00 Gul
76.50 "
79.58 The
Land
Soil
Dense

Salt Lake Meridian

chs

S. 0° 7' E on true line
Lat. Secs. 2 & 3
with same va.

14.00 Gulch drns. S. E.
16.50 Enter Main Hollow drns S. E.
38.50 Wash drains S. E.
39.58 In Hollow drns. S. E.
Set Quarzite 20 x 10 x 5 in.
15 in. in ground for 1/4 Sec.
Cor. marked 1/4 on W. face
with regulation Mound &
Pitts alongside
41.00 Leave Main Hollow
48.00 Gulch drns. S. E.
76.50 " " " "
79.58 The cor. to Secs. 2, 3, 10 & 11
Land rolling & broken
Soil 1st & 2nd rate
Dense Undergrowth on 79.58

June 11. 1884

Subdivisions Tp. 11 N. R. 16 W.

From the Established cor. to Secs. 3, 4, 33 & 34 on the E. Boundary of the Tp. I run North bet. Secs. 33 & 34 Va. 18° E.

20.00 Leave Mountains, Enter rolling bench bro. N. W. & S. E. and Dense sage brush & rabbit wood and shadscale.

40.00 Set Limestone 15 X 8 X 5 in 10 in. in ground for 1/4 Sec. cor. marked 1/4 on W face with regulation mound & Pit alongside.

80.00 Set Limestone 17 X 9 X 5 in, 12 in in ground for cor. to Secs. 27, 28, 33 & 34 marked with 1 notch on S. and 3 on E. ed with stone mound alongside.

Land Intus. & rolling
Soil 3rd & 2nd rate
Dense Undergrowth on 60 chs
Mountainous on 20 chs
Agriculture on 80 chs

BOOK-A-204

Salt Lake Meridian

East on random line
bet. Secs. 27 & 34
Va. 18 °E.

40.00 Set temp. 1/4 sec. cor.
80.15 Intersect N & S. line 17 lks.
W. of cor. to Secs. 26, 27,
34 & 35 from which I run
S. 89° 58' W. on true line
bet. Secs. 27 & 34
with same va.

40.07 Set Limestone 16 x 9 x 6 in.
10 in. in ground, for 1/4
sec. cor. inscribed 1/4 on
N. face with reg. mound
and pits

80.15 The cor. to Secs. 27, 28,
33 & 34

Land rolling
Soil 2nd rate gravelly
Dense Undergrowth on 80.15

Subdivisions Tp. 11 N. R. 16 W.

Chs. North bet. Secs. 27 & 28
Va. 18° E.

40.00 Set Limestone 12 x 8 x 6 in
12 in in ground, for 1/4
Sec. cor. marked 1/4 on
W. face with regulation
Mound and Pitts alongside

80.00 Set Limestone 16 x 8 x 7 in
10 in. in ground for cor
to Secs. 21. 22. 27 & 28
marked with 2 notches on
S and 3 on E. edges. with
regulation mound & pitts
alongside
Land rolling
Soil 1st & 3rd rate
Dense Undergrowth on 80

East on random line
bet. Secs. 22 & 27
Va. 18° E.

40.00 Set temp. 1/4 Sec. cor.

BOOK-A-20

Salt L

Chs
80.20 Inte
N of
26 &
S. 8 9
bet.

40.10 Set
10 in
Sec.
N fa
Mon

80.20 The
27 &
Soil
Den

North

40.00 Set
8 in.
Sec.

Salt Lake Meridian

Chs
80.20 Intersect N & S. line 9 lks
N of cor. to Secs. 22.23
26 & 27 from which I run
S. 89° 56' W on true line
bet. Secs. 22 & 27
with same va.
40.10 Set Quarzite 14 x 8 x 3 in
10 in. in ground for 1/4
Sec. cor. marked 1/4 on
N face with regulation
Mound & pitts alongside
80.20 The cor. to Secs. 21.22.
27 & 28.
Land level
Soil 1st rate gravelly
Dense Undergrowth on 80.20

North bet. Secs. 21 & 22
Va. 18° E.
40.00 Set Limestone 13 x 8 x 5 in
8 in. in ground for 1/4
Sec. cor. marked 1/4 on

Subdivisions Tp. 11 N. R 16 W.

chs. W face, with regulation
mound and pitts alongs
46.00 Leave rolling Bench &
Dense sage brush & Enter
Mtns. br. E & W.
65.00 Gulch drns. S. E.
80.00 Set Limestone 14 x 10 x 5
in. 9 in. in ground, for
cor. to Secs. 15. 16. 21 & 22
marked with 3 notches on
Sand 3 on E. edges with
Stone mound along side
Land rolling & Mountain
Soil 1st & 3rd rate
Dense Undergrowth on 46
Mountainous on 34
Augmented on 80.00 chs

East on random line
bet. Secs. 15 & 22
Va. 18° E.
40.00 Set temp. 1/4 Sec. Cor.
80.08 Intersect N & S. line, 15 lk

BOOK-A-2

Salt La

chs. N of c
22 & 2
I m
N. 8
bet. S
40.04 Set L
10 in.
cor. m
with
of earth
74.50 Leav
sage
Mom
80.08 The c
22.
Land
Soil
Dens
Mon
Aug
North

BOOK-A-204

Salt Lake Meridian

chs.	N of cor. to Secs 14. 15 22 & 23 from which I run
	N. 89° 54' W. on true line bet. Secs. 15 & 22 with same va.
40.04	Set Limestone 15 x 7 x 5 in 10 in. in ground for 1/4 sec. cor. marked 1/4 on N face with regulation mound of earth & pitts, alongside
74.50	Leave flat, Dense sage brush Enter Mountains brs. N & S.
80.08	The cor. to Secs. 15. 16. 21 & 22.
	Land flat & Intus.
	Soil 1st & 3rd rate
	Dense Underg rowth on 74.50
	Mountainous on 5.58
	Augmented on 80.08 chs
	North bet. Secs. 15 & 16
	Va. 18 E.

Subdivisions Tp. 11 N. R 16 W

chs.
40.00 Set Quartzite 17 x 8 x 5 in
12 in. in ground for 1/4
Sec. cor. marked 1/4 on
W. face with regulation
mound of earth & pitts
alongside.
43.00 Leave Mountains br N.W. &
S.E. Enter flat and
Dense sage & rabbit brush
80.00 Set Granite 25 x 15 x 4 in
18 in. in ground for cor
to Secs. 9. 10. 15 & 16.
marked with 4 notches on
S and 3 on E. edges with
regulation mound of earth
and pitts alongside
Land Mtns and flat
Soil 3rd & 1st rate
Dense Undergrowth on 4[illegible]
Mountainous on 37[illegible]
Cryptomeria on 8[illegible]

BOOK-A-2

Salt Lake

chs. Eas
bet.
40.00 Set
80.27 Inter
N. of
& 150
N. 89
bet.
5.00 Gul
40.13 Set
12 in
Sec.
N. fa
Mon
alon
80.27 The
and
La
Soi
Dens

BOOK-A-204

Salt Lake Meridian

ches. East on random line
bet. Secs. 10 & 15
Va. 18° E
4.00 Set temp. 1/4 Sec. cor
80.27 Intersect N & S. line 5 lks.
N. of cor. to Secs. 9, 10, 14
& 15 (from which I found
N. 89° 58' W. on true line
bet. Secs. 10 & 15
with same va.
5.00 Gulch dms. S. E.
40.13 Set Granite 18 x 8 x 6 in.
12 in. in ground for 1/4
Sec. cor. marked 1/4 on
N. face, with regulation
Mound of earth and Pitts
along side
80.27 The cor to Secs. 9, 10, 15
and 16.

Land rolling
Soil 1st & 2nd class
Timber Undergrowth on 80.27

Subdivisions Tp. 51 N. R 16 W

North bet. Secs. 9 & 10
Va. 18° E.

32.50 Birch creek 4 lks. wide
4 in. deep mns. S. E.

35.00 Gulch 4 mns. S. E.

40.00 Set Granite 18 x 12 x 3 in.
12 in. in ground for 1/4
Sec. cor. marked 1/4 on
W. face with S M. alongside

44.40 Spring branch 1 lk. wide
2 in. deep mns. S. E.

58.00 Wash 4 mns. S. E.

76.00 — — —

80.00 Set Granite 25 x 15 x 4 in. 18
in ground for cor. to Secs. 3 & 4 9 10
marked with 5 notches on N.
and 3 on E. edge with
regulation mound and
pits alongside.

Land rolling
Soil 1st rate sandy
Timber Undergrowth
on 80 chs.

Salt Lake Meridian

Chs. East on random line
bet. Secs. 3 & 10
Va. 18° E.
40.00 Set temp. 1/4 Sec. cor.
79.90 Intersect N & S. line 38
lks. S. of cor. to Secs. 2, 3,
10 & 11 from which I run
S. 89° 45' W on true line
bet. Secs. 3 & 10
with same va.
In Gulch heads N. W.
13.00 Leave
39.95 Set Granite 15 x 10 x 5 in
10 in. in ground for 1/4
Sec. cor. marked 1/4
on N face with reg. N & P.
79.90 The cor. to Secs. 3, 4, 9 & 10
Land rolling
Soil 1st rate gravelly
Dense Undergrowth on 79.90

North on a random line
bet. Secs. 3 & 4

Subdivisions Tp. 11 N. R 16 W

Chs.		Va. 18° E.
40.00		Set temp. 1/4 Sec. cor.
80.00		Intersect N Bd. of Tp. 14 lks. E. of cor. to Secs. 3. 4. 33 & 34 from which I run S. 0° 6' E on true line bet. Secs. 3 & 4 with same va.
15.00		Wash drus. S. E.
40.00		Set Granite 20 x 11 x 5 in 13 in. in ground for 1/4 Sec. cor. marked 1/4 on W. face with regulation mound and pitts along side.
64.50		Wash drus. S. E.
80.00		The cor. to Secs. 3. 4. 9 & 10
		Land rolling
		Soil 1st rate gravelly
		Dense Undergrowth on [illegible]

June 12. 1884

BOOK-A-20

Salt La

From
4. 5.
Soul
Tp.
Nor

4.00	Gul
22.00	Road in ho
23.00	Rose 5 in. asce
4.00	Set 12 in Sec. face alon
50.00	High
61.00	Gul
70.00	Ridg
80.00	Set 18 in. to S

Salt Lake Meridian

From the cor. to Secs. 4. 5. 32 & 33. on the South Boundary of the Tp. Trun
North bet. Secs. 32 & 33
Va. 18° E.

4.00 Gulch drns. N. E.
22.00 Road brs. N. W. & S. E.
in hollow drns. S. E.
23.00 Rose Bud Creek 4 lks. wide
5 in. deep rns. S. E.
ascend steep mountain
4.00 Set Granite 19 x 5 x 8 in.
12 in. in ground for 1/4
Sec. Cor. marked 1/4 on W.
face with stone mound
alongside
50.00 High Ridge brs. E & W
61.00 Gulch drns. S. E.
70.00 Ridge brs. N. W. & S. E.
80.00 Set Granite 24 x 8 x 8 in.
18 in. in ground, for cor.
to Secs. 28. 29. 32 & 33

Subdivisions T. p. 11 N. R. 16 W.

chs. marked with 1 notch on
and 4 on E. edges with stone
mound alongside.
Land Mountainous
Soil 3rd rate
Mountainous on 80 chs.

East on random line
bet. secs. 28 & 33
Va. 18° E.

40.00 Set temporary 1/4 sec. Co
80.61 Intersect N & S line 43 l
North of cor. to secs. 27, 2
33 & 34 from which
I run
N. 89° 42' W. on true line
bet. secs. 28 & 33
with same val.

17.00 Leave flat and dense
sage and rabbit brush
ascend high mountains
[illegible]

BOOK-A-2

Salt L

chs. 40.30 On E
Grain
18 in.
cor.
with
57.00 Hig
80.61 The
& 33
Land
Soil
Dense
Mon
Auf
North

15.00 Deep
40.00 On
Set
10 in
sec.
face
alon
47.50 High

119

Salt Lake Meridian

chs.
40.30 On E. slope of Mtns. set Granite 24 x 13 x 9 in. 18 in. in ground, for 1/4 sec. cor. marked 1/4 on N. face with stone mound alongside

57.00 High Ridge brs. N & S.

80.61 The cor. to Secs. 28. 29. 32 & 33

Land flat and Mtns.
Soil 1st & 3rd rate
Dense Undergrowth on 17.00
Mountainous on 63.61
Augmented on 80.61 chs.

North bet. Secs. 28 & 29
Va. 18° E.

15.00 Deep Gulch drns. N. W.

40.00 On S. W. slope of high ridge set Granite 15 x 11 x 8 in. 10 in. in ground for 1/4 sec. cor. marked 1/4 on W. face with stone mound alongside.

47.50 High Ridge brs. N. W. & S. E.

38

Subdivisions Tp. 11 N. R. 16 W

chs.	
64.00	Deep Gulch drns. W
76.00	High ridge lvs. E & W
80.00	Set Granite 19 x 13 x 10 in
	13 in. in ground for cor
	to Secs. 20. 21. 28 & 29
	marked with 2 notches on S.
	and 4 on E. edges with
	Stone mound along side
	Land Mountainous
	Soil 4th rate
	Mountainous on 80 chs.

Eastern random line
Lat. Secs. 21 & 28
Va. 18° E.

40.00	Set temp. 1/4 Sec. Cor
80.49	Intersect N & S. line 32
	S. of cor. to Secs. 21. 22.
	27 & 28. from which I r
	S. 89° 46' W. on true line
	Lat. Secs. 21 & 28
	with same va

BOOK-A-

Salt

chs	
30.00	Lea
	& ra
	Ascen
40.25	On
	Set
	21. in
	Sec.
	N. fa
	along
60.00	He
80.49	The
	Land
	Soi
	Dem
	Mo
	Ang
	Nort
3.25	Gu
19.50	Ri
40.00	Set
	16 in
	Sec.
	W. fa

BOOK-A-204

Salt Lake Meridian

chs
30.00 Leave flat & Dense Sage & rabbit brush,
Ascend Mtns. bear N.E. & S.E.
40.25 On E. Slope of ridge
Set Granite 28 x 13 x 5 in.
21 in. in ground for 1/4
Sec. cor. marked 1/4 on
N. face with stone mound
alongside.
60.00 High Ridge brs. N.E. & S.W.
80.49 The cor. to Secs. 20. 21. 28 & 29
Land flat & Mtns.
Soil 1st & 4th rate
Dense Undergrowth on 30 chs.
Mountainous on 50.49 "
Augmented on 80.49 "
North bet. Secs. 20 & 21
Va. 18° E.
3.25 Gulch drns. S.W.
19.50 Ridge brs. N.E. & S.W.
40.00 Set Trachyte 22 x 9 x 6 in.
16 in. in ground for 1/4
Sec. cor. marked 1/4 on
W. face with stone mound

Subdivisions Tp. 11 N. R 16 W.

Chs. alongside

55.00 Foot of Mtns br. N. E & S. W

Enter flat and dense sage and rabbit brush & shadsc

80.00 Set Granite 15 x 10 x 4 in 10 in. in ground for cor. to Secs. 16. 17. 20 & 21 marked with 3 notches on E. & 4 on E. [illegible] with [illegible] along line.

Land Mtns. & flat

Soil 1st & 4th rate

Dense Undergrowth on 25

Mountainous on 55.

Augmented on 80. ch

East on random line bet. Secs. 16 & 21

Va. 18° E.

Note On account of perpendicular cliffs and high broken Mtns. I Offset 10 chs. South Thence East

40.00 Set temporary 1/4 Sec. Cor.

80.10 Intersect N & S. line at a point 10.14 chs. South of the

BOOK-A-2

Salt La

Chs. cor.

from

S. 89° [illegible]

bet. [illegible]

7.00 Gul[illegible]

32.00 Head[illegible]

Ascen[illegible]

40.05 On S[illegible]

Set L[illegible]

9 in. [illegible]

1/4 on [illegible]

with [illegible]

side [illegible]

65.00 Dese[illegible]

80.10 Inter[illegible]

thence [illegible]

cor. [illegible]

Lan[illegible]

Soi[illegible]

Mou[illegible]

Salt Lake Meridian

chs. cor. to Secs. 15. 16. 21 & 22
from which I run
S. 89° 54' W on true offset line
lat. Secs. 16 & 21.
with same va

7.00 Gulch drns. S. E.

32.00 Head of Gulch drns. S. E.
Ascend

40.05 On S. slope of high mtns.
Set Lime stone 14 x 12 x 6 in
9 in. in ground for Witness 1/4 Sec. cor. marked
1/4 on N face & W. C.
with stone mound along-
side

65.00 Descend

80.10 Intersect N & S. line
thence north 10 chs. to the
cor. to Secs. 16. 17. 20 & 21
Land mountainous.
Soil 4th rate rocky
Mountainous on 80.10 chs.

Subdivisions Tp. 11 N. R. 16 W

Chs. North bet. Secs. 16 & 17
Va. 18° E.

26.00 Gulch drns. N. E.
40.00 On Ridge lvs. N. E. & S. W.
Set Slate 16x14x7 in 10 in
in ground for 1/4 Sec. cor
marked 1/4 on W. face
with stone mound alongside
50.50 Gulch drns. S. E.
53.50 Ridge lvs. N. W. & S. E.
77.50 Gulch drns. S. E.
80.00 Set Granite 24x14x5 in.
18 in. in ground for cor.
to Secs. 8. 9. 16 & 17 marked
with 4 notches on S. and
E. edges with stone mound
alongside
Land high rolling
Soil 1st & 4th rate
dense sage brush undergrowth
on 80.00 Chs.

June 13. 1884

BOOK-A-20

S.

Chains East
bet. S

40.00 Set
80.30 Intersec
S. of C
from
S. 89°
bet. S

40.15 Set
17 ins
1/4 Sec.
face &
of stone
70.00 Enter
N & S
80.30 The Cor.
Land
Soil
Dense
growth

BOOK-A-204

S. L. M.

Chains East on a random line
bet. Secs. 9 & 16
Va 18° E.

40.00 Set temp. 1/4 Sec. Cor.
80.30 Intersect N & S line 19 Sks.
S. of Cor to Secs. 9, 10, 15 & 16
from which I run
S. 89° 52' W. on true line
bet. Secs. 9 & 16
With same Va

40.15 Set Maltzele 17 x 10 x 9 ins
12 ins in the ground for
1/4 Sec. Cor. marked 1/4 on N.
face & raised a mound
of stone alongside.

70.00 Enter high rolling bears
N & S

80.30 The Cor. to Secs. 8, 9, 16 & 17
Land rolling & flat
Soil 1st & 3rd rate
Dense sage brush under-
growth on 80.30 chs —

Subdivisions S. 11 N.

Chains North bet. Secs. 8 & 9
Va 18° E

40.00 Set Granite 16×9×7 ins. 10 in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and raised a mound of stone alongside

44.75 Birch Creek 6 lks. wide 3 ins. deep runs S.E.

59.00 S.E. point of ridge bears N.

80.00 Set Granite 32×14×3 ins. 20 ins. in the ground for Cor. to Secs. 4, 5, 8 & 9 marked with 5 notches on S. & 4 on E. edges and raised a mound of stone alongside

Land rolling

Soil 2nd rate

Dense sage brush under growth on 80.00 chs.

BOOK-A-20

R. 16

Chains East ...
Bet. ...

40.00 Set ...
80.00 Inters...
S. of ...
from ...
S. 89...
Bet. ...

40.00 Set gr...
ins. in...
Cor. ...
raised...
along...

64.50 Greec...

77.75 Spring...
ins. ...

80.00 The Co...
Land...
Soil...
Dense...
on 8...

R. 16 W. S. L. M.

Chains East on random line
Bet Secs. 4 & 9
Va 18° E.

40.00 Set temp. 1/4 Sec. Cor.
80.00 Intersect N & S line 14 8 lks.
S. of Cor. to Secs. 3, 4, 9 & 10
from which from
S. 89° 54' W. on a true line
Bet. Secs. 4 & 9
With same Va

40.00 Set granite 14 x 7 x 5 ins. 10
ins. in the ground for 1/4 Sec.
Cor. marked 1/4 on N. face x
raised a mound of stone
alongside.
64.50 Greek drains S.E.
77.75 Spring branch 3 lks. wide 4
ins. deep runs S.E.
80.00 The Cor. to Secs. 4, 5, 8 & 9
Sand rolling
Soil 1st rate gravelly
Dense sage brush undergrowth
on 80.00 chs

Subdivisions T. 11 N.

Chains North on random line
Bet. Secs. 4 & 5
Va 18° E.

40.00 Set Temp. 1/4 Sec. Cor.
79.53 Intersect Township line
43 8 lks. E. of Cor. to Secs.
Set by me under contract 116"
4, 5, 32 & 33 from which
I run S. 0° 18 E. on true line
Bet. Secs. 4 & 5
With same Va

37.00 Small Creek runs S.E.
39.53 Set Granite 15 x 8 x 8 ins. 10
ins. in the ground for 1/4
Sec. Cor. Marked 1/4 on W.
face and raised a
mound of earth alongside
from regulation pits
68.00 Leave Mountains, Enter flat & sage brush
74.40 Spring branch 4 lks. wide fine
deep runs S.E.
79.53 The Cor. to Secs. 4, 5, 8 & 9.
Land Mountainous & flat
Soil 3rd & 1st rate.
Mountainous on 68.00 chs.
Dense sage brush under growth

BOOK-A-2

R. 16

Chains on.
Augm

From
on th
Whic
above
Mom

Bet.

Over
8.00 Gulch
30.00 Gull
40.00 Set
ins.
Sec.
face
Mon
62.00 Enter
67.50 Leav
80.00 Set
15 in

R. 16 W. S. L. M

Chains on. 11.53 Chs.
Augmented on 79.53 Chs.

From the Cor. to Secs. 5, 6. 31 & 32
on the South boundary,
Which is a Limestone 4 x 6 x 6 ins.
above ground, properly marked &
Mound of Stone alongside
Lime North
Bet. Secs. 31 & 32
Va 18° E
Over rolling brush & Sage brush
8.00 Gulch drains N.E.
35.00 Gully drains N.E.
40.00 Set Shale 23 x 10 x 4 ins - 15
ins. in the ground for 1/4
Sec. Cor. Marked 1/4 on W.
face and made regulation
Mound & pits
62.00 Enter hollow drains N.E.
67.50 Leave same
80.00 Set Lime Stone 20 x 18 x 12 ins
15 ins. in the ground for Cor.

Subdivisions. T. 11 N.

Chains to Secs 29. 30. 31 & 32.
Marked 1 notch on S. & 5
on E. edges and mar
regulation mound & pits
Land rolling
Soil 1st rate.
Fine grass for grazing
Dense sage brush under
growth on 80.00 Chs —

East on random line
Bet. Secs. 29 & 32
Va 18° E
40.00 Set Temp. 1/4 Sec. Cor.
79.76 Intersect N & S line 23 Chs.
S. of Cor. to Secs. 28, 29, 32
& 33, from which I run
S. 89° 50' W. on true line
Bet. Secs. 29 & 32
with same Va
5.00 Ridge bears S.E. & N.W.
18.00 Gulch drains S.W.

BOOK-A-20

R. 1

30.50 Enter
and a
Rose
Sea
39.88 Set Va
gins
Sec. C
face
of sto
79.76 The C
Land
Soil
Mom
Dense
on 4
Augm

West
Bet.

40.00 Set T
77.00 Inters
Chs. R
31 & 36
& mom

R. 16 W. S. L. M

Chains

30.50 Enter flat bears N.W. & S.E.
and dense sage brush
~~Rose and Creek 6 Ms wide runs S.E.~~
Leave Mountains

39.88 Set Volcanic rock 14x8x6 ins.
gives in the ground for 1/4
Sec. Cor., marked 1/4 on N.W.
face and raised a mound
of stone alongside

79.76 The Cor. to secs. 29, 30, 31 & 32
Land Mountainous & flat
Soil 4th & 1st rate.
Mountainous on 30.50 chs.
Dense sage brush undergrowth
on 49.26 chs.
Augmented on 79.76 chs.

West on random line
Bet. Secs. 30 & 31
Va 18° E.

40.00 Set Temp. 1/4 Sec. Cor.
77.00 Intersect Township line 61
Lks. N. of Cor. to secs. 25, 30
31 & 36 (which is a Martzite 5x10x7 ins.
a vow ground, properly marked
& mound of stone
From which I run

Subdivisions T. 14 N.

Chains N 89° 34' E. on true line
Bet. Secs. 30 & 31
With same Va

22.00 Leave Mountains
Enter rolling land and
dense sage brush.

37.00 Set quartzite 30 x 12 x 12 ins. 2
ins. in the ground for 1/4
Sec. Cor. marked 1/4 on N. face
and raised a mound of
stone alongside.

52.00 Gulch drains S.E.

77.00 The Cor. to Secs. 29, 30, 31 & 3
Land Mountainous & rolling
Soil 3rd & 1st rate.
Mountainous on 22.00 Chs
Dense sage brush undergrow
on 55.00 Chs.
Augmented on 77.00 chs

June 14. 1884

North bet. Secs. 29 & 30
Va 18.00 E.

BOOK-A-204

R. 16

Chains
.00 Gulch
.50 Branch
runs N
.00 Set Mar
in the
Marked
regula
0.75 Spring
8.10
.00 Set Mar
ins. in
to sec
ed 2 n
edges
tion m
Land
Soil
Dense
growth

East o
Bet. S

BOOK-A-204

R. 16 W. S. L. M.

Grains	
1.50	Greek drains N.E.
7.50	Branch 3 lks. wide 4 ins. deep runs N.E.
4.00	Set Martzite 40×8×8 ins. 30 ins in the ground for 1/4 Sec. Cor. Marked 1/4 on W. face & made regulation mound & pits
60.75	Spring branch drains E.
8.10	" " " "
8.00	Set Martzite 20×12×10 ins - 15 ins. in the ground for Cor. to secs. 19, 20, 29 & 30, marked 2 notches on S. & 5 on E. edges and made regulation mound & pits
	Land rolling
	Soil 1st rate
	Dense sage brush undergrowth on 80.00 chs.

East on random line
Bet. secs. 20 & 29

Subdivisions. T. 11 N.

Chains — Jn 18° E.

40.00 Set Temp. 1/4 Sec. Cor.

80.20 Intersect N & S. line 43 Sks.
N. of Cor. to Secs. 20, 21, 28 &
29, from which I run
N. 89° 42' W. on true line
Bet. Secs. 20 & 29

5.00 Creek drains S.W. With same fm

38.00 Leave Mountains
Enter flat, and sage brush

40.10 Set Brine Stone 20x10x10 ins.
15 ins. in the ground for
1/4 Sec. Cor. Marked 1/4 on N.
face and made regulation
Mound & pits

60.00 Spring branch drains S.E.

80.20 The Cor. to Secs. 19, 20, 29 & 30
Land Mountainous & rolling
Soil 4th & 1st rate
Mountainous on 38.00 Chs
Dense sage brush under growth
on 42.20 Chs.
Augmented on 80.20 Chs

BOOK-A-204

R. 16 W. S. L. M.

Chains West on a random line
Bet Secs. 19 & 30
Va 15° E.

40.00 Set Temp. 1/4 Sec. Cor.
77.40 Intersect Township line 27
Lks. S. of Cor. to Secs. 24, 25,
19 & 30 which is a Limestone 4x13x7
ins. above ground, properly marked &
mound of stone alongside
from which I run
S. 89° 48' E on a true line
Bet. Secs. 19 & 30
With same Va

30.90 Leave Mountains -
Spring branch drains S.E.
Enter rolling land & Sage brush
37.40 Set Lime Stone 14x14x6 ins - 10
ins in the ground for 1/4 Sec.
Cor. Marked 1/4 on N. face, and
Made regulation Mound
& pits
63.40 Spring branch drains S.E.
77.40 The Cor. to Secs. 19, 20, 29 & 30
Land Mountainous & rolling
Soil 3rd & 1st rate

Subdivisions T. 11 N.

Chains Mountainous on 30.90 chs
Dense sage brush under-
growth on 46.50 chs.
Augmented on 77.40 chs.

North bet. Secs. 19 & 20
Va 18° E.

15.50 Spring branch drains E.
40.00 Set granite 12x10x10 ins. 8
ins. in the ground for 1/4
sec. cor. marked 1/4 on W.
face and raised a mound
of stone alongside
42.25 Spring branch drains S.E.
63.00 Enter mountains bear N.E. & S.W.
Leave sage brush
80.00 Set granite 22x18x4 ins. 15 ins
in the ground for cor. to
Secs 17, 18, 19 & 20, marked 3
notches on S. & 5 on E. edges
and raised a mound of
stone alongside
Land mountainous & flat.

BOOK-A-2

R. 1

Chains Soil
Mon
Dense
on 6
Aug

East
Bet.

40.00 Set
80.33 Intus
of Cor.
from
S. 89°
Bet.

6.33 Grey
40.16 Set g
in th
Cor.,
and
Mom

BOOK-A-204

R. 16 W. S. L. M.

Chains Soil 3rd & 1st rate.
Mountainous on 1700 chs.
Dense sage brush underground
on 6300 chs.
Augmented on 8000 chs.

East on random line
Bet. Secs. 17 & 20
Va 18° E.

4000 Set Temp. 1/4 Sec. Cor.
10.33 Intersect N. & S. line 21 chs. S.
of Cor. to Secs. 16, 17, 20 & 21
from which I run
S. 89° 51' W. on true line
Bet. Secs. 17 & 20
With same Va

6.33 Grey drains N.
40.16 Set granite 50 x 15 x 4 ins - 25 ins
in the ground for 1/4 Sec.
Cor., marked 1/4 on N. face.
and made regulation
Mound & pits.

Subdivisions. T. 11 N.

Chains

58.33 Low ridge bears N.W. & S.E.
75.33 Branch 5 lks. wide [illegible] deep runs S.E.
Leave flat & sage brush
Enter Mountains N.E. & S.W.
80.33 The Cor. to Secs. 17, 18, 19 & 20
Land Mountainous & flat
Soil 1st & 3rd rate
Mountainous on 5.00 chs.
Dense sage brush undergrowth
on 75.33 chs
Augmented on 80.33 chs

West on random line
Bet. Secs. 18 & 19
Va 18° E.
40.00 Set Temp. 1/4 Sec. Cor.
76.90 Intersect Township line 71 8 ps.
S. of Cor. to Secs. 18, 19, 13 & 24
Set by me under contract No. 116
from which true
S. 89° 30' E. on true line
with same Va
16.90 High ridge bears S.E. & N.W.
36.90 Set granite 16 x 14 x 4 in. 10

BOOK-A-20

R. 16

Chains ins
Cor.
[illegible]
along
51.90 Gulch
76.90 The C
[illegible]
[illegible]
[illegible]

North

2.75 Bra
32.00 Ridge
40.00 Set
in
Sec.
and
Stone
50.40 Spring
52.00 "
80.00 On
Set g

R. 16 W. S. L. M.

Chains ins in the ground for 1/4 Sec. Cor. Marked 1/4 on W. face and raised a mound of stone alongside.

51.90 Mech drains S.E.

76.90 The Cor. to Secs. 17, 18, 19 & 20 Land Mountainous
Sec 32d & 4th rates - rocky Mountainous on 76.90 chs

North Secs. 17 & 18
Va 18° E.

2.75 Branch in hollow drains S.E.

32.00 Ridge bears N.W. & S.E.

40.00 Set granite 10 x 8 x 8 ins - 15 ins in the ground for 1/4 Sec. Cor. Marked 1/4 on W. face and raised a mound of stone alongside.

50.40 Spring branch drains N.E.

52.00 " " " E.

80.00 On top of ridge bears N.E. & S.W.
Set granite 16 x 15 x 3 ins. 18 ins

Subdivisions T. 11 N.

Chains in the ground for Cor. to Secs. 7, 8, 17 & 18 marked 4 notches on S. & 5 on E. edge made regulation mound and pits.

Land Mountainous
Soil 4th rate rocky
Some Mountain Mahogany
Mountainous on 80.00 Chs.
June 16. 1884

East on random line
Bet. Secs. 8 & 17
Va 18° E.

40.00 Set Temp. 44 Sec. Cor.
80.45 Intersect N. & S. line 36 Lks. S. of Cor. to Secs. 8, 9, 16 & 17
From which I run
S. 89° 45 W. on true line
Bet. Secs. 8 & 17
with same Va

4.45 Gully drains S.E.
34.45 Enter mountains bear N. & S.
Leave sage brush & flat.

BOOK-A-204

R. 16 W. S. L. Me

Chains
40.22 Set granite 30×12×8 ins. 20 ins in the ground for 1/4 Sec. Cor. Marked 1/4 on N. face and raised a mound of stone alongside,
60.00 Hollow drains S.E.
80.45 The Cor. to Secs. 7, 8, 17 & 18
Land Mountainous & flat
Soil 1st & 3rd rate.
Mountainous 46.00 Chs.
Dense sage brush undergrowth on 34.45 chs,
Augmented on 80.45 chs.

West on a random line
Bet. Secs. 7 & 18
Va 18° E.
40.00 Set Temp. 1/4 Sec. Cor.
76.75 Intersect Township line 23 Chs. S. of Cor. to Secs. 7, 12, 13 & 18 Set by me under contract No. 116 from which I run S. 89° 50' E. on true line
Bet. Secs. 7 & 18

Subdivisions T. 11 N

Chains	
	With same Va
20.00	Deep gneck drains S.E.
36.75	On ridge trees N.W. & E.
	Set granite 16x14x4 ins - 10 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face and raised a mound of stone alongside
	Thence along ridge to
76.75	The Cor. to Secs. 7, 8, 17 & 18
	Sand Mountainous
	Soil 4th rocky
	Some scattering mahogany
	Mountainous on 76.75 Chs.

North bet. Secs. 7 & 8
Va 18° E.

11.50	Spring branch in gneck drains E.
26.75	Spring branch in gneck drains E.
40.00	On rocky butte Set volcanic rock 20x10x6 ins 15 ins. in the ground for 1/4

BOOK-A-204

R 6 W. S. L. M

Chains Sec. Cor. Marked 1/4 on W. face and raised a mound of stone alongside

47.00 Gulch drains N.E.

61.50 Branch 5 lks. wide, 4 ins. deep in gulch drains E.

76.00 Head of gulch drains S.E.

80.00 Set granite 50×12×10 ins - 36 ins in the ground for Cor. to Secs. 5, 6, 7 & 8, Marked 5 notches on S & E. edges and raised a mound of stone alongside

Sand Mountainous

Soil 4th rocky

Mountainous on 80.00 Chs

East on random line

Bet. Secs. 5 & 8

Vn 18° E.

40.00 Set Temporary 1/4 Sec. Cor.

80.41 Intersect N & S. line 20 lks. N. of Cor. to Secs. 4, 5, 8 & 9.

Subdivisions T. H N

Chains	
	From which I run N. 89° 51' W. on true line Bet. Secs. 5 & 8
	With same Va
5.00	Leave flat and sage brush Enter mountains bear N & S.
28.40	Birch Creek 6 lks. wide 4 ins deep runs S. in gulch
40.20	Set granite 16×10×10 ins - 10 ins. in the ground for 1/4 Sec. Cor. Marked 1/4 on N. face and raised a mound of stone alongside.
50.40	Ridge bears N.W. & S.E.
65.00	Gulch drains S.E.
80.41	The Cor. to Secs. 5, 6, 7 & 8 Sand flat & Mountainous Soil 1st & 4th rates Mountainous on 75.41 chs Dense sage brush under-growth on 5.00 chs. Augmented on 80.41 chs

BOOK-A-20

R. 16

Chains	
	Test o... Bet.
40.00	Set ...
77.00	Interse... N. of ... which ... above ... stone ... From ... N. 89° 4... Bet. ...
37.00	In d... Set gr... in the ... Marke... raised ... along...
62.00	Ridge...
77.00	The C... Sand ... Soil ... Some ... Mo...

BOOK-A-204

R. 16 W. S. L. M

Chains West on Sandown line
Bet. Secs 6 & 7
Va 18° E.

40.00 Set Temp. 1/4 Sec. Cor.
77.00 Intersect Township line 36 Ns.
N. of Cor. to Secs. 1, 6, 7 & 12
Which is a Granite 7x10x10 ins
above ground, properly marked &
Stone mound alongside —
From which I run
N. 89° 45' E. on true line
Bet. Secs. 6 & 7
with same Va

37.00 In deep gulch drains S.E.
Set Granite 20x17x9 ins - 15 ins
in the ground for 1/4 Sec. Cor.
Marked 1/4 on N. face, and
raised a mound of Stone
alongside

62.00 Ridge bears N.W. & S.E.
77.00 The Cor. to Secs. 5, 6, 7 & 8
Land Mountainous
Soil 4th rate rocky
Some Scattering Mahogany
Mountainous on 77.00 Chs

127

Subdivisions T. 14 N

Chains	
	North on random line Bet. Secs. 5 & 6
	Va 18° E.
40.00	Set Temp. 1/4 Sec. Cor.
80.46	Intersect Township line 35 Lks. E. of Cor. to Secs. 5, 6, 31 & 32 which is a Granite 7x8x8 ins above ground, properly marked & stone mound alongside —
	From which I run S. 0° 15' E. on true line Bet. Secs. 5 & 6
	With same Va
1.40	Birch Creek 4 Lks. wide 4 ins deep runs S.E. in gulch
29.00	Ridge bears N.W. & S.E.
40.46	Set granite 23x7x7 ins - 15 ins. in the ground for 1/4 Sec. Cor. Marked 1/4 on W. face and raised a mound of stone alongside.
43.46	Deep gulch drains S.E.
73.00	Ridge bears N.W. & S.E.
80.46	The Cor. to Secs. 5, 6, 7 & 8
	Land Mountainous

BOOK-A-204

R. 1 E

Chains S

M

Gen

The la
towns
there
tains
Birch
ging a
inch
Clear
runs
ship,
in the
ship
Water
ses i
mer -
through
Townsh
this

BOOK-A-204

R. 16 W. S. L. M.

Soil 4th rate rocky
Mountainous on 80.46 acres
June 17. 1884

General Description —

The land embraced in this township is mostly bottom there are some high mountains in the S.E. & W. portions Birch Creek a stream averaging about 4 lks. in width & 3 or 4 inches deep rises in the Clear Creek mountains & runs S.E. through the Township, Middle & Spring Creeks in the N.E. Cor. of the Township afford considerable water for irrigating purposes in the Spring & Early summer - Rose Bud Creek runs through the S.W. Cor. of the Township, and it is from this source that terrace

148 Subdivisions
T. 11 N - R. 16 W - S.L.M.

Chains on the C.P.R.R. is supplied with water through pipes.
There are also numerous Springs & branches in the Clear Creek Mountains on the West. H. R. Russell has made a settlement in Sec. 12 - his improvements consist of a good log cabin, stable, corral & stackyard - He has about 30 acres under cultivation and some good meadow land along Middle Creek - There is also some meadow on Birch Creek in Sec. 13

Hm. Fitzhugh
U.S. Deputy Surveyor

BOOK-A-204

U. S. SURVEYOR

Salt Lake Ci

The foregoing

Sec

Township No. 11

Executed by

Under his

day of Mar

June

amined, the necessar

the said field notes

her by approved.

BOOK-A-204 149

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, October 11th 1884

The foregoing field notes of the survey of the

Subdivisions

Township No. 11 N Range No. 16 W

Executed by Henry Litzlugh

Under his contract No. 124 of the 19th

day of March 1884, in the month of

June 1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A

REPORT: 188

Filed

Examined by

Transcribed by Ho

Compared by Ce

FIE

OF THE

3rd Standar

~~Township No~~

Range No 3 Wa

SALT L

U

Andre

U. S.

Under his Co

Dated Apr

Survey commenc

Survey complete

BOOK-A-204 ok

REPORT: 1885 151

Filed 188

Examined by .....

Transcribed by Henry R. Mathinson

Compared by O.E.S. & H.R.M.A.

FIELD NOTES

OF THE SURVEY OF THE

3rd Standard Parallel South

OF

~~Township No~~ .....

Range No 3 W and connection R4 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Andrew J. Stewart Jr

U. S. Deputy Surveyor,

Under his Contract No. 125

Dated April 7th 1884

Survey commenced July 2nd 1884

Survey completed " 2nd 1884

NAMES AND DUTIES OF ASSISTANTS:

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A-20

3rd Stand.

Survey

I beg
Wow
South,
mence
of Eas
R 3 W
Wes

24.00 Ascen
33.00 Spurr
40.00 End of
of old
14x10x
for sta
S. C 1/4
a mon
48.00 Spurr
bears
50.00 Foot
55.00 Spurr
80.00 Set gre

BOOK-A-204

3rd Stand. Par. South, R. 3 W.

Survey commenced July 2nd 1884

I begin at cor to Rs 2 and 3 W on the 3rd Standard Parallel South, described at the commencement of the field notes of East boundary Tp 15 S. R 3 W and run

West on S. boundary sec 36

Va. 16°30' E.

24.00 Ascent bears N and S.

33.00 Spurridge 50 ft high bears N & S.

40.00 End of former survey, no trace of old cor. Set gray sandstone 14×10×8 ins. 9 ins. in ground for standard 1/4 sec. cor. marked S. C 1/4 on N face and raised a mound of stone alongside

48.00 Spurridge about 200 ft high bears NE and S.W.

50.00 Foot of same

55.00 Spurridge about same height

80.00 Set grey sandstone 18×8×5 ins

3rd Standard Parallel South

12 ins in ground for Standard
cor to secs 35 & 36, marked
S. C. with 1 notch on E and 5
notches on W edges and raised
a mound of stone alongside
Land mountainous
Soil clay, gravel and rock
2nd rate
Timber, cedars on 80.00 chains
Dense undergrowth, sagebrush
on 80.00 chains.

West on S. boundary of sec. 35.
Va 16° 30' E.

20.50 Spur of mountain about 50
ft high bears S. E and N. W
42.00 Set a grey sandstone, 18×10×7
12 ins in ground for Standard
1/4 sec. cor. marked S. 1/4 on
face and raised a mound
of stone alongside
45.00 Spurridge bears N. & S.
54.00 Wash, 2 ft deep drains S.

BOOK-A-204

R. 3. W. S. L. Meridian.

62.00 Spur ridge about 250 ft high
bears N and S.

78.00 Descend

80.00 Set a gray sandstone, 18×10×6 ins.
12 ins in ground for standard
cor. to secs 34 and 35, marked
S. C with 2 notches on E and
4 notches on W edges and
raised a mound of stone
alongside.

Land, mountainous.

Soil, dry, gravel and rock
2nd and 4th rate

Timber, mahogany and cedars
on 80.00 chains

Dense undergrowth, sagebrush
on 80.00 chains. —

West on S. boundary sec. 34.
Va. 16°30' E.

7.50 Conglomerate boulders.

12.50 Canon, 150 ft deep drains S. E.

26.00 Mountain about 300 ft high

3rd Standard Parallel South

bears N.W. and S.E.

33.50 Ravine drains S.E.

40.00 Set a gray sandstone, 15x8 ins. 10 ins in ground for Standard 1/4 Sec. Cor, marked S. 6/4 on N face and raised a mound of stone alongside

43.50 Spurridge about 350 ft high bears N and S.

45.00 Descend

65.00 Spurridge about 200 ft high bears N.E.

80.00 Set gray limestone 16x14x ins. 11 ins in ground for Standard Cor to Secs. 33 and 34 marked S. 6. with 3 notches on E and W. edges and raised a mound of stone alongside

Land broken and mountainous

Soil clay and gravel, 2nd and 4th

Timber, cedars and mahogany on 80.00 chains

Dense undergrowth, sagebrush on 80.00 chains.

R. 3 W.

West o

3.50 rocks

13.00 Caño dra

21.75 Spurr b

25.00 Caño a

40.00 Set g 11 ins 1/4 Sec N. face of sto

80.00 Stool 2500 Set 14x12 for 33 m es on edges Stone Land

BOOK-A-204

R. 3 W. S. L. Meridian.

West on S. boundary sec 33.
Va. 16° 30' E.

3.50 rocks bear N and S.

13.00 Cañon about 100 ft deep drains S. E.

21.75 Spurridge about 100 ft high, bears S. E.

25.00 Cañon, about 150 ft deep drains S. E.

40.00 Set gray quartzite 16×8×8, 11 ins in ground for Standard 1/4 sec. Cor, marked S. C 1/4 on N. face and raised a mound of stone alongside.

80.00 Foolcreek spur mountains about 2500 ft high bears N and S, set a brown quartzite stone 14×12×6 ins., 9 ins. in ground for standard Cor. to sec. 4, 32 and 33 marked S. C. with 4 notches on E and 2 notches on W edges and raised a mound of stone alongside.

Land mountainous.

3rd Standard Parallel South

Soil, clay and gravel, 2nd and 4th rate
Timber, cedars and mahogany
Good bunch grass.
Dense undergrowth, sagebrush
on 80.00 chains

West on S. boundary sec. 32
Va 16°30' E.

40.00 Set a white quartzite stone
15x8x8 ins., 10 ins in ground
for standard 1/4 sec. cor. mar
ed S. 6. 1/4 on N face and
raised a mound of stone
alongside

50.00 Cañon, drains W towards
Foot creek

70.00 Ridge about 1,500 ft high
bears NE and SW

80.00 Set a gray quartzite stone
15x10x6 ins, 10 ins in ground
for standard cor. to secs.
31 and 32 marked S. 6 with
5 notches on E and 1 on W

R. 3 W

edges
of
Land
Soil,

Timbe

Dense

West o

37.50 Mounta
high.
bugs

40.00 Set a
16x8x
for St
mark
and
stone

45.00 Cañ

R. 3 W. S.L. Meridian.

edges and raised a mound of stone alongside.
Land mountainous.
Soil, clay, gravel and rock
2nd and 4th rate
Good bunch grass.
Timber, cedars and mahogany
on 80.00 chains
Dense undergrowth, sagebrush
on 80.00 chains

West on S. boundary sec. 31
Va 16°30' E.
37.50 Mountain about 2,000 ft
high. bears N and S. Descend
over cliffs into cañon.
40.00 Set a gray quartzite stone
16x8x8 ins. 11 ins in ground
for Standard 1/4 sec. cor.,
marked S. C. 1/4 on N. face
and raised a mound of
stone alongside.
45.00 Cañon 100 ft deep drains N.

3rd Standard Parallel South

47.00 Ridge, 1500 ft high, bears Nea
57.90 Set temporary Corner, as
concluding from the con
nection of 22.10 chains
on the N.E corner of this
Tp. returned in my field
notes of the East boundary
that the S. boundary of the
sec. will be correspondin
ly short and as the sub-
division line betw secs.
24 and 25, Tp 15 S. R 4 W.
is established also the
northern mile of its East
boundary; I ran North
on a random line as
stated in my field notes
of the West boundary of
this township and at
5 m 27 chs 50 lks found the
old cor to secs. 1, 6, 7 and 12
from which I run South
on true line, the said
distance and set

R. 3 W. S. L. Meridian.

a gray quartzite stone 20 x 10 x 10 ins, 15 ins in the ground for standard cor. to Tps 15 S. R. 3 and 4 W., marked S. C. with 6 notches on N. E & W edges, and raised a mound of stone alongside.

Land mountainous.

Soil, clay and rock. Land of 4th rate.

Good bunch grass.

Timber, cedar and oak; on 57.90 chains

Dense undergrowth, sagebrush on 57.90 chains.

July 2nd 1882

General Description.

See Subdivisions.

Andrew J. Stuart Jr
U. S. Dep. Surveyor.

(over)

162 Connection
3rd Stand. Par. South, R 4 W. S.L.

Pursuant to special instructions connecting cor. to Secs. 35 and 36, Tp. 15 S. R. 4 W. with Standard cor. to Tps. 15 S. Rs. 3 and 4 W., so as to ascertain the distance between and relative position of said corners, I run from the Standard township corner West 78.60 chains to a point, 24.00 South of corner to Secs. 35 and 36 Tp. 15 S., R. 4 W., which is an oak post in a mound at foot of mountains bearing N. & S.

Andrew J. Stewart Jr.
U. S. Dep. Surveyor.

BOOK-A-20

U. S. SURVEYOR

Salt Lake Ci

The foregoing

3rd Standa

~~Township~~ No.

Executed by

Under

day of

July

amined, the necessa

the said field notes

hereby approved.

BOOK-A-204

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Jany 17th 1885

The foregoing field notes of the survey of the 3rd Standard Parallel South

~~Township~~ No. Range No. 3 W and connection R 4 W

Executed by Andrew J Stewart Jr.

Under his contract No 125 of the 9th

day of April 1884, in the month of July 1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salomon

U. S. Surveyor General for Utah.

2 BOOK-A-2

REPORT: [illegible]

Filed

Examined by

Transcribed by [illegible]

Compared by [illegible]

FIE

OF THE

West

Township No 1[illegible]

Range No 3[illegible]

SALT [illegible]

Andr

U.

Under his C

Dated [illegible]

Survey comme

Survey comple

2 BOOK-A-204

REPORT:

Filed 188

Examined by .....

Transcribed by Henry R. M. Atkinson

Compared by C. D. & H. R. M. A.

FIELD NOTES

OF THE SURVEY OF THE

West Boundary

OF

Township No 16 South

Range No 3 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Andrew J. Stewart Jr.

U. S. Deputy Surveyor,

Under his Contract No. 125

Dated April 2nd 1884

Survey commenced October 28th 1884

Survey completed October 28th 1884

NAMES AND DUTIES OF ASSISTANTS:

Compassman.

Chainman.

Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

Flagman.

BOOK-A-20

West bound

Survey

Oct

Fr

ner to

on 3rd

I put

(See fi

I run

line

half m

at eve

and a

found

1 and 12,

quart

18 ins.

ed 5 m

notch

high m

N.E and

South o

27.10 Set a g

16×10×

BOOK-A-204

West boundary Tp. 15 S. R. 3 W. —

Survey commenced
October 28th, 1884.
From the temporary corner to Tps. 15 S. Rs. 3rd & 4 W. on 3rd Stand. Par. South, which I put in running the same, (See field notes thereof)
I run North on random line putting temporary half mile and mile corner at every 40 and 80 chains and at 5 m. 27 ch. 10 lks found the old corner to Secs 1 and 12, Tp. 15 S. R. 4 W. a quartzite rock 18 x 10 ins. 18 ins. above ground, marked 5 notches on the S and 1 notch on N side at foot of high mountains, bearing N. E and S. W from which I run South on W. boundary Sec. 6.
Va. 16° 30' E.

27.10 Set a gray quartzite stone 16 x 16 x 8 ins., 11 ins. in ground

West boundary Tp. 15 S.

for cor to secs. 6 and 7, marked 1 notch on N and 5 notches on S. edges and raised a mound of stone alongside. Land, spurs of mountains. Soil, 4th rate.

Mountainous on 27.10 chains. Dense undergrowth, sagebrush and scrub cedars on 27.10

South on W. boundary sec 7.
Va. 16° 30' E.

11.00 Wash 3 ft deep at foot of diff drains W.
12.00 wood road bears W.
18.00 Clay ridge 30 ft high bears
35.00 Leave cedars bearing N.E.
40.00 Set a gray quartzite stone, 18x12x8 ins., 12 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face and raised a mound of stone alongside.
45.00 Ridge, 200 ft. high ascends E
50.00 Ridge bears E and W.

R. 3 W.

2.00 Wood
2.00 Wash,
30.00 Set a
16x12x
for co
marke
4 note
raised
along
Land,
Soil, 4
Timber
Dense u

South

2.00 Ridge,
2.00 Ridge,
35.00 Wash,
40.00 Set a g
18x9x9
marke

R. 3 W. S. L. Meridian.

12.00 Wood road bears E. and W.
22.00 Wash, 2 ft deep drains N.W.
80.00 Set a gray quartzite stone, 16 x 12 x 3 ins., 11 ins in ground for corner to Sec. 7 and 18. marked 2 notches on N. and 4 notches on S. edges and raised a mound of stone alongside.
Land, rolling.
Soil, Sand, Clay, gravel and rock 2nd and 4th rate.
Timber, Cedars on 35 chains.
Dense undergrowth, sagebrush on 80.00 chains.

South on W. boundary Sec. 18.
Va. 16°30' E.

2.00 Ridge, bears E and W.
22.00 Ridge, 100 ft high bears E and W.
35.00 Wash, 3 ft deep, drains W.
80.00 Set a gray quartzite stone 18 x 9 x 9 ins. 12 ins in ground, marked 1/4 on W. face and

West boundary Tp 15

raised a mound of stone alo
side.

46.50 Wash, 1 ft deep, drains N.W.
49.00 Wash, 3 ft deep drains S.W.
58.00 Ridge, bears S.W. and N.E.
65.00 Ridge, 75 ft high bears S.W. and
77.00 Wash, 2 ft deep, drains W.
80.00 At foot of hill, set a gray quartzite stone, 15×8×8 ins. 10 ins. in ground for cor to secs. 18 and 19, marked 3 notch on N. and S. edges and raised a mound of stone alongside
Land, mountainous.
Soil, clay, gravel and rock.— 3rd and 4th rate.
Dense undergrowth, sagebrush on 80.00 chain

South on W. boundary Sec. 19.
Va. 16°30' E.

2.00 Hill bears E and W
30.00 Wash, 2 ft deep, drains S.W.
40.00 Set a quartzite stone, 15×8×6

BOOK A-2

R. 3 W.

ins., 10
cor. m
and re
stone
45.00 Wood
47.00 "
[illegible].00 Scatched
[illegible]3.00 Wash
80.00 Set a
16×18
for co
mark
2 note
raised
along
Land,
Soil,
Moun
Dense

South,
9.00 Wash,

BOOK-A-204

ins., 10 ins in ground for 1/4 sec. cor. marked 1/4 on W. face and raised a mound of stone alongside.

45.00 Wood road bears S. W.

47.00 Searched for cor to secs. 24 & 25. T. 15 S. R. 4 W. no trace of same.

75.00 Wash 1 ft deep, drains W.

80.00 Set a red quartzite stone, 16 x 18 x 4 ins., 11 ins in ground for corner to secs. 19 and 30. marked 4 notches on N and 2 notches on S. edges and raised a mound of stone alongside.

Land, mountain ridges.
Soil, clay and rock
2nd and 4th, rate.
Mountainous on 80.00 chs.
Dense undergrowth, sagebrush on 80.00 chains.

South on W. boundary sec. 30
Va. 16°30' E.

9.00 Wash, 1 ft deep, drains N. W

West boundary, Tp. 15 S.

17.00 Ascent bears N.W. and S.E.
23.00 Ridge bears S.W. and N.E.
36.00 Descent, wash 2 ft deep in hollow drains S.W.
40.00 Set a rose quartz stone 15×8×6 ins. 10 ins in ground for 1/4 sec. cor. marked 1/4 on W. face and raised a mound of stone alongside.
42.00 Ascent.
60.00 Ridge about 200 ft high, bears NE and S.W.
80.00 Set a rose quartz, 15×9×4 ins. 10 ins in ground for corner to secs 30 and 31, marked 5 notches on N. and 1 notch on S. edge and raised a mound of stone alongside.
Land, mountainous.
Soil, clay and rocks, 2nd and 4th rate
Dense undergrowth, sagebrush on 80.00 chains.

R. 3 W. S. L. Meridian.

South, on W. boundary sec. 31.
Va. 16°30' E.

16.00 Descent bearing E. and W.
28.00 Wash, drains W.
40.00 Set a rosequartz, 16x10x4 ins., 11 ins. in ground for 1/4 sec. Cor., marked 1/4 on W. face and raised a mound of stone alongside.
50.00 Wash, 2 ft deep, drains N. W.
56.00 Ridge 300 ft high, bears N.W.
80.00 The temporary corner, which I now establish permanently for Cor. to Tps. 15 S. Rg. 3 and 4 W on the 3rd Stand. Par. South in the field notes of which the description of said corner is given.

Land, mountainous.
Soil, clay, gravel and rock, 2nd and 4th rate.
Good bunch grass.
Dense undergrowth, sagebrush on 80.00 chains.

West boundary, Tp 15 S. R. 3 W.

General Description.
See subdivisions.
Andrew J. Stewart Jr
U. S. Dep. Surveyor
October 28th, 1884.

U. S. Surv. Genl. Office
Salt Lake City, Utah.
January 10th, 1885

See additional special instructions by
Hon. Erd. Salomon
U. S. Surveyor General
dated Oct. 10th 1884
also letter by
Andrew J. Stewart Jr
U. S. Dep. Surveyor
of Nov. 1st 1884 stating he had acted in compliance to said instructions. John H. Campe
chief draughtsman

BOOK-A-

U. S. SURVEYO

Salt Lake

The foregoi

Wes

Township No. 1

Executed by A

Under

day of Ap

October

amined, the neces

the said field n

hereby approved.

BOOK-A-204

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Jan 17th *188*5

The foregoing field notes of the survey of the West Boundary

Township No. 15 South *Range No.* 3 West

Executed by Andrew J Stewart Jr

Under his *contract* No 125 *of the* 9th

day of April *188*4, *in the month of*

October *188*4, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

3800K-A-204

REPORT:

Filed

Examined by

Transcribed by

Prepared by

FIEL

OF THE S

Township No

Range No

SALT LA

UTA

Andrew

U. S.

Under his Cont

Dated

Survey commenced

Survey completed

3800K-A-204

REPORT:

Filed 188

Examined by E. H. R. M. A.

Transcribed by Henry R Matkinson

Compared by Solomon Matkinson

FIELD NOTES

OF THE SURVEY OF THE

East Boundary

OF

Township No 15 South

Range No 2 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Andrew J Stewart Jr

U. S. Deputy Surveyor,

Under his Contract No. 125

Dated 9th April 1884

Survey commenced July 1st 1884

Survey completed " " 1884

NAMES AND DUTIES OF ASSISTANTS:

Compassman.

Chainman.

Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

Flagman.

BOOK-A-20

East Bo

On the

took an

Polaris,

tions co

of Survey

the line

Survey

with a

pass

Before

survey. It

line esta

find it

I begin

Ro 2 & 3 Wou 3

red sam

set in t

notches

and a

I run

North

.70 Trail at

3.50 Hi

East Boundary T. 15 S. R. 3 W.

Chains On the night of June 30th 1884 I took an observation on the star Polaris, in accordance with instructions contained in the Manual of Surveys, and drove pickets on the line thus established.

Survey commenced July 1st 1884 with a Burts improved solar compass.

Before commencing this survey I test my compass on the line established last night, and find it correct.

I begin at the cor. to Tps. 15 S. Lt Rs 2 & 3 W on 3rd Standard Par South, which is a red sandstone 16 x 14 x 7 ins. firmly set in the ground, marked 6 notches on K. S. E. and W. edges, and a mound of stone alongside

I run

North bet. secs. 31 and 36.

Va. 16° 15' E.

.70 Trail at foot of hill. brs. N. W. and S. E.

3.50 Hill about 30 ft. high.

2 East Boundary T. 15 S. R. 2 W.

Chains		Chain
	brs N. W. and S. E.	
22.70	Cedar 6 ins. diam.	13.0
46.00	Cor. down. Re-set red sandstone 14	18.6
	8 x 6 ins. 9 ins. in the ground, for 4	
	sec. cor. marked 1/4 on N. face,	14.00
	and raised a mound of	
	stone alongside.	
52.00	Mark 10 lks. wide 1 ft. deep dra. E.	
80.00	Found cor. lying on the ground. Set	
	limestone 14 x 10 x 4 ins. 9 ins.	43.
	in the ground, for re-established	
	cor. to secs. 25, 30, 31 and 36, marked	
	5 notches on N. and 1 notch	57.
	on S. edges, and raised a	80.
	mound of stone alongside.	

Land, rolling.
Soil, clay, and gravel 2nd rate.
Dense undergrowth sage brush
on 80 chs.

North bet. secs. 25 and 30.
Va. 16° 15' E.

BOOK-A-204

Chains	
13.00	Center cedars brs. N. E. and S. W.
18.65	Wash in hollow 10 lks. wide 2 ft. deep drs. N. E.
40.00	Cor. down. Re-set gray sandstone 16 x 10 x 5 ins. 11 ins. in the ground for 14 sec. cor. marked 14 on W. face, and raised a mound of stone alongside
43.00	Road from Wellington to Fort Cr. and Oak Creek brs. N. 30° W. and S. 70° E.
57.60	Wash 15 lks. wide 4 ft. deep drs. N. E.
80.00	Found cor. lying on the ground; Set Sandstone 14 x 12 x 8 ins. 11 ins. in the ground, for re-established cor. to secs. 19, 24, 25 and 30, marked 2 notches on S. & 4 notches on N. edges, and raised a mound of stone alongside

Land, rolling.
Soil, clay & gravel 2nd rate.
Scattering timber, cedar on 6 ch.

4. East Boundary T. 15 S. R. 3 W.

Chains		Chains
	Dense undergrowth sagebrush on 80.00 chs	
	North bet secs 19 and 24. Var. 16° 15' E.	
10.00	Wash 15 lks. wide 1 ft. deep drs. N. 50 E.	
21.50	Trail brs. N. E. and S. W.	
23.00	" " " " " "	
24.60	Wash 40 lks. wide 3 ft. deep drs. N. E.	
29.75	" 10 " " 1" " drs. N. E.	
34.00	Foot of bluff brs. N. E. and S. W.	
36.00	Top of bluff 60 ft. high.	
40.00	Cor. down. Set gray sandstone 14 x 10 x 6 ins. 9 ins. in the ground marked 1/4 on W. face, for 1/4 sec. cor. & raised a mound of stone alongside	5. 18. 19. 32.
42.50	Wash 10 lks. wide 6 ins. deep drs. E.	33. 39.
48.50	Wash 10 lks. wide 1 ft. deep drs. N. E.	
76.25	Trail brs. N. E. and S. W.	40.
77.00	Wash 20 lks. wide 1 ft. deep drs. N. E.	
80.00	Found cor. lying on ground. Set gray sandstone 15 x 12 x 6 ins. 11 ins. in	

BOOK-A-204

	Chains	
		the ground, for rei-istablished cor. to secs 13, 18, 19 and 24, marked 3 notches on N. & S. edges, and raised a mound of stone alongside, E. end of Old Survey.
		Land rolling.
		Soil, 2nd rate.
		Timber scattering cedar on 80.00 chs.
		Dense undergrowth sage brush on 80.00 chs.
		North bet. secs 13 and 18 Va 16°15' E.
	5.85	Trail brs. N. E. and S. W.
	15.50	" " " " " "
	19.50	Wash 10 lks. wide 1 ft. deep, brs. N. E.
	22.00	Trail brs. N. E. and S. W.
	23.00	Wash 20 lks. wide 2 ft. deep brs. N. E.
	29.00	Bluff about 100 ft. high, brs. N. E. and S. W.
	40.00	Set rose quartzite 15 x 10 x 6 ins. 10 ins. in the ground, for 14 sec. cor. marked 14 on W. face and raised a mound of

East Boundary T 15 S R 2 W

Chains		Chains
	stone alongside.	
41.50	Trail bst. N. 60° E. & S. 60° W.	
44.50	Trail bst. N. E. & S. W.	
80.00	Set gray sandstone 14 x 14 x 6 ins.	42.
	9 ins. in the ground, for cor	43.
	to secs. 7, 12, 13 and 18, mark=	
	ed, 4 notches on S & 2 notches	46.
	on N. edges, and raised a	55.
	mound of stone alongside	65.
		60.
	Land, rolling.	
	Soil, clay & gravel mixed 2nd	
	rate.	
	Scattered Timber cedars on 80 chs.	
	Dense undergrowth ~~[illegible]~~ 80.0 chs.	
	North bet secs 7 and 12.	
	Va. 16° 15' E.	
.50	Bluff about 150 ft high bs. N. E. & S. W.	
12.65	Wash 25 lks. wide 3 ft. deep dir. N. E.	
12.50	Trail bs. N. E. and S. W.	
35.00	Descend	
40.00	Set blue limestone 14 x 10 x 8 ins.	
	9 ins. in the ground, for cor	

Chains	
	sec. cor. marked 1/4 on W. face, and raised a mound of stone alongside
42.10	Trail brs. N. E. & S. W.
43.00	Wash 25 lks. wide 4 ft. deep drs. N. 55° E.
48.25	Foot of hill brs. N. 50° E. S. 50° W.
55.00	Top of hill about 100 ft. high
65.00	Trail brs. N. 65° E. & S. 65° W.
80.00	Set red sandstone 15x12x9 ins. 10 ins. in the ground, for cor. to secs. 1, 6, 7 & 12, marked 5 notches on S. and 1 notch on N. edges, and raised a mound of stone alongside
	Land, rolling and broken.
	Soil, 2nd rate
	Scatty Timber cedars on 80 chs.
	Dense undergrowth, sagebrush on 80 chs

8. East Boundary: T 15 S R 3 W

Chains	North bet. secs. 1 and 6. Va. 16° 15' E
.40	Trail brs. N. 65° E and S. 65° W.
1.25	Wash 20 lks. wide 3 ft. deep. drs. E 20 chs. thence N. E.
1.45	Foot of hill about 100 ft high brs. N. 65° E. and S. 65° W.
6.50	Top of hill.
15.00	Ground.
26.10	Trail brs. N. 75° E. and S. 75° W.
27.10	Wash 20 lks. wide 3 ft deep drs. N. 75° W
27.30	Foot of hill
40.00	Set gray quartzite stone 15 x 8 x 5 ins. 10 ins. in the ground, for 1/4 sec cor marked 1/4 on W. face, and raised a mound of stone alongside
41.00	Hill brs. N. E. and S. W.
41.50	Trail brs. N. E. and S. W.
43.50	" " " " " " "
65.00	" " N. 50° E. and S. 50° W. Wash 100 lks. wide 3 ft. deep drs. N. 50° E.
78.00	Wash 25 lks wide 3 ft. deep drs. N. E. into Sevier River

Chains	
80.00	Foot of hill
85.00	Bottom lands of Sevier River brs. N. 3° W. and S 79° E
89.05	Bend of Sevier River drains S E
103.90	Rail Road brs. N. 65° W. and S. 65° E. along river bank.
115.90	Intersect the North boundary of the Tp at a point 22.10 chs W of the cor. to Tp 14 S. R 2 & 3 W., which is a granite stone 16×12×10 ins. firmly set in the ground, marked 6 notches on N. S. E. and Wedges, and a mound of stone alongside. At point of intersection Set gray quartzite stone 14×12×8 ins. 9 ins. in the ground for closing cor. to Tps. 14 and 15 S Rs. 2 and 3 W. marked C C & 6 notches on S E & Wedges

10 E Boundary T 15 S R 3 W

Chams, and raised a mound of stone alongside

Land, rolling.
Soil clay and gravel, mixed 2nd rate.
Dense undergrowth sage on 115.90 ch

Date July 1st 1884

General Description
See Subdivisions
Andrew J Stewart Jr.
US Dep Surveyor

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah. Jany 17th 1885

The foregoing field notes of the survey of the East Boundary Township No. 15 South Range No. 3 West Executed by Andrew J Stewart Jr. Under his contract No 125 of the 7th day of April 1884, in the month of July 1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salomon
U. S. Surveyor General for Utah.

BOOK-A-

REPORT: 188

Filed

Examined by

Transcribed by E

Compared by Sal

FIE

OF THE

Su

Township No 10

Range No 3

SALT

Ande

U.

Under his C

Dated Apr

Survey comme

Survey comple

BOOK-A-204

191

REPORT: 1885

Filed 188

Examined by .....

Transcribed by E. Michaelis

Compared by Salomon & Atkinson

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

of

Fractional

Township No 18 South

Range No 3 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Andrew J. Stewart Jr

U. S. Deputy surveyor,

Under his Contract No. 126

Dated April 7th 1884

Survey commenced July 3d 1884

Survey completed " " 4th 1884

BOOK-A-204

Township 15 S. R. 3 W.

7	6 234	5		4	231	3	217	2	205	1
	233					230		216		203
8	7		8		9	228	10	215	11	202 12
						227		214		201
9	18		17		16	226	15	213	14	200 13
						225		212		199
10	19		20		21	223	22	211	23	198 24
						222		210		197
11	30		29		28	221	27	209	26	195 25
						220		208		194
13	31		32		33	219	34	207	35	193 36
	159		158		157		155		154	153

NAMES AND DUTIES OF ASSISTANTS:

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A-2

Subdivision T 15 S R 3 W S L Mer

Chains Preliminary to commencing this survey I ran on a blank line on the south boundary of sec. 36., and at 39.94 chs. found the 1/4 sec. cor.
My compass will therefore run the same line as the exterior boundaries, and the chaining practically agrees.
Survey commenced July 3. 1884?
with a Burts Improved Solar Compass.
I commenced at the cor. to secs. 35 and 36. on 3rd Stand. Par South re-established under present contract.
And run
North bet. secs. 35 and 36.
Va. 16° 15' E.

14.50 Ravine 100 lks. wide 10 ft. deep drs. N. E.

35.00 Ascend.

40.00 Set gray sandstone 16 x 8 x 5 ins. 11 ins. in the ground, for 1/4 sec.

Subdivision T 15 S R 3 W

Chan	cor. marked ¼ on W face, and raised a mound of earth and stone alongside No bearing tree within limit.	Ch
43.00	Wash 50 lks. wide 2 ft. deep drs. E.	
45.00	Wash 20 lks wide 1 ft. deep drs. S. E	40.
80.00	Set blue limestone 14×10×8 ins. 9 ins. in the ground, for cor. to secs. 25, 26, 35 and 36, marked 1 notch on S and E. edges, and raised a mound of stone alongside	48
	Land, hilly No bear. tree within limit	49
	Soil, clay, gravel and rock 2nd and 3rd rate	70
	Heavy Timber cedars on 80 chs.	80
	East on a random line bet. secs. 25 and 36. Va. 15° 16' E.	
40.00	Set temporary ¼ sec. cor.	
80.15	Intersect E. boundary of Tp	

Salt

Chains	25 lks. N of the cor. to secs. 25, 30, 31 and 36, re-established under present contract.
	Thence
	N. 89° 47' W. on a true line bet. secs. 25 and 36, with same va.
40.07	Set red sandstone 14 x 10 x 10 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of earth and stones alongside.
48.50	Wash 50 lks. wide 3 ft. deep dry. N. E.
49.00	Trail bn. N. E. and S. W.
75.00	Ascend
80.15	The cor. to secs. 25, 26, 35 and 36. Land, hilly. Soil, clay, gravel and rock 2nd and 3rd rate. Dense undergrowth sagebrush on 80.15 chs.
	North bet. secs. 25 and 36.

4. Subdivision T 15 S. R. 3 W.

Chains		Ch.
	Va. 16° 15' E.	
14.00	Descend	
15.00	spurr of mountain 200 ft. high brs. S. E. and N. W.	
36.50	Descend.	
40.00	Set granite stone 14 x 10 x 6 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and from which a Cedar 6 ins. in diam. brs. N. 30° W. 12 lks. dist, marked 1/4 S. B.T. No other tree convenient to mark.	40. 79.
49.50	Ascend.	
55.00	Hill about 75 ft. high.	
62.50	Descent brs. E. and W.	39.
80.00	Set rose quartzite stone 14 x 12 x 8 ins. 9 ins. in the ground, for cor. to secs. 23, 24, 25 and 26, marked 2 notches on S. and 1 on E. edges, and raised a mound of stone alongside.	52.2
	Land, rolling and mountainous	
	Scatt. timber, cedar and pine on 80 chs.	56.

BOOK-A-204

Chains	
	Dense undergrowth sage on 80 chs. Bunch grass.
	East on a random line bet. secs. 24 and 25. Va 16° 15' E.
40.00	Set temporary 1/4 sec. cor.
79.50	Intersect E. boundary of Tp. 20 lks. N. of the cor. to secs. 19, 24, 25 & 30 re-established under present contract.
	Thence N. 89° 51' W. on a true line bet. secs. 24 and 25, with same va.
39.75	Set gray limestone 14 x 10 x 4 ins. 9 ins in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of earth and stone, alongside.
52.25	Wash 20 lks. wide 1 ft. deep drs. N. E.
56.50	Road brs. N. W. and S. E.

6. Subdivision T. 15 S. R. 3 W.

Chains		Chai
79.50	The cor. to secs. 23, 24, 25 and 26.	
	Land, rolling,	
	Soil, clay and gravel 2nd rate.	
	Timber: cedar on 79.50 chs.	
	Dense undergrowth sage on 79.50 chs.	
	North bet. secs. 23 and 24.	40.0
	Va. 16°15' E.	79.9
12.00	Road from Wellington to Fool Creek. brs. N. W. and S. E.	
28.00	Trail brs. E. and W.	
40.00	Set gray sandstone 16 x 10 x 5 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face and raised a mound of earth and stone alongside	3. 9.
47.00	Trail brs. N. E. and S. W.	11.
52.85	Trail brs. N. E. and S. W.	39.
80.00	Set gray limestone 16 x 8 x 5 ins. 16 ins. in the ground for cor. to secs. 13, 14, 23 & 24, marked 3 notches on S and 1 notch	

Salt Lake Meridian 7

Chains	
	on E. edges, and raised a mound of earth and stone alongside.
	Land rolling Soil clay & gravel 2d rate
	Dense undergrowth, Sagebrush on 8000 chs.
	East on a random line bet. secs. 13 and 24.
	Va. 16°15' E.
40.00	Set temporary 1/4 sec. cor.
79.98	Intersect E. boundary of Tp. 78 lks. N. of the cor. to secs. 13, 18, 19 and 24 established under present contract
	Thence
	N. 89°27' W. on a true line bet. secs. 13 and 24, with same va.
3.50	Trail brs. N. E. and S. W.
9.70	Wash 15 lks. wide 1 ft. deep drs. N. E.
11.50	Trail brs. N. E. and S. W.
39.99	Set gray sandstone 14 x 10 x 5 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of earth and stone alongside.

8 Subdivision T 15 S R 3 W

Chains		Chai
40.15	Wash 50 lks wide 6 ins deep drs. S. E	
41.00	Trail brs. N. E and S. W	
53.00	" " " " " " "	
54.00	" " " " " " "	
57.50	" " " " " "	
58.50	Wash 10 lks wide 1 ft. deep drs. N. E	
79.98	The cor to secs 13, 14, 23 and 24.	
	Land rolling Soil Clay & gravel 2nd rate	40.0
	Dense undergrowth sagebrush on 79.98 chs	79.5
	North bet secs 13 and 14.	
	Va. 16° 15' E.	
34.50	Trail brs E and W.	
40.50	Set gray quartzite stone 16x10x6 ins 11 ins in the ground, for 1/4 sec cor. marked ¼ on W. face, and raised a mound of earth and stone, alongside	7. 11.6
80.00	Set gray quartzite stone 16x10x4 ins 11 ins in the ground, for cor to secs 11, 12, 13 and 14, marked 4 notches on S. and 1 notch on E. edges, and raised a mound of earth and stone alongside	12.0 20.0 21.0 39.7

Chains	Land, level and rolling
	Soil, 2nd rate
	Dense undergrowth, sage on 20 chs
	East on a random line bet. secs. 12 and 13.
	Va 16°15' E.
40.00	Set temporary 1/4 sec. cor
79.50	Intersect E boundary of Tp 27 lks. N. of the cor. to secs. 7, 12, 13 and 18 established under present contract.
	Thence
	N. 89°48' W. on a true line bet. secs. 12 and 13, with same va.
7.50	Foot of ridge brs. S. W. and N. E.
11.00	Trail brs. N. E. and S. W.
12.00	Wash 58 lks. wide 3 ft. deep drs. N. E.
20.00	Trail brs. N. E. and S. W.
21.00	Wash 50 lks. wide 3 ft. deep drs. N. E.
39.75	Set gray sandstone 14 x 14 x 8 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and

10. Subdivision T. 15 S. R. 3 W.

Chains		Chai
	raised a mound of earth and stone alongside	61.5
67.50	Trail brs. N. E. and S. W.	66.0
75.00	Trail brs. N. E. and S. W.	70.1
79.50	The cor. to secs. 11, 12, 13 and 14.	79.0
	Land, broken and rolling	80.0
	Soil, mixed clay and gravel 2 nd rate.	
	Dense undergrowth sage on 79.50 chs. Grass on 79.50 chs.	
	July 3d 1884	
	North bet. secs 11 and 12.	
	Va. 16° 15' E.	
18.00	Trail brs. N. E. and S. W.	
31.00	Trail brs. N. E. and S. W.	
40.00	Set gray quartzite stone 14 : 8 x 4 in. 19 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face and raised a mound of earth and stone alongside.	40.0
		79.7
42.00	Wash 50 lks. wide 4 ft. deep drs. N. E.	
54.50	Road brs. E. and W.	
55.50	Trail brs. N. E. and S. W.	

Chains	
11.50	Wash 30 lks. wide 4 ft. deep brs. W. E.
66.00	Trail brs. E. & W.
70.10	Trail brs. N. E. and S. W.
79.00	Trail brs. E. and W.
80.00	Set quartzite stone 14 x 10 x 6 ins. 9 ins. in the ground, for 4 sec. cor. marked 5 notches on S. and 1 notch on E. edges and raised a mound of earth and stone alongside. Land rolling. Soil, clay, gravel and sands 2nd rate. Dense undergrowth page 5 on 10 ch. Bunch grass — good for grazing.
	East on a random line bet. secs. 1 and 12.
	Var. 16° 30' E.
46.00	Set temporary 1/4 sec. cor.
79.75	Intersect E. boundary of Tp. 28 N. S. of the cor. to secs. 1, 6, 7 and 12, established under present contract.

12 Subdivision T. 15 S. R. 2 W.

Chains	Thence	Che
	S. 87° 46' W. on a true line bet secs. 1 and 12 with same var.	
3.00	Wash 30 lks. wide 3 ft deep drs N. E.	
33.00	Trail brs N. E. and S. W.	
35.00	Wash 30 lks. wide 3 ft. deep drs. N. E.	
38.87	Set gray flint stone 14 x 12 x 5 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside.	9.
53.00	Trail brs N. E. & S. W.	24.
53.25	Wash 30 lks. wide 2 ft. deep drs. N. E.	28.
56.20	Trail brs N. E. and S. W.	40.
56.30	" " " " " " "	
57.00	Wash 30 lks. wide 3 ft. deep drs N. E.	
79.75	The cor. to secs. 1, 2, 11 and 12.	4.
	Land rolling.	55.
	Soil, clay and gravel 2nd rate.	
	Dense undergrowth, page on 79.75	113.

Note— Knowing by my

Chains connection on the East boundary, that this line will not intersect the North boundary within 80 chs. and that the falling will not be within the limits allowed for connection. I therefore run.

North on a true line bet. secs. 1 and 2.

Va. 16° 15' E.

9.51 Wash 20 lks wide 3 ft. deep dra. N. E.

24.61 Wash 3 ft. deep 20 lks. wide dra. E.

38.51 Trail bra. E. and W.

40.00 Set gray quartzite stone 14 x 10 x 5 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W face, and raised a mound of earth and stone alongside.

41.31 Trail bra. N. E. and S. W.

55.00 Wash 30 lks wide 4 ft. deep dra. N. E.

113.40 Intersect N. boundary of Tp. at 22.80 chs W. of the cor. to secs. 35 and 36 which is a sandstone 15 x 12 x 6 ins. firmly

14 Subdivision T. 15 S. R. 2 W.

Chains	set in the ground and a marked 1 notch on E. and 5 notches on W. edges, with a mound of stone along-side.	Chai
	At point of intersection	12.0
	Set a quartzite stone 14 x 10 x 6 in. 7 in. in the ground, for closing cor. to secs. 1 and 2, marked 5 notches on W. and 1 notch on E. edges, and C. C. for closing cor. and raised a mound of earth and stone, alongside	23.0
	Land rolling	40.0
	Soil 2nd and 3rd rate.	47.
	Dense undergrowth page on 113.40 chs.	57.
		80.
	From the cor. to secs. 34 and 35 on the 3rd Standard Par. South is established under present	

Chains contract

Drum

North bet. secs. 34 and 35.

Va. 16° 30' E.

12.00 Quartzite cliff about 30 ft. brs. E. and W.

33.00 Ravine 10 ft. deep drs. S. W.

40.00 Set gray quartzite stone 15 x 12 x 10 ins. 10 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside.

47.00 Ridge about 500 ft. high brs. S. E. and N. W.

57.00 Ravine 20 ft. deep drs. N. E.

80.00 Set gray quartzite stone 17 x 9 x 5 ins. 10 ins. in the ground, for cor. to secs. 26, 27, 34 and 35; marked 2 notches on E. and 1 notch on S. edges, and raised a mound of earth and stone alongside.

Land, mountainous.

Soil, clay and rock 2nd and 3rd rate.

Scatt. timber, cedar and mahogany, on 80 chs.

Dense underground cagebrush on 80.00 chains.

16. Subdivision T 15 S R 3 W

Chains		Ch
	East on a random line bet. secs. 26 and 35. Va. 16°30' E.	
40.00	Set temporary 1/4 sec. cor.	
80.15	Intersect N. and S. line, 11 lks. S. of the cor. to secs. 25, 26, 35 and 36.	
	Thence	37.
	S. 89°5[illegible] W. on a true line bet. secs. 26 and 35 with same va.	40.
8.00	Wash 20 lks wide 2 ft. deep dre. S. E.	
20.00	Ridge brs. N. E.	
40.07	Set gray quartzite stone 16 x 8 x 6 ins. 14 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside.	47. 51. 53.
69.50	Ridge or spur of mountain about 400 ft. high brs. N. E. and S. W.	80.
74.75	~~Extra~~ Mahogany and oak brs. N. & S. Leave sage.	
80.15	The cor. to secs. 26, 27, 34 and 35.	
	Land, mountain ridges.	
	Soil, rock & clay, 2nd & 4th rate.	
	Good grass in patches.	
	Scatt timber oak and mahogany on 5.40	

Chain	Dense undergrowth oak and sage on 74.75 chs.
	Augmented on 80.15 chains
	North bet. secs. 26 and 27
	Va. 16°30' E.
37.00	Leave oak and mahogany. Entered
40.00	Descend mountain S et gray quartzite stone 16 x 8 x 6 ins. 11 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside. No bearing trees within limits.
49.00	Wash 30 lks. wide 3 ft. deep drs. N. E.
51.00	Road, from mountain to Wellington brs. N. E. and S. W.
53.00	Leave cedars brs. E & W. Enter brush sage.
80.00	Set gray quartzite stone 14 x 12 x 8 ins. 9 ins. in the ground, for cor. to secs. 22, 23, 26 and 27, marked 2 notches on S and E. edges, and raised a mound of earth and stone alongside.
	Land, rolling, and mountainous.

15 Subdivision T 15 S R 3 W

Chains		Ch
	Soil, clay, gravel and rock 2nd and 4th rate.	
	Heavy timber ceaders, Oak & mahogany on 53 chs.	
	Dense undergrowth sage & oak brush on 37 chs.	40
		48.
	Augmented on 80,00 chains	56.
		65.
	East on a random line bet. secs. 23 and 26.	69.
		76.
	Va. 16° 15' E.	
40.00	Set temporary 1/4 sec. cor.	80.
80.20	Intersect N. and S. line 98 lks. N. of the cor. to secs. 23, 24, 25 and 26.	
	Thence	
	N. 89° 18' W. on a true line bet. secs. 23 and 26, with same va.	
17.00	Hill about 100 ft. high brs. N. & S.	
28.35	Road from mountain to Wellington brs. N.E. & S.W.	38.
28.45	Enter dense sage	40.
32.40	Road from Wellington to ~~N.E.~~ mountain brs. N. E. and S. W.	
40.10	Set gray quartzite stone 14 x 6 x 6 ins. 9 ins. in the ground, for 1/4 sec.	

Chains	
	cor marked ¼ on N. face, and raised a mound of earth and stone alongside.
40.90	Trail brs. N. E. & S. W.
48.40	Wash 33 lks. wide 3 ft. deep drs. N. E.
56.00	Trail brs. N. E. & S. W.
65.00	Trail brs. N. E. & S. W.
69.75	Wash 100 lks. wide 4 ft. deep drs. N. E.
76.30	Wash 10 lks. wide 1 ft. deep drs. N. E.
80.20	The cor. to secs. 22, 23, 26 & 27. Land, hilly and broken. Soil 2nd rate. Dense undergrowth, sagebrush on 80.20 chs. July 5th 18
	North bet. secs. 22 and 23. Ga 16°30
38.00	Wash 25 lks. wide 4 ft. deep drs. N. E.
40.00	Set gray quartzite stone, 15 x 12 x 8 ins. 10 ins. in the ground, for ¼ sec. cor. marked ¼ on W. face, and raised a mound of earth and stone alongside.

20 Subdivision T15 S R3 W

Chains		Cha
80.00	Set gray quartzite stone 15 × 8 × 6 in 10 ins in the ground, for cor. to secs. 14, 15, 22 & 23, marked 3 notches on S. & 2 notches on E. edge raised a mound of earth and stone along side	40.0
		79.4
	Land rolling.	80..
	Soil clay and gravel mixed 2nd rate.	
	Good grass	
	Dense undergrowth sage on 80 chs	
	East on a random line bet. secs. 14 and 23.	
	Va. 16°30' E.	1.0
		40.0
40.00	Set temporary 1/4 sec cor.	
80.40	Intersect N. and S line 40 lks. N. of the cor to secs. 13, 14, 23 and 24.	
	Thence	
	N. 89°43' W. on a true line bet. secs. 14 and 23, with same va.	44.9
		71.2
40.20	Set gray sandstone 14 × 10 × 6 in 9 ins. in the ground, for 1/4 sec	80.0

Chains	cor marked ¼ on N. face, and raised a mound of earth and stone alongside.
40.50	Wash 50 lks. wide 4 ft. deep drs. N. E.
79.45	Road from Oak Creek to Wellington. N.W. & S.E.
80.40	The cor. to secs. 14, 15, 22 & 23. Land, rolling. Soil, clay and gravel 2nd rate. Dense undergrowth sage on 80.40 Chains
	North bet. secs. 14 and 15. Va. 16°30' E.
1.00	Road from Wellington to Oak Creek N.W. & S.E.
40.00	Set gray quartzite stone 17 x 8 x 8 ins. 11 in the ground, for ¼ sec. cor. marked ¼ on W. face, and raised a mound of earth and stone alongside
44.95	Trail brs. N. E. and S. W.
71.25	Trail brs. E. and W.
80.00	Set gray quartzite 15 x 10 x 4 ins. 10 ins. in the ground, for cor. to

22 Subdivision T. 4 S. R. 3 W.

Chains	secs. 10, 11, 14 & 15, and raised a mound of earth and stones alongside.	Cha 8.0.6
	Land, nearly level.	
	Soil, 3rd rate.	
	Dense undergrowth sage, on 80 chs.	
	East on a random line bet. secs. 11 and 14.	
	Va. 16° 15' E.	.0
40.00	Set temporary ¼ sec. cor.	5.1
80.60	Intersect W and S. line 27 lks.	8.6.
	S. of the cor to secs. 11, 12, 13 and 14.	24.6.
		28.0
	Thence	40.0
	S 89° 48' W. on a true line bet. secs. 11 and 14, with camera.	
27.50	Trail br. N. E. and S. W.	
40.30	Set gray sandstone 14 x 8 x 6 ins. 9 ins. in the ground, for ¼ sec. cor. marked ¼ on N. E. face and raised a mound of earth	42.2
		52.5
		74.5

BOOK-A-204

Chains	
	and Stone alongside
80.60	The cor. to secs. 10, 11, 14 and 15.
	Land, ascending west.
	Soil, clay and gravel 2nd rate.
	Good Grass
	Dense undergrowth sage
	on 80.60 chs.
	North bet. secs. 10 and 11.
	Va. 16°30' E.
.05	Trail brs. E. and W.
5.15	Trail brs. E. and W.
8.65	" " " " "
24.67	" " " " "
28.00	" " " " "
40.00	Set gray quartzite stone 14×8×8 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside.
42.25	Wash 15 lks. wide 3 ft. deep drs. S. E.
52.50	Wash 18 lks. wide 3 ft. deep drs. S. 80° E.
74.50	Trail brs. E. and W.

24 Subdivision T. 15 S. R. 3 W.

Chains	
76.50	Wash 30 lks. wide 2 ft. deep drs E.
80.00	Set gray quartzite stone 15 x 10 x 7 ins 10 ins. in the ground for cor. to secs. 2, 3, 10 and 11, marked 5 notches on S. and 2 notches on E. edges, and raised a mound of earth and Stone alongside.
	Land, rolling.
	Soil, clay and gravel 2nd rate.
	Bunch grass good for grazing
11	Dense underground cage on 80 ch.
	East on a random line bet. secs. 2 and 11.
	Va. 16° 15' E.
40.00	Set temporary ¼ sec. cor.
80.40	Intersect N. and S. line 40 lks. N. of the cor. to secs. 1, 2, 11 and 12.
	Thence
	N. 89° 43' W. on a true line bet. secs 2 and 11, with same va
40.20	Set gray quartzite stone 14 x 10 x 8 ins 10 ins in ground

Chains	
	for 1/4 cor. marked 1/4 on N. face, and raised a mound of earth and stone alongside
63.25	Trail brs. N. E. and S. W.
65.00	" " " " " "
70.00	" " N. E. and S. W.
74.75	Leave cedars brs. N. & S.
80.40	The cor. to secs. 2, 3, 10 & 11.
	Land, rolling.
	Soil, clay and gravel 2nd rate.
	Scatt. cedar timber on 74.75 ch.
	Dense undergrowth cage in 80.40 ch.

North on a true line bet. secs. 2 and 3.

Va. 16° 30' E.

32.90	Canon brs. N. E.
37.90	Ridge about 70 ft. high brs. E & W
39.40	Canon about 100 ft. deep brs. E.
40.00	Set gray quartzite stone 14 x 9 x 8 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W.

Chains	fact, and raised a mound of stone alongside	E
65.30	Ridge 100 ft. high brs. N. E. and S. W.	
71.90	Wash 25 lks. wide 3 ft. deep drs. N. E.	
76.90	Ridge about 150 ft. high, descends E.	
80.15	Wash 20 lks. wide 3 ft. deep drs. N. E.	
85.90	Ridge brs. S. W. N. E.	
101.40	Hill about 100 ft. high brs E. and W.	
107.90	Ascend	
109.80	Wash 20 lks. wide 3 ft. deep drs. S. E.	
113.40	Intersect the North boundary of the Tp. at a point 22.20 chs. West of the cor. to secs. 34 and 35 — which is a granite stone 4 x 12 x 4 ins. firmly set in the ground and marked 2 notches on E. and 4 notches on W. edges, with a mounds of stone alongside	2
	At point of intersection Set a gray flint stone 15 x 8 x 6 ins. 10 ins. in the ground, for closing	H

Chain cor to secs. 2 and 3. marked 2 notches on E. and 4 notches on W. edges, and C. C. for closing cor. and raised a mound of earth and stone alongside Land, rolling, and mountainous Soil, 2nd rate.

Dense undergrowth sage on 113.40 chs.

July 4th 1884

From the cor. to secs. 33 and 34, on the 3rd Standard Par South re-established under present contract

I run

North bet. secs. 33 and 34.

Va. 16°30' E.

7.30 Wash 15 lks. wide 3 ft. deep drs. S. W.

28.30 Mountain spur about 100 ft. high brs. E and W.

40.00 Set gray quartzite stone 14.x10x6 ins 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and

28

Chains	raised a mound of earth and stone alongside.	Ch
63.00	Foot of ridge Cir. N.W.	
80.00	Set white quartzite stone 15×7×5 ins. 10 ins. in the ground, for cor. to secs. 27, 28, 33 and 34, marked 3 notches on E. and 1 notch on S. edges, and raised a mound of earth and stone alongside.	9. 33. 40.
	Land, rolling and broken mountains	
	Soil, rock, gravel and clay 4th & 2nd rate.	58.
~	Scatt timber, cedar & mahogany 80 chs	69. 80.
	Dense undergrowth, sagebrush on 80 chs.	~
	Cast on a random line bet. secs. 27 and 34. Va. 16° 30' E.	
40.00	Set temporary ¼ sec. cor.	
80.30	Intersect N and S. line 28 lks. N. of the cor. to secs. 26, 27, 34 & 35.	

Chains	Thence
	N. 89° 32' W. on a true line bet. secs. 27 and 34, with same var.
9.50	Ridge or Hot. spur about 500 ft. high on S. E. and N. W.
33.00	Foot of ridge. Ascend.
40.00	Set gray quartzite stone 16 X 8 X 6 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on No. face, and raised a mound of earth and stone alongside.
58.00	Ridge about 100 ft. high brs. N. E. and S. W.
69.00	Ravine 10 ft deep drs. S. W.
80.30	The cor. to secs. 27, 28, 33 and 34.
	Land, mountainous
	Soil, clay and rock 2nd and 4th rate
	Scattering timber cedars and mahogany on 80.30 chs.
	Good bunch grass all along line
	Dense undergrowth sagebrush on 80.30 chs.
	North bet. secs. 27 and 28

30 Subdivision T. 38 S. R. 3 W.

Chains		Ch
	Va 16° 30' E	
32.50	Wash 10 lks. wide 1 ft deep drs. S. W.	
40.00	Set gray sandstone 16 x 7 x 4 ins. 11 ins. in the ground, for 1/4 sec. cor marked 1/4 on W. face, and raised a mound of earth and stone alongside.	40 80
57.00	Mountain about 1,000 ft. high brs. N. W. and S. E.	
80.00	Set gray sandstone 14 x 10 x 7 ins. 9 ins in the ground, for cor. to secs. 21, 22, 27 and 28, marked 3 notches on E. and 2 notches on S. edges, and raised a mound of stone alongside.	40
	Land, mountainous.	4
	Soil, rock and gravel 3rd and 4th rate.	76. 80
	Scatt. timber cedar and mahogany on 80 chs.	
	Dense undergrowth oak and sage brush on 80 chs.	
	East on a random line bet	

BOOK-A-204

Chains	
	secs. 22 and 27.
	Va 16° 30' E.
40.00	Set temporary 1/4 sec. cor
80.01	Intersect N. and S line 42 lks S. of the cor. to secs. 22, 23, 26 and 27.
	Thence
	S. 89° 42' W. on a true line bet. secs. 22 and 27. with same va.
40.00	Set gray quartzite stone 15 x 8 x 6 ins. 18 ins in the ground for 1/4 sec cor marked 1/4 on N face and raised a mound of earth and stone alongside.
41.80	Foot of mountain. Ascend
76.00	Top of mountain brs. N. and S.
80.01	The cor. to secs. 21, 22, 27 and 28.
	Land, mountainous.
	Soil, clay, gravel and rock 3rd and 4th rate.
	Dense undergrowth sagebrush on 80.01 chs.
	North bet. secs. 21 and 22.

32 Subdivision T 15 S R 3 W

Chains		Chains
	Va. 16° 30' E.	
40.00	Set gray sandstone 15 x 8 x 6 ins. 10 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside.	40.00
42.00	Foot of mountain ridge brs. E & W.	80.00
47.00	Wash 18 lks. wide 3 ft. deep drs. N. W.	
64.00	Foot of hill brs. S. E. and N. W.	
80.00	Set gray quartzite stone 14 x 12 x 4 ins. 9 ins. in the ground, for cor. to secs. 15, 16, 21 and 22, marked 3 notches on E. and S. edges, and raised a mound of earth and stone, alongside.	40.00
	Land, mountain ridges.	72.50
	Soil, rock, gravel and clay 2nd and 4th rate.	
	Scatt. timber cedars on 80 chs.	
	Grass, good for grazing.	
	Dens. under growth, sage brush & oak on 80 chs.	77.50
		80.00

Salt Lake Meridian

Chains	
	East on a random line bet. secs. 15 and 22. Va 16° 30' E.
40.00	Set temporary 1/4 sec. cor.
80.00	Intersect N. and S. line 21 lks. N. of the cor. to secs. 14, 15, 22 and 23. Thence N. 89° 51' W. on a true line bet. secs. 15 and 22, with same va.
40.00	Foot of ridge, brs. S. W. and N. E. Set gray granite stone 14 x 10 x 8 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of earth and stone alongside.
72.50	Ledge 300 ft. high, brs. S. W. It is 100 ft. high and 200 lks. across where line crosses, thence brs. N. E. and S. W.
77.50	Knoll south of line 10 ft. high, 12 ft. wide and 50 ft. long, brs. N. E. W. and S. E.
80.00	The cor. to secs. 15, 16, 21 and 22. Lands rolling & broken. Soil, rock, gravel & clay 2nd & 4th rate.

34 Subdivision T 15 S R 3 W

Chains		Ch
	Dense undergrowth sage brush on 80 chs.	
	North bet secs 15 and 16. Va. 16°30' E.	
4.0	Hill about 200 ft. high brs. N. and S.	
36.00	Foot of hill.	
38.00	Trail brs. E and W.	
40.00	Set blue limestone 14 x 9 x 5 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside.	
41.10	Road from Wellington to Oak Creek brs. E. and W.	40. 80.
42.00	Wash 20 lks. wide 2 ft. deep drs. E.	
44.60	Trail brs. E and W.	
53.60	Road brs E. and W.	
64.50	Ridge about 100 ft. high brs. N. W. and S. E.	
80.00	Set gray quartzite stone 15 x 10 x 4 ins. 10 ins. in the ground, for cor. to secs. 9, 10, 15 and 16,	1 16.6 35.1

Chain	marked 4 notches on S and 3 notches on E. edges, and raised a mound of earth and stone alongside.
	Land, hilly
	Soil, clay, gravel and rock
	2nd and 4th rate.
	Bunchgrass
	Dense undergrowth sage on 80 chs.
	July 8th 1884
	East on a random line bet. secs. 10 and 15.
	Va. 16°30' E.
40.00	Set temporary 1/4 sec. cor.
80.02	Intersect N and S. line 56. lks. S of the cor. to secs. 10, 11, 14 and 15.
	Thence
	S. 89°36' W. on a true line bet. secs. 10 and 15.
	joins same var.
.10	Trail brs. S. W. and N. E.
16.65	Trail brs. N. E. and S. W.
35.15	Trail brs. S. W. and N. E.

Subdivision T. 15 S. R. 3 W.

Chains	
40.00	Set gray quartzite stone 14 x 8 x 6 in. Post in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside.
51.75	Wash 50 lks. wide 3 ft. deep drs. S.
78.50	Wash 10 lks. wide 2 ft. deep drs. S. E.
80.02	The cor. to secs. 9, 10, 15 and 16. Land ascending west. Soil, clay and gravel, 2nd rate. Dense undergrowth sage on 80.02 chs.

North bet. secs. 9 and 10.
Va. 16° 30' E.

.20	Wash 10 lks. wide 2 ft. deep drs. N. E. 100 lks. wide entire Wash
1.00	Wash 15 lks. wide 1 ft. deep drs. N. E.
1.15	Ascend hill, brs. S. E. and N. W.
14.00	Hill about 75 ft. high, brs. E. & W.
18.50	Foot of hill.
23.40	Wash 50 lks. wide 2 ft. deep, drs. S. E.
37.50	Hill about 150 ft. high brs. N. W. and S. E.

BOOK-A-204

Chains	
40.00	Set gray quartzite stone 15x10x3 ins. 10 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside
43.00	Foot of hill. Wash 10 lks. wide 1 ft. deep dir. S. E.
79.00	Ridge about 175 ft. high bri. N. W. and S. E.
80.00	Set gray quartzite stone 24x8x6 ins. 17 ins. in the ground for cor. to secs. 3, 4, 9 and 10. marked 5 inches on S. and 3 inches on E. edges, and raised a mound of earth and stone along side.

Land, rolling.
Soil, clay + gravel 2nd rate.
Dense undergrowth sage brush grass
on 80 chs.

Subdivision T. 15 S. R. 3 W.

Chains	East on a random line bet. secs. 3 and 10. Va. 16° 30' E.		E.
40.00	Set temporary 1/4 sec. cor.		
60.20	Intersect N. and S. line 20 lks. S. of the cor. to secs. 2, 3, 10 and 11. Thence S. 89° 51' W. on a true line bet. secs. 3 and 10 with same va.		
20.00	Wash 20 lks. wide 3 ft. deep drs. S. E.		
40.00	Set gray quartzite stone 15 x 12 x 6 ins. 10 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a mound of earth & stone alongside.	S. 1/2	40.
42.50	Ledge of quartzite cobble stone 50 ft. high.		
45.00	Ridge about 400 ft. high brs. N. E. and S. W.		
64.50	Hill about 150 ft. high brs. S. E. and N. W.		41. 57.
77.00	Foot of hill brs. S. E. & N. W. Wash 10 lks. wide 1 ft. deep drs. S. E.		80.
80.20	The cor. to secs. 3, 4, 9 & 10.		

Salt Lake Meridian 39

Chains	
	Land, hilly and broken: Soil, rock, clay and gravel 2nd and 4th rate. Bunch grass Dense under growth sage on 80.20 chs
	North on a true line bet. secs. 3 and 4.
	Va. 16°30' E.
5.30	Hill, Wash 15 lks. wide 1 ft. deep. drs. S. E.
12.5	Hill about 200 ft. high brs. S. E. and N. W.
40.00	Set gray quartzite stone 16 x 8 x 6 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside.
41.00	Ridge brs. N. E.
57.00	Cliff of cobble stone about 30 ft. high brs. E. and W.
80.40	Wash 10 lks. wide 2 ft. deep drs. N. W.

40 Subdivision T. 15 S. R. 2 W.

Chains	
110.50	Intersect the north boundary of the Tp at a point 22.15 chs. W of the cor to secs. 33 and 34 which is a granite stone 14·10×7 ins. firmly set in the ground, marked 3 notches on E. and 3 notches on W. edges, with a mound of stone alongside. At point of intersection Set a black quartzite stone 16×8×5 ins. 11 ins. in the ground, for cor to secs. 3 and 4, marked C C 1 3 notches on E. and W. edges, and raised a mound of earth and stone alongside. Land, hilly and broken Soil, clay and rock 3rd rate. Dense undergrowth sage brush on 110.50 chs. July 9th 1884

Ch

19

30

Salt Lake Meridian

October 28. 1884

Chains Note. The two tiers of secs. along the West boundaries of this township being in abrupt precipitous mountains were not surveyed but there being a settler having a farm and other valuable improvements on the Sevier River along the W. C. R. R. in sec. 6 and the cor. to secs. 5, 6, 7 and 8 not being established I began at the cor. to secs. 5, 6, and 7, established by me and run east on a true line bet said secs.

Va. 16° 30' E.

Ascend.

17.90 Set a quartzite stone 16 X 10 X 6 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of stone alongside.

37.90 Mountains too precipitous

Subdivision T 15 S R 3 W

Chain to continue line further, I therefore discontinue same and set a Quartzite stone 15 x 10 x 3 ins. 10 ins. in the ground, for witness cor. to secs. 5, 6, 7 and 8. 20 chs. West of point for cor. to above secs. marked 5 notches on S. and E. edges and W. C. and raised a mound of Stone alongside

Land mountainous
Soil C. 3rd and 4th rate
High mountains on 37.90 chs

From Witness cor. 20.00 chs west of point for cor. to secs 5.6.7.x8

Iron
North on offset line bet. secs. 5 and 6.

Salt Lake Meridian

Chains	Va. 16°30 E.
20.00	To point
	Thence
	East
20.00	To point on line bet secs. 5 and 6.—
	Set quartzite stone 18 x 12 x 4 ins. 12 ins. in the ground, for witness cor on line bet secs. 5 and 6, marked W. E. 5 notches on S & E sides and raised a mound of stone alongside.
	I now continue line
	North on a true line bet secs 5 and 6.— counting from the cor point to secs. 5. 6, 7 and 8.
40.00	Set quartzite stone 14 x 12 x 6 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside
54.00	Ridge brs. E. and W.
75.00	" " " " "

Subdivision T. 15 S. R. 3 E.

Chains	
82.00	point about 25 lks. E. of George W. Crosbys house and R. R. tank.
97.40	Bluff 15 ft. high. Enter bottom brs. E. and W.
97.90	Leavington Canal 30 lks. wide 3 ft. deep runs W.
104.80	Sevier river 100 lks. wide 6 ft. deep, rapid current, rocky bottom runs S. W.
107.90	Intersect the N. boundary of Tp. at 21.50 chs. W. of the cor. to secs. 5, 6, 31 and 32, which is a granite stone 34 x 10 x 8 ins. firmly set in the ground, marked 5 notches E. and 1 notch W. edges, with a mound of stone alongside. At the point of intersection set a gray limestone 14 x 6 x 6 ins. 9 ins. in the ground, for closing cor. to secs. 5 and 6, marked 5 notches on E. and 1 notch on

Salt Lake Meridian

Chain W. edges and C.C. on N. face, and raised a mound of earth and stones alongside.
Robert Crosby's farm is in sec. 6 about 60 acres cultivated Land, mountain bench and bottom.
Soil, 1st 2nd rate
Dense undergrowth sage brush and willows on 8 7. 90 chs.
Mountains on 43.40.
Augmented on 80.90 chs
October 28th 1884

General Description.

This township contains nearly every variety of land from plains to mountains, and the soil ranges from alkali to rich loam.
Along the Sevier River in the north eastern and north western parts of the Tp is rich black sand loam, capable of producing

Subdivision T. 15 S. R. 3 W.

Chums abundant crops without irrigation. The remaining portion of the Tp. (except the mountains) can be classed as first and second rate, and is covered with grass and sagebrush, where cattle, sheep and horses graze. The mountains are covered with timber, scattered oak, cedar, nut pine and mahogany. There are indications of iron ore in secs. 2 and 3.

The Township is watered by the Sevier River, which runs through the northwest corner & northeastern portions. The Utah Central Rail Road runs through the N.E. & N.W. Western portions.

Robt Crosby applicant for survey is in sec. 6, having a cultivated farm of 60 acres. The western part of the Tp. being abrupt and precipitous

BOOK-A-204

Salt Lake Meridian

mountains was not
subdivided.

Andrew J. Stewart Jr.
U. S. Deputy Sur.

BOOK-A-

A list of th
ployed by Ana
United States d
ning, measurin
corners describe
the survey of Sta
Sub-division
R18W, T16S R
T27S, R14W

of the Salt Lake
tory of Utah, sh
in which they a

J S
B A
W W

B J
J L

BOOK-A-204

[4—LIST OF NAMES.]

A list of the names of the individuals employed by Andrew J Stewart Jr *United States deputy surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the survey of* Standard Extension and subdivision lines in T15S, R3W, T15S R18W, T16S R19W, T21S R19W and in T27S, R14W

of the Salt Lake base and meridian in the Territory of Utah, showing the respective capacities in which they acted.

J S Giles, *Compassman.*
B Altringam, *Chainman.*
W M Lowan, *Chainman.*
, *Chainman.*
, *Chainman.*
B J Brown, *Axeman.*
J S Giles, *Axeman.*
, *Flagman.*

I ~~We~~ hereby c
Andrew Stew
surveyor in su
of the Standa
lines in Sp
T. 16 S. R. 19 W.
21 S. R. 14

of the Salt Lake
tory of Utah, as
field notes as h
under his direc
been in all respe
and belief, well
corner monume
instructions fu
surveyor-genera

Subscribed and s
day of

[5.—FINAL OATHS OF ASSISTANTS.]

I ~~We~~ hereby certify that we assisted Andrew Stewart Jr United States deputy surveyor in surveying all those parts or portions of the Standard exterior and subdivision lines in Tp. 15 S. R. 3 W. T. 15 S. R. 18 W. T. 16 S. R. 19 W. T. 21 S. R. 19 W. and in T. 21 S. R. 14 W.

of the Salt Lake base and meridian in the Territory of Utah, as are represented in the foregoing field notes as having been surveyed by him, and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States surveyor-general for Utah.

L. Giles, Compassman.

, Chainman.

, Chainman.

, Chainman.

, Chainman.

, Axeman.

, Axeman.

, Flagman.

Subscribed and sworn to before me this 17th day of July 1884.

Edward Michaelis
Notary Public

BOOK-

Is

We hereby
Andrew J. Stew
surveyor, in su
of the Stand
ion lines
18 W., T. 16 S.
in T. 27 S.
of the Salt Lak
tory of Utah, a
field notes as
under his dire
been in all resp
and belief, wel
corner monum
instructions f
surveyor-gener

B. S
W. S

B
J. F

Subscribed and
day of July

BOOK-A-204

[5.—FINAL OATHS OF ASSISTANTS.]

We hereby certify that we assisted Andrew J Stewart Jr United States deputy surveyor, in surveying all those parts or portions of the Standard exterior and Subdivision lines in T. 15 S. R. 3 W., T. 15 S. R. 18 W., T. 16 S. R. 19 W., T. 21 S. R. 19 W. and in T. 27 S. R. 14 W.

of the Salt Lake base and meridian in the Territory of Utah, as are represented in the foregoing field notes as having been surveyed by him, and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States surveyor-general for Utah.

....., Compassman.

B. A. Stringam, Chainman.

W M Cowan, Chainman.

....., Chainman.

....., Chainman.

B J Brown, Axeman.

J F Giles, Axeman.

....., Flagman.

Subscribed and sworn to before me this 12" day of July 1884

J S Giles

Notary Public

BOOK-A

[6.—FINAL OA

I, Ana

United States

swear that in

from Ana

United States

ing date of the

1884, I have

own proper per

the instruction

surveyor-gener

ual and the la

all those parts

Exterior and

15 S. R. 3

R. 19 W. T.

R. 14 W.

and meredian

represented in

been surveyed

and I do furth

ners of said s

perpetuated in

veying manua

written instru

veyor-general

[6.—FINAL OATH OF UNITED STATES DEPUTY SURVEYOR.]

I, Andrew J. Stewart Jr

United States deputy surveyor, do solemnly swear that in pursuance of instructions received from Fred Salomon United States surveyor-general for Utah, bearing date of the 1 day of April, 1884, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States surveyor-general for Utah, the surveying manual and the laws of the United States, surveyed all those parts or portions of Standard Exterior and Subdivision lines in Tp. 15 S. R. 3 W. T. 15 S. R. 18 W. T. 16 S. R. 19 W. T. 21 S. R. 19 W. and in T. 27 S. R. 14 W.

of Salt Lake base and meredian in the Territory of Utah, as are represented in the foregoing field notes as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying manual, printed instructions, the special written instructions of the United States surveyor-general for Utah, and in the specific man-

ner described in the field notes, and that the foregoing are the **TRUE** *field notes of such survey; and, should any fraud be detected, I will suffer the penalty of perjury, under the provisions of an act of Congress, approved August 8, 1846.*

Andrew J. Stewart Jr.

United States Deputy Surveyor

Subscribed and sworn to before me this 12 *day of* July *1884*

[illegible]

Notary Public

[5.—FINAL OATHS OF ASSISTANTS.]

We hereby certify that we assisted Andrew J Stewart Jr *United States deputy surveyor, in surveying all those parts or portions of the* West Boundary and fractional subdivisions of Tp 15 S R 3 W

of the Salt Lake base and meridian in the Territory of Utah, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States surveyor-general for Utah.

J. S. Giles, *Compassman.*

B. A. Stringam, *Chainman.*

Wm. McCowan, *Chainman.*

, *Chainman.*

, *Chainman.*

Brigham J. Brown, *Axeman.*

James F. Giles, *Axeman.*

, *Flagman.*

Subscribed and sworn to before me this 30th *day of* October *1884*

Andrew J Stewart Jr
U. S. Deputy Surveyor

16.—FINAL OAT

I, Andre

United States

swear that in p

from Indi

United States

ing date of the

1884, I have

own proper pers

the instruction

surveyor-gener

ual and the lat

all those parts

Fractional

3 West

and meredian

represented in t

been surveyed b

and I do furthe

ners of said su

perpetuated in

veying manual,

written instruc

veyor-general f

BOOK-A-204

[6.—FINAL OATH OF UNITED STATES DEPUTY SURVEYOR.]

I, Andrew J Stewart Jr United States deputy surveyor, do solemnly swear that in pursuance of instructions received from Fred Solomon United States surveyor-general for Utah, bearing date of the 10th day of October, 1884, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States surveyor-general for Utah, the surveying manual and the laws of the United States, surveyed all those parts or portions of West Boundary Fractional Subdivision T 15 S R 3 West

of Salt Lake base and meredian in the Territory of Utah, as are represented in the foregoing field notes as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying manual, printed instructions, the special written instructions of the United States surveyor-general for Utah, and in the specific man-

ner described in the field notes, and that the foregoing are the **TRUE** *field notes of such survey; and, should any fraud be detected, I will suffer the penalty of perjury, under the provisions of an act of Congress, approved August 8, 1846.*

United States Deputy Surveyor

Subscribed and sworn to before me this 17th *day of* January *1885*

Edward Michael

Notary Pub

BOOK-A

U. S. SURVEY

Salt Lake

The foreg

Township No.

Executed by

Under

day of

amined, the nece

the said field

hereby approved

BOOK-A-204

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Jany 17th 1885

The foregoing field notes of the survey of the Subdivisions of Fractional

Township No. 15 S Range No. 3 W

Executed by Andrew J Stewart Jr

Under his contract No 125 of the 7th

day of April 1884 in the month of

July 1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salomon

U. S. Surveyor General for Utah.

5 BOOK-A

REPORT: 18

Filed

Examined by

Transcribed by A

Compared by O.E.

FI

OF THE

Willow

Township No 1

Ranges No 179

SALT

Andr

U.

Under his C

Dated Ap

Survey comme

Survey comple

BOOK-A-204

255

REPORT: 1885

Filed 188

Examined by .....

Transcribed by Henry R. McAllister

Compared by P. E. Solomon & H. R. McAllister

FIELD NOTES

OF THE Re SURVEY OF THE

Willow Springs Guide Meridian

OF

Township No 15 South

Ranges No 17 & 18 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Andrew J. Stewart Jr.

U. S. Deputy Surveyor,

Under his Contract No. 125

Dated April 7th 1884

Survey commenced June 16 1884

Survey completed " 16 1884

NAMES AND DUTIES OF ASSISTANTS:

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A

Re

Willow Spring

On the
I took
Star P
with i
in the
drove p
establi

Survey
16th 1884
Solar
on the
night
north
the ea
va. 10
found
W 60
chs. th
E., 2.
Cont
nort
porti
in al

BOOK-A-204

Resurvey
Willow Springs Guide Meridian Tps 15 S.

On the night of June 15th 1884 I took an observation on the Star Polaris in accordance with instructions contained in the Manual of Surveys and drove pickets on the line thus established

Survey commenced June 16th 1884 with a Burts improved Solar Compass which I test on the line established last night and find correct. I run north on a blank line on the east boundary of sec 36, va. 16° 39' E. and at 40 chs. found 1/4 sec. cor. to be N. 60° W. 60 lks. dist., and at 80 chs. the sec. cor. to be N. 36½° E., 2.25 chs. dist. I therefore continued the true line north and found that no portion of the Meridian was in alignment and many

Willow Springs Guide Meridian Tps 14 Bet.

corners not to be found and that the corner to Tps 14 & 15 S. Rs 17 & 18 W was not due north of the starting cor. and as no subdivision lines had been closed on either side of the Meridian, I resurveyed the same as follows:

From the corner on 3rd Standard Parallel South to Tps 15 S. Rs 17 and 18 W which is a lime stone 20×12×8 ins marked 6 notches on N, E and W edges in mound of rock and earth with 3 pits, each 26×18×18 ins. I run:

North betw secs. 31 and 36
Va. 16°30' E.

11.00 Limestone ledge 12 ft high bears NW and S. E.

28.50 Wash, 4 ft deep drs. NW.

40.00 Set a blue limestone 14×10×8 ins. 8 ins in the ground, for 1/4 sec. cor. marked 1/4 on W. face and raised a mound of

BOOK-A-204

betw. Rs 17 and 18 W. S.L. Mer.

stone alongside. —

From which the old 1/4 sec. Cor. a limestone 20x12x4 ins marked 1/4 on W. side with a mound of stone alongside bears, N. 60° 00 W. 60 lks dist.

I destroyed same.

43.50 Wash drains N.W.

57.00 " " S.W.

77.00 " " N.W.

80.00 Set a blue limestone 15x8x6 ins., 10 ins in ground for Cor. to secs. 25, 30, 31 and 36, marked 1 notch S and 5 notches on N. edges, and raised a mound of stone alongside. —

From this Cor. the old sec. Cor. a limestone 20x20x20 ins, marked 5 notches on N and 1 notch on S. edges with a mound of stone alongside, bears N. 36½° E. 2.25 chains dist.

I destroyed the same.

Land mountainous.

Willow Springs Guide Meridian

Soil 2nd rate
Mountains on 80.00 chains

North between Secs 25 and 30
Va 16° 30' E.

2.50 Wash drains N.W.
10.00 " " " "
14.50 " " " "
33.00 " " " "
40.00 Set gray limestone 15×10×6 ins
10 ins in ground for 1/4 sec. cor.
marked 1/4 on W face, dug pits
18×18×12 ins. N. and S of stone
5 1/2 ft dist. and raised a mound
of earth 1 1/2 ft high, 3 1/2 ft base
alongside.
No trace of old corner.
43.00 Wash drains N.W.
45.00 " " " "
56.00 " " " "
75.00 " " W.
80.00 Hollow drains W. Set a grain
stone 16×12×6 ins. 11 ins in

BOOK-A-204

Tps 15 S. betw. Rs 17 and 18 W. S.L.M.

ground for cor. to secs 19, 24, 25 and 30, marked 2 notches on S and 4 notches on N edges, dug pits 18x18x12 ins in each sec 5½ ft dist and raised a mound of earth 2 ft. high, 4½ ft. base alongside. –

From which the old sec. cor. a limestone, 12x12x12 ins, marked 2 notches on S and 4 notches on N. edges with a mound of stone alongside bears N 5° E 4.60 chs. dist. I destroyed same.

Land rolling

Soil 2nd rate

Dense undergrowth, sagebrush and shadscale on 8000 chs.

North between secs 19 and 24

Va. 15° 30' E.

6.50 Wash drains W.

26.00 " " "

36.50 " " S.W.

Willow Springs Guide Meridian Resurvey Tps 15

40.00 At foot of Knoll set a grey granite stone, 16×8×3 ins, 11 ins in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a mound of stone alongside.

From which the old 1/4 sec. cor. a limestone 16×12×12 ins marked 1/4 on W. face, bears N 16° E., 6.25 chains distant.

I destroyed same.

57.00 Wash drains N. W.

62.00 " " " "

78.00 " " W

80.00 Set a grey limestone 15×10×10 ins. 10 in the ground for cor. to secs. 13, 18, 19 and 24, marked 3 notches on N. and S. edges and raised a mound of stone alongside.

From which the old sec. cor. a limestone 14×14×10 ins marked 3 notches on N & S. edges with a mound of

BOOK-A-204

Tps 15 S. betw Rs 17 and 18 W. S.L.M.

stone alongside, bears
N. 26° E. 8.60 chains distant
I destroyed the same.
Land rolling
Soil 2nd rate
Dense undergrowth, sagebrush
and shadscale on 86.00 chs.

North between Secs. 13 & 18.
Va. 16° 30' E.

2.00 Wash drains W.
6.00 " " "
9.00 " " "
10.00 Limestone ledge 15 ft high bears
NW. and S.E.
27.00 Wash drains W.
36.00 " " "
39.90 " " N.W.
40.00 Set a black flint stone,
16 x 10 x 6 ins. 11 ins in the ground
for 1/4 Sec. Cor. marked 1/4 on
W face and raised a mound
of stone alongside

Re-
Willow Springs Guide Meridian.

From which the old 1/4 sec cor. a limestone 14 x 12 x 10 ins marked 1/4 on W side with a stone mound alongside bears N 30° E., 9 chains dist.

I destroyed the same.

40.20 Wash drains N.W.
50.00 " " " "
55.00 " " " "
60.50 " " " "
70.00 " " W.
80.00 Set a gray limestone 16 x 10 x 8 ins 11 ins in the ground for cor. to sec^s 7, 12, 13 and 18, marked 2 notches on N and 4 notches on S. edges and raised a mound of stone alongside.

From which the old sec. cor. a limestone 16 x 15 x 10 ins marked 2 notches on N and 4 notches on S edges with a stone mound alongside bears N. 28° E., 11.28 chains dist.

BOOK-A-204

Survey
Tps 15 S. betw. Rs 17 and 18 W. S.L.M.

I destroyed the same
Land rolling
Soil 2nd rate.
Dense undergrowth, sagebrush and shadscales on 80.00 chs.

North between Secs 7 and 12.
Va. 16°30' E.

3.50 Wash drains N.W.
10.00 " " " "
16.50 " " " "
20.00 " " " "
38.00 " " " "
40.00 Set a dolemite stone 16×12×6 ins, 11 ins in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a mound of stone alongside.—

From which the old 1/4 sec. cor. a limestone 20×12×12 ins marked 1/4 on W. side with a stone mound alongside bears N. 40° E. 11.00 chains dist.

I destroyed the same.

Re-

Willow Springs Guide Meridian

42.00 Wash drains S.W.
45.00 " " " "
48.00 Hill descends W.
48.50 Wash drains W.
49.00 Ravine " "
54.00 " " "
76.00 Ridge bears W.
80.00 Set a blue limestone 15x10x5 ins. 10 ins in ground for the corner to secs. 1, 6, 7 and 12 marked 1 notch on N and 5 notches on S. edges and raised a mound of stone alongside.

No trees of old corner.

Land rolling spurs of mountain

Soil 2nd and 4th rate

Dense undergrowth, sagebrush and shadscale on 80.00 chains.

North between secs. 1 and 6
Va. 16°30' E.

1.15 Ravine drains S.W.

BOOK-A-204

Survey
Tps 15 S. betw. Rs 17 and 18 W. S.L.M.

5.00 ridge bears N. E and S. W.
10.70 Cañon drains W.
18.00 ridge about 50 ft high bears N. E and S. W. Here fossil shells are found
20.00 Ledge 8 ft high, descends N. W.
25.50 Cañon drains W
30.00 Mountain 1900 ft high bears N. W and S. E.
34.25 Ravine drains E.
36.00 ridge descends E.
40.00 Set a blue limestone 20 x 12 x 6 ins. 15 ins in ground for 1/4 sec. Cor. marked 1/4 on W. face and raised a mound of stone alongside;
From which the old 1/4 sec. c. a limestone 12 x 10 x 8 ins, marked 1/4 on W side and a stone mound alongside, bears N. 32° E. 11.00 chains dist.
I destroyed same.
56.50 Leave Mountain bearing N. W and S. E, enter dense undergrowth.

Willow Springs Guide Meridian Re-

62.25 Road from Cherry cr. to Desert bears N.W and S.E.

67.50 Wash drains W

76.50 " " N.W.

80.00 Set a blue limestone 18×12×10 ins 12 ins in ground for the corner to Tps 14 and 15 S., Rs 17 and 18 W marked 6 notches on N, S, E, and W edges and raised a mound of stone alongside;

From which the old tps. cor. a limestone, 24×12×10 ins, marked 6 notches on N, S, E and W edges and with a stone mound alongside bears N. 82° E, 14.40 chains dist.

There being no subdivisions dependent on this cor I destroyed the same. –

Land rolling and level.

Soil 2nd and 4th rate. –

Mountains on 56.50 chains

Dense undergrowth, sagebrush and shadscale on 23.50 chains

Augmented on 8000 chains.

June 6th 1882

BOOK-A-204

Survey of Tps 15 S. betw. Rs 17 and 18 W. S.L.M.

General Description.

See Subdivisions.

Andrew J. Stewart

U.S. Dep. Surveyor.

BOOK-

U. S. SURVI

Salt La

The for

Willow

Township No.

Executed by

Under

day of

Jam

amined, the n

the said field

hereby approv

BOOK-A-204

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, January 17th, 1886.

The foregoing field notes of the survey of the Willow Springs Lewis Meridian

Township No. 15 South *Range No.* 17 & 18 West

Executed by Andrew J. Stewart Jr.

Under his *contract* No 125 *of the* 7th

day of April 1884, *in the month of*

June 1884, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK

REPORT: 1

Filed

Examined by

Transcribed by

Compared by

F

OF TH

Township No

Range No 1

SALT

Under h

Dated

Survey com

Survey com

BOOK-A-204

273

REPORT: 1885

Filed 188

Examined by .....

Transcribed by E. Michaels

Compared by O. Salomon & H. Atkinson

FIELD NOTES

OF THE SURVEY OF THE

North Boundary

OF

Township No 15 South

Range No 18 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Andrew J. Stewart Jr

U. S. Deputy Surveyor,

Under his Contract No. 125

Dated April 9th 1884

Survey commenced June 17th 1884

Survey completed " 17th 1884

NAMES AND DUTIES OF ASSISTANTS:

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A-

North Bou

Sum

Chains From

18 and

line

the

being

half

at ea

find

6 m

the

the c

and

the

be 7

lks.

cor

Fro

Rgs.

una

N.89

secs.

BOOK-A-204

North Boundary T. 15 S. R. 18 W. S.L.M.

Survey commenced June 17th 1884

Chains From the cor. to Tps. 14 and 15 S. Rs. 18 and 19 W. I run E. on a random line between said townships the variation of my compass being 16°30' E. I set temporary half mile and quarter at each 40 and 80 chains, and find the township line to be 6 miles and 20 lks. long and the falling to be 45 lks. N. of the cor. to Tps. 14 and 15 S. Rs. 17 and 18 W. The correction for the true line will therefore be 7½ lks. South and 20 lks. E. per mile and its course will be N. 89°57' W.

From the cor. to Tsp. 14 & 15 S. Rs. 17 and 18 W. reestablished under present contract.

I run.

N. 89°57' W. on a true line bet secs. 1 and 36.

Va. 16°30' E.

Salt Lake Meridian

Chains	
18.00	Wash dro. N. W.
29.00	Road from Cherry Cr. to Desert bra. N. W & S. E.
30.00	Wash dro. N. W. **foot of knoll**
40.00	Set a gray lime stone 20x18x14 ins. 15 ins. in ground for 1/4 sec. cor. marked 1/4 on N. face and raised a mound of stone along side.
41.50	Black knoll about 60 ft. high
50.00	Foot of knoll.
60.70	Road bra N. E. and S. W.
80.00	Set a gray lime stone 16x6x4 ins. 11 ins in the ground for the cor. to secs. 1, 2, 35 and 36 marked 1 notch on E. and 5 notches on W edges and raised a mound of stone along side.

Land rolling
soil 3rd rate
Dense undergrowth shadscale and sage brush on 80.00 chs.

BOOK-A-204

North Boundary of T. 15 S. R. 18 W.

Chains N. 89° 57' W. on a true line bet. secs. 2 and 35.

Va. 16° 30' E.

12.00 Hollow dro. N. W.

53.00 Wash dro. N. W.

38.50 " " "

40.00 Set a gray lime stone 14 x 6 x 6 ins. 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a mound of stone along side.

68.00 Bench trs. N. & S.

78.50 Wash dro. N. W.

80.00 Set a lime stone 14 x 8 x 6 ins 9 ins in the ground for the cor. to secs 2, 3, 34 and 35 marked 2 notches on E. and 4 notches on W edges. and raised a mound of stone alongside

Land rolling according to cor. Soil 2nd rate.

Dense undergrowth sagebrush and shadscale on 80.00 chs.

Salt Lake Meridian

Chains	N. 89° 57' W. on a true line bet secs. 3 and 34.
	Va. 16° 30' E
26.00	Foot of second bench bn. N. W. & S. E.
40.00	Set a gray lime stone 16x10x3 ins 10 ins. in the ground for 4 sec. cor. marked 4 on N. face dug pits 18x18x12 ins. E. and W. of cor. 5½ ft. dist. and raised a mound of earth 1½ ft high 3½ ft base along side.
51.50	Wash dro. S. W.
71.00	" " " "
75.00	Ridge bn N. W. and S. E.
77.00	Wash dro. S. W.
80.00	Set a lime stone 16x10x10 ins 11 ins. in the ground for the cor. to secs. 3, 4, 33 and 34, marked 3 notches on E. and W. edges. dug pits 18x18x12 ins. on each sec. 5½ ft. dist. and raised a mound of earth 2 ft high 4½ ft. base along side.
	Land rolling

BOOK-A-204

North Boundry T 15 S. R 18 W.

Chains soil 2nd & 3rd rate.
Dense undergrowth shadscale and greasewood on 80.00 chs.

N. 89° 57' W. on a true line bet secs. 4 and 33
Va. 16° 30' E.

4.00 Set a gray lime stone 16 x 6 x 5 ins 18 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face and dug pits 18 x 18 x 12 ins. E. and W. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside

8.00 Set a gray lime stone 14 x 12 x 3 ins. 8 ins. in the ground for cor to secs. 4, 5, 32 and 33, marked 4 notches E and 2 notches W. edges, dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base along side.
Land level & knolly

Salt Lake Meridian.

Chains soil 2nd rat
Dense undergrowth grease-
wood on 80.00 chs.

North 89°57' W. on a true line
bet. secs 5 and 32.
Va. 16°30' E.

3.50 Enter over flowed land brs. N.
24.00 Leave water which is from 3 to
ins. deep caused by melting snow
40.00 Set a white sandstone 15×8×3
ins. 10 ins. in the ground for
¼ sec. cor. marked ¼ on N. face
dug pits 18×18×12 ins. E. & W.
of stone 5½ ft. dist. and raised
a mound of earth 1½ ft. high
3½ ft. base along side
42.00 Trail brs. N. W. & S. E.
47.30 Road from Salt Marsh to
fish Springs brs. N. and S.
80.00 Set a white sandstone 16×7×5
ins. 11 ins. in the ground
for cor. to secs. 5, 6, 31, and 32.

BOOK-A

North Bo

Chains. m
an
dug
eac
rai
2 ft.
Lan
soil
Den
on 8

Nor
bet.

5.00 Ent
15.00 Lan
19.50 sam
21.50 Roa
ma
51.00 Set
ins
for
N. fa
E. &

BOOK-A-204

North Boundry T38 S. R. 7 W.

Chains. marked 5 notches on E. and 1 notch on W. edges. dug pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist. and raised a mound of earth 2 ft. high 4½ ft. base along side Land level.
Soil 2nd rate.
Dense undergrowth greasewood on 80.00 chs.

North 89°57' W. on a true line bet. secs 6 and 31.

Va. 16°30' E.

5.00 Enterknolls brs N. E. & S. W.
15.00 Sand ridge brs. N. W. & S. E.
19.50 sand ridge " " " & " "
21.50 Road from Front Cr. to Salt marsh brs. N. W. and S. E.
[illegible].00 Set a white sandstone 14 x 7 x 6 ins 8 ins in the ground for ¼ sec. cor. marked ¼ on N. face dug pits 18 x 18 x 12 ins. E. & W. of stone 5½ ft dist. and

Salt Lake Meridian.

Chains raised a mound of earth 1½ ft. high 3½ ft. base along side.

69.50 Sand ridge 5 ft. high bs. N. W. and S. E.

74.00 Wash bs. S. E.

80.20 The cor. to Tps. 14 and 15 S. Rs. 18 and 19 W. which is a quart of charcoal 12 ins in the ground with 4 pits N. S. E. & W. 24 x 18 x 12 ins. and a mound of earth 2½ ft high 5 ft base over it and a pit having a stake 1 ft. above ground 2 ins square marked T 14 S. S. 31 on N. E.
R. 18 W. S. 6 on S. E.
T. 15 S. S. 1 on S. W. and
R. 19 W. S. 36 on N. W. faces with 6 notches on each edge
Land gently rolling and hilly
Soil 2nd rate.
Dense undergrowth grass and rabbit-brush on 80.20 chs.

June 19th 1884

BOOK-A-204

General Description.
See Subdivisions.
Andrew J. Stewart Jr.
Pl. S. Dep. Surveyor.

BOOK-

U. S. SURVEY

Salt Lak

The foreg

Township No.

Executed by

Under

day of

amined, the ne

the said field

hereby approve

BOOK-A-204

285

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah. Jany 17th 1885

The foregoing field notes of the survey of the North Boundary

Township No. 15 South *Range No.* 18 West

Executed by Andrew J Stewart Jr

Under his *contract* No 125 *of the* 7th

day of April 1884, *in the month of*

June 1884, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

? BOOK

REPORT: 188

Filed

Examined by

Transcribed by

Compared by

FIE

OF THE

Township No. 15

Range No. 18

SALT

Andre

U.

Under his

Dated

Survey comm

Survey compl

7 BOOK-A-204

REPORT: 1880 287

Filed 188

Examined by .....

Transcribed by A R M Atkinson

Compared by Atkinson & Michaels

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 15 South

Range No. 18 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Andrew J Stewart Jr

U. S. Deputy Surveyor,

Under his Contract No. 125

Dated April 9th 1884

Survey commenced June 18 1884

Survey completed " 27 1884

BOOK-A-204

Township 15 S R. 18 W.

281		280		279		278		277		275
6	368	5	346	4	332	3	316	2	302	1
367		365		345		330		315		301
7	364	8	344	9	329	10	313	11	299	12
363		362		343		328		312		298
18	360	17	341	16	326	15	311	14	297	13
359		355		340		325		310		296
19	357	20	339	21	323	22	308	23	295	24
354		352		338		322		308		294
30		29	336	28	320	27	307	26	292	25
351		349		334		319		305		291
31	348	32	333	33	317	34	304	35	289	36

Wittony Spring Guide Meridian

NAMES AND DUTIES OF ASSISTANTS.

.....*Compassman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Axeman.*

.....*Axeman.*

.....*Flagman.*

BOOK-A-20

Chains | Preliminary to commencing this survey, I ran N. on a blank line on the east boundary of sec. 36 and at 39.93 chs. found 1/4 sec. cor. and at 80.03 chs. found sec. cor.

My compass will therefore run the same line as the exterior boundaries, and the chaining practically agrees.

Survey commenced June 18, 1884 with a Burt's improved solar compass.

Commenced at the cor. to secs. 1, 2, 35 and 36 on the Third Standard Parallel South, which is a blue limestone 13 × 12 × 8 ins. firmly set in the ground, with 1 notch on E. and 5 notches on W. edges; dug pits 18 × 18 × 12 ins. in each sec. 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base alongside.

Thence

North bet. secs. 35 and 36.

Va. 17° E.

11.60 Foot of Knoll.

14.60 Top of Knoll about 50 ft. high ascend. 9

Subdivisions T 15 S R 10 W

Chains	
18.00	Descend.
23.50	Ridge 60 ft high, brs S 78° 15' W.
26.50	Foot of ridge
37.00	Ridge brs E. and W.
40.00	Set gray limestone 14 x 8 x 4 ins. 2 ins in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of stone along side
43.00	Foot of ridge
44.50	Knoll about 30 ft. high.
50.00	Foot of Knoll.
54.50	Ridge about 75 ft high brs S W. and N.E.
62.00	Wash 10 lks wide 2 ft deep brs S W
78.50	Ridge about 30 ft. high brs E. & W.
80.00	Set gray limestone 16 x 10 x 8 ins. 11 ins. in the ground, for cor to secs. 25, 26, 35 and 36, marked 1 notch on E and S edges, dug pits 18 x 18 x 12 ins on each sec 5 1/2 ft dist, and raised a mound of earth 2 ft. high, 4 1/2 ft. base along side

Land, mountainous rolling.

Soil, rock, clay and g. and 2nd and 3rd rate.

Cha

40.

80.

19.

31.

36.

40

4

4

Salt Lake Meridian 3

Chain	
	Mountains on 80.00 chs.
	East on a random line bet. secs. 25 and 36.
	Va 17°00' E
40.00	Set temporary 1/4 sec cor.
80.75	Intersect E boundary 68 lks. S. of the cor. to secs 25, 30, 31 and 36 established under present contract
	Thence
	S. 89°31' W. on a true line bet. secs 25 and 36, with same va.
2.50	Limestone ledge about 30 ft wide brs. N. W. and S. E.
19.00	Limestone ledge brs. N. W. and S. E.
31.50	Wash 20 lks wide 1 ft deep brs. N. W.
36.50	Foot of ridge brs. N. W. and S. E.
40.00	Set limestone 16 x 12 x 12 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of earth and stone alongside
42.00	Ridge brs. N. W. & S. E.
45.00	Foot of ridge brs. N. W. and S. E.

4. Subdivisions T. 15 S. R. 18 W.

Chains	
50.50	Ridge bet. S. E. and N. W.
57.00	Trail bet. S. W. and N. E.
59.50	Ridge about 100 ft. high bet. N. and S.
62.00	Foot of ridge.
67.50	Ridge about 150 ft. high bet. N. and S.
77.00	Wash 20 lks. wide 4 ft. deep bet. S. W.
80.75	The cor. to secs. 25, 26, 35 and 36. Land, mountainous and rolling. Soil, clay and gravel 2nd rate. Mountainous on 80.75 chs.

North bet. secs. 25 and 36.
Var. 17° 00' E.

5.00	Limestone ledge 6 ft. high, 30 lks. wide bet. N. E. and S. W.
7.50	Ridge about 100 ft. high bet. S. W. and N. E.
10.00	Foot of ridge Running bet. S. W.
18.50	Ridge about 200 ft. high bet. N. E. and S. W.

BOOK-A-204

Salt Lake Meridian

5

Chains	
40.00	Foot of ridge bra. N W. and S E. Set gray limestone 14 x 12 x 10 ins. gins. in in the ground, for 1/4 sec cor marked 1/4 on W face, dug pits 18 x 14 x 12 ins. N and S of stone 5 1/2 ft. dist, and raised a mound of earth 1 1/2 ft. high, 4 1/2 ft. base alongside.
50.00	Wash 150 lks. wide 2 ft. deep drs. N. W
60.00	Wash 100 lks. wide 3 ft. deep drs. S. W.
71.00	Wash 15 lks. wide 2 ft. deep drs. S. W.
75.00	Set gray limestone 16 x 6 x 4 ins. 11 ins. in the ground, for cor. to secs. 23, 24, 25 and 26, marked 2 notches on S. and 1 notch on E. edged, dug pits 18 x 18 x 12 ins. in each sec 5 1/2 ft. dist, and raised a mound of earth 2 ft. high 4 1/2 ft. base, alongside.

Land, mountainous and rolling.
Soil, clay, gravel and rock. 2nd and 4th rate.
Mountainous on 80.00.

6 Subdivision T 15 S R 18 W

Chains		Ch
	East on a random line bet. secs. 24 and 25	
	Va. 17°00' E	
40.00	Set temporary ¼ sec. cor.	
80.00	Intersect E boundary 40 lks S. of the cor. to secs. 19, 24, 25 and 30 established under present contract.	19.
	Thence	25.
	S 89°43' W on a true line bet. secs. 24 and 25 with same va.	33.
32.00	Wash 30 lks wide 3 ft deep drs. S. W.	40
40.00	Set gray limestone 15 x 8 x 4 ins. 12 ins. in the ground, for ¼ sec. cor. marked ¼ on E. face, dug pits 18 x 18 x 12 ins. E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft high, 3½ ft. base, alongside	4
53.00	Wash 100 lks. wide 3 ft. deep drs. S. W.	
58.00	Ridge about 50 ft high drs. N. W. and S. E.	5
60.00	Foot of ridge.	5
72.00	Ridge about 50 ft high drs. N. and S.	7
80.00	The cor. to secs. 23, 24, 25 and 26.	8
	Land, rolling.	
	Soil, clay and gravel 2nd rate.	

Chains Dense undergrowth, sage brush and shadscale on 80.00 chs.

North bet. secs. 23 and 24.

Var. 17°05' E.

12.50 Ridge about 60 ft. high bet. E. and W.

26.00 Foot of Ridge

33.50 Ridge about 100 ft. high bet. N. W. and S. E.

40.00 Set gray limestone 16 x 12 x 3 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 18 x 18 x 12 ins. N. and S. of stone 3 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, along side.

46.70 Wash 25 lks. wide 2 ft. deep drs. N. W.

54.00 Wash 25 lks. wide 1 ft. deep drs. S. W.

59.00 Wash 38 lks. wide 2 ft. deep drs. N. W.

75.50 Wash 38 lks. wide 1 ft. deep drs. W. W.

80.00 Set gray limestone 16 x 12 x 3 ins. 11 ins. in the ground, for cor. to secs. 13, 14, 23 and 24, marked 3 notches

Subdivision T15 S R 18 W

Chains		Chain
	on S and 1 notch on E. edge, and raised a mound of stone 2 ft. high, 4½ ft. base, alongside.	
	Land, rolling, mountains	80.4
	Soil, clay and gravel 2nd rate.	
	Dense undergrowth, sagebrush and shadscale on 80.00 chs.	
	East on a random line bet. secs. 13 and 24.	
	Va 17°30' E	
40.00	Set temporary ¼ sec. cor.	2
50.70	Intersect E boundary of Tp. 60 lks. N of the cor to secs. 13, 18, 19 and 24 established under present contract.	6.
	Thence	12.4
		22.0
		27.0
	N 89°54' W on a true line bet. secs. 13 and 24, with same va.	40.
11.00	Wash 15 lks. wide 3 ft. deep dra. N 63 W.	
17.50	Wash 10 lks. wide 1 ft. deep dra. N. 70 W.	
32.50	Wash 30 lks. wide 1 ft. deep dra. N. 50 W.	
40.20	Set white limestone 14 x 5 x 4 ins. 9 ins. on the ground, for ¼ sec. cor.	46.
		50

Salt Lake Meridian

Chains marked 14 on W. face, and raised a mound of earth and stone alongside

80.40 The cor. to secs. 13, 14, 23 and 24.

Land, rolling, **beach**

Soil, clay and gravel 2nd rate.

Dense undergrowth, lagebrush and shadscale on 80 40 chs.

North bet. secs. 13 and 14.

Va. 17° 00' E.

2.00 Wash 10 lks. wide 1 ft. deep drs. N. W.

6.50 Wash 15 lks. wide 2 ft. deep drs. N. W.

13.00 Wash 30 lks. wide 1 ft. deep drs. W.

22.00 Wash 25 lks. wide 2 ft. deep drs. N. W.

27.00 Wash 20 lks. wide 2½ ft. deep drs. N. ~~75°~~ W.

40.00 Set gray limestone 16 x 12 x 10 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 14 x 14 x 12 ins. N and S of stone 5½ ft. dist, and raised a mound of earth 1½ ft. high, 3½ ft base, alongside

46.00 Wash 20 lks. wide 1 ft. deep drs. N. W.

50.00 " 30 " " 2 " " " W.

10 Subdivisional T. 15 S. R. 18 W.

Chains		Chains
53.00	Wash 30 lks. wide 2 ft. deep dra. S. W.	
78.00	Wash 15 lks. wide 1 ft. deep dra. N. W.	5.
80.00	Set gray limestone 16 x 8 x 6 ins. 11 ins. in the ground, for cor. to secs. 11, 12, 13 and 14, marked 14 notches on S. and 1 notch on E. edges, drg. bits 18 x 11 x 12 ins. on each sec. 3½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base, along side.	25.0
	Land, rolling, bunch	
	Soil, clay and gravel 2nd rate.	
	Dense undergrowth, sagebrush and shadscale on 80.00 chs.	
	June 18th 1884	42
	Cast on a random line bet. secs. 12 and 13.	80.
	Va 17° 00' E.	
40.00	Set temporary ¼ sec. cor.	
80.30	Intersect E. boundary of Tp. 80 lks. N. of the cor. to Secs. 7, 12, 13 and 18, established under present contract.	
	Thence	

Salt Lake Meridian

Chains	
	N. 89°26' W. on a true line bet. secs. 12 and 13 with same va.
5.00	Wash 23 lks. wide 2 ft. deep drs. N. ~~0°~~ W.
26.00	Wash 3 ft. deep 25 lks. wide drs. N. ~~10°~~ W.
28.00	Wash 18 lks. wide 1 ft. deep drs. N. W.
40.15	Set blue limestone 15 x 6 x 6 ins. 18 ins. in the ground, for ¼ sec. cor. marked ¼ on E. face; dug pits 18 x 18 x 12 ins. E. and W. of stone 5½ ft. dist. and raised a mound of earth 1½ ft. high, 3½ ft. base, alongside.
42.00	Wash 5 lks. wide 1 ft. deep drs. N. W.
80.30	The cor. to secs. 11, 12, 13 and 14
	Land, rolling
	Soil, 2nd rate
	Dense undergrowth, sagebrush and shadscale on 80.30 chs.
	N. 1 ch. bet. secs. 11 and 12.
	Va. 17°55' E.
1.50	Wash 4 lks. wide 1 ft. deep drs. N.W.

14 Subdivision of 15 & R. 18 W.

Chains		Chains
6.00	Wash, 15 links wide, 2 ft. deep, dra. W.	
15.50	" 30 " " 2 " " " N. W.	
27.00	" 15 " " 1 " " " " "	
33.00	" " " " 10 inch " " W.	
38.50	" 15 " " 1 ft. " " "	
40.00	Set gray limestone 14 x 5 x 4 inch. 9 inch. in the ground, for 1/4 sec. cor. marked ¼ on W. face, dug pits 18 x 18 x 12 inch. N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base, alongside	40.00 40.25
55.50	Wash 20 links wide, 3 ft. deep dra. N. 65° W.	
61.00	Wash 20 links wide, 1 ft. deep dra. N. 65° W.	9.25 17.50
70.00	Set gray limestone 15 x 6 x 3 inch. 10 inch. in the ground, for cor. to secs. 1, 2, 11 and 12, marked 5 notches on S. and 1 notch on E. edge, dug pits 18 x 18 x 12 inch. in each sec. 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base, alongside.	35.50 40.12
	Land, rolling.	52.00
	Soil, clay and gravel, and rate.	

Chains Dense undergrowth sagebrush and chaparral on 80.00 chs.

East on a random line bet. secs 1 and 12.

Var. 17° 00' E.

40.00 Set temporary 1/4 sec. cor.

40.25 Intersect E. boundary of Tp. 50 lks. N of the cor. to secs. 1, 6, 7 and 12, established under present contract.

Thence

N. 89° 39' W. on a true line bet. secs. 1 and 12, with same va.

9.20 Foot of mountain.

17.50 Wash 50 lks. wide 3 ft. deep dra. N. 54° W.

35.50 Wash 30 lks. wide 1 ft. deep dra. N. W.

40.12 Set blue limestone 14 x 8 x 6 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of earth and stone alongside.

42.00 Wash 13 lks. wide, 1 ft. deep dra. N. W.

14 Subdivision T 15 S R 18 W

Chains		Chains
60.00	Wash 9 lks. wide 6 ins. deep drs. N. W.	10.6
		30.0
64.00	Wash 8 lks. wide 6 ins. deep drs. N. 42° W.	40.2
67.00	Wash 10 lks. wide 10 ins. deep drs. N. W.	
71.00	Wash 15 lks. wide drs. N. 30° W.	
80.25	The cor. to secs. 1, 2, 11 and 12.	
	Land, rolling and mountainous	53.
	Soil, clay, gravel and rock 2nd and 4th rate	60.
	Dense undergrowth, sagebrush and shadscale on 8025 chs	80.
	North on a random line bet. secs. 1 and 2	
	Va. 17° 00' E.	
[illegible]	Set temporary ¼ sec. cor.	
80.80	Intersect N. boundary of Tp 68 lks. E of the cor. to secs. 1, 2, 35 and 36. established by me under present contract.	
	Thence	
	S. 00° 29' E on a true line bet.	

Salt Lake Meridian

Chains	
	secs. 1 and 2 with same va.
10.60	Road brs. N. E. and S. W.
30.00	Decend into basin brs. S. 20° E.
40.80	Set blue limestone 14 x 8 x 6 ins. 9 ins. in the ground, for ¼ sec. cor. marked ¼ on W. face; dug pits 18 x 18 x 12 ins. N and S. of stone 5½ ft. dist, and raised a mound of earth 1½ ft. high, 3½ ft. base, alongside.
53.50	Ridge, west of basin, about 25 ft. high.
60.00	Wash 15 lks. wide 1 ft. deep drns N W.
80.80	The cor. to secs. 1, 2, 11 and 12
	Land, rolling bensch
	Soil, clay and gravel 2nd rate.
	Dense undergrowth, sagebrush and shadscale on 80.80 chs. –
	From the cor. to secs. 34 and 35 on Third Standard Parallel South
	R 18 W. which is a blue limestone 16 x 12 x 6 ins. firmly set in the ground, marked S.C. 2 notches on E.

16 Salt Lake Meridian

Chains	
	and 4 notches on W edges and a mound of earth 2 ft. high, 4½ ft. base, alongside
	Iron
	North bet secs. 34 and 35
	Va. 17° 38' E.
2.10	Foot of hill leave hollow drs. N.
13.[illegible]	Wash 30 lks. wide 6 ft. deep drs. S.W.
[illegible]	Wash 100 lks. wide 4 ft. deep drs. W.
[illegible]	Knoll 100 lks. across [illegible] ft. high
25.50	Wash 5 lks. wide 2 ft. deep drs. N. W.
40.00	Set blue limestone 14 x 8 x 8 ins. 9 ins. in the ground, for ¼ sec. cor. marked ¼ on W. face, dug pits 16 x 18 x 12 ins. N and S. of stone 5½ ft. dist. and raised a mound of earth 1½ ft. high, 3½ ft. base, alongside.
51.25	Wash 20 lks. wide 1 ft. deep drs. W.
62.00	Wash 60 lks. wide 1 ft. deep drs. S.W.
80.00	Set gray limestone 24 x 12 x [illegible] ins. 18 ins. in the ground, for cor. to secs.

Chains 26, 27, 34 and 35, marked 1 notch on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist, and raised a mound of earth 2 ft. high, 4 1/2 ft. base, alongside.
Land, rolling.
Soil, sand and gravel 2nd rate.
"No Timber."

East on a random line bet secs. 26 and 35.

Va 1° E.

40.00 Set temporary 1/4 sec.

80.65 Intersect N and S. line 52 l. ks. N. of the cor. to secs. 25, 26, 35 and 36.

Thence

N 89° 38' W. on a true line bet. secs. 26 and 35 with same va.

6.00 Wash 1 ft. deep 20 lks. wide drains S.W.

10.50 Wash 30 lks. wide 2 ft. deep drains S. W.

11.00 Ridge brs. N. and S.

17.50 Ridge about 253 ft. high brs. N. and S.

18 Subdivision T. 5 S. R. 18 W.

Chains	
25.50	Foot of ridge. Wash 40 lks. wide drs. S. W.
34.00	Mountain about 500 ft. high, N. E. and S. W. Decend over limestone cliffs.
35.00	Foot of cliff about 30 ft. high brs. N. W. and S. E.
40.32	Set gray limestone 14 x 12 x 6 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on E. face, and raised a mound of stone alongside; Limestone ledge brs. N. ~~88°~~ W.
44.50	Foot of ridge brs. S. W. and N. E.
53.00	Foot of hill
52.50	Knoll about 3 ft. high
59.00	Wash 33 lks. wide 3 ft. deep drns. S. W.
	Foot of knoll.
60.00	Round knoll about 2 ft. high
67.50	Wash 50 lks. wide 2 ft. deep drs. S. W.
70.00	Foot of knoll.
75.00	Wash 20 lks. wide 1 ft. deep drns. S. W.
80.65	The cor. to secs. 26, 27, 34 and 35.
	Land, hilly and broken
	Soil, rock, gravel and clay 2nd and 4th rate
	Dense undergrowth, sägebrush on 80.65

Salt Lake Meridian

Chains	North bet. sec. 21 and 27
	Va 17° 00' E.
7.70	Wash 20 lks. wide 1 ft. deep drs. S. W.
22.00	Trail brs. N. E. and S. W.
30.50	Wash 15 lks. wide 1 ft. deep drs. S. W.
39.00	Wash 50 lks. wide 3 ft. deep drs. S. W.
40.00	Set gray limestone 14 x 10 x 6 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 18 x 18 x 12 ins. N. and S. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, alongside.
47.50	Wash 50 lks. wide 6 ft. deep drs. S. W.
53.50	Wash 20 lks. wide 2 ft. deep drs. S. W.
58.00	Trail brs. N. E. and S. W.
80.00	Set gray limestone 14 x 8 x 6 ins. 9 ins. in the ground, for cor. to secs. 22, 23, 26 and 27, marked 2 notches on E. and S. edges, dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high, 4 1/2 ft. base, alongside.
	Land, gently rolling.
	Soil, sand and gravel 2nd rate.
	Dense undergrowth, sagebrush on 80.00 chs

Subdivision of T. 15 S. R. 18 W.

Chains	East on a random line bet. secs. 23 and 26
	Va. 17° [illegible] E.
40.00	Set temporary [illegible]
80.50	Intersect N. and S. line 50 lks. S. of the cor. to secs. 23, 24, 25 and 26.
	Pause
	S. 87° 39' W. on a true line bet. secs. 23 and 26, with same va.
36.00	Ridge about 50 ft. high bn. N. E. and S. W.
40.00	Set blue limestone 16 x 10 x 8 ins. 11 ins. on the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of stone alongside.
80.50	The cor. to secs. 22, 23, 26 and 27
	Land rolling bensches
	Soil, sand and gravel 2nd rate
	Dense undergrowth, sagebrush and shadscale on 80.50 chs.
	June 19th, 1884
	North bet. secs. 22 and 23.
	Va. 17° [illegible] E.
10.00	Foot of hill bn. S. W. and N. E.
25.00	Hill 75 ft. high ascends W.

Chains	
25.00	Foot of ridge brs. E. Ascend W.
39.00	Ridge brs. N. W. and S. E.
40.00	Set gray limestone 16 x 12 x 8 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 18 x 11 x 12 ins. N. and S. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, alongside.
59.00	Wash 10 lks. wide 1 ft. deep drs. N. E.
61.50	Wash 10 lks. wide 6 ins. deep drs. E.
66.50	Wash 10 lks. wide 1 ft. deep drs. N. E.
71.00	Wash 15 lks. wide 1 ft. deep drs. N. E. Foot of Knoll.
73.00	Knoll; limestone ledge
80.00	Set gray limestone 14 x 8 x 6 ins. 9 ins. in the ground, for cor. to secs. 14, 15, 22 and 23, marked 2 notches on E. and 3 notches on S. edges, dug pits 18 x 11 x 12 ins. on each sec. 3 1/2 ft. dist. and raised a mound of earth 2 ft. high, 4 1/2 ft. base, alongside.
	Land, rolling, hills.
	Soil, clay and gravel 2nd and 4th rate
	Dense undergrowth, sagebrush on 80.00 chs

Chains	East on a random line bet. secs. 14 and 23.
	Co. 17° 00' E.
40.00	Set temporary ¼ sec. cor.
50.30	Intersect Ic and S. line 28 lks. N. of the cor. to secs 13, 14, 23 and 24.
	Thence
	N. 89° 48' W. on a true line bet. secs 14 and 23, with same va.
1.00	Ledge of blue limestone about 6 ft. high, brs. N. W. and S. E.
4.50	Wash 100 lks. wide 3 ft. deep drs. N. W.
[illegible]	Wash 20 lks. wide 1 ft. deep drs. E. W.
40.15	Set blue limestone 16 x 8 x 6 ins. 11 ins. in the ground, for ¼ sec. cor. marked ¼ on Ic. face, and raised a mound of earth and stone alongside.
44.50	Wash 50 lks. wide 1 ft. deep drs. N. W.
62.50	Wash [illegible] wide 2 ft. deep drs. N. W.
80.30	The cor. to secs 14, 15, 22 and 23.
	Land, rolling.
	Soil, clay gravel and rock 2nd and 4th rate.

Chain	Dense undergroth, sagebrush and shadscale on 80.30 chains.
	North bet secs. 14 and 15.
	Va. 17° 55' E.
5.00	Hill, brs E and W.
15.00	Wash 30 lks. wide 2 ft. deep ~~brs~~ drns N. ~~25°~~ E.
22.50	Wash 25 lks. wide 2 ft. deep ~~brs~~ drns N. E.
35.00	Wash 50 lks wide 2 ft. deep drns ~~brs~~ N. E.
36.50	Wash 13 lks. wide 1 ft. deep ~~brs~~ drns E.
40.00	Set gray limestone 16 x 8 x 3 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 18 x 18 x 12 ins. N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base, alongside.
57.50	Wash 50 lks wide 2 ft. deep drs. N. E.
68.50	Wash 50 lks. wide 2 ft. deep drs. E.
80.00	Set gray limestone 14 x 10 x 8 ins. 9 ins.

	Chamber the ground for cor. to secs. 10, 11, 14 and 15, marked 4 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base, alongside.
	Land, hilly and broken.
	Soil, clay, gravel and limestone 2nd and 4th rate.
	Dense undergrowth, sagebrush and shadscale on 80.00 chs.
	East on a random line bet. secs. 11 and 14
	Va 17°00' E.
40.00	Set temporary ¼ sec. cor.
80.50	Intersect N. and S. line 20 lks. N. of the cor. to secs. 11, 12, 13 and 14
	Thence
	N. 89°52' W. on a true line bet. secs. 11 and 14, with same va.
3.50	Wash 13 lks. wide 1 ft. deep dra. N.
26.00	" 30 " " 2 " " " "
27.00	Foot of Knobs.

BOOK-A-204

Salt Lake Meridian 24

Chains	
31.50	Black limestone knoll about 11 ft. high.
37.00	Wash 50 lks. wide 2 ft. deep drs. N.W.
40.25	Set gray limestone 14 x 6 x 5 ins. limit in the ground for 1/4 sec. cor. marked 1/4 on E. face; dug pits 18 x 18 x 13 ins. E. and W. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, alongside.
40.50	Wash 50 lks. wide 2 ft. deep drs. N. 20° W.
42.50	" 5 " " 1 " " " N. 25° W.
47.00	" 100 " " 4 " " " N.W.
47.50	" 50 " " 3 " " " N. 28° W.
65.50	" 28 " " 4 " " " N. 47° W.
70.00	" 140 " " 3 " " " N. 24° W.
76.50	" 29 " " 3 " " " No. W.
80.50	The cor. to secs. 10, 11, 14 and 15.
	Land, rolling.
	Soil, clay and gravel 2nd rate.
	Dense undergrowth, sagebrush and shadscale on 80.50 chains. —
	North bet. secs. 10 and 11.

Subdivision T. 15 S. R. 18 W.

Chains		Chains
	Va 17°00' E.	
17.00	Ridge, about 25 ft high brs. S. ~~18°~~ ~~14°~~ E. and N. ~~X~~ ~~X~~ W. water line composed of fine gravel and clay	40.00
40.00	Set gray limestone 14 x 8 x 6 ins. 9 ins. in the ground, for ¼ sec. cor. marked ¼ on W. face, dug pits 18 x 18 x 12 ins. N. and S. of stone 5½ ft. dist, and raised a mound of earth 1½ ft. high, 3½ ft. base, along side.	80.00 100.00 32.20
58.00	Wash 25 lks. wide 1 ft. deep drs. N. W.	40.00
61.50	Trail brs. N. ~~18°~~ E. and S. ~~80°~~ W.	
80.00	Set gray limestone 14 x 8 x 5 ins. 9 in the ground, for cor. to secs. 2, 3, 10 and 11, marked 5 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist, and raised a mound of earth 2 ft. high, 4½ ft. base, alongside	43.00 51.50 62.50 73.00
	Land, rolling.	75.00
	Soil, clay and gravel 2nd rate	80.00
	Dense undergrowth, sage and shadscale at 80	

Salt Lake Meridian

Chains	
	East on a random line bet. secs. 2 and 11
	Va. 17°00' E.
40.00	Set temporary ¼ sec. cor.
80.00	Intersect N. and S line 30 lks. S of the cor. to secs. 1, 2, 11 and 12.
	Thence
	S. 89°47' W. on a true line bet. secs. 2 and 11, with same va.
10.00	Wash 47 lks. wide 3 ft. deep drs. N. W.
32.25	" 100 " " 4 " " " N. 66°15' W.
40.00	Set white limestone 14 x 12 x 8 ins. 9 ins. in the ground, for ¼ sec. cor. marked ¼ on N. face, dug pits 18 x 18 x 12 ins. E. and W. of stone 5½ ft. dist. and raised a mound of earth 1½ ft. high, 3½ ft. base, alongside
43.50	Wash 21 lks. wide 2 ft. deep drs. N. 60° W.
51.50	Wash 22 lks. wide 6 ins. deep drs. N. W.
62.50	Wash 45 lks. wide 1 ft. deep drs. N. W.
73.00	Wash 75 lks. wide 2 ft. deep drs. N. W.
75.00	Wash 100 lks. wide 2 ft. deep drs. N. W.
80.00	The cor. to secs. 2, 3, 10 and 11.
	Land, gently rolling

17 Subdivision T 15 S R 18 W

Chains	
	Soil, clay and gravel 2nd rate.
	Dense undergrowth sagebrush and shad-scale on 80.00 chains
	North on a random line bet. secs. 2 and 3.
	Va. 17°00' E.
40.00	Set temporary ¼ sec cor.
80.47	Intersect N. boundary of Tp. 48 lks E. of the cor to secs. 2, 3, 34 and 35, established under present contract.
	Thence
	S. 00° 21' E on a true line bet. secs. 2 and 3 with same va.
14.50	Ridge about 30 ft. high brs. N.W. and S.E.
19.50	Foot of ridge. Wash 20 lks. wide 3 ft. deep. Drns S. 80° W.
31.00	Wash 25 lks. wide 3 ft. deep drs. W.
34.80	" 20 " " 2 " " " "
38.2	" 20 " " 1 " " " N.W.
40.47	Set gray limestone 15 x 6 x 4 ins. 16 in in the ground for ¼ sec. cor. marked ¼ on W. face; dug pits 18 x 18 x 12 in N. and S. of stone 5½ ft. dist; and raised a mound of earth 1½ ft.

Salt Lake Meridian

Chains	
	high, 3½ ft. base, alongside.
45.40	Road from Salt Marsh to Deseret brs. N. E. and S. W.
58.00	Wash 300 lks. wide 3 ft. deep dro. N. W.
60.50	" 30 " " 3 " " " " "
74.50	Wash 10 lks. wide 1 ft. deep dro. " "
78.00	Trail brs. N. W. and S. E.
80.47	The cor. to secs. 2, 3, 10 and 11
	Land, rolling and broken.
	Soil, clay and gravel 2nd rate
	Dense undergrowth, sagebrush and shadscale on 80.47 chains
	June 20th 1884
	From the cor to secs 33 and 34; 3rd Stand. Par. South, R. 18 W which is a blue limestone 14 x 10 x 4 ins firmly set in the ground, marked S. C. with 3 notches on E and W edges and mound of stone and earth 2 feet high, 4½ feet base alongside [illegible]
	I run
	North bet. secs. 33 and 34.
	Va. 17°00' E.

#29 Subdivision T16 S R 19 W

Chains	
2.00	Wash 70 lks wide 2 ft. deep drs S. W.
25.00	Ridge 20 ft high bears N E & S. W. Enter dense undergrowth
27.50	Enter hollow about 25 ft deep brs S. W.
35.00	Wash, in Hollow, 300 lks wide 3 ft deep drs S. W.
36.00	Leave hollow
40.00	Set blue limestone 14 x 6 x 5 ins. 9 ins in the ground, for ¼ sec. cor marked ¼ on W. face, dug pits 18 x 18 x 12 ins. N and S. of stone 5½ ft. d[illegible] raised mound of earth 1½ ft high, 3½ ft. base, alongside
42.50	Trail brs. N. 20° E and S 20° W.
52.50	Foot of ridge about 30 ft. high brs N. 60° W. and S 60° E.
61.00	Top of ridge
63.00	Bottom of ridge
65.50	Wash 60 lks wide 2 ft. deep drs S. E.
80.00	Set gray limestone 16 x 12 x 4 ins. 11 ins in the ground, for cor. to secs. 27, 28, 33 and 34, marked 3 notches on E and 1 notch on S. Edges, dug pits 18 x 18 x 12 ins. in each sec. 5½

Chains ft. dist, and raised a mound of earth 2 ft. high, 4½ ft. base, alongside.
Land, rolling and broken
Soil, clay and gravel 3rd rate.
Dense undergrowth, sagebrush and shadscale on 55.00 chains

East on a random line bet. secs. 27 and 34.
Va 17° 00' E.

40.00 Set temporary ¼ sec. cor.
40.70 Intersect N and S. line 45 lks. S. of the cor. to secs. 26, 27, 34 and 35.
Thence
S. 87° 45' W. on a true line bet. secs. 27 and 34, with same va.
47.50 Wash 10 lks. wide 1 ft. deep dra. S.W.
27.60 Trail bra. S.W. and N.E.
24.00 Wash 30 lks. wide 5 ft. deep dra. S.W.
31.00 Center wash 300 lks. wide 4 ft. deep dra. S.W.
38.00 Leave wash
40.25 Set blue limestone 14 x 8 x 6 ins. 2 ins. in the ground, for ¼ sec. cor. marked ¼ on N. face,

31 Subdivision T 16 S R 19 W

Chains	
	dug pits 18×18×12 ins. E. and W. of stone 5½ ft. dist, and raised a mound of earth 1½ ft. high 3½ ft. base alongside
54.00	Enter hollow 8 ft. deep Drs S.
59.00	Leave hollow
68.0[illegible]	[illegible] 2.5 chs. wide Drs S.
80.70	The cor. to secs. 27, 28, 33 and 34. Land, gently rolling. Soil, clay and gravel 2nd rate. Dense undergrowth, sagebrush and shadscale on 80.70 chains
	North bet. secs. 27 and 28. Va. 17°00' E.
12.00	Wash 50 lks. wide, 1 ft. deep dro. S.
22.00	Foot of spur of ridge about 50 ft. high descends S. E. Foot of limestone ledge
28.00	Top of limestone ledge about 100 ft. wide
30.00	[illegible] E.
30.0[illegible]	Round hill.
40.00	Foot of knoll set gray limestone 14×14×6 ins. 9 ins. in the ground

Chains	
	for 1/4 sec cor marked 1/4 on W face, and raised a mound of earth and stone alongside
45.00	Wash 20 lks wide, 2 ft. deep Drs S 70° E
55.00	Limestone ledge about 100 ft. high ors. N. and S.
57.50	Same ledge ascends N. W. decend
70.00	Foot of ridge
76.00	Spur of ridge about 150 ft. high ors. N and S (limestone formation)
80.00	Set gray limestone 16 x 10 x 8 ins. 1 ins. in the ground; for cor. to secs. 21, 22 27 and 28, marked 2 notches on S. and 3 notches on E. edges, pits impracticable, raised a mound of earth and stone alongside.
	Land, rolling and broken. Mountain spurs and ridges
	Soil, clay, gravel and rock, 3rd and 4th rate.
	Dense undergrowth; sagebrush and shadscale on 80.00 chains. —

33 Subdivision T. 5 S. R. 18 W.

Chains		Chain
	East on a random line bet. secs. 22 and 27.	80.3
	Var. 17° [illegible] E.	
1.00	Set [illegible] cor.	
80.30	Top of hill. Intersect N and S line 30 lks. N of the cor. to secs. 22, 23, 26 and 27.	
	Thence	
	N 89° 47' W on a true line bet. secs. 22 and 27 with same var.	
30.0	Limestone ledge 20 ft. wide brs. N. and S.	3.[illegible]
		2.[illegible]
28.50	Wash 30 lks. wide 1 ft. deep drs. S.	6.[illegible]
30.50	Wash 50 lks. wide 4 ft. deep drs. S.	28.[illegible]
32.50	Foot of hill brs. N. and S.	34.[illegible]
40.15	Set gray limestone 14 x 12 x 8 ins. 9 ins. in the ground, for ¼ sec. cor. marked ¼ on Ls. face, and raised a mound of earth and stone alongside. pits impracticable.	37.[illegible]
		40.[illegible]
44.00	Hill about 150 ft. high brs. N. and	
55.50	Foot of hill. Wash 20 lks. wide 3 ft. deep drs. S. W.	44.[illegible]
60.50	Wash 55 lks. wide 5 ft. deep drs. S.	
76.50	Foot of hill brs. N. W. and S. E.	46.[illegible]

Salt Lake Meridian. 34 48

Chains	
80.30	The cor. to secs. 21, 22, 27 and 28. Land rolling and mountains. Soil, sand, gravel, rock and limestone beds. 2nd and 4th rate. Dense undergrowth, sagebrush and shadscale on 80.30 Chains.
	North bet. secs. 21 and 22 Va. 17°00' E.
3.00	Foot of ridge.
3.50	Wash 20 lks. wide 2 ft. deep drs. S. 15° E.
6.00	Wash 30 lks. wide 2 ft. deep drs. S. E.
28.00	Foot of ridge. Ascend.
34.00	Ridge about [illegible] ft. high drs. S. W. and N. E.
39.00	Foot of ridge. Ravine [illegible] ft. deep S.W.
40.00	Set gray limestone 18x6x4 ins. 12 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone, alongside.
44.00	Limestone ridge about 200 ft. high drs. S. W. and N. E. Ravine 10 ft. deep drs. S.W.
46.00	Limestone ledge 200 ft. high.

35 Subdivision T 14 S R 18 W

Chains		Chains
47.00	Foot of ridge. Ravine drs W.	
48.50	Spur of ridge about 200 ft. high brs W.	
50.00	Ravine drs W. Ascends.	
51.00	Spur brs W. ascends E.	
61.00	Ravine 60 ft. deep drs W.	
60.20	Ascends.	
66.00	Spur of ridge brs S W and N E.	
67.00	Ravine drs S W.	40.0
71.00	Peak 800 ft above the valley on the West mountain. Limestone formation, marked x where line crossed ledge 10 lks wide turns E. and W. Ascends East Decends cliffs of limestone running E. and W.	40.6 5.0
76.95	Ravine drs W.	
79.00	Spur of ridge brs W.	24.5
79.80	Ravine drs S W.	31.5
80.00	Set gray limestone 24 x 16 x 12 ins. 19 ins in the ground, for cor. to sec 15, 16, 21 and 22, marked 3 notches on E. and S. edges, and raised a mound of stone along side	30.0 35.5 37.5

Salt Lake Meridian 36

Chains	
	Land, rough and mountainous
	Soil, clay, gravel and rock 2nd and 4th rate.
	"No Timber."
	Mountainous on 80.00 chs
	Dense undergrowth, oak brush on 80.00 chs.
	East on a random line, bet secs. 15 and 22.
	Va 17°00 E
40.00	Set temporary 4 sec. cor.
40.60	Intersect N and S line 11 lks. S. of the cor. to secs. 14, 15, 22 and 23.
	Thence
	S. 89°52' W. on a true line bet secs 15 and 22 with same va.
5.00	Hill about 100 ft high brs N & S.
24.50	Wash 30 lks. wide 2 ft deep brs. N. E.
24.50	Hill [illegible] of mountain about 100 ft. high, brs. N. E.
30.00	Foot of hill. Ascend.
35.50	Hill about 50 ft. high brs. N. E. and S. W.
37.50	Foot of hill. Ravine brs. N. E.

37 Subdivision T 15 S R 18 W

Chains	
40.34	Set limestone 24 x 16 x 6 ins. 19 ins. in the ground, for ¼ sec cor. marked ¼ on N. face, and raised a mound of earth and stone alongside.
47.00	Top of spur of ridge about 300 ft high brs N. and S. Limestone ridge
60.33	Descend on W. side of mountain over cliffs.
75.25	Cliffs about 30 ft. high brs N. and
80.68	The cor. to secs 15, 16, 21 and 22.
	Land, mountainous
	Soil, clay, gravel and rock 2nd and 4th rate.
	Mountainous on 80.68 chains
	Dense undergrowth, oak and sage-brush on 80.68 chains.–
	North bet secs 15 and 16.
	Va. 17° 05' E.
1.00	Ridge about 300 ft. high brs. E and W. To main mt. chain
5.70	Foot of ridge. Ravine Drs. W.
12.00	Ridge about 600 ft. high

Chains	brs N. E and S. W.
26.00	Cannon ~~Drs~~ N. 86° W.
33.00	Spur of ridge about 300 ft. high brs. E and W.
40.00	Set gray dolomite stone 16 x 12 x 8 ins 11 ins in the ground, for 1/4 sec cor marked 1/4 on W. face, and raised a mound of earth and stone, alongside.
42.00	Knoll 2 ft. high.
47.00	Ravine 40 lks wide 8 ft. deep drs. W
55.00	Wash 16 lks wide 4 ft. deep drs. W
69.80	Spur of mountain ascends E.
74.36	Wash 40 lks wide 3 ft. deep drs N. W.
80.00	Set blue limestone 16 x 10 x 6 ins. 11 ins. in the ground, for cor. to secs. 9, 10, 15 and 16, marked 4 notches on S. and 3 notches on E edges, and raised a mound of earth and stone, alongside.
	Land rough and mountainous.
	Soil, gravel and rock 3rd and 4th rate.
	Mountainous on 80.00 chs.
	Dense undergrowth, oak and sagebrush on 80.00 chs.
	June 21, 1884

39 Subdivision T 15 S R 18 W

Chains		Chains	
	East on a random line bet. secs. 10 and 15	50.20	Th
	D. 17° 30' E.		La
40.00	Set temporary ¼ sec cor		So
50.20	Intersect N and S line 30 lks. ¼ of the cor. to secs. 10, 11, 14 and 15		4
	Thence		Th
	N 39° 47' W on a true line bet. secs. 10 and 15 with same var.		Dem
			N
2[illegible]	Ascend, foot of mountain brs. N and S		
2000	Plateau brs. S 20 W. decend N	1.00	Wa
2700	Spur. Ascend steep mountain composed of limestone, very little earth	4.00	Po
		10.00	Spu
	Ledges in layers.—		
3[illegible].00	Cliff about 20 ft. high brs. N and S.	12.50	Foo
		15.50	Wa
40.10	Set red concrete stone 16 x 8 x 2 ins. 4 ins. in the ground, for ¼ sec. cor. marked ¼ on the faces and raised a mound of stone along [illegible]	21.50	"
		34.00	"
		39.60	"
		40.00	Se
			in
50.00	Mountain about 100 ft. high lines in formation. Decend cliffs brs. N and S.		ed
			m
60.40	Cliff about 16 ft. high brs. N + S	44.50	Wa

Salt Lake Meridian 40 48

Chains	
80.20	The cor. to secs 9, 10, 15 and 16.
	Land, rolling and mountainous
	Soil, gravel and rock 3rd and 4th rate
	Mountainous on 80.20 chs.
	Dense undergrowth, oak and sagebrush on 80.20 chains. -
	North bet. secs 9 and 10.
	Dec 17°00 E
1.00	Wash 60 lks. wide 4 ft. deep drs. W.
4.00	Point of rocks, ascends E.
10.00	Spur of mountain about 75 ft. high decends N. W.
12.50	Foot of ridge.
15.50	Wash 18 lks. wide 3 ft. deep drs. N. W.
21.50	" 14 " " 1 " " " N. ~~15°~~ W.
34.00	" 40 " " 4 " " " N. ~~67°~~ ~~15'~~ W.
39.60	" 20 " " 5 " " " N. ~~80°~~ W.
40.00	Set gray dolomite stone 14 x 10 x 3 ins. 9 ins. in the ground, for 1/4 sec cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside
44.50	Wash 30 lks. wide 1 ft. deep drs. N. W.

41 Subdivision T 15 S R 18 W

Chains		Ch
50.50	Wash 15 lks wide 1 ft deep drs W	
57.00	Wash 5 lks wide 1 ft deep drs N.W.	
72.65	Road from Salt Marsh to Deseret brs N.E. and S.W.	
10.00	Set gray limestone [illegible] 8 x 8 [illegible] [illegible] the ground, for cor to secs 3, 4, 7 and 10, marked [illegible] notches on S and 3 notches on E edges, dug pits [illegible] each sec [illegible] ft dist, and [illegible] a mound of earth 2 ft high 4 ½ ft base alongside	1
	Land, mountainous and rolling	19
	Soil, rock clay and gravel 2nd and 4th rate.	22
	Dense undergrowth, sagebrush and shad[illegible] scale on 80.00 chains	25
		4[illegible]
		4[illegible]
		5[illegible]
		6[illegible]
	[illegible]	6[illegible]
	[illegible]	6[illegible]
	[illegible] 00' E.	
[illegible]	Set temporary [illegible]	6[illegible]
80.[illegible]	Intersect N and S line 40 lks N of the cor to secs 2, 3, 10 and 11.	7[illegible]

BOOK-A-204

Salt Lake Meridian

Chains	Thence
	N. 89° 45' W. on a true line bet. secs. 3 and 10, with same va
3.00	Wash 18 lks. wide 1 ft. deep drs. N. 10° W.
7.00	Wash 10 lks. wide 6 ins. deep drs. N. W.
17.50	" 8 " " 1 ft. " " N. W.
22.50	" 13 " " 1 " " " N. 22° W.
25.00	Trail brs. S. E. and N. W.
40.15	Set gray limestone 14 x 8 x 6 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. E. face, dug pits 18 x 18 x 12 ins. E. and W. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, alongside.
48.50	Wash 10 lks. wide 6 ins. deep Drs N. 15° W.
51.00	Trail brs. N. 60° E. and S. 60° W.
61.50	Wash 12 lks. wide 1 ft. deep Drs N. 20° W.
63.00	Foot of spur. Wash 5 lks. wide 6 ins. deep Drs. N. W.
65.00	Spur about 100 ft. high brs. [illegible] Limestone ledges.
70.00	Ascend spur of mountain.

43 Subdivision T 15 S R 18 W.

Chains	
73.50	Road from Salt Marsh to Deseret brs. N. E. and S. W.
80.30	The cor. to secs 3, 4, 9 and 10.
	Land, rolling.
	Soil, clay and gravel 2nd rate.
	Dense undergrowth, sagebrush and shad scale on 80.30 chains.
	North on a random line bet. secs 3 and 4
	Va. 6°45' E.
40.[illegible]	Set temporary [illegible]
83.76	Int. [illegible] boundary of Tp. 48 [illegible] E of the cor. to secs 3, 4, 33 and 34, established by me under present [illegible]
	Thence
	S. 00°21' E on a true line bet. secs 3 and 4 with same va.
30.[illegible]	Wash [illegible] wide 1 ft. deep drs. W.
467.6	Set gray limestone 16 [illegible] 11 ins. in the ground, for [illegible] cor. marked on W. face, dug pit 18 x 18 x 12 ins. N. and S. of stone 5 [illegible]

Chains	
	ft. dist, and raised a mound of earth 1½ ft. high, 3½ ft. base, along side.
53.30	Wash 10 lks wide 1 ft. deep drs. W
79.15	Wash 10 lks wide 2 ft. deep drs. W.
80.76	The cor. to secs. 3, 4, 9 and 10. Land, nearly level ascending S. E. Soil, clay and gravel 2nd rate. Dense undergrowth, sagebrush and shadscale on 80.76 chains.

From corner to secs 32 and 33 on Third Stand. Parall. South, R 18 W. which is a limestone 14×8×6 inches firmly set in the ground, marked S.C. & 4 notches on E. and 2 notches on W. edge, with its 18×18×12 ins N, E & W of cor. 5½ ft. dist, and a mound of earth 2 ft. high, 4½ ft. base, alongside.

Irun

North bet secs 32 and 33

Salt Lake Meridian 46 48

Chains	
	28 and 33.
	Va 17° 00' E.
40.00	Set temporary 1/4 sec. cor.
80.60	Intersect N. and S line 62 lks. S. of the cor. to secs. 27, 28, 33 and 34.
	Thence
	S. 89° 34' W. on a true line bet. secs. 28 and 33. with same va.
1.50	Wash 10 lks. wide 1 ft. deep drs. S. 28° E.
2.50	Foot of hill brs. S. E. and N. W.
7.80	Hill about 75 ft. high.
9.50	Foot of hill brs. S. E. and N. W.
13.00	Ridge about 50 ft. high brs. N. and S.
15.00	Foot of ridge. Ascend.
31.00	Dolemite ridge about 400 ft. high brs. S. E. and N. W.
33.00	Foot of ridge.
38.50	Main ridge or mt. about 600 ft. high. Dolemite formation brs. S. 30° W. and N. 15° E.
40.80	Set gray dolemite stone 15 x 18 x 5 ins. 10 ins. in the ground, for 1/4 sec. cor. marked 1/4 on E. face, and raised

47 Subdivision T 15 S R 18 W

Chains	
	a mound of earth and stone alongside
45.00	Foot of cliff about 30 ft. high br.
	N&S. Leave dense oak and sagebrush
48.00	Wash 10 lks. wide 3 ft. deep Drs. N.
53.00	" 20 " " 1 " " Drs. "
75	Ridge about 20 ft. high brs. N.
80.00	The cor. to secs. 21, 29, 32 and 33.
	Land mountainous and rolling
	Soil, rock, gravel and clay 2nd and 4th rate
	Mountainous on 45.00 ch.
	Dense undergrowth, oak and sagebrush on 45.00 chains.
	North bet. secs. 28 and 29.
	Va. 16°50' E.
14.00	Ridge about 50 ft. high
	N. W. and S. E.
22.50	Wash 50 lks. wide 1 ft. deep drs. N.
2[illegible].50	" 100 " " 3 " " drs. N.
33.50	Foot of ridge brs. S. W. and N. E.
35.50	Ridge about 25 ft. high brs. S. W. enter sagebrush and shadscale.
36.00	Hollow 50 lks. wide 2 ft. deep drs. S.
37.50	Ridge about 20 ft. high descends S. W.

Chains	
36.50	Hollow 50 lks. wide 2 ft. deep dir. S W.
39.30	Ridge trs. S. W. accend N. E.
40.00	Set gray limestone 14 x 10 x 6 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside.
40.30	Ravine 40 ft. deep drs. S W.
41.30	Ravine drs. S. W.
46.10	Ravine 100 lks. wide 80 ft. deep drs. S. 55° W.
50.00	Ridge about 75 ft. high trs. E. and W.
55.00	Ravine 50 lks. wide drs. W.
64.00	Foot of ridge trs. N. E. and S W.
70.00	Removed sagebrush and shadscale. Set gray limestone 16 x 8 x 6 ins. 11 ins. in the ground, for cor. to sec. 20, 21, 28 and 29 marked 4 notches on E. and 2 notches on S. edge, dug pits 18 x 14 x 12 ins. in each sec. 5½ ft. diat., and raised a mound of earth 2 ft. high, 4½ ft. base, alongside

49 Subdivision T 15 S R 18 W

Chains	
	Land, rolling and broken. Mountain ridges.
	Soil, clay and gravel 2nd rate.
	Dense undergrowth, sagebrush and shadscale on 30.50 chains. —
	East on a random line bet. secs 21 and 28.
	Va 17° 00 E
40.00	Set temporary 1/4 sec cor.
80.70	Intersect N. and S. line to lks. S. of the cor. to secs 21 22, 27 and 28.
	Thence
	S. 89° 51' W on a true line bet. secs. 21 and 28 with some va.
1.60	Ravine 20 ft. deep drs. S. W.
12.00	Foot of ridge brs. N. and S.
24.40	Mountain about 600 ft. high
35.00	Spurr of ridge brs. N. E. and S. W.
40.35	Set gray limestone 16 x 14 x 12 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of earth alongside.

Chains	
0.00	Foot of mountain brs. N. and S. leave oak and sagebrush.
2.00	Wash 30 lks. wide 3 ft. deep drs. N. 40° W.
3.00	Wash 10 lks. wide 3 ft. deep drs. N. 67° W.
4.50	Wash 15 lks. wide 6 ins. deep drs. N. 80° 15' W.
5.70	The cor. to secs. 20, 21, 28 and 29. Land, rolling bench and rough mountains. Soil, clay, gravel and rock 3rd and 4th rate. Mountainous on 50.00 chs. Dense undergrowth, oak and sagebrush on 50.00 chains. * June 23. 1884 North bet. secs. 20 and 21. Va. 17° 00' E.
6.10	Wash 15 lks. wide 15 ins. deep drs. N. W.
7.15	Wash 15 lks. wide 1 ft. deep drs. N. 65° W.
8.00	Wash 10 lks. wide 6 ins. deep drs. S. 60° W. Enter dense sagebrush and shadscale.
9.00	Set gray limestone 14 x 10 x 2 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth alongside
10.00	Ravine 15 ft. deep drs. S. W.

157 Salt Lake Meridian

Chains	
47.50	Ridge brs. E. and W.
54.00	Wash 10 lks. wide 1 ft. deep drs. N. W.
60.00	Foot of bench ascends S. E.
	Leave dense sugebrush and shadscale
63.00	Wash 20 lks. wide 2 ft. deep drs. N. W.
78.00	Wash 15 lks. wide 1 ft. deep drs. N. W.
80.00	Set gray limestone 18×10×10 ins. 12 ins. in the ground, for cor. to secs. 16, 17, 20 and 21, marked 3 notches on S. and 4 notches on E. edges, and raised a mound of earth ancestone alongside.
	Land rolling.
	Soil, 3rd rate.
	Dense undergrowth, sugebrush and shadscale on 22.00 chains.
	East on a random line bet. secs. 16 and 21.
	Va. 17° 00' E.
40.00	Set temporary 1/4 sec. cor.
80.00	Intersect N. and S. line 50 lks.

Chains	
	S. of the cor. to secs. 16, 16, 21 and 22. Thence
	S. 89°39' W. on a true line bet. secs. 16 and 21, with same va.
5.00	Ravine 10 ft below sec. cor. Drs. N. 60° W. Over limestone ledges.
10.00	Wash 100 lks. wide 20 ft. deep Drs. S. W. for 3.00 chs. thence N. W.
13.00	Same wash Drs. N. W.
40.40	Set gray limestone 16 x 8 x 6 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of earth and stone alongside
60.00	Foot of mountain. Leave dense undergrowth, sagebrush and shadscale.
80.80	The cor. to secs. 16, 17, 20 and 21.
	Land, rolling, bench and mountainous.
	Soil, rock, gravel and clay 3rd and 4th rate.
	Dense undergrowth, sagebrush and shadscale on 60.00 chains
	North bet. secs. 16 and 17.

53 Subdivision T 15 S R 18 W

Chains		Chain
	Va 17°00' E.	
17.00	Wash 50 lks wide 1 ft deep drs W	
23.50	Wash 60 lks wide 2 ft deep drs N. W.	
39.00	Enter greasewood brs N. E. and S. W.	40.0
40.00	Set gray limestone 16 x 13 x 10 ins 11 ins in the ground, for 1/4 sec cor marked 1/4 on W face, dug pits 18 x 18 x 12 ins N and S. of stone 5 1/2 ft dist, and raised a mound of earth 1 1/2 ft high, 3 1/2 ft base, alongside.	80.0
		20.0
60.00	Road brs N. E and S. W.	
62.50	Enter cane grass brs N. E. and S. W.	23.50
80.00	Set gray limestone 14 x 6 x 4 ins 9 ins in the ground, for cor to secs 8, 9, 16 and 17, marked 4 notches on E and 4 on S. edges, dug pits 18 x 18 x 12 ins in each sec 5 1/2 ft dist, and raised a mound of earth 2 ft high, 4 1/2 ft base, alongside	29.00
		40.0
		49.0
		52.0
	Land, level and rolling bench	59.5
	Soil, clay, gravel and sand 2nd rate.	60.0
		69.0
	Dense undergrowth greasewood on 41.00 ch	

Chains	East on a random line bet. secs 9 and 16.	
	Va 17°00' E	
40.00	Set temporary ¼ sec cor.	
80.00	Intersect N and S line 58 lks. N. of the cor to secs 9, 10, 15 and 16.	
	Thence	
	N. 89°35' W on a true line bet. secs 9 and 16 with same va.	
20.00	Foot of mountain. Wash 40 lks. wide 1 ft. deep drs. N. W. Leave sagebrush.	
23.50	Wash 13 lks. wide 2 ft. deep drs. S. W.	
29.00	Wash 22 lks. wide 4 ft. deep drs. N. W.	
40.00	Set blue limestone 16 x 10 x 10 ins. 11 ins in the ground, for ¼ sec cor. marked ¼ on E face, and raised a mound of earth and stone alongside.	
49.00	Wash 10 lks. wide 1 ft. deep drs. S. W. Enter dense greesewood	
52.00	Wash 13 lks. wide 1 ft. deep drs. N. W.	
59.50	Wash 10 lks. wide 8 ins. deep drs. N. 64° W.	
60.00	Leave hollow. Enter bench.	
69.00	Road from Salt Marsh to Deseret brs. N. E. and S. W. Leave greesewood	

55 Subdivision T 15 S R 18 W

Chains		Chains
	brs. N and S.	
73.00	Enter cane.	
75.00	Wash 5 lks. wide 6 ins. deep drs. E	
80.00	The cor. to secs. 8, 9, 16 and 17.	
	Land, level and rolling.	
	Soil, alkali, clay gravel and rock 2nd and 3rd rate.	
	Dense ungergrowth, sagebrush shadscale and greasewood on 4000	
	North bet. secs. 8 and 9.	
	Va. 17° 00' E.	
2.00	Wash 10 lks. wide 1 ft deep drs. W.	
	Leave cane and enter dense greasewood	
20.00	Leave greasewood. Enter brush brs. N. E. and S. W.	
40.00	Set gray limestone 14 x 6 x 6 ins. 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face, dug pits 18 x 18 x 12 ins. N. and S of stone 5 1/2 ft. dist, and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, along side.	40.00
		79.55
72.00	Water in marsh 8 in deep S. 47° W. and N. 80°	23.00
	Leave dense rabbit brush.	
80.00	Set gray limestone 24 x 18 x 7 ins. 18	

Salt Lake Meridian 56

Chains in the ground, for cor. to secs. 4, 5, 8 and 9, marked 5 notches on S. and 4 notches on E. edges, and raised a mound of earth and stone alongside

Land, level.

Soil, clay and salt 3rd and 4th rate

Dense undergrowth, greenwood and dense rabbit brush on 70.00 chains

East on a random line bet. secs. 4 and 9.

Va. 16° 45' E.

40.00 Set temporary ¼ sec. cor.

79.55 Intersect N. and S. line 30 lks. N. of cor. to secs. 3, 4, 9 and 10.

Thence

N. 89° 47' W. on a true line bet. secs. 4 and 9, with same va.

23.00 Wash 100 lks. wide 15 ft. deep drs. S. W.

57 Subdivision T 15 S R 18 W

		Chains
30.00	Leave bensch bears N E & S W and sagebrush and shadscale; enter greasewood Brs. N. 67° W. & S. 10° E	40.00
		80.00
39.77	Set white quartz stone 14 x 10 x 6 ins. 2 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 18 x 18 x 12 ins. E and W. of stone 5 1/2 ft. dist. and ra[illegible] a mound of earth 1 1/2 ft. high 3 1/2 ft. base. along side.	40.00
55.00	Leave greasewood at Margin of pond covered with cane and rabbitbrush. Trail Brs. N. W. and S. E.	
62.50	Leave pond and enter dense greasewood.	
75.40	Wash Brs. N. 42° W. and S. 50° E.	
76.00	Leave dense greasewood enter Marsh N & S.	
79.55	The cor. to secs. 4, 5, 8 and 9.	60.00
	Land; level.	
	Soil, 2nd and 4th rate.	75.00
	Dense undergrowth, sagebrush, shadscale and greasewood on 69.00 chains	80.00

North on a random line bet. secs. 4 and 5.

Va. 17° 00' E

Chains	
40.00	Set temporary 1/4 sec cor.
80.00	Intersect N. boundary of Tp. 7 S. lks. E. of the cor. to secs. 4, 5, 32 and 33, established under present contract.
	Thence
	S. 0° 33' E. on a true line bet. secs. 4 and 5 with same var.
41.00	Set gray limestone 14 x 6 x 5 ins. sunk in the ground, for 1/4 sec. cor. marked 1/4 on N. face, dug pits 18 x 15 x 12 ins. N. and S. of stone 5 1/2 ft. dist, and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, alongside.
60.00	Enter Knolls. Leave greasewood and cane grass, br. N. 15° W. and S. 15° E.
75.00	Enter water. Leave rabbit brush and sand Knolls bn. E. and N.
80.00	The cor. to secs. 4, 5, 8 and 9.

Land level and rolling.
Soil, clay and alkali 3rd rate.
Dense undergrowth, rabbit brush and greasewood on 75 chs. Water on 5 chs.

June 24th 1874

59 Subdivision T. 15 S. R. 18 W.

Chains		Chains
	From corner to secs. 31 and 32 on the Third Standard Parallel South in R. 18 W., which is a limestone 12 x 8 x 6 ins. firmly set in the ground, marked S. C. with 6 notches on E. and 1 notch on W. edges, with pits 18 x 8 x 12 ins. E. & W. and N. of stone 5½ ft. distant, and a mound of earth 2 ft. high 4½ ft. base alongside	
	Drain	
	North between secs. 31 and 32 Var: 16°50' E. through dense greasewood and rabbitbrush	
40.00	Set blue limestone 16 x 10 x 4 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 18 x 12 ins. N. and S. of stone 5½ ft. dist. and raised a mound of earth 1½ ft. high, 3½ ft. base, alongside	6.50 7.50 9.00 11.50 16.00
46.50	Leave brush and enter meadow	17.57
50.00	South bank of Salt Lake or Marsh	33.00
	Set blue limestone 16 x 15 x 8 ins.	40.00

Salt Lake Meridian 60

Chains	11 ins in the ground, for meander cor. to fractional secs. 31 and 32, marked H.C.C. dug pit 3 ft sq. 12 ins deep, 8 lks. S of stone, and raised a mound of earth 2 ft. high, 4 1/2 ft. base alongside. Land, level. Soil, 1st and 3rd rate. Dense undergrowth rabbit brush and greasewood on 46.50 chains
	West on a true line bet. secs. 29 and 32 Va. 16°50' E.
6.50	Enter ravine drs. S W.
7.50	Ravine 30 lks. across.
9.00	W side of ravine. drs N.W.
11.50	Foot of ridge Wash 50 lks. wide 1 ft. deep drs. H.W.
26.00	Enter greasewood brs. N and S.
27.57	Road brs. N. 25° W and S. 25° E.
33.00	Wash 25 lks. wide 1 ft. deep drs. H.W.
40.00	Deposited marked stone 12 ins.

Subdivisions T 15 S R 18 W

Chains	in the ground, for 1/4 sec. cor. dug pits 18×18×12 ins. E. and W. of stone 5 1/2 ft dist, and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked 1/4 S. on N. face	Ch
54.10	Trail brs. S. W. and N. E.	
61.00	East bank Salt Lake or Marsh. Set blue limestone 14×8×6 ins. 9 ins. in the ground, for meander cor. to fractional secs. 29 and 32, marked N. C. dug pit 3 ft sq. 12 ins. deep elks. east of corner, and raised a mound of earth 2 ft. high 4 1/2 ft. base alongside. Land, broken. Soil clay and gravel 2nd rate. Dense undergrowth greasewood on 35 chs.	9

Chains

From the cor to secs. 25, 30, 31 and 36, on the west boundary of Tp. which is a quart of charcoal, 12 ins. in the ground, under a mound of earth 2 ft. high, 4½ ft. base, with pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist, and in S. E. pit a stake 2 ins. square, 2 ft. long, 12 ins. in the ground, marked

T. 15 S. S. 30 on N. E.
R. 18 W. S. 31 on S. E.
R. 19 W. S. 36 on S. W. and
S. 25 on N. W. faces with 1 notch on S. and 5 notches on N. edges.

Iron

East on a true line bet. secs. 30 and 31.

Va. 16° 30' E.

9.50 West bank of Salt Marsh. ~~Set~~ Deposited marked stone 12 ins. in the ground, for Meander cor. to Fractional secs. 30 and 31. dug a pit 3 ft. square 1 ft. deep

6.9 Subdivision T. 15 S. R. 18 W.

Chains		Chains
	8 lks. W. of cor., and raised a mound of earth 2 ft. high, 4½ ft. base over it.	
	In pit drove a stake 2 ins. square, 2 ft. long, 12 ins. in the ground, marked HC	
	with	46.25
	T. 15 S. on N.	49.50
	R. 18 W. on E. and	
	S. 31 on S. and	
	S. 30 on N. faces.	
	Land, level.	
	Soil, 1st rate.	
	Dense undergrowth sage brush on 9.00 chs.	
	West on a true line bet. secs. 20 and 29.	
	Var. 16° 50' E.	
25.00	Enter greasewood bet. N. and	
27.66	Road from Salt Marsh to Deseret bet. HC 10° W. and S. 10° E.	
40.00	Set gray limestone 14 x 8 x 6 ins.	

Salt Lake Meridian

Chains 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on NE. face, dug pits 18 x 14 x 12 ins. E. and W. of stone 5 1/2 ft. dist, and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base, alongside

46.25 Enter grass HE. and S. Leave grass

49.50 Set limestone 15 x 10 x 6 ins. 10 ins. in the ground, for HE. cor. to fractional secs. 20 and 29, marked HE. C. dug a pit 3 ft sq. 1 ft. deep & lks. E of stone, land raised a mound of earth 2 ft. high, 4 1/2 ft. base alongside

Land, descending east.

Soil, gravel and clay, 2nd rate

Dense undergrowth greenwood

on 21.25 chs.

25 Subdivisional T. 15 S. R. 18 W.

Chains		Chains
	As corner to secs. 19, 20, 29 and 30 is not established on account of the Salt Marsh, I run from the corner to secs. 19, 24, 25 & 30 on the west boundary of this township viz: A quart of charcoal 12 ins. in the ground with pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist. and a mound of earth 2 ft high 4½ ft. base over it. In S. E. pit a stake 2 ft. long 12 ins. in ground marked T. 15 S. S. 19 on N. E. R. 18 W. S 30 on S. E.; R. 19 W. S 25 on S. W. S 24 on N. W. faces with 2 notches on S and 4 notches on N edges East on a true line bet secs 19 and 30 Var. 17° 00' E.	41.50 61.10 66.27
29.08	Road to Salt Marsh bet. N. E. and S. W.	
40.00	Deposited marked stone 12 ins. in the ground, for ¼ sec. cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5½ ft. dist, and raised a mound of earth 1½ ft. high 3½ ft. base over it. In E. pit drove a stake 2 ft. long 2 ins. square 12 ins. in	11.50

Chains	ground marked 14 S on N. face.
41.50	Thick wire grass, meadow brs. N. E. and S. W. and heavy quaswood
61.10	Road brs N. and S.
66.27	West bank of Salt Marsh. Set gray limestone 14 x 8 x 6 ins 9 ins. in the ground, for Meander cor. to fractional secs. 19 and 30 marked M. C. dug a pit 3 ft. square, 1 ft. deep 8 lks W of stone, and raised a mound of earth 2 ft. high, 4 1/2 ft. base alongside
	Land, level.
	Soil, clay and loam 1st rate
	Dense undergrowth quaswood 41.50 chains
	As corner to secs. 17, 18, 19 and 20 could not be established in the regular way on account of the Salt Marsh I run From the cor. to secs. 16, 17, 20 & 21 West on a true line bet secs. 17 and 20.
	Va. 17° 00' E.
11.50	Wash 15 lks. wide 1 ft. deep dr. N. & W.

67 Subdivision T. 15 S. R. 18 W.

Chains		Chains
17.50	Enter greesewood brs. N. 20° E. and S. 20° W.	
25.00	Wash 20 lks. wide 1 ft. deep brs. N. W.	
37.00	Road brs. S. 25° W. and N. 12° E.	
40.00	Set gray limestone 14 x 8 x 5 ins. 9 ins. in the ground, marked 1/4 on N. face and raised a mound of earth and stone alongside.	
50.00	Enter marsh. Leave greesewood.	
54.00	Enter water.	6.75
54.74	Water brs. S. 25° W. and N. 25° E.	10.35
60.00	Enter greesewood. Leave grass brs. N. 55° E. and S. 20° W.	12.00 13.10
80.00	Set gray limestone 15 x 8 x 8 ins. 10 ins. in the ground, for cor. to secs. 17, 18, 19 and 20, marked 3 notches on S. and 4 notches on E. edges and raised a mound of earth and stone alongside. Land, level and knolly, first 1/2 mile ascending E. Soil, clay and gravel 2nd and 3rd rate.	

BOOK-A-204

Chains Dense undergrowth greasewood
on 52.50 chs.

From the cor. to secs. 17, 18, 19
and 20.

Ran
South on a true line bet. secs.
19 and 20

Va. 17° 00' E.

6.75 Road brs. E. and W.
10.35 Road brs. N. 80° E and S. 80° W.
12.00 Leave greasewood.
13.10 North bank of Salt Marsh. Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Meander cor. to Fractional secs. 19 and 20. marked M. C. with
T. 15 S. on N.
R. 1 W. on E.
S. 20 on E. and
S. 17 on W. faces, dug a pit 3 ft. sq. 1 ft. deep, 8 lks. N. of post, and raised a mound of earth 2 ft. high, 4½ ft.

6? Subdivision T 15 S R 18 W

	Chains	base, alongside.	Ch
		Land, level	
		Soil, 3rd rate.	40
		Dense undergrowth greenwood on 12 chs.	79
			23
			83

18 W. Salt Lake Meridian 70

Chains West on random line betw. secs. 18 & 19.
Va. 17° 00' E.

40.00 Set temporary ¼ sec. cor.

wood 79.98 Intersect W. boundary of Tp. 78 lks. S. of the cor. to secs. 13, 18, 19 and 24 which is a quart of charcoal 12 ins. in the ground with pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist. and a mound of earth 2 ft. high 4½ ft. base over it. In S. E. pit a stake 2 ft. long 12 ins. in ground marked
T. 15 S. S. 18 on N. E.,
R. 18 W. S. 19 on S. E.,
R. 19 W. S. 24 on S. W. &
S. 13 on NW face with 3 notches on N and S. faces.
Thence
S. 89° 27' E. on a true line bet. secs. 18 and 19 with same va.

23.00 Road from Salt Marsh to Cherry Creek bears NW and S E.

33.00 Grass in greesewood brs. N. & S.

71 Subdivision T 15 S R 18 W

Chains		Chains
39.98	Set gray limestone 15 x 8 x 6 ins 10 ins in the ground, for 1/4 sec. cor. marked 1/4 on N. face, dug pits 18 x 18 x 12 ins. in each sec 5 1/2 ft. dist, and raised a mound of earth 1 1/2 ft high, 3 1/2 ft base, alongside.	25.00
		40.00
58.60	Road from Salt Marsh to Fish Springs bn. N. 10° 15' E. + S. 10° 15' W.	79.90
79.00	Road from Salt Marsh to Deseret bn. N. 70° E. and S. 70° W.	80.00
79.98	The cor. to secs. 17, 18, 19 and 20.	
	Land, level and Knolly.	
	Soil, 2nd rate.	
	Dense undergrowth greasewood on 79.98 chs.	
	June 25th 1884	
	North bet. secs. 17 and 18. Var. 17° 00' E.	
0.20	Road from S. to Marsh to Deser bn. N. 70° E. and S. 70° W.	

BOOK-A-204

Chains	
2500	Leave greasewood. Enter rabbitbrush.
4000	Set gray limestone 14 x 8 x 6 ins. 9 ins in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 14 x 14 x 12 ins. N. and S. of stone 5 1/2 ft. dist, and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, alongside.
79.90	Road from Deep Cr. to Salt Marsh bri. N. 10° E. and S. 10° W.
4000	Set sandstone 14 x 8 x 5 ins. 9 ins in the ground, for cor. to secs. 7, 8, 17 and 18, marked 4 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist, and raised a mound of earth 2 ft. high, 4 1/2 ft. base, alongside.
	Land, level.
	Soil, clay and alkali 2nd rate.
	Dense undergrowth greasewood and rabbit brush on 8000 chs.

3 Subdivisions T. 5 S. R. 18 W.

Chains	East on a random line bet. secs 8 and 17.	Chains
	Var. 16°45' E.	40.00
		10.23
40.00	Set temporary ¼ sec cor.	
80.09	Intersect N. and S. line 13 lks. N. of the cor. to secs. 8, 9, 16 and 17.	
	Thence	
	N. 89°54' W. on a true line bet. secs 8 and 17, with same var.	
40.04	Set white sandstone 14 x 8 x 5 ins. 2 ins. on the ground, for ¼ sec cor. marked ¼ on E. face, dug pits 18 x 18 x 12 ins. E. and W. of stone 5½ ft. distant, and raised a mound of earth 1½ ft. high, 3½ ft. base, pits on south side.	
79.00	Road bears N. & S.	
80.09	Cor. to secs 7, 8, 17 and 18.	
	Land level.	
	Soil, clay and alkali 2nd rate	
	Dense undergrowth greasewood and rabbit brush on 80.09 chs.	
		13.78
	West on a random line bet. secs 7 and 18.	22.50
		20.00

Chains	
	Var. 16° 30' E.
40.00	Set temporary ¼ sec. cor.
80.00	Intersect W boundary of Tp. 47 lks S of the cor. to sec. 7, 12, 13 and 18 which is a marked stone 12 ins. in ground with pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist. and a mound of earth 2 ft. high 4½ ft. base over it. In S.E. pit a stake 2 ft. long 12 ins. in ground marked T. 15 S. S. 7 on N.E., R. 18 W. S. 18 on S.E., R. 19 W., S. 13 on S.W. and S. 12 on NW faces with 4 notches on S and 2 notches N edges. Thence S. 8° 40' E. on a true line bet. secs. 7 and 18 with same var.
13.75	Road from Salt Marsh to Goat Cr. brs. N 15° W and S. 15° E.
22.50	Wash 10 lks wide 1 ft. deep drs S.
30.00	Enter Knolls He and S.

76 Subdivision T. 15 S. R. 8 W.

Chains		Chains
41.20	Deposited a quart of charcoal 12 ins. in the ground, on top of sand rock, under mound of earth 2 ft. high, 4½ ft. base, dug pits 18 × 8 × 12 ins. E. and W. of stone 5½ ft. distant, and raised the mound of earth 1½ ft. high, 3½ ft. base, over it.	80.00
	In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ¼ S. on the face.	
80.20	The cor. to secs. 7, 8, 17 and 18.	
	Land, level and knolly.	
	Soil, sand and clay 2nd rate.	
	Dense undergrowth greenwood and rabbit brush on 80.20 chs.	
	North bet. secs. 7 and 8.	
	Va. 17° 00' E.	40.00
40.00	Set white sandstone 14 × 6 × 6 ins. 9 ins. in the ground, for ¼ sec. cor. marked ¼ on W. face, dug pits 10 × 18 × 12 ins. N. and S. of stone 5½	80.00

BOOK-A-204

Salt Lake Meridian 76

6 chains ft. dist, and raised a mound of earth 1½ ft high, 3½ ft base, alongside.

80.00 Set White sandstone 16 x 8 x 4 ins 10 ins. in the ground, for cor. to secs. 5, 6, 7 and 8, marked 6 notches on E. and S. edges, dug pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist, and raised a mound of earth 2 ft. high, 4½ ft. base, alongside.

Land, level and rolling.

Soil, sand and clay 2nd rate.

Dense undergrowth greasewood and rabbit brush on 80.00 chs.

East on a random line bet. secs 5 and 8.

Va 16° 30' E.

40.00 Set temporary ¼ sec. cor.

80.00 Intersect North and South line 21 lks N of the cor. to secs 4, 5, 8 and 9.

77 Subdivision of 15 S R 18 W

Chains	Course	Chains
	N 89° 51' W on a true line bet. secs. 5 and 8 with same va	
3.50	West side of pond 8 ins deep bis No.	10.00
4.20	Grass bnd N and S.	10.00
20.00	Knolls, about 15 ft. high, Enter greasewood	
40.00	Set white sandstone 14 x 6 x 6 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on No. face, dug pits 18 x 18 x 12 ins. E and W of stone 5 1/2 ft. dist, and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base, alongside.	
60.00	Road from Salt Marsh to Fish Springs bnd. N. and S.	
75.00	Leave cane and greasewood bnd N and S.	
80.00	The cor. to secs. 5, 6, 7 and 8. Land, level and rolling. Soil, 2nd and 3rd rate.	
	Dense undergrowth greasewood on 55 chs.	2.50
		3.40
		5.00

Chains West on a random line bet. secs. 6 and 7.

Va. 17°00' E

4000 Set temporary 1/4 sec. cor.

5000 Intersect W. boundary of Tp. 47 lks. S. of the cor. to secs. 16, 7 and 12. which is a marked stone 12 ins. in the ground, with pits 18 × 18 × 12 ins. on each sec. 6 1/2 ft. dist., and a mound of earth 2 ft. high, 4 1/2 ft. base over it. In S. E. pit a stake 2 ft. long 12 ins. in the ground marked

T 15 S. S. 6 on N. E.

R. 18 W. S. 7 on S. E.

R 19 W. S. 12 on S. W. and

S 1 on N W faces with 5 notches on S and 1 notch on N edges

Thence

S. 89° 40' East on a true line bet. secs. 6 and 7 with same va.

.25 Wash 3 lks. wide 1 ft. deep drs. S. E.

3.40 Wash 10 lks. wide 1 ft. deep drs. S.

5.00 Sand ridge 4 ft. high brs. N. E. & S.

7.79 Subdivision T. 15 S. R. 1 W.

Chains		Chains
18.50	Road from Salt Marsh to Goat Cr. bro. N. 10° W. and S. 10° E.	
40.00	Set white limestone 14 x 8 x 4 in. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N.E. face, dug pits 18 x 18 x 12 ins. E. and W. of stone 5 ft. dist. and raised a mound of earth 1½ ft. high, 3½ ft. base, along	16.30 40.00
41.20	Wash 3 lks. wide 6 ins. deep dr. S. E.	
42.70	Wash 5 lks. wide 1 ft. deep drs. N. E.	67.50
80.00	The cor. to secs. 5, 6, 7 and 8.	78.50
	Land, nearly level.	80.00
	Soil, clay and sand 2nd rate	
	Dense undergrowth grease on 80 chs.	
	North on a random line bet. secs. 5 and 6. Va. 17° 00' E.	
40.00	Set temporary 1/4 sec. cor.	
80.00	Intersect North boundary of	

Salt Lake Meridian 84

Chains	
	Township, 56 lks. E. of the cor. to secs. 5, 6, 31 and 32, established under present contract.
	Thence
	S. 0° 24' E. on a true line bet. secs 5 and 6, with same va.
16.20	Trail bns. N. E. and S. W.
41.00	Set white sand stone 16 x 8 x 3 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside.
67.50	Wash 3 lks. wide 1 ft. deep, drs. E.
78.50	Wash 6 lks. wide 18 ins. deep, drs. E.
80.00	The cor. to secs. 5, 6, 7 and 8.
	Land, level.
	Soil, clay, and alkali 2nd rate.
	Dense undergrowth greasewood on 80 chs.

June 26, 1884

781	Subdivision T. 15 S. R. 18 W.	Me
Chains	I commenced at the meander cor. to Fractional secs. 30 and 31 on the W. boundary of the Salt Marsh.	
	Thence I run with meanders in sec. 30.	N 19¼ E
	Va. 16° 30' E.	
N. 46° E	8.00 chs.	N 48° W
N. 14½° E	32.00 chs.	N 12½° W
N. 65½° E	17.00 chs.	N 80° E
N. 42° E	42.00 chs. At 37 chs. to a point about 4 chs. E. of a pile of salt, containing about 175 tons that has been taken from the marsh for shipment to smelters by the Solar Salt Co. "Leave dense sagebrush & greasewood	North N 31° E
N. 5° W.	5.30 chs. To meander cor. to fractional secs. 19 and 30. Land, level. Soil, 3rd rate.	
	Dense undergrowth, sagebrush & greasewood on 1 mile 19 ch. 00 lks.	
	June	N 66° E
	Commence at the meander	

BOOK-A-204

Meanders T15S R18W

Cor to fractional secs 19 & 20
Thence Trav with meanders
in sec 19
Var 16° 30' E

N19¼E 26.50 chs. To a point about 5 chs
S of pile of salt containing about 60 tons

N45°W 12.50 "
N12½W 10.00 "
N80°E 8.10 " At 8.10 chs a house bears
N81°W about 20 chs dist

North 8.00 "
N31°E 17.00 " To Meander cor to secs
19 & 20. From this corner
a pile of 130 tons of salt bears
N20°W 5 chs dist

Land Level
Soil 2nd & 3rd rate
No timber

Thence Trav with meanders
in sec 20
Var 16° 30' E

N16°E 25.00 chs. At 10.00 chs enter dense
undergrowth, sage & greasewood.

Meanders T 13 S R 18 W

S 25° W 19.50 chs. At 3.20 chs mouth of Creek about 50 lks wide running into end of Salt Marsh

S 55° E 20.50 "

S 1° W 49.00 To Meander Cor to secs 20 & 29 at 29.00 chs leave dense undergrowth. Land level Soil 2nd & 4th rate Dense undergrowth greasewood on 75.00 chs

Thence Trav with meanders in sec 29 Var 16° 30' E

South 35.00 chs - At 25.00 chs enter dense greasewood and sagebrush.

S 16° W 33.00 "

S 9½° W 13.50 " To Meander corner to secs 29 & 32 Land level Soil 3rd rate Dense undergrowth, sagebrush and greasewood on 56.50 chains.

Thence Trav with meanders in sec 32 Var 16° 30' E

Meande

S 31° W 36.00

Dense

on

Thence

S 79° W 18.50

S 36½° W 25.50

S 19½° W 21.25

S 89° W 06.50

S 1° W 25.00

S 45° W 17.00

S 10° W 40.00

Dense

in

Meanders T 15 S R 18 W.

S 31° W 36.00 chs To Meander cor to secs
At 15.00 leave dense sage & greasewood.
31 & 32

Land Level

Soil 4th rate

Dense undergrowth, sage and greasewood
on 15.00 chains. –

Thence I run with meanders
in sec 31
Var 16 30' E

S 79° W 18.50 chs
S 36½° W 25.50 "
S 19½° W 21.25 "
S 89° W 06.50 " It is 100 lks to mouth of
Creek at Send of lake which
is 4 chs across – Enter
dense sage and greasewood. –
N 15° W 25.00 "
N 45° W 17.00 "
N 10° W 40.00 " To Meander Cor to secs 30 &
31, place of begining
At 3 chs spring good water

Land level meadow

Soil 1st rate

Dense undergrowth, sage and grease-
wood on 1 mile 02 chs 05 lks.

June 27th 1874

Subdivision T 15 S R 18 W. S.L.M.

General Description

This Township contains a great variety of land from valleys to mountains, and the soil ranges from alkali and mountains to rich bottom lands.

The soil of the bottom land on each side of the Salt Marsh is rich black loam & produces abundant crops of meadow hay without irrigation

The remaining portions of the Township except the mountainous land can nearly all be classed as 2nd rate and is covered with a growth of sage brush shadscale & greasewood also which sage good for grazing

There is an abundance of fine stone on the Mountains good for building and lime.

The best part of the Township is well watered by Warm Creek which runs into the

south west cor. also by a number of springs of fresh water.

There is a Salt Marsh in secs. 19, 20, 29 and 30, and 31 & 32, which partly evaporates in summers leaving large deposits of salt.

There are large quantities of the salt in piles in secs. 19 and 30, taken out of the marsh and piled by the "Solar Salt Co." for shipment to smelters in Nevada. There are valuable improvements in sec 17 consisting of houses, barns, corrals etc, belonging and occupied by Wm. C. Parry, who cultivates about 160 acres of meadow land in secs. 11 and 30.

Andrew J. Stuart Jr.
U. S. Dep. Surveyor

BOOK-A

U. S. SURVEY

Salt Lak

The forego

Township No.

Executed by

Under Contrac

day of

examined, the

tions made, t

they describe a

BOOK-A-204 377

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, January 17 *1885*

The foregoing field notes of the survey of the

Subdivisions

Township No. 15 S *Range No.* 18 W

Executed by Andrew J Stewart Jr

Under Contract No. 125 *of the* 7

day of April *1884, in the month of*

June *1884, having been critically*

examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-20

REPORT: 188

Filed .....

Examined by .....

Transcribed by

Compared by

FIE

OF THE

South 9

Township No 14

Range No 19

SALT

Andr

U

Under his

Dated Ap

Survey comm

Survey compl

8 BOOK-A-204

REPORT: 1885 379

Filed 188

Examined by .....

Transcribed by E. Michaelis

Compared by E. S. & H. R. M. A.

FIELD NOTES

OF THE SURVEY OF THE

South & West Boundaries

OF

Township No 16 South

Range No 19 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Andrew J Stewart Jr.

U. S. Deputy Surveyor,

Under his Contract No. 125

Dated April 7 1884

Survey commenced June 4th 1884

Survey completed " 5th 1884

BOOK-A-204

Township 16 S R. 19 W.

6 471	5 452	4 438	3 425	2 411	1
470	468	451	437	423	410
7 467	8 450	9 435	10 422	11 409	12
466	465	448	434	421	408
18 464	17 448	16 433	15 419	14 407	13
462	461	446	432	418	406
19 460	20 445	21 431	22 417	23 405	24
459	458	444	430	416	404
30 457	29 442	28 429	27 415	26 403	25
456	455	441	428	414	402
31 454	32 440	33 427	34 413	35 401	36
388	387	386	385	383	382

NAMES AND DUTIES OF ASSISTANTS:

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A-204

South, boundar
Chains. Survey
day of
Burts
ass.
From
S. Rs.
under
line, be
the Vari
being
half m
each 4
towns
78 Cha
the fal
South
and 17
The co
will th
and 12
and it
S. 89

South, boundary T. 16 S. R. 19 W. S. L. Mer.

Chains. Survey commenced on the 14th day of June, 1884. with a Burts improved Solar Compass.

From the cor. to Tps. 16 and 17 S. Rs. 19 and 20 W. established under present contract

I run East on a random line, between said Townships, the Variation of my compass being 16°20' E. I set temporary half mile and mile corners at each 40 and 80. chs and find the township line to be 5 miles 78 chains and 80 links, and the falling to be 266 links. South of the corner to Tps. 16 and 17 S. Rs. 18 and 19 W.

The correction for the true line will therefore be 44⅓ lks N. and 120 lks. West per mile, and its course will be S. 89°41' W.

South boundary T. 16 S. R. 19 W.

Chains From the cor. to Tps. 16 and 17
S. Rs. 18 and 19 W., which is
a quart of charcoal 12 ins. in
the ground, and pitts 22 X
X 12 ins. lengthwise on each
N. S. E. and W. of cor., 6 ft.
dist., and a mound of earth
2½ ft. high 5 ft. base over it.
In S. E. pit a stake 2 ins.
square, 2 ft. long 12 ins. in the
ground marked
T. 16 S. S. 31 on N. E.
R. 18 W. S. 6 on S. E.
T. 17 S. S. 1 on S. W. and
R. 19 W. S. 36 on N. W. faces,
with 6 notches on each edge
I run

S. 89° 41' W. on a true line,
bet. Secs. 1 and 36
Va 16° 20' E.
Overflowed land water 3 ins
dep
36.00 Leave overflowed land bro

BOOK-A

Salt

Chains N. an
40.00 Set a
8 ins. i
mar
18 X 18 X
5½ f
of ear
along
80.00 Set a
8 ins.
X 3 ins.
36, n
notch
X 18 X 12
dist.,
earth
alon
Land
Den
woo

S. 89
Secs

BOOK-A-204

Salt Lake Meridian

Chains

N. and S. Enter dense undergrowth

40.00 Set a gray lime stone 14X10X3 ins. 8 ins. in ground for 1/4 Sec. cor. marked 1/4 on N face, dug pits 18X18X12 ins. E & W. of stone 5 1/2 ft dist., and raised a mound of earth 1 1/2 ft high 3 1/2 ft. at base along side

80.00 Set a gray granite stone 14X10X3 ins, 8 ins. in ground for cor to Secs. 1, 2, 35 and 36, marked 1 notch on E. and 5 notches on W. edge, dug pits 18X18X12 ins. in each Sec. 5 1/2 ft. dist., and raised a mound of earth 2 ft high 4 1/2 ft. base along side.

Land level; soil 2nd & 3rd rate

Dense undergrowth, greasewood on 44.00 chs

S. 89° 41' W. on a true line, bet. Secs 2 and 35

Va 16° 20' E.

South boundary T. 16 S. R. 19 W.

Chains.

4.00 Set a gray granite stone 14 × 3 ins. 8 ins. in ground for ¼ sec. cor. marked 4 on N. face and raised a mound of earth and stone along side

8.00 Set a blue limestone 14 × 9 × ins. 9 ins. in ground for cor. to sec. 2, 3, 34 and 35, marked 2 notches on E. and 4 notches W. edges. dug pits 18 × 18 × 12 ins. in each sec. 5½ ft. dia. and raised a mound of earth 2 ft. high 4½ ft. base along side

Land nearly level

Soil 1st & 2nd rate

Dense undergrowth, greasewood on 80 chs.

Salt Lake Meridian.

Chains. S. 89°41' W. on a true line between Secs. 3 and 34 Va 16°40' E.

14.00 Set a gray lime stone 16X8X6 ins. 11 ins. in ground, for 1/4 Sec cor. marked 1/4 on N. face, dug pits 18X18X12 ins. E. and W. of stone 5½ ft. dist. and raised a mound of earth 1½ ft high 3½ ft. base along side.

6.90 Dead man's Cr. 35 lks. wide 6 ins. deep runs N. E.

7.75 Branch of Dead man's Cr. 5 lks. wide runs N. E.

8.00 Set a blue lime stone 15X8X8 ins. 10 ins. in ground for the cor. to Secs. 3, 4, 33 and 34, marked 3 notches on the E and W. edges dug pits 18X18X12 ins. in each Sec. 5½ ft. dist. and raised a mound of earth 2 ft high 4½ ft. at base along side

Land nearly level
Soil 1st rate

South Boundary T. 16 S. R. 18 W.

Chains Dense undergrowth, greasewood on 80.00 Chs.

S. 89° 41' W. on a true line b[illegible] secs. 4 and 33

Va 16° 20' E.

40.00 Set a blue lime stone 15 x 8 ins. 10 ins. in ground for ¼ sec cor. marked ¼ on ~~W.~~ N. face and raised a mound of ear[illegible] and stone along side

80.00 Set a gray lime stone 14 x 7 ins. 9 ins. in ground f[illegible] cor. to secs 4, 5, 32 and 33, marked 4 notches on E. and 2 notches on W. edges, dug pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist. and raised a mound of earth 2 ft high 4 ft. base along side

Land nearly level

Soil 1st rate

Dense undergrowth, greasewood on 80. chs

BOOK-A

Salt

Chains S. 89° [illegible] bet. [illegible]

36.0 Road [illegible] park [illegible]

16.90 Road [illegible] to Dr[illegible] bro. [illegible]

40.00 Set a [illegible] x 5 in[illegible] ¼ sec [illegible] face. [illegible] of ea[illegible]

80.00 Set a [illegible] ins. 10 ins. f[illegible] 32 [illegible] notch[illegible] 18 x 18 [illegible] 5½ [illegible] mon[illegible] 4½ [illegible] Land [illegible] soil [illegible] Dense [illegible]

Salt Lake Meridian.

Chains S. 89°46' West, on a true line bet. Secs. 5 and 32

N. 16°20' E.

13.60 Road from Hot Cr. to Silver Park Pl. N. and S.

16.90 Road from Smith's Ranch to Deadman's Cañon, bs. N. E & S. W

41.00 Set a blue lime stone 14X6X5 ins. 9 ins. in ground for ¼ Sec. Cor. marked ¼ on N. face. and raised a mound of earth and stone along side.

80.00 Set a blue lime stone 15X10X6 ins. 10 ins. in ground for Cor to Secs. 5, 6, 31 and 32 marked 5 notches E and 1 notch W. edges, dug pits 18X18X12 ins. in each Sec. 5½ ft. dist. and raised a mound of earth, 2 ft high 4½ ft. base along side.

Land nearly level

Soil 1st rate

Dense undergrowth, greasewood on 80 chs.

South, boundary T. 16 S. R. 19 W.

Chains.	
	S. 89°41' W. on a true line, bet. secs. 6 and 31
	Va 16°20' E.
40.00	Set a blue line 15 x 10 x 4 ins. 10 in ground for ¼ sec. cor. marked ¼ N. face dug pits 18 x 18 x 12 ins. E & W of stone 5½ ft. dist. and raised a mound of earth 2 ft. high 4½ ft. at base along side
62.50	Foot of mountain ascend gradual slope bis N. & S.
71.50	Wash 6 ft deep 100 lks wid drs. S. E.
78.00	Wash 2 ft deep 20 lks wid drs S. E
78.20	The cor to Tps. 16 & 17 S Rs 19 & 20 W. established by myself under present contract.
	Land level and rolling soil 1st & 2nd rate
	Dense undergrowth sage greasewood and shad scale on 78.20 chs

June 4th 1884

BOOK-A

West, boun

Chains.	
	From 19 and cont
	Nor
15.00	Was
39.00	"
40.00	Set a 8 ins. Ed ¼ mou side
49.00	Was
53.00	"
60.00	"
67.85	"
80.00	Set a 10 ins. 25.3 and a m alo Lan

West boundary T. 16 S. R. 19 W. S.L. Mer.

Chains. From the cor. to Tps. 16 & 17 S. Rs. 19 and 20 W. established under present contract

Thence

North bet. Secs. 31 and 36

N. 16°25' E.

15.00 Wash drs. E.

39.00 " 4 ft. deep 20 lks. wide drs. S. E.

40.00 Set a blue lime stone 14 x 12 x 8 ins. 8 ins. in ground for ¼ sec. cor. marked ¼ on W. face, and raised a mound of earth and stone along side

49.00 Wash drs. E.

53.00 " " "

60.00 " " "

67.85 " " "

80.00 Set a blue lime stone 15 x 12 x 8 ins. 10 ins. in ground for the cor. to Secs. 25, 30, 31 and 36, marked 1 notch S. and 5 notches N. edges, and raised a mound of earth and stone along side.

Land rolling bench or ft. of hills

West boundary T. 16 S. R. 19 W.

Chains. Soil 2nd rate

Dense undergrowth sage, mountain mah and shad scale bush on 80 chs.

North, bet. Sec. 25 and 30

Va 16°30' E.

6.20 Wash drs. E.

8.30 " " "

30.00 " " "

40.00 Set a blue lime stone 20×14×12 ins. 15 ins. in ground, for 1/4 sec. cor. marked 1/4 on W. face, raised a mound of Earth and Stone along side

41.50 Wash drs. E.

49.15 " " "

57.00 Low ridge descends E.

62.00 Wash drs. E.

72.10 " " "

80.00 Set a blue lime stone 15×12×3 ins. 10 ins. in ground for the corner to secs. 19, 24, 25 and 30, marked 2 notches S. and 4 notches N. edge raised a mound of earth and stone

Salt Lake Meridian

Chains. along side.
Land gently rolling beach
Soil 2nd rate
Dense Mountain rush, sage Brush & shad scale on 80. chs

North bet. secs. 19 and 24
Va 16°20' E.

7.50 Wash drs. E.
14.00 " " "
27.50 " " "
32.00 " " N. E.
40.00 Set a blue lime stone 20x10x10 ins. 15 ins. in ground for ¼ sec. cor. marked ¼ on W. face, dug pits 18x18x12 ins. N. and S. of stone 5½ ft. dist. and raised a mound of earth 1½ ft. high 3½ ft. base along side
43.00 Wash in hollow drs. N. E.
48.00 " " " " " "
49.00 Wood road bs. N. E and S. W.
78.50 Wash in hollow drs N. E.
80.00 Set a blue lime stone 30x18x6 ins

West Boundary T. 16 S. R. 19 W.

Chains	
	21 ins. in ground for the cor. to Secs. 13, 18, 19 and 24 marked 3 notches on N. and S. Edges and raised a mound of earth and stone along side.
	Land gently rolling bench.
	Soil 2nd rate.
	Dense Mountain rush sage and shad scale undergrowth on 80 ch
	North, bet. secs. 13 and 18.
	Va 16°20' E.
5.35	Wash drs. E.
25.85	" " N. E.
40.00	Set a blue lime stone 14x10x6 ins 8 ins. in ground for 1/4 sec. cor. marked 1/4 on W. face, dug pits N. and S. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 ft. base along side
43.60	Wash drs. E.
57.70	" " "
58.90	Wood road brs. N. E & S. W.

BOOK-A

Salt

Chains	
76.50	Wash
80.00	Set a bl
	grou
	18. m
	notch
	12 in
	and
	ft. h
	Land
	Soil
	Den
	rush
	North
2.00	Dr
2.00	Wa
	200
86.00	
4.00	Set
	10 in
	ma

BOOK-A-204

Salt Lake Meridian.

Chains.

76.50 Wash dr. S. E.

80.00 Set a blue lime stone 15 x 10 x 8 ins. 10 ins. in ground for the cor. to secs. 7, 12, 13 and 18. marked 4 notches on S. and 2 notches on N. edges. dug pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist. and raised a mound of earth 2 ft. high 4½ ft. base alongside
Land gently rolling bench
Soil 2nd rate
Dense undergrowth mountain rush and shad scale on 80 chs

North bet. secs. 7 and 12
Va 16° 20' E.

21.00 Descend abruptly into cañon

27.00 Wash in cañon about 200 ft. deep. dr. S. E.

36.00 N. side of cañon.

40.00 Set a granite stone 15 x 9 x 7 ins. 10 ins. in ground for ¼ sec. cor. marked 6 on N. faceting pits

West boundary T. 16 S. R. 18 W.

Chains. 18X18X12 ins. N. and S. of cor. 5½ dist. raised a mound of earth 1 ft. high 3½ ft. base along side

67.20 Wash dir. E.

70.50 " " "

77.20 " " "

80.00 Set a blue lime stone 18X14X10 ins. 12 ins in ground, for cor to Secs. 1, 6, 7 and 12 marked 5 notches on S. and 1 notch on N. edges and raised a mound of earth and stone along side

Land, Rolling bench
Soil 2nd rate

No timber

North bet. Secs. 1 and 6
Va 16° 20' E.

31.00 Wash in hollow dir. E.

40.00 Set a blue lime stone 14X8X6 ins. 8 ins in ground for ¼ Sec cor. marked 5 on W. face dug pits 18X18X12 ins N. and S. of stone, 5½ ft. dist and raised a mound of earth

Salt Lake Meridian

chains. 1½ ft. high 3½ ft. base, along side
47.00 Wood road bs N. & and S. w.
65.00 Wash drs. E.
72.00 Road bs E. and w.
83.50 Wash drs. S. & E.
86.40 Intersect 3rd Standard Parallel South at 9. chs E. of Standard cor. to Tps. 15 S. Rs. 19 & 20 w. which is a blue limestone 20 x 12 x 8 ins firmly set in the ground marked 6 notches N E & W edges and S C with pits 24 x 18 x 12 ins lengthwise on line N. E & W of stone 6 ft dist with a mound of earth 2 ft high 4½ ft base around stone and at the point of intersection I set a blue lime stone 15 x 10 x 8 ins 10 ins. in ground for closing cor. to Tps 16 S. Rs. 19 & 20 w. marked C C with 6 notches on N. E. & w. edges dug pits 24 x 18 x 12 ins lengthwise line on N. E. and w. of stone 6 ft. dist.

West Boundary T. 16 S. R. 19 W. S. L.

and raised a mound of earth
2½ ft. high 5 ft. base along side
Land rolling bench
Soil 2nd rate
No timber

June 5th 1884

For General description see
Subdivision.

Andrew J. Stewart Jr
Ass't. Dep Surveyor.

J.H.C.

BOOK-

U. S. SURVE

Salt Lak

The fore

South

Township No.

Executed by

Under

day of

Jh

amined. the

the said fiel

hereby appro

BOOK-A-204

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Jany 17th 1885

The foregoing field notes of the survey of the South & West Boundaries

Township No. 16 South *Range No.* 19 West

Executed by Andrew J Stewart Jr

Under his *contract* #125 *of the* 7th

day of April 1884 *in the month of* June 188 , *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK

REPORT: 18

Filed

Examined by

Transcribed by

Compared by

FI

OF TH

Township No 1

Range No 19

SALT

Under

U

Under his

Dated 7

Survey comm

Survey compl

BOOK-A-204

REPORT: 1885 399

Filed 188

Examined by .....

Transcribed by Henry R. McAllister

Compared by Solomon E. Allison

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No 16 South

Range No 19 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Andrew J. Stewart Jr

U. S. Deputy Surveyor,

Under his Contract No 125

Dated 7th April 1884

Survey commenced June 6th 1884

Survey completed " 14th 1884

NAMES AND DUTIES OF ASSISTANTS:

Compassman.

Chainman.

Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

Flagman.

BOOK-A

Subdivision T 16 S. R. 19 W.

Survey commenced June 6th 1894

Chains Preliminary, to commencing this survey, North on a blank line on east boundary of sec. 36, and at 39.93 chs. found the ¼ sec. cor. and at 40.02 chs. found the sec. cor.

My compass will therefore run the same line as the exterior boundaries, and the chaining practically agrees.

I commenced at the cor. to secs. 1, 2, 35 and 36, on the south boundary established under present contract.

Thence

North bet. secs. 35 and 36.

Va. 16°20' E.

4000 Set gray granite stone 14 x 8 x 4 ins. 9 ins. in the ground, for ¼ sec. cor. marked ¼ on W. face, dug pits 18 x 18 x 12 ins. N. and S of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base, alongside.

8000 Set gray granite stone 14 x 7 x 6 ins. 9 ins. in the ground, for cor. to secs. 25, 26, 35 and 36, marked 1 notch on

2 Subdivisions T. 16 S. R. 19 W.

Chains	E. and S. edges, dug pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base, alongside.	Cha
	Land, level.	79.
	Soil, clay and alkali, 2nd rate.	
	Dense undergrowth greasewood on 80 chs.	
	East on a random line bet. secs. 25 and 36.	
	Var. 16° 20' E.	
40.00	Set temporary ¼ sec. cor.	
70.00	Intersect E. boundary of Tp. 26 lks. S. of the cor. to secs. 25, 30, 31 and 36, established under present contract.	12.
	Thence	40.
	S. 87° 51' W. on a true line bet. secs. 25 and 36, with same var.	
39.75	Deposited marked stone 12 ins. in the ground, for ¼ sec. cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 5½ ft. base over it.	80.

Chains	In E. pit drove a stake 2 ft. long 2 ins. square, 12 ins in the ground, marked 1/4 S. on N. face.
77.50	The cor. to secs. 25, 26, 35 and 36. Land, level and rolling. Soil, clay and alkali 2nd rate. Dense undergrowth, greasewood on 79.50 chs.
	North bet. secs. 25 and 26. Va. 16° 20' E
5.00	Branch of Dead Mans Creek 3 lks wide 4 ins. deep runs E.
12.10	Dead Mans Creek 100 lks. wide 8 ins. deep dra N. E.
40.00	Deposited marked stone 12 ins. in the ground, for 1/4 sec. cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5 1/2 ft. dist, and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base over it. In W. pit drove a stake 2 ft. long 2 ins. square, 12 ins. in the ground, marked 1/4 S. on W. face.
80.00	Set blue limestone 14 x 7 x 4 ins. 2 ins

4 Subdivision T 14 S R 19 W

Chains	in the ground, for cor to secs. 23, 24, 25 and 26, marked 1 notch E and 2 notches S. edges, dug pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist, and raised a mound of earth 2 ft. high, 4½ ft. base, along sec.	Chains	
	Land, level.	79.50	
	Soil, clay and alkali 2nd rate. Dense undergrowth, greasewood on 80 chs.		
	East on a random line bet. secs. 24 and 25.		
	Va. 11°30' E.		
40.00	Set temporary ¼ sec. cor.	40.00	
79.30	Intersect E. boundary of Tp. 30 lks. S. of the cor. to secs. 19, 24, 25 and 30, established under previous contract.		
	Thence		
	S. 89°39' W. on a true line bet. secs. 24 and 25, with same va.		
39.65	Deposited marked stone 12 ins. in the ground, for ¼ sec. cor. dug pits	39.55	

BOOK-A-204

Salt Lake Meridian

Chains 18 x 18 x 12 ins. E. and W. of stone 5½ ft. dist, and raised a mound of earth 1½ ft. high, 3½ ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground marked ¼ S. on N. face.

79.30 The cor. to secs. 23, 24, 25 and 26.

Land level.

Soil clay and alkali 2nd rate.

Dense undergrowth, greasewood on 79.30 chs.

North bet. secs. 23 and 24.

Var. 16° 20' E.

40.00 Deposited marked stone 12 ins. in the ground for ¼ sec. cor. dug pits 18 x 18 x 13 ins. N. and S. of stone 5½ ft. dist., and raised a mound of stone 1½ ft. high, 3½ ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground marked ¼ S. on W. face.

80.00 Leave greasewood and rabbit brush.

6 Subdivisional T. 11 S. R. 19 W.

Chains		Chains
74.00	Trail bears N. W. and S. E.	
80.00	Set white limestone 15 x 8 x 6 ins. 18 ins. in the ground, for cor. to secs. 13, 14, 23 and 24, marked 1 notch on E. and 3 notches on S. edges; dug pits 18 x 18 x 13 ins. in each sec. 3½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base alongside.	32.0
	Land, level.	79.2
	Soil, clay and alkali 2nd rate.	
	Dense undergrowth, greasewood and rabbit brush on 39.50 chs.	
	East on a random line bet. secs. 13 and 24.	40.0
	Var. 16° 25' E.	
45.50	Set temporary ¼ sec. cor.	
79.25	Intersect E. boundary, 60 lks. S. of the cor. to secs. 13, 18, 17 and 24, established under present contract.	
	Thence	

Salt Lake Meridian 7

Chains	
	S. 89°34' W. on a true line bet. secs. 13 and 24, with same va.
	Enter dense greasewood
32.60	Deposited marked stone 12 ins. in the ground, for 1/4 sec. cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base over it. In E. pit drove a stake 2 ft. long 2" square 12" in ground marked 1/4 S. on N. face
79.20	The cor. to secs. 13, 14, 23 and 24.
	Land, level.
	Soil, clay and alkali. 2nd rate.
	Dense undergrowth, greasewood on 79.20 chs.
	North bet. secs. 13 and 14
	Va. 16°20' E.
40.00	Deposited marked stone 12 ins. in the ground, for 1/4 sec. cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base, over it. In N. pit drove a stake 2 ft. long 2 ins. square, 12 ins. in the ground, marked 1/4 S. on W. face.

8 Subdivision T. 16 S. R. 19 W.

Chains		Chains
76.00	Creek 16 lks. wide 1 ft. deep drs. S. E.	
80.00	Set blue limestone 14 x 6 x 6 ins. 9 ins. in the ground, for cor. to secs. 11, 12, 13 and 14, marked 1 notch on E. and 4 notches on W. edges; dug pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist.; and raised a mound of earth 2 ft. high, 4½ ft. base, along side.	39.85
	Land, level.	79.70
	Soil, loam, clay and alkali 1st, 2nd and 3rd rate.	
	Dense undergrowth, greasewood on 80 chs. June 6th 1884.	
	East on a random line bet. secs. 12 and 13. Va. 16° 20' E.	40.00
40.00	Set temporary ¼ sec. cor.	
79.70	Intersect E. boundary of Tp. 20 lks. S. of the cor. to secs. 7, 12, 13 and 18 established under present contract	

Salt Lake Meridian. 9.

Chains Thence

S. 89°51' W. on a true line bet: secs. 12 and 13, with same va.

39.85 Set blue lime stone 14 x 12 x 7 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on its face, dug pits 18 x 18 x 12 ins. E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base, alongside.

79.70 The cor. to secs. 11, 12, 13 and 14.

Land, level.

Soil, clay and alkali. 2nd rate.

Dense undergrowth greasewood on 77.70 chs.

North bet secs 11 and 12.

Va. 16° 28' E.

40.00 Deposited marked stone 12 ins. in the ground, for 1/4 sec. cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground

10 Subdivision T. 6 S. R. 19 W.

Chains		Chains
	marked W. S. on W. face.	
62.00	Road; bears N.W. & S.E.	
80.00	Set blue limestone 4 x 8 x 6 ins. 9 ins. in the ground, for cor. to secs. 1, 2, 11 and 12, marked 1 notch on E. and 5 notches on S. edge; dug pits 18 x 18 x 12 ins. in each sec. 5½ ft. diag., and raised a mound of earth 2 ft. high, 4½ ft. base, alongside.	
	Land level.	80.06
	Soil, clay and loam, 1st rate.	
	Dense undergrowth, greenwood on 80 chs.	
	East on a random line bet. secs. 1 and 12.	
	Va. 16° 20' E.	35.00
40.00	Set temporary ¼ sec. cor.	40.00
80.06	Intersect N. and S. line 56 lks. N. of the cor. to secs. 6, 7 and 12, established by myself under present contract N. 89° 56' W.	
40.33.	Deposited marked stone 12 ins. in the ground, for ¼ sec. cor.	

Chains

dug pits 18 x 18 x 12 ins. E. and W. of stone 5½ ft. dist; and raised a mound of stone 1½ ft. high, 3½ ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 14 S on N. face.

80.06 The cor. to secs 1, 2, 11 and 12.

Land, level.

Soil, 2nd rate.

Dense undergrowth, greenwood on 8006 chs.

North on a base line bet. secs. 1 and 2.

Var. 16° 20' E.

35.00 Bench 8 ft. high bears E. & W.

40.00 Deposited marked stone 12 ins. in the ground, for ¼ sec. cor. dug pits 18 x 18 x 12 ins. E. and S. of stone 5½ ft. dist, and raised a mound of stone 1½ ft. high, 3½ ft. base, over it.

In W. pit drove a stake 2 ft. long, 2 ins. square 12 ins. in the ground,

12 Subdivision T. 16 S. R. 19 W.

Chains		Chain
	marked 1/4 S. on W. face.	
41.00	Enter meadows. Leave dense greesewood	
60.00	Enter greesewood.	
83.00	Intersect Third Standard Parallel South at 3.50 chs. E of the standard cor. to secs. 35 and 36, T. 15 S. R. 19 W. which is a charred cedar post 4 ft. long, 4 ins. square firmly, set in the ground marked S. C. T. 16 S. R. 19 W. on N. S. 36 on E. and S. 35 on W. faces, with 1 notch on E. and 5 notches on W. faces, with pits 24 x 18 x 12 ins. N. E. and W. of post 6 ft. dist, and a mound of earth 2 ft. high, 4 1/2 ft. base around post. At which point I set a blue limestone 14 x 8 x 6 ins. 9 ins. in the ground, for closing cor. to secs. 1 and 2 T. 16 S. R. 19 W. marked C. C. with 5 notches on W. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. S. E. and W. of stone 6 ft. dist, and raised a mound of earth 2 ft. high, 4 1/2 ft. base, alongside.	40.00 [illegible] 72.80 [illegible]

Chains Land level and rolling,
Soil, clay and loam 1st rate
Dense undergrowth, greasewood,
on 64,00 chs

From the cor. to secs. 2, 3, 34 and 35
on the south boundary of Tp.
established under present
contract.

Irun

North bet. secs 34 and 35.

Va. 11 25 E.

40.00 Deposited marked stone 12 ins.
in the ground, for 1/4 sec. cor.
dug, pits 18 x 18 x 12 ins. N. and S.
of stone 5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft. high, 3 1/2 ft.
base over it.

In E pit drove a stake 2 ft. long,
2 ins. square, 12 ins. in the ground,
marked 1/4 S. on W. face.

[illegible].00 Overflow of Smith Creek.

72.80 Leave overflow.

[illegible]0.0 Set blue limestone 14 x 10 x [illegible] ins. [illegible] ins.

414 Subdivision T 16 S R 11 W

Chains	in the ground for cor. to secs. 26, 27, 34 and 35 marked 1 notch on S. and 2 notches on E edges, dug pits 18×18×12 ins. in each sec. 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base alongside. Land, level. Soil, 2nd and 3rd rate. Dense undergrowth, greenwood on 80 chs.	Chains 79.90
	East on a random line bet. secs. 26 and 35. Va 16°20' E	32.10 40.00
40.00	Set temporary ¼ sec. cor.	
79.90	Intersect N and S. line 68 lks. S. of the cor. to secs. 25, 26, 35 and 36. Thence S. 89°31' W. on a true line bet. secs. 26 and 35 with same va.	
39.95	Set blue limestone 15×10×7 ins. 10 ins. in the ground, for ¼ sec. cor. marked ¼ on N. face, dug pits 18×18×12 ins. E. and W. of	80.00

Salt Lake Meridian

	Chains	stone 5½ ft. dist, and raised a mound of earth 1½ ft. high, 3½ ft. base alongside.
	79.90	The cor. to secs. 26, 27, 34 and 35.
		Land, level.
		Soil, 2nd rate.
		Dense undergrowth, greenwood on 79.90 chs.
		North bet. secs. 26 and 27.
		Var. 16° 20' E.
	22.50	Trail bn. N. & S.
	40.00	Deposited marked stone 12 ins. in the ground, for ¼ sec. cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5½ ft. dist, and raised a mound of earth 1½ ft. high, 3½ ft. base over it.
		In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 14 S. on W. face.
	40.00	Set five limestone 14 x 12 x 3 ins. 9 ins. in the ground, for cor. to secs. 22, 23, 26 and 27, marked 2

16. Subdivision T. 16 S. R. 19 W.

Chains		Chains
	motches on S. and E. edges, dug pits 18x18x12 ins. in each sec. 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base, along side	55.00
	Land, level.	78.00
	Soil, 2nd rate	79.20
	Dense undergrowth, greasewood on 80 chs.	
	East on a random line bet. secs. 23 and 26.	
	Va. 16° 20' E.	
40.00	Set temporary, ¼ sec. cor.	15.00
79.20	Intersect N. and S. line 22 lks. N. of the cor. to secs. 23, 24, 25 and 26.	39.00
	Thence	40.00
	N. 89° 51' W. on a true line bet. secs. 23 and 26 with same va.	
39.60	Deposited marked stone 12 ins. in the ground for ¼ sec. cor. dug pits 18x18x12 ins. E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base over it.	
	In E. pit drove a stake 2 ft.	43.00

BOOK-A-204

Salt Lake Meridian

Chains long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on W. face.

25.00 Trail brs. N. and S.

78.50 Trail brs. N. E. and S. W.

79.20 Cor. to secs. 22, 23, 26 and 27.

Land, level.

Soil, 2nd rate.

Dense undergrowth greasewood on 79.20 chs.

June 7, 1884

North bet. secs. 22 and 23.

Var. 16° 20' E.

15.00 Trail brs. N. E. and S. W.

39.00 Trail brs. N. E. and S. W.

40.00 Deposited marked stone 15 x 11 x 5 ins. 10 ins. in the ground, for 1/4 sec. cor. dug pits 1' x 1' x 1½ ins. N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on W. face.

45.00 Trail brs. N. W. and S. E.

18 Subdivision T 16 S. R. 19 W

Chains		Chains
50.50	Trail brs. N E. and S. W.	10.00
79.50	" " " " " "	20.00
80.00	Set blue limestone 15 x 8 x 4 ins. 10 ins. in the ground, for cor. to secs. 14, 15, 23 and 24, marked 2 notches on E and 3 notches on S edges, dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base alongside.	40.15
	Land, level.	
	Soil, 2nd rate.	59.50
	Dense undergrowth greasewood on 80 chs.	77.60
		80.30
	East on a random line bet. secs. 14 and 23	
	Va. 16°20' E.	
40.00	Set temporary 1/4 sec. cor.	
80.30	Intersect N. and S. line 6 lks. N. of the cor. to secs. 13, 14, 23 and 24.	
	Thence	21.50
	N. 79°57' W. on a true line bet. sec.	29.00

Salt Lake Meridian 19

Chains	
	14 and 23. with same va.
10.00	Enter dense greasewood.
20.00	Trail brs. N. and S.
40.15	Deposited marked stone 12 ins. in the ground, for 1/4 sec cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base, over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on N. face.
59.50	Trail brs. N. E. and S. W.
77.60	Trail brs. N. E. and S. W.
80.30	The cor. to secs. 14, 15, 22 and 23. Land, level. Soil, 2nd rate. Dense undergrowth greasewood on 70.30 chs.
	North bet. secs. 14 and 15. Va. 16°20' E.
21.50	Trail brs. N. W. and S. E.
29.00	" " " " " " "

Subdivisions T 14 S R 19 W

Chains		Chains
39.90	Trail bra. No. W. and S. E.	
40.00	Deposited marked stone 12 ins. in the ground, for 1/4 sec. cor. dug pits 18 x 18 x 12 ins. No. and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, over it.	40.00
	In No. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on W. face.	39.90
40.88	Trail bra. No. W. and S. E.	39.65
53.40	" " " " " "	
80.00	Set blue limestone 14 x 6 x 4 ins. 9 ins. in the ground, for cor. to secs. 10, 11, 14 and 15, marked 2 notches on W. and 4 notches on S. edges, dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base, alongside.	53.00
	Land, level.	39.30
	Soil, 1st and 2nd rate.	39.30
	Dense undergrowth, greenwood on 80 chs.	

Chains East on a random line bet. secs. 11 and 14.

Va. 16°20' E.

40.00 Set temporary 1/4 sec. cor.

79.30 Intersect E. and S. line 70 lks. S. of the cor to secs. 11, 12, 13 and 14.

Thence

S. 89°30' W. on a true line bet. secs. 11 and 14 with same va

39.65 Deposited marked stone 12 ins. in the ground, for 1/4 sec. cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5 1/2 ft. dist, and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on N. face

53.00 Trail brs. N and S.

59.30 " " " "

79.30 The cor. to secs. 10, 11, 14 and 15.

Land, level.

Soil, clay and loam 1st rate.

21 Subdivision T 16 S R. 19 W

Chains		Chains
	Dense undergrowth, greasewood on 79.30 chs.	41.00
	There is a large meadow, containing about 200 acres, sou of the line about 12 chs., the greater part being in the N. E ¼ of sec. 14.	16.00
		77.50
		80.00
	North bet. secs 10 and 11.	
	Va 16°20' E.	
11.00	Spurr of ridge decends E.	
20.00	To a point about 10 chs. E of a spring.	
40.00	Deposited marked stone 12 ins in the ground, for ¼ sec. cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5½ ft. dist. and raised a mound of earth 1½ ft. high, 3½ ft. base, over it.	
	In E. pit drove a stake 2 ft long, 2 ins. square, 12 ins. in the ground, marked ¼ S. on W. face.	40.00
		79.94

BOOK-A-204

Salt Lake Meridian

Chains	
41.00	Trail bra. E. and W.
16.00	Trail bra. E. and W.
17.50	Road bra. S. E. and N. W.
20.00	Set blue limestone 14 x 8 x 6 ins. 9 ins. in the ground, for cor. to secs. 2, 3, 10 and 11, marked 2 notches on E. and 5 notches on S. edges, dug pits 8 x 14 x 12 ins. in each sec. 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base, alongside.
	Land nearly level.
	Soil, 2nd rate.
	Dense undergrowth greasewood on 80 chs.
	East on a random line bet. secs. 2 and 11.
	Var. 16°20' E.
40.00	Set temporary ¼ sec. cor.
79.94	Intersect N. and S. line 65 lks. N. of the cor. to secs. 1, 2, 11 and 12.

23 Subdivisions T. 1 S. R. 19 W.

Chains	Thence	Chains
	N. 89° 32' W. on a true line bet. secs. 2 and 11. with a same var.	
11.00	Trail brs. N. E. and S. W.	22.20
28.70	Road from Utah to Nevada brs. S. 62° E. and N. 60° W.	24.20
		30.00
35.50	Spring, branch runs S. 61° E. trends N. 60° W. 3 chs. dist., good water.	33.00
		40.00
	Enter meadow brs. N. & S. Leave dense brush	
39.97	Deposited marked stone 12 ins. in the ground, for 1/4 sec. cor dug pits 18 x 18 x 12 ins. E. and W. of stone 5 1/2 ft. distt. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on N. face.	
		43.50
		53.00
52.00	Leave meadow, enter dense brush.	57.50
79.94	The cor. to secs. 2, 3, 10 and 11.	60.00
	Land, nearly level.	83.96
	Soil, 1st rate.	
	Dense undergrowth, greasewood on 63 44 chs.	

Salt Lake Meridian 24 21

Chains	
	North on a true line bet. secs. 2 and 3.
	Va. 16°30' E.
2.20	Trail brs. N. W. and S. E.
24.20	" " " " " " "
30.00	" " " " " " "
33.00	Road brs. N. W. and S. E.
40.00	Deposited marked stone 12 ins. in the ground, for 1/4 sec. cor. dug pits 18x18x 12 ins. N. and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft base over it. In N. pit drove a stake 2 ft. long, 2 ins. square. 12 ins. in the ground, marked 1/4 S. on W. face.
43.50	Trail brs. N. W. and S. E.
53.00	Spring branch runs E.
57.50	Enter meadow.
60.00	Spring branch runs E.
83.96	Intersect Third Standard Parallel South at 3.75 chs. E. of the standard cor to secs. 34 and 35. T. 15 S. R. 19 W. which is a charred cedar post 4 ft. long, 4 ins. square

25 Subdivision T 16 S R 19 W

Chains firmly set in the ground marked S. C. T. 15 S. R 19 W. on N.
S. 35 on E and
S. 34 on W. faces, with 2 notches on E. and 4 notches on W. edges, with pits 24 x 18 x 12 ins. N. E. and W. of post 6 ft. dist, and a mound of earth 2 ft. high, 4½ ft. base, around post.
At which point I set a blue limestone 14 x 10 x 7 ins. 8 ins. in the ground for closing cor. to secs. 2 and 3 marked, T. 16 S. R. 19 W. C. C. with 4 notches on W. and 2 notch on E. edges dug pits 24 x 18 x 12 ins. S. E. and W. of stone 6 ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base, alongside.
Land, level.
Soil, 2nd rate.
Dense undergrowth greenwood on 57.50 chs.

June 9th 1884

From the cor. to secs. 3, 4, 33

Chains and 34, established under present contract

Draw

North bet. secs. 33 and 34.

Va. 16 20' E.

9.00 Wash drs. E.

25.50 Wash drs. E.

40.00 Deposited marked stone 12 ins. in the ground for 1/4 sec. cor. dug pits 18 X 18 X 12 ins. N. and S. of stone 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high, 3 1/2 ft base over it.

In N. pit drove a stake 2 ft. long 2 ins. square, 12 ins. in the ground, marked 1/4 S. on W. face.

Trail bears N E & S W

85.00 Set blue limestone 16 X 6 X 5 ins. 11 ins. in the ground, for cor. to secs. 27, 28, 33 and 34 marked 3 notches on E. and 1 notch on S. edges, dug pits 18 X 18 X 12 ins. in each sec. 5 1/2 ft dist, and raised a mound of earth 2 ft high, 4 1/2 ft base, alongside.

Land, gently rolling bench.

25 27 Subdivision T 11 S R 19 W

Ch	Chains	
		Soil, 2nd rate.
		Dense undergrowth, greesewood on 80 chs.
		East on a random line bet. secs. 27 and 34.
		Va. 16° 20' E.
	40.00	Set temporary 1/4 sec. cor.
	80.25	Intersect Ks. and S. line 80 lks. S. of the cor. to secs. 26, 27, 34 and 35
		Thence
		S. 89° 41' W. on a true line bet. secs. 27 and 34, with same va
	25.00	To overflow of Smith Creek 10 ch across.
	40.12½	Deposited marked stone 12 in in the ground, for 1/4 sec. cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5½ ft. dist., and rain a mound of earth 1½ ft. hig 3½ ft. base, over it.
		In E. pit drove a stake 2 ft long, 2 ins. square, 12 ins. in

Salt Lake Meridian

Chains	ground, marked 1/4 S. on W. face.
55.00	Trail bears N. and S.
80.25	The cor. to secs. 27, 28, 33 and 34.
	Land, level.
	Soil, 2nd rate.
	Dense underground, greenwood on S. 0.25 chs.
	North bet. secs. 27 and 28. Var. 16° 20' E.
40.00	Deposited marked stone 12 ins. in the ground, for 1/4 sec. cor. dug pits 18 x 15 x 12 ins. N. and S. of stone 5 1/2 ft. dist, and raised a mound of stone 1 1/2 ft. high, 3 1/4 ft. base, over it. In W. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on W. face.
42.50	Wash drs. E.
47.70	Trail bears N. E. and S. W.
55.00	Wash drs. Vs. 80° E.
80.00	Set blue limestone 15 x 8 x 4 ins. 10

25 28 Subdivision T 16 S R 19 W

Chains ins. in the ground, for cor. to secs. 21, 22, 27 and 28, marked 3 notches on E. and 2 notches on S. edges, dug pits 18x18x12 ins. in each sec. 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base, alongside.

Land, level

Soil, 1st and 2nd rate.

Dense undergrowth, greesewood on 80 chs.

East on a random line bet. secs. 22 and 27.

Ca. 16°20' E.

Through brush.

0.00 Set temporary ¼ sec. cor.

80.80 Intersect N. and S. line at 50 lks. S. of the cor. to secs. 22, 23, 26 and 27.

Thence

S. 89°39' W. on a true line bet. secs. 22 and 27 with same va.

Cha
20.
39.
40.
80.
40.

Chains	
20.50	Train Crs. N. and S.
39.85	" " " "
40.40	Deposited marked stone 12 ins in the ground, for 1/4 sec. cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5 1/2 ft. dist, and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base over it. In Pit above a stake 2 ft long 2" square 12 ins in the ground marked 1/4 S on N face
80.80	The cor. to secs. 21, 22, 27, and 28. Land, nearly level. Soil, 1st and 2nd rate. Dense undergrowth, greesewood on 80.80 chs.
	North bet. secs. 21 and 22. Va. 16°20' E.
40.00	Deposited marked stone 12 ins in the ground, for 1/4 sec. cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5 1/2 ft. dist, and raised a mound of Earth 1 1/2 ft high, 3 1/2 ft. base over it.

30 Subdivision T. 4 S. R. 19 W.

Chains	In H. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on W. face	Ch
		24
		38
80.50	Set blue limestone 14 x 10 x 8 ins. 9 ins. in the ground, for cor. to secs. 15, 16, 21 and 22, dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base, alongside	40
	Land, nearly level.	
	Soil, 2nd rate.	
	Dense undergrowth, greenwood on 10 chs.	49
		80
	East on a random line bet. secs. 15 and 22.	
	Va. 16° 20' E.	
40.50	Set temporary 1/4 sec. cor.	
80.70	Intersect H. and S. line 50 lks. S. of the cor. to secs. 14, 15, 22 and 23.	
	Thence	
	S. 89° 39' W. on a true line bet.	1

Chains	secs. 15 and 22, with same va.
24.75	Trail brs. N. and S.
38.00	Top of sand knoll
43.35	Deposited marked stone 12 ins. in the ground, for 1/4 sec cor dug pits 18 x 18 x 12 ins. E. and W. of stone 5 1/2 ft. dist, and raised a mound of Earth 1 1/2 ft. high, 3 1/2 ft. base, over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on N. face.
49.00	Ridge brs. N. and S.
80.70	The cor. to secs. 15, 16, 21 and 22. Land, nearly level. Soil, 1st rate. Dense undergrowth, greasewood on 80.70 chs.
	North bet. secs. 15 and 16. Var. 16° 20' E.
.50	Leave greasewood brs. N. E. and S. W.
2.50	Trail brs. N. E. and S. W.

32 Subdivision T. 16 S. R. 19 W.

Chains		Cha
40.50	Set blue limestone 14 x 8 x 6 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 18 x 18 x 12 ins. N. and S. of stone 5 1/2 ft. dist, and raised a mound of Earth 1 1/2 ft. high, 3 1/2 ft. base, along side	40.0
62.50	Wash drs. E.	16.0
70.00	Low ridge decender E.	26.5
80.00	Set blue limestone 14 x 10 x 8 ins. 9 ins. in the ground, for cor. to secs. 9, 10, 15 and 16, marked 4 notches on S. and 3 notches on E. edge, dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist, and raised a mound of earth 2 ft. high, 4 1/2 ft. base, alongside.	40.5
	Land, nearly level close E.	65.0
	Soil, 2nd rate.	75.1
	Dense undergrowth on 50 lks.	80.0
	East on a random line bet. secs. 10 and 15.	

Chains	
	Va. 16° 20' E.
40.00	Set temporary ¼ sec. cor.
80.64	Intersect N. and S. line 70 lks. S. of the cor. to secs. 10, 11, 14 and 15.
	Thence
	S. 89° 30' W. on a true line bet. secs. 10 and 15. with same va.
16.00	Wash drs. S. E.
26.50	Wash drs. S. E.
40.32	Set blue lime stone 14 x 6 x 5 ins. 9 ins in the ground for ¼ sec. cor, marked ¼ on N. face, and raised a mound of stone alongside
65.00	Leave brush brs. N. E. and S. W.
75.00	Trail brs. N. E. and S. W.
80.64	The cor. to secs. 9, 10, 15 and 16.
	Land, slopes E.
	Soil, 1st and 2nd rate.
	Dense undergrowth greenwood on 65 chs.
	June 10th 1884
	North bet. secs. 9 and 10.
	Va. 16° 20' E.

34 Subdivision T 16 S R 19 W

Chains	
8.50	Enter greesewood brs. E. and W.
38.50	Road brs. S. W. and N. E.
40.00	Set blue limestone 14 x 10 x 3 ins. 9 ins. in the ground, for ¼ sec. cor. marked ¼ on W. face, dug pits 18 x 18 x 12 ins. N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base alongside.
66.00	Road brs. N. E. and S. W.
72.00	Trail brs. E. and W.
78.50	Road brs. N. E. and S. W.
80.00	Set blue limestone 14 x 10 x 4 ins. 9 ins. in the ground, for cor. to secs. 3, 4, 9 and 10, marked 3 notches on E. and 5 notches on S. edges, dug pits 18 x 18 x 12 ins. in each sec. 5½ ft. dist., and raised a mound of earth 2 ft. high, 3½ ft. base, alongside.
	Land, nearly level.
	Soil, 1st and 2nd rate.
	Dense undergrowth, greesewood on 71.50 Ch.

Chains	East on a random line bet. secs. 3 and 10.
	Va. 16°20' E.
40.00	Set temporary ¼ sec. cor.
80.47	Intersect N. and S. line, 2.4 lks. N. of the cor. to secs. 2, 3, 10 and 11.
	Thence
	N. 89°50' W. on a true line bet. secs. 3 and 10, with same va.
25.00	Enter dense brush.
40.23	Deposited marked stone 12 ins. in the ground, for ¼ sec. cor. [illegible] dug pits 18 x 18 x 12 ins. E. and W. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base over it.
	In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ¼ S. on N. face.
47.80	Top of Knoll
58.00	Leave dense brush Enter Meadow
69.80	Road bra. S. W. and N. E.
75.00	Leave willows and meadow. Enter dense brush
80.47	The cor. to secs. 3, 4, 9 and 10. Land, nearly level.

25 | 36 | Subdivision T 16 S R 19 W

Chains	Soil, 1st and 2nd rate.
	Dense undergrowth, greasewood on 38, 47 chs.
	North on a true line bet. secs. 3 and 4.
	Va. 16° 20' E.
4.50	Dry bed of Warm Creek drs. E.
9.25	Road brs. N. 80° W. and S. 80° E.
22.00	Wash drs. nearly, E.
23.00	Indian trail bears E & W. to
40.00	Set blue limestone 14 x 8 x 6 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 18 x 18 x 12 ins. N. and S. of stone 5 1/2 ft. dist., and raised a mound of stone 1 1/2 ft. high, 3 1/2 ft. base, alongside.
4[illegible].00	Trail brs. E. and W.
70.25	Dry bed of branch of Warm Creek brs. E.
75.25	Branch of Warm Creek runs E.
79.75	Road from Salt Marsh to Nevada brs. E. and W.

Chain 83.75 Intersect Third Standard Parallel South at 4.55 chs. E. of the standard cor. to secs. 33 and 34, T. 15 S. R. 19 W. which is a charred cedar post 4 ft. long, 4 ins. square, firmly set in the ground, marked
S. C. T. 15 S. R. 19 W. on N.
S. 34 on E. and
S. 33 on W. faces, with 3 notches on E. and W. faces, with pits 24 x 18 x 12 ins. N. E. and W. of post 6 ft. dist, and a mound of earth 2 ft. high, 4 1/2 ft. base, around post.
At which point I set a blue limestone 14 x 10 x 6 ins. 9 ins. in the ground, for closing cor. to secs. 3 and 4, T. 16 S. R. 19 W. marked C. C. with 3 notches on E. and W. edges, dug pits 24 x 18 x 12 ins. S. E. and W. of stone 6 ft. dist, and raised a mound of earth 2 ft. high, 4 1/2 ft. base,

Subdivision T. 1 S. R. 19 W.

Chain	along side	Ch
	Land, nearly level	
	Soil. 2nd rate	
	Dense undergrowth, greenwood	
	on 83.75 chs.	
	From the cor to secs 4, 5, 32 and 33, on the south boundary of township established under present contract.	
	Run	
	North bet. secs 32 and 33	
	Va. 16°20' E.	
40.00	Set gray limestone 15 x 8 x 5 ins. 10 in in the ground for 1/4 sec cor marked 1/4 on W face, and raised a mound of earth and stone along side	40 80
71.25	Wash 45 lks wide 1 ft. deep runs N E	
74.00	Enter greenwood	
80.00	Set blue limestone 14 x 8 x 6 ins 9 ins in the ground, for cor to secs 28, 29, 32 and 33, marked	14 40

Chains	4 notches on E and 1 notch on S. edges, dug pits 18x18x12 ins in each sec 5½ ft dist, and raised a mound of earth 2 ft. high, 4½ ft. base, alongside. Land, level.
	Soil, mixed, clay and gravel 2nd rate.
	Dense undergrowth greasewood on 6 chs.
	East on a random line bet. secs. 28 and 33.
	Va. 16°20' E.
40.55	Set temporary ¼ sec. cor.
80.45	Intersect N. and S. line 48 lks. S. of the cor. to secs. 27, 28, 33 and 34.
	Thence
	S 89°39' W on a true line bet. secs. 28 and 33. with same va.
14.20	Wash 20 lks. wide 2 ft. deep dry. N. 75° E.
40.20	Deposited marked stone 12

40 Subdivision T 11 S R 19 W

Chains	ins. in the ground, for ¼ sec. cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5½ ft. dist. and raised a mound of earth 1½ ft. high, 3½ ft. base, over it.	Chains 40.00
	In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ¼ S. on N. face	
65.46	Wash 30 lks wide, 2 ft. deep runs N. 75° E.	40.50
80.46	The cor. to secs. 28, 29, 32 and 33.	
	Land, level	50.00
	Soil, clay and gravel 2nd rate	
	Dense undergrowth greasewood on 80.40 Chs.	53.00
		60.00
		72.15
	North bet secs. 28 and 29	80.00
	Va. 16° 20' E.	
6.50	Foot of Sand Knoll.	
10.00	Top of Sand Knoll 8 ft. high	
15.50	Foot of Sand Knoll.	
34.90	Road from Warm Creek to Pioche bn. N. 30° E. and S. 30 W.	
35.40	Wash 10 lks. wide 2 ft. deep trs. E.	

Salt Lake Meridian

Chains	
40.00	Deposited marked stone 12 ins. in the ground, for 1/4 sec. cor. dug pits 18x18x12 ins. N. and S. of stone 5 1/2 ft. dist, and raised a mound of Earth 1 1/2 ft. high, 5 1/2 ft. base, over it. In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on W. face.
40.55	Wash 5 lks. wide 1 ft. deep drs. E.
50.00	Wash 10 lks wide 1 ft. deep drs. S. 80° E.
53.00	Wash 5 lks. wide 1 ft. deep drs. E.
60.00	Ground gently ascending N.W.
72.15	Wash 100 lks. wide 3 ft. deep drs. S. E.
80.00	Set blue limestone 14x10x6 ins. 9 ins. in the ground, for cor. to secs. 20, 21, 28 and 29 marked 4 notches on E and 2 notches on S. edges, dug pits 18x18x12 ins. in each sec. 5 1/2 ft dist, and raised a mound of earth 2 ft. high, 4 1/2 ft. base, alongside

Subdivision T. 16 S. R. 19 W.

Chains		Chain
	Land, level and rolling	
	Soil, clay and gravel 2nd rate	47.2
	Dense undergrowth greenwood	51.00
	on 80 chs.	63.80
		80.8
	East on a random line bet. secs. 21 and 28 [illegible]	
	Va. 16° 20' E.	
40.00	Set temporary ¼ sec. cor.	
80.80	Intersect S. E. and S. line 10 lks. S. of the cor. to secs. 21, 22, 27 and 28. Thence	
	S. 89° 56' W on a true line bet. secs. 21 and 28 with same va.	
15.76	Wash drains S. E.	35.00
18.20	Road bears N & S	
40.40	Deposited marked stone 12 ins. in the ground, for ¼ sec. cor. dug pits 18 ins. x 12 ins. E. and W. of stone 5½ ft. dist. and raised a mound of earth 1½ ft. high, 3½ ft. base over it.	40.5
		42.5
	In E. pit drove a stake 2 ft. long, 2 ins. square 12 ins. in the	43.5

Chains	
	ground, marked 1/4 S. on W. face.
47.20	Trail brs. N. E. and S. W.
27.00	Road brs. N. 30° E. and S. 30° W.
63.00	Wash 10 lks. wide 1 ft. deep drs. S. E.
80.00	The cor. to secs. 20, 21, 28 and 29.
	Land, nearly level.
	Soil, clay and gravel 2nd rate.
	Dense undergrowth greasewood on 80.00 chs.
	June 11th 1884
	North bet. secs. 20 and 21. Va. 16°20' E.
35.00	Wash 30 lks. wide 3 ft. deep drs. E.
40.00	Set blue limestone 14 x 8 x 6 ins. 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stone alongside.
42.33	Trail brs. N. E. and S. W.
43.33	Wash 20 lks. wide 2 ft. deep drs. S. 60° E.

44 Subdivision T 16 S R 19 W

Chains		Chains
62.80	Trail brs. N. 60° E and S. 60° W	80.60
67.80	Wash 100 lks. wide 3 ft. deep drs E	
75.00	Foot of bench 30 ft. high bears N. E. and S. W. Leave greesewood	
77.50	Top of bench.	
80.00	Set gray limestone 17 x 5 x 5 ins. 9 ins. in the ground, for cor. to secs. 16, 17, 20 and 21. marked 4 notches on E. and 3 notches on S. edges, dug pits 18 x 18 x 12 ins in each sec. 5½ ft. dist, and raised a mound of earth 2 ft. high, 4½ ft. base, alongside.	6.80 9.20 24.50 40.30
	Land, gently rolling.	
	Soil, clay and gravel 2nd rate.	
	Dense undergrowth, greesewood on 75 chs.	55.00 66.00 69.50 80.60
...	East on a [illegible] line bet. secs 16 and 21.	
	Va 16°20' E.	
40.00	Set temporary ¼ sec. cor.	

Chains	
80.60	Intersect N. and S. line 20 Lks. N. of the cor. to secs. 15, 16, 21 and 22.
	Thence
	N. 87° 51' W. on a true line bet. secs. 16 and 21 with same va.
6.80	Wash drs. S. E. Trail brs. N. E. & S. W.
9.20	Road brs. N. 35° E. and S. 36° W.
24.50	Wash 30 Lks. wide 4 ft. deep drs. S. 20° E. Bluff brs. N. and S.
40.30	Set [illegible] stone 14 x 8 x 3 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of stone alongside
55.00	Trail brs. N. E. and S. W.
66.00	Foot of bench enter greasewood
69.50	Top of bench brs. S. W. and N. E.
80.60	The cor. to secs. 16, 17, 20 & 21.
	Land, level and rolling.
	Soil, clay and gravel 2nd rate.
	Dense undergrowth, greasewood.

45 Subdivision of T. 16 S. R. 19 W.

Chains	on 14,60 chs	Chains	9
		40.00	Se
	North bet. secs. 16 and 17	79.72	S
	Var. 16° 20' E.		th
17.00	Trail bns. N. E. and S. W.		
32.50	Hollow 200 lks wide 10 ft. deep dis. E.		S
45.00	Set gray granite stone 14 x 8 x 6 ins. 9 ins.		9
	in the ground, for ¼ sec. cor. marked	20.05	R
	ed ¼ on W. face, and raised a		ar
	mound of earth and stone	36.75	R
	alongside.		N.
80.00	Set blue limestone 15 x 8 x 6 ins. 10 ins. in	39.76	D
	the ground, for cor. to secs. 8, 9, 16 and		th
	17, marked 4 notches on E. and S.		14 x
	edges, and raised a mound of		di
	earth and stone alongside.		ea
	Land, level and rolling bench.		
	Soil, clay and gravel 2nd rate		2
	Dense undergrowth, greenwood on		me
	80 chs.	76.00	E
		79.72	Th
			La
	East on a random line bet. secs.		So

Salt Lake Meridian

Chains	9 and 16.
	Va. 16°21' E.
40.00	Set temporary 1/4 sec. cor.
79.72	Intersect E. and S. line 25 lks. S. of the cor. to secs. 9, 10, 15 and 16.
	Thence
	S. 89°49' W. on a true line bet. secs. 9 and 16 with same va.
20.05	Road to Salt Marsh brs. N. 10° E. and S. 10° W.
36.75	Road to Warm Creek brs. S. E. and N. W.
39.76	Deposited, marked stone 12 ins. in the ground, for 1/4 sec. cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S. on N. face.
76.00	Enter greeswood brs. N. and S.
79.72	The cor. to secs. 8, 9, 16 and 17.
	Land, level.
	Soil, clay and gravel 2nd rate.

47 Subdivision T 16 S R 19 W

Chains		Chains	
	Dense undergrowth, greasewood on 3.72 chs.		S.
	North bet. secs. 8 and 9. Va 16°20' E.		E
1.25	Road to canyon bears N. 60° E. and S 60° W.	40.00	S
21.40	Road to canyon brs. N. E. and S. W.	79.90	I
40.00	Set blue limestone 17 X 8 X 6 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 18 X 18 X 12 ins. N. and S. of stone 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base alongside.	39.95	S
43.00	Trail brs. N E & S W.		in
45.00	Wash 10 lks. wide 1 ft. deep drs. E.		m
80.00	Set blue limestone 14 X 10 X 6 ins. 9 ins. in the ground, for cor. to secs. 4, 5, 8 and 9, marked 4 notches on E. and 5 notches on S. edges, and raised a mound of earth and stone, alongside.		ra
	Land, level.		sto
		58.00	Le
		41.00	Ro
		79.90	Th
			La
			So
			Den

Chains	Soil, clay and gravel 2nd rate. "No Timber."
	East on a random line bet. secs. 4 and 9.
	Va. 16°20' E.
4.00	Set temporary 1/4 sec. cor.
7.90	Intersect I.C. and S. line 70 lks. S. of the cor. to secs. 3, 4, 9 and 10.
	Thence
	S. 89°30' W. on a true line bet. secs. 4 and 9. with same va.
39.95	Set blue limestone 17 x 8 x 6 ins. 11 ins. in the ground for 1/4 sec. cor. marked 1/4 on I.C. face, and raised a mound of earth and stone, alongside
51.00	Leave greesewood bears N. and S.
61.00	Road bars N. 10° W. and S. 10° E.
79.90	The cor. to secs. 4, 5, 8 and 9.
	Land, level.
	Soil, clay and gravel 2nd rate.
	Dense undergrowth, greesewood on 58 chs.

49 Subdivision T. 15 S. R. 19 W.

Chains		Chains
	North on a true line bet. secs. 4 and 5. Var. 16° 20' E.	
40.30	Set true limestone 6 x 12 x 8 ins. 11 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth and stones also upside.	
	Almon Rhodes house bears N 35° E. Field No. of house.	
41.55	Road brs. N. E. and S. W.	
60.00	Almon Rhodes house bears N 69° 14' E.	
63.55	Road brs. N. W. and S. E.	
69.65	" " " " " "	
70.50	Wash brs. S. E.	
80.50	Road brs. N. 65° W. and S. 60° E.	
82.20	Fence bears N. 65° W. and S. 65° E. Entire field.	
85.00	Intersect the standard parallel S. 0.20 chs. E. of the standard cor. to secs. 32 and 33 T. 15 S. R. 19 W. which is a charred cedar post 4 ft long, 4 ins. square, 12 ins. in the ground, marked S. C. T. 15 S. R. 19 W. on N.	

Salt Lake Meridian

Chains S. 33 on E. and
S. 32 on W. faces, with 4 notches on
E. and 2 notches on W. faces with
pits 24 X 18 X 12 ins. N. E. and W. of
post 6 ft. dist, and a mound of
earth 2 ft. high, 4½ ft. base,
around post. At which point I
set a blue limestone 15 X 10 X 8 ins.
10 ins. in the ground, for closing
cor. to secs. 4 and 5, T. 16 S. R. 19 W.
marked C. C. with 4 notches on
E. and 2 notches on W. faces,
dug pits 18 X 18 X 12 ins. in each sec.
6 ft. dist, S. E. and W. of stone, and
raised a mound of earth 2
ft. high, 4½ ft. base, along side
Land, level.
Soil, 2nd rate.
Dense undergrowth greenwood
on 85.00 chs.
There is about 40 acres cultivat-
ed in sec. 4 east of line bet.
secs. 4 and 5, along parallel.

June 12, 1884

Subdivisions of 16 S R 17 W

Chains	
	From the cor. to secs. 56, 31 and 32, on the S. boundary of Tp, established under present contract.
	Iran
	North bet. secs. 31 and 32. Va. 6°20' E.
40.00	Set limestone 14 x 8 x 6 ins. 7 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 18 x 18 x 12 ins. N. and S. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base alongside.
51.50	Wash drs. E.
56.00	Wash drs. E.
73.00	Foot of ridge Leave greesewood
74.90	Tip of ridge brs. E.
85.00	Set limestone 14 x 8 x 3 ins. 9 ins. in the ground, for cor. to secs. 29, 30, 31 and 32, marked 5 notches on E and 1 notch on S edges, dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist., and raised a mound of

Chains	
40.00	
79.94	
12.00	
39.97	
79.94	

Chain earth 2 ft. high, 4½ ft. base along side.
Land, level.
Soil, 2nd rate.
Dense undergrowth greenwood on 70 chs.

East on a random line bet. secs. 29 and 32.

Var 16°20' E.

40.00 Set temporary ¼ sec. cor.
79.94 Intersect N. and S. line 56 lks. N. of the cor. to secs. 28, 29, 32 and 33.

Thence

N. 89°31' W. on a true line bet. secs. 29 and 32 with same Va.

2.00 Road N.E. & S.W.
39.97 Set true limestone 14 x 7 x 3 ins. 9 ins. in the ground, for ¼ sec. cor. marked ¼ on its face, dug pits 18 x 18 x 12 ins. E. and W. of stone 3½ ft. dist., and raised a mound of stone 1½ ft. high 3½ ft. base alongside.
79.94 The cor. to secs. 29, 30, 31 and 32.

Subdivision T 11 S R 19 W

Chains		Chains
	Land nearly level.	
	Soil. 2nd and 3rd rate.	
	Dense undergrowth greasewood on 79.94 chs.	
	West on a random line bet. secs. 30 and 31.	2.80
	Da. 16°20' E.	5.00
40.00	Set temporary ¼ s. c. cor.	27.00
80.05	Intersect W. boundary of Tp. 25 Rs. S. of the cor. to secs. 25 30. 31 and 36, established under present contract	32.00
		36.00
		40.00
	Thence	
	S. 89°49' E. on a true line bet. secs. 30 and 31, with same va	
40.05	Set gray limestone 16 x 14 x 12 ins. 11 ins. in the ground, for ¼ sec. cor. marked ¼ on E. face, dug pits 18 x 18 x 12 ins. E. and W. of stone 1½ ft. high 3½ ft. base, alongside.	46.50
		52.00
		64.00
		74.80
		80.00
80.05	The cor. to secs. 29. 30, 31 and 32.	
	Land, level and rolling.	
	Soil, 2nd and 3rd Rate.	

Salt Lake Meridian 54

Chains	
	Dense undergrowth, greesewood on 80.05 chs.
	North bet. secs. 29 and 30
	Va. 16°20' E.
2.80	Hollow about 60 ft. above ridge drs. E.
5.00	Spurr of ridge brs. E.
27.00	Wash in hollow drs. N. E.
32.00	" " " E.
36.00	" " " Ke 80° E.
40.00	Set blue limestone 10 x 2 x 12 ins. 11 ins. in the ground, for ¼ sec. cor. marked ¼ on W. face, and raised a mound of earth and stone along side.
45.50	Road brs. S. W. and N. E. Leave greasewood.
52.00	Wash drs. E.
64.00	" " "
74.80	" " "
80.00	Set blue limestone 10 x 12 x 6 ins. 10 ins. in the ground, for cor. to secs. 19, 20, 29 and 30, marked 5 notches on E.

55 Subdivision T 11 S R 19 W

Chains		Chains
	and 2 notches on S. edges, dug pits 18x18x12 ins in each sec. 5½ ft. dist, and raised a mound of earth 2 ft high, 4½ ft. base, alongside.	
	Land, gently rolling bench.	55.0
	Soil, 2nd rate.	
	Dense underground greasewood on 45, 50 chs	58.0
		60.0
		80.0
	East on a random line bet. secs 20 and 29.	
	Va. 16° 20' E.	
40.00	Set temporary ¼ sec. cor.	
80.37	Intersect W. and S. line 60 lks. S. of the cor. to secs. 20, 21, 28 & 29	
	Thence	
	S. 89° 34' W. on a true line bet. secs 20 and 29 with same va.	
2.03	Wash 80 lks. wide 6 ft. deep drs.	40.
	S. 35° E.	79.0
40.03	Set gray quartzite stone 14x10x3 ins. 9 ins. in the ground, for ¼ sec. cor. marked ¼ on W. face, dug pits 18x18x12 ins. E. and W.	

Chains	of stone 5½ ft. dist, and raised a mound of earth 1½ ft. high, 3½ ft. base, alongside
	Leave greasewood.
55.00	Foot of bench bra. N. 65° E. and S. 65° W.
58.00	Trail bra. N. 65° E. and S. 65° W.
60.00	Wash 100 lks. wide, bra. S. 40° E.
66.07	The cor. to secs. 19, 20, 29 and 30
	Land level and rolling.
	Soil, clay and gravel, good rate
	Dense undergrowth, greasewood
	on 4.08 ch.
	West on a random line bet. secs. 19 and 30.
	N. 16° 20' E.
40.00	Set temporary 1/4 sec. cor.
79.00	Intersect N. and S. line 5 lks. S. of the cor. to secs. 19, 24, 25 and 30, established under present contract.
	Thence
	S. 89° 55' E. on a true line bet. secs.

Subdivision T 16 S R 19 W

Chains		Chains
	19 and 30 with same va.	
23.00	Wash 20 lks. wide 1 ft. deep drs. S. E.	
39.00	Set blue limestone 16x14x4 ins 11 ins	
	in the ground, for 1/4 sec. cor.	52.00
	marked 1/4 on E face; dug pits 18x	71.50
	9x12 ins. E and W. of stone 5 1/2 ft.	74.50
	dist, and raised a mound of earth	80.00
	1 1/2 ft. high 3 1/2 ft. base, alongside.	
46.00	Wash 30 lks. wide 3 ft. deep drs. S. E.	
50.00	Ridge 40 ft high, brs. N. and S.	
	Leave dense peasecord	
60.00	Bottom of ridge brs. N. and S.	
66.50	Trail brs. N. E and S. W.	
79.00	The cor. to secs. 19, 20, 29 and 30	
	Land, bench broken and rolling	
	Soil, clay and gravel 2nd rate	
	Dense undergrowth peasecord	
	E. 55.00 chs	
	North bet. secs. 19 and 20.	
	Va 16° 20' E.	
5.80	Trail brs. N. E and S. W.	
21.00	Wash drs. E.	40.00
26.50	" " "	79.34
46.00	Set blue limestone 18 x 14 x 10 ins. 12	

Chains	in the ground, for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of earth alongside.
52.00	Wash. drs. E.
71.50	Wash. drs. E.
79.50	Wash. drs. E.
80.00	Set blue limestone 18 x 12 x 6 ins. 10 ins. in the ground, for cor. to secs. 17, 18, 19 and 20, marked 5 notches on E. and 3 notches on Sedges, dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base, alongside. Land, gently rolling bench. Soil, 2nd rate. "No Timber." June 13th 1884
	East on a random line bet. secs. 17 and 20. Va. 16° 20' E.
40.00	Set temporary 1/4 sec. co.
79.34	Intersect N. and S. line 74 lks. N. of the cor. to secs. 16, 17, 20 and 21.

9 Subdivision of T. 16 S. R. 17 W.

Chains	Thence	Chains
	N. 89° 28' W. on a true line bet. secs. 17 and 20. with same va.	40.00
		79.00
2.00	Wash 30 lks. wide 1 ft. deep drs. S. 20° E.	
20.00	Wash 50 lks. wide 3 ft. deep drs. S. E.	
39.67	Set gray limestone 14 x 8 x 8 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, dug pits 18 x 18 x 12 ins. E. and W. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base alongside	18.00
		23.00
		39.00
41.00	Leave greesewood brs. N. W. and S. E.	
78.50	Wash 10 lks. wide 1 ft. deep drs. N. 80° E.	
79.34	The cor. to secs. 17, 18, 19 and 20.	
	Land, rolling and level.	43.50
	Soil, sand, clay and gravel 1st and 2nd rate.	47.50
		47.75
	Dense undergrowth greesewood on 41 chs.	74.00
		79.00
	West on a random line bet. secs. 18 and 19	
	Va. 16° 20' E.	

Salt Lake Meridian 60

Chains	
40.00	Set temporary 1/4 sec. cor.
79.50	Intersect W. boundary of Tp. 52 lks. S. of the cor. to secs. 17, 18, 19 and 24 established under present contract.
	Thence
	S. 84° 38' East on a true line bet. secs. 18 and 19, with same va.
18.00	Leave hollow.
33.00	Re-enter hollow.
39.00	Set blue limestone 14 x 9 x 6 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of earth and stone alongside
43.50	Wash or hollow brs. S. 65° E.
47.50	Bench brs. S. 55° E. leave dense greasewood
47.75	Road brs. N. 60° E. and S. 60° W.
74.00	Wash 60 lks. wide 6 ft. deep drs. S. 65° E.
79.00	The cor. to secs. 17, 18, 19 and 20.
	Land, level and rolling
	Soil, clay and gravel 2nd rate.
	Dense undergrowth greasewood
	47.50 chs

Subdivision T 16 S R 19 W

Chains	North bet. secs. 17 and 18. Va. 16°20' E.	Chains	Ch.
[illegible]	Wash drs. S E		
27.00	Wood road brs. N E. and S. W.		E
40.00	Set granite stone 14×10×8 ins. 9 ins. in the ground, for ¼ sec. cor. marked ¼ on W. face, dug pits 18×18×12 ins. N. and S. of stone 5½ ft. dist, and raised a mound of earth 1½ ft. high, 3½ ft. base, alongside.	40.00	s
		80.39	I
			S.
47.00	Point of ridge brs. N. E. Outer dense greasewood		
51.00	Road brs. N. E. and S. W.		S
54.00	Junction of roads brs. N. E. S. W. and S. 20° W.	4.00	R
56.00	Wash in hollow drs. E.	24.00	T
77.00	Wash drs. S. 65° E.	55.00	F
80.00	Set quartzite stone 15×10×7 ins. 10 ins. in the ground, for cor. to secs. 7, 8, 17 and 18. marked 5 notches on E. and 4 notches on S. edges, and raised a mound of stone alongside.	40.19	s
			i
			n
			10
			a
	Land, rolling bench		h
	Soil, 2nd rate	46.50	

Salt Lake Meridian

Chains	
	Dense undergrowth greasewood 33.00 chs
	East on a random line bet. secs. 8 and 17
	Va. 16°20' E.
40.00	Set temporary 1/4 sec. cor.
80.39	Intersect North & South line 27 lks. S. of the cor. to secs. 8, 9, 16 and 17.
	Thence
	S. 87°44' W. on a true line bet. secs. 8 and 17, with same va.
4.00	Road brs. N. 40° E. and S. 40° W. Enter greasewood
24.00	Trail brs. N. E. and S. W.
35.00	Foot of ridge about 40 ft. high brs. N. E. and S. W.
40.19	Set white limestone 15 x 8 x 5 ins. 10 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, dug pits 18 x 18 x 12 ins. E. and W. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base alongside.
46.50	Ridge brs. N. E. and S. W.

63. Subdivision T 11 S R 19 W

Chains		Chains
64.00	Road brs. N 10° E. and S. 10° W.	
75.00	Hollow, drains S E	
80.39	The cor. to secs. 7, 8, 17 and 18	
	Land level and rolling.	65.00
	Soil, clay and gravel 2nd rate.	
	Dense undergrowth greenwood on 76.39 chs.	80.60
	West on a random line bet. secs 7 and 18.	
	Va 16° 20' E.	
45.00	Set temporary 1/4 sec. cor.	
80.60	Intersect W. boundary of Tp. 13 lks.	5.00
	N of the cor. to secs. 7, 12, 13 and	25.00
	18 [illegible]	30.00
	[illegible]	35.00
	Thence	40.00
	N 19° 54' E. on a true line bet. secs 7 and 18, with same va.	
23.00	Wash 50 lks. wide 1 ft. deep dro. S. E.	
35.00	Wash 15 lks. wide 1 ft. deep dro. S.	
40.60	Set blue limestone. 14 x 10 x 6 ins.	

Salt Lake Meridian

Chains	9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face, and raised a mound of earth and stone alongside.
65.00	Enter hollow 20 ft. deep course S. 33°30 E.
80.60	The cor. to secs. 7, 8, 17 and 18. Land, nearly level. Soil 2nd and 3rd rate. Dense undergrowth greasewood on 80.60 ch.
	North bet. secs. 7 and 18. Va. 16°20 E.
5.00	Descend into hollow.
25.00	Wash in hollow drs. E.
30.00	" " " " "
35.00	" " " " "
40.00	Set blue limestone 14 x 8 x 6 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 18 x 18 x 12 ins. N. and S. of stone 5 1/2 ft. dist, and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, alongside.

5 Subdivision of 16 S. R. 19 W

Chains	
42.00	Wash drs. E
46.50	Wash drs. E
48.00	Wash drs. S 80° E
69.00	Wash drs. E.
80.00	Set blue limestone 14 X 10 X 6 ins. 9 ins. in the ground, for cor. to secs. 5, 6, 7 and 8, marked 5 notches on E. and S. edges, and raised a mound of earth and stone alongside.
	Land, rolling, bench.
	Soil, 2nd rate.
	Dense underground greasewood on 80 ch.
	East on a random line bet. secs. 5 and 8.
	Va. 16°25' E.
40.00	Set temporary 1/4 sec. cor.
80.00	Intersect N. and S. line 10 lks. S. of the cor. to secs. 4, 5, 8 and 9.
	Thence
	S. 89°56' W. on a true line bet. secs. 5 and 8. with same va

Chains
24.50
29.10
35.00
37.50
40.00
41.50
43.25
45.90
80.00

Chains	
24.50	Trail brs. N.E. and S.W. Enter greasewood.
29.10	Road brs. N. 40° E. and S. 40° W.
35.00	Foot of hill N. and S.
37.50	Top of hill.
40.00	Set gray limestone 14 x 6 x 2 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on N. face dug pits 18 x 18 x 12 ins. E. and W. of stone 5 1/2 ft. dist. and raised a mound of stone 1 1/2 ft. high, 3 1/2 ft. base, alongside.
41.50	Cross ridge. Enter hollow brs. S. 15° W.
43.25	Bottom of hollow.
45.90	Leave hollow.
50.00	The cor. to secs. 5, 6, 7 and 8.
	Land, level and rolling.
	Soil, clay and gravel (2nd rate.
	Dense undergrowth greasewood on 55.50 chs.

Subdivision T 11 S R 19 W

Chains		Chains
	West on a random line bet. secs 6 and 7	
	Va 16°20' E.	
40.50	set temp. 1/4 sec. cor.	.50
79.30	Intersect W. boundary of Tp. [illegible]	6.50
	N. of the cor. to secs. 1, 6, 7 and 12	19.00
	established under present contract	21.50
	Thence	40.00
	No 7°47' E on a true line bet. secs 6 and 7 with same va.	
39.30	Set blue granite stone 15 x 10 x 4 ins. 10 ins in the ground, for 1/4 sec cor. marked 1/4 on H. face, dug pits 18 x 18 x 12 ins. E. and W. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, alongside.	44.50
		62.50
		65.00
44.00	Wash 50 lks. wide 4 ft. deep dist. S.E.	75.00
		86.40
79.50	The cor. to secs 5, 6, 7 and 8.	
	Land level.	
	Soil, clay and gravel 2nd rate	
	"No Timber."	

Salt Lake Meridian 68

Chains	North on a true line bet. secs. 5 and 6.
	Va. 16°20' E.
.50	Wash drs. E.
6.50	" " "
19.00	" " "
21.50	" " "
40.00	Set blue limestone 15 x 10 x 5 ins. 10 ins. in the ground, for 1/4 sec. cor, marked 1/4 on W. face, dug pits 18 x 18 x 12 ins. N. and S. of stone 5 1/2 ft. dist, and raised a mound of Earth 1 1/2 ft. high, 3 1/2 ft. base, alongside
48.50	Bottom of hollow drs. E.
62.50	Road brs. N. 83° E. and S. 80° W.
65.50	Bottom of hollow drs. E.
75.00	Hollow drs. E.
86.40	Intersect Third standard parallel 5.00 chs. E. of the standard cor. to secs. 31 and 32 T. 15 S. R. 19 W. which is a charred cedar post 4 ft. long, 4 ins. square, firmly set in the ground, marked S. C. T. 15 S. R. 19 W. on N.

Subdivision T. 16 S. R. 19 W.

Corns S. 32 on E. and
S. 31. on W. faces, with 5 notches on E.
and 1 notch on W. face, with
pits 24 X 18 X 12 ins. N. E. and W. of
foot 6 ft. dist., and a mound of
earth 2 ft. high 4½ ft. base
around foot.

At this point set a blue limestone
14 X 6 X 6 ins. 1 ins. in the ground,
for closing cor. to sec. 5 and 6
T. 16 S. R. 19 W. marked C. C. with
5 notches on E. and 1 notch on W.
edge, dug pits 24 X 18 X 12 ins. S. E.
and W. of stone 6 ft. dist., and
raised a mound of earth 2
ft. high, 4½ ft. base along side.
Land, rolling bench
Soil, 2nd rate.
No Timber.

June 14th 1884

General Description
The land in this township is level and undulating. The soil ranges from alkali to rich loam, and is covered with a dense undergrouth of greasewood and some rabbit brush.
There is not any timber in the Tp
There is a meadow in sec 14 containing about 200 acres the major portion of which is situated in the N E¼,
There are also meadows in secs 2 and 11
The applicant for survey Almond Rhodes has a loghouse, and about 40 acres of land under cultivation in the N W¼ of sec 4.
There are also two

other settlers in the township having about 30 acres cultivated

Andrew Stewart Jr

U S Dep Surveyor

U. S.

Sc

Towns.

Execut

Under

day of

aminec

the sai

hereby

BOOK-A-204

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Jany 17th 1885

The foregoing field notes of the survey of the Subdivisions

Township No. 16 South *Range No.* 19 West

Executed by Andrew J Stewart Jr

Under his *contract* No 425 *of the* 7th

day of April 1884, *in the month of* June 1884, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.