Township 32



BOOK-A-206

REPORT: 1885

Filed 188

Examined by .....

Transcribed by E. Michaelis

Compared by Atkinson & Michaelis

FIELD NOTES

OF THE SURVEY OF THE

East Boundary and Resurvey of fractional South Boundary

OF

Township No. 1 South

Range No. 1 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Augustus P. Ferron

U. S. Deputy Surveyor,

Under his Contract No. 129

Dated September 5th 1884

Survey commenced October 14th 1884

Survey completed " 14 1884

BOOK-A-206

Township 1 S. R. 1 E

6	5	4	3	2	35	1
				49		34
7	8	9	10	47	11	33	12
				46		32
18	17	16	15	45	14	31	13
				44		30
19	20	21	22	42	23	29	24
				41		27
30	29	28	27	40	26	26	25
				39		25
31	32	33	34	37	35	23	36
				3		4

NAMES AND DUTIES OF ASSISTANTS.

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A

South B

Survey
Fronti
on the
is a f
Inclu
Iron
Eas

5.00 Enle
12.15 Roa
2000 Cut
SW
40.00 Foun
mm
16x16x
he c
and
alu
43.55 Fu
47.00 Lea
3.700 Cu
SW
8000 No
Cob

BOOK-A-206

South Boundary T. 1 S. R. 1 E.

Survey Commenced Oct 14 1884
From the cor to secs 2. 3 34 & 35
on the S bdy of this Tp which
is a hub formly set in the
ground & properly marked
& runs

East on resurvey line
between 2 & 35
Var 16° 30' E

5.00 Enters dense undergrowth
12.15 Road bears N & S W
20.00 Creek 10 lks wide 6 in deep runs
S W
40.00 Found brass cap prop & pits &
mound where I set a sandstone
16 x 16 x 3 - 6 in the ground for 1/4
sec cor, marked 1/4 on N face
and raised a stone mound
alongside
43.25 Field bears N & S Care undergrowth
47.00 Leave same Enter undergrowth
51.00 Creek 5 lks wide 4 deep runs
S W
80.00 No brass cap fold corner set a
Cobble stone 14 x 14 x 8, 9 in ground

South Boundary

6200 Fr
6950 A
8000 w
st
fr
2,8
w
c
st

Jn cor to sec, 12 35 x 36, marked
rock one notch on E and 5 w
Wedges and raised a stone
mound alongside
Land level
Soil 3d rate
No timber
Surrounded with
alluvion 71.25 ch

Easton reserving line
between 1 & 36
Dan 16.30 E

17.60 Road bears NW & SE
32.85 Spring branch 4 lks wide 1' deep
runs NW
40.00 No trace of old corner, and
fold survey, Set cobble
stone 12x12x6 8' in the
ground for 1/4 sec cor, marked
1/4 on N face and raised a
stone mound alongside
45.90 Spring branch 15 lks wide
10" deep runs NW

BOOK-A-206

T 1 S R 5 E

6200 Road bears S & S
6950 Ascend
8000 where I set a cobble stone 20"x10"x10" 15" in the ground for cor to Tps 1 & 2 South R 1 & 2 E marked with 6 notches on each edge and raised a stone mound alongside

Land level
Soil Stratified
Not timbered
Dense undergrowth
on S & E

East Boundary

From the Co's Gps 1 & 2 S R 1 E
formerly set by me I run North
magnetic line between Gps
& the Co's Gps 7.12.13 & 18.
setting 1/2 mile & mile corners at
40 & 80 chs. I find the distance
to be 4 miles 19 lks and the
falling to be 65 lks & fence trees
7.12.13 & 18. I adjust my chain
& instrument to the measurement
found and run South
between 13 & 18
Var 16 1/2° E

Ascend

19.50 Ridge bears N E & S W Descend
40.00 Set cobble stone 20 x 20 x 4. 15 in the
ground for Hickory, marked H.
W face and raised a stone mound
alongside
29.90 Gulch drains S E ascend
76.54 Ridge bears S E & N W descend
80.00 Set cobble stone 14 x 10 x 7
in the ground for corner
B. 18. 19 & 24, marked with

16.00 Ea
16.15 tele
16.50 Ro
16.90 Pa
20"
18.00 Co
37.50 Ri
40.00 Ce
gro
1/4
a
35.50 G
a

BOOK-A-206

T. 1 S. R. 1 E.

Boutcher and Sledge mound
Raised a stone mound
alongside
Land Mountainous
Soil 2nd rate
Timber
Pines underbrush
Altitude 8000 ft

South bet secs 19 & 24
Var 16½° E
Descend N E & S W

16.00 Enter Canyon
16.15 telegraph line bears N E & S W
16.50 Road Canyon
16.90 Parleys Park Creek 40 lks wide
40" deep runs S W
18.00 Ascend
39.50 Ridge bears N E & S W
40.00 Cobble stone 20"x10"x4" 1/4' in the
ground for 1/4 sec cor marked
1/4 on W face and raised
a stone mound alongside
55.50 Gulch draining S W
Ascend

8 BOOK A 206

East Boundary

64.00 Ridge bears N & W
descend
8.00 Iron rail drain W 43.50
Set sandstone 19"x7"x8"-14" 31.7
in ground for cor 19" W
25+30 marked with + on top
on N & S on ledges and rain
a stone mound alongside
Land mountain
Soil 2nd rate
Vegetation
Trees underbrush
alternation on both sides

South bet 25+30
Var 16° 30' E
Ascend
16.89 Ridge bears E & W 16.21
descend 32.15
6.50 Rail drain W. ascend
40.00 Set limestone 20"x 4000
10"x7". 15" in the
ground for 1/4 cor on

marker W
alongside
Set. Ridge
Bottom of
Crossable
sec. 25.
S. and
mound
Land
Soil
Vegetation
Trees

Ascend
Ridge b
drain W.
from W.
Set Sable 2
marker
ascend
Ridge
Descend
Land
Soil

Tp. 1 S., R. 1 E.

marked W.m. W. pass and raised a stone mound alongside.

43.50 Sols. Ridge lies N & S. M. 150 ft. high.
3.17 Bottom of ravine lies S.E. ascend.
20.00 Stone
Ascalle (14×7×6. g: the ground for cor to secs. 25. 30. 31 & 36 marked with notch on S. and. 5 on N. edges & raised a stone mound alongside.
Land. Mountainous.
Soil Rocks.
No timber.
Course underground with creek on South lies. secs. 31 & 36.
Var 16 1/2° E.

Ascend
16.21 Ridge lies N W & S E. 200 ft high
32.15 Mill Creek in cañon 20 chs. wide. Find deep
from W. Road & same ascend.
4.00 Set Scalle 20×7×6: 15: the ground for 1/4 sec. cor
marked 1/4 on W pass & raised a stone mound alongside
ascend
68.50 Ridge lies N. W & N. descend
80.00 The cor. to tps 1. 2. S. R 1 & 2 E.
Land. Mountains.
Soil Rocks

BOOKA 206 10

Eastboundary P. 14. R.

No timber

Descended ongood with cottonwood & Se

From the cor. to sec. 7. 12. 13 & 18. which is 27.00
a sandst. 20×10×9: properly marked Sec
North on running line Letw sec. 7 & 18 00
Var. 16½° E.

Descend

27.00 Gulch drain S. W. ascend ong bro
4.00 Find old cor. with marks partly
destroyed which is a sandstone
5×2½ ft above ground with X on N
face and raised a stone mound
alongside.

60.50 Rocky ridge bears S. W. ft
descend

60.00 Here is a sandstone 24×10×6
in the ground for cor to sec. 16. 7 & 12
marked with 1 notch on N and S
E. edges; raised a stone mound
alongside.

Land Mountain
Soil Poor.
No timber,
Descend ongood with cotton
on sec dis

dese.
Creek
6 in.
Des
the g
¼ on
mou
Gate
1.7
hill
sec
ma
sa
gro
Sp
wa
Co
Be
Be

BOOK-A-206

Boundary T. 1 S. R 1 E.

North between secs 1 & 6
Var 16½° E.

dese.

27.00 Creek; cor. mig. station Cairn 10 lks bearing
6 lks. dec. thence S. W. asc.

Hoov Set sandstone 10 x 10 x 6 ins 6 ins
the ground for ¼ sec. cor. mark
¼ on W face; raised a stone
mound alongside.

60.00 Reached Salt Lake Base line
1.75 lks. W. of cor. to Tps 1 & 2
S R 1 & 2 E. which is a
limestone 18 x 2 x 8 ins. firmly
set in the ground & properly
marked, where I set a
sandstone 24 x 12 x 6 ins. 16 lks.
ground for Bearing cor to
T. 1 South R 1 & 2 E. marked
with 6 notches on E. & W. sides
edges; raised a stone
mound alongside.
Lawr. Meandering
Set 2 rods
N 10 links
Beaver dam 4 links wide
Cotts 16. 50

BOOK A 206

General Descript.

The additional land which can be surveyed in this township consists of rolling foothills & Mountainslopes which are mostly claimed by settlers & under cultivation.

Augustus D Fenn
U. S. Deputy

BOOK A 206 13

[4—LIST OF NAMES.]

A list of the names of the individuals employed by Augustus D Ferron *United States deputy surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the survey of* Exterior lines of Tp 10 S R 5 E. Tp 17 S R 2 E. Tp 1 S R 1 E

of the Salt Lake base and meridian in the Territory of Utah, showing the respective capacities in which they acted.

....., *Compassman.*
Orson Strong, *Chainman.*
Thomas Lovell, *Chainman.*
....., *Chainman.*
....., *Chainman.*
Samuel Edgeley, *Axeman.*
E J Copeland, *Axeman.*
Samuel Edgeley *Flagman.*

BOOK-

We, he

J. Fin

surveyor

of the b

In 17

of the Sal

tory of U

field note

under hi

been in a

and belie

corner n

instructi

surveyor

Subscri

day

BOOK-A-206

[5.—FINAL OATHS OF ASSISTANTS.]

We hereby certify that we assisted Augustus J. Simon United States deputy surveyor, in surveying all those parts or portions of the Exterior Lines of Th 10 S. R 5 E Th 17 S. R 3 E. and Th 18 S, R 4 E.

of the Salt Lake base and meridian in the Territory of Utah, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States surveyor-general for Utah.

Orsen Strong, Chainman ~~Compassman~~.

Thomas Lovell, Chainman.

....., Chainman.

....., Chainman.

....., Chainman.

Samuel Edgerly, Axeman.

E Y Coplin, Axeman.

Samuel Edgerly, Flagman.

Subscribed and sworn to before me this 15th day of October 188

A J Simon

U. S. Dep Sur

BOOK A 206

BOOK-

[6.—FINAL

I, c

United Stat

swear that i

from

United Stat

ing date of t

188 , I hav

own proper

the instruct

surveyor-ge

ual and the

all those par

and meridi

represented

been survey

and I do fu

ners of said

perpetuated

veying ma

written in

veyor-gener

BOOK-A-206

17

[6.—FINAL OATH OF UNITED STATES DEPUTY SURVEYOR.]

I, Augustus Lawson, United States deputy surveyor, do solemnly swear that in pursuance of instructions received from Fid Salomon United States surveyor-general for Utah, bearing date of the 5 day of Apl, 188-, I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States surveyor-general for Utah, the surveying manual and the laws of the United States, surveyed all those parts or portions of [illegible] of Salt Lake base and meridian in the Territory of Utah, as are represented in the foregoing field notes as having been surveyed by me and under my directions; and I do further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the surveying manual, printed instructions, the special written instructions of the United States surveyor-general for Utah, and in the specific man-

ner described in the field notes, and that the foregoing are the TRUE *field notes of such survey; and, should any fraud be detected, I will suffer the penalty of perjury, under the provisions of an act of Congress, approved August 8, 1846.*

Augustus D. Thurson

United States Deputy Surveyor.

Subscribed and sworn to before me this 1st *day of* November *18*84

Edward Michel

Notary Public

U. S. SURVEYO

Salt Lake

The foregoi

East Bou
of fraction

Township No.

Executed by Ce

Under Contrac

day of Septe

Pelle

examined, the

tions made, th

they describe a

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, January 22nd 1886

The foregoing field notes of the survey of the East Boundary and Pre-survey of fractional South Boundary Township No. 1 South Range No. 1 East Executed by Augustus D Farrow Under Contract No. 29 of the 5th day of September 1884, in the month of October 14th 1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salomon
U. S. Surveyor General for Utah.

BOOK A 206 20

BO

1/2

REPORT: 1882

Filed .....

Examined by .....

Transcribed by .....

Compared by .....

FIE

OF THE

Pacific

Township No .....

Range No .....

SALT

Steve

U

Under his

Dated Sept

Survey comm

Survey compl

S 1/2 BOOK-A-206 ok
21

REPORT: 1885

Filed 188

Examined by Ote

Transcribed by Henry R McAllister

Compared by Atkinson & Michaelis

FIELD NOTES

OF THE SURVEY OF THE

Fractional Subdivisions

OF

Township No 1 South

Range No 1 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Stewart M. Pancake

U. S. Deputy Surveyor,

Under his Contract No. 130

Dated September 6th 1884

Survey commenced Dec. 15 1884

Survey completed " 18 1884

BOOK NAMES AND DUTIES OF ASSISTANTS:

.....Compassman.

.....Chainman.

.....Chainman.

.....Chainman.

.....Chainman.

.....Axeman.

.....Axeman.

.....Flagman.

BOOK-A-2

Subdivis

Survey
From
Southb
a cabble
in the
with sto
I run
Northerly

In mi

12.10 Springb
13.00 Road
13.65 Ditch
25.00 Ap
27.50 Spr. b
37.40 Road
38.40 Ditch
39.21 Fenc
40.00 Find
grou
a sand
for 1/4
clou
41.50 En
49.50 Fen

BOOK-A-206

Subdivisions 23 Tp. 1 S. R. 1 E.

Survey commenced Dec. 15. 84
From the cor. to secs. 35 & 36 on
South boundary of tp. which is
a cobble 14 x 14 x 8: firmly set
in the ground, properly marked
with stone mound alongside.
I run
North on record. line bet. secs. 35 & 36.
Var. 16° 30' E.
In underygrowth

12.10 Spring br. 20 lks wide 30 in deep runs W.
13.00 Road bears E. & W.
13.65 Ditch drains W.
25.00 Road bears N.W. & S.E.
27.50 Spr. branch 15 in deep 20 lks wide runs W.
37.40 Road bears E. & W.
38.40 Ditch bears "
39.21 Fence bears E. & W.
40.00 Find old cor. laying loose on the
ground which I reset being
a sand stone 18 x 12 x 8 properly marked
for 1/4 sec. cor. & raised a stone mound
alongside.
41.50 Enter cult. fields, Lease underygrowth
49.50 Fence bears E. & W.

Subdivisions

54.50 Leave field Enter undergrowth
55.50 Enter "
60.00 Leave " Enter undergrowth
60.95 " Mill Creek Hollow 3ft deep runs NP.
61.10 Road bears E. NP.
65.10 Ditch drains SP. NP.
80.00 Dried cor. laying down which I picked from a cobble
Stone 14x7x6in properly marked for cor. to sect. 25. 26. 35 & 36. and raised a stone mound alongside. End of old survey.
Land. Level.
Soil. 1 rate.
No timber.
Dense undergrowth
Area of Section 640 Acres

46.00 No
Ye
80.00 Sw
4 Ch
wh
pro
the
alo
ac
14.00 R
de
35.50 E
40.00 Se
6in
m
a
80.00 S

BOOK-A-206

South R. 1 East

East on random meander
line between secs. 25 & 36
Var. 16° 30' E.

48.00 Notice of old cor. Set temp.
1/4 sec. cor. End of old survey.

80.00 Intersect E. boundary of the
Ute Ind. Res. to secs. 25, 36
which is a cobble stone 14 x 7 x 6. —
properly marked, firmly set in
the ground with stone mound
alongside, from which Pine
S. 89 d 58' W. on true line
between secs. 25, 36
with accm var.
arc. 1° 14, 90 lks.

14.00 Ridge bears S. W. & S. E.
dec 1°. 22. 10 lks.

35.50 Enter level ground

40.00 Set a sandstone 10 x 6 x 5 ins.
6 ins. in the ground for 1/4 sec. cor.
marked 1/4 on N. face and raised
a stone mound alongside.

80.00 Thr cor. to secs. 25. 26. 35 & 36

Subdivisions Sp. 1 S. R 1 E

Land. Level to Mountains
Soil. 1st 2nds.
Sp timber
Dense undergrowth
Artemisia on 80 chs.

North betw. secs. 25 & 26
Var. 16° 30' E.

37.00 Road bears E & W.
40.00 Set cable 40 × 20 × 20 : 30 : the ground for 1/4 sec. cor. marked 1/4 on W. pine and raised a stone mound alongside.
55.00 Rich drains S. W.
64.00 Descend 41°. 5. 50 chs.
69.50 Enter cañon
72.00 Telegraph line bears N E & S W.
74.50 Farley's Park Creek 20 lks wide 20 ds deep head N E.
75.00 Road bears S. W. & N. E.
78.00 Ascend 21°. 2 chs.
80.00 Set sandstone 24 × 9 × 6 : 15 : the ground for cor to secs. 23. 24. 25 & 26 marked with

BOOK-A-206

27

Inotches on S. and W. edges and raised a stone mound close ive.

Land. Level & Mountain
Soil. 1st 2nd
No timber.
Dense undergrowth
artemisia in 80 lks

East on random line
betw. secs. 24 & 25
Var. 16° 30' E.

40.00 Set temporary 1/4 sec. cor.
80.45 Intrsd East boundary of Lt. 17 lks S. of cor. to secs. 24 & 25 which is a limd stone 19x7x5, in properly marked & sunk set in the ground with stone mound alongside, from which I run

S. 89° 53' W on true line
betw. secs. 24 & 25.
with same var.
Descend along gulch 10°.

BOOK A 206

Subdivisions

40.23 Sci. sandstone 14×7×6. g. on ground for 1/4 sec. cor. marked 1/4 on N. line and raised a stone mound Adequate

59.50 [illegible] Ender Canon.

60.05 Pahaj Canon Cr. 20 chs wide 15 ch deep runs S. W.

60.80 Road bears N E & S. W.

61.30 Telegraph line bears N E & S. W.

63.00 along S. face of Mountain

80.45 Mdor. 4 secs. 24. 25. 26 & Land. Mountainous Soil 2 rate. Timber scattering pines Cedars & pinon Some underbrush Vegetation as 80.45

BOOK

Sec

24.00 Ro

28.50 Ri

35.00 Gu

38.00

40.00 Sch

for

N. p

mo

45.50 Gu

57.50 R

240

77.50 Gu

a

80.00 Sec

in

13.

3 m

Sa

Ce

Ve

Pin

BOOK-A-206

Sp. 1 9. T. 1 C.

North bet. secs. 23 & 24
Var. 16° 30' E.
Descend 1/2° 30 ds.

24.00 Road bears E & W.
28.50 Ridge bears SE & NW.
35.00 Gulch draws NW.
38.00 " " "
40.00 Set slate 10×10×6: 6: be mound for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound alongside.
47.50 Gulch draws NW.
57.50 Ridge bears E & W. Descend 2 1/2° 22 ds.
77.50 Gulch draws S. W.
Ascend 2 1/2° 2.50 ds.
80.00 Set quartzite 14×9×8. 9" in the ground for cor. to secs. 13. 14. 23 & 24 marked with 3 notches on 2 edges & raised a stone mound alongside. Bears Mountain Dist 2 rds.
Timber. Oak & Cedar.
Dense undergrowth of manzanita & Brush

East on random line
bet. secs. 13 & 24
Var 16° 30' E.

40.00 Set stone 1/4 sec. cor.
80.37 Intersect E. boundary 17 lks
South of cor. to secs. 13, 24, 18 & 19
is a cobble stone 14x10x7 in. projecting
marked, firmly set in
the ground with stone mound 18.50
adjacent from which Spruce 12.50
S. 89° E. 53' Mountain Mahogany 40.00
bet. secs. 13 & 24
with Canon Var.
Descend 15°.
45.00 Gulch drains S.
60.19 Set sandstone 20x10x7 in. 58.50
S. 15 lks from 1/4 sec. cor. 50.00
marked 1/4 on W. face and
raised a stone mound
adjacent.
57.50 Ridge bears NE & SW
Descend
76.50 Gulch drains S. W.
80.37 Intersect E. boundary secs. 13, 14, 23 & 24
Land. Mountains

BOOK-A-206

T. 17 S. Subdivisions R. 16 E.

Soil 2 rate.
Timber. Scatt. pines.
Dense underbrush
extends N on 80.37.
Ditch. 15' 1884

North bdry. secs. 13 & 14
Var. 16° 30' E.

8.50 Top of ridge bears S. W. & N. E.
2.50 Gulch draws S. W.
0.00 Set sandstone 10"x10"x6", 6" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
8.50 Gulch draws S. W.
30.00 No trace of old cor. set a sandstone 20"x10"x6" in the ground for cor. to secs 11. 12. 13 & 14 marked with 4 notches on S and 1 on E edges and raised a stone mound alongside.
Land. Mountains
Soil 2nd rate.
Timber. Pine pines
High Mountains on S. & W.

East on random line
reserve line
betw. secs. 12 & 13
Var. 16° 30' E.

80.00 Set temp. 1/4 sec. cor. No trace of old cor
80.00 Intersect E. boundary of
Gr. at cor. to secs 12 & 13 whi
is a sandstone 20"x10"x4",
firmly set in the ground
properly marked with ston
mound alongside, from
which I run

West on true line
betw. secs. 12 & 13
with same var.

40.00 Set sandstone 22"x10"x8". .16
in the ground for 1/4 sec cor.
marked 1/4 on N face and
raised a stone mound
alongside.
80.00 Thr cor. to secs 11. 12. 13 & 14.
Land Mountain
Soil 2nd rate
Timber. Jack pines
High Mountain on 80

6.50 Roa
25.50 Ri
33.00 Gra
40.00 Spo
ston
gra
mar
rai
alo
45.50 Ri
68.50 En
wid
in
68.74 R
78.50 Ri
80.00 to
20"
to
roo
rai
La
So
Be

BOOK-A-206

Tp. 1 S. R 1 E.

North bdry. secs. 11 & 12
on reserve line.
Var. 16° 20' E.

6.50 Road in gulch bears E & W.
25.50 Ridge bears E & W.
38.00 Creek strikes
40.00 Pr. Corner old cor. pit & sand stone 10" x 10" x 6", 6" in the ground for 1/4 sec cor. marked 1/4 on W face and raised a stone mound alongside.
45.50 Ridge bears E & W.
68.50 Emigration Creek 10 lks. wide 4 in deep runs S. W. in cañon.
68.74 Road bears W & S. W. and
78.50 Ridge bears E & W.
80.00 C/o Tree of old cor. pit & sandstone 20" x 10" x 6", 15" in the ground for cor to secs. 1. 2. 11 & 12. marked with 1 notch on E and 5 on S edges and raised a stone mound alongside.

Land. Mountains
Soil Rocky.
Timber. Pine pines

Subdivisions Tp. 1 S. R 1 E

High Mountain on 80 ch.

East on a random line
on variation
betw. secs. 1 & 12
Var. 16° 30' E.

40.00 Witness cor. and cor. mound of old survey set temp. 1/4 sec. cor.

80.00 Intersect E. boundary of Tp. at cor. to secs. 1 & 12 which is a sandstone 24" x 12" x 6", 18" in the ground, properly marked with stone mound along side, from which I took

West on true line
betw. secs. 1 & 12
with same var.

40.00 Set sandstone 15" x 11" x 9", 10" in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

41.20 Gulch drains S. W.

69.00 Road in same bearing S. & W.

70.05 Emigration Creek 9 links wide, 2 feet deep runs S. W. & N.

80.00 Tr. cor. to secs. 1. 2. 11 & 12

BOOK-

Land
Soil
Timb
Ha

Ave

Gulch
Ridg
Gul
Ridg
Gul
On
of o
x 10"
cor.
rais
Gul
Ri
Sm
Hollo
it a
formi
over,
from

BOOK-A-206

Subdivisions Tp 1 S R 1 E.

Land. Mountains
Soil 2nd rate.
Timber. Pines scattering
High Mountains on Rocks

North, on true line, Dec. 1882.

2.00	Gulch dr. East. 16° 30' E.
11.00	Ridge bears N. & S.
19.00	Gulch drains S.E.
23.00	Ridge bears N. & S.
30.00	Gulch drains S.E.
40.00	On Ridge bears S.E. & N.W. no trees of Dec. set a round stone 20"x16"x10", 15" in the ground for 1/4 sec. cor. marked 1/4 on W. bears and distant a stone mound alongside.
54.00	Gulch drains S.E.
70.00	Ridge bears N. & S.
80.00	Intersect Salt Lake Base line 40 lks. W. of Base line cor to Secs 35 & 36 which is a sandstone 16x14x9in, whence Sec. Dec. former closing cor. which I find thereon over, which is a sandstone 24x10x5 1/2 in. in the ground, properly marked for closing cor.

BOOK A 206

to Dec[r] 1[st]. and ended a
Stone mound along side of the
Land Mountains
Soil, Entrate;
Timber Scatt. pine
Light Mountains on Se[th] Chi
Decr. 16. 1884

BOOK-A-206 37

Subdivisions Sec. 13. T. 1 S. R. 1 E.

From the cor. on S. boundary of Sec 1 secs. 34 & 35 which is a post, properly marked, limb & mix thereon with pits & mounds above & from

North on reservoir line
Betw. secs. 34 & 35.
Var. 16° 30' E.

1.30 Leave field, above road in draw under ground

15.00 House & corral 3 chs. West

19.35 Ditch drains W.

21.25 Road E & W.

28.75 Ditch drains W.

40.00 No trace of old cor. set a Cobble 19 x 10 x 7: 13: Th. Grouse for 1/4 sec. cor. marked 1/4 on W. face, & raised a stone mound above. Dist. House 1.25 chs E.

46.50 House bears W. 2.50 chs

51.50 Ditch runs W.

Subdivisions

61.25 Ditch bears W.
67.00 " " "
69.25 Road " E. & W.
70.00 " " do
73.00 " " do
76.40 Mill Creek 20 links wide & deepens W.
77.50 Mill race runs W.
77.85 Road bears E. & W.
78.12 Ditch drains W.
79.00 Flag pole of Meeting house 35 lks. East of line
79.75 Road bears E. & W.
8000 Notice of above cor. set stone 24 x 10 x 11. 18 lks. in ground for cor. Trees 26. 27. 34. 35 mark'd with 4 notches and Iron E. edges of stone and mound of charcoal
Land Level
Soil Flats

No th
Dem
cir
Co
line
0.00 No
11/100
9.92 Inde
of cor.
which
7.50 Ditc
22.75 Roa
33.50 End
39.96 Ditc
gra

BOOK-A-206

N. I. & P. Co.

No timber
Second growth
principally on 79.70 ch

East on random reserve
line between secs. 26 & 35
Var. 16° 30' E.

0.00 No trace of old cor. nor bear trees
1/4 sec. cor.

9.92 Entered 4 pr. 1 bur rocks &
of cor. to sec. 26. 35 & 36 from
which I saw
S. 89° 51' W. on true line
between secs. 26 & 35
with same var.

7.50 Ditch runs S.

22.75 Road bears SE & cr. W.

33.50 Enter field bears N. & S.

39.96 Set iron post 24" x 10" x 6", 18" in the
ground for 1/4 sec. cor. marked 1/4

BOOK A 206

40

Subdivisions

N. W. cor and runs a stone
mound along its E. boundary
56.00 Enter field to its N. E.
65.30 Leave "
67.00 Enter "
76.00 Leave "
79.92 Thr cor. 26. 27 34 & 35.
Low valley.
Soil & rocks.
No timber.

Sence undergoes 61.16 ch

North across river
bet. secs. 26 & 27
Var. 16° 30' E.

40.00 Corp Roads, Notice of old
cor. 24 & another 19 x 10 x 6
13" in the ground for 1/4 sec cor.
marked "1/4 sec" N. W. and runs
a stone mound along its E.
70.00 Low Road bears N. W.
80.00 Notice of old cor. 24 & another

BOOK-A-

Th.

stone
for cor
2 notch
a stone
Low
Cor
No Tr
Sence

E

40.00 Notice
60.00 "
80.00 Int
23.24
N

26.00 En
29.00 Ju
40.00 Or
in
ma

Tp. 1 S. R. 1 E.

Stone 20" × 10" × 5", 15" in the ground for cor. to secs. 22. 23. 26 & 27 South 2 notches on S & E edges and raised a stone mound alongside.
Land. Valley
Soil Gravel
No timber.
Persecution degrees at 80.00 chs

East on random line
on meander line
between secs. 23 & 26.
Var 16° 30' E.

40.00 W. trace of old cor. & temp. sec cor.
60.00 " " " " " end of old survey
80.00 Intersect S. Bank of Creek to secs. 23. 24. 25 & 26 from which I run
West on meander line
between secs. 23 & 26
with same var.
20.00 Enter valley
29.50 Gulch draining S. W.
40.00 On a sandstone 10" × 10" × 6", 6" in the ground for 1/4 sec. cor. marked 1/4 on 4 faces and raised

Subdivisions

a stone mound alongside.

60.00 Enter Parley's hollow

62.50 Road in same bears NW & SE

64.80 Parleys Canyon Creek 18 lks wide 2 ft deep runs N.W.

65.70 Road bears NW & SE.

70.00 Ditch runs S.

78.50 Ascend

80.00 Pass on to sect. 22.23.26 & 27 Land. Mountainous & valley

Soil & Vate,

No timber

Deer underbrush artemisia & Sage.

North bet sects. 22 & 23 on runway line

Var. 16° 30' E

6.40 Enter hollow, Road bears NW & SE.

12.20 Road bears NW & SE.

13.95 Parley's Canyon Creek 2 lks wide 2 ft deep runs N.W.

15.00 Ditch

16.00 Road

22.00 Enter

29.50 Old

37.10 Road

40.00 Post

× 6

corn

pass

45.00 Ditch

46.00 Pile

48.50 E. bo

49.50 shed

67.00 Ro

70.75

75.15 Wa

79.39 Fi

80.00 N

10

for

wi

ca

L

L

BOOK-A-206

Tp. 1 S. R 1 E.

15.00	Ditch runs S.W.
16.00	Road bears S.W. & S.E. ascend
22.00	Enter bank
29.50	Old road bears S.W. & S.E.
37.10	Road " "
40.00	N. Trace of old cor. Pit & stone 20"×9"×6" 18" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound adjoining
45.00	Ditch bears S.W.
46.00	Telegraph bears S.W. & S.E.
48.50	E. bank of ditch
49.50	Small hollow drains W.
67.00	Road bears E. & W. Enter field
70.75	" " " a Cabin bears E. 1 rod.
75.15	Wash drains W.
79.39	Fence bears E. & W.
80.00	No trace of old cor. Pit & stone 10"×10"×10", 6" in the ground for cor. to secs. 14.15. 22 & 23 marked with 3 notches on sides 1 on E. edges and raised a stone mound adjoining E. Land Valley

Subdivisions.

Soil Trees.
No timber.
Some undergrowth
Situation on Ridge.
Decr. 17th 1884

East on rand on [illegible]
line betw. secs. 14 & 23
Var 16° 30' E

4.80 Return of old monument [illegible] end of ch. survey
40.00 Set temporary 1/4 sec cor.
80.20 Entered N. & Stone 10 lks
N. of cor. to secs. 13. 14. 23 & 24 from which Sun
N. 89° 56' W on true line betw. secs. 14 & 23 with same var.
35.50 Gulch drains S. W.
40.10 Set sandstone 14 x 9 x 6, 9" in the ground for 1/4 sec cor. marked 1/4 on N face and pits in stone mound along
44.50 Gulch drains S. W.
54.00 House bears 10 dis. South
64.00 Enter valley
65.50 Road bears S. W. & E.

14.00 Ent
18.50 Fen
0.20 Thr
Lan
Soi
No
Ro
Le
ve
Ro
No
sa
in
cr
ra
al
No
st
gr
10.

BOOK-A-206

Tp. 1 S. 45 R. 1 E.

14.00 Enter field, Leave undergrowth
18.50 Fence bears N & S.
0.20 Thr cr. to secs. 14. 15. 22. 23.
Land. Mountains & valley
Soil 2nd & 1st cl.
No timber.
Dense undergrowth
estimated at 34.00 chs.

Path on resurveyed
line. secs. 14 & 15
Var. 16° 30' E.

7.50 Leave field, fence bears E. & W.
enter dense undergrowth
8.50 Road bears N. W. & S. E.
40.00 No trees of old cr. set a
sandstone 22" x 10" x 7" 16"
in the ground for 1/4 sec.
cr. marked 1/4 on W. face and
raised a stone mound
alongside.
80.00 No trees of old cr. set a lime
stone 10" x 8" x 8" 6" in the
ground for cr. to secs.
10. 11. 14 & 15. marked 4 notches

Subdivisions

on Sand Lon Ridges
and running stone mound
along ridge.
Land. Valley
Soil Sand
No timber
Trees underbrush
attached to 72.50 ch

X

East on reserve on sand ridge
Lieu. secs. 1 & 14
Var. 16° 30' E.

40.00 No trees of old cor. nr lake
1/4 sec. cor.

80.00 Intersect S. Shore at cor
to secs 11. 12. 13 & 14 from which
Iron
West on true line
Lieu. secs. 11 & 14
with Bearings

33.50 Lon ridge bears S.

40.00 Set Cobblestone 12"x8"x6".
8" in the ground for 1/4 sec
cor. marked 1/4 on N face

72.50 Land
50.00 Soil
80.00 Tim

11.00
12.00
2.00
40.00
50.50

BOOK-A-206

T. & P. R.R. Co.

and raised a stone mound
alongside.

12.50 Ruby valley N. 5 chs dist.
50.00 Top stone bears N. 5 chs dist.
70.00 Sec cor. to Secs. 10. 11. 14 & 15.
Land. Mountainous valley
Soil 2nd rate.
No timber
High Mountains and
Mountainous with artemisia on Slopes.

North betw. secs. 10 & 11
... mountainous
Lat. 16° 30' E.

11.00 Quarry road bears E & W.
12.00 Spring branch 3 lks. wide 5 in
deep runs W.
29.00 Road bears E & W.
40.00 To back of old cor. stk & rd
sandstone 17" x 10" x 8", 13" in the
ground for 1/4 sec. cor. marked
1/4 on W face and raised a stone
mound alongside.
50.50 Emigration Creek 3 lks. wide
10 ins deep runs S. W.

BOOK A 206

Subdivision

56.02	Intersect Southboundary of Fort Douglas, military reservation, 30 ch. West from S.E. cor. of same, where I set a cobble stone 10" x 10" x 6", 6 in the ground for closing cor. to frac. secs. 10 & 11 marked C.C. on S. side and raised a stone mound alongside	7.50	
		12.50	
		40.00	
	Land. Valley		
	Soil Inferior	40.00	
	No timber.	77.73	
	Scrub undergrowth Artemisia		

Note.

On the line betw. secs. 2 & 11 in running W. will intersect the East boundary of the Fort Douglas military reservation, therefrom from the cor. to secs. 1. 2. 11. 12. Town

BOOK-A-206

T. 1 S. R. 1 E.

Weston tour line
resurvey betw. secs. 2 & 11
Var. 16° 30' E.

7.50 Ridge bears N & S.

32.50 Gulch draws S.

40.00 No trees of old cor.
but a sandstone 12" x 10" x 6"
8 in the ground for 1/4 sec. cor.
marked 1/4 on N face and
pairs a stone mound
alongside.

40.00 Enter valley

77.73 Intersect E. boundary
of Fort Douglas Military
reservation 23.98 chs. & lks.
of the S.E. cor. of same, where
is a sandstone 12" x 8"
x 6", 8" in the ground for long
cor. to fract. secs. 2 & 11,
marked C.C. on E side
and raised a stone mound
alongside.

Road meanders
valley
Soil 3rd rate 3rd rate

Subdivisions

to Timber
Deuce underground
Location on 77.73°
Dec. 18. 1884

General Descrip

Thr add. land embrac
in this township consis
of mountain and port
of thr E. side of Salt La
valley. It is traversed
by 3 mountain stre
Mill Creek, Parley's Cr.
& Emigration Cr. valu
cations contain also
some good bottoms.
Thr Applicants claim
is situated in Sec. 1. T
his improvements consi
of 2 houses, fencing &
ditching and land under
Cultivation.

Steward M. Duncan
N. N. Olyr. Surv.

BOOK-A-206

Sh. 1 S. R 1 E.

BOOK A 206

BOOK-A

S. SURVEYOR G

Salt Lake City

The foregoing

Township No. 1

Executed by Sto

Under his

day of Septe

Lech.

mined. the necessa

he said field note

hereby approved.

BOOK-A-206

53

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 12th 1885

The foregoing field notes of the survey of the

Fractional Subdivision

Township No. 1 S. Range No. 1 E.

Executed by Stewart M. Paucake

Under his contract No 130 of the 6th

day of September 1884, in the month of

Dec. 1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salmon

U. S. Surveyor General for Utah.

BOOK A 206

54

2 BOOK-A-2

EPORT: 1885

iled

xamined by

ranscribed by H

ompared by H.

FIEL

OF THE S

Guid

ownship No 10

ange No 4 a

SALT L

UT

August

U. S

Under his Co

Dated Sept

Survey commen

Survey complete

2 BOOK-A-206 55

EPORT: 1885

iled 188

xamined by .....

ranscribed by H. Atkinson

ompared by H. A. & S. M.

FIELD NOTES

OF THE SURVEY OF THE

Guide Meridian

OF

ownship No 10 South between

ange No 4 and 5 East.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Augustus L. Ferron

U. S. Deputy Surveyor,

Under his Contract No. 129.

Dated September 5th 1884.

Survey commenced October 2d 1884.

Survey completed October 2d 1884

BOOK A 206 56

NAMES AND DUTIES OF ASSISTANTS:

..... Compassman

..... Chainman.

..... Chainman.

..... Chainman.

..... Chainman.

..... Axeman.

..... Axeman.

..... Flagman.

BOOK-A-206 57

Guide Meridian Tp. 10 S. betw Rs 4 & 5 E.
Salt Lake Meridian.

Survey commenced Oct. 6. 1884.
From the standard cor. to Tp.
10 S. Rs. 4 & 5 E, which is a
sandstone 16 x 12 x 6 ins, firmly
set in the ground, properly
marked with stone mound
alongside, I run
North betw secs. 31 & 36.
Var. 16° 20' E.
On level along N. E. slope.
36.00 Hollow drains S E.
40.00 Set sandstone 18 x 10 x 6 ins,
12 ins in the ground for 1/4 sec.
cor. marked 1/4 on W. face
and raised a stone mound
alongside.
66.32 Ridge point 50 ft high bears
S E.
80.00 Set sandstone 30 x 20 x 10 ins
20 ins. in the ground for
cor. to secs. 25. 30. 31 & 36, marked
with 1 notch on S. and 5 on
N. edges, and raised a stone
mound alongside.

Guide Meridian Sp. 10. South Detail

Land, high mountains
Soil, 2d rate.
Timber, scattering pines
High mountains on 80.00 ch

North between secs. 25 & 30
Va. 16° 20' E

6.66. Ravine draining Sly.

40.00 Set sandstone 12x8x6 ins, 8 ins in the ground for 1/4 sec. cor: marked 1/4 on W. face and raised a stone mound along side.

47.11. Ridge 200 ft high bears N.W. & S.E.

80.00. Set sandstone 19x10x6 ins 12 ins in the ground for cor. to secs 19. 24. 25 & 30, marked with 2 notches on S. and 4. on N. edges, and raised a stone mound alongside.
Land, mountains.
Soil 2d. rate.
Timber, scattering pines

R. 4 & 5 E. Salt Lake Meridian.

High mountains on 80.00chs.
Dense undergrowth, artemisia
on 80.00chs.

North Metro. recd. 1924.
Va. 16° 20' E.
Descend.

14.83 Gulch drains N.E.
Thence along rolling
slopes.

40.00 Set sandstone 10x10x6ins 6ins
in the ground for 1/4 sec. cor.
marked 1/4 on W. face, and
piled a stone mound
alongside.

47.00 Lake Creek in cañon
11Lks wide 10ins deep
runs N.W.

47.50 Road bears N.W. & S.E.

48.00 Ascend.

80.00 Set sandstone 19x8x7ins,
14ins in the ground for cor.
to secs. 13. 18. 19 & 24, marked

BOOK A 206

Guide Meridian S. 10. South between Rs. 4 & 5. W

with 3 notches on N. & S. sides and pined a stone mound alongside.
Land, mountains.
Soil, 2d. rate.
Timber, scattering pines and cedars.
High mountains on 80.00
Dense undergrowth
Artemisia on 80.00 ch

North between secs. 13 & 18.
Va. 16° 20' E.
Ascend.
20.73 Ridge bears S.W. & N.E.
Descend.
40.00 Set sandstone 20 x 10 x 4 ins 15 ins in ground for 1/4 sec. c marked 1/4 on W. face, and pined a stone mound alongside.
80.00 Set sandstone 10 x 10 x 10 ins 6 ins in the ground for cor.

Bet. 7 & 5. E. Salt Lake Meridian

recs. 7. 12. 13 & 18, marked with 4 notches on S. and 2 on N. edges and raised a stone mound alongside.
Land, mountains.
Soil, 2d rate.
Timber, scattering pines & cedars.
High mountains on 80.00 chs
Dense undergrowth artemisia on 80.00 chs.

North betw. recs 7 & 12.
Va. 16° 20' E.
Legend
8.34 Gulch drains N.W.
Ascend.
31.50 Gulch drains S.W.
40.00 Set sandstone 20 x 10 x 8 ins, 8 ins in the ground for 1/4 sec. cor. marked 1/4 on W. face, and raised a stone mound alongside.
53.77 Top of ridge bears E & W.

Guide Meridian W. 10 S. between

100 ft. high.
Descend.

80.00 Set sandstone 40x10x8 ins.
30 ins in the ground for cor.
to secs. 1. 6. 7. & 12, marked
with 1 notch on N. and 5
on S. edges, and raised
a stone mound alongside.
Land, mountains.
Soil, 2d rate.
Timber, scattering pines.
High mountains on 80.00 chs.
Dense undergrowth, artemisia
on 80.00 chs.

North betw secs. 1 & 6.
Va. 16° 20' E.
Descend.

40.00 Set sandstone 20x8x8 ins.
15 ins in the ground for
1/4 sec. cor., marked 1/4 on
W. face, and raised a
stone mound alongside

BOOK-A-

W. 4th 5 E

947 Interse
of Tp. 9
W. of co
4th 5 E.
by dep
from s
which
firmly
proper
a san
18 ins.
closing
10 S.
with 6
edges
stone
Land,
Soil
No tim
High
Dense
artemi

BOOK-A-206

R. 4 & 5 E. Salt Lake Meridian

59.47 Intersect South boundary of Tp. 9 S. R. 5 E. 12 chs 66 lks W. of cor. to Tps. 9 & 10 S. Rs. 4 & 5 E., as established by Deputy E. H. Hesse from surveys of Utah Valley which is a limestone 17 x 9 x 6 ins firmly set in the ground properly marked. I set a sandstone 24 x 10 x 6 ins 18 ins. in the ground for closing corner to Tps. 10 S. Rs. 4 & 5 E., marked with 6 notches on S. & W. edges and E. C. and raised a stone mound alongside. Land, high mountain. Soil 2d rate. No timber High mountain on 59.47 chs. Dense undergrowth artemisia on 59. 47 chs.

October. 2. 1884.

BOOK A 206

General Description.

This township embraces some highly cultivated lands in Soldier Creek Can situated in the N. E. part of the Tp., besides some valuable improvements owned by Mr. S. S. Jones consisting of numerous cabins and charcoal kilns, mostly situated in Sec. 12.

The greater part of the Tp. consists of high mountains, covered with fine grass, some pines a Jaspen and cedar timber

Augustus D. Ferron
U. S. Dep. Surveyor

BOOK-

U. S. SURVEYO

Salt Lake

The forego

Township No.

Executed by

Under

day of Sep

October

amined, the nece

the said field

hereby approved

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, January 20 1885.

The foregoing field notes of the survey of the

Guide Meridian

Township No. 10 S. *between Ranges No.* 4 & 5 East

Executed by Augustus D. Perron

Under his No 129. *contract of the* 5th

day of September 188 4, *in the month of*

October 188 4, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK A 206

BOOK-A

REPORT: 188

Filed.....

Examined by.....

Transcribed by

Compared by

FIE

OF THE

Township No. 1

Range No. 8

SALT

Under his

Dated Sep

Survey comm

Survey compl

BOOK-A-206

REPORT: 1885 67

Filed 188

Examined by .....

Transcribed by H. A. Kinman

Compared by Atkinson & Michaelis

FIELD NOTES

OF THE SURVEY OF THE

East Boundary

OF

Township No. 10 South

Range No. 5 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Augustus J. Fenn

U. S. Deputy Surveyor,

Under his Contract No. 29

Dated September 5th 1884

Survey commenced October 1st 1884

Survey completed " 1st 1884

BOOK A 206

NAMES AND DUTIES OF ASSISTANTS.

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A-206

[2.—PRELIMINARY OATHS OF CHAINMEN.]

We Thomas Lowell
and Orson Strong
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, on the survey of the Exterior Lines of Th. 10 S. R. 5 E., Th. 17 S. R. 3 E. and Th. 11 S., R. 1 E.,

of the Salt Lake base and meridian in the Territory of Utah.

Thomas Lowell Chainman.
Orson Strong, Chainman.
, Chainman.
, Chainman.

Subscribed and sworn to before me this 1st day of October 1884

A. D. Simon
U. S. Dep. Surv.

We, Samu

and C. C

do solemnly swe

perform the dut

ment of corners,

nstructions giv

and ability, in t

Seals of

Up 17 S.,

of the Salt Lak

tory of Utah.

Samu

C.

Subscribed and

day of Octo

BOOK-A-206

[3 — PRELIMINARY OATH OF AXEMEN.]

We, Samuel Edgerly

and C. J. Coplin

do solemnly swear that we will well and truly perform the duties of axemen, in the establishment of corners, and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of the Exterior Lines of Tp 10 S., R. 5 E. Tp 17 S., R 3 E., Tp 18 S., R 4 E.

of the Salt Lake base and meridian in the Territory of Utah.

Samuel Edgerly, Axeman.

C. J. Coplin, Axeman.

Subscribed and sworn to before me this 11th day of October 1884

A. D. Tenney

U. S. Dep. Surv.

The
is a
Impr
No 49
in fe
Frequ
observ

The instrument used
is a W J Young & Sons
Improved Solar Compass
No 4901 with Telescope attached
in perfect adjustment.
Frequently tested by the
observation of Polaris

BOOK-

BOOK-A-206

Exploring Ry. 10 T. 9 R. 5 E.

Survey commenced Octob. 1st 84
From the Meanderer. to Cor.
10 T. 9 S. 6 E. which is a Cedar tree
20×12×16: firmly set in the ground
properly marked with stone
mound alongside I run
North bet. Secs. 31 & 36
Var. 16° 20' E.

6.88 Bottom of ravine draines East
0.00 Set sandstone 10×10×8: 6: in
ground for 1/4 sec. cor. marked
1/4 on W face and raised a stone
mound alongside.
1.48 Ridge 150 ft high bears E & W.
1.08 Ravine draines E.
0.00 Set limestone 16×10×6. 6: in
the ground for cor. to secs. 28. 29.
32 & 33. marked with 1 notch on E.
and S on edges raised a stone
mound alongside.
Land. Mountainous
Soil 2nd rate.
Timber: burnt Pine & Aspen
High Mountains on E. & W. sides
Ravines & Hollows on N. & S.

BOOK A 20676

North Lieu. 25. 30
Var 16° 20' E.

6.80 Ridge pt. bears Eg. N.
7.35 Ser. bank in bottom of ravine
2 Blazed Sundeps runs E. & a
into Mill Creek thence ac
bearings & slope.
40.00 Marked stat. set with bou
4×3×2 ft above ground pe
dec. cor. marked 4ch W. fa
2 raised stone mounds
adjacent.
60.00 Enter Mill Creek crossing dr.
62.50 Road bears S.W. & S.E.
65.00 Mill Creek 15 links wide ab
bears S.E.
65.50 Road bears S.W. & S.E.
crossing.
79.00 Top of ridge bears Eg N. 200
80.00 Set in small ravine a cedar
20×10×10: 14. thence pe
cor. to secs. 19. 24. 25 & 30 marke
with 4 notches on 4 sides 2 on
large and raised a stone
mound adjacent.

16 S.

Lau
Sai
Iron
Elig
Sand
"
Enter
Set
Grou
114 on
mou
Leave
Enter
abou
Leave
Ske
Set
The g
Eg
Top
mou
Set
Iron

BOOK-A-206

10 L. R. & C.

Land. Mandamus
Lot 2nd Pal
Pinkus Land Surveyor
High Mandamus 88 chs
" Underground workings. on Block.

York Dec. 1894
Dr. 16 20 E.

25.00 Enter Injunction proceedings
40.00 Del conveyance 10 x 8 x 6 th.
ground for Wesc. cr. marker
11/4 in Wpost and round stone
mound above ditto.
5.00 Leave proceedings
7.26 Enter Affidavit Service thereof
above order leave L. W.
25.50 Leave same. runs ditto W.
28.50 Examine Abstract of title N.E.
30.00 Del conveyance 12 x 10 x 10 : 8 :
the ground for cr. to Dec. 13.18.
93 24. marked with 3 notches
& post & round stone
mound above ditto.
Land. Mandamus
Lot 2nd.

Earthmovings

Timber burnt & removed & piling
High Mountain Rock
Sunset Underground Excavation
Rock
Portfolio. Sec. 12 T 18
Var. 16° 20' E.

6.20 Mill Creek 10 lks. wide 9 deep
runs N. W.
6.50 Road bears W & S.W.
8.70 Mill Creek 10 lks wide & deep
runs N E.
14.00 Spr. branch 4 lks wide & deep 2.50
runs S. E. & road bears E. 4 lks 20.50
18.00 ascend? 25.21
40.00 Set retaining stones 12×12×12. 25.50
& the ground for 1/4 sec. cor. 16.00
marked Pine & Pr. fir and
raised a stone mound 2 lks 10.00
size.
49.50 Mark drains E.
40.19 Top of ridge 100 ft high bears W.
Road on same.
80.00 Set limestones 16×10×8. in. 44.40
ground for cor to sec. 1/4 12.1
18. marked on N 2 notches

Sunset

BOOK-A-206

Notes.

and 4 on Lodges and
raised a stone monument along
side.
Land Mountains
Soil Poor.
Valleys
High Mountains with
undergrowth of Chestnut & Oak

North Lew. Sec. T. 8 R 2
Var. 16° 20' E.

2.50 Road bears N.W. & S.E.
30.50 " " N.E. & S.W.
25.21 Enter cultivation flat
25.50 Shed on line
26.00 Cabin of G. H. Lemmon Oak & Chestnut
Log
0.00 Set sandstone 20×20×10. 15 inches
in ground for 1/4 sec. cor. mound
1/4 on W face and raised a stone
mound alongside.
12.50 Road bears S.E. & N.W.
44.40 Little Fork Cr. is 6 ks. wide 4 deep
runs N. W. Crossing of road
bears E & W.

45.35 Soldiers for R Crk 30 C
wire 24. deep runs W.
47.00 Road bears E & W.
48.00 Telegraph line bears E
49.05 Beaver Rio Grande Ry.
50.00 Road bears SE. & NW.
50.30 Fence bears SE & NW.
51.25 " " SW. & NE.
53.75 Corral bears SE & NW.
54.70 Fence " NW & SE.
54.95 Fence " do
55.95 Ditch " do.
56.00 3 Cabins of U.S. Fence bears
NW. 115 Chs. 170 Chs. 250 Chs.
accurd.
62.00 Spr. branch 11 Chains 4. deep
in hollow runs S.W. Road
bears S. W & NW.
66.50 Fence runs SE. Road
bears S. E & N W.
80.00 Set corner stone 20×10×6 /
The mound for cor. trees
1.6. 7 & 12 Marked cork
Timber on Line 1 a. deep
and raised a stone mound

1.50 Ro
10.70
40.00 Set
7.50 Ro
60.00 Set

BOOK-A-206

T. 10 S. R. 5 E.

Begin at
Cor. Mineral Mountain
Quartz bottom
Agate Trail Creek
Drinks, Jerusalem
High Mountain mostly
Quartz with Granite
and rocks

North bdy. sec. 1 T. 6.
Var. 16° 20' E.

1.50 Road bears W. S. E.
10.70 " " S E. N. W.
40.00 Set sandstone 14x14x6
y. the ground for 1/4 sec. cor.
marked 1/4 on W face and
pointed a stone mound
47.50 Road bears S E. N. W.
60.00 Intersect South boundary
of T. 9. South R 5 East
Salt L. M. of cor. to Tps 9 & 10 S.
R. 5 & 6 E. as established by
C. H. Hess Dep. surv. from
survey in Utah which is
a little stone pointed rock in

BOOK-A-2

in the ground hooped
mound with 2 bars mound
above rise whence I set a
Sandstone 14×10×10. I. the
for Corner on 6 & 7 98 10
R. 5 E 6E. mound with 6
notches on E & W edges
pointed & thus mound
adjoining.
Lat. High Mountain
Soil Rat
Finite coal. Cedar
Mikkelsen Creek on
Down underground
attention on 60. yds
Oct 1. 188

General Descrip

See end of Genie
Meridian

Eugenius D. Se
U. S. Dep. Surv.

U. S. SURVEYO

Salt Lake

The foregoin

Ea

Township No. 1

Executed by C

Under Contract

day of Sept

Octo

examined, the

tions made, th

they describe a

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Janu 22d *1885*

The foregoing field notes of the survey of the

East Boundary

Township No. 10 South *Runge No.* 5 East

Executed by Augustus V. Ferron

Under Contract No. 129 *of the* 8th

day of September *1884, in the month of*

October *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

6 2 BOO

EPORT: 1885

iled .....

Examined by ...

Transcribed by ...

ompared by ...

FIE

OF THE

Rud

ownship No .....

ange No .....

SALT

Stevo

U

Under his

Dated ...

Survey comm

Survey compl

BOOK-A-206

REPORT: 1885 85

Filed 188

Examined by O C Salomon

Transcribed by Henry Markinson

Compared by H. H. H. Markinson & E. Michaelis

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No 10 South

Range No 5 East.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Stewart M. Paul

U. S. Deputy Surveyor,

Under his Contract No. 130

Dated September 6th 1884

Survey commenced Decr. 1st 1884

Survey completed Dec. 11th 1884

BOOK-A-206

Township 10 S R. 5 E.



BOOK-A-206

Subdivisions Pt. 10 T. 25 R. 56 E.

Survey commenced Decbr. 1. 84.
From the cor. to secs. 35, 36 on
South boundary of tp. which
is a sandstone 15" x 12" x 12" firmly
set in the ground, properly marked
from
North betw. secs. 35, 36.
Var. 16° 20' E.

Descend
9.50 Spring branch in cation & bears
3 lks deep runs S E.
10.70 Ascend
12.50 Ridge 400 ft high bears N W & E.
0.00 Set limestone 10" x 8" x 6" in 6" in the
ground for 1/4 sec. cor. marked
1/4 on W face and raised a stone
mound alongside.
17.50 Gulch drains E.
22.50 Ridge bears N E & S W. 300 ft high.
25.00 Set a sandstone 24" x 10" x 7" 18" in
the ground for cor. to secs. 25. 26.
35 & 36 marked with 1 notch on S.
& E. edges and raised a stone
mound alongside.
Land. Mountains

Subdivisions

Soil 2 rats
Timber. scattering prin
aspen
High Mountains on So

East on random
betw. secs. 25 & 36
Var. 15° 20' E.

40.00 Set temp. 1/4 sec. cor.
79.75 Intersect East boundary
Tp. 2 S. R. 9 W. of cor. to secs. 25
36 which is a sandstone 30
x 20" x 10" firmly set in the
ground with stone mou
alongside from which
S. 89° 48' W on true lin
betw secs. 25 & 36
with same var.
39.88 Set sandstone 25" x 10" x 7"
ground for 1/4 sec. cor. marke
1/4 cor N. & scribed a
stone mound alongside
45.00 Ridge 350 ft. high bears S.E.
79.75 Sec cor. to secs 25. 26. 35 & 36

Lava
Soil
Timb
High

Spring
Sig
Set
in the
mar
a sto
Rid
Spru
wide
Set
the g
25 &
on
a st
Lar
Sou

T. 10 S. R. 5 E.

Land. Mountains
Soil. 2nd rate
Timber. Scatt. pines
High Mountains on
79.75 chs

North betw secs. 25 & 26
Var. 16° 20' E.

19.50 Spring branch in gulch 7 lks wide
3 ins deep runs E.

40.00 Set a sandstone 10"x10"x10", 6"
in the ground for 1/4 sec. cor.
marked 1/4 on W. face and raised
a stone mound alongside

45.00 Ridge bears E & W. 250 ft high

70.00 Spring branch in ravine 6 lks.
wide, 3 ins deep runs E.

80.00 Set sandstone 20"x10"x6", 15" in
the ground for cor. to secs. 23 24
25 & 26 marked with 2 notches
on S. and on E. edges raised
a stone mound alongside.
Land Mountains.
Soil 2nd rate

Subdivisions

Timber. scattering pines
High Mountains on S

East on random line
betw. secs. 24 & 25
Var. 16° 20' E.

40.00 Set temporary 1/4 sec. cor.
79.85 Intersect East boundary of
Lp. 17 lks. S. of cor. to secs. 24 &
which is a sandstone 19"x10"x6
firmly set in the ground
properly marked with sto
mound alongside, from w
Spruce
S. 89° 53' W. on true li
betw. secs. 24 & 25
with same var.
9.00 Hill Fork 10 lks wide 4 lks de
runs N. W.
9.20 Road bears N. W. & S. E.
10.50 Ascend
39.93 Set a sandstone 20"x6"x6
15" in the ground for 1/4 sec.
cor. marked 1/4 on N. face,

Pk. 1

and r
along
79.85 Pk c
Lar
Soi
Timb
Hi

Fo

18.50 Ridg
S.E.
37.50 Gul
40.00 Set
in th
mar
rain
60.00 Set
18" in
13.14
on S
a sto
Lar
Soi

BOOK-A-206

Th. 16 S. R. 5 E.

and raised a stone mound alongside.

79.85 The cor. to secs. 23. 24. 25 & 26.
Land. Mountains.
Soil 2nd rate
Timber burnt cedars & pines.
High Mountains on
79.85 ch.

North betw. secs. 23 & 24
Var. 16° 20' E.

18.50 Ridge 200 ft high bears N & S.E.

37.50 Gulch drains S.E.

40.00 Set a sandstone 22" x 10" x 7" 16" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.

80.00 Set a sandstone 25" x 19" x 7" 18" in the ground for cor. to secs. 13. 14. 23 & 24 marked with 3 notches on S and 1 on E edges and raised a stone mound alongside.
Land. Mountains
Soil 2nd rate

Subdivisions

Timber, pines scattering
High Mountains
on 80 chs.

East on random line
betw. secs. 13 & 24
Var. 16° 20' E.

4.00 Set temporary 1/4 sec. cor.

79.80 Intersect E. boundary of
19 lks S. of cor. to secs. 13 & 24
which is a sandstone 19"
x 7" firmly set in the grou
properly marked with
stone mound alongside
from which I run
S. 89° 52 W on true line
betw. secs. 13 & 24
with same var.

3.50 Road bears S. & S. E.

39.90 Set a sandstone 12" x 12" x 10",
in the ground for 1/4 sec. cor.
marked 1/4 on N. face and
raised a stone mound
alongside

44.00 Gulch draws S. E.

9.50 Tr
Lai
So
Pi
Hi

Gul
Set
the
1/4 o
mo
Ri
Spri
ru
Set
the
12"
on
ag
La
So
Pi

BOOK-A-206

Tp. 10 S. R 5 E.

79.80 Ptr cor. to secs. 13. 14. 23 & 24
Land. Mountains
Soil 2nd rate
Timber. scattering pines.
High Mountains on 79.80
Decr. 1st 1884.

North bdry. secs. 13 & 14
Var. 16° 20' E.

2427.50 Gulch drains S. E.

4.00 Set quartzite 24"×16"×2", 18"
the ground for 1/4 sec. cor. marked
1/4 on W face and raised a stone
mound alongside.

42.50 Ridge 300 ft high bears E & W.

57.00 Spring branch 3 lks. wire 4 ins deep
runs N. W. in cañon

30.00 Set sandstone 20"×10"×10", 15"
the ground for cor. to secs. 11.
12. 13 & 14 marked with 4 notches
on Sand 1 on E edges & raised
a stone mound alongside.
Land Mountains
Soil. 2nd rate
Timber. Scatt. cedars

Subdivisions

High Mountains on 80 chs.

East on random line
betw. secs. 12 & 13
Var. 16° 20' E.

40.00 Set temporary 1/4 sec. cor.
79.75 Intersect E boundary of Tp. 20 lks S. of cor. to secs. 12 & 13 which is a sandstone 10" x 10" x 10" firmly set in the ground, properly marked with stone mound alongside from which I run
S. 89° 51' W on true line betw. secs. 12 & 13 with same var.
22.00 Hollow drains Sp.
38.00 " " Sp.
39.87 Set sandstone 12 x 10 x 6" : 8" in the ground for 1/4 sec. cor. mound 1/4 on N face and raised stone mound alongside
79.75 Pile cor. to secs. 11. 12. 13 & 14.
Land. Mountains

Tp.

Soil
Timber
High

Lone
Set
18" in
mark
raise
along
Steep
Ent
To c
24 ins
Ditch
Teleg
Denve
Rya
Lean
Set a
in the

Tp. 10 S. R 5 E.

Soil 2nd rate
Timber scatt. cedars
High Mountains on
T9, T5 chs.

North betw secs. 11 & 12
Var. 16° 20' E.

1.50 Low hill bears E & W.
5.00 Set a sandstone 22"×18"×6"
18" in the ground for ¼ sec. cor.
marked 1/4 on W. face and
raised a stone mound
alongside.
1.50 Steep descend
5.00 Enter valley & drive undergr.
5.75 Soldier Fork 50 lks. wide
24 ins deep runs S. W.
7.50 Ditch drains S. W.
Telegraph line bears S. W. & S. E.
6". 8"
cor. md. 9.98 Denver & Rio Grande R. R. " "
a stone 1.15 Road bears S. E. & S. W.
4.50 Leave valley Ascend
14. 0.00 Set a limestone 40"×20"×20", 30"
in the ground for cor. to secs

1. 2. 11. 12 marked with 5
on Sand ⅓ on E edges and
raised a stone mound
alongside.
Land Mountains 8 0
Soil 2nd rate 8 / rate.
Timber. scatt. cedars
High Mountains on 70
Dense undergrowth on 9
Augmented on 8000 d

East on random line
bet'w. 0 secs. 1 & 12
Var. 16° 20' E.

40.00 Set temporary ¼ sec. cor.
79.40 Intersect E. boundary of
Sp. 14 lks. S. of cor. to Secs. 1
which is a sandstone 40"
×8", set in the ground
properly marked with ston
mound alongside. fro
which I run
S. 89° 54' W on true li
bet'w. 0 secs. 1 & 12
with same var.
8.00 Road in gulch draws S.E

Ridge
Gulch
Set a
in the
mark
raised
alongs
Gulc
"
The C
Land
Soil
Timb
High

The
establis
Sp. Nor
(See
is such
corners
lines o

BOOK-A-206

Tp. 10 S. R. 5 E.

9.00	Ridge 250 ft high bears S. W. S. E.
1.00	Gulch drains S. E.
6.70	Set a sandstone 14" x 9" x 6", 9" in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound alongside.
5.00	Gulch drains S. W.
6.00	" " S.
9.40	The cor. to Secs. 1. 2. 11 & 12. Land. Mountainous Soil 2nd rate. Timber. scall. piurs High Mountains on 79.40 chs

The N. boundary of this Tp. being established in connection with the Tp. North from a different survey (See exteriors) the connection is such, as to necessitate double corners, & therefore run the closing lines on true lines.

North on traced line 1—
Bttw. secs 29 *
Var. 16° 20' E.

17.50 Gulch draws S. W.

40.00 Set limestone 22"x10"x8", 16" in the ground for 1/4 sec. cor., mound 1/4 on W face and raised a stone mound alongside,

60.20 Intersect South boundary of Tp. 9 S. R 5 E. 13.20 ch. W. of 1/4 cor. to secs. 35 & 36, which is a limestone 15"x12"x10" firmly set in the ground properly marked with stone mound alongside.

Logged. Mountains
Soil 2nd rate.
No timber.
High Mountains on W.

* where I set a sandstone 10"x16" 6" in the ground for closing corner to secs. 19 & 24 marked with 1 on E, 5 on W. and 6 on Ledger raised a stone mound alongside.

From Sp. of Tp. post set in 3 mo at S

Spruce deep 8 ascen Set 15" in cor. m rais alon Rid Set in t secs. with E. ed mo Lar Sou

Tp. 10 S. R 5 E.

From the cor. on S. boundary of Tp. to secs. 34 & 35 which is post properly marked, firmly set in the ground with pile & mound of earth around it I run

North betw. secs. 34 & 35
Var. 16° 20' E.

40.00 Spring branch 4 lks. wide 3 ins deep runs S. E. in cañon ascend

40.00 Set a quartzite 20" x 10" x 10" 15" in the ground for 1/4 sec. cor. marked 1/4 on W. face & raised a stone mound alongside.

40.00 Ridge bears N E & S W. 400 ft high

80.00 Set sandstone 14 x 10" x 7", 9" in the ground for cor. to secs. 26. 27. 34 & 35. marked with 1 notch on S and 2 on E edges and raised a stone mound alongside.

Land. Mountains
Soil. 2 nd r.

Subdivisions

Timber, scatd. pines & cracking aspen
High Mountains
on 80 chs.

East on random line
betw. secs. 26 & 35
Var. 16° 20' E.

40.00 Set temporary 1/4 sec. cor.

79.45 Intersect N. & S. line 12 lks. W. of cor. to secs. 25. 26. 35 & 36 from which I run
N 39° 55' W on true line
betw. secs. 26 & 35
with same var.

22.50 Gulch draws N. E.

38.50 Ridge 400 ft high brars N. & S.

39.73 Set sandstone 19"x10"x7", 12" in the ground for 1/4 sec. cor. mark 1/4 on N. face and raised a cairn of stones alongside.

54.00 Gulch draws N. W.

79.45 The cor. to secs. 26. 27. 34 & 35
Land. Boundaries
Soil Very Fair.

Pp. 10

Timbr
High

Nort

6.00 Gulch
0.00 In can
3 lks wi
set a li
the gro
1/4 on W
stone
6.00 Gulch d
0.00 Set a li
in the g
22. 23. 26
in Sand
a stone
Land
Soil
No tim
Hig

BOOK-A-206

Tp. 10 S. R. 5 E.

Timber scall. cedars
High Mountains on Tp. 45 chs.
Decl. 2nd E.
North betw 26 & 27
Var. 16° 20' E.

16.00 Gulch draines S. W.

0.00 In cañon with Spring branch
3 lks wide 2 ins deep runs S. W.
set a limestone 12"×10"×6" 8" in
the ground for 1/4 sec. cor marked
1/4 on W. face and raised a
stone mound alongside.

16.00 Gulch draines S. W.

0.00 Set a limestone 12"×12"×8" 8"
in the ground for cor. to secs.
22. 23. 26 & 27 marked with 2 notches
on said 2 on E. edges and raised
a stone mound alongside.
Land High Mountains.
Soil 2nd rate.
No timber
High Mountains on 80 chs.

Subdivisions

East on random line
bttn secs. 23 & 26
Var 16° 20' E.

40.00 Set temporary ¼ sec cor.

79.70 Intersect 4th S. line 17 lks W
of cor. to secs. 23.24.25 & 26 from
which I run
S. 89° 52' W on true line
bttn. secs. 23 & 26
with same var.

39.85 Set a sandstone 20"×10"×7" in
in the ground for ¼ sec. cor
marked ¼ on N face and
raised a stone mound Pdog
side.

44.50 Pass 600 ft high on ridge
bears 4th &c.

59.00 Ravine drains S. W.

79.70 Pr cor to secs. 22.23.26 & 27
Land. Mountains
Soil 2nd rate
Timber. Scatt. pines.
High Mountains
on 79.70 chs

BOOK-A-206

103

T. 10 S. R 5 E.

North bdry. secs. 22 & 23

Var. 16° 20' E.

250 Hgt

12.50 Ridge, brars N. W. & S. E.

40.00 Set sandstone 12"x9"x6", 8" in the ground for 1/4 sec. cor. marked 1/4 on W. face & stand a stone mound alongside

76.00 Fish draws S. W. heads N. E.

90.00 Set a sandstone 10"x8"x6", 6" the ground for cor. to secs. 14. 15. 22 & 23 marked with 3 notches on S and E edges and raised a stone mound alongside.

Land. Mountains

Soil 2nd rate

Timber scall. cedar.

High Mountains

on E bdy.

BOOK A 206

Subdivisions

Eastern boundary
between secs. 14 & 23
Var. 16° 20' E.

40.00 Set temporary 1/4 sec cor.

79.40 Intersect N & S. line 21 lks. E. of
cor. to secs. 13. 14. 23 & 24 from which
Iron
S. 89° 51' W on true line
between secs. 14 & 23
with same var.

11.00 Gulch drains S.E. by S.

21.50 Ridge 300 ft high bears S.

39.70 Set sandstone 10"×10"×8"; 6" in
the ground for 1/4 sec. cor. mound
1/4 on E. side and raised a
stone mound alongside.

68.50 Gulch drains S.W.

79.40 Thr cor. to secs. 14. 15. 22 & 23
Land. Mountains
Soil 2nd rate.
Timber scrub. cedars.
High Mountains
on 79.40 chs

BOOK-A-206

Pr. 10 S. R 5 E.

North bdy. secs. 14 & 15
Var. 16° 20' E.

15.00 Ridge 150 ft high bears E & W.
28.50 Enter wide hollow
29.25 Dairy Fork 8 lks wide 4 ins deep runs S. E.
31.50 Road bears N E & S W.
40.00 Set sandstone 12"x8"x6". 8" in the ground for 1/4 sec cor. marked 1/4 on W face and raised a stone mound alongside.
44.00 Spring branch 2 lks wide, 2 ins deep runs S E ascend
71.50 Spring branch 1 lk. wide 2 ins. deep runs S. E. in ravine.
80.00 Set sandstone 24"x10"x10", 18" in the ground for cor. to secs. 10. 11. 14 & 15 marked with 4 notches on S and E on E edges and raised a stone mound alongside.

Land. Mountains
Soil 2nd rate
Timber. Scatt. cedars.
High Mountains on Sec's.

East on random line
btw. secs. 11 & 14.
Var. 16° 20' E.

40.00 Set temporary 1/4 sec cor.

79.25 Intersect N & S line 20 lks E.
of cor. to secs. 11. 12. 13 & 14 from
which Sun
S. 89° 52' W. on true line 12.50 Gu
btw. secs. 11 & 14 18.50 Ri
with assur var. 39.85 Sp

20.25 Spruce branch in hollow 2 lks 40.00 Se
wide 4 ins deep runs N.

38.75 Read brass cap S.

39.50 Spruce branch in hollow 4 lks
wide, 3 ins. deep runs N.

39.63 Set sandstone 10"x8"x8", 6" in
ground for 1/4 sec. cor.
marked 1/4 on N. face and
raised a stone mound
alongside.

50.00 Ridge 200 ft high brass cap N.
& S.E.

64.00 Gulch drains S.E.

75.50 " " "

79.25 Pkz cor. to secs. 10. 11. 14 & 15.
Land. Mountains.

T. 10 S. R. 5 E.

Soil 2nd rate.
Timber. scatt. cedars
High Mountains on
W. 25 chs.
Decr. 3° 1884
North bdry. secs. 10 & 11
Var. 16° 20' E.

12.50 Gulch draws S.E.
18.50 Ridge bears S.E. & N.W.
39.85 Trail bears E. & W.
40.00 Set limestone 10"x10"x8"..6" in the ground for 1/4 sec cor. marked 1/4 on W face and raised a stone mound alongside.
61.50 Gulch draws S.W.
80.00 Set limestone 10"x10"x10" 6" in the ground for cor. to secs. 2.3.10 & 11 marked with 5 notches on S. and 2 on E edges and raised a stone mound alongside,
Level. Mountains
Soil 2nd rate.
Timber. scatt. cedars

High Mountains on
80 chs.

East on random line
betw. secs. 2 & 11
Var. 16° 20

40.00 Set temporary ¼ sec cor.
80.40 Intersect N. & S. line 24 lks E.
of cor. to secs. 1. 2. 11 & 12. from
which I run
S. 89° ~~49~~ 50' W on true line
betw. secs. 2 & 11
with same var.

Discend
8.50 Enter bottom
9.85 Road bears S.E. & N.W.
10.85 Denver & Rio Grande Ry. bears S.E.
11.14 Enter meadow fence " "
11.50 Telegraph line " "
18.00 Ditch draines N. W.
18.10 " " " Enter field
19.50 Leavr field bears N.E. & S.W.
26.00 Soldier fork 40 lks wide 18 in
deep runs N. W.
31.10 Fence bears N. W. & S.E.

BOURDA-206

Sp. 10 T. 9 R. 5 E.

32.70 Dairy Fork 7 lks wide, 4 ins deep runs N. W. Road. Two houses of Lewis bear North 10 dis.

36.00 Road bears S. W. & S. E.

40.20 Set sandstone 18" × 6" × 6", 12" in the ground for 1/4 sec. cor. marked 1/4 on S. face and raised stone mound alongside.

53.00 Creek runs S.

67.50 Ridge point 150 ft high bears S. W. & S. E.

80.40 The cor. to secs. 2. 3. 10 & 11. Sand. Mountainous bottoms. Soil light brown. Timber scattered. Cedars High Mountains on 80.40 chs.

BOOK A 206

110

Subdivisions

North on true line between secs. 2 & 3
Var. 16° 20' E.

4.00	Enter bottoms
9.50	Spring branch 4 lks. wide 3 in. deep runs N.E.
19.50	Enter field, fence bears E & W.
38.50	Leave field Soldier fork 25 lks. wide & 20 in. deep runs N.W.
39.00	Telegraph line bears N.W. & S.E.
39.10	Railroad " "
39.70	Road " "
39.80	Ascend " "
60.37	◆ Intersect South boundary of Tp. 9 S. R. 5 E. 13.40 chs. W. of cor. to secs. 34 & 35 which is a live stone 14"x10"x8" properly marked, firmly set in the ground with stone mound alongside where I set a sandstone 25"x10"x6" in. 18 in the ground for cor. to secs. 2 & 3 mounds on 2 sides and 4 in W. and 6 in Judges & stone mound alongside
	Land descends
	Enter Dr. water. Northerly
	High mountains on

◆ 4 chs. dist. from stone 10x10x10" to a stone mound for cor. on W. bank of creek 12 links distant. Stone mound alongside.

60.00 Set

46.50 Spru

60.00 Set

BOOK-A-206

Tp. 10 S. R 5 E.

From the cor. to secs. 33 & 34
which is a sandstone 29" x 10"
x 8" firmly set in the ground
properly marked with
stone mound alongside
from which I run
North bet. secs. 33 & 34
Var. 16° 20' E.

13.50 Cañon Araico E. ascend
20.50 Ridge 60 ft. high brors
E. & W.

40.00 Set sandstone 12" x 10" x 6"
8" in the ground for 1/4 sec
cor. marked 1/4 on W. face
and raised a stone mound
alongside.

46.50 Spring branch 4 lks wide 2 lks
deep runs S. 2 W. in cañon.

80.00 Set sandstone 24" x 20" x 6"
18" in the ground for cor. to
secs. 27. 28. 33 & 34 marked

Subdivisions

with Smooth on S. and E
Edges and raised a stone
mound alongside.
Land. Mountains
Soil 2nd rate.
Timber. Pine & Aspen
scattering.
High Mountains
on S. & W.

East on random line
bet. secs. 27 & 34
Var. 16° 20' E.

40.00 Set temporary 1/4 sec. cor.
80.27 Intersect N. & S. line 24 lks.
E. of cor. to secs. 26. 27. 34 & 35
from which Pine
S. 89° 49' W. on true line
bet. Secs. 27 & 34
with same var.
40.14 Set a quartzite 20 x 10 x 6", 15"

BOOK
Sp.
in th
mar
raise
68.50 Set
80.27 Thr
Lar
Soi
Tim
Hig
No
11.50 Set
40.00 Set
22" x
for
face
Alu
40.02 Spr
6 lks

BOOK-A-206

Tp. 10 S. 1 E.

in the ground for 1/4 sec. cor. marked 1/4 on 4 pacr and raised a stone mound alongside.

68.50 Gulch drains S. W.

80.27 Thr cor. to secs. 27.28.33 & 34

Land. Mountains

Soil 2nd rate

Timber. pine & aspen scattering.

High Mountains on 80.27 L.

Decl. 14° 1884

North betw. Secs. 27 & 28

Var. 16° 20' E.

11.50 Gulch drains S. W.

40.00 In gulch set sandstone 22"x 17"x 9", 16" in the ground for 1/4 sec. cor. marked 1/4 on W. pacr and raised a stone mound Alongside.

40.02 Spring branch in same gulch 6 lks wide 1 in deep runs S. W.

Subdivisions

51.50 Juch drains S. W.

80.00 Set sandstone 14"x10"x8", 9" in the ground for cor. to secs. 21. 22. 27 & 28 marked with 2 notches on S and 3 notches on E edges and raised a stone mound alongside.

Land. Mountains

Soil 2nd rate.

Timber. Juniper scattering.

High Mountains on South

East on Standard bet. secs. 22 & 27

Var. 16° 20' E.

40.00 Set temporary 1/4 sec. cor.

80.90 Intersect N. & S. line 19 ch. S. of cor. to secs. 22. 23. 26 & 27 from which I run

BOOK A-206

T. 10 S. R. 5 E.

S. 89° 52' W. on bur line
betw. secs. 22 & 27
with cedar bar.

9.50 Gulch drains S.

27.00 Ridge 100 ft. high bears N. & S. E.

40.45 Set sandstone 24"×10"×7",
18" in the ground for 1/4 sec.
cor. marked 1/4 on 1st face &
raised a stone mound
alongside.

48.50 Spring branch in hollow
4 lks wide 4 ins. deep runs N. W.

60.90 Pit cor. to secs. 21. 22. 27 & 28
Rugged Mountains
Soil Crater.
Timber, pines & aspen
scattering
High Mountains
on 80. Gr chs.

Subdivisions

North bdry. secs. 21 & 22
Var. 16° 28' E.

31.00 Springbranch blkwoode 4 ins.
steps runs N. W. in hollow
40.00 Set sandstone 10"×10"×10", 6"
in the ground for 1/4 sec. cor.
marked 1/4 on W. face and
raised a stone mound alongside
48.00 Enter hollow
49.00 Road bears N & E of N. W.
49.70 Dairy Creek Jckswoode. 4 ins
steps runs N. E. Corral bears
6 chs West.
57.00 Ascend
80.00 Set sandstone 16"×6"×6".
12" in the ground for cor. to
secs. 15. 16. 21 & 22 marked with
3 notches on S & E edges and
raised a stone mound
alongside.
Land. Mountains

Hours Ds
80.37 Sn
N.
fro
6.00 Gu
36.00 En
40.18 Se
in
1/4 o

Sp. 10 S. R. 5 E.

Soil 2nd rate
Timber. pines & aspen
scattering.
High Mountains on So. & W.

East on a random line
bet. secs. 15 & 22.
Var. 16° 20' E.

40.00 Set temporary 1/4 sec. cor.
80.37 Intersect S. & S. line 16 lks
E. of cor. to secs. 14. 15. 22 & 23
from which I run
N. 89° 53' W on true line
bet. secs. 15 & 22
with same var.
6.00 Gulch drains N. W.
36.00 Enter hollow
40.18 Set sandstone 20" × 10" × 6", 15"
in the ground for 1/4 sec. cor. marked
1/4 on N. face and raised a stone

Subdivisions

mound alongside.

40.20 Dairy Fork Yolks. land e.
2 ins deep runs S. E.

41.50 Road bears S & E. S. W.

46.50 Ascend bears S & E. S. W.

80.37 Pr cor. to secs. 15. 16. 21 & 22
Land. Mountains
Soil 2nd rate
Timber. Scatl. cedars.
High Mountains on E. 37 chs

North betw. secs. 15 & 16
Var. 16° 20' E.

4.50 Across hollow drains S. E.
Spring 4 chs. E. of line

21.50 Gulch drains S. E.

40.00 Set q sandstone 25" x 12" x 7", 18" in the ground for 1/4 sec. cor. marked 1/4 on W/ face and raised a stone mound alongside.

Su.

43.50 Gulch
80.00 On to
S. W. S.
× 8",
cor.
with
Edg
mou
Land
Soi
Timb
H
Eas
40.00 Set
40.15 Inte
S. of
from

BOOK-A-206

Tp. 10 S. R. 19 E. 5 P.

1/3.50 Gulch draines S E by S.
80.00 On top of ridge bears N E & S W. 8x8 sandstone 27x12" x8", 23" in the ground for cor. to secs. 9. 10. 15 & 16. marked with 4 notches on S and 3 on E edges. and raised a stone mound alongside.
Land. Mountains
Soil 2nd rate
Timber scatt. cedars
High Mountains
on 80 chs.

East on random line
bkw. secs. 10 & 15
Var. 16° 20' E.
40.00 Set temporary 1/4 sec. cor.
20.15 Intersect N & S. line 29 chs.
S. of cor. to secs. 10. 11. 14 & 15
from which I run

S. 89° 48' W on true line
bkw. secs. 10 & 15
with same var.

9.50 Gulch drains S.E.

23.50 " " S.E.

40.07 Set a sandstone 22" × 10" × 7"
16" in the ground for 1/4 sec. cor
marked 1/4 on N. face and
raised a stone mound
alongside.

80.15 On top of ridge the cor.
to secs. 9. 10. 15 & 16.
Lgd. Mountains
Soil. Gravel.
Timbr. Scrub. Cedars
High Mountains
on 80.15 &
Dec. 5. 1884

BOOK-A-206

Tp. 10 R. 5 E.

North bdry. secs. 9 & 10
Var. 16° 20' E.

31.50 Spring branch 6 lks. wide. 4 in deep in hollow runs N. E.

40.00 Set a sandstone 22" x 10" x 7" 16" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

58.50 Spring branch 4 lks. wide. 3 in deep in hollow runs S. E.

80.00 Set a cobble stone 15" x 10" x 6", 10" in the ground for cor. to secs. 3. 4. 9 & 10 marked with 5 notches on sides 3 on E. edges and raised a stone mound alongside.

Land Mountainous
Soil. 2nd rate.
Timber. few cedars.
High Mountains on South.

Subdivisions

East on random line
bttm. secs. 3 & 10
Var. 16° 20' E.

40.00 Set temporary 1/4 sec cor.
79.60 Intersect N & S. line
1 lks S. of cor to secs. 2.3.10 & 11.
from which Iron
S. 89° 53' E. on true line
bttm. secs. 3 & 10
with same var.
9.50 Spring branch 4 lks wide. 3 links
steps run S.E. in hollow
39.81 Set sandstone 19"x10"x7" 13"
in the ground for 1/4 sec. cor.
marked 1/4 S. face and
raised a stone mound
alongside.
49.00 Strip access
79.60 Thy cor. to secs. 3.4.9 & 10.
Land. Mountains
Soil 2nd rate

BOOK-A-206

Pt. 10 T. 12 S. R. 3 E.

Timber. Few cedars.
High Mountains,
on 79.60 chs.

Contour line
North, btw. secs. 4 & 3.
Var. 16° 20' E.

22.50 / 22.50 / 40.00 / 6.00 Jul ch draines N.W.
Set a sandstone 22"x12"x10"
16" in the ground for 1/4 sec.
cor. marked 1/4 on W. face
and raised a stone mound
alongside.

60.35 / 0.35 Intersect E. boundary of the
G.L. R.S.E. 13.34 chs N. of cor. to
secs. 34 & 33 which is a sandstone
15"x12"x4" ~~set in the ground~~
~~for cor. to secs~~ 3/4 in diam.
set in the ground properly
marked with stone mound
alongside, also set
a sandstone 20"x20"x10".

Subdivisions

18" in the ground by driving on
the west. 3/4 marked C.C. with 3 notches
on E. & W and 6 on 4 edges and rais
a stone mound alongside.
Land. Mountain
Dist 2nd rate
Timber Jun. cedar
High Mountain on 60.35

Tp. 10 S. R. 5 E.

From the cor. to secs. 32 & 33 on South boundary of Tp. which is a sandstone 18"×12"×4" firmly set in the ground, properly marked with stone mound alongside. Azimuth

North betw. secs. 32 & 33

Var. 16° 20' E.

40.00 Set a sandstone 19"×10"×6", 13" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

46.00 Gulch drains S. W.

75.00 Ridge 350 ft high bears N. W. & S. E. Divide betw. Lake Fork & Dairy Fork.

80.00 Set sandstone 30"×20"×10", 20" in the ground for cor. to secs. 28, 29, 32 & 33 marked with 1 notch on S and 4 on E. Edges and raised a stone

Subdivisions

mound alongside.
Land. Mountains
Soil 2nd rate
Timber. pines, aspen
spruce. cedars. scrub.
High Mountains on
Stoks.

East on random line
bet. secs. 28 & 33
Var. 16° 20' E.

40.00 Set temporary 1/4 sec cor.
79.95 Intersect N. & S. line 21 lks
E. of cor. to secs. 27. 28 33 & 34
from which Pine
S. 89° 51' W. on true line
bet. secs. 28 & 33.
with same var.
34.50 Spruce branch in cairn
4 lks wide 4 inches deep runs N.
39.98 Set a quartzite 12"x10"x10",

79.95 Thr
Lan
Soi
Tim

40.00 On
bra
Stor
Gra
Ma
and

Sp. 10 S. R 5 E.

8" in the ground for 1/4 sec.
cor. marked 1/4 in N. face
and raised a stone mound
alongside.

79.95 Thr cor. to secs. 28. 29. 32 & 33
Land. Mountains.
Soil. Sand & rock
Timber. Scrub. pines
Aspen.
High Mountains
on 79.95 ch.

North bdry. secs. 28 & 29
Var. 16° 20' E.

40.00 On top of Divide 500 ft. high
bears N E & S W. set a stone
stone 20"x16"x7", 15" in the
ground for 1/4 sec. cor.
marked 1/4 on W. face
and raised a stone mound

Excavations

alongside.

80.00 Ord Boundaries 14"x10"x
9" in the ground for cor
to secs. 20. 21. 28 & 29. mark 11.50
with 2 notches on S. and
4 on E. edges and raised 21.00
a stone mound alongside 38.00
side. 39.50

Loyd. Mountains
Soil Earth. 110.18
Timber. Scrub. pines
High Mountains,
on Rocks.

East on said dividing line 41.00
between secs. 21 & 28 52.00
Var. 16° 20' E. 77.50

40.00 Ord temporary Wore cor 80.35
80.35 Intersect of S. line 20 ch.
Posts. to secs. 21. 22. 27 & 28
from which I saw

Tp. 10 S R 5 E.

S. 89° 52' Fractional
Belo. secs. 21 & 28
with same var.

11.50 Spring branch 4 lks wide. 3 in deep runs N. W. in gulch
21.00 Gulch draws N. W.
38.00 Enter hollow
39.50 Dairy Fork 5 lks. wide. 3 in deep runs N. W.
46.18 Set sandstone 22 x 11 x 6' 16" in the ground for 1/4 sec. cor. marked 1/4 on E. face and raised a stone mound alongside.
71.00 Ascend
82.00 Gulch draws N. E.
97.50 Divide brars N. W. & S. E.
80.35 The cor. to secs. 20. 21. 28. 29.
Land. Mountainous.
Soil 2nd rate.
Timber ocak. cedars

Subdivisions

High Mountains on 80.00

Dec. 6. 1884.

North Bdy. Twp 20 S 21

Var. 16° 20' E.

1.50 Divide bears N. W. & S. E.

40.00 Set sandstone, 20" x 10" x 6", 15"
in the ground for 1/4 sec. cor.
marked 1/4 on W face and
raised a stone mound alongside.

80.00 Set sandstone 16" x 10" x 8", 12"
in the ground for cor. to secs.
16. 17. 20 & 21 marked with 3
notches on E and W edges
and raised a stone mound
alongside.

Land Mountains

Soil 2nd. rate

No Timber

High Mountains on Stone

40.00 Set

80.20 Int

Lost

Iron

6.50 Wide

23.50 Pub

40.10 Set

in

mar

rais

Sid

63.00 Ha

80.20 Thr

Pa

Sa

Fr. 10 T. R 5 E.

80.35

4.

2
e,
6', 15
ers
ed
along

', 12'
secs.
h 3
edges
ined

e Sec.

East bdry secs. 16 & 21
Corn raised on line
Var. 16° 20' E.

40.00 Set temporary 1/4 sec cor.
80.20 Intersect top of Elec 20 lks.
E of thr cor. to secs. 15. 16. 21 & 22
from which Tree
S. 89° 51' W on true line
bdry. secs. 16 & 21
with pair var.
6.50 Wide bottom drains S. W.
23.50 Gulch drains N. E.
46.18 Set paidetour 14"x10"x10", 9"
in the ground for 1/4 sec. cor.
marked 1/4 on N. face and
raised a stone mound alongside.
63.00 Top ascend.
80.20 Thr cor. to secs. 16. 17. 20 & 21
Land Mountains
Soil Gravel

Subdivisions

Timber, fine cedar
High Mountains
on 80. 200

North bnd. secs. 16 & 17
Var. 16° 20' E.

40.00 Ore quartzite 10"×10"×10", 6' 79.80
in the ground for 1/4 sec. cor.
marked 1/4 on N. face and
raised a stone mound
alongside.

51.10 On top of divide, NE & hauntE
limestone 20"×16"×8", 15' in 39.90
the ground for cor. to
secs. 8. 9. 16 & 17. marked on
4 notches on sides edges
and raised a stone mound
alongside.

Land. Mountains 40.50
Soil 2nd rate
Timber, fine cedar 79.80

Pr. 10 S. R 3 E.

High Mountains on Stob.

East on random line
btw. secs. 9 & 16
Var. 16° 20' E.

40.00 Set temporary 1/4 sec cor.

79.80 Intersect S. line of sec. to secs. 9. 10. 15 & 16. from which Spruce
West on true line
btw secs. 9 & 16
with bear trs.

39.90 Set quartzite 10"x8"x8", 6" in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

40.50 Spruce branch 4 lks. wide 3 ins deep in hollow runs W.

79.80 Top of ridge, thr cor. to secs. 8. 9. 16 & 17

Subdivisions

Land Monuments
Soil Sandy.
Timber, pine cedars
High Mountains adj.

North brtw. secs 8. 9
Var. 16° 20' E.

Described
40.00 Pr deciduous 22" x 19" x 6"
16' in the ground for 1/4 sec
cor. marked 1/4 M pine
and raised a stone mound
alongside.
80.00 Pr deciduous 18" x 10" x 7"
12' in the ground for cor.
to secs. 4. 5. 8. 9 marked with
5 notches on East 1/4 Edge
and raised a stone mound
alongside.
Land Monuments

40.00
40.00
80.15
80.15
36.00
38.00
40.00
40.18
80.15
80.15

BOOK-A-206 135

Ph. 10 & 85.

Sail. 2nd rate
No timber.
High Mountains on 80 ds.

East on round limbers
brtw. ords. 4 & 9.
Var. 16° 20' E.

40.00 Set tompion 1/4 sec cr.
80.15 Intersect 4 & 5 line 12 lks.
S. of cr. to ords. 3. 4. 9 & 10. from
which Sprue
S. 89° 55' W on true line
brtw ords. 4 & 9
with same var.
38.00 Ridge bears NE & SW.
40.00 Set sandstone 12×8"×6" 8" in the
ground for 1/4 sec. cr. marked 1/4 m. N. face and
faced a stone mound alongside
80.15 Thr cr. to ords. 4. 5. 8 & 9
Land. Mountains
Sail 2nd rate.

Subdivisions

Timber

High Mountains on 60.76

Contour line
North bdry. sec. 4, T. 5 S.
Var. 16° 20' E.

24.50 Quick drain NE.

40.00 Set sandstone 20" x 10" x 8", 15" in the ground for 1/4 sec. cor. scribed 1/4 on W face, and mound of stone raised along 40.00

60.76 intersect S. boundary of T. 4 S. R. 2 E. 13. chs. 4 links to sec. 33 which is a sandstone 20 x 10 x 6" 15" in the ground, properly marked, firmly set in the ground, with stone mound alongside, whence Juniper 12" x 10" x 6" 12" in the ground for closing cor. to sec. 4 and 5, marked C.C. with 4 notches on E., 2 on W. and 6 on S. edges and raised stone mound alongside 80.00

Lower Mountains

Quit Timber.

Woodland

High Mountains on 60.76 ch.

Dec. 5. 1884.

Tp. 10 S. R 5 E.

From the cor. to secs. 31 & 32 on S. boundary of tp. which is a sandstone 15"x15"x6" firmly set in the ground, properly marked with stone mound alongside. Spruce

North 61 lks. secs. 31 & 32

Mar. 16th 1876.

dranis SE

40.00 Ingulch set sandstone 19"x10"x6" 13" in the ground for 1/4 sec. cor. marked 1/4 on 2 sides and raised a stone mound alongside

80.00 Set Iron stone 21"x10"x6" 15" in the ground for cor. to secs. 29, 30, 31 & 32. marked with notch on Sand Stone Edges and raised a stone mound alongside.

Land Mound Laid.

Soil 2nd rate.

Timber. scrub Mahogany

Spruce, aspen & cedars.
High Mountains on
91 ds

East on random line
bttw. secs. 29 & 32
Var. 16° 20' E.

40.00 Set temporary 1/4 sec. cor.
19.85 Intersect N. & S. line 17 lks.
E. of cor. to secs. 28. 29. 32 & 33
from which Trees
S. 89° 53' W. on true line
bttw. secs. 29 & 32
with ancr. var.
9.50 Divide bears SW & SE.
39.93 Set limestone 28"x 16"x 10" 19"
in the ground for 1/4 sec. cor.
marked 1/4 on E. face and
raised a stone mound alongside.
59.50 Intersection

60.25 Lake
depre
40.65 Acce
19.85 Spr
Lacu
Soil
Unin

High

1/4 se
bi

40.00 Set
39.40 Inte
21 lks.
is a b
Set in
mark
side,

T. 10 S. R. 5 E.

ers.	40.25	Lake Fork, 9 lks. wide. 18 lks deep runs N.W. Trail.
on	40.65	Access'd
lks	79.85	Thr cor. to secs. 29. 30. 31 & 32. Land. Mountains Soil 2nd rate Timber. Scatt. mahogany Spurs. High Mountains on 79.85 chs.
r		
7 lks.		
33		
ber		West on said number line. secs. 31 & 31 Var. 16° 20' E.
E.	40.00	Set temporary W.C. cor.
0; 19'	79.40	Intersect W. boundary of Ut 21 lks. N. of cor. to secs. 30 & 31 which is a limestone 10"×10"×6" firmly set in the ground, properly marked with stone mound alongside, from which Juni
ed		
ahog.		

BOOK A 206

Subdivisions

N. 89° 51' E on the Co
btw. secs. 30 & 31
Var. 16° 20' E.

3.50 Ridge 2 ft high bears SE 9.
39.40 Set limestone 24"x10"x6" in
the ground for 1/4 sec. cor
marked 1/4 on N. face and
raised a stone mound
alongside.
43.00 Ridge bears N & S.
79.40 The cor. to secs. 29. 30. 31 & 32
Land. Mountains
Gic. Ver.
Timber. small pines.
High Mountains on
79.40 chs.

16.50
40.00
63.00
79.00
80.00

BOOK-A-206

Sp. 10 S. R. 5 E.

North bdry. secs. 29 & 30
Var. 16° 20' E.

16.50 Pick drains S. E.

40.00 On Ridge point heads S. W. set a cand stour 20"x10"x7", 15" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.

63.00 Pick drains S. E.

79.00 Enter cañon

80.00 Set a cobble stone 15"x10"x 10", 10" in the ground for cor. to secs. 19. 20. 29 & 30 marked with 2 notches on sand & on E. edges and raised a stone mound alongside.

Land Materials -
Soil. Dry clay.
Timber. Scrub. pines
High Mountains & Rocks.

Subdivisions

East on random line
bttn. secs. 20 & 29
Var. 16° 20' E.

40.00 Set temporary 1/4 sec. cor.
79.60 Intersect S. & S. line 22
S. of cor. to secs. 21. 21. 28 & 29
from which Spruce
S. 89° 51' W. ontrue line
bttn. secs. 20 & 29
with auer var.
7.50 Head of ravine drains S. W.
36.00 Ravine " " "
39.80 Set limestone 20" x 10" x 7", 15"
in the ground for 1/4 sec. cor.
marked 1/4 on E. face and
raised a stone mound alongside.
43.50 Ravine drains S. W.
54.00 Ledge bears N. & S.
59.50 " " "
74.00 Enter cañon
78.00 Lake Fork 2 lks. wide, flats.

Sp. to S. R. 5 E.

deep runs N. W.

79.60 Thr. cor. to secs. 19. 20. 29 & 30.

Land. Mountains.

Soil 2nd rate.

Timber. scatt. pines.

High mountains on

79.60 chs.

West run down line

betw. secs. 19 & 30

Var. 16° 20' E.

4.00 Set temporary 1/4 sec. cor.

79.10 Intersect W. boundary of tp.

26 lks. S. of cor. to secs. 19 & 30.

which is a sandstone 20"×10"×10"

firmly set in the ground

properly marked with stone

mound alongside, from

which I run

S. 89° 49' E. on true line

betw. secs. 19 & 30

BOOK A 206

BOOK-A

Subdivisions.

with outer bar.

25.50	Ridge bears S 45° E. 200 ft high	
39.10	Intersection draws N. from a sandstone 28" × 20" × 10"	1.45
	18" in the ground for 1/4 sec.	2.10
	cor. marked 1/4 on N. face	3.50
	and raised a stone mound	40.00
	alongside.	
51.00	Ridge 300 ft high bears S	
76.50	Entrance, Lake Fork	
	18 lks. wide 6 ins deep runs N.	
77.90	Road bears N. & S.	
78.60	Lake Fork 20 lks wide 5 ins	80.00
	deep. runs S. W.	
79.10	The cor. to secs. 19. 20. 29 &	
	Land. Mountains	
	Soil 2nd rate.	
	Timber, scrub pines.	
	High Mountains	
	on 79.10 chs	

Decr 9. 1884.

Sp. 10 T. 8 S. R. 5 E.

North bdry. occ. 1895

Var. 16° 20' E.

		Lake Fork 20 lks wide, 4 ins deep runs S. W.
	1.45	Road bears S. W. from S. E.
	2.10	Accd bears S. W. from S. E.
	3.50	Accd bears S. W. from S. E.
	40.00	On ridge 40 ft high bears S. W. from S. E. set a limestone 20" x 20" x 6", 15" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
	80.00	Set Sandstone 18" x 10" x 8", 12" in the ground for cor. to secs. 17. 18. 19 & 20 marked with 3 notches on land 5 on E edges and raised a stone mound alongside.

Land. Mountainous

Soil 2nd rate.

Timber oak. Cedars.

Subdivisions

High Mountains on West

East on random line
btw. secs. 17 & 20
Var. 16° 20' E.

40.00 Set temporary 1/4 sec cors
79.40 Intersect & set Lieu alon
to secs. 16, 17, 20 & 21 from
which Brass
West on true line
btw. secs. 17 & 20
with same var.
10.00 Ridge 30 ft high bears
39.70 Set Limestone 20x10x6" in
in the ground for 1/4 sec. co
marked 1/4 on N. face and
pairs of stone mounds
alongside.
49.50 Spruce branch 4 lks wide,
3 ins deep runs S. W. in hollow.
79.00 Gulch draines S. W.

BOO

BOOK A-206

Sp. 10. S. R 5 E.

19.40 The cor. to secs. 17. 18. 19 & 20.
Laid. Mountains
Soil 2nd rate.
Timber. scatt. cedars.
High Mountains on
19.40 chs.

West on random
bttn. secs. 18 and 19.
Var. 16° 20' E

40.00 Dry temporary 1/4 sec. cor.

19.60 Intersect W. boundary
11 lks S. of cor. to secs. 18 & 19.
which is a sandstone 12"x10"
x10", firmly set in the ground
& properly marked with
stone mound alongside.
from which Spr.
S. 89° 55' E on true line
bttn. secs. 18 & 19
with saw pits.

Subdivisions

7.50	Ravine Arcius S.	
34.50	Ridge bears N.W. & S.E.	
39.60	Set a limestone 24"x10"x6½	4.50
	18" in the ground for 1/4 cor. marked 1/4 on E face	40.00
	and raised a stone mound alongside.	
79.60	Fir cor. to secs. 17, 18, 19, 20	
	Land Mountains	
	Soil 2nd rate.	
	Timber. scatt. pines	60.50
	High Mountains	80.00
	on 79.60 chs.	

Sp. 10 S. R 5 E.

North bdry. secs. 1 & 18
Var. 16° 20' E.

4.50 Junction of 2 ravines, head of E & SE.

40.00 On top of ridge 350 ft high set limestone 20"×18"×10" 15" in the ground for 1/4 sec. cor. marked 1/4 m W. face and raised a stone mound alongside.

60.50 Gulch draws W.

80.00 On top of ridge 300 ft high bears E & W. set sandstone 19"×10"×10", 13" in the ground for cor. to secs. 7. 8. 17 & 18 marked with 4 notches on 2 sides E. edges and raised a stone mound alongside.

Land. Miscellaneous.
Soil. Surface.
Timber. Scrub. Pines

Subdivisions

High Mountains on 8th

East on random line
bet'n. secs. 8 & 17
Var. 16° 20' E.

40.00 Set temporary 1/4 sec cor.
80.28 Intersect S. B. L. line 10 links
S. of cor. to secs. 8. 9. 16 & 17
from which True
S. 89° 56' Mon. bet'n
bet'n. secs. 8 & 17
with base var.
21.50 Head of gulch drain N. W.
40.14 Set limestone 10 x 10" x 10", 6"
in the ground for 1/4 sec. cor. mark
1/4 on N. face and raised a stone
mound along side.
80.28 The cor. to secs. 7. 8. 17 & 18.
Land. Mountains
Soil 2nd rate.
Timber. Low pines

T. 10 S. R. 3 E.

High mountains on S.B. & M.

Dec. 10, 1884.

West boundary.

T. 8 S.

On random line

Var. 16° 20' E.

0.00 Set temporary 1/4 sec. cor.

9.40 Intersect W. boundary T. 9 S.

R. 1 W.

S. 1 cor. to secs. 7 & 18, which is a

limestone 16"x16"x8" firmly set

in the ground, properly marked

with stone mound alongside

from which

S. 89° 57' E. on true line

bears secs. 7 & 18

with 25 cor. var.

0.50 Ravine drains N. W.

9.40 Ridge runs E. & W. with a

sandstone 25"x16"x10", 18" in

the ground for 1/4 sec. cor.

marked 1/4 on 4 faces and

raised a stone mound alongside.

Subdivisions

79.40 Thr cr. to secs. 7.8.18 & 17
Land. Mountains.
Soil Good water.
Timber. scatt. cedar & pine
High Mountains on 79.40 d

North betw. secs. 7 & 8
Var. 16° 20' E.

16.50 Ravine drains N. W.
34.50 Ridge 350 ft high bears N.W. & S.E.
40.00 Del limestone 24" x 20" x 6", 18" in the ground for 1/4 sec. cr. marked 1/4 on W face and raised a stone mound alongside.
80.00 Dr. sandstone 15" x 16" x 8", 16" in the ground for cr. to secs. 5.6.7 & 8. marked with 5 notches on 4 and 2. ridges and raised a stone mound alongside.
Land. Mountains.
Soil Water.

46.00 Del te
50.16 Intersec cr. to
Ravine
7.50 Ravine
21.16. Ridge
46.65 Ingress
15" x 8
1/4 sec.
twice
41.25 Road
49.50 Ridge
80.10 Thr
Lar
So

BOOK-A-206

Pk. 10 R 3W T 3 E.

Timber. scell. pines.
High Mountains on Sides.

East on random line
betw. secs. 5 & 8
Var. 16° 20' E.

46.00 Set temporary 1/4 sec cor.
80.10 Intersect N. Bdy 25 lks. S of cor. to secs. 4. 5. 8 & 9. from which
Iron
S. 89° 49' W on true line
betw secs. 5 & 8
with same var.
7.50 Ravine draws E.
21.10. Ridge. 150 ft high bears N. & S.
46.05 Inguish dr. & set sandstone
15" x 8" x 7", 10" in the ground for
1/4 sec. cor. marked "1/4 on N face &
raised a stone mound alongside
41.25 Road bears N & S.
59.50 Ridge 150 ft high bears N & S.
80.10 Pk cor. to secs. 5. 6. 7. & 8.
Lags. Mountains
Soil 2nd rate

Scattering
Timber Trees
High Mountains
on 80.16 chs

West on random line
betw secs. 6 & 7
Var. 16° 20' E.

40.00 Set temporary 1/4 sec cor.
79.20 Intersect W. boundary of
Tp 15 chs S. of cor. to secs. 6
which is a sandstone 20"
x6", firmly set in the
ground, properly mar
with stone mound alongs
side from which Pine
S. 89° 54' E on true li
betw. secs. 6 & 7
with owner mr.
14.50 Ravine draining N.
36.00 " " "
39.20 Set sandstone 20" x10" x6
15" in the ground for 1/4 sec
cor. marked 1/4 on E face
and raised a stone mound
alongside.

50.00 Ri
62.00 Ju
79.20 Th
La
Sa
Fi
H

N

40.00 Set s
groun
1/4 on
mound

60.44 Intersec
of ran

20 x 1
mark
air
22" x 1
or. to
5 inch
and m

T. 10 S. R 5 E.

57.00 Ridge bears S & S.
62.00 Gulch draws S.
79.20 Thr cor. to secs 5, 6, 7 & 8.
Land. Mountains
Soil, 2nd rate.
Timber. Scall pines.
High Mountains
on 79.20 chs.

North of true line
North bet. secs. 5 & 6.
Var. 16° 2' E.

40.00 Set sandstone 22" x 10" x 6", 16" in the ground for 1/4 sec cor. mark with 1/4 on W face and raised a stone mound alongside.

60.44 Intersect South boundary of T. 9 S. R. 5 E. 13.14 chs W. of cor. to secs 31 & 32.

which is a limestone 20" x 6" x 4", 15" in the ground properly marked with stone mound alongside, where I set a sandstone 22" x 10" x 20", 16" in the ground for Closing cor. to secs. 5 & 6, marked C. C. with 5 notches on E, 1 on W and 6 on S edges and raised a stone mound

Alamosa.
Saint Mountains
Fork Mts.
Timber. pine cedar
Highest mountains 6.0.0
Dec. 11. 1884.

General Descriptio

The greater part of this township consists of hig mountains, covered with fine grass and some coal underbrush. There are some bottoms, on Lake Cr. Dairy Fork, Mill fork and Soldier fork which are suitable for farming purp The Denver & Rio Grande Ry. & Telegraph line runs through Secs. 2. 3. 11 & 12. along Soldier fork.

One of the applicants S. Lewis is situated in Southhalf of sec. 2 & east

half
con
con
1 1/2
100
Cul
S.
imp
in
con
coal
fru

T. 10 S. R. 5 E.

half sec: 3. His improvements consist of 2 houses, 1 barn, corral, 2 miles fencing 1½ ditching, and about 100 acres land under cultivation.

S. S. Jones, the other applicant improvements are situated in N.E. ¼ sec. 12. and consist of 5 cabins, 3 charcoal-Kilns, considerable fencing & ditching.

Stewart M. Paucatt
U. S. dep. surv.

BOOK-

U. S. SURVE

Salt Lak

The foreg

Township No.

Executed by

Under

day of

Deal.

amined, the ne

the said field

hereby approve

159

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 12th *188*5

The foregoing field notes of the survey of the Subdivisions

Township No. 11 South *Range No.* 5 East

Executed by Stewart H. Paucker

Under his *contract* No 130 *of the* 6th

day of September *1884, in the month of* Dec. *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A

REPORT: 1 & S

Filed

Examined by

Transcribed by

Compared by Sal

FIE

OF THE

Eu

Township No. 3

Range No. 24

SALT I

Eu

U.

Under his C

Dated 27

Survey commen

Survey complet

BOOK-A-2[illegible]

REPORT: 1884 161

Filed 188

Examined by .....

Transcribed by Henry P. M. Atkinson

Compared by Solomon V. Atkinson

FIELD NOTES

OF THE SURVEY OF THE

East Boundary

OF

Township No. 31 South

Range No. 24 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated 27th August 1884

Survey commenced October 31st 1884

Survey completed " 31st 1884

BOOK-A-206

Township 31 S R. 24 E

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

163

NAMES AND DUTIES OF ASSISTANTS.

.....*Compassman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Axeman.*

.....*Axeman.*

.....*Flagman.*

BOOK-A-

E. Tp. line Tps. 33 S, R 24 E.

Survey commenced October 31st 1884.
Front Cor to Tps 31 & 32 S. R 24 & 25 E.
Runs
N. between Secs 36 & 31.
Va 15° E.
Runs thro timber.
2200 Enter grass park. Leave timber
137.00 Enter Timber.
40.00 Set a sandstone 16 x 12 x 3 ins 10 ins in the ground for 1/4 Sec Cor. Marked 1/4 on W face. And raised a mound of stone alongside.
A Cedar 14 ins diam bears N 12° W 61 lks dist
A Cedar 8 ins diam bears S 57° W 23 lks dist
both trees marked 1/4 S. B.T.
80.00 Set a sandstone 20 x 15 x 3 ins 15 ins in the ground for Cor to Secs 20, 30, 31 & 36 Marked with 1 notch on S. & 5 notches on N. edges, And raised a mound of stone alongside. Pits impracticable.
A Pinon 12 ins diam bears S 44° E 91 lks dist Tree Marked T 31 S. R 25 E S 31. B.T.
A Pinon 8 ins diam bears S 53° W 75 lks dist
Marked. T 31 S. R 24 E S 36. B.T.
A Cedar 20 ins diam bears N 49° W 86 lks dist
marked T 31 S R 24 E S 25 B T
Land nearly level; Soil sandy 3d rate
Heavy cedars & pinons on 65.60 chs.

Note.

5.00 Chains further N. the edge of precipice nearly 200 feet deep. The edge of same is so ragged and torn, that it is impossible to ascertain the course.
The same is N. Easterly and S. Westerly,
Abandon line.

October 31st 1884

Ernst Buettner
U. S. Dep. Surveyor

BOOK-A

U. S. SURVI

Salt La

The for

Township No

Executed by

Under Contra

day of

amined, the n

the said field

hereby approv

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13th 1886

The foregoing field notes of the survey of the East Boundary

Township No. 31 South *Range No.* 2 East

Executed by Ernst Buehner

Under Contract No. 128 *of the* 27th

day of August *1884, in the month of* October *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred. Salomon

U. S. Surveyor General for Utah.

BOOK-A-2

REPORT: 1 S

Filed

Examined by

Transcribed by

Compared by

FIE

OF THE

Cust

Township No. 2

Range No. 28

SALT L

U.

Under his C

Dated 27

Survey commen

Survey complet

BOOK-A-20634 30

REPORT: 1885 169

Filed 188

Examined by .....

Transcribed by Henry R. Atkinson

Compared by Henry R. Atkinson

FIELD NOTES

OF THE SURVEY OF THE

East Boundary

OF

Township No. 31 South

Range No. 28 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 28

Dated 29th August 1884

Survey commenced 8 November 1884

Survey completed 1st 1884

BOOK-A-206

Township 31S R. 25E

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

NAMES AND DUTIES OF ASSISTANTS.

170

.....Compassman.

.....Chainman.

.....Chainman.

.....Chainman.

.....Chainman.

.....Axeman.

.....Axeman.

.....Flagman.

BOOK A

East Bou

On the m
with or to
From
Co 25
observ
Polaris
The li
Survey
Drum N
li

Line
brus
24.00 Enter
Ascen
29.97 Thence
4000 Vet
Qui
Mark
Pacor
along
Apin
68 Ch
A Cod
both

BOOK A 206 34
171
East Boundary T 31 S R 25 E

On the night of October 31st 1884
with a Stackpole theodolite No 1734
from cor to Tps 31 & 32 S
Rs 25 & 26 E I take an
observation on the star
Polaris & drive picket on
the line thus established
Survey commenced November 1st 1884
Drum N with a true line
between secs 36 & 31
Var 14° 55' E
Line runs in dense cedar
brush
24.00 Enter timber dense cedar & pine
Ascend
29.99 Thence nearly level
40.00 Set a cor dot on 1 4 x 10 x 9
9" in the ground for 1/4 cor
Marked 1/4 on W face and
pace d around dot on
alongside, from which
A pinon 9" dia bears N 52° W
68 lks
A Cedar 15" dia bears S 38° E 19 lks
both marked 1/4 & B T

172

East Boundary T31S R25E

$200 Enter sagebrush leave timber

$700 Trail course S 8W

$800 Set a can dolmen 20"x10"x8" 15
with ground for Cardinals
25, 30, 31 & 34, marked with
1 notch on S and 5 notches in
Hedges dug pits 18"x18"x12" in
each acc 5 1/2 ft dist and
raised a mound of earth 2 ft
high 4 1/2 ft base, alongside
Land nearly level
Soil 3rd Rate
Heavy timber in 2 chs
Dense undergrowth in 2 chs
Augmented in 8 000 chs

Now true line bet
Secs 25 & 30
Var 14° 35' E

$1600 Enter timber, leave dense
sagebrush

$2200 Cross 1/2 mile E. course
with wagon road from
Little Grand River Valley
to Pule Spring & Durango

BOOK-A-206

East Boundary T31S R25E

4000 Set a sandstone 15 x 12 x 10 in the ground for 1/4 sec cor marked 1/4 on W face and raised a mound of stones alongside from which A cedar 9" diam bears S 80 1/2° W 164 lks dist A pinon 18" diam bears S 31° E 84 lks both trees marked 1/4 S B.T.

Two chains further is edge of precipice about 60 ft deep and below steep rocky & impassable,

Land on line here Land level Heavy timber cedars & pinons

In 24 chs Descend gently to edge Brush in 16 chs

Augmented on 40 chs

November 1st 1884

Ernst Buettner
Dpty Surveyor

BOOK-A

U. S. SURVEY

Salt Lake

The foregoi

Cast

Township No.

Executed by

Under Contract

day of

amined, the neces

the said field no

hereby approved.

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 15th 1885

The foregoing field notes of the survey of the

East Boundary

Township No. 31 South *Range No.* 25 East

Executed by Ernst Buettner

Under Contract No. 28 *of the* 29th

day of August 1884, *in the month of*

November 1884, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-

REPORT: 188

Filed

Examined by

Transcribed by

Compared by

FIE

OF THE

Ea

Township No. 3

Range No. 2

SALT I

U

Ernes

U.

Under his C

Dated Au

Survey commen

Survey complete

BOOK-A-206

REPORT: 1885 1-1

Filed 188

Examined by .....

Transcribed by H Atkinson

Compared by Solomon & Atkinson

FIELD NOTES

OF THE SURVEY OF THE

East & South

Boundaries

OF

Township No. 32 South

Range No. 22 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 27th 1884

Survey commenced November 5 1884

Survey completed " 8 1884

BOOK-A-206

Township 32 S R. 22 E.



NAMES AND DUTIES OF ASSISTANTS.

.....*Compassman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Axeman.*

.....*Axeman.*

.....*Flagman.*

E. Boundary Tp 32 S, R 22 E.
of the Salt Lake Meridian

Survey commenced November 5th 1884
Trav. on E bdy Tps 32 & 33 S. Rs 22 & 23 E
N on a true line
between Secs 36 & 31
Va 15° E.
Line runs on timbered plateau.
40.00 Set a sandstone 15" x 9 x 8 ins 10 ins
in the ground for ¼ Sec Cor marked
¼ on 2 faces, dug pits N & S of
stone 5 ft dist. each raised a
mound of earth 1½ ft high 3½ ft
base alongside.
A Pinon 8 ins diam bears N 15° E 62 lks dist
A Pinon 10 ins diam bears S 2° W 68 lks dist
both trees marked ¼ S. B. T.
54.00 Enter Brush Timber
80.00 Set a sandstone 18 x 9 x 6 ins 12 ins in
the ground for Cor to Secs 26, 30, 36 & 31.
Marked 1 notch on S and 5 notches on
N edges. dug pits in each Sec
5 ft dist. and raised a mound
of earth 2 ft high 4 ft base alongside.
Land level. Soil 2nd rate, sandy
Heavy Timber live on 39.00 chs dead
Timber on 21.00 chs
Augmented on 80.00 chains

BOOK A 206 180
E. Boundary Sp. 32 S. R 22 E

BOOK
of the

N on a true line
between Secs 25 & 30
Va 1.5° E.

21.00 Enter grass park.
32.00 Enter live Timber
34.50 Leave Live Timber, enter grass park.
40.00 Set a Cedar post 3 ft long. 3 ins Squ
with Marked Stone 12 ins in the grou
for ¼ Sec Cor Marked ¼ S on W
Mag pits 18 x 18 x 12 ins N. & S. of po
& E. dish Quadgasied a mound bo
with 1½ ft high 3½ ft base arou
51.00 Enter Live Timber.
Descend.
55.00 Gulch & Trail N. & S. probably to
Indian Valley.
Ascend.
58.45 Enter Plateau.
62.00 Leave Timber.
80.00 Set a Cedar post 4 ft long 4 ins
with Marked Stone 12 ins in the
ground for Cor to Secs. 24. 19. 25 & 30
Marked
T 32 S R 19 on N &
R 23 & S 30 on S &

S
$2
an
18 x
dis
Ce
C
S
14.00 En
22.00 Lea
36.00 En
40.00 Jer
the
4
N
Ca
3½
C
C
Co

of the Salt Lake Meridian

S 25 on S. W. and
S 24 on N. W. with 2 notches on S
and 4 notches on N. edges. Any pits
18 x 18 x 12 ins in each Sec. 5½ ft
dish. and raised a mound of
earth 2 ft high 4½ ft base around pit.
Land nearly level. Soil 2nd rate, stony
Timber N 13.50 Chs. cedars.

A on a true line
between Secs 24 & 19
Va. 15½° E.

14.00 Enter Timber.
22.00 Leave Timber enter grass park
36.00 Enter Timber.
46.00 Set a sandstone 16 x 12 x 9 ins 11 ins in
the ground for ¼ Sec Cor marked
4 on 4 faces. Any pits 18 x 18 x 12 ins
N. & S. of Stone 5½ ft dish. and
raised a mound of earth 1½ ft high
3½ ft base alongside. Surrounded
4 Cedar 15 ins diam trees N 12° W 18 lks dist
4 Cedar 12 ins diam trees S 25½° E 93 lks dist
both trees marked ¼ S. B T.

BOOK A 206

E. Boundary 18 S. R 22 E

5.00 Enter dead Timber

80.00 Set a Cedar Post 4 ft long 4 ins square
with Market Stone 12 ins in the ground
for Cor to Secs 13. 18. 24 & 19. Mon
T 32 S. S 18 on N E
R 23 E. S 19 on S E
S 24 on S W and
S 13. on N W faces. with 3 notches
on S & N edges. Dug pits 18 X 18 X 1
in each Sec. 5 ft ft dist and raised
a mound of earth 2 ft high 4½ ft base
around Post.
Land level. Soil 2nd rate, lan

Heavy Timber line on 28.00 chs cedars
Timber dead on 24.00 Chs.
Augmented on 52.00 chains

Magnetic line
between Secs 13 & 18.
Va 13° E.

Heavy Timber

24.00 Leave Burnt Timber, enter grass park.

37.00 Enter live Timber.

40.00 Set Sandstone 15 X 8 X 7 ins in mound
ground for ¼ Sec Cor Marked ¼ on

Place dug pits N & S of stone
5 1/2 ft distant and raised a
mound of earth 1 1/2 ft high 3 1/2 ft base
alongside.
A cedar 16" dia bears S 82° W 83 lks
A Pinus 10" " " S 79 1/2° E 142 lks
both trees marked 1/4 S B T
Impassable precipices
intervening between this
& the point for section
Or I abandon line
here.
Land mainly level
Soil & slate rocky
Heavy timber line at 3,00 chs
" dead " 24,00 "
Augmented on 27 chs
November 5th 1884

General Description

The land remains nearly level plateau densely covered with cedars & juniums a great part of which have been killed by fire.

There is a fine growth of grass & while sage making an excellent pasture for cattle

Ernst Buettner
Ass't Supervisor

S. Boundary Tps 32 S, Rs 22 E.
of the Salt Lake Meridian

On the night of November 4th 1884
I took an observation on the
Star Polaris from Cor to Tps 32 & 33 S
Rs 22 & 23 E.
Established by me, with Stackpole
Theodolite No 1734.

Survey commenced November 5th 1884
From Cor to Tps 32 & 33 S Rs 22 & 23 E
& run

W. on Tps line
Along S. Boundary Sec 36
Va 15° E

Line runs on level plateau in dead timber

16,00 A small grove of live Timber.
27,00 Leave Timber enter grass.
30,00 Enter live Timber.
Descend.
38.80 Bottom of Avon creek N. 24 W.
39.40 Gulch & trail, course N.
A Spring 5.00 chs below
40.00 Set a Sandstone 26 x 18 x 4 ins 19 ins in
the ground for 1/4 Sec Cor marked 1/4 on
N face, Alg pits 18 x 18 x 12 ins E. & W.

S. Boundary Tp 32 S, R 22 E.

of the

of Stone 5½ ft dist. and raised a
mound of earth 1½ ft high 3½ ft
base alongside. Pine 10 inch
A Cedar 24 ins diam bears N 72° E 94 lks
A Cedar 20 ins diam bears S 55° W. 42 lks
Both trees marked ↑ S. B.T.
Ascend.
57.00 Enter plateau.
61.00 Descend.
68.50 Bottom of Canon Cross N
Ascend.
74.50 Enter plateau
80.00 Set a sandstone 20 x 20 x 3 ins 13 ins in
ground for Cor to Secs 35. 36. 1. & 2.
Marked with 1 notch on E and 5 notch
on W edges. Dug pits 18 x 18 x 12 ins
5½ ft dist. And raised a mound
earth 2 ft high 4½ ft base alongside
A Cedar 22 ins diam bears N 49° W 102 lks
Marked T. 32 S. R 22 E. S 35. B.T.
A Cedar 15 ins diam bears S 14° W. 69 lks
Marked T. 33 S. R 22 E. S 2. B.T.
A Pine 12 ins diam bears S 18½° E 74 lks
Marked T. 33 S. R 22 E. S 1. B.T.
A Pine 10 ins diam bears N 53° E 93 lks

Mark
Pine
Cent
Head
N C
Aug

You Lea
Have for a
(illeg
Cor
N
of Sec
Pine
Mar
51.00 Enter
Des
61.00 Bot
(Ascend
69.00 Ente
80.00 Set
Cor N

of the Salt Lake Meridian

Marked. T.32S. R22E.S.36. B.T.
Land 30.45 chs Mountainous rocky Soil 4th rate
Rest level plateau Soil 2nd rate, sandy
Heavy Timber on 60.00 chs, cedars.
Dead Timber on 16.00 chs
Augmented on 77.00 chains

West on a true line
along S. Boundary Sec 35
Va 15.00 E.

40.00 Leave Timber, enter grass flat.
40.00 Set a Cedar post 4 ft long 4 ins square
with marked stone, 12 ins in the
ground for 1/4 Sec cor marked 1/4 S on
N face, alum pits 18 x 18 x 12 ins. C x w
of post 3.00 ft dist. mound raised a
mound of earth 1½ ft high 3½ ft base
around post.
51.00 Enter Timber.
Descend.
61.00 Bottom of gulch cross N.
Ascend.
69.00 Enter plateau and dead Timber
80.00 Set a sandstone 20 x 14 x 12 ins 15 ins
in the ground for Cor to Secs 34, 35, 2 & 3.

S. Boundary T 33 S, R 22 E.

BOOK A 206

Marked with 2 notches on E and W
Notches on W. edges. dug pits in each
Sec 18 X 18 X 12 ins, 5 ½ ft dist, and
raised a mound of earth 2 ft high
4 ½ ft base alongside.
Land 18.00 Chs. Mountainous rocky soil
Rest level plateau soil 2nd class, some
Heavy Timber. live on cedars & pinons 2 ½.00 Chs cedar
Dead Timber on 11.00 Chs.
Augmented on 38.00 chains

W on a true line
along S boundary Sec 34
Va 15° E

10.00 Enter live Timber. **Leave dead timber**
13.00 Gulch, Course N 25° E
17.00 Enter grass bank. **Leave live timber**
40.00 Set a Cedar Post 4 ft long 4 ins Square
with Marked stone 12 ins in the ground
for ¼ Sec Cor. Marked ¼ on N face
dug pits 18 X 18 X 12 ins E & W of post
5 ½ ft dist, and raised a mound of
earth 1 ½ ft high 3 ½ ft base around post
49.00 Descend.
Enter live Timber -

BOOK-A
of the

65.80 Bott
Asce
79.54 Enter
80.00 Set a
gour
Mark
And
Ceda
Mar
Cedar
Mark
A Pin
Mar
Land
Rest
Heavy Live
De
Aug

16.00 Ente
31.00 Ente
40.00 Set a

BOOK-A-206

of the Salt Lake Meridian.

65.80 Bottom of Canon, Crs. N. Trees N. 4 lks
Ascend.
79.54 Enter Plateau
80.00 Set a Sandstone 20 x 15 x 3 ins 15 ins in the
ground for Cor to Secs 33. 34. 3 & 4.
Marked with 3 notches on E & W. edges
And raised a mound of stone alongside.
Cedar 14 ins diam bears S 16° W 19 lks dist
Marked T. 33 S. R 22 E S 4. B. T.
Cedar 9 ins diam bears S 45° E 32 lks dist
Marked T. 33 S. R 22 E S 3. B T.
Pinon 12 ins diam bears N 46° E 8 lks dist
Mark T. 32 S. R 22 E S 34. B. T.
Land 30.60 chs Mountainous, Rocky, Soil 4th rate
Rest level plateau Soil 2nd Rate, sandy
Heavy Live Timber on 38.00 chs cedars & pinons
Dead Timber on 16.00 chs.
Augmented on 48.00 chains.

W on a True line
Var 13° E
16.00 Enter Burnt Timber, leave live timber
33.00 Enter grass park.
40.00 Set a Cedar post 3 ft long 3 ins square

S Boundary Sp 32 S R 22 E

BOOK A 206

with Marked Stone 12 ins in the ground for ¼ Section Marked ¼ S on N face. dug pits 18 X 18 X 12 ins & 10 of Pork, 5½ ft dist, and raised a mound of earth 1½ ft high 3½ ft base around pork.

52.00 Enter dead Timber.

60.00 Enter grass pork.

8.00 Set a Cedar post 4 ft long 4 ins square with Marked Stone 12 ins in the ground for Cor to Secs 32. 33. 4 & 5. Marked

T. 32 S., S 33. on N &
R. 22 E. & 4, on S &
S. 5. on S. W. and
S 32 on N. W. faces. with 4 notches on E and 2 notches on W edges. dug pits 18 X 18 X 12 ins in each Sec. 8½ ft dist and raised a mound earth 2 ft high 11½ ft base around pork.

Land level. Soil 2nd rate, ~~cedars & pines~~

Heavy Timber live on 76.00 Chs
Timber dead on 36.00 Chs.

Augmented on 52.00 Chains

of the Salt Lake Meridian

Note: Inaccessible mountains debarring my further progress W I abandon the line here.

November 5th 1884.

General Description

The line runs over high plateau sloping Easterly at a grade of 1°. The same is frequently interrupted by deep cañons and gulches, the course of which is North Westerly.

There is an abundance of cedars & pinions, most of which have been killed by fire.

There is splendid pasture

Ernst Bruettner
U. S. Dep. Surveyor.

BOO

U. S. SURV

Salt La

The for

Ex

Township No

Executed by

Under Contr

day of

amined, the

the said fiel

hereby appro

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13 *1885*

The foregoing field notes of the survey of the

East Boundary

Township No. 32 S. *Range No.* 22 E

Executed by Ernest Buettner

Under Contract No. 128 *of the* 22d

day of August *1884, in the month of*

November *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A

REPORT :

Filed

Examined by

Transcribed by

Compared by

Original.

F

OF TH

Col

Township No.

Range No.

SAL

Under h

Dated

Survey com

Survey com

BOOK-A-206 195

REPORT: 1883

Filed 188

Examined by .....

Transcribed by E Michaelis

Compared by Salvanus A Clinton

Corrected.

FIELD NOTES

OF THE SURVEY OF THE

Colorado Guide Meridian

OF

Township No. 32 South, Series.

Range No. 23 & 24 East.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 27th 1884

Survey commenced Nov 6th 1884

Survey completed " 6th 1884

BOOK-A-206

Township 32 S R. 23 E



NAMES AND DUTIES OF ASSISTANTS.

.....*Compassman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Axeman.*

.....*Axeman.*

.....*Flagman.*

Colorado Guide Meridian.
Tps. 32. South. betw. Rs. 23 & 24 E.

On the night of November 5th 1884 Stark an observation on the star 'Polaris' at the cor. to Tps. 32 & 33 S. Rs. 23 & 24 East on the Colorado Guide Meridian, which is a sandstone 18x12x6 ins, marked. 6 notches N. S. E & W. edges. Instrument used is Stackpole Theodolite No 1734. and drove pickets on line thus established

Survey commenced November 6th 1884

From the above corner Ran North between Secs 36 & 31.

Va. 15° E.

In heavy brush.

3.70 Enter bottom.
Trail course E & W.
Leave brush.

4.50 Creek 4 lks wide 18 ins deep course E.

22.00 Leave bottom.
Enter dense undergrowth.
Ascend.

38.60 Enter level grass plateau.
Leave dense undergrowth

40.00 Set sandstone 18x12x8 ins
12 ins in ground for 1/4
sec. cor., marked 1/4 on
W. face, dug pits 18x18
ins N. & S. of stone 6 1/2
dist. and raised a
mound of earth 6 1/2 ft
high. 3/2 ft base along
75.00 Descends
Enter dense underg
80.00 Set cedar post 4 ft lo
4 ins square, with m
stone 12 ins in ground
for cor. to secs. 25, 30, 31
marked
S. 32. S. S. 30 on S. E.
R 24 E. S. ~~R~~ 31 on S.
S. 36 on S. W.
S. 25 on S. W. faces.
with 1 notch on S on
N. edges, dug pits 18x18
12 ins in each sec 5 1/2 ft
dist, and raised a mound
of earth 2 ft high, 4 1/2 ft

Tp 32 S between Rs 23 & 24 E.
of the Salt Lake Meridian

base around post.
Land, slightly rolling
soil, sandy. 1.5 rate.
Dense undergrowth on 21.60
chains

North on true line between secs. 25 & 30
V. 15° E
Dry level ground.
10.00 Enter dense undergrowth.
Leave grass
40.00 Set sandstone 16. x 6 x 4 ins
11 ins in ground, for 1/4 sec. cor.
marked 1/4 on W. face, dug
pits 18 x 18 x 12 ins. N. & S. of stone
5 1/2 ft dist. and raised a
mound of earth 1 1/2 ft high
3 1/2 ft base alongside.
67.50 Hollow and trail course W.
Ascend
71.50 Enter timber flat
Leave dense undergrowth

Colorado Guide Meridian

80.00 Set pan de lone 18x12x3 ins, 12 in
in ground for cor. to secs 24 & 19
30 & 25, marked with 2 notch
on S. & 4 notches on E. edges du
pits 18x18x12 ins in each sec
5 1/2 ft dist and pined a
mound of earth 2 ft high
4 1/2 ft base alongside
from which
a piñon 16" dia. bra S. 79° E 88 lks d
marked T. 32 S. R. 24 E. S. 19. B
a cedar 20" dia. bra S. 57 1/2 W 1 lks d
marked T. 32 S. R. 23 E. S. 25 B
a cedar 14" dia. bra S. 9 1/2° E 28 lks d
marked T. 32 S. R. 24 E. S. 30. B
Land, nearly level.
Soil, sandy 2d rate
Trees, undergrowth on 61.50 a
Heavy Timber, cedars, piñons on
8.50 chs.
Augmented on 70. chs

Nor

14.00 Lea
Ent
19.50 Ira
35.00 En
40.00 Set
12 in
mar
pits
5 1/2
mo
3 1/2
70.00 Lea
Ep
80.00 Set
grou
mar
edge
ditch
rain
2 ft
La
Soi

Sp 32 S. between Rs 23 & 24 E.
of the Salt Lake Meridian

North on a true line betw secs 24 & 19.
Va 15° E

14.00 Leave timber.
Enter grass
19.50 Trail course N E
35.00 Enter dense undergrowth
40.00 Set cedar post 3 ft long 3" square
12 ins in ground for 1/4 sec. cor.
marked 1/4 S. on W. face, dug
pits N. & S. of stone 18 x 18 x 12 ins
5 1/2 ft dist, and raised a
mound of earth 1 1/2 ft high
3 1/2 ft base around post.
70.00 Leave undergrowth
Enter grass
80.00 Set sandstone 16 x 8 x 4", 11 ins in
ground for cor. to secs. 13. 18 19 & 24.
marked with 3 notches on N. & S.
edges, dug pits 18 x 18 x 12 ins, in
each sec. 5 1/2 ft dist, and
raised a mound of earth
2 ft high 4 1/2 ft base alongside
Land, level.
Soil, sandy 2d rate

Colorado Guide Meridian

BOOK A 206

Thence Timber cedars on 1/4. 00 chs
Dense undergrowth on 36.00 chs
Augmented on 49.00 chs.

N. on a true line bet. secs 13 & 18
Va. 15° E.

9.00 Enter timber
21.00 Leave timber.
Thence dense sagebrush
40.00 Set piñon post 3 ft long 3 ins
square ~~in~~ to which marked
stone 12" in ground for 1/4 sec
cor. marked 1/4 on W. face.
dug pits 18 x 18 x 12 ins N. & S.
of post, 5 1/2 ft dist, and
placed a mound of earth
1 1/2 ft high 3 1/2 ft base around
post.
80.00 Set piñon post 4 ft long 4" square
with marked stone 12" in
ground for cor. to secs 12, 7,
18 & 13, marked 1

Tp 32 S., between Rs 23 & 24 E.
of the Salt Lake Meridian.

T. 32 S. L. J on N. E
R. 24 E. L. 18. on S E
L. 13 on S W. and
L. 12 on N W. faces with 4
notches on L. & 2 on L. edges
dug pits 18x18x12 ins in each
sec. 5 1/2 ft dist and raised
a mound of earth 2 ft high
4 1/2 ft. base around pit
Land level
Soil sandy 2d rate
Timber pinons on 12.00 chs
Dense sagebrush 3 to 4 ft high
on 39.00 chs.
Augmented on 7.00 chs.

As the line betw. secs. 7 & 8. will be
obstructed by an inaccessible
precipice in less than 70.00 chs
I abandon the survey of the Meridian
further North in this township

November 6th 1884

BOOK A 206

General Description

The above lines are run on very level platteau. The same is covered with groves of cedars and pinons, dense sagebrush 3 to 4 ft high and occasional parks of grass and white sage.
Splendid pasture for cattle.

Ernst Buettner
U.S. Dep. Surveyor

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, August 13 1885

The foregoing field notes of the survey of the

Colorado Guide Meridian

Township No. 32 (thirty-two) South *Range No.* 23 & 24 East

Executed by Ernst Buettner

Under Contract No. 128 *of the* 27th

day of August *188*4, *in the month of*

November *188*4, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fritz Salomon

U. S. Surveyor General for Utah.

BOOK-A

REPORT :

Filed

Examined by

Transcribed by

Compared by

F

OF TH

Township No.

Range No.

SALT

Under h

Dated

Survey com

Survey com

BOOK-A-2064 ~~4~~ 5 22

REPORT: 1885 207

Filed 188

Examined by .....

Transcribed by E McCauley

Compared by E Brennan & Atkinson

Aliquot

FIELD NOTES

OF THE SURVEY OF THE

Subdivision

of

fractional

Township No. 32 South OF

Range No. 23 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ignat Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 27th 1884

Survey commenced Nov 6th 1884

Survey completed " 6th 1884

NAMES AND DUTIES OF ASSISTANTS.

Compassman.

Chainman.

Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

Flagman.

Tract. Sp. 82 S. R. 23. East.

D

In compliance with special instructions received with my contract No. 128. of August 2d 1884. to connect my survey of the Colorado Guide Meridian if practicable with the offset for same previously surveyed.
I return the following subdivision lines.
Survey commenced
November 6th 1884.
From cor. to sec. 25, 30. 31, 36.
on Colorado Guide Meridian
West on random line between
secs. 25 & 30.
Va. 15° E

40.00 Set temp. 1/4 sec. cor.
80.00 Find the cor. to secs. 25. 26
30, 36 which is a cedar post
marked 5 notches N. & on E.
and 1 notch on E edges.
Bearing trees destroyed by fire
Iron post and dug pits

Tract, S. 2d. Sp. 32 S. R. 23

18x18x12 ins. in each sec. 5½ ft dist. and raised a mound of earth 2 ft high 4½ ft base around post from which I run

E. on tmd line between secs. 25 & 36 Va. 15° E.

3.50 chs W of cor. wagon road from Bluffdale to Little Grand River Valley course N. & S.

In heavy undergrowth

4.00 Leave heavy undergrowth. Enter grade.

19.00 Level grade, enter dense undergrowth.

40.00 Set a cedar post 3 ft long 3 ins square with inscribed stone 12 ins in ground for ¼ sec. cor. marked ¼ S. on N. face dug pits 18x18x12 ins E. & W. of post 30½ ft dist.

Salt Lake Meridian

and raised a mound of
earth 1½ ft high 3½ ft base
around post

70.00 Leave underground

80.00 Set cor. to secs. 25. 30. 31 & 36.
Land level
Soil sandy 2d rate.
Trees undergrowth on 5 li. 00 ch.

From cor. to secs 19. 24. 25 & 30 on Colorado
Guide Meridian I run
West on random line betw. secs. 24 & 25.
Va. 15° E

40.00 Set temp. ¼ sec. cor.

80.00 Find the cor. to secs 23. 24. 25
& 26, which is a gray sandstone
16 x 12 x 9 ins in mound of rocks
marked 2 notches on S., 1 on
E. & 4 on on N. edges, from which
East on a true line betw. secs. 24 & 25
with same rd
on W. side of wagon road from
Bluff City to Little Grand
River Valley course N. & S.
"Petes Cabin bears S. 15° W

bes. S. 15° W. about 5.00 ch.
Corral bears S. 10° W. 2.50 ch.
0.25 Fence N. & S. enter meadow
Leave timber
3.00 Creek 12 ins wide 3 ins deep
enters rapidly deepening
cañon course N.
5.00 A spring at foot of bluff.
Leave meadow
Legend .. Rocky
8.06 Enter plateau, timber
22.50 Rocky gulch.
Magnet 1.00 ch. E.
32.00 Leave timber, enter dense
undergrowth
40.04 Set Standard 26x12x7 ins, 19 ins
in ground for 1/4 sec. cor., mound
1/4 bowl. scribed; and raised
a mound of stone alongside.
Site impracticable
71.00 Trail in hollow course S.
Enter timber
80.00 The cor. to sec. 19, 30. 24, 25

BOOK-A

Sec

Line
cam
W.
Land
Soil
a fe
2d
5.0
Sou
Heavy timb
dens
Augm

As
will
on th
there
19 L
Mon
West

6.00 Ent

Salt Lake Meridian

Line runs along N. edge of cañon, the course of which is W.

Land, N. on the plateau
Soil, along line, rocky 4th rate.
a few claims N. however
2d rate.

5.00 chains level bottom
Soil, 1st rate

Heavy Timber, cedars & piñons on 33.28 ch.
Dense undergrowth on 39.00 ch
Augmented on 72.28 chs.

As inaccessible mountains will debar me from closing on the cor. to secs 13.14.23 & 24 therefor from cor. to secs 13.18 19 & 24 on Colorado Guide Meridian I run West on a true line between secs. 13 & 24

Va. 15° E

6.00 Enter timber.

40.00 Set sandstone 15x12x8 ins, 10 in
in ground for 1/4 sec. cor., mark
1/4 on N. face, dug pits & Ex
of stone 18x18x12 ins 5 1/2 fo
and paired a mound of
earth 1 1/2 ft high 3 1/2 fo base
alongside, from which
a pinon 10" dia. bears N. 12° E 40 lks dist
a " Q " " S. 18° E 72 " "
Both trees marked 1/4 S. B. T.
Sec pits 120 ft dep., N. 23 chs West
Creek in narrow gulch about
500 ft below.
Impossible to go further, therefore
I abandon line

Heavy timber, pinons &c. &c.

As the chs line between secs
12 & 13 will be obstructed by
inaccessible mountains &
less than 40.00 chs and
the line betw. secs 1 & 12 is
altogether impracticable I abandon
the survey of same.

November 6th 1884.

BOOK-A-206 214

General Description

The above lines are run on nearly level plateau. The same is covered with groves of cedar & pinons and sagebrush 3 to 4 ft high and occasional patches of grass and white sage. Splendid pasture for cattle.

Ernst Buettner
U. S. Deputy Surveyor.

BOOK

U. S. SURVE

Salt La

The for

Rubidoux

Township No.

Executed by

Under Contra

day of *O*

Nov

amined, the n

the said field

hereby appro

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13th *1885.*

The foregoing field notes of the survey of the

Subdivisions of fractional

Township No. 32 South *Range No.* 23 East

Executed by Ernst Bultner

Under Contract No. 128 *of the* 27th

day of August *188*4, *in the month of*

November *188*4, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-206

Township 32 S R. 24 E.

232 231 230 229 228

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

225

BOOK-A

REPORT: 188

Filed

Examined by

Transcribed by

Compared by

FI

OF THE

Ea

Township No.

Range No.

SALT

Gra

U.

Under his

Dated

Survey comme

Survey complet

BOOK-A-206 28-29

REPORT: 1885 218

Filed 188

Examined by .....

Transcribed by E. Michaelis

Compared by Solomon & Atkinson

FIELD NOTES

OF THE SURVEY OF THE

East and North Boundaries

OF

Township No. 32 South.

Range No. 24 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 25th 1884

Survey commenced October 28th 1884

Survey completed 20th 1884

NAMES AND DUTIES OF ASSISTANTS.

.....*Compassman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Axeman.*

.....*Axeman.*

.....*Flagman.*

BOOK-A-206 28

E. Boundary Tp 12 S, R 24 E

S.L. of the Salt Lake Meridian. 18

Return to Cor to Tps 32 & 33 S. Rs 24 & 25 E
On the night of October 19th 1884
I took an observation on the Star Polaris
from above Cor to Tps 32 & 33 S. Rs 24 & 25 E.
established by me with Stackpole Theodolite No 1734
And drive pickets on line thus established.
Survey Commenced October 20th 1884
From the above Cor I run.
N between Secs 36 & 31,
Va 15° E.

Foresight: The pinnacle of Mount
Salomon in Sierra La Sal.
Line runs over level grass plateau
40.00 Set a sandstone 20 x 12 x 3 ins 15 ins in
the ground for 1/4 Sec Cor. marked 1/4 on
W face. dug pits 18 x 18 x 12 ins N. & S.
of stone 5 1/2 ft dist. And raised a
mound of earth 1 1/2 ft high 3 1/2 ft base
alongside.
69.60 Pass creek N. E.
80.00 Set a sandstone 23 x 13 x 3 ins 16 ins in
the ground for Cor to Secs 25, 30, 31 & 36
Marked each with 1 Notch on S and 5 Notches

E. Boundary Sp. 32 S. R 24 E

BOOK A 206

18X18X12 ins

on N edges. dug pits in each
5½ ft dist. and raised a mound of
earth 2 ft high 4½ ft base alongside
Land level, soil 2nd rate, sandy
Some brush.
Indications of Coal.

N between Secs 25 & 30.
Va. 15° E.

40.00 Set a sandstone 18X10X7 ins 12 ins in
the ground for ¼ Sec Cor marked ¼ on
face. dug pits 18X18X12 ins N & S of
5½ ft dist. and raised a mound
each 1½ ft high 3½ ft base alongside

48.00 Hollow & Rail Cruse N. 70° E.

80.00 Set a Sn " Ore 20X16X3 ins 15 ins in
ground for Cor to Secs 24, 19, 25 & 30
Marked with 2 notches on S and 4 notches
on N edges. dug pits 18X18X12 ins in
each section 50 ft dist. and raised
a mound of earth 2 ft high 4½ ft base
alongside.
Land level, soil 2nd rate, sandy
Some brush. Indications of coal

40.00 Set a
ground
dug
50½ ft
and

80.00 Set a
ground
Mound
dug
50½ ft
and
Land
Some

16.50 Cru
40.00 Set
Mound
ground
on
N &
a m

of the Salt Lake Meridian

N. between Secs 24 & 19.
Va. 15° E.

40.00 Set a sandstone 18 X 10 X 3 ins 12 ins in the ground for ¼ Sec Cor marked ¼ on W face Acy pits 18 X 18 X 12 ins N. & S. of Stone 5½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base alongside.

80.00 Set a sandstone 18 X 12 X 3 ins 12 ins in the ground for Cor to Secs 13. 18. 19 & 24. Marked with 3 notches on S. & N. edges Acy pits 18 X 18 X 12 ins in each Sec 5½ ft dist. and raised a mound of earth 2 ft high 4½ ft base alongside. Land Level. Soil 2nd rate / sandy. Some brush.

S. between Secs 13 & 18. Va. 15° E.

16.50 Enter Timber and dense undergrowth

44.00 Set a Cedar post 3 ft long 3 ins square with marked stone. 12 ins in the ground. for ¼ Sec Cor. marked ¼ S on W face Acy pits 18 X 18 X 12 ins N. & S. of post 5½ ft dist. and raised a mound of earth 1½ ft high 3½ ft

E. Boundary Sp 32 S, R 24 E

BOOK A 206

BOOK-A

of the S

base around post from which
A Pine 15 ins diam bears N 32° W 28 lks
A Pine 18 ins diam bears N 68° E 111 lks dis
both trees marked 4 S. B. T.

80.00 Set a Pine post 4 ft long 4 ins square
with mound of stone 12 ins. in the ground
for cor to Secs 12, 7, 18 & 13 marked
4 notches on S and 2 notches on N edges
and marked
T. 32 S. S. 7. on N. E.
R 25 E. S 18 on S. E.
S 13 on S. W. and
S 12 on N. W. faces. dug pits
18 X 18 X 12 ins deep each sec 6 & 12 dist
and raised a mound of earth 2 ft high
4½ ft base around post from which
A Pine 9 ins diam bears N. 45½° W 25 lks
Marked T. 32 S. R 24 E. S. 12. B. T.,
A Cedar 12 ins diam bears S. 37° E. 96 lks dist
Marked T. 32 S R 25 E. S. 18. B. T.,
~~No other trees within 25 links~~
Land level. Soil 2nd rate, sandy
Heavy Timber cedars & pinons and dense undergrowth
on 63.50 Chs.

37.50 Trail

40.00 Set a

Grave
face
along
A Pine
A Pine
both
Marked
Dese

50.00 Thence

Cedar
along

80.00 Set a

Stone
Marked
N E
along
A Pine
Marked
A Pine
Marked
A Cedar

of the Salt Lake Meridian

Between Secs 12 & 7.
Va. 15° E.

37.50 Trail, Course N. W.

40.00 Set a sandstone 16 x 10 x 8 ins 11 ins in the Ground for ¼ Sec Cor marked ¼ on W face and raised a mound of Stone alongside, from which
A Pine 8 ins diam bears N. 79° W 28 Lks dist.
A Pine 7 ins diam bears N 74° E 32 Lks dist.
Both trees marked ¼ S. B.T.,
Head of broad canon W of line Course N.
Descend.

50.00 Thence level over heavy rocks, Brush, trees, undergrowth, and Timber, along W. side of canon.

80.00 Set a sandstone 26 x 14 x 12 ins 19 ins in the Ground for Cor to Secs 1. 6. 7 & 12 Marked with 5 Notches on S & 1 Notch on N edges, and raised a mound of Stone alongside, ~~Pine impracticable~~, from which
A Pine 16 ins diam bears N. 20° E 73 Lks dist
Marked T. 32 S. R. 25 E. S. 6. B.T.
A Pine 14 ins diam bears S. 5½° W 109 Lks dist
Marked T. 32 S. R. 24 E. S. 12. B.T.
A Cedar 20 ins diam bears N 46° W 94 Lks dist

E. Boundary Sp. 32 S, R 24 E.

BOOK A 206

Markd. T 32 S. R 24 E. S 1. B.T.
No other trees in limits.
Land 1st ½ mile level plateau and
Soil 2nd rate ~~sandy~~ Rest ~~Soil~~ 4th rate.
Heavy timber - cedars & pinons - on 80 acres

N between Secs 1. & 6.
Va. 15° E.

18,00 Descend.
40,00 Set a sandstone 16 x 12 x 10 ins 11 ins in the ground for ¼ Sec Cor. Marked ¼ on W face. And raised a mound of stone alongside. from which,
A Cedar 15 ins diam bears N 16° W 23 lks
A Cedar 14 ins diam bears S 41° E, 102 lks dist
both trees marked ¼ S.B.T.
~~Descend~~.
54,50 Enter bottom of Canon. "Hudson Wash"
57,50 Gulch, Creek N.W. Many holes with water.
59,00 Ascend.
76,44 At foot of precipice 44 lks high.
Enter Mesa.
80,00 Set a sandstone 24 x 14 x 12 ins 18 ins in the ground. for Cor to Tps 31 & 32 S. Rs. 24 & 25 E. Markd with 6 cuts

of the Salt Lake Meridian

on each edge, and raised a mound of stone alongside, from which
A Pinon 12 ins diam bears N. 32° W 68 lks dist
Marked T. 31 S. R 24 E S 36. B.T.,
A Pinon 10 ins diam bears N 67° E. 43 lks dist
Marked T 31 S. R 25 E. S 31. B. T.
A Cedar 15 ins diam bears S 44½° E 127 lks dist
Marked T 32 S. R 25 E. S 6. B.T.,
A Cedar 15 ins diam bears S 16° W. 28 lks dist
Marked T. 32 S. R 24 E. S 1. B.T.,
Land mountainous rocky, Soil 4th rate.
Heavy Timber on 80. acres, cedars & pinons

October 20th 1884

General Description

The line runs over level Plateau covered with groves of Cedars and Pinons and large grass flats. Excellent pasture.

Ernst Buettner
U. S. Dep. Surveyor

BOOK-
N. Bo
of

BOOK-A-206 29

N. Boundary Tp. 32 S, R. 24 E.
of the Salt Lake Meridian.

Survey commenced October 20th 1884

It being impossible to make connections with cor to Tps 31 & 32 S. R 23 & 24 E on account of deep precipices in N. W. part of Tp.

Line from Cor to Tps 31 & 32 S. R 24 & 25 E
West on a true line
along N boundary Sec 1.
Var. 15° E.

Line runs on timbered plateau.

1.74 Perpendicular precipice 42 lks deep.
Descend.

22.44 In bottom of canon.

23.80 "Hudson Westlin" in deep gulch with water

24.50 Ascend.

40.00 Set a sandstone 18 x 15 x 4 ins 12 ins in the ground for 1/4 Sec Cor Marked 1/4 on N face and mixed a mound of stone alongside. from which

A Pinus 14 ins diam bears N. 79° W. 32 lks dist marked 1/4 S. B. T. No other trees in limits

47.00 Enter level mesa.

69.00 Leave timber, enter grass.

80.00 Set a cedar post 4 ft long 4 ins square with marked stone 12 ins in the

N. Boundary Tp. 32 S, R 24 E

BOOK A 206

Ground for Cor to Secs 35: 36. / 1 / 2
Marked
T. 31 S. S. 36. on N. &
R. 24. E. S. 1. on S. E.
S. 2. on S. W. and
S. 35. on N. W. faces, with 1 notch on
E & S notches on W edges., Dug pits
18 x 18 x 12 ins in each Sec 5½ ft dist
And raised a mound of earth 2 ft high
4½ ft base around post.
Land 1st 47.00 chs mountainous, rocky
Soil 4th rate.
Rest level mesa. Soil 2nd rate, ran
Heavy Timber on 69.00 chs - cedars & pine
Grass & some brush on remainder
Augmented on 69.00 chains

West on a true line
along N. Boundary Sec 2.
Va. 15' E.

40.00 Set a Cedar Post 2 ft long 3 ins Diam
with Mound 12 ins high at the Corner
for ¼ Sec Cor. Marked ¼ on South face
Dug pits 18 x 18 x 12 ins & 4 ins of post
5½ ft dist. And raised a mound of

of the Salt Lake Meridian

earth 1½ ft high 3½ ft base around post.
80.00 Set a Piñon Post 4 ft long 4 ins square
with marked Stone, 12 ins in the
Ground for Cor to Secs 34, 35, 2 & 3.
Marked.
T. 31 S. S 35 on N. E.
R 24 E. S 2 on S. E.
S 3. on S. W. and
S 34. on N. W. faces with 2 notches on E. and
4 notches on W. edges. Dug pits
18 X 18 X 12 ins in each Sec. 5½ ft dist.
And raised a mound of earth 2 ft high
4 ft base around post.
Land level, Soil 2nd rate, sandy
Fine grass.

West on a true line
along North boundary Sec 3.
Va. 15° E.

32.00 Enter Timber.
34.00 Leave Timber
40.00 Set a piñon post 3 ft long 3 ins square
with marked Stone 12 ins in the ground
for ¼ Sec Cor Marked ¼ S on N face

N. Boundary Sp 32 S. R 24 E.

BOOK A 206

Any pits 18X18X12 ins E & W of post
5½ ft dist and raised a mound
of earth 1½ ft high 3½ ft base around post
80.00 Set a Cedar post 4 ft long, 4 ins square
with marked stone 12 ins in the ground
for Cor to Secs 33, 34, 3 & 4. marked
T. 31 S. S 34. on N E
R 24 E. S 3 on S E.
S 4. on S W. and
S 33. on N W faces, with 3 notches on
E & W edges. Any pits 18X18X12 ins
in each sec. 5½ ft dist, and rais
a mound of earth 2 ft high 4½ ft
base around pits
Land level. Soil 2nd rate, sam
Heavy Timber on 2 or 3 chs, cedars & pine

W on a true line,
along North boundary Sec. 4
Sp 15.10 E.

15.00 Enter timber.
40.00 Set a sandstone 12X12X9 ins 8 ins in the
ground for ¼ Sec Cor. marked 4 on
N face. Any pits 18X18X12 ins E & W.

of the Salt Lake Meridian

of Alme 5½ ft dist and raised a mound of earth 1½ ft high 3½ ft base alongside. from which A Pinon 16 ins diam bears N. 52° W. 68 lks dist A Pinon 6 ins diam bears S. 10° E. 18 lks dist.

42.00 Chs Land of Gulch course N.

66.00 Leave timber, Enter grass fork.

80.00 Set a Cedar post 4 ft long 4 ins square with a marked Stone 12 ins in the ground for Cor to Secs 32, 33, 4 & 5. marked. T. 31 S. S 33 on N.E.
R 24 E. S 4 on S.E.
S 5 on S.W. and
S 32 on N.W. faces. with 4 notches on E and 2 notches on W. edges. dug pits 18 X 18 X 12 ins in each Sec. 5½ ft dist and raised a mound of earth 2 ft high 4½ ft base around post.
Land level, Soil 2nd rate, sandy
Heavy Timber on 5 1.00 Chs, cedars & pinons

W. on a true line
along N boundary Dec 5.
Va 15° E.

N. Boundary Sp. 32 S. R 24 E

BOOK A 206

9.00 Enter Timber,

40.00 Set a sandstone 20 x 16 x 3 ins 15 ins in the ground for ¼ Sec Cor marked ¼ on N face from which A Cedar 9 ins diam bears N. 16° E 15 lks A Cedar 22 ins diam bears S 28½° W 136 lks both trees marked ¼ S. B.T.

80.00 Set a sandstone 16 x 15 x 4 ins 11 ins in the ground for Cor to Secs 31, 32, 5 & 6. Marked with 1 notch on W. and 5 notches on E edge from which A Pinon 10 ins diam bears S 72° W 22 lks dist Marked T. 32 S. R 24 E S. 6. B.T. A Pinon 9 ins diam bears N. 48° W 38 lks dist Marked T. 31 S. R 24 E. S 31. B.T. A Pinon 12 ins diam bears N 64° E 59 lks dist Marked T. 31 S. R 24 E. S 32. B.T. A Cedar 20 ins diam bears S 37½° E 121 lks dist Marked T 32 S. R 24 E. S 5. B.T.

Land level, Soil, 2nd rate, sandy

Heavy Timber on 7/.00 Cls, cedars & pinons

---

of the Salt Lake Meridian.

Note: On account of inaccessible mountains I abandon the line here.

October 20th 1884.

General Description

The above line runs over nearly level plateau, mostly covered with dense groves of cedars and pinons. There are however many openings or parks, thickly covered with White sage and grass, thus making excellent pasture

Ernst Ruettner
U. S. Dep. Surveyor

BOO

U. S. SURV

Salt L

The fo

Township N

Executed by

Under Cont

day of

amined, the

the said fi

hereby app

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13 1886

The foregoing field notes of the survey of the East & North Bdies

Township No. 32 South *Range No.* 24 East

Executed by Ernst Buettner

Under Contract No. 128 *of the* 27th

day of August *188*4, *in the month of*

October *188*4, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Jos Salomon

U. S. Surveyor General for Utah.

BOOK-A-20

REPORT: [illegible]

Filed.....

Examined by.....

Transcribed by [illegible]

Compared by [illegible]

FI

OF THI

Ea

Township No. [illegible]

Range No. 2[illegible]

SALT

Gen

U

Under his

Dated A[illegible]

Survey comm

Survey comp

BOOK-A-206 30-31

REPORT: 1884 238

Filed 188

Examined by .....

Transcribed by Nicholas S. Atkinson

Compared by Solomon & Atkinson

FIELD NOTES

OF THE SURVEY OF THE

East & North

Boundaries

OF

Township No. 32 South

Range No. 25 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernest Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 27th 1884

Survey commenced October 31st 1884

Survey completed " 31st 1884

BOOK-A-206

Township 32 S R. 25 E

248	250	251	252	253	254	
6	5	4	3	2	1	246
7	8	9	10	11	12	245
18	17	16	15	14	13	243
19	20	21	22	23	24	242
30	29	28	27	26	25	241
31	32	33	34	35	36	240

NAMES AND DUTIES OF ASSISTANTS.

.....*Compassman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Axeman.*

.....*Axeman.*

.....*Flagman.*

E. Boundary Sp 32 S, R 25 E.
of the Salt Lake Meridian

On the night of October 29th 1884
I take an observation on the
Star Polaris, with Stackpole theodolite No 1734
from the Corner to
Tps 32 & 33 S. Rs 25 & 26 E.
established by me.
And drive pickets on line so
established.

Survey commenced October 30th 1884
From above Sp Cor Run
N on true line.
between Secs 36 & 31.
Va 14° 33' E.
Line runs in dense brush.
2.50 Trail. Course E. & N.
40.00 Set a Piñon Post 3 ft long 3 ins square
with marked stone 12 ins in the ground
for 1/4 Sec Cor marked 1/4 S on surface
dug pits 18 x 18 x 12 ins N. & S. of post
5 1/2 ft dist and raised a mound of
earth 1 1/2 ft high 3 1/2 ft base around post
A Piñon 10 ins diam bears S. 74° E 84 lks
dist. marked 1/4 S. B. T.
72.50 Trail Course N. W. & S. E.

E. Boundary Sp 32 S, R. 25 E

BOOK A 206

80.00 Set a fndstone 24 X 12 X 2 ins 18 ins in the ground. For Cor to Secs 25. 30. 31 & 36. Marked with 1 notch on S and 3 notches on N edges. Dug pits 18 X 18 X 12 ins deep each Dec 3½ ft dist and raised a mound of earth 2 ft high 4½ ft base alongside.
Rolling level. Soil 2nd rate, sandy. Some scattering Timber and Dense Undergrowth on 80.00 chs. Indications of Coal.

N. on a true line between Secs 25 & 30. Va 14° 55' E.

Enter white pine & grass.

40.00 Set Standstone 18 X 12 X 3 ins 12 ins in the ground for ¼ Sec Cor. Marked ¼ on W face. Dug pits 18 X 18 X 12 ins N. & S. of Stone 3½ ft dist and raised a mound of earth 1½ ft high 3½ ft base alongside.

80.00 Set a Standstone 20 X 14 X 2 ins 15 ins in the ground for Cor to Secs 24. 19. 30 & 25. Marked with 2 notches on S and 4 not

BOOK-A

of the

20.00 Ent

40.00 Set a

45.00 Lea

60.00 Ent

64.00 Ent

80.00 Set

of the Salt Lake Meridian.

on N edges. dug pits 18 x 18 x 12 ins
in each Dec 5 ½ ft dist and raised
a mound of earth 2 ft high 4 ½ ft base
always like.
Land level. Soil 2nd rate, sandy
Indications of Coal.

N. on a true line
between Secs 24 & 19.
Var. 14° 55' E.

20.00 Enter Timber
44.00 Set a Piñon Post 3 ft long 3 ins square
with marked Stone 12 ins in the ground
for ¼ Sec Cor. marked ¼ S on W face
dug pits 18 x 18 x 12 ins N. & S. of post
dist and raised a mound of earth
1½ ft high 3½ ft base around post from which
a Piñon 9 ins diam bears S. 35° E. 45 lks dist
a Piñon 8 ins diam bears N. 49½° W 60 lks dist
both trees marked ¼ S. B. T.
45.00 Leave Timber, enter dense Sage brush.
60.00 Enter Timber.
64.00 Enter dense Sage brush.
80.00 Set a Sandstone 36 x 12 x 4 ins 27 ins in

E. Boundary Sp. 32. S, R 25 E

BOOK A 206

the ground for Cor to Secs 13, 18, 19 & 24
Marked with 3 notches on N & S. edges
dug pits 18 X 18 X 12 ins in each Sec.
5½ ft dist and raised a mound of
earth 2 ft high 4½ ft base alongside
Land level. Soil 2nd rate, sandy
Heavy Timber 29.00 Chs, cedars & pinon
Dense undergrowth 31.00 Chs.
Coal indications
Augmented on 60.00 chains

N. on a true line
between Secs 13 & 18
Va 1 1/4 55 1/2 E

2.00 Descend.
3.78 Bottom of hollow and trail. Course W.
Ascend.
10.00 Enter Timber
11.97 Enter level ground.
40.00 Set a Sandstone 14 X 12 X 3 ins pits in
ground for ¼ Sec Cor. Marked ¼ on W face
dug pits 18 X 18 X 12 ins N & S of Stone
dist and raised a mound of earth
high 3½ ft base alongside. from which
A Pinon 18 ins diam bears S 83° E 1.02 lks d
Heavy Timber—

A Cedar 12 ins
both trees m
Enter par
Enter Tim
Set a Pinon
with mark
for Cor to Se
T. 32 S. R 7.
R 26 E. S 18
S 13. on S
S 12. on
2 notches
in each Pi
of earth 2
from
A Pinon 14
Marked T.
A Pinon 14 ins
Marked T.
A Pinon 12
Marked T.
A Pinon 14
Marked
Land ne
Timber—
Dense un
Augme

of the Salt Lake Meridian

A Bldr 12 ins diam bears S. 78° W 114 lks dist
both trees marked 4 S. B.T.,
Enter Park. Leave timber
Enter Timber.
Set a Piñon Post 4 ft long 4 ins square
with mound of stone 12 ins in the ground
for Cor. to Secs 12, 7, 18 & 13. Marked
T. 32 S. S 7. on N. E.
R 26 E. S 18 on S. E.
S 13. on S. W. and
S 12. on N. W. faces with 4 notches on S. & W.
2 notches on N. edges. Dug pits 18 x 18 x 12 ins
in each Sec. 5½ ft dist dew raised a mound
of earth 2 ft high 4½ ft base around post.
from which.
A Piñon 14 ins diam bears N 44½° E 55 lks dist
Marked T. 32. S. R 26 E. S 7. B. T.,
A Piñon 14 ins diam bears S 46° E. 62 lks dist.
Marked T. 32 S. R 26 E. S 18, B. T.,
A Piñon 12 ins diam bears S 39° W 78 lks dist
Marked T. 32 S. R. 25 E. S 13. B. T.,
A Piñon 14 ins diam bears N 31½ W. 204 lks dist
Marked T 32 S. R 25 E. S. 12, B. T.,
Land nearly level, Soil 2nd rate, sandy
Heavy Timber — Cedars and piñons on 62.00 chs
Dense undergrowth, sagebrush on 10.00 chs
Augmented on 72.00 chs.

E. Boundary Sp 32 S, R 25 E

BOOK A 206

BOOK-

of the

Standard line
between Secs 7, 8, 12,
Va 14° 35'

40.00 Set a Prim Post 3 ft long 3 ins square
with marked Stone 12 ins in the ground
for 1/4 Sec Cor. Marked 1/4 S on W face
Dug pits 18 X 18 X 12 ins N. & S. of post
5 1/2 ft dist and raised a mound of earth
1 1/2 ft high 3 1/2 ft base around post. from which
A Cedar 18 ins diam bears S 10° W 19 lks dist
Marked 1/4 S. B. T.
Enter park. Leave timber

65.00 Enter Timber

80.00 Set a Prim Post 4 ft long 4 ins square
with marked Stone 12 ins in the ground
for Cor to Secs. 1. 6. 7 & 12 marked.
T. 32 S. S 6 on N. E.
R 26 E. S 7. on S. E.
S 12 on S W. and
S 1 on N & W faces. with 3 Notches on S
and 1 notch on N. edges. Dug pits
18 X 18 X 12 ins in each Sec. 5 1/2 ft dist
and raised a mound of earth 2 ft high
4 1/2 ft base around post. from which
A Cedar 15 ins diam bears N. 41° E 50 lks dist

Heavy Timber

16.00 Enter

40.00 Set a

80.00 Set

of the Salt Lake Meridian

Marked T 32 S. R 26 E S 6. B.T.
A Cedar 14 ins diam bears S 53° W 42 lks dist
Marked T 32 S. R 25 E S 12. B.T.
A Cedar 16 ins diam bears S 37° E 58 lks dist
Marked T 32 S. R 26 E S 7. B.T.
A Cedar 18 ins diam bears N 44° W 109 lks dist
Marked T 32 S. R 25 E. S 1, B.T.
Land level soil 2nd rate, sandy
Heavy Timber on 5 5,00 Acs, cedars.

N. on a true line
between Secs 1. & 6.
Va 114° 55' E

16.00 Enter dense sage brush. Leave timber
40.00 Set a sandstone 14 x 12 x 3 ins 10 ins in the ground for 1/4 Sec Cor marked 1/4 on W. face. Deg pits 18 x 18 x 12 ins N. & S. of stone 5 1/2 ft dist, and raised a Mound of earth 1 1/2 ft high 3 1/2 ft base alongside.

8.00 Set a Piñon Post 5' 6" long 5 ins square with marked stone 12 ins in the ground for Cor to Sps 31 & 32 S. Rs 25 & 26 E. Marked

E. Boundary Tp 32 S R 25 E
of the Salt Lake Meridian

BOOK A 206

T. 31 S. S 31. on N. E.
R 26. E. S 6 on S. E.
T. 32 S. S. 1. on S. W. and
R 25 E. S 36 on N. W. Faces with 6
Notches on each edge. Mny pits
24 X 18 X 12 ins lengthwise on each line
N. S. E & W. of Post. 6 ft. dish and
raised a mound of earth 2½ ft high
5 ft base around post.
Land level. Soil 2nd rate, sand
Heavy Timber on 16.00 chs cedars
Dense Undergrowth on rest.
Augmented on 80.00 chains
October 30th 1884

General Description.
The line runs over level plateau
Covered with groves of Cedars & pines
Some dense sagebrush. grass and
white sage.
Many the first 4 miles ground many
silicifications of coal, which further
N. disappeared.

Ernst Buettner
U. S. Dep. Surveyor.

BOOK-A-206 345

N. Boundary Tp 32 S, R 25 E.
of the Salt Lake Meridian

Survey commenced October 31st 1884

From Cor to Tps 31 & 32 S. Rs 25 & 26 E
Runs W on random line
between said Tps. Va 15° E.
Sets temporary Half mile and
Mile Corners at the end of every
40.00 & 80.00 Chs and find the line
to be 5 miles. 78 Chs and 81 Lks long
and the Falling N. to be 57 Lks
The Correction for the true line therefore
will be 9½ Lks South per mile and
1.19 Chs E and its Course will be -
N. 89° 56' E.

From Cor to Tps 31 & 32 S. Rs 24 & 25 E
Runs
N 89° 56' E on a true line
along N Boundary Dec. 6.
Va 15° E
Line runs over Timbered Plateau and
2.50 Cedar Timber. Enter dense Sage brush.
38.81 Set a Cedar Post 3 ft long 3 ins square
with Mound Stone 12 ins in the ground
for ¼ Sec Cor. Marked ¼ S on N face

Dug pits 18 X 18 X 12 ins E & W of Spr
5½ ft dist, and raised a mound of
earth 1½ ft high 3½ ft base around pit.
7600 Enter Timber. Leave dense sagebrush
6200 Leave Timber, enter grass & white sage
7881 Set a Cedar post 4 ft long 4 ins square
with Marked Stone 12 ins in the
ground for Cor to Secs 31, 32, 5 & 6
Marked.
T. 31 S. S 32. on N.E.
R 25 E. S 5 on S.E.
S. 6. on S.W. and
S. 31. on N.W. faces with 1 notch on W
and 3 notches on E edges. Dug pits
18 X 18 X 12 ins in each Sec. 5½ ft dist
and raised a mound of earth 2 ft high
4½ ft base alongside,
Land level, Soil 2nd rate, sandy
Heavy Timber on 26.00 Chs cedars & pinon
Dense undergrowth on 36.00 Chs.
Augmented on 62.00 chains

BOOK-A
of the

A

40.00 Set a
with
for 4,
dug
5½ ft
earth
9100 set a
with
for C
T. 31
R 25
S 5. o
S 32
W a
ins
a m
and
Lan
Fi

At 8.9° 56' E on a true line
along N. boundary Sec 5.
Va 15°. E.

40.00 Set a Piñon post 3 ft long 3 ins square
with marked stone 12 ins in the ground.
for 4 Sec Cor. Marked ¼ S on N face
dug pits 18 x 18 x 12 ins E. & W. of post
5½ ft dist. and raised a mound of
earth 1½ ft high 3½ ft base around post.

40.00 Set a Piñon post 4 ft long 4 ins square
with marked stone 12 ins in the ground
for Cor to Secs 32, 33, 4 & 5. Marked
T. 3 S. S 33. on N E
R 2 E. S 4 on S E.
S 5. on S W. and
S 32 on N W faces with 2 notches on
W and 4 notches on E edges dug pits 18 x 18 x 12 ins
in each Sec. 5½ ft dist. And raised
a mound of earth 2 ft high 4 ft base
around post.
Land Level Soil 2nd rate, sandy
Pine grass.

N. Boundary Sp 32 S, R25 E.

BOOK A 206

N 89° 56' E on a true line
along N boundary Sec 4
Va 1310 E

26,00 Enter dense sage brush.
40,00 Set a Cedar post 3 ft long 3 ins square
with marked stone 12 ins in the ground
for Cor to Secs 4 & 5 on N. side
dug pits 18 x 18 x 12 ins E & W. of post
5½ ft dist. and raised a mound
of earth 1½ ft high 3½ ft base around
Ent 4,00 Enter grass & Leave dense sage brush
80,00 Set a standstone 14 x 10 x 9 ins gins in
the ground for Cor to Secs. 33, 34, 3 & 4
Marked with 3 notches on N. & E. edges
dug pits 18 x 18 x 12 ins each Sec. 5½ ft dist.
and raised a mound of earth 2 ft high
4½ ft base alongside.
Land level & soil 2nd rate, some
dense undergrowth on 38,00 Chs
Rest grass & white sage.

16,50 Ent
Dec
28,00 Set
As
38.00 Ent
40,00 Set a
The
N 4
5½
ent
A Pit
A Pit
both
Lea
80,00 Set
gro
unif
E
cac
of
Land
Heavy Tim

N 89° 56' E on a true line
along N boundary Sec 3.
Var 15¼ E

16.50 Enter Timber.
Descend.
28.00 Hollow & Trail cruse N.
Ascend.
38.00 Enter level plateau
46.00 Set a sandstone 18 X 12 X 3 ins 12 ins in
the ground for ¼ Sec Cor marked ¼ on
N face. Dug pits 18 X 18 X 12 ins E & W of stone
5½ ft dist. Each raised a mound
of earth 1½ ft high 3½ ft base alongside.
A Pinus 18 ins diam bears S 58° W 4 links dist
A Pinus 8 ins diam bears S 71° E 38 lks dist
both trees marked ¼ S. B. T.
51.00 Leave Timber, enter grass.
81.00 Set a sandstone 22 X 12 X 3 ins 16 ins in the
ground for Cor to Secs 3 4 33 34. 2 X 3. marked
with 4 notches on W and 2 notches on
E edges. Dug pits 18 X 18 X 12 ins in
each Sec. 6½ ft dist. And raised a mound
of earth 2 ft high 4½ ft base alongside.
Land slightly rolling, Soil 2nd rate, sandy
Heavy Timber on 3.4.5 & Chs. cedars & pinons

N. Boundary Sp 32 S, R 25 E

BOOK A 206

N 89° 56' E on a true line
along N boundary Sec 2.
Va. 15° E.

32,00 Enter dense sage brush.

40,00 Set a Cedar post 3 ft long 3 ins square
with marked stone 12 ins in the ground
for ¼ Sec Cor. marked ¼ S on N face
and dug pits 18 x 18 x 12 ins E & W of post
5½ ft dist, and raised a mound of
earth 1½ ft high 3½ ft base around post.

48,00 Enter Timber. Leave dense sagebrush

56,00 Leave Timber enter grass.

69,00 Enter dense sage brush.

73,00 Trail, Course S. 80° E.

80,00 Set a Cedar Post 4 ft long 4 ins square
with marked stone 12 ins in the ground
for Cor to Secs. 35, 36, 1 & 2. Marked
T 3 S. S. 36. on N. E.
R 25 E. S1 on S. E.
S 2 on S. W. and
S. 35. on N. W. faces. with 5 notches
on W & 1 notch on E edges. dug pits
18 x 18 x 12 ins in each sec 5½ ft dist
and raised a mound of earth

2 ft high 1½ ft base around post.
Land level. Soil 2nd rate, sandy
Heavy Timber on 8 & 4 Chs, cedars & pinons
Dense undergrowth on 27.00 Chs.
Augmented on 35.00 chains.

N 89° 56' E on a true line
along ~~N~~ boundary Sec ~~3~~ 1.
N Va 15° E.

10.00 Enter Timber
Descend.
24.00 Leave Timber, enter dense sagebrush
Live pines along edge of timber. S of line.
40.00 Set a Cedar post 3 ft long 3 ins square
with mound of stone 12 ins in the
ground for ¼ Sec. Cor. marked ¼ on
N face. Brs pits E & W of post.
18 x 18 x 12 ins, 3½ ft dist. and raised
a mound of earth 1½ ft high 3½ ft
base around post from which
A pine 14 ins diam bears S. 31° W. 42 lks dist
Marked ¼ S. B.T.
52.00 Open flat densely covered with high
sagebrush.
80.00 The Cor to Tps 31 & 32 S. Rs 25 & 26 E.

N. Boundary T. 32 S, R 25 E

BOOK A 206

Land nearly level. Soil 2nd rate sandy

Timber on 14 Chs.

Deuse undergrowth on 56 chains

Augmented on 70.00 chains

October 31st 1884.

General Description

The above line runs over level plateau covered with groves of Cedars & Pinon some deuse Sage brush from 3 to 4 feet high and an abundance of blue joint grass and white sage, thus making excellent Cattle ranch.

The plateau enclosed by the above described lines, has an altitude of 5000 ft along the Colorado boundary and an average of 7200 ft along the foot of the Blue Mountains. The climate is, thanks to its south latitude, very moderate.

The whole furnishes an abundance of feed for Cattle. The plateau which is named the Montezuma mesa, is at present occupied by the "Kansas and New Mexico Cattle Co." who possess

of the Salt Lake Meridian

on this range about 15000 head of beef. Along the creeks are bottoms with very good soil, which is compact and will need but very little irrigating. I estimate that about 10 Sections might be farmed to advantage.

Ernst Buettner
U.S. Dep. Surveyor

BOOK

U. S. SURV

Salt L

The fo

East

Township N

Executed by

Under Contr

day of

Octo

amined, the

the said fie

hereby appr

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13th 1886

The foregoing field notes of the survey of the East and North Boundaries *Township No.* 32 South *Range No.* 25 East *Executed by* Ernest Buettner *Under Contract No.* 128 *of the* 27th *day of* August *188*4, *in the month of* October *188*4, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-

REPORT :

Filed

Examined by

Transcribed by

Compared by

F

OF TH

Township No

Range No.

SALT

Under h

Dated

Survey com

Survey com

BOOK-A-20632 280

REPORT: 1885

Filed 188

Examined by .....

Transcribed by Lizzie P. M. Atkinson

Compared by Lalonnie V. Atkinson

FIELD NOTES

OF THE SURVEY OF THE

North Boundary

OF

Township No. 22 South

Range No. 26 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated 2nd August 1884

Survey commenced 1st November 1884

Survey completed 4 1st 1884

BOOK-A-206

Township 32 S R. 26 E.

262 264

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

NAMES AND DUTIES OF ASSISTANTS.

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A-206 362

L.H.C.

North Boundary T32 S R26 E

Survey commenced November 12th 1884
From cor to Tps 31 & 32 S Rs
25 & 26 E
From
Cor a true line
along S Bdy Sec 31
Var 14° 55' E

5.50 Enter timber
8.00 Enter park & dense sage
brush, bear timber
12.00 Enter timber
40.00 Set a pinion post 3 ft long 3" square
with marked stone 12" north
& round for 1/4 Sec cor, marked
1/4 S on S face, dug pit 18x18x12
E & W of post 5 1/2 ft dist and
raised a mound of earth 1 ft
high 3 1/2 ft base around
post from which
A pinion 8" dia bears S 83° E 6 lks dist
A pinion 14" dia bears
S 0° W, 7 lks dist both
trees marked 14 S B T

North Boundary T 32 S. R 24 E.

46.00 Road from Little Grand Rim Valley to Pinto Spring & Durango Course S & S

48.00 Enter Park & Sarcobrush leaving timber

54.00 Enter Timber, Head of Canyon of Lynn; Course E. Leave Sarcobrush

80.00 Set a sandstone 18"x10"x8" 12" in the ground for cor Sec 31. 32 S-24 marked with 1 notch on W and S notches on E edges and raised a mound of stone alongside from which A pinion 8" dia bears S 46° W 25 lks dist Marked T 31 S, R 24 E, S 31 B T

A cedar 15" dia bears S 48° W 98 lks dist Marked T 32 S, R 24 E S 6 B T 40.00

A pinion 10" dia bears S 24° E 25 lks dist marked T 32 S, R 24 E S 5 B T

Laid level

North Boundary T 32 S. R 24 E.

Soil 1st 2 00 chs 2nd rate, sandy
last 21 chs rocky 3rd rate
Heavy timber 59 50 chs
Dense undergrowth 15 chs
Augmented on 4 chs

Easton true line
along S Boby Sec 32
Var 14° 55' E.
Line runs about 1 chs S of
precipice Course W, about 1/2
mile, a valley about 1 1/2
miles wide
Deep gulch with creek in
Rocks of same
Bottom of valley smooth and
level, covered with a few
groves of timber and a great
deal of Grass & white sage
40.00 Set a stone 16 x 12 x 10
10" in the ground 1/4 Pine
marked 1/4 on S face and raised
a mound of stone alongside
from which a cedar 12" dia
bears N 12° E 128 lks dist

BOOK A 206 265

North Boundary T32S, R24E

A cedar 12" dia bears S 4½° W
136 lks dist, both trees marked
1/4 S B C

2 Chs further, W edge of Canon
about 60 ft deep ½ mile and
precipitous, rocky, inaccessible
and followed by two more
similar Canons.
Abandoned

Land rolling
Soil, sandy & rocky
Heavy timber Cedars
& pinons on 40 Chs

November 1st 1884

Ernst Buettner
U. S. Dep. Surveyor.

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13th 1885

The foregoing field notes of the survey of the North Boundary

Township No 22 South *Range No* 2 East

Executed by Ernst Buettner

Under Contract No 28 *of the* 2nd

day of August 1884, *in the month of*

November 1884, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK

REPORT:

Filed

Examined by

Transcribed by

Compared by

F

OF TH

Wes

Township No.

Range No.

SALT

Gen

Under hi

Dated

Survey com

Survey comp

BOOK-A 206 76

REPORT: 1885 268

Filed 188

Examined by .....

Transcribed by Atkinson & Michaelis

Compared by Salomon & Atkinson

FIELD NOTES

OF THE SURVEY OF THE

West and North Bdies

OF

Township No. 33 South

Range No. 23 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 27th 1884.

Survey commenced November 4th 1884

Survey completed " 5th 1884

BOOK-A-206

Township 33 S. R. 23 E.

286 284 283 281 280

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

298 297 296 295 294 292

NAMES AND DUTIES OF ASSISTANTS.

.....*Compassman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Axeman.*

.....*Axeman.*

.....*Flagman.*

BOOK-A-206 270

W. Boundary Tp 33 S. R. 23 E.
of the Salt Lake Meridian

Survey commenced November 4th 1884
From the ~~Town~~ established Cor to
Tps 33 & 34 S. R 22 & 23 E.
Thence
N on a true line
Along W Boundary Sec 31,
Va 130 &
Ascend in Timber,
8.00 Enter gently asp.
2.64 Leave Timber.
40.00 Set a Granite Stone 16 x 14 x 10 ins 10 ins in the
ground for 1/4 Sec Cor Marked 1/4 on W face
And raised a mound of Stone alongside
Pits impracticable.
40.00 Summit of High & pine tree 24 ins D. bears N. E.
49.99 Descend Enter high timber.
50.00 Set a Granite Stone 24 x 16 x 14 ins 16 ins in the
ground for Cor to Secs 25 30, 31 & 36 marked
1 Notch on S & 3 Notches on N. edges.
And raised a mound of Stone alongside
Pits impracticable — From which
A balsam pine 24 ins diam bears N. 35° W. 18 lks dist
Marked T. 33 S. R 22 E. S 25 B. T.
A balsam pine 15 ins diam bears N. 16° E. 52 lks dist
Marked T 33 S. R 23 E. S 30 B. T.

W. Boundary Sp. 33 S, R 23 E

BOOK A 206

A Fairaun 12 lks diam Leans S 42° E. 332 lks dis
Marked T 33 S. R 23 E S 31. B.T.
A Fairaun 18 lks diam Leans S 68° W 94 lks dis
Marked T 33 S. R 22 E. S 36. B.T.
Land Rich mountainous. Hills 3rd & 4th rate
Heavy timber Pine & Quaking Asp on
5570 Acs.

Romaine line
Alm N Boundary Sec 30.
Va 15° E.
Dia Number
1.21 Acres 18 lks wide 12 lks deep. Angles
Cause N.E.
Ascend.
521 Enter Quaking Asp.
3795 Leave timber —
4000 Set a Granite Stone 20 x 18 x 14 ins, 15 ins in the
Ground for Sec Cor Marked 4 on W face
And raised a mound of Stone alongside —
Hills impracticable —
4757 Ascend.
5900 Foot Spur Cause N 60° E
Descend. enter dense pine timber —
8800 Set a Granite Stone 20 x 15 x 12 ins 15 ins in

of the Salt Lake Meridian

the ground for Cor to Secs 24 19. 30 & 25 Marked
2 Notches on S aud & notches on keys.
And raised a mound of Stone alongside.
A Balsam pine 18 ins diam bears S 64° W 82 lks dist
Marked T. 33 S. R 22 E S 25 B.T.
A Balsam pine 20 ins diam bears S 22° E 43 lks dist
Marked T. 33 S. R 23 E. S 30. B.T.
A balsam 12 ins diam bears N 56° E 19 lks dist
Marked- T 33 S. R 23 E. S 19. B.T.
A Quaking Asp 8 ins diam bears N. 63° W 45 lks dist
Marked T. 33 S. R 22 E. S 24. B.T.
Land rich Mountainous Soil 3rd rate
Rocky in places.
Heavy Timber pine & quaking asp. on 58.97 chs.

From above line
along Meridian Sec 19.
Va 15° E

Ascend. On timber
5.45 Creek with Water holes. Course E 65° E.
Timber & Scattering.
17.39 Ascend. Leave timber.
40.00 Set Granite Stone 18 x 16 x 10 ins 12 ins in
the ground for 1/4 Sec Cor Marked 1/4 on

W. Boundary Sp 33 S, R 23 E

W face and raised a mound of
stone alongside. Bit impracticable -
+2.04 Top of pole bears N. 65° E.
Scribed. Enter dense oak brush.
7.69 Enter Cotton.
7.20 Creek 40 lks wide in gulch 3 ins deep. Spring
2 chs above - Course N.E.
8.00 Set a Porphyry stone 2 ft x 16 x 6 ins 16 ins in
the ground for Cor to Secs 13, 18, 19 & 24.
Marked with 3 notches on N. & S. edges -
Also 2 pits 18 x 18 x 12 ins in each Sec - 5½ ft dist
and raised a mound of earth 2 ft high
4 ft for base alongside -
Land high mountainous. Soil 2nd & 3rd rate. Land
Heavy timber - Pine & Quaking Ash on 8.14 & 8 chs
& scattering timber on 8.9 & 9 chs. Dense
Undergrowth on 37.76 chs.

Augmented on 46.44 chains

From a pine line
Alone W. Boundary, Sec 18.
Va. 15° E.

2.00 Leave Cotton
Ascend.
6.44 Enter high timber - long leafed pine

and

10.00 Des
28.42 Fence
33.00 Asce
34.98 Top
46.00 Set a
Grand
Sudd
Pits
A pit
Mark
42.00 Des
46.00 Hold
Asce
49.53 Fence
57.50 Des
68.87 Fence
72.00 Des
76.93 Enter
80.00 Set a
Grand
with
Augm
Soil
Heavy

R 23 E of the Salt Lake Meridian

and Many Oak Brush Undergrowth.

10.00 Descend.

28.42 Fence Level.

33.00 Ascend.

34.98 Top of Spur - Course E. 1/4 N. Level.

40.00 Set a Granite Stone 24x9x6 ins 18 ins in the Ground for 1/4 Sec Cor. Marked 1/4 on W Face Cut raised a mound of Stone alongside. Pits impracticable - from which a Pine 35 ins diam bears N. 15° W. 66 lks dist Marked T. S. B. T.

42.00 Descend.

46.00 Bottom - Course E.

Ascend.

49.53 Fence Level Leave Timber.

57.50 Descend - in dense oak brush.

68.87 Fence Nearly Level.

72.00 Descend.

76.93 Enter Level Bottom - Leave Brush.

80.00 Set a Granite Stone 14x10x3 ins - 10 ins in the ground for Cor to Secs 12. 7 - 18 & 13 - Marked with 4 notches on S and 2 notches on N edges. Dug pits 18x18x12 ins in each Sec 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base alongside -

W. Boundary Sp 33 S. R. 23 E

BOOK A 206

Land Mountainous, hilly, rocky 2nd & 3rd rate.
Heavy Timber on 43.09 Chs.
A Dense undergrowth on 70.49 Chs.

Monument
Bears N. Boundary Sec 7
T. 33 S. R. 23 E.

8.20 Fail
9.00 Creek 4 Lks wide 15 lks deep Course E.
Enter Dense Oak Brush.
22.00 Leave Creek.
Ascend.
24.46 Fence Level Grass.
40.00 Set a Granite Stone 16 x 9 x 5 ins 10 lks in the ground for 1/4 Sec Cor Marked 1/4 on W face Pits 15 x 18 x 12 ins N. & S. of Stone 5 Lks Alt Adv raised a Mound of Earth 1 1/2 ft high 3 1/2 ft base alongside.
69.00 Fail. Course S. 20° E.
75.00 Enter Timber.
80.00 Set a Sandstone 15 x 14 x 10 ins 12 ins in the ground for Cor to Secs 1. 6. 7 & 12. Marked with 3 notches on S. and 1 notch on N. edge Pits in each Sec 3 1/2 ft dist. and

Heavy Tim
Dense
Ascend
Enter
Enter
Enter
Ascend
Set

of the Salt Lake Meridian

raised a mound of earth 2 ft high 4½ ft base alongside from which a Pitus 10 lks diam bears N 37½° W 14 lks dist Marked T. 33 S. R 22 E S. 1. B. T.
A Pitus 10 lks diam bears S 50° W 13 lks dist Marked T. 33 S. R 22 E. S 12. B. T.
A Cedar 36 lks diam bears N 61½° E 53 lks dist Marked T. 33 S. R 23 E. S. 6. B. T. **black loam**
Land Nearly level - Hill in Pitus 1st rate A
on Each 2nd rate.

Heavy Timber. Cedars & Pitus - on 5 chs
Dense Undergrowth on **15.46** chs.
Augmented on 20.46 chains

N. on a true line
Along W Boundary Sec. 6.
W. 15.00 E.

15.00 Enter Mud Timber -
15.00 Enter Mix Timber -
20.46 Enter Mud Timber -
Ascend -
40.00 Set a Sandstone 15 x 10 x 4 ins 12 ins in the ground for ¼ Sec Cor Marked ¼ on W face
Alg Pits 18 x 18 x 12 ins N & S of Stone 2 ft dist Embraced a mound of earth 1½ ft

W. Boundary Tp 33 S, R 23 E

Thence 3 ½ ly base alongside
47.93 Thence level. Enter Timber
69.00 Descend.
72.94 Thence level.
81.00 Set a sandstone 30 x 22 x 6 ins 22 ins
in ground for Cor to Tps 32 & 33 S. Rs 22 &
23 E. Marked with 6 notches on each E
& W Lib 24 x 18 x 12 ins lengthwise on
each line. N. S. & W of Stone. Dug
Pit and raised a mound of earth 2'
high 5 ft base alongside. Thence
A Cedar 6 in diam bears S 19° E 67 lks dis.
Marked T. 33 S. R 23 E. S 6. B. T.
Also 12 ins diam bears S 87° W 169 lks dis.
Marked T 33 S. R 22 E. S 1. B. T.
Other Trees dead —
Land rolling. Soil 2nd rate sandy
Live Timber on 37.07 chs.
Dead Timber on 37.93 chs.
Augmented on 75.00 chains.
November 4th 1884

General Description
This line runs for the 1st 3 miles
over high Spurs of Blue Mountains —
Partly Cleared (the Southern Sides) with

of the Salt Lake Meridian

A fine growth of different kinds of Pines. The last 3 miles run over high rolling Mesa, partly covered with blue joint grass and white sage. Partly with Cedars and Pinons - a great part of which have been killed by fire started by Indian hunting parties.

Ernst Buettner
U. S. Dep. Surveyor

N. Boundary T 33 S, R 23 E

BOOK A 206

Survey commenced November 4th 188

From Cor to Sec 32 & 33 S. R's 22 & 23 E

E. run E on random line belie

said Spr. Va 15° E.

& set temporary Rock Mile & Mile Cor

of the cut of 2 iron 4 dia x 30 in chs

and find the Spr line to be 4 miles

78 chs and 3 lks. and the follow

32 lks S of Cor to Secs 1, 2, 35 & 36 -

Spr 32 & 33 S. R's 23 E.

The Declination Range will be 10 2/5 lks 260

N. and 1 ch 97 lks W per mile 240

and the Course will be S 89° 56' W. 39.50

H.W. 80

From the Cor to Secs 1. 2. 35 & 36 Spr

32 & 33 S. R 23 E. which is a standard

2 2 x 16 x 6 ins - Marked 6 notches on N.

3 notches on W and 1 notch on E edge 4.00

Which I set 16 ins into ground 63.00

and dug pits 24 x 18 x 12 ins deep 7.00

on each line N. S. E & W of Stone Cor 80.00

raised a mound of earth 2 ft high

3 ft Base alongside -

of the Salt Lake Meridian

From above described cor. I run

Thence Azm and Look an Observation on the Star Polaris on the Evening of November 4th 1884 with a Stackpole theodolite No 1734 Survey commenced November 5th 1884

S 89° W on a meander line along N boundary Sec 2.

Var 15° E

Fine grass in meadow.

260	Quet 5 lks mile, 18 lks deep cañon N 80° E
240	Face - course N 80° E
39.50	Enter dense Oak brush.
H.C.V	Set a Piñon Post 4 ft long 4 ins square with Marked Stone 12 ins in the ground for Sec Cor Marked For N Face Dist 18 X 18 X 12 ins & run W Post 1½ ft dist And raised a mound of earth 1½ ft high 3 ft base around Post
4.50	Course Meander North, enter grass.
63.00	Trail. Course N 20° W.
77.00	Enter Timber
80.00	Set a Piñon Post 4 ft long 4 ins square with Marked Stone 12 ins in the ground for Cor to Secs 34. 35. 2 & 3 Mandelbaum

N. Boundary Sp 33 S, R 23 E.

4 notches on W and 2 notches on E alg
Aug bits 18 X 18 X 12 ins in each Sec
56 ft dist. and raised a mound of
earth 2 ft high 4 ft face around post
Post Marked -
T 32 S. S 35 on N.E.
R 23 E S 2. on S E
S 3. on S. W. and
S 34 on N. W. faces. Four witness
A Pinon 14 in Diam bears N 86½ E 16 ft
Marked T 32 S. R 23 E S 35 - B T
A Cedar 9 ins diam bears N 61° W 146 lks
Marked T 32 S. R 23 E S 34. B.T.
A Pinon 14 ins diam bears S 32° W 167 lks
Marked T 33 S. R 23 E S 3 B.T.
Land level - Soil 1st rate Black
Heavy Timber on 3 chs - pinons
Dense undergrowth on 5.50 chs
Rest level grass land -
Augmented on 8.50 chains

S 89° 30' W on true line
along N boundary Sec 3.
To 15th Cor.

13.50 Trail Course N 10° W

of the Salt Lake Meridian

R 23 E.

Set a Stone, Post 4 x 4 inches 4 ft long, Mound with Marked Stone 12 ins in the ground for 1/4 Sec Cor. marked 1/4 S on N face. Dug pits 18 x 18 x 12 ins E & W of post 5½ ft distant, raised mound of earth 1½ ft high 3½ ft base around post from which

A Cedar 16 ins diam bears N 9° E 15 lks dist
A Cedar 14 ins diam bears S 19½° W 39 lks dist
both trees marked 1/4 S. B.T.

7.50 Ravine Course N.

4.00 A creek.

8.00 Set a Sandstone 15 x 12 x 3 ins 10 ins in the ground for Cor to Secs 33, 34, 3 & 4. Marked 3 notches on E & W edges Dug pits 18 x 18 x 12 ins in each Sec 6½ ft dist, and raised a mound of earth 2 ft high 4 ft base alongside from which

A Pine 9 ins diam bears N 28½° E 30 lks dist Marked T. 32 S R 23 E. S. 34. B.T.
A Cedar 16 ins diam bears S 28½° E 53 lks dist Marked T. 33 S. R 23 E. S 3. B.T.
A Cedar 18 ins diam bears S. 70° W. 6 lks dist Marked T. 33. S. R 23 E. S. 4. B.T.

N. Boundary Tp 33 S, R 24 E

A Cedar Sias Quin Loan N 32° W 43 lks
Marked T 32 S. R 23 E S 33, B. T.
Land nearly level, Soil 2nd rate.
Heavy Timber on 78.50 Chs. cedars

S 89° 56' W on a true line.
along N boundary Sec 4.
Va 15° E

Record.

On heavy timber

36.00 Enter Mud Timber.
40.00 Set a Stone Post 3 ft long 3 ins square
with Mound Stone 12 ins in the Ground
for Sec Cor Marked T 5 on N face
Dug pits 16 x 18 x 12 ins E. & W. of Post.
30 Lks distant and raised a mound of
Earth 1 ft High 3 ft Base around Post.
45.00
44.95 Thence level. Enter Timber.
47.50 Trail Course N. & S.
66.00 Enter Creek Timber.
68.00 Enter Live Timber
76.00 Enter Burnt Timber
80.00 Leave Burnt Timber
Set a Sand Stone 15 x 9 x 6 ins 10 ins

of the Salt Lake Meridian

in the ground for Cor to Secs 32, 33, 4 & 5
Marked 4 Notches on E & 2 Notches
on W edges, Any pits 18 x 18 x 12 ins Each Dec
5½ ft dist and Raised a mound
each 2 ft high 4½ ft base alongside
A Pine 18 ins diam bears N 31° E 62 lks dist
Marked T 32 S R 23 E S 33. B.T.
A Cedar 26 ins diam bears N 62° W 83 lks dist
Marked T 32 S R 23 E S 32 B.T.
A Pine 20 ins diam bears S 27° 30' W 188 lks dist
Marked T. 33 S. R 23 E S 5 B.T.
Land level Soil rocky, 3rd rate
Live Timber on 1/4 .05 chs.
Dead Timber on 20.95 chs
Augmented on 80.00 chs.

S 88° 56' W on a true line
Mtn N Boundary Sec 5.
Enter live timber Va 15° E.
11.50 Gulch course N.
27.00 Ravine Course N.E.
38.30 Enter level plateau.
40.00 Set a sand stone 18 x 12 x 3 ins Lying in
the ground for 4 Sec Cor Mound 4 on
N face. Any pits 18 x 18 x 12 ins E & W

N. Boundary Sp 33 S, R 23 E

of Stone, 5 x 5 ft dish and raised a
Mound of earth 1½ feet high, 3½ base
all Pine 28 lks diam leans N 23° W 26 lks d
all Pine 8 lks diam leans S 29° W 14 lks dis
both trees Marked 1/4 S; B.T.
45.00 Descend.
46.00 Enter Creek Timber,
50.50 Gulch Course S.
Ascend.
52.50 thence level.
57.00 Enter Lake Timber.
65.00 Enter dead Timber
80.00 Set a sandstone 24 x 12 x 3 ins 18 ins in
the ground for Cor to Secs 31, 32, 5 & 6.
Marked 3 notches on E and 1 notch
on W edges, dug pits 18 x 18 x 12 ins in
each Sec. 5 ft dish and raised
Mound of earth 2 ft high 4 ft base
all side.
Land rolling Soil 3rd rate, sandy
Heavy Live Timber on 53.00 chs cedars & pi
Heavy dead Timber on 27.00 chs.
Augmented on 80.00 chs

of the Salt Lake Meridian

S 87° 56' W on a true line
along N boundary Sec 6
Va 15° E

In dead Timber

16.00 Set a Sandstone 22 x 20 x 3 ins 15 ins in the ground for ¼ Sec Cor marked ¼ on N face. Dug pits 18 x 18 x 12 ins E. & W. of Stone 5½ ft dist, and raised a mound of earth 1½ ft high 3½ ft base alongside.

A Pinon 12 ins diam bears S 73° W 20 lks dist marked ¼ S. B. T.

62.00 Enter live Timber.

78.03 The Cor to Tps 32 & 33 S. Rs 22 & 23 E.
Land level plateau, Soil 2nd rate
Heavy Timber, live on 18.00 chs. cedars & pinon
Heavy Dead Timber on 60.03 chs.
Augmented on 78.03 chains
November 6th 1884

General Description.

The above line runs over rolling plateau, densely covered with Timber, a large part of which has been

B BOOK A 206

killed by fire, apparently
3 years ago.
There is always a luxuri
growth of grass among the
dead timber.
Excellent pasture.
Ernst Buettn
U.S. Dep. Survey

BOOK-A

U. S. SURVI

Salt La

The fore

West

Township No.

Executed by

Under Contra

day of A

N

amined, the n

the said field

hereby approv

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13 *1885*

The foregoing field notes of the survey of the West & North Boundaries

Township No. 33 South *Range No.* 23 East

Executed by Ernst Buettner

Under Contract No. 128 *of the* 31st

day of August *1884, in the month of* November *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Jno Salsbury

U. S. Surveyor General for Utah.

B

289

BOOK-A-20

REPORT: 188

Filed

Examined by

Transcribed by

Compared by

FIE

OF THE

Sou

Township No. S

Range No. 2

SALT

Gra

U

Under his

Dated Au

Survey comm

Survey compl

BOOK-A-206

REPORT: 1885 290

Filed 188

Examined by .....

Transcribed by E. Michaelis

Compared by Solomon & Atkinson

FIELD NOTES

OF THE SURVEY OF THE

South Boundary

OF

Township No. 33 South.

Range No. 23 East.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Guettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 27th 1884

Survey commenced Nov 3d 1884

Survey completed " 3d 1884

NAMES AND DUTIES OF ASSISTANTS.

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

S. Boundary Tp 33 S, R 23 E.
of the Salt Lake Meridian

On the evening of November 2d 1884
took an observation on the star
Polaris, over the Cor to Tps 33 & 34 S.
Rs 23 & 24 E. with Stackpole Theod.
olite No 1734.
Survey commenced November 3d 1884
From above Tp Cor. which is a Sand
Stone 18 x 16 x 8 ins marked 6 notches
N. S. E & W. with pits and mound
of earth.
Run
W. on a true line.
Alms S Sunday Dec 36.
Va 15° E.
Line runs on level grass plateau.

2.00 Hollow. Course N.E.
23.00 Descend. Enter dense oak brush.
30.76 Enter bottom of deep hollow course N. E.
31.30 Wagon road from Bluff City to Little Grand River Valley. Course N.E.
32.00 Ascend. Leave dense oak brush
Enter Timber
39.72 Thence level.
40.00 Set a sandstone 16 x 15 x 9 ins 11 ins in

S Boundary Sp 33 S R 23 E

The ground for ¼ Sec Cor. marked
¼ on N face, and raised a
mound of stone alongside from
which a Cedar 12 ins diam bears
S 10° E. 5 lks dist: and a Cedar
20 ins diam bears N 8° W 66 lks dist
both trees marked ¼ S.B.T.

44.00 Leave Timber

47.00 Descend

57.00 Enter dead Timber.

59.30 Ravine, Course N. E.
Thence level, leave dead Timber.
Enter dense oak brush.

63.00 Descend.

71.00 Enter bottom, Leave undergrowth.

74.50 South fork of North Montezuma Creek
4 links wide, 10 ins deep. Course N. E.

77.00 Trail, Course N. 65° E.

80.00 Set a sandstone 14 x 12 x 9 ins 9 ins in the
ground for Cor to Secs 35. 36. 1. 2 mark
with 1 notch on E and 5 notches on
edged Quy pits 18 x 18 x 12 ins in each
Sec. 5½ ft dist and raised a
mound of earth 2 ft high 4½ ft base
alongside.

of the Salt Lake Meridian

Land heavy rolling 3rd 2nd rate. sandy
Live timber on 12.00 chs. cedars & pinons
dead timber on 2.30 chs
Dense undergrowth on 20.70 chs.
Augmented on 35.00 chains

W on a true line
along S boundary Sec 35.
Va 15° E.

Ascend.
Enter dense Oak brush.
7.40 Thence level. Enter dead timber.
9.50 Leave dead timber.
Ascend, enter dense oak brush.
35.00 Enter plateau & grass. **Leave oak brush**
40.00 Set a sandstone 38 x 15 x 6 ins **25** ins in the ground for ¼ Sec Cor. Marked 4 on N face. And raised a mound of Stone alongside. Pits impracticable a few Cedars & pinons.
43.00 Descend.
51.50 Hollow Course S.E.
Ascend.
67.50 Ravine Course N.E.
75.00 Thence level.

S. Boundary T 33 S, R 23 E

80.00 Set a Sandstone 18 x 16 x 4 ins 12 ins in the ground for Cor to Secs 34, 35, 2 & 3. Marked Unsurveyed with 4 Notches on N. and 2 Notches on E edges. Alum Pits 18 x 18 x 12 ins each dec, 5½ ft dist, and raised a Mound of earth 2 ft high 4½ ft base alongside from which a line Cedar 12 ins diam bears N 9° W 9 lks dist, Marked T 33 S R 23 E S. 34, B. T. Land high mountainous Soil 2nd & 4th rate Dead Timber on 2,10 Chs Dense undergrowth on 34.60 Chs. **Augmented on 80.00 Chains**

W on a true line
Alum S Boundary Sec 34
Va 15° E.

Descend.

11.50 Hollow, Course N E.
Ascend **gradually**.

46.00 Set a Sandstone 20 x 14 x 9 ins 15 ins in the ground for ¼ Sec Cor Unmarked as no Trees Alum Pits 16 x 18 x 12 ins E & W of Stone 5½ ft dist, and raised a mound of Earth 1½ ft high 3½ ft base alongside

80.00 Set a
the
Mar
Alu
5½
edi
Lar
Gra

5.00 Enter
16.00 Des
22.00 Hol
Asc
27.50 A
in
Asc
35.41 A
46.00 Set
Gra
Alu
A

of the Salt Lake Meridian

80.00 Set a Sandstone 22 x 15 x 8 ins 14 ins in the Ground for Cor to Secs 33, 34, 3 & 4. Marked 3 notches on E. & W. Edges. Dug pits 18 x 18 x 12 ins in each Sec, 5 ft dist, and raised a mound of Earth 2 ft high 4½ ft base alongside Level rolling, Soil 2nd rate, sandy Grass & white sage.

W on a true line
Along S. boundary Sec 33.
Va 1.°, E.

5.00 Enter high timber & dense oak brush.
16.00 Descend.
22.00 Hollow & trail, course N. 65° E.
Ascend.
27.50 A Pine 28 ins diam. A Spring 3 chs S. W. in Hollow.
Ascend.
38.41 A Pine 26 ins diam.
40.00 Set a Sandstone 14 x 12 x 5 ins 9 ins in the Ground for ¼ Sec Cor Marked ¼ on N face And raised a mound of Stone alongside A Pine 6 ins diam bears N 13½° E 11 lks dist

S. boundary Tp 33 S R 23 E

A Pine 18 ins diam bears S 76° E 156 lks d
both trees Marked T S, B.T.
Ascend.
53.25 A Pine 20 ins diam.
53.80 Thence nearly level.
65.00 Ascend.
80.00 Set a sandstone 20 x 16 x 3 ins 15 ins in the
ground for Cor to Secs 32-33. 4 & 5. Mon
4 notches on E and 2 notches on W edge
and raised a mound of stone alongside
from which
A Pine 18 ins diam bears N 46½° W 127 lks d
Marked - T 33 S. R 23 E. S 32. B.T.
A Pine 30 ins diam bears S 37° W 180 lks dist
Marked - T 34 S R 23 E. S 5. B.T. No other
Land sloping evenly Forward E.
Soil 2nd Rate sandy Covered with Oak brush
about 15 ins high.
Heavy Timber on 75 chs

W on a true line
along S boundary Sec 32
Va 15° E.
Ascend.

334 A Pine
40.00 Set a sa
grade
and K
A Pine
A Pine 2
both th
65.00 Leaves
Ascen
80.00 Set a sa
ground
with
& ea
Sec
of ea
Lan
Heavy Timber

5.00 Foto
Ascen
40.00 Set a

of the Salt Lake Meridian

2,334 A Pine 30 ins diam.
40.00 Set a Sandstone 14 x 12 x 7 ins 9 ins in the ground for ¼ Sec Cor - Marked ¼ on N face and raised a mound of Stone alongside. A Pine 28 ins diam bears N. 48° E 133 lks dist A Pine 26 ins diam bears S 25° W 196 lks dist both trees marked ¼ S. B.T.
65.00 Leave Timber -
Ascend.
80.00 Set a Sandstone 32 x 14 x 12 ins 24 ins in the ground for Cor to Secs. 31. 32. 5 & 6. Marked with 4 Notch on W and 5 notches on E edges. Dug pits 18 x 18 x 12 ins in each Sec 3½ ft dist. and raised a mound of earth 2 ft high 4½ ft base alongside - Land Sloping Easterly. Soil 2nd Rate, sandy
Heavy Timber with Undergrowth on 65.00 Chs.

W on a true line
Along S Boundary Sec 31.
Va 15° E.

5.00 Foot of high Spur of Blue Mountains
Ascend through Short Oak Brush.
40.00 Set a Granite Stone 26 x 10 x 8 ins 16 ins in

S. Boundary Sp 33 S, R 23 E

the ground for ¼ Sec Cor Marked
¼ on N face. and raised a mound
of stone alongside.
Pits impracticable.

41.80 Top of Spur. Course N.E. & S.W.
S.W. about ½ mile high peak.
Descend. Enter Cranky Ark.

46.75 Enter high dense balsam fire
Descend.
Creek 1 link wide. 3 ins deep in gulch Course
Ascend.

78.84 Following for convergency
Set a Granite Stone 34 X 22 X 18 ins 24 ins
the ground for Cor to Tps 33 & 34 S.
Rs 22 & 23 E. Marked with 6 notches on
each edge. And raised a mound of
stone alongside.
from which a
Balsam Pine 22 ins diam bears S 26° W 9 lks
Marked T 34 S. R 22 E. S 1. B.T.
A Balsam Pine 8 ins diam bears S 52° E 34 lks dis
Marked T 34 S R 23 E. S 6 B.T.
A Red Pine 16 ins diam bears N 18° E 25 lks dis
Marked T 33 S. R 23 E S 31. B.T.
A Balsam Pine 20 ins diam bears N 47° W 60 lks
Marked T 33 S. R 22 E. S 36. B.T.

of the Salt Lake Meridian.

Land high mountainous Soil 3rd rate, rocky. Heavy timber - balsam, red pine & quaking asp on 39.20 chs. Mountainous on 73.84 chs.

November 3rd 1884

General Description.

The above line runs over high plateau Covered with oak brush, Pinon and Cedars for 1st 4 Miles, and with several species of pine. (Grey leafed balsam, red and white pine)

On last 2 miles, there is splendid pasture along line, and an abundant supply of water.

Ernst Buettner
U.S. Dep. Surveyor

BOOK-A

U. S. SURVE

Salt Lak

The foreg

Township No.

Executed by

Under Contrac

day of

amined, the ne

the said field

hereby approve

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 12 *1885.*

The foregoing field notes of the survey of the South Boundary

Township No. 33 South *Range No.* 23 E.

Executed by Ernst Buettner

Under Contract No. 128 *of the* 27th

day of August *1884, in the month of* November *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salsbury

U. S. Surveyor General for Utah.

BOOK A 206

303

BOOK-A-

REPORT: A

Filed

Examined by

Transcribed by

Compared by A

F

OF TH

No

Township No.

Range No. 2

SALT

Ir

Under his

Dated A

Survey comm

Survey comp

BOOK-A-206 78 17

304

REPORT: 1885

Filed 188

Examined by .....

Transcribed by E. Michaelis

Compared by Pearson & Wilkinson

FIELD NOTES

OF THE SURVEY OF THE

North Boundary

OF

Township No. 33 South

Range No. 24 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 27th 1884.

Survey commenced Oct 18th 1884

Survey completed " 18th 1884

BOOK-A-206

Township 33 S R. 24 E

306 308 309 310 311 314

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

NAMES AND DUTIES OF ASSISTANTS.

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

N. Boundary Tps 33 S., R 24 E. of the Salt Lake Meridian

Survey commenced October 18th 1884
From the Cor to Tps 32 & 33 S. Rs 24 & 25 E.

Ran W. on a random line between Tps. 32 & 33 S. Va. 15° E. Set Temporary half mile & mile Cors at the end of every 40.00 & 80.00 chs and find the Tp line to be 6 miles and 2.30 chs long, and the falling off N. 84 lks.
The Correction thereon will be 14 lks S per mile, and the Course will be N 89° 57' E.

From the Cor to Tps 32 & 33 S. Rs 23 & 24 E which is a Sandstone 18 x 12 x 6. in mound of rocks. Marked 6 notches on N. E. S. & W. edges, which I re-set and dug pits 24 x 18 x 12 ins lengthwise on each line. N. S. E. & W. of Stone 6 ft dist, and raised a mound of earth 2½ ft high & ft base alongside—
Ran

N. 89° 57' E on a true line along N Boundary Sec. 6

N. Boundary Sp 33 S, R 24 E of the M

Va. 15.° E. Henry Smith

Line runs in deuse Page Creek.

23.50 Leave Creek, enter bottom.

28.50 Branch of Creek 5 lks wide 1 foot deep
Course S. 85.° E.

35.50 Branch of same Creek 3 lks wide 1. foot
Course S. 85.° E.

42.30 Set a sandstone 24 x 7 x 4 ins 18 ins in the ground for ¼ Sec Cor. Marked ¼ on N face dug pits 18 x 18 x 12 ins E end of stone 5½ ft dist and raised a mound of earth 1½ ft high 3½ ft base alongside.

43.00 Sand. Course S. 85.° E.

64.50 Enter Timber.
Ascend.

70.00 Enter nearly level ground, leave timber.

82.30 Set a Sandstone 16 x 7 x 3 ins 11 ins, in the ground for Cor to Secs 31, 32, 5 & 6 marked with 1 Notch on W x 5 notches on E edges dug pits 18 x 18 x 12 ins in each Sec. 5½ ft dist and raised a mound of Earth 2 ft high 4 ft base alongside Land nearly level. Soil black loam bottom 1st rate, next 2nd rate

13.00 Enter

Deuse

15.00 Enter

44.00 Ranin

runs

40.00 Set a

with

for ¼

dug

5½ ft

earth

Asce

50.00 Enter

80.00 Depo

the g

dug

dist

2 ft

of the Salt Lake Meridian

Heavy Timber on 5.50 chs, cedars & pinons
Dense undergrowth on 23.50 chs.
Augmented on 29.00 chains

N 89° 54' E. on a true line
along N boundary Sec. 5
Va 15.° E.

13.00 Enter Timber
Descend.

5.00 Enter level bottom, leave Timber.

11.00 Ravine, course S 15.00 chs to creek which runs thence S. 5.00 chs thence S.E.

40.00 Set a Cedar post 3 ft long 3 ins square with marked stone 12 ins in the ground for ¼ Sec Cor. Markd ¼ S on N face alloy pits 18 X 18 X 12 ins E & W of post ½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base around post.
Ascend.

50.00 Enter level ground.

80.00 Deposited a marked stone 12 ins in the ground for Cor to Secs 32, 33, 4 & 5. alloy pits 18 X 18 X 12 ins in each Sec. 5 ft dist and raised a mound of earth 2 ft high, 4½ ft base over it.

N. Boundary 309 Sp 33 S. R 24 E.

of the Sa

In S.E pit. Set a Sandstone 10x7x6
6 ins in the ground. Marked.
~~T. 32 S. S 33 on N.E.~~
~~R 25 E. S 4 on S.E.~~
~~S 5 on S.W and~~
~~S 32 on N.W faces~~ with 2 notches on W
4 Notches on E edges.
Land slightly rolling. Soil 1st rate Black
Heavy Timber on 2 or 3 chs, cedars & pine

N. 89° 57' E on a true line.
Along N Boundary Sec 4.
Va. 15.10 &
Enter Grass plateau.
40.00 Set a Sandstone 14x14x3 ins 9 ins in
ground for 1/4 Sec Cor. Marked 1/4 on N
Dug pits 18x18x12 ins. E & W of Stone
5 1/2 ft dist and raised a mound of Earth
1 1/2 ft high 3 1/2 ft base along side
Descend gradually
80.00 Set a Sandstone 12x8x4 ins 8 ins in
ground for Cor to Secs 33, 34, 3 & 4
Marked with 3 notches on E & W edges
Dug pits 18x18x12 ins in each Pit

5 1/2 ft
Earth
Land
Coal

00 Enter
0 1 Chain
50 Topail
00 Set a Sa
for 1/4 Sec
Dug
5 1/2 ft
1 1/2 ft high
00 Set a Sa
for Cor
4 Notch
Dug pits
5 1/2 ft
Earth
Land
Dense
Coal
Quar

of the Salt Lake Meridian

24 E.

5½ ft dist. and raised a mound of earth 2 ft high. 4½ ft base alongside. Land nearly level. Soil 2nd rate, sandy Coal formation.

N 89° 57' E on a true line along N boundary Sec 3., Va 15°. E.

.00 Enter dense sage brush.

.50 1 Chain N. top of low knoll.

.50 Trail. Course N. & S.

.00 Set a sandstone 15 x 10 x 3 ins 10 ins in the ground for ¼ Sec Cor. Marked ¼ on N face Chy pits 18 x 18 x 12 ins E. & W. of stone 5½ ft dist. and raised a mound of earth 1½ ft high. 3½ ft base alongside

.00 Set a sandstone 12 x 10 x 3 ins 8 ins in the ground for Cor to Secs 34, 35, 2 & 3. Marked with 4 Notches on N and 2 notches on E. edges. Chy pits 18 x 18 x 12 ins in each Sec. 5½ ft dist and raised a mound of earth 2 ft high 4½ ft base alongside. Land level. Soil 2nd rate sandy Dense undergrowth on 70.00 chs. Coal formation—

Quarantined on 70.00 chains.

N. Boundary Sp. 33 S, R2 of the Sal

BOOK A 206

N 89° 54' E on a true line
along N boundary Sec 2
Va 15° E.
Line runs through dense sagebrush
H.00 Set a sandstone 14 x 14 x 3 ins 9 ins in
ground for ¼ Sec Cor. Marked ¼ on N
Bay pits 18 x 18 x 12 ins E & W of Stone
3½ ft dist. and raised a mound of ea
1½ ft high, 3½ ft base alongside.
80.00 Set a sandstone 15 x 10 x 3 ins 10 ins in
ground for Cor to Secs 35. 36. 1 & 2. Ma
with 5 notches on W and 1 notch on E
Bay pits 18 x 18 x 12 ins in each, Sec. 3
dist. and raised a mound of earth
2 ft high. 4½ ft base alongside.
Land level. Soil 2nd rate, sa
Dense undergrowth on 80.00 chs.
Coal - formation
Augmented on 80.00 chains

N 89° 54' E on a true line
along N boundary Sec. 1
Va 15° E.
Leave dense undergrowth enter gras
20.00 Enter dense undergrowth.
35.00 Leave " " Enter gross

Set a bou
8 ins in
¼ on N
E & W of
a mound
along
The Cor
Land le
Dense un
Grass &
Coal fo

The line
Mostly Co
3 to 4 fe
The
Cattle,
bottom
Juni

of the Salt Lake Meridian

00 Set a bunch black sandstone 12x10x5 ins
8 ins in the ground, for ¼ Sec Cor Mound
¼ on N face dug pits 18x18x12 ins
E & W of Stone 5½ ft dist. and raised
a Mound of earth 1½ ft high. 3½ ft base
Alongside.

00 The Cor to Sps 32 & 33 S. Rs 24 & 25 E.
Land level. Soil 2nd rate, sandy
Dense undergrowth on 15.00 chs.
Grass & white sage on remainder
Coal formation. Augmented on 15.00 chs
October 18th 1884.

General Description.

The line runs over a level plateau,
Mostly Covered with dense sage brush,
3 to 4 ft high.

There is excellent pasture for
Cattle, along the creek there is a
bottom well adapted for farming.
I found frequent indications of Coal.

Ernst Ruettner
U. S. Dep. Surveyor.

BOOK-A-206

U. S. SURVEYOR

Salt Lake Ci

The foregoing

Sor

Township No. 3

Executed by E

Under Contract No

day of Aug

October

amined, the necess

the said field not

hereby approved.

BOOK-A-206

314

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April *1885.*

The foregoing field notes of the survey of the

North Boundary

Township No. 38 South *Range No.* 2 East

Executed by Ernst Buettner

Under Contract No. 128 *of the* 27th

day of August *188*4*, in the month of*

October *188*4*, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salsbury

U. S. Surveyor General for Utah.

BOOK-A-206

EPORT: 1885

led

amined by

ranscribed by Mer

ompared by Vale

FIEL

OF THE S

Eas

ownship No. 33

ange No. 24

SALT LA

UT

Surv

U. S

Under his Co

Dated 27th

Survey commen

Survey complete

BOOK-A-206

EPORT: 1885 316

led 188

xamined by

ranscribed by Henry R Matkinson

ompared by Matkinson & Atkinson

FIELD NOTES

OF THE SURVEY OF THE

East Boundary

OF

Township No. 33 South

Range No. 24 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated 27th August 1884

Survey commenced October 17th 1884

Survey completed " 17th 1884

NAMES AND DUTIES OF ASSISTANTS.

.....*Compassma*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Axeman.*

.....*Axeman.*

.....*Flagman.*

BOOK-A-206 318

E. Boundary Tps 33 S, R 24 E of the Salt Lake Meridian.

Return to Cor to Tps 33 & 34 S. R 24 & 25 E., On the night of October 16th 1884 I took an observation on the Star Polaris from above Cor. to Tps 33 & 34 S. Rs 24 & 25 E. Es tablished by me with Stackpole theodolite No 1734 And three pickets on line this established Survey Commenced. October 17th 1884

From the above Cor I run

N. between secs 36 & 31,

Va 15° E.,

The foresight is the pinnacle of Mount Solomon in Sierra La Sal.

10.00 Enter dense sage brush.

40.00 Set a Cedar post 3 ft long 3 ins square with marked stone, 12 ins in the ground for ¼ Sec Cor. Marked ¼ S on W face dug pits 18 X 18 X 12 ins N. & S. 5½ ft dist dug all raised a mound of earth, 1½ ft high 3½ ft base around post.

72.50 Leave brush. Enter grass.

73.00 Fail Quse. E & W.

93.00 Enter brush & dead Timber.

Descend.

80.00 Set a Piñon post 4 ft long. 4 ins square

E. Boundary Sp. 33 S., R 24 E. of the Salt

with marked stone, 12 ins in ground for Cor to Secs. 25. 30. 31 & Marked.
T. 33 S. S 30. on N.E.
R 25 E. S 31. on S.E.
S 36. on S.W. and
S 25 on N.W. faces with 1 Notch on S. 5 Notches on N. Edges. Dug pits 18 in each Sec. 5½ ft dist. and raised a mound of earth 2 ft high, 4½ ft around pits.
Land level. Soil 2nd rate, sand
Deuse undergrowth on 59.50 chs
Burnt Timber on last 17.00 chs
Augmented on 76.50 chains

N. between Secs 25 & 30.
Va 15°. E.

12.00 Leave dead Timber. Enter grass.
15.00 Waggon road to Piute Springs, Arne E.
40.00 Set a Cedar Post 3 ft long 3 ins square with Marked stone. 12 ins in the ground for ¼ Sec Cor Marked ¼ S on W face Dug pits 18 X 18 X 12 ins N. & S. of post 5½ ft dist. and raised a mound

of earth around
9.00 Set a Cedar with mar
for Cor to
T 33 S. S
R 25 E. S 3
S 25 on
S 24 on
Saul
18 X 18 X 12
raised
base
Land
Deuse
on 12
Indica
Augm
40.00 Set a C
with
for ¼ S
Dug p

of the Salt Lake Meridian

of earth 1½ ft high. 3½ ft base around post.

0.00 for a Cedar post 4 ft long 4 ins square with marked Stone. 12 ins in the ground for Cor to Secs 24 19 30 & 25. Marked.
T 33 S. S 19 on N. E.
R 25 E. S 30 on S. E.
S 25 on S. W and
S 24 on N. W. faces with 2 notches on S and 4 notches on N. E dges. dug pits 18 X 18 X 12 ins in each sec 5½ ft dist. and raised a mound of earth 2 ft high 4½ ft base around post.
Land level. Soil 2nd rate, sandy
Dense undergrowth and dead Timber
on 12.00 chs,
Indications of Coal.
Augmented on 12.00 chs.

N. between Secs 19 & 24.
Va 15° E

40.00 for a Cedar post 3 ft long 3 ins square with marked Stone. 12 ins in the ground for ¼ Sec Cor. Marked ¼ S on W face dug pits 18 X 18 X 12 ins N. & S. of post

E. Boundary Sp. 33 S, R 24 E of the Sa

5½ ft dist. and raised a mound
of earth 1½ ft high 3½ ft base
around post.

46.00 Enter Timber. 3.00 Leave

80.00 Set a Pinon post 4 ft long 4 ins sq 4.00 Set a
24 ins in the ground for Cor to Secs 18, 19 with
Marked. ground
T. 33 S. S 18 on N. E. w face
R 25 E. S. 19 on S. E. of post
S 24. on S. W. and mound
S 13. on N. W. faces with 3 notches on annd
N. and S. edges, from which 2.00 Enter
A Pinon 14 ins diam bears S 22½° W 14 lks dist 3.00 Leave
Marked T 33 S. R 24 E. S 24. B. T.. 4.00 Set a
A Cedar 18 ins diam bears S 51½° E 13 lks dist with
Marked T. 33 S. R 25 E. S 19. B. T.. for Cor
A Cedar 14 ins diam bears N 16° W. 33 lks dist T 33 S.
Marked T 33 S. R 24 E. S 13. B. T.. R 25 E.
No other Trees within limits. S 13, a
Dug a pit in Sec 18. 18 x 18 x 12 ins 5½ S 12, a
dist. and raised a mound of earth 2 Not
2 ft high 4½ ft base alongside in eac
Land level. Soil 2nd rate, land mou
Covered with grass. Indications of Ar
Heavy Timber on 34.00 Chs, cedars Lan

of the Salt Lake Meridian

N. between Decs 13 & 18.
Va 15½ E.

3.00 Leave timber.

1.00 Set a Cedar post 3 ft long 3 ins square with marked stone, 12 ins in the ground for ¼ Sec Cor. Marked ¼ S on W face. dug pits 18 x 18 x 12 ins N. & S. of post 5½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base around post.

2.00 Enter timber

3.00 Leave timber, enter deep under a ledge.

1.00 Set a cedar post 4 ft long 4 ins square with marked stone 12 ins in the ground for Cor to Secs 12, 7, 18 & 13. Marked T 33 S. S 7 on N.E.
R 25 E. S. 18 on S.E.
S 13, on S.W. and
S 12. on N.W. faces with 4 notches on S and 2 Notches on N edges. dug pits 18 x 18 x 12 ins in each Sec, 5½ ft dist. and raised a mound of earth 2 ft high 4½ ft base around post.
Land level. Soil 2nd rate, sandy

E. Boundary Sp 33 S, R 24 E

of the Sa

Heavy timber, cedars & pinons
on 96 00 chs.
Dense undergrowth on 5.00 ch
Augmented on 21.00 chains
Coal formation.

N. between Secs 7 & 1
Va 15°

Leave undergrowth. Enter grass
110,00 Set a Cedar post, 3 ft long. 3 ins
with marked stone 12 ins in mou
for ¼ Sec Cor. Marked ¼ S on W fac
Dug pits 18 X 18 X 12 ins N. & S. of post
3½ ft dist. and raised a mound of ea
1½ ft high 3½ ft base around post
80,00 Set a sandstone 16 X 14 X 6 ins 11 ins in
ground for Cor to Secs 1. 6. 7. & 12.
with 6 notches on S and 1 notch on N.
Dug pits 18 X 18 X 12 ins in each Sec. 5
dist. and raised a mound of earth
2 ft high 4½ ft base alongside.
Land level Grass plateau
Coal indications.

10,00 Set a sa
the grou
W face
Stone
Mound
along
9,00 Set a sa
the grou
R 24 E
on eac
length
of Ston
Mound
along
Land
Some
Coal

X

The
mini
rich

BOOK-A-206

of the Salt Lake 32½ Meridian

N. between Secs 1 & 6
Va 13½° E.

40.00 Set a sandstone 24 x 14 x 8 ins 18 ins in the ground for ¼ Sec Cor. Marked ¼ on W face, dug pits 18 x 18 x 12. N & S of Stone 5½ ft dist and raised a Mound of Earth 1½ ft high 3½ ft base alongside.

39.00 Set a sandstone 20 x 14 x 5 ins 15 ins in the ground for Cor to Tps 32 & 33 S. R 24 & 25 E. Marked with 6 notches on each edge. dug pits 24 x 18 x 12 ins lengthwise on each line N. S. E & W. of Stone 6 ft dist and raised a Mound of earth 2½ ft high 5 ft base alongside.

Land level Gross plateau, Soil 2nd rate sandy
Some sage brush.
Coal formation.

October 17th 1884.

General Description

The line runs over an uninterrupted level plateau, richly covered with blue joint

grass and white sage. Many
excellent pasture, intermpte
occasionally by a grove of Cedar
and pinons.
I find many indications of Coa

E. Buettner
U. S. Dep. Survey

U. S. SURVEYO

Salt Lake

The foregoi

Cas

Township No. 2

Executed by

Under Contract

day of Dec

Octob

amined, the nec

the said field

hereby approve

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13th 1885

The foregoing field notes of the survey of the East Boundary

Township No. 33 South *Range No.* 24 East

Executed by Ernst Buettner

Under Contract No. 128 *of the* 27th

day of August *1884, in the month of* October *1884, having been critically examined, the necessary corrections and explanations made; the said field notes, and the surveys they describe are hereby approved.*

Fred Salsbury

U. S. Surveyor General for Utah.

BOOK-A-20

EPORT: 188

iled

xamined by

ranscribed by M

ompared by Lac

FIE

OF THE

East

North

Township No. 2

Range No. 29

SALT

E

U

Under his

Dated 27

Survey comm

Survey compl

BOOK-A-206 30-31

REPORT: 1885 238

Filed 188

Examined by .....

Transcribed by Michael S. Atkinson

Compared by Solomon & Atkinson

FIELD NOTES

OF THE SURVEY OF THE

East & North

Boundaries

OF

Township No. 32 South

Range No. 25 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernest Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 27th 1884

Survey commenced October 31st 1884

Survey completed " 31st 1884

BOOK-A-206

Township 33 S R. 25 E.

330	331	332	333	334	335	
6	5	4	3	2	1	34
7	8	9	10	11	12	33
18	17	16	15	14	13	32
19	20	21	22	23	24	31
30	29	28	27	26	25	30
31	32	33	34	35	36	29

NAMES AND DUTIES OF ASSISTANTS.

.....Compassman.

.....Chainman.

.....Chainman.

.....Chainman.

.....Chainman.

.....Axeman.

.....Axeman.

.....Flagman.

NAMES AND DUTIES OF ASSISTANTS.

.....*Compassman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Axeman.*

.....*Axeman.*

.....*Flagman.*

N. Boundary Tp 33 S, R. 24 E of the 6

the ground for 4 Sec Cor. Marked on N face, Dug pits E & W 5 ft 18 x 18 x 12 ins. 5½ ft dist and raised a mound of earth 1½ ft high 3½ ft base alongside —

78,54 Set a sandstone 20 x 10 x 3 ins 15 ins in the ground for Cor to Secs 31, 32, 5, 1 X Marked with 1 notch on W and 5 notches on E edges. Dug pits 18 x 18 x 12 ins in each Sec. 5½ ft dist. and raised a mound of earth 2 ft high 4½ ft base alongside.
Land label grass plateau Pit 22 sound
Indications of Coal.

S. 89° 51' E
along S boundary Sec 32.
Va 14° 35' E

40,00 Set a sandstone 14 x 9 x 4 ins 9 ins in the ground for 4 Sec Cor, Marked 4 on N face. Dug pits 18 x 18 x 12 ins E. & W. of stone 5½ ft dist, and raised a mound of earth 1½ ft high 3½ ft base alongside.

9,00 Set a sa... the gro... Marked ... notches ... in each ... a mou... base ... Land ... Coal ... Gras...

40,00 Set a ... the gr... N. fa... of Pit... mou...

80,00 Set a ... the g... Marke... dug ... 5½ ...

of the Salt Lake Meridian

40.00 Set a sandstone 14 x 14 x 2 ins 9 ins in the ground for Cor to Secs. 32, 33, 4 & 5. Marked with 2 notches on W. and 4 notches on E. edges. Dug pits 18 x 18 x 12 ins in each Sec. 5½ ft. dist. and raised a mound of earth 2 ft. high 4½ ft. base alongside.
Land level. Soil 2nd rate, sandy
Coal formation.
Grass & white sage.

S 89° 57' E.
Along S. boundary Sec. 33.
Gen. 14.55 Ch.

40.00 Set a Sandstone 15 x 14 x 2 ins 10 ins in the ground for ¼ Sec Cor. Marked ¼ on N. face. Dug pits 18 x 18 x 12 ins E. & W. of stone 5½ ft. dist. and raised a mound of earth 1½ ft. high 3½ ft. base alongside
80.00 Set a Sandstone 18 x 12 x 2 ins 12 ins in the ground for Cor to Secs. 33, 34, 3 & 4. Marked 3 notches on E. & W. edges. Dug pits 18 x 18 x 12 ins in each Sec 5½ ft. dist. and raised a mound

N. Boundary Sp. 33 S, R 25 E

of earth 2 ft high 4½ ft base along Land Abel, Soil 2nd rate, Land Covered with grass & white sage. Coal formation.

S. 89° 57' E
along South boundary dec 34
Va 14° 35
40.00 Set a sandstone 16 X 14 X 2 ins 11 ins in the ground for ¼ Sec Cor Marked ¼ on N. face Dug pits 18 X 18 X 12 ins E. of Stone 5½ ft dist and raised a mound of earth 1½ ft high 4½ ft base alongside.
63.50 Mark with Water holes, Course. N.
67.50 Mark with Water holes, Course N. 21
26 chs to iron former mark.
80.00 Set a sandstone 28 X 12 X 2 ins 21 ins in the ground for Cor to Secs 34, 35, 2
Marked 4 notches on W and 2 notches on E. edges. Dug pits 18 X 18 X 12 ins in each Sec 5½ ft dist and raised a mound of earth 2 ft high 4½ ft base alongside.

of the Salt Lake Meridian

Land level, Soil 2nd rate, sandy
Coal formation,
Grass & white sage.

S. 89° 51' E.

Alloy S° boundary Secs 35,
Vol 14° 55' E

6.00 Set a sandstone 22 X 14 X 3 ins 16 ins in the ground for ¼ Sec Cor. Marked ¼ on N face. Any pits 18 X 18 X 12 ins E. & W. of Stone 5½ ft distt. and raised a mound of earth 1½ ft high 3½ ft base alongside.
Enter dense sagebrush.
70.00 Mark. Cross N. & W. heads N. E.
1.50 Mark. Corner N. W.
Leave brush.
8.00 Set a Sandstone 32 X 15 X 2 ins 24 ins in the ground for Cor to Secs 35. 36. 1 & 2.
Marked with 5 notches on W and 1 notch on E edges. And raised a mound of Stone Alongside.
Pits impracticable.
Land level. Soil 2nd rate. sandy
Indications of Coal.
Grass & white sage.
Dense undergrowth for 31.50 chs.

N. Boundary Sp 33 S, R 25 E

S. 89° 57' E.
along S. Boundary Sec 3
Vd. 14.° 55' E

17.00 Trail, & Bone mark, Course N-W & S.
Enter dense sage brush.
Ascend.
21.99 Thence level.
25.00 Ascend.
38.00 Enter Timber. Leave dense sage bru
39.96 Thence level.
40.00 Set a Sandstone 18 x 10 x 3 ins 12 ins u
the ground for ¼ Sec Cor. Marked ¼ C
N. face. dug pits 18 x 18 x 12 ins. E
of Stone 3½ ft dist. and raised a m
of earth 1½ ft high 3½ ft base along
A Pinon 15 ins diam bears N 67° E 9 lks
A Pinon 12 ins diam bears S 29° W 46 lks d
both Trees marked ¼ S. B. T.
70.00 Leave Timber, Enter dense Sage brush.
80.00 The Cor to Tps 32 & 33 S. Rgs 25 & 26 E.
Land nearly level, Soil 2nd rate. Lan
Heavy Timber on 32.00 chs, pinons.
Dense undergrowth on 31.00 chs.
Augmented on 63.00 chains
October 29th 1884

of the Sec
Ge
The line
gently
The land
excellent
is a sp
I find
Mony

BOOK-A-206

of the Salt Lake Meridian

General Description.

The lines run over level plateau gently sloping, E at a grade of 1½°
The land is plentifully covered with excellent white sage and grass, and is a splendid pasture.
I find many indications of coal along entire line.

Ernst Buettner
U. S. Dep. Surveyor.

BOOK-A-20

E. P.
of th

Return
On the
Book
from
is tabl
Finish
Survey

X

Fine
Set a
in the
on W
Cedar
Cedar
both
Leave
Set a
with
for co
T. 33
R. 26
S. 36
S. 25

BOOK-A-206 19338

E. Boundary Tp. 33 S. R 25 E.
of the Salt Lake Meridian

Subdivision to Cor to Tps. 33 & 34 S. R 25 & 26 E.

On the night of October 27th 1884
Took an observation on the Star Polaris
from above Cor to Tps. 33 & 34 S. Rs 25 & 26 E.
is established by me with Stackpole Theodolite No 734
Windsor Pickets on line. Thus established.
Survey commenced October 28th 1884.

From the above Cor runs
N between Secs 36 & 31.
Var 14° 53' E

Runs & Courses in Timber.

46.00 Set a Cedar post 3 ft long 3 ins square 24 ins
in the ground for 1/4 Sec Cor marked 1/4 S
on W face from which
a Cedar 10 ins diam bears S 79° W 20 lks dist.
a Cedar 16 ins diam bears N 88° E 102 lks dist
both Trees marked 1/4 S. B.T.

61.00 Leave Timber, enter dense Sage brush.

66.00 Set a Piñon post 4 ft long 4 ins square
with marked Stone, 4 ins in the ground
for Cor to Secs. 25, 30, 31 & 36. Marked.
T. 33 S. S 30. on N.E.
R 26 E. S 31. on S.E.
S. 36 on S.W. and
S 25 on N.W. with 1 Notch on S and

E. Boundary Sp 33 S R 25 E

of the S

5 Notches on N edges. Dug pits
18 X 18 X 12 ins in each Dec 5½ ft
and gained ½ mound of earth
2 ft high, 4½ ft base around fork
& 16 Heavy brush.
Land level, soil 2nd rate. Sam
Heavy Timber cedars & pines on 6.00 chs.
Dense undergrowth on rest.
Augmented on 80.00 chains.

N between Secs 25 & 30
Va 1405.31 6

1.00 Enter grass & white sage.
12.00 Small and narrow Zone S. 24.
17.00 Enter dense Sage brush.
25.00 Leave dense Sage brush. Enter grass.
114.00 Set a Cedar Post 3 ft long 3 ins square
with marked stone, 13 ins in the ground
for ¼ Sec Cor. marked ¼ S on or Sec Heavy Tim
dug pits 18 X 18 X 12 ins N. & S. of Post
5½ ft dist. & gained a mound of
earth 1½ ft high 3½ ft base around Post
70.00 Enter dense Sage brush.
79.00 Enter Timber.
80.00 Set a Cedar post 4 ft long 4 ins squ

with marked stone 12 ins. in the ground for Cor to Secs 24, 19, 25 & 30
Marked.
T. 33 S. S 19 on N. E.
R. 26 E. S 30 on S. E.
S 25 on S. W. and
S 24, on N. W. faces. with 2 notches
on S & X notches on N. Edges from which.
A Cedar 8 ins diam bears N. 48¾° W. 28 lks dist
Marked T. 33 S. R 25 E. S 24 B. T.
A Cedar 8 ins diam bears N. 53½° W. 32 lks dist
Marked T. 33 S. R. 25 E S. 24. B. T.
A Pinon 20 ins diam bears S. 57½° W 46 lks dist
Marked T. 33 S. R 25 E. S. 25 B. T.
Ang pits 18 x 18 x 12 ins in each Sec. 5½ ft
dist. And raised a mound of earth
2 ft high 4½ ft base around pits
Valley level, soil 2nd rate, sandy
Heavy Timber on 1.00 ch. Cedars
Dense undergrowth on Hills.
Coal formation.
Augmented on 9.00 chains.

E. Boundary Sp 33 S, R 25 E

N. between Secs 24 & 19
On 41° 53 -

110.00 Set a Cedr post 3 ft long 3 in Square 24 in in the ground for ¼ Sec Cor. mkd ¼ S on W face, from which, A Cedar 2 his diam bears S. 36° W 105 lks dist 7.50
A Cedar 12 ins diam bears N. 43° E 200 lks dist 24.75
both trees marked ¼. S. B. T.
7.00 Leave Timber, Euler grass park
80.00 Set a Piñon post 4 ft long 4 ins square with marked stone 12 ins in the ground for Cor to Secs. 13. 18. 19 & 24. Marked T. 33 S. S 18 on N. E.
R 26 E. S 19, on S. E.
S 24. on S. W and S.
S 13. on N. W faces. 3 notches on N. & S edges. Adg pits 18 x 18 x 12 ins in each Sec 5½ ft dist, and mound of each 2 ft high 4 ft base around post.
Land level, Soil 2nd rate, scan.
Heavy Timber cedars & pinon on 70.00 chs
Coal formation.
Augmented on 70.00 chs.

---

of the S

(Accou
6.00 Wagon
Phile
7.50 Euler
12.00
24.75
16.00 Set a C
24 ins
Marked
A Cedar
A Cedar
both t
13.00 Leave
Perce
6.97 Euler
7.50 Virgil
80.00 Set a
With
for Co
Mitte
N. E
T. 33
R. 26

of the Salt Lake Meridian

Between Secs 13 & 18.
Var. 14° 33' E.

Ascend.

6.00 Oregon road from Blue Mountain to White Springs.

7.50 Enter Timber.

14.50 12.00 Chs W. top of low round knoll.

16.00 Set a Cedar post 3 ft long 3 ins square 2 ins in the ground for 4 Sec Cor marked 4 S on a face, from which a Cedar 8 ins diam bears N 66° W. 47 lks dist a Cedar 8 ins diam bears S. 59° E 48 lks dist both trees marked 4 S. 13 T.

43.00 Leave Timber.

Descend.

61.97 Enter grass & white sage land.

67.50 Small Creek N. 20° W.

68.00 Set a Cedar post 4 ft long 4 ins square with marked stone, 12 ins in the ground for Cor to Secs. 12. 7. 18 & 13. Marked with 4 notches on S and 2 notches on N. edges. and marked T. 33 S. S 7. on N.E. R 26 E. S 18 on S.E.

E. Boundary Tp 33 S, R 25 E

S. 13. on S. W. and
S. 12 on N. W. faces. Dug pit
8 X 18 X 12 ins in each Dec 5½ ft
Aud mixed a mound of earth 2
high 4½ ft base around pork
Land nearly level Adl 2nd rate,
Heavy Timber cedars & pines on 15.50 Chs.
Coal formation.
Augmented on 15.50 chains

Between Decs 12 & 7.
Va 14° 55'

22.00 Enter Timber.
40.00 Set a Limon Post 3 ft long 3 ins sq
24 ins in the ground for 4 Dec Cor
Marked 4 S on W face from whi
a Cedar 30 ins diam bears S 20° W 3 lks
a Pine 40 ins diam bears N 58° E 52 lks
both trees marked 4 S. B. T.
45.00 Leave Timber, Enter grass & white Sage pla
60.00 Trail, Course S. W. Summit Spring
bears S. Easterly about ½ miles.
80.00 Set a Sand stone 24 X 12 X 3 ins in 18 ins
in the ground for Cor to Decs 1. 6. 7 & 12
Marked with 5 Notches on S and

1 Notch
18 X 18 X
Aud a
high 4
Land
Heavy Timber
Coal
Augm

Between
Va
12.00 Follow
44.00 Enter
35.00 Leave
40.00 Set a
with
for 4
Cor
5½ ft
earth
46.00 Enter
62.00 Trail
Set a
80.00 Set a
in the

of the Salt Lake Meridian

1 Notch on N. Edges. Any pits
18 X 18 X 12 ins in each Dec, 5½ ft dist.
Augmented a mound of earth 2 ft
high 4½ ft base alongside.
Level land. Still 2nd rate, sandy
Heavy Timber pinons in 23.00 chs.
Coal formation.
Augmented on 23.00 chains

N. Column Decs 1 X 6.
Var 14° 55' E.

62.00 Hollow & Trail, Course N.W.
14.00 Enter Timber.
35.00 Leave Timber, Enter deuze page brush.
46.00 Set a Cedar post 3 ft long 3 ins square
with mound stone 12 ins in the ground
for ¼ Sec Cor. Marked ¼ S on W face
Any pits 18 X 18 X 12 ins N. W. S. of post
5½ ft dist, and mused a mound of
earth 1½ ft high 3½ ft base around post.
46.00 Enter Timber Leave deuze page brush
62.00 Trail Leads W. Leave Timber.
In deuze page brush.
80.00 Set a Sandstone 34 X 14 X 4 ins 25 ins
in the ground for Cor to Sec 32 X 33 S.

BOOK A 206 345

E. Boundary Tp 33 S., R 25 E.
of the Salt Lake Meridian

Rs 25 & 26 E. Marked with 6 notches on each edge. Dug pits 24 x 18 x 18 lengthwise on each line. N.S. & W. & Stone 6 ft dist. and raised a mound of earth 2½ ft high. 3 ft base alongside.

Level land. Soil 2nd rate

Heavy Timber on 37.00 chs, cedars & pine

Coal formation.

× Dense undergrowth on 29.00 chs.

Augmented on 66.00 chains

October 28th 1882

General Description.

The line runs over plateau, gently sloping Easterly at about an angle of 1½°.

There are large groves of Cedars & Pinons, and between these Parks covered richly with blue joint grass and white sage.

Found occasional hills covered thickly with shells & petrefactions and many other indications of Coal

Ernst Buettner
U. S. Dep. Surveyor

BOOK-

U. S. SURVEY

Salt Lake

The foreg

East & No

Township No. 2

Executed by G

Under Contract

day of Oc

Octob

amined, the nec

the said field

hereby approve

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 15 1885

The foregoing field notes of the survey of the East & North Boundaries

Township No. 3 South *Range No.* 22 East

Executed by Ernst Buettner

Under Contract No. 128 *of the* 27th

day of August *1884, in the month of*

October *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salmon

U. S. Surveyor General for Utah.

BOOK-A-20

REPORT: 1885

Filed .....

Examined by .....

Transcribed by ...

Compared by ...

FIE

OF THE

North

Township No. 3

Range No. 26

SALT I

Eru

U.

Under his

Dated 27

Survey comme

Survey comple

BOOK-A-206

REPORT: 1885 2348

Filed 188

Examined by .....

Transcribed by Henry R Mathison

Compared by Sidonia Atkinson

FIELD NOTES

OF THE SURVEY OF THE

North Boundary

OF

Township No. 33 South

Range No. 26 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 28

Dated 27th August 1884

Survey commenced October 31st 1884

Survey completed " 31st 1884

BOOK-A-206

Township 33 S. R. 26 E.

350 351 352 353 355

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

NAMES AND DUTIES OF ASSISTANTS.

.....Compassman.

.....Chainman.

.....Chainman.

.....Chainman.

.....Chainman.

.....Axeman.

.....Axeman.

.....Flagman.

BOOK-A

N. Bou
of the Le

Survey
From C
Iron
alon

Line runs
Sage bru
40.00 Set a Cer
with mar
for ¼ Sec
dug pits
5½ ft de
earth ¼
48.00 Leave Iron
16.00 A few le
04.00 Enter li
16.00 Leave line
81.00 Set a Cer
With ma
for Cor
1,132 S. 83
R 26 E. S
S. 6. on
S 31. on
and 31

BOOK-A-206

N. Boundary Tp 33 S, R 26 E. of the Salt Lake Meridian

Survey commenced October 30th 1884

From Cor to Tps 32 & 33 S. Rs 25 & 26 E
I run E on a true line
along S. boundary Sec 31.
Va 114° 55' E
Lies mostly on level plateau in dense
Sage brush.

40.00 Set a Cedar post 3 ft long 3 ins square
with marked stone 12 ins in the ground
for ¼ Sec Cor. Marked ¼ on N. face.
Dug pits 18 x 18 x 12 ins E. & W. of post
5½ ft dist. and raised a mound of
earth 1½ ft high 3½ ft base around post.
48.00 Leave brush, center dead timber & grass.
56.00 A few live trees.
64.00 Enter live timber.
76.00 Leave live timber. Enter dead timber.
80.00 Set a Cedar post 4 ft long 4 ins square
with marked stone 12 ins in the ground
for Cor to Secs. 31, 32, 5 & 6. Marked
T. 32 S. S 32. on N. E.
R 26 E. S 5 on S. E.
S 6. on S. W. and
S 31. on N. W. faces with 1 notch on W.
and 2 notches on E. edges. Dug pits

N. Boundary Tp 33 S, R 26 E

16 X 18 X 12 ins in each Sec 5 ~~½~~ ft dist and raised a mound of ea 16.00 Enter
2 ft high. 4½ ft base around Pos. 18.00 Thence
Land level, soil 2nd rate, sandy 20.00 Set
Timber dead on 20.00 chs.
Live Timber on 120 chs cedars pine
Dense undergrowth on 1st 48.00 chs
Augmented on 80.00 chains

Ran a true line
along South boundary Sec
Var 14° 35' E

24.00 N. Set Live Trees.
110.00 Set a Sandstone 20 X 18 X 5 ins 15 ins
the ground for 4 Sec Cor Marked ¼ on
N. face Bury pits 16 X 18 X 12 ins & fil
of Stone 5½ ft dist. and raised a
mound of earth 1½ ft high. 3½ ft ba 6.00 Ent
alongside. 31.00 Wa
66.00 Reduce dead Timber, enter Meadow 37.00 Hea
72.50 Wash, Course S. 46.00 Set
73.50 Wagon road from Little Grand river
Valley to Pine Springs and Durango
course S. & N.
Ascend.

of the Salt Lake Meridian

16.00 Enter dead timber.
18.00 Thence level.
30.00 Set a sandstone 30 X 12 X 2 ins 24 ins in the ground for Cor to Secs 32. 33. 4 & 5, 1 Marked with 2 notches on W. and 4 notches on E. edges, dug pits 18 X 18 X 12 ins in each Sec 5 ft dist. and raised a mound of earth 2 ft high 4 ft base alongside.
Land nearly level. Soil 2nd rate, sandy
Soil Timber on 30.00 chs
Fine grass.
Augmented on 30.00 chains

E on a true line
along S boundary Sec 33.
Vas. 14.55. E.

6.00 Enter line timber. **Leave dead timber**
31.00 Wash. Course S.
37.00 Hollow Course S.
46.00 Set a sandstone 15" X 12 X 3 ins 10 ins in the ground for 1/4 Sec Cor. Marked 1/4 on N face, dug pits 18 X 18 X 12 ins E & W of Stone 3 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside,

N. Boundary Tp 33 S, R 26 E.

of the Le

A Pinon 12 ins dia on chain bears N 76° W. 38 l
A Pinon 16 ins diam bears S 85° E. 12 lks d
both trees marked # S. B.T.
Leave line timber, enter dead timber.
Enter live timber.
Set a Sandstone 26 X 12 X 3 ins 19 ins in
the ground for Cor to Secs. 33, 34, 3 & 4
Marked with 3 notches on E. & W. s
and raised a mound of stone along
A Pinon 8 ins diam bears N. 64° W. 16 lks d
Marked T 32 S. R 26 E. S 33. B.T.
A Cedar 20 ins diam bears N. 30 ½° E 60 lks d
Marked T 32 S. R 26 E. S. 34. B.T.
A Cedar 18 ins diam bears S 67° E 55 lks d
Marked T 33 S. R 26 E. S 3. B.T.
Land slightly rolling. Soil 2nd rate
partly rocky.
Timber dead on 31.50 chs Heavy live on
114.50 chs.

Augmented on 80.00 chains

E on a true line
along S Boundary Sec 34.
Va 114° 55' E.

2.55 W. edge of cation.

Descen
Lines live
descen
Enter le
grass
Mark,
Mark
Trail,
Ascend.
Enter
Set a Sa
ground
and ra
A Cedar
A Pinon
both tre
Enter de
A small
Ascend
Set a Sa
ground
with H
and ra
Pits in
Land

of the Salt Lake Meridian

	Descend.
	Leave live timber, enter dense oak brush.
7,531	descend.
5,331	Enter level bottom, covered with grass and white sage. Leave dense oak brush
9,50	Mark, Course N.
2,00	Mark Course N.
3,00	Trail, Course N. & S.
5,00	Ascend, enter dense oak brush.
9,97	Enter Mesa and live timber. Leave dense oak brush
11,00	Set a sandstone 15 X 12 X 4 ins 10 ins in the ground for ¼ Sec Cor. Marked 4 on N face and raised a mound of stone alongside A Cedar 12 ins diam bears N. 52 E 22 lks dist A Pinon 9 ins diam bears S. 15° W 19 lks dist both trees marked ¼ S. B. T.
43,00	Enter dead timber & grass.
47,00	A small grove of live timber. Head of gulch Course N.
80,00	Set a sandstone 15 X 12 X 6 ins 10 ins in the ground for Cor to Secs 34. 35. 2 & 3. marked with 4 notches on W and 2 notches on E edges and raised a mound of stone alongside. Pits impracticable. Land 42.57 Chs on nearly level plateau

N. Boundary Sp 33 S. R 26 E.

10.00 Chs level bottom. Soil 2d rate
Thence 27.78 Chs is mountainous
rocky.
Live Timber on 7.58 Chs.
Dead Timber on 35 Chs
Dense undergrowth on 27.77 Chs.
Augmented on 70.35 chs.

Cor on a fine line
Mony S Boundary Sec 35,
Va 114°55' E.

5.00 Enter dense sage brush.
9.00 Enter dead Timber.
Descend.
13.48 Set a sandstone 18"x12"x8"
in a mound of rocks
marked W.M.W. & Co.
Side for boundary cor
Thence Run E 80 ch.
and on a diligent
search, but am unable
to discover any traces
of Utah & Colorado
Boundary Survey
Land level
Soil rocky 4th rate

Dense undergrowth, sagebrush on 4.00 chains
Heavy timber, dead, on 4.48 chains
Augmented on 8.48 chains.

October 30th 1884.

General Description
The line runs over rolling plateau covered with considerable timber - cedars and pinons - heavy undergrowth, some grass and white sage.
The soil is uniformely sandy.

Ernst Buettner
U.S. Dep. Surveyor.

BOOK-A-

U. S. SURVEYO

Salt Lake

The forego

No

Township No.

Executed by

Under Contract

day of

amined, the nec

the said field

hereby approve

BOOK-A-206

358

~~358~~

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 15th 1885

The foregoing field notes of the survey of the

North Boundary

Township No. 33 South *Range No.* 26 East

Executed by Ernst Buettner

Under Contract No. 128 *of the* 2nd

day of August *1884, in the month of*

October *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-206

REPORT: 1885

Filed

Examined by

Transcribed by

Compared by

FIE

OF THE

Township No. 3

Range No. 24

SALT L

U

Ernest

U.

Under his C

Dated Au

Survey comme

Survey comple

BOOK-A-206 10

REPORT: 1884 360

Filed 188

Examined by J. H. Cawse

Transcribed by E. Michaelis

Compared by W. S. Hall

FIELD NOTES

OF THE SURVEY OF THE

North Boundary

OF

Township No. 34 South.

Range No. 24 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 24th *188*4.

Survey commenced October 16th *188*4

Survey completed October 16th *188*4

BOOK-A-206

Township 34 S R. 24 E.

362 363 365 366 368 369

6	5	4	3	2	1	3 1
7	8	9	10	11	12	3 4
18	17	16	15	14	13	3 5
19	20	21	22	23	24	3 8
30	29	28	27	26	25	3 7
31	32	33	34	35	36	3 6

BOOK-A-206

NAMES AND DUTIES OF ASSISTANTS.

Compassm

Chainman.

Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

Flagman.

Boundar
of the Sal

Survey comm
From the cor
Drum W on

between said
4 mile cors a
the line to be
falling to be
S Pts 23 & 2
The correction
be 12 lks S &
the course

From the co
which is a
mound of
N 8
along

00 Hollow,
89 Set a sa
11 ins in
cor, ma
pits 18 x
5½ feet

Boundary Sps 34 S. R 24 E.
of the Salt Lake Meridian

Survey commenced October 16th 1884
From the cor. to Sps 33 & 34 S, Rs 24 & 25 E.
I run W on random line
Var 15° E.
between said Sps. I set temporary half mile & mile cors at every 40.00 & 80.00 chs and find the line to be 5 miles & 79.98 chs long, and the falling to be 72 lks N of the cor. to Sps 34 & 35 S, Rs 23 & 24 E.
The correction therefor for the true line will be 12 lks S & 1.02 chs E per mile and the course will be N 89° 55' E.

From the cor to Sps 33 & 34 S, Rs 23 & 24 E which is a sandstone 18 x 16 x 8 ins in mound of rocks, I run
N 89° 55' E on true line
along S. boundary Sec. 31
Var. 15° E.

.00 Hollow, course N.
.89 Set a sandstone 16 x 10 x 4 ins, 11 ins in the ground for 1/4 Sec. cor, marked 1/4 on N. face, dug pits 18 x 18 x 12 ins E & W of stone 5½ feet dist. and raised a mound

N. Boundary Sp 345 R24[illegible] of the Se[illegible]

of earth 1½ feet high, 3½ feet [illegible]
base alongside.

45.00 Enter timber

48.00 Enter dedd timber

50.00 Descend along S. side of low hill
course N80°E.

64.00 Thence level. Leave timber

67.00 Trail, course N78°E

71.00 Wash, course N78°E
A vein of coal in wash 20 ins th[illegible]

79.98 Set sandstone 14x14x4 ins, 9 ins
ground for cor to secs 31.32.5[illegible]
marked with 1 notch on W and
notches on E. edges, drug pits
18x12 ins in each Sec. 50½ feet di[illegible]
and raised a mound of earth
2 feet high, 4½ feet base alongs
Land slightly rolling.
Soil sandy 2d rate.
Heavy timber, mostly dead on 190

N89°55' E on true line
along S. boundary Sec. 32
Var. 15° E

10.00 15.00 cls N. on creek a log house

27.00 Enter c[illegible]
40.00 Set a sa[illegible]
gron[illegible]
drug pi[illegible]
dirt, a[illegible]
high [illegible]
46.00 Trail.
47.00 N. Mon[illegible]
Course
48.00 N mon[illegible]
49.00 "
50.00 "
54.50 "
Ascen[illegible]
66.45 Top of [illegible]
Enter [illegible]
80.00 Set a[illegible]
gron[illegible]
with [illegible]
Iron[illegible]
A Cer[illegible]
Marke[illegible]
A Cedar
Mark[illegible]
A Ced[illegible]

of the Salt Lake Meridian

27.00 Enter dense sage brush.
40.00 Set a sand stone 14 x 9 x 5 ins qua in the ground for ¼ Sec Cor marked ¼ on N face Hwy pits 18 x 18 x 12 ins E of Cor of stone 3½ ft dist, and raised a mound of earth 1½ ft high 3½ ft base alongside.
46.00 Trail. Course S. E.
47.00 N. Montezuma Creek 5 lks wide 8 ins deep. Course S. E.
48.00 N Montezuma Creek 5 lks wide 8 ins deep Course N. E. —
49.00 " " " " " " " " S. E.
50.00 " " " " " " " " N. E.
54.00 " " " " " " " " S. E.
Ascend.
56.45 Top of Sandstone reef. Course S. E. Thence level Enter Timber
80.00 Set a sandstone 20 x 15 x 6 ins 15 ins in the ground for Cor to Secs 32, 33, 4 & 5. Marked with 2 notches on W and 4 notches on E edges from which.
A Cedar 9 ins diam bears N. 42¾° W 40 lks dist Marked T 33 S. R 24 E S 32 B. T.,
A Cedar 11 ins diam bears S 65¾° W 97 lks dist Marked T 34 S. R 24 E. S 5. B. T.,
A Cedar 6 ins diam bears S. 49° E 110 lks dist

Marked T 33 S. R 24 E S H. B.T.
No other Trees within limits, but
a mound of Stone alongside.
Land slightly rolling.
Soil along Creek soil black loam
Dense undergrowth on last 53.00 Chs
Heavy Timber cedars on last 13.55 Chs,
Augmented on 53.00 Chs.

N. 89° 55' E on a true line
along S. Boundary Sec 33.
Va 15.68

13.00 Leave timber and undergrowth.
27.00 Descend.
28.00 Enter Bottom
30.69 Thence descend
Enter bottom of hollow, thence level.
32.30 Creek 2 Lks wide 3 ins deep, course S. 15° E.
33.18 Perpendicular precipice 45 ft high.
Enter level ground.
40.00 Set a sandstone 18 X 8 X 7 ins 12 ins in the ground for 1/4 Sec Cor. marked 1/4 on N face
Dug pits 18 X 18 X 12 ins & mound of stone 5 ft
and raised a mound of earth 1 1/2 ft high
3 1/2 ft base alongside. South of the

a cedar
marked
No other
Wash, c
3.00
Leave ti
0.00
Set som
0.00
for cor
on E & W
each Se
of earth
Land
soil in
Remar
Heavy t
under
Augh
alo
Enter
2.00
Thence
11.50
Perpe
20.84
Enter
Leave

a cedar 8 ins diam. bears S 14°20' E 125 lks dist.
marked 1/4 S B T.
No other trees in limits.

3.00 Wash, course S 4.00 chs into creek canon
0.00 Leave timber, enter grass-plateau
0.00 Set sandstone 20 x 10 x 6 ins 15 ins in ground for cor to Secs 33. 34. 3 & 4, marked 3 notches on E & Wedges, dug pits 18 x 18 x 12 ins in each Sec. 5½ feet dist. and raised a mound of earth 2 feet high, 4½ ft base alongside.
Land mostly level
Soil in creek bottom black loam 1st rate
Remainder sandy, 2d rate.
Heavy timber-cedars & pinons-and dense undergrowth on 55.00 chs.
Augmented on 55.00 chains

N 89°55' E on true line
along S. boundary Sec. 34
Var 15° E.

2.00 Enter dense sagebrush. Descend
11.50 Thence level
20.84 Perpendicular precipice 30 ft deep
Enter bottom.
Leave brush

25.00	A creek 2 lks wide, 4 ins deep, hea runs SW. also trail	
27.00	Mouth of dry canon, heads East Ascend	
38.50	On N. edge of canon. Descend	
40.00	Set sandstone 14x8x6 ins, 9 ins ground for 1/4 Sec. cor, marked 1/4 o face, dug pits 18x18x12 ins E & W stone, 5 1/2 ft dist. and raised a m of earth 1 1/2 ft high, 3 1/2 ft base al side.	3.00
42.30	Dry wash in bottom of same ca course S 80° W. Enter dense undergrowth. Ascend.	1.00
49.25	Enter mesa. Leave brush. Line runs along S. side of canon.	0.00
80.00	Set sandstone 14x8x6, 9 ins in gr for cor. to Secs 34, 35. 2 & 3. marke with 4 notches on W and 2 on E. dug pits 18x18x12 ins in each 5 1/2 ft dist. and raised a mound o earth 2 ft high 4 1/2 ft base along Land 49.25 chs mountainous.	

Rocky
Port Sleve
Denver
Ou gra
Fair
Ascen
Enter
Spence
Set a fa
ground
Alloy
5 1/2 ft
1 1/2 ft.
Set a
with
for Cor
T 33S
R 24
S. 2 o
S 35
and

Rocky, Soil 4th rate.
Rest level. Soil 1st & 2nd rate
Dense undergrowth on 25.79 chs.

N 89° 55' E on a true line.
along South boundary Sec 35.
Va 15°. E.

On grass plateau.

23.00 Fall. Course N. & S.

Ascend.

Enter dense undergrowth.

Thence level

2.00 Set a sandstone 15 x 7 x 6 ins in the ground for ¼ Sec Cor. marked ¼ on N. face
Adjoining Pits 18 x 18 x 12 ins E & W of stone
3½ ft dist. and raised a mound of earth
1½ ft. high 3½ ft base alongside.

2.00 Set a Cedar Post 4 ft long 4 ins square
with Marked Stone, 12 ins in the ground
for Cor to Secs 35, 36, 1 & 2, Marked
T 33 S. S 36 on N. E.
R 24 E. S. 1. on S. E.
S. 2 on S. W. and
S 35 on N. W. faces, with 1 notch on E
and 5 notches on W edges, Any pits

BOOK A 206
N. Boundary of 24 S.R. 24 E.
BOOK A 206

18 X 18 X 12 ins in each Sec. 5½ ft d
and raised a mound of earth 2
high, 4½ ft base around post.
Land nearly level. Soil 2nd rate. sa
Dense undergrowth on 37.00 chs.

N 89° 55' E on a true line
along S boundary Sec 36.
Va 15.
30.00 Leave undergrowth. enter grass.
40.00 Set a Piñon Post 3 ft long 3 ins square
with marked stone 12 ins in the ground
for ¼ Sec Cor. Marked ¼ on N face
Alongside pits E & W of stone 18 X 18 X 12 ins
5½ ft dist, and raised a mound of
earth 1½ ft high 3½ ft base around po
80.00 The cor. to Townships 33 & 34
Ranges 24 & 25 E.
Land level
Soil sandy, 2nd rate
Dense undergrowth on 30.00 ch

October 16th 1884

BOOK-A-206

General Description,
The line runs over a plateau which gently slopes Easterly It is frequently intersected by deep gulches, and canons but offers fine pasture.

Ernst Buettner
U. S. Dep. Surveyor

BOOK-

U. S. SURVEY

Salt Lak

The foreg

No

Township No.

Executed by

Under Contrac

day of *A*

Octo

amined, the ne

the said field

hereby approv

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13 1885.

The foregoing field notes of the survey of the North Boundary

Township No. 3 South *Range No.* 24 East

Executed by Ernst Buettner

Under Contract No. 128 *of the* 27th

day of August *188*4, *in the month of*

October *188*4, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK A-20

EPORT: 1885

iled

xamined by

ranscribed by

ompared by

FIE

OF THE

East

ownship No. 3

ange No. 24

SALT L

U

Gra

U. S

Under his Co

Dated 27 D

Survey commen

Survey complete

BOOK-A-206 9

REPORT: 1885

Filed 374 188

Examined by

Transcribed by Henry R. M. Atkinson

Compared by Solomon Atkinson

FIELD NOTES

OF THE SURVEY OF THE

East Boundary

OF

Township No. 34 South

Range No. 24 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated 27th August 1884

Survey commenced October 15th 1884

Survey completed October 15th 1884

NAMES AND DUTIES OF ASSISTANTS.

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

E. Boundary Tp 34 S. R 24 E.. of S. L. M.

14

Return to cor to Tps 34 & 35 S. Rs 24 & 25 E.
On the night of October 14th 1884
I took an observation on the Star
Polaris from above corner to Tps 34 & 35 S
Rs 24 & 25 E established by me.
And drive pickets on line thus established.
Survey Commenced. October 15th 1884.
X Run on to Tps 35 S. Rs 24 & 25 E. Run
N. between Secs 36 & 31.
Va 15° E
Line runs on nearly level plateau
36.00 Fail. course E. N.
40.00 Set a sandstone 18 X 12 X 3 ins 12 ins in the
ground for ¼ Sec Cor. Marked ¼ on W face
Dug pits 18 X 18 X 12 ins N. & S. of Stone
5½ ft dist. and raised a mound of earth
1½ ft high 3½ ft base alongside.
49.50 Fail. Course E. & N.
56.00 Enter Timber.
78.00 Leave Timber
80.00 Set a sandstone 18 X 12 X 4 ins 12 ins in
the ground for Cor to Secs 25. 30. 31 & 36
Marked with 1 notch on S and 5 notches on
N. edges. Dug pits 18 X 18 X 12 ins in each
Sec. 5½ ft dist. and raised a mound of

E. Boundary Tp 34 S. R. 24 E

BOOK A 206

of Salt

South 2 ft high 4½ ft base alongside
Land nearly level. Soil 2nd rate.
Grass & white Sage.
Heavy Timber Cedars & Pinon 2.00 Chs.

N. between Secs 25 & 30.
Va 15° E.

Descend.

2.00 Enter dense sage brush.
17.00 Ruins of Mud House.
20.00 Leave dense sage brush.
27.00 Hollow & Trail. Course W.

Ascend.

32.00 Enter Timber
35.94 Leave Timber Thence level
40.00 Set a Sandstone 12X12X5 ins 8 ins in the ground ~~with scribed line~~ for ¼ Sec Cor marked ¼ on face. dug pits 18X18X12 ins N. & S. of stone 5½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base alongside. From which a Cedar 24 ins diam bears N. 44¾° E 16 links. Marked ¼ S. B. T.
75.00 Enter dense sage brush.
80.00 Set a Cedar Post 4 ft long 4 ins sq

30.00 Ravine
40.00 Set a Sa
Marked
Marke
N. & S.
Mark
40.00 Desc
80.00 Set a

of Salt Lake Meridian

with marked stone 12 ins in the ground
for Cor to Secs 24, 25, 19 & 30. marked
T. 3 S. S 19 on N.E.
R 2 S. S 30, on S.E.
S 25 on S.W. and
S 24. on N.W. faces. with 2 notches on S
and 4 notches on N. edges. dug pits
18 X 18 X 12 ins in each Sec 5½ ft dist.
and raised a mound of earth 2 ft high
4½ ft base around post.
Land slightly rolling. Soil 2nd rate. sandy
Hrwd Timber Cedars Pumaden 3.94 chs.
Dense undergrowth on 23.00 Chg.
Augmented on 26.94 Chains

N. between Secs 24 & 19.
Va 15.° E.

30.00 Ravine. Course S.W.
40.00 Set a Cedar post 3 ft long 3 ins square, with
Marked stone 12 ins in the ground for ¼ Sec Cor
Marked ¼ S on W face, dug pits 18 X 18 X 12 ins
N. & S. of post 5½ ft dist: and raised a
mound of earth 1½ ft high 3½ ft base around post.
Descend
80.00 Set a Cedar post 4 ft long 4 ins square

with marked Stone 12 ins in the gro
for Cor to Secs 13, 18, 19 & 24. Marked
T 34 S., S 18, on N.E.
R 23 E. S 19 on S.E.
S 24, on S.W. and
S 13, on N.W. faces, with 3 notches on
edges. Hwy pits 18 x 18 x 12 ins in each
5½ ft dist. and raised a mound of ear
2 ft high 4½ ft base around post.
Land Nearly level. Soil 2nd rate.
Dense undergrowth on 80.00 chs.

0.00 Set a Sto
ground
with 4
Hwy pit
dist, a
high &
Land n
Dense

N. between Secs 13 & 18.
Va 13-0 E.

5.00 Descen
24.00 Soil &
0.00 Enter

40.00 Set a Piñon Post 3 ft long 3 ins square
marked Stone. 12 ins in the ground for
Sec Cor. Marked 4 S on W face. Hwy
18 x 18 x 12 ins S.W. S. of post 5½ ft dist, an
Raised a mound of earth 1½ ft high 3½ ft
around post.

0.00 Set a St
ground
Hwy pi
dist, a
3½ ft b

47.00 Leave undergrowth, enter grass flat.
46.00 Trail, course S.E. & 4 chs
51.00 Creek, Course W 15.00 chs thence, S. W.
33.00 Ascend.

6H.50 Trail
0.00 Set a p
ground
with 3
edges

4 E

the gr

ken.

es on N.

each d

of cedar

ft.

E.

chs.

18.

°E.

mark

nd for

S. dug

dirt, a

3½ ft.

lat.

S. W.

0.00 Set a sandstone 16 X 9 X 3 ins 11 in in the ground for Cor to Secs. 12, 7, 18 & 13 marked with 4 notches on S. and 2 notches on N edges dug pits 18 X 18 X 12 ins, in each dec. 5½ ft dist, and raised a mound of earth 2 ft high 4½ ft base alongside.
Land nearly level, Soil 2nd rate, sandy
Dense undergrowth on 1st 47 chs.

N. between Secs 12 & 7.
Var 15° E.

5.00 Descend.
24.00 Rail & hollow, Course N 10 W 24.00 chs. thence N. level
30.00 Enter dense undergrowth.
10.00 Set a sandstone 14 X 7 X 4 ins. 9 in in the ground for 4 Sec Cor marked 4 on W face dug pits 18 X 18 X 12 ins N. & S. of stone. 5½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base alongside.
64.50 Rail and creek. Course N. 80° E.
20.00 Set a sandstone 18 X 12 X 5. ins. 12 in in the ground for Cor to Secs 1-6. 7 & 12 marked with 5 notches on S. and 1 notch on N. edges, dug pits 18 X 18 X 12 ins in each

Sec, 5½ ft dist. and raised an
of earth 2 ft high 4½ ft base alongside.
Land level, soil 2nd rate. sam
Dense undergrowth on 30.00 chs.

N. between Secs 1 & 6.
Va 15.0

Enter grass plateau.
40.00 Set a sandstone 18 x 8 x 3 ins 12 ins in
ground for ¼ Sec Cor. marked ¼ on it
Dug pits 18 x 18 x 12 ins N & S of stone 5½
dist and raised a mound of earth 1
high, 3½ ft base alongside.
42.50 Creek S. W.
45.50 Trail, dense N. E & S. W.
80.00 Set a Cedar post 5 ft long 6 ins square
in the ground with marked stone
for Cor to Pks 33 & 34 S. Rs 24 & 25 E
T. 33 S. S 31. on N. E.
R 25 E. S 6 on S. E.
T. 34 S. S 1 on S. W. and
R 24 E. S 36 on N. W. faces, with 6 notch
on each edge. dug pits 24 x 18 x 12
Cruthuise on each line N. S. E. & W.

of port, d
of earth,
Land l
Fine po

Gen
The lin
with go
the sa
Saye bru
partly a
white pi
Excelle

of the Salt Lake Meridian

of post, 6 ft dist and raised a mound of earth, 2½ ft high, 5 ft base around post. Land level Soil 2nd rate, sandy Pine pasture.

October 15th 1884

General Description

The line runs over a level plateau with good soil,

The same is partly covered with Sage brush, from 3 to 4 ft high, partly with blue joint grass, and white sage.

Excellent pasture.

Ernst Buettner
U. S. Dep. Surveyor.

BOOK-A

U. S. SURVEYOR

Salt Lake C

The foregoin

Ca

Township No 3

Executed by E

Under Contract N

day of Au

Octob

amined, the neces

the said field no

hereby approved.

.....

BOOK-A-206

384

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13 1885

The foregoing field notes of the survey of the

East Boundary

Township No. 34 South *Range No.* 24 25 E

Executed by Ernst Buettner

Under Contract No. 128 *of the* 29th

day of August 1884, *in the month of*

October 1884, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salisbury

U. S. Surveyor General for Utah.

BOOK-A-206

ORT: 1883

ined by

scribed by

pared by

FIELD

OF THE SU

North

nship No. 34

ge No. 25

SALT LAK

UTAH

AS S

Ernst

U. S. D

Under his Contro

ted 29th Oc

vey commenced

vey completed

BOOK-A-206 12

ORT: 1885 336

188

ined by

scribed by Henry M. Atkinson

pared by Solomon Atkinson

FIELD NOTES

OF THE SURVEY OF THE

North Boundary

OF

nship No. 34 South

ge No. 25 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

ted 27th August 1884

vey commenced October 27th 1884

vey completed " 29th 1884

BOOK-A-206

Township 34 S R. 25 E.



NAMES AND DUTIES OF ASSISTANTS.

387

Compassman.

Chainman.

Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

Flagman.

BOOK A 206

N. Bound
C. of the Sale

Survey com
From cor
Run West

Set Temp
at each H
the line
and the Sale
Pts 33 & 34
The Correct
will be 10
and 1. 7
The Cause

From the
& ru

Line Run
2.50 Kellam.
8.23 Set a Sta
the Ground

N. Boundary T34S. R. 25E
of the Salt Lake Meridian

Survey commenced October 27th 1884
From cor to Tps 33 & 34 S, Rs 25 & 26 E.
Runs West on random line
Va. 14° 53' E.
Set Temporary half mile & mile Cor's
at each 40.00 & 80.00 Chs, and find
the line to be 5 miles 78.23 Chs long
and the Falling to be 60 Lks S of Cor to
Tps 33 & 34 S. R 24 & 25 E.
The Corection therefore for the true line
will be 10 Lks N. for each mile
and 1.77 Chs. E.
The Course will be S 89° 56' E.

From the Cor to Tps 33 & 34 S. Rs 24 & 25 E
& runs.
S. 89° 56' E on a true line
along S Boundary Sec 31.
Va 14° 53' E.
Line runs on level grass plateau.
1.50 Valley. Course S.
8.23 Set a Sandstone 24 x 24 x 2 ins 16 ins in
the ground for 1/4 Sec Cor Marked 1/4

on N face. Dug pits 18X18X12 ins
E & W of Stone 5½ ft dist. and
raised a mound of earth 1½ ft high
3½ ft base alongside.
67.00 Bal. Course N. 80° E.
78.23 Set a Cedar Post 4 ft long 4 ins square
with marked Stone, 12 ins in the ground
for Cor to Secs 31, 32, 5 & 6 marked
T. 33 S. S 32 on N E.
R. 25 E. S 5 on S. E.
S. 6. on S. W. and
S 31 on N. W. faces, with 1 notch on
W. and 5 notches on E edges, dug
18X18X12 ins in each Sec. 5½ ft dist
and raised a mound of earth 2 ft high
4½ ft base around Post.
Land level, Soil 2nd rate
sandy.

S. 89° 56' E on a true line
along S. boundary Sec 32
Va 14° 55' E.

Asgard.
6.50 Thence level, Enter Timber.
40.00 Set a Cedar post 3 ft long 3 ins sq

BOOK A-20
of the Re
12 ins
Marked
A Cedar
& a Pinon
both Trees
1.50 Enter Gr
1.50 Enter A
1.40 A Pinon
1.00 Set a Ced
24 ins in
H & S. M
T. 33. S.
R. 25 E.
S. 5. on
S 32 on
and 4 M
A Cedar 1
Marked T
A Cedar 12
Marked
A Cedar 10
Marked
A Cedar 8 I
Marked
Land le
Heavy

12 lks in the ground for ¼ Sec Cor
Marked ¼ S on N face. from which
a Cedar 14 ins diam bears S 21½° E 39 lks dist
& a Pinon 18 ins diam bears N 15° W 27 lks dist,
both Trees marked ¼ S. B.T.
1.50 Enter Grass, leave Timber.
2.50 Enter Timber.
0.40 A Pinon 12 ins diam.
1.00 Set a Cedar Post 4 ft long 4 ins square
24 ins in the ground for Cor to Secs 32. 33
4 & 5. Marked.
T. 33. S. 33 on N.E.
R. 25 E. S. 4 on S.E.
S. 5. on S.W. and
S 32 on N.W. faces. with 2 notches on W
and 4 notches on E edges. from which
a Cedar 12 ins diam bears S 48¾° W 25 lks dist
Marked T 34 S. R 25 E. S 5. B.T.,
a Cedar 12 ins diam bears N 51° W 40 lks dist
Marked T 33 S. R 25 E S 32. B.T.
a Cedar 10 ins diam bears S 62½° E 20 lks dist
Marked T 34 S. R 25 E. S. 4. B.T.
a Cedar 8 ins diam bears N 45½° E. 37/16 dist
Marked T 33 S R 25 E. S 33. B.T.
Land nearly level. Soil 2nd rate. sandy
heavy timber — cedars — on 64.50 chs.

N. Boundary of 34 S. R. 25 E

BOOK A 206

391

S 89° 56' E one mile line
along S. Boundary Sec. 33
Va. 114.50

8.00 Leave Timber, Enter dense sage brush
40.00 Set a Sandstone 16 X 14 X 3 ins 11 ins in ground for ¼ Sec Cor. Marked ¼ on face Dug pits 18 X 18 X 12 ins E & W 5.00 9.00 Stone 1½ ft dirt and raised a mound earth 1½ ft high 3½ ft base alongside which a bone Cedar 20 ins diam bears S 63° E 142 lks dist. Marked ¼ S
16.00 Hollow & trail, Course S.E. Enter Timber Ascend. Leave dense sagebrush
50.00 Thence level.
37.00 Leave Timber, Enter dense sage brush
65.00 Enter grass flat.
80.00 Set a Sandstone 15 X 10 X 3 ins 10 ins in ground for Cor to Secs 33. 34. 3 & 4. 7.00 3 notches on E. & W. edges. Dug pits 18 X 18 X 12 ins in each Sec. 1½ ft dirt and raised a mound of earth 2 ft high 4½ ft base alongside.
Land nearly level Soil 2nd rate.
Heavy timber - cedars - on 19.00
Dense undergrowth on 61.00 Chs.
Augmented on 80.00 chains

S 89°56' E on a True line
along S. boundary Sec. 34.
N 114°55' E.

Descend.

5.00 Thence level.

4.00 Ascend. Enter dense undergrowth.

9.00 P.O. Low ridge course N.W. & S.E. leave dense undergrowth enter timber

6.00 Set a Cedar Post 3 ft. long 3 ins square. with marked stone 12 ins in the ground for 1/4 Sec Cor marked 1/4 S on N face. dug pits 18 x 18 x 12 ins E & W of Post. 2 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 ft base around Post. from which a live Cedar 10 ins diam bears N. 29 W 56 lks dist marked 1/4 S. B.T. Witness bears S 28° 18' E.

Descend.

6.00 Enter ~~Timber~~ dense undergrowth.

4.00 Set a Pinon Post 4 ft long 4 ins square 24 ins in the ground for Cor to Secs 34, 35, 2 & 3. marked T. 33 S. S. 35. on N.E. R. 25 E. S. 2. on S.E. S 3 on S.W. and S 34 on N.W. faces with 4 notches on each

N. Boundary Jp 34/393 S.R. 25 E

BOOK A 206

and 2 on E edges. from witness
A Pinon 18 ins diam bears N 30¼° W 27 lks
Marked T. 33. S. R. 25. E. S 34. B.T.
A Cedar 10 ins diam bears N. 56½° E 25 lks
Marked T. 33 S. R 25 E. S 35. B.T.
A Cedar 9 ins diam bears S 10½° W 49 lks
marked T 34 S, R 25 E S 3 B T
A pinon 6 ins diam. bears S 46½° E 85 lks
marked T 34 S R 25 E S 2 B T
Land level
Soil sandy 2d rate
Heavy timber - cedars and pinon
on 40.00 chs.
Dense undergrowth on 46.00 chs
Augmented on 46.00 chains

BOOK-A-20

of the Secti

A Cedar
Divide.
Descend
Set a Co
with mou
for ¼ Sec
Aug pits
ft dist
12 ft lng
A Pinon 1
A Cedar 12
both trees
Leave Ta
Enter a
Set Cede
with mo
Ground
Marked
T 33 S. S
R 25 E
S. 2.
S 35 on

15.00
40.00
4.00
16.00
20.00

S 89° 56' E on a true line
along South boundary Sec 35.
Va 14° 35' E

Ascend.
13.00 Divide. Course N. & S.
Descend.
40.00 Set a Cedar post 3 ft long 3 ins square
with marked stone 12 ins in the ground
for ¼ Sec Cor marked ¼ S on N face.
Dug pits 18 X 18 X 12 ins E & W of post 3 ft
ft dist and raised a mound of earth
1½ ft high 3½ ft base around post, from which
A Pine 16 ins diam bears S 53° E 22 lks dist
W Cedar 12 ins diam bears S 32½° W 46 lks dist
both trees marked ¼ S. B.T.
44.00 Leave Timber, Enter Grass Land.
46.00 Enter deure sage brush.
80.00 Set Cedar Post 4 ft long 4 ins square
with marked stone 12 ins in the
ground for Cor to Secs 35. 36. 1 & 2.
Marked.
T 33 S. S 36 on N. E.
R 25 E S 1 on S. E.
S. 2. on S. W. and
S 35 on N. W. faces with 5 Notches on

W. and 1 notch on E. edges.
Dug pits 18 x 18 x 12 ins in each
5½ ft dist and raised a mound
each 2 ft high 4½ ft base around pos
Land nearly level Soil 2nd rate
Heavy Timber - cedars - on 44.00 chs
Dense undergrowth on 400 chs
Augmented on 45.00 chs.

S 89° 56' E on a true line
along S Boundary Sec 36
Va 14.035

Leave Dense bush.
25.50 Mark Corner S.
40.00 Set a cedar post 3 ft long 3 ins
with mound of Stone 12 ins in the
for ¼ Sec Cor. Marked ¼ S on N face
dug pits 18 x 18 x 12 ins E & W of
5½ ft dist and raised a mound
each 1½ ft high 3½ ft base around pos
44.00 Enter Timber.
80.00 The Cor to Pos 33 & 34 S R 25 & 26
Land Level, Soil 2nd rate, sam
Heavy Timber cedars on 3.60 chs.
October 29th 1884

Ge
The line
minute
Strong
and Pi
There is
excelle
the li
Some

BOOK-A-206

of the Salt Lake Meridian

396

General Description.

The line runs over a nearly uninterrupted level plateau through many groves of Cedars and Pinons.

There is a great amount of excellent pasture, all along the line.

Some indications of Coal.

Ernst L. Buettner
U. S. Dep. Surveyor

BOOK-A-2

U. S. SURVEYO

Salt Lake

The foregoi

Nor

Township No.

Executed by

Under Contract

day of

Octobe

amined, the nece

the said field n

hereby approved

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13th *1885*

The foregoing field notes of the survey of the

North Boundary

Township No. 34 South *Range No.* 25 East

Executed by Ernst Buettner

Under Contract No. 128 *of the* 29th

day of August *1884, in the month of*

October *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-206

EPORT: 1885

led

amined by

anscribed by

mpared by

FIEL

OF THE S

East

ownship No. 34

ange No. 25 E

SALT L

U

Ernest

U. S

Under his Co

Dated 27th "

urvey commen

urvey complete

BOOK-A-206 // 400

EPORT: 1885

iled 188

xamined by

ranscribed by Henry R Atkinson

ompared by Salathiel A Kinsman

FIELD NOTES

OF THE SURVEY OF THE

East Boundary

OF

ownship No. 34 South

ange No. 25 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated 27th August 1884

Survey commenced October 25th 1884

Survey completed October 25th 1884

NAMES AND DUTIES OF ASSISTANTS.

Compassman.

Chainman.

Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

Flagman.

E. Boundary T. 34 S. R. 25 E.
of the Salt Lake Meridian

I return to Cor to Sps 34 & 35 S. Rs 25 & 26 E.
On the night of October 24th 1884
I took an observation on the star "Polaris"
from above Cor to Sps 34 & 35 S. Rs 25 & 26 E.
established by me
And drive pickets on line thus established.
Survey commenced October 25th 1884
with per Stake 7 Teodolite No 1734
From the above Cor I run
N. between Secs 36 & 31
Va 14° 55' E
In level grass land.
14.00 Enter Timber.
Descend.
34.97 Thence level.
10.00 Set a Cedar post 3 ft long 3 ins square
with marked stone, 12 ins in the ground
for ¼ Sec Cor. Marked ¼ S on W. side.
Dug pits 18 x 18 x 12 ins N & S of post 5½
ft dist and raised a mound of earth
1½ ft high 3½ ft base around post. From which
a Cedar 10 ins diam bears S 56° W 44 lks dist
a Pine 14 ins diam bears S. 60° E 89 lks dist
both Trees marked ¼ S. B. T.
15.00 Ascend.

E. Boundary Sp. 35 S.R. 24 E

BOOK A 206

37.97 Leave Timber.
80.00 Set a Sandstone 24 x 14 x 2 ins 18 ins in the ground for Cor to Secs 25. 30. 31 & 36 Marked with 4 notch on S and 5 notches on N edges deep pits 18 x 18 x 12 ins on each Sec, 5½ ft dist, and raised a mound of earth 2 ft high 4½ ft base alongside.
Land nearly level. Soil 2nd rate.
1 Leave Timber Cedar & Pine 37.97 chs.

N. between Secs 25 & 30
Va 14.00 55. E.

5.00 Rayine 50 lks W. Course S.
40.00 Set a Sandstone 12 x 8 x 4 ins 8 ins in the ground for ¼ Sec Cor marked ¼ on W edge deep pits 18 x 18 x 12 ins N. & S. of Stone 5½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base alongside.
Near Head of Creek, Course S. 10.° W.
80.00 Set a Cedar Post 4 ft long 4 ins square with marked stone 12 ins in the ground for Cor to Secs 24, 19, 30 & 25 Marked T. 13 H. S. S 19 on N. E.

BOOK-A-2
of the S

R 26 E
S 25
S 24
S and
18 x 18 x
and ca
½ bas
Land
Grass

15.00 Enter
40.00 Set a
24 ins
¼ S on
a Pine
" Pine
both
80.00 Set a
24 ins
19 & 24
T. 13 H. S.
R 26 E

R26E. S30, on S.E.
S35 on S.W. and
S24 on N.W. faces, with 2 notches on
S and 4 notches on N edges. dug pits
18 X 18 X 12 ins in each Sec, 5½ ft d.st.
and raised a mound of earth 2 ft high
4 ft base around pit.
Land Level, Soil 2nd rate, sandy
Grass & white Sage.

N. between Secs 24 & 19
Va 11.55. E.

15.00 Enter Timber
40.00 Set a Cedar Post 3 ft long 3 ins Square.
24 ins in the Ground for ¼ Sec Cor marked
¼ S on W faces. from which.
A Pinon 11 ins diam bears S. 55½° E 116 lks dist.
" Pinon 18 ins diam bears N. 48° W. 28 lks dist
both trees marked ¼ S. B.T.
80.00 Set a Pinon Post 4 ft long. 4 ins square
24 ins in the ground for Cor to Secs 13. 18
19 & 24. Marked
T. 13 S. S 18 on N.E.
R26E. S 19 on S.E.

E. Boundary Ft 34/405 S. R. 25

S 24. on S.W. and
S 13 on N.W faces. with 3 notch
on S & N. edges. from which.
A Pinon 12 ins diam bears S 71¼° E 47 lks
Marked T 34 S. R 26 E. S 19. B.T.
A Pinon 9 ins diam bears N. 45½ E 84 lks
Marked T. 34 S. R 26 E. S. 18. B.T.
No other trees in limits. Dug pits
18 X 18 X 12 ins in Secs 13 & 24. 5½ ft
and raised a mound of earth 2 ft hig
4½ ft base alongside.
Land level. Soil 2nd rate sand
Heavy Timber Cedars & Pinons on 65.00 chs.

N. between Secs 13 & 18.
Va 14° 55' E.

31.00 Leave Timber.
40.00 Set a Cedar Post 3 ft long 3 ins square
with mound stone 12 ins in the grou
for ¼ Sec Cor. Marked ¼ S on W fac
Dug pits 18 X 18 X 12 ins N. & S. of Post
4½ ft dist. and raised a mound o
earth 1½ ft high 3½ ft base around Post
49.00 Enter Timber.

BOOK-A-20
of the Sur

0.00 Set a Ce
the grou
Marked
on N. ed
A Cedar P
Marked
A Cedar 8
Marked
A Cedar
Marked
No other
7 dug a
and ra
4½ ft
Land le
Heavy Timber
of Indica
any

40.00 Set a C
with M
for ¼ Se
Dug pi

W. on Set a Limestone 12 x 8 x 4 ins 8 ins in the ground for Cor to Secs 12. 7. 18 & 13. Marked with 4 notches on S and 2 Notches on W. edges. from which a Cedar 14 ins diam bears S 55° E 27 lks dist Marked T 34 S. R 26 E S 18. B.T., a Cedar 8 ins diam bears N. 15° W. 49 lks dist Marked T. 34 S. R 25 E. S. 12. B.T., a Cedar 12 ins diam bears S 54½° W 53 lks dist Marked T. 34 S. R 25 E. S. 13. B.T. No other trees within limits in Sec 7 dug a pit 18 x 18 x 12 ins 5½ ft dist. and raised a mound of earth 2 ft high 4½ ft base alongside. Land level, Soil 2nd rate. sandy Timber Cedars & Pines on 62.00 Chs. Indications of Coal along line, ungranted on 62 chs

---

N. between Secs 12 & 7. Va 14° 55' E.

14.00 Set a Cedar Post 3 ft long 3 ins square with marked Stone 12 ins in the ground for ¼ Sec Cor Marked ¼ S on W face dug pits 18 x 18 x 12 ins N. & S. of Post

E. Boundary Ψ 34 S. R. 25 E.

BOOK A 206 407

5½ ft dist. and raised a mound
earth 1½ ft high 3½ ft base around
from which, A Cedar 8 ins diam bears
N 88° W 28 lks dist. and a Pinon 7 ins
diam bears N 64½° E 12 lks dist. both
Trees Marked T S. B.T.

80.00 Set a Cedar Post 4 ft long 4 ins square
2 ins in the ground for Cor to Secs
1. 6. 7 & 12. Marked.
T. 34 S. S 6 on N. E.
R 26 E. S 7 on S. E.
S 12 on S. W. and
S 1. on N W faces with 1 notch on each
3 notches on S edges from which.
A Cedar 12 ins diam bears N 30° E. 6 lks dist
Marked T. 34. S. R 26 E. S. 6. B.T.
A Pinon 11 ins diam bears S. 37° E 46 lks dist
Marked T. 34 S. R 26 E. S. 7. B.T.
A Cedar 15 ins diam bears S 33° W. 39 lks dist
Marked T. 34. S. R 25 E. S. 12. B.T.
A Cedar 14 ins diam bears N. 46° W. 60 lks dist
Marked T. 34 S. R 25 E. S. 1. B.T.
Level land, Soil 2nd rate.
Timber Cedar on 80.00 chs.
Indications of Coal above bed.
Augmented on 80 chs

BOOK-A-2
of the Sa
Leave Tim
Set a Ceda
with mar
for ¼ Sec
Mag Bits
5½ ft di
earth 1½ f
Enter A
Set a Ced
3 ft in
R 25 & 2
T. 33 S. S
R 26 E.
T. 34 S. S.
R 25 E. Sec
on each
A Cedar
Marked T
A Cedar 15
Marked
A Cedar 1
Marked
No other

A between Secs 1 & 6,
Va 14° 55' E.

2.00 Leave Timber, Enter Park.

1.00 Set a Cedar post 3 ft long 3 ins square with marked stone 8 ins in the ground for ¼ Sec Cor marked ¼ S on a face thus: pits 18 x 18 x 13 ins N. & S. of post. 2½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base around post.

4.00 Enter Timber.

0.50 Set a Cedar Post 5 ft long, 5 ins square 3 ft in the ground for Cor to Pts 33 & 34 S. Rs 25 & 26 E. Marked.
T. 33 S. S. 31 on N.E.
R. 26 E. S. 6 on S.E.
T. 34 S. S. 1. on S.W. and
R. 25 E. S. 36 on N.W. faces with 6 notches on each edge. from which,
A Cedar 2 ins diam bears N. 33¾° E. 43 lks dist
Marked T. 33 S. R. 26 E. S. 31. B.T.
A Cedar 12 ins diam bears S. 64½° E. 76 lks dist
Marked T. 34 S. R. 26 E. S. 6. B.T.
A Cedar 10 in diam bears S. 44½° W. 120 lks dist
Marked T. 34 S. R. 25 E. S. 1. B.T.
No other Tree within limits.

E. Boundary T. 35 S. R. 24
of Salt Lake Meridian

Mag Sets 24 x 18 x 12 ins length
on each line. N. & E. of
6 ft dist, and raised a mo
of earth 2½ ft high 5 ft base al
Land Level. Hill 2nd rate, s
Avg Timber Locos on 4800 Chs

October 25th 1

General Description.

The line runs over level grou
covered with considerable Sa
Cedars & Pinons.
There are large open Parks,
richly with white sage and
-dobit grass.
Solid sequent indicat
of Coal along line.

Ernst Buettner
U. S. Deputy Survey

SURVEYOR GENERA

alt Lake City, Utah,

The foregoing field notes

East

hip No. 34 South

ed by Ernst B

Contract No. 128

f August

October 188

ed, the necessary correcti

aid field notes, and th

y approved.

Fr

U. S.

BOOK-A-206

410

SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13th, 1885

The foregoing field notes of the survey of the

East Boundary

ship No. 34 South Range No. 23 East

ed by Ernst Buettner

Contract No. 128 of the 29th

of August 1884, in the month of

October 1884, having been critically ex-

ed, the necessary corrections and explanations made,

aid field notes, and the surveys they describe are

y approved.

Fred Salomon

U. S. Surveyor General for Utah.

411

BOOK-A-2

EPORT: 1885

iled

xamined by

ranscribed by

ompared by

FIEL

OF THE S

North

Township No. 33

Range No. 26

SALT LA

UT

A

Ernst

U. S.

Under his Cont

Dated 29th

Survey commence

Survey completed

BOOK-A-2063

EPORT: 1885

iled 412 188

xamined by

ranscribed by Henry R Mc Atkinson

ompared by J. H. Calvin & H. Atkinson

FIELD NOTES

OF THE SURVEY OF THE

North Boundary

OF

Township No. 33 South

Range No. 26 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 28

Dated 29th August 1884

Survey commenced October 28th 1884

Survey completed October 28th 1884

BOOK A-206

Township 34 S R. 26 E

414 415 416 417 418

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

NAMES AND DUTIES OF ASSISTANTS.

.....*Compassman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Axeman.*

.....*Axeman.*

.....*Flagman.*

North Boundary Tp 34 S, R 26 E
of the Salt Lake Meridian

Survey commenced October 28th 1884
From Corner to Tps, 33 & 34 S. R 25 & 26 E
I run E on a true line,
Along S. boundary Sec. 31,
Va 114°55' E

In Timber.

26.56 A Cedar 26 ins diam.

16.00 Set a Cedar post 3 ft long, 3 ins square
24 ins in the ground for ¼ Sec Cor. marked
¼ S on N face from which a Cedar
9 ins diam bears S 40½° E, 26 lks dist.
and a Cedar 18 ins diam bears S 33¾° W
88 lks dist. both trees marked ¼ S. B.T.

64.40 Work. Course S.

73.00 Leave Timber, enter grass park.

80.00 Set a Piñon Post 4 ft long 4 ins square
with marked Stone 12 ins in the ground
for Cor to Secs 31, 32, 5 & 6. Marked.
T. 33 S. S. 32. on N.E.
R 26 E. S 5, on S.E.
S 6. on the S.W. and
S 31. on N.W. faces. with 1 notch on
W & 3 notches on E edges. dug pits
18 X 18 X 12 ins in each Sec. 5½ ft dist
And raised a mound of earth

N. Boundary ~~of~~ 3rd P 34 S, R 26 E

BOOK A 206

2 ft high 1½ ft base around for
Level level, Soil 2nd rate
Heavy Timber cedars on 75.00 Chs.
Indications of Coal.

E on a line
along S. boundary Sec. 32.
Va. 14 95 [illegible]

7.00 Enter Timber.
40.00 Set a Stone post 3 ft long 3 ins sq
24 ins in the ground for ¼ Sec Cor.
Marked ¼ S on N face from which
A Cedar 18 ins diam bears S 65° E 46 lks
Marked ¼ S. B.T.
A Cedar 15 ins diam bears N. 15° W 6 lks
Marked ¼ S. B.T.
80.00 Set a Cedar post 4 ft long 4 ins sq
with mound Stone 12 ins in the ground
for Cor to Secs 32, 33, 4 & 5. Marked
¼ T 33 S. S 33 on N.E.
R 26 E. S 4. on S.E.
S. 5 on S.W. and
S 32 on N.W. faces. with 2 notches on
and 4 Notches on E edges. from which

BOOK-A-
of the Salt

A Cedar
Marked T. 3
A Cedar
Marked
Clay pits
5½ ft deep
2 ft high
Level lev
Heavy Timber—
Coal

E
a

36.00 Enter de
40.00 Set a Ce
with ma
for ¼ Sec
Clay pits
5½ ft d
with 1
45.00 Enter
75.00 Lease
80.00 Set a

BOOK-A-206

of the Salt Lake Meridian

A cedar 9 ins diam bears N 48° E 20 lks dist
Marked T. 33 S. R. 26 E, S. 33. B. T.
A Cedar 7 ins diam bears N. 80° E 19 lks dist.
Marked T 33 S. R. 26 E. S. 33. B. T. Two other trees in limits
Clay pits 18 x 18 x 12 ins in each Sec,
5½ ft dist. And raised a mound of earth
2 ft high 4½ ft base around post.
Level land, soil 2nd rate.
Heavy Timber — cedars — on 73.00 chs.
Coal Indications.

E on a true line.
Along S. boundary Sec 33.
Va 14° 55' E.

36.00 Enter dense sage brush.
40.00 Set a cedar post 3 ft long 3 ins square
with mound stone 12 ins in the ground
for ¼ Sec Cor. Marked ¼ S. on S face
Clay pits 18 x 18 x 12 ins. E & W. of post.
5½ ft dist. And raised a mound of
earth 1½ ft high 3½ ft base around post.
43.00 Enter Timber. Leave dense sagebrush.
73.00 Leave Timber enter dense undergrowth
84.00 Set a Cedar post 4 ft long 4 ins square

N. Boundary Sp 417
T 34 S, R 26 E
BOOK A 206

BOOK-A-2
of the Sou

with marked stone, 12 ins sq
ground for Cor to Secs 33, 34, 3 4
Marked.
T. 33 S. S 34 on N E.
R 26 E. S 3 on S E.
S 4. on S W. and
S 33. on N W. faces. With 3 notches on
E. & W. edges. Dug pits 18 X 18 X 12
in each Sec. 5½ ft dist. and
raised a mound of earth 2 ft high
4½ ft base around pit.
Timber 5.00 chs N.
About 2½ miles N. Pine Springs
Encampment of a body of U.S. Cavalry.
and headquarters of "Kansas and
New Mexico Cattle Raising Co."
Land level. Soil 2nd rate, round
Heavy Timber on 30.00 chs cedars.
Dense undergrowth on 14.00 chs.
Indications of Coal.
Augmented on 44.00 chains.

6.00
5.00
9.00
2.00

Heavy

Set a Cedar
with a m
ground fo
face, a
of Spar
Mound o
around
Set a Sto
in the
2.83. P
and 2.
18 X 18 X 12
and ca
4½ ft
Land
Heavy Timber
Dense

Augm

From a fine line
along S. boundary Sec 34
Va 140 55'

In cl

of the Salt Lake Meridian

6.00 ...ster Timber.

5.00 Dense Sage brush. enter dense sage brush.

0.00 Set a Cedar Post 3 ft long 3 ins square with a marked stone 12 ins in the ground for ¼ Sec. Cor Marked ¼ S on N face. dug pits 18 X 18 X 12 ins E. & W. of post 3½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base around post.

2.00 Set a Sandstone 20 X 14 X 2 ins 15 ins in the ground. for Cor to Secs 34, 35, 2, 3. Marked with 4 notches on N and 2 notches on E edges. dug pits 18 X 18 X 12 ins in each Sec. 5 ft dist. and raised a mound of earth 2 ft high 4½ ft base alongside.

Land level. 3rd 2nd rate. sandy

Heavy Timber on 29.00 chs. - cedars.

Dense Sage brush on 45.00 chs.

Augmented on 74.00 chains.

Corner to secs 2, 3, 34, 35.

Mon. Boundary Dec 35.

N. 14° 55' E.

In dense brush.

13,68 Set a sandstone 22 X 12 X 2 ins 16
the ground, marked U on W
and C on E face & CC dug
pits 24" x 18" x 12" ins
distance 6½ ft distant and
a mound of earth 24 ins
5½ ft base alongside
from which a sandstone
20" above ground 15" wide
2" thick in mound of
rocks, marked U 60
Trees on W & O on E and
bears N 28,88 chs
Land level
Soil 2nd rate
Dense undergrowth
13,68 chs

October 28th 1884

BOOK-A-206

General Description

This line runs over uninterrupted level ground, sloping gently easterly at a grade of about 1°. There is a large amount of timber along line also dense sagebrush from 3 to 4 ft high.

There is considerable pasturage in the parts which are quite frequent. I find many indications of coal.

Ernst Duettner
Asst Surveyor

BOOK-A

U. S. SURVEYO

Salt Lake

The forego

Township No

Executed by

Under Contract

day of

amined, the nec

the said field

hereby approve

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, June 13 1885

The foregoing field notes of the survey of the

North Boundary

Township No. 34 South *Range No.* 26 East

Executed by Ernst Buettner

Under Contract No. 128 *of the* 20th

day of August 1884, *in the month of*

October 1884, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-206

REPORT: 1885

Filed

Examined by

Transcribed by

Compared by

FIE

OF THE

Seventh Sta

Township No. 2

Range No. 24

SALT L

U

Gra

U.

Under his C

Dated Aug

Survey comme

Survey complet

BOOK-A-206

REPORT: 1885 1424 ok

Filed 188

Examined by J. H. Cannon

Transcribed by Henry Wm. Atkinson

Compared by C.E.S. + H.K.M.a.

FIELD NOTES

OF THE SURVEY OF THE

Seventh Standard Parallel South

OF

Township No. 35 South

Range No. 24 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 27th 1884

Survey commenced October 7th 1884

Survey completed " 8th 1884

BOOK-A-206

Township 35 S R. 24 E

440	441	442	443	444	445
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36
426	427	428	429	431	432

450 451 456 454 453 452

Seventh Standard P. South

BOOK-A-206

NAMES AND DUTIES OF ASSISTANTS.

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A-206

Seventh Standard Parallel South through Range 24 East.

On the night of October 6th 1884 I took an observation on the Star Polaris over the cor to Tps. 35. S. Rs. 23 & 24 East this cor is a Basalt 31 x 26 x 18 ins. in Mound of rocks. marked 6 notches on N.W.S.& E. edges. from which a Pinon 14 in diam bears N. 10° E. 18 ft. dist marked T. 35. S. R. 24. E. S. 31 B.T. a Pinon 10 in diam bears S. 46½° W. 22 ft. dist Marked T 36 S. R 23. E. S. 1 B.T. a Cedar 24 in diam bears S. 3½° E. 21 ft. dist. marked T. 36. S. R. 24. E. S. 6 B. T. and a Pinon 8 in dia bears N. 50° W. 26 ft. Marked T. 35. S. R 23. E. S. 36. B. T. mark Stone rock S. C. and 6 notches on E. N. & W. Edges also marked Leany Rees S. C.

Survey commenced October 7th 1884.

From above described cor I run East along South Boundary Sec 31.

Va 15° East.

At bottom of Cañon course S. 65° East. covered with heavy boulders. Timber and heavy undergrowth.

40.00 Set Sandstone 20 x 15 x 4 in. 12 in in ground in mound of rocks Marked S. C. ¼

Seventh Standard Parallel South

Set Mds 35 & 36 S. Range 24 E.

on N. face. from which a pinon 14 ins dia bears N. 24° W. 38 lks. and a pinon 9 ins dia bears S. 15° E. 25 lks. 4 trees Marked ⅄ S.C. B.T.

4918 Cedar 18 ins dia.

80.00 Set a sandstone 24 x 12 x 5 ins 16 ins in ground & mound of rocks. Marked 1 on W. and S on S edges. and S.C. for Stan. Cor for Sec's 31 & 32. from which a cedar 12 ins dia bears N. 45° E. 26 lks. Mkd S.C. T. 35. S. R. 24 E. S. 32. B.T. a cedar 15 ins dia bears N. 22½° W. 48 lks. Marked S.C. T. 35. S. R. 24. E. S. 31. B.T. a pinon 8 ins bears S. 46° W. 33 lks. Marked S.C. T. 35 S. R. 24 E. B.T. and a cedar 10 ins dia bears S. 62° E. 75 lks. Marked S.C. T. 36. S. R. 24 E. B.T.

Land Slopes Easterly at an angle of 2° Soil rocky 4th rate.

Timber. Cedar & pinons on 80. chs. and dense undergrowth on 80.00 chs.

Entering S. Boundary Sec 32 Va 15° E.

40.00 Set sandstone 15 x 9 x 5 ins 10 ins gr

Seventh Standard Parallel South
Set Cors 35 & 36. Range 24 E.

Md mound of rocks, marked 4 S.C. on N. face. from which a pinon pine 8 ins in dia bears N. 16° East 24 lks. dist and a Cedar 12 in. in dia bears S. 3° W 35 lks. dist both trees marked 4 S.C. B.T.

66.00 Ascend over heavy boulders.

80.00 Set Sandstone 20 x 18 x 4. in 12 in in ground, and mound of rocks marked 2 notches on W x 4 notched E. edges. and S.C. for Standard Cor for Secs 32 & 33. from which a pinon 6 10 in dia bears N. 12° E. 22 lks dist marked S.C. T. 35. S.R. 24. E. S. 33 B.T. and a cedar 16 in dia bears. S. 53° E 47 lks dist marked T. 36 S. R. 24. E. B.T. other trees either too small or crippled.

Land, first 64 chs sloping 1½° E. last 11 chs ascending, soil rocky 4th rate. Timber, Cedar & pinons on 80 chs and dense undergrowth on 80.00 chs

---

East along S boundary Secs 3.
Va 15° E.
An Indian House bears N. 3 chains.
Ascend.
34.00 Enter beach.

South Standard Parallel for

Bet Dps 35 & 36 S. Through Range

40.00	Set Sandstone 24 x 10 x 4 in. Mds in edge and mound of rocks. Marked 4. S. on N. face. from which a pine 9 in. bears S. 71° W. 43 lks. dist and a pine 10 in. dia bears S. 84° E. 26 lks. dist Marked 4 S.C. B.T.	
45.00	Ascend.	
57.00	Enter higher bench.	
74.00	Ascend.	
80.00	Set Sandstone 20 x 9 x 6 in. 12 in in edge and mound of rocks. Marked S.C. 3 notches on W. and 3 notches on E. edges for Standard Cor to Secs 33 & 34. from which a cedar 22 in dia bears S. 43° W. 22 lks. dist Marked S.C. T. 36. S. R. 24 E. B.T. and a pine 6 in dia bears N. 40° W. 81 lks Marked T 35. S. R 24 E. S 33. B.T. no other trees within 6 lks. Land Mountainous. Soil rocky Timber dense Timber and undergrowth on 80 ch	

East along S Boundary Dec 34

Va 15° E.

	Ascend.	
9.00	Foot of precipice 39 ft high.	

BOOK A

South

Bet Dps 3

9.113	Foot of	
	Enter	
22.00	Leave	
	Page	
9.100	Set a	
	12 in,	
	E. &	
	a mou	
	base	
4/100	Enter	
65.100	Leave	
80.00	Set a	
	12 in	
	E. &	
	a mou	
	base	
	T. 35	
	S. 35	
	and	
	Cor to	
	Land	
	Remai	
	Timb	

BOOK-A-206

Seventh Standard Parallel South

Bet Rgs 35 & 36 S. through Range 24 E.

	9.43	Pass of perpendicular precipice 27 ft high. Enter Mesa.
	22.00	Leave Timber, enter level, grass & rabbit sage Park.
	40.00	Set a Cedar Post 4 ft long 4 X 4 in square 12 ins, in ground, dug pits 18 X 18 X 12 in marked with S.A.C. charred ↑ ↑ E. & W. of Stake 5½ ft dist. and raised a mound of earth 1½ ft high and 3½ ft base Around post.
	47.00	Enter Timber.
	65.00	Leave Timber enter Park.
	80.00	Set a Piñon Post 4 ft long 4 X 4 in square 12 ins in ground, dug pits 18 X 18 X 12 in. N. E. & W. of Cor 5½ ft dist. and raised a mound of earth 2 ft high and 4½ ft base Around post. ~~Marked S.C. Notches on E. & W.~~ Marked S.C. T. 35. S. R. 24. E. on N. S. 34 on W. S. 35. on E faces. With 4 notches on W. and 2 notches on E. faces. for Standard Cor to Secs 34 & 35.
		Land first 9.43 Chs mountains & rocky 4th rate Remainder level, soil 2nd rate, Timber. Cedar & Piñon on 40 Chs. (Dense)

Smith's Standard Parallel Sth
Bet Tps 35 & 36 S Through Ranges 24

East on S Boundary Sec 35.
Va 15° E.

28.00 A few Cedar & Pinons.
110.00 Set a charred Cedar Post 4 ft long x 4 x 4 in
Pits in ground. With Marked Stone
for 1/4 Sec Cor Marked S.C. 1/4 on N. face.
dug pits 18 x 18 x 12 in. E & W of Post
5 1/2 ft dist. and raised a mound
earth 1/2 ft high 3 1/2 ft base around Post
57.00 Enter Heavy Timber.
63.00 Head of Gulch, Course South.
68.00 Leave Heavy Timber.
80.00 Set a charred Cedar Post 4 ft long x 4 x 4 in.
square 12 ins in ground for Standard Cor
to Secs 35 & 36. Marked S.C. T. 35. S. R 24
on N. 35 on W. S. 36 on E. faces and
notches W. and 1 notch on E faces
dug pits 18 x 18 x 12 in W. N. E. sides 5 1/2
dist and raised a mound of earth
2 ft high and 4 1/2 ft base around Post
Land nearly level soil 2nd rate.
Timber Cedar & pinon on 11 Chs.
Augmented on 11 Chs.

October 7th 1884

Fourth Standard Parallel South
Bet Tps 35 & 36 S. Through Range 24 E.

October 8th 1884

East along South Boundary Sec 36.
No 15° E.

15 1111 Enter Timber.

110.00 Set Cedar Post 4 ft long X 4 X 4 in Square 12 in in the ground with marked Stone. for Mon 1/4 Sec Cor marked S.C. 1/4 S on N face. dug pits 18 X 18 X 12 in. E & W of Post 5 1/2 ft dist and raised a Mound of Earth 1 1/2 ft high 3 1/2 ft base around Post from which a Cedar 25 in dia bears S. 14° E 25 lks dist and a Pine 16 in dia bears N. 2° E. 40 lks dist Both Marked S.C. 1/4 S. B.T.

63.00 Leave Timber. Enter Park.

80.00 Set Cedar Post 1 1/2 ft long 4 X 4 in Square 12 in in ground with Marked Stone, for Standard Cor to Tps 35. S. Rs 24 & 25 E. Marked S.C. T35 S on North and R 24 E. S 36 on W. and R 25 E. S 31 on E faces. with 6 notches on N. E & W faces. dug pits 24 X 18 X 12 in Crosswise on Each line N. E & W of Post 6 ft dist and raised a mound of Earth 2 1/2 ft high 5 ft base around Post.

435
BOOK A 206

Seventh Standard Parallel South
Bet. Rgs 35 & 36 S. through Range 24

Land level, Soil 2nd rate,
Timber a fine growth of Cedars a
pinons on 4-8 chs.
Augmented on 4-8 chs.
October 8th 1884

General Description—
The first three miles of the above line, run
along bottom of Devil's Canon, which is abo
1000 ft deep, and the course of which is S.
65° E & the same turns after about five mi
further, more southerly, in the direction of
the Ute Peaks. There is a small creek
and an Indian trail south of line in
bottom of canon. The last three miles are
on top of Plateau, which is partly
covered with Timber, but offers excellent
pasture for cattle.

Ernst Bruette
U. S. Dep. Surv

BOOK-A-

U. S. SURVEYO

Salt Lake

The forego

Seventh

Township No.

Executed by

Under Contract

day of

October

amined, the nec

the said field

hereby approved

BOOK-A-206

434

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13 1885

The foregoing field notes of the survey of the Seventh Standard Parallel South *Township No.* 3 South *Range No.* 24 East *Executed by* Ernst Buettner *Under Contract No.* 128 *of the* 27th *day of* August *1884, in the month of* October *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

435

BOOK-A-206

ORT: 1885

nined by

scribed by

pared by

FIELD

OF THE SUR

North

nship No. 35

ge No. 24 E

SALT LAK

UTAH

AS SU

Ernat

U. S. Dep

Under his Contra

ted Augu

rvey commenced

rvey completed

BOOK-A-206 5.

ORT: 1885 436

188

nined by J. H. Clamse 184

scribed by E. Nicholas

pared by E. S. H. Atkinson

FIELD NOTES

OF THE SURVEY OF THE

North Boundary

OF

wnship No. 35 South

ge No. 24 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

uted August 27th 1884

rvey commenced October 14th 1884

rvey completed October 14th 1884.

BOOK-A-206

NAMES AND DUTIES OF ASSISTANTS.

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

Survey co
From co
24 & 25 E.
W. on ra
thence. ea
chain mi
each. 40
line to
along, a
74 links.
& 35 L. (
The co
line w
N. and
and it
L. 89° 5

BOOK-A-206

North Bdy T. 35 S. R. 24 E.

Survey commenced October 14th 1884
From cor. to Tps 34 & 35. S. Rs.
24 & 25 E. Drum.
W. on random line, Var. 15° E.
chains, said Tps. West temporary
half mile & mile corners at
each. 40 & 80 chs. and find the
line to be 6 miles and 57 lks
long, and the falling to be
74 lks. S. of cor. to Tps. 34
& 35 S. Rs. 23 & 24 E.
The correction for the true
line will therefore be 12 1/3 lks
N. and 57 lks E. per mile
and its course will be
S. 89° 55' E.

BOOK-A-20

N. Boundary

Survey
From the
24. E. with
in mon
on N. S. &
Albany
7.00 Trail cons
3.00 Leave b
0.57 Set sand
for 4 dec
Aug pits
for dist.
1½ fr hig
0.57 Set d sa
for cor b
on W. a
18X18X1
and ran
4½ fr b
Sand
Dense

BOOK-A-206 440

N. Boundary of T. 35 S. R. 24 E.

Survey commenced October 14th 1884
from the Cor to Sps 34 & 35 S. R. 23 & 24 E. which is a sandstone 19 x 16 x 5 ins in mound of rocks, Marked 6. Notches on N. S. E. & W. edges. Down S. 89° 55' E. on a true line.
Along N. Boundary Sec 6.
Va 15° E.

7.00 Trail course S. W. & N. E. enter dense Sage brush.
3.00 Leave brush.
10.57 Set sandstone 14 x 9 x 4 ins, 9 ins in the ground for 4 Sec Cor. Marked 4 on N face. Dug pits 18 x 18 x 12 ins E. & W. of Stone 5½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base alongside.
80.57 Set a sandstone 14 x 7 x 3 ins 6 ins in the ground for Cor to Secs 31. 32. 5. & 6. Marked with 1 notch on W. and 6 notches on E edges. Dug pits 18 x 18 x 12 ins in each section 5½ ft dist and raised a mound of earth 2 ft high 4½ ft base alongside.
Land level. Soil 2nd rate.
Dense undergrowth 2 to Chs.

S. 89° 55' E on a true line
along N boundary Sec 5.
Va 15 lks E.

8.00 A hollow. course N.E.
26.00 Descend
36.00 Bottom of hollow course N.E.
37.00 Enter Timber.
40.00 Set a jainstone 15X14X3 ins 10 ins in the ground for 1/4 Sec Cor. Marked 1/4 on N face from which a cedar 20 ins diam bears S. 23° W. 14 lks dist. and a cedar 10 ins diam bears N 26½° W 25 lks dist. bears Trees Marked 1/4 S.B.T.,
65.50 A perpendicular precipice 25 ft deep.
66.75 " " " 24 " "
Course of edge S. 80° E.
South Montezuma Creek about 30 chs N.
Descend in Dense Oak brush
70.00 Enter level bench, Covered with large Boulders
Leave Timber
80.00 Set a Sandstone 15X12X8 ins 10 ins in the ground for Cor to Secs 32, 33, 4 & 5. Marked with 2 notches on W & 4 notches on E. edges
Dug pits 18X18X12 ins in each Sec 5 ft
dist and raised a mound of earth 2 ft

4½ feet
A trail
Land r
Heavy
on 36.
Dense
Chain
Augm

S 89°
N.

40.00 Set a
in the g
N. face,
5½ ft d
1½ ft b
45.00 Enter
80.00 Set a co
for cor.
3 notch
a pin
mark
a cedar
mark

N. Boundary Tp. 35 S. R 24 E.

4½ feet base alongside
A trail 2 chs N. course E.
Land rolling. Soil rocky 4th rate
Heavy timber - cedars & piñons -
on 33.00 chains.
Dense undergrowth on last 43.00
chains.
Augmented on 43.00 chains.

S 89° 55' E on true line between
N. Boundary Sec. 4.
Va. 15° E.

40.00 Set a sandstone 15 x 10 x 8 ins, 10 ins
in the ground for ¼ Sec. cor., marked ¼ on
N. face, dug pits 18 x 18 x 12 ins E & W of stone
5½ ft dist and raised a mound of earth
1½ ft high 3½ ft base alongside.
45.00 Enter timber.
80.00 Set a sandstone 24 x 16 x 3 in. 18 ins in ground
for cor. to Secs 33. 34. 3 & 4 marked with
3 notches on W & E edges, from which
a piñon 12 ins diam. bears S 31° W 26 lks dist
marked T 35 S R 24 E S 4 B T
a cedar 10 ins diam. bears N 52° W 25 lks dist.
marked T 34 S R 24 E S 33 B T

a piñon 8 ins diam. bears N65½°E 29 lks
marked T 34 S R 24 E S 34 B T
No other trees in limits.
And dug a pit 18 x 18 x 12 ins in Sec 3,
5½ ft dist. and raised a mound of
earth 2 ft high 4½ ft base alongside
Land high mountainous. Soil rocky
3d rate. Heavy timber - cedars & piñons
on last 35 chs. Dense undergrowth.
Augmented on 80.00 chains

S 89° 55' E on true line
along N boundary Sec. 3.
Va 15° E.

40.00 Set sandstone 16 x 10 x 4 ins, 10 ins in ground
for 1/4 Sec. cor. marked 1/4 on N face and
raised a mound of stone alongside
Pits impracticable. Trees cleared.
41.00 Descend
80.00 Set sandstone 22 x 14 x 6 ins 15 ins in
ground for cor to Secs 34. 35. 2 & 3, marked
4 notches on W and 2 on E. edges.
from which
a cedar 14 ins diam. bears S44° W 62 lks
marked T 35 S R 24 E S 3 B T

BOOK-A-2
N. Boundary

A Piñon
Marked
A Piñon
Marked
A Cedar
Marked
Land
Rest
Heavy Timber.
Dense
Along
Descend
Set a
Ascend
Mouth
Set a
ground
from
A Piñon
and A

N. Boundary Sec. 35 S. R. 24. E.

A Piñon 10 ins diam bears S. 53½° E. 174 lks dist
Marked T 35 S. R 24 E. S. 2. B.T.
A Piñon 9 ins diam bears N 35° E. 48 lks dist.
Marked T. 34. S. R. 24 E. S 35. B.T.,
A Cedar 15 ins diam bears N. 64° W. 55 lks dist.
Marked T. 34. S. R. 24. E. S 34. B.T.,
Land 1st 41 chs nearly level, rocky. Soil 3rd rate
Rest Mountainous, ~~hilly~~ rocky. Soil 4th rate.
Heavy Timber. Cedars & Pinons. on 80.00 chs
Dense undergrowth on 80 chs.

S. 89° 55' E. on a true line
Along N Boundary Sec. 2. 2
Va 15° E
Descend.
9.16 Rail Along side of Montezuma Creek.
3 Rails side 18 ins deep in Gulch, Course S. E.
Ascend.
South
Mouth of Montezuma creek 10 chs N. W.
40.00 Set a Sandstone 18 X 14 X 10 ins 12 ins in the
ground for ¼ Sec Cor. marked ¼ on N face
from which,
A Piñon 14 ins diam bears N 11° W 16 lks dist
And A Piñon 10 ins diam bears S. 2° E

N. Boundary Sp 35 S. R. 24 E

BOOK A 206

83 lks dist. both Trees marked.
1/4 S. B. T.
40.20 Descend.
80.00 Set a sandstone 28 x 14 x 6 in. 20 in in ground for Cor to Secs 35, 36, 1 & 2.
Marked with 5 notches on W. and 1 notch on E edges. from which
A Cedar 20 in diam bears N. 9° E. 26 lks dist
Marked T 34 S. R 24 E S. 36. B. T.
A Cedar 18 in diam bears S. 54° E. 142 lks dist
Marked T 35 S. R. 24 E S. 1. B. T.
A Pine 10 in diam bears N. 72° W. 68 lks dist
Marked T 34 S. R 24 E. S. 35. B. T.
No other Trees within limits.
~~Land rocky & mountainous~~
Land Mountainous Rocky. Soil 4th class.
Heavy Timber. Cedar & Pine. on 80.00 chs.
Dense undergrowth on 80 chs.

S 89° 55' East on the line
along N. Boundary Sec 1.
Va 15° E.
Descend.
0.80 Deep gulch. Course S. W.

N. Bounda

Ascend
27.14 Perpendicu
Thence
8.33 Perpendicu
Enter
40.00 Set a sand
ground
from
A Pine
Fnd A Pi
both Tre
A Ceda
48.50 Enter
53.00 Leave
63.00 Fail
80.00 The Cor
Land
Rest ne
Heavy Timber

Accd.
27.14 Perpendicular precipice 80 lks high.
Thence level.
18.33 Perpendicular precipice 53 lks high.
Enter level Mesa.
40.00 Set a sandstone 26 x 5 x 5 ins 18 ins in the ground for ¼ Sec Cor. Mark ¼ on N face
from which.
A Piñon 12 ins diam bears S 2¼° W. 27 lks dist.
Fd A Piñon 16 ins diam bears N 3° E. 64 lks dist
With Trees Marked ¼ S. B. T.
Accd.
48.50 Enter level plateau.
55.00 Leave Timber.
63.00 Trail course N. & S.
80.00 The Cor to Tps 34 & 35 S. Rs 24 & 25 E..
Land 1st 46.50 chs. Mountainous, Rocky. Soil 4th rate
Rest nearly level, soil 3d rate - sandy
Heavy Timber, Cedar & Piñons on 1st 55.00 chs.

October 14th 1884.

General Description.

The above line crosses 2 rugged forbidding cañons, about 600 ft deep the sides are cut through di-

N. Valley

447 Exteriors Tp. 3 S. R. 24 E.

BOOK A 206

Plateau, partly covered with
Cedars & Pinions, partly with bl
Joint grass, and white sage,
Mainly excellent Cattle pasture.

E. Buettner
U. S. Dep. Surv

BOOK-A-206

U. S. SURVEYOR

Salt Lake C

The foregoing

North

Township No. 3

Executed by E

Under Contract N

day of Au

October

amined, the necess

the said field no

hereby approved.

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13th, *1885.*

The foregoing field notes of the survey of the North Boundary.

Township No. 35 South *Range No.* 24 East

Executed by Ernst Buettner

Under Contract No. 128 *of the* 27th

day of August *1884, in the month of* October *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salsbury

U. S. Surveyor General for Utah.

BOOK-A-2

REPORT: 1885

Filed

Examined by

Transcribed by

Compared by

FIE

OF THE

Township No.

Range No. 24

SALT I

Ernest

U.

Under his C

Dated Aug.

Survey comme

Survey complet

BOOK-A-206

REPORT: 1885

450

Filed 188

Examined by J. H. Camps

Transcribed by E. Michaelis

Compared by E.S., H.R.M.A.

FIELD NOTES

OF THE SURVEY OF THE

East Boundary

OF

Township No. 35 South

Range No. 24 E.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 27th 1884

Survey commenced October 13. 1884

Survey completed October 13. 1884.

NAMES AND DUTIES OF ASSISTANTS.

451

Compassman.

Chainman.

Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

Flagman.

BOOK-A-206
East Boun

On the ...
Lake ...
"Polaris"
Rs 24 & 25
October 5 ...
on line ...
Survey ...
with a ...
No ...

Line run ...
40.00 Set Cedar ...
with ma...
for ¼ Sec...
Orig Pile...
5½ ft ...
earth 1½ ...
30.00 Enter ...
56.00 On edge ...
Leave ...
37.74 For pen...
Decem...
80.00 Set a P...
the gro...
& 31. ...

BOOK-A-206

East Boundary Tp 35 S. R 24 E. 452

On the night of October 12th 1884 I take an observation on the star "Polaris" from Stan Cor to Tp 35 S. Rs 24 & 25 E. Established by me on October 8th 1884 and drive pickets on line thus established.

Survey Commenced Oct 13th 1884. with a Transit & Ty. no 1737

From the above Cor I run North between Secs 31 & 36.

Va 15° E.

Fine runs on level mesa.

40.00 Set Cedar post 3 ft long, ~~2 in~~ 3 in square with marked Stone 12 ins in the ground for ¼ Sec Cor marked ¼ S. on 3 ft face. Dug pits 18 x 18 x 12 ins N. & S. of post 3½ ft dist, and raised a mound of earth 1½ ft high, 3½ ft base around post.

30.00 Enter Timber

36.00 On edge of precipice 32 ft deep. Leave mesa.

37.74 Perpendicular precipice 27 ft deep. Descend.

80.00 Set a Sandstone 20 x 14 x 5 ins 12 ins in the ground for Cor to Secs 25. 30. 36 & 31. Marked with 1 notch on S and

E. Boundary of T. 35 S. R. 24 E.

BOOK A 206

5. Notches on N. edges, from which
a Cedar 26 lks in dia bears N. 25
E. 8 lks dist Marked T 35 S. R 25 E. S 30. B
A Cedar 15 lks diam bears N. 53° W. 110
Marked T. 35. S. R. 24 E. S. 25. B. T.
A Pinon 9 lks. diam. bears S. 44° W. 65
Marked T. 35 S. R 24 E. S 36. B. T.
A Pinon 14 lks diam. bears S 57½° E. 162
Marked T 35. S. R. 25 E. S. 31. B. T.
Land 1st 56 Chs nearly level Soil 2nd rate
Rest Mountainous, Rocky. Soil 4th rate
Heavy Timber. Cedars & pinons. with dense
undergrowth on 30 Chs.

N. 1/4 Sec Cor 25 & 30.
Va 15° E.
Deceased.
20.80 Enter bottom of Canon and dense
undergrowth.
Leave Timber.
Bottom nearly level.
40.00 Set a Sandstone 16 x 12 x 6 ins 13 ins
in the ground for 1/4 Sec Cor Marked
1/4 on W. face. Dug pits 18 x 18 x 1

BOOK-A-2
of Salt

N. & S.
a mon
along
50.60 Trail C
67.50 Deep gu
70.20 Trail C
80.00 Set a Sa
Ground
Marked
on N. e
each se
of cart
Land
Rest ne
Heavy Timber
Dense
Augm

0.90 Montezu
in deep
of Ca
40.00 Set a
the gr

N. & S. of Stone 5½ ft dist. and raised a mound of earth 1½ ft high, 3½ ft base alongside.

50.60 Trail E. & W.

67.50 Deep gulch Course Easterly.

70.20 Trail course S. E.

80.00 Set a Sandstone 18 X 10 X 3 ins 12 in in the ground for cor to Secs 24. 19. 25 & 30. Marked with 2 notches on, S. and 4 Notches on N. edges. Aug Hits 18 X 18 X 12 ins in each Sec, 5½ ft dist. and raised a mound of earth 2 ft high 4½ ft base alongside. Land 1st 20.80 chs Mountainous, Soil 4th rate. Rest Nearly level, Soil 2nd rate. —

Heavy Timber Cedars & pinons, on 20.80 chs. Dense undergrowth on rest.

Augmented on 80.00 chains

N. between Secs 24 & 19.
Va 15°. E.

0.90 Montezuma Creek 24 ins wide. 15 ins deep, in deep gulch, Course S. Easterly, mouth of Dry gulch heads. N. E.

40.00 Set a Sandstone 16 X 9 X 6 in 10 ins in the ground for ¼ Sec Cor. Marked ¼ on N.

Face. Aug pits 18 x 18 x 12 ins N. & S. of Stone. 5½ ft dist. and raised a mound of earth 1½ ft high. 3½ bare alongside

43.00 Accord.

43.00 Enter Timber. Leave undergrowth

80.00 Set a Sandstone 22 x 10 x 8 ins 14 ins in the ground for cor to Secs 13. 18. 19 & 24. Marked with 3 notches on S. and ~~3 notches on~~ N. edges. and raised a mound of Stone alongside. Pits impracticable. and from which a Cedar 18 ins diam bears N. 56° E. 25 lks Marked T. 35 S. R. 25 E. S 18. B.T.

A Pinon 12 ins diam, bears S. 34° E. 67 lks dist. Marked T. 35. S. R 25 E. S 19. B.T.

A Cedar 15 ins diam, bears S. 22½° W. 157 lks Marked T. 35 S. R. 24 E. S 24. B.T.

A Pinon 10 ins diam. bears N. 46° W. 25 lks dist. Marked T. 35 S. R. 24 E. S 13. B.T.

Land 1st 43 chs bottom, soil 2nd rate. Rest Mountainous rocky, soil 4th rate.

Timber on 35 chs. cedars & pinons. Undergrowth on 46 chs.

Augmented on 80.00 chains

14.75 Accou... Set ... high. Thence

16.94 Perpendic... Enter ...

34.00 Leave ...

40.00 Set a ... ground ... Aug pits ... dist. a... 1½ ft hi...

68.00 Enter ...

72.00 ... edg... Leave ...

75.80 Perpendic... Descen...

80.00 Set a ... ground ... Marked ... Notches ... ~~Mound~~ ... ~~Pits~~ ...

N between Secs 13 & 18
Va. 15° E.

Ascend.

14.75 Foot of perpendicular precipice 48 lks high.

Thence level.

16.94 Perpendicular precipice 55 lks high.

Enter Mesa.

34.00 Leave Timber.

40.00 Set a sandstone 15 x 9 x 4 ins 10 in in the ground for ¼ Sec. Cor. Marked ¼ on W face Dug pits 18 x 18 x 12 ins N. & S. of Stone 5½ ft dist. and raised a mound of earth 1½ ft high, 3½ ft base alongside.

68.00 Enter Timber.

72.00 At edge of precipice 53 lks deep.

Leave Mesa.

75.80 Perpendicular precipice 34 lks deep.

Descend.

80.00 Set a sandstone, 15 x 10 x 9 ins 10 in in the ground for Cor to Secs 12, 13, 7, & 18. Marked with 4 notches on S and 2 Notches on N edges. ~~And raised a mound of stone alongside.~~ ~~Pits impracticable.~~

E. Boundy of Sec 35. S. R. 24. E.

from which, A Piñon 16in diam bears S. 15° E. 26 lks dist.
Marked T. 35, S. R. 25, E, S 18. B.T.
A Cedar 24in diam bears S. 67° W 18 lks
Marked. T. 35. S. R 24 E. S 13. B. T.,
A Piñon 12in diam bears N. 43° W. 207 lks
Marked T. 35. S. R 24 E. S. 12. B.T.,
A Piñon 14in diam bears N. 16° E 14 lks dist.
Marked T. 35 S R 25. E. S. 7. B.T.
Land 1st 16.99 Chs and last 8 Chs Mountain
Rocky, Soil 4th rate. —
Rest level Mesa. Soil 2nd rate,
Heavy Timber. Cedars & Piñons, on 1st 34 Chs
and last 12 Chs.
Augmented on 46 one chains

N between Secs 12 & 7.
Va 15° E.

Deceased.

40.00 Set a Sandstone 12 x 10. x 8. in 8 in in the ground for 1/4 Sec Cor marked 1/4 on its face from which a cedar 13 in diam bears N 25° W. 16 lks dist. And a Piñon 10 in diam bears S 3½° W 108 lks dist. Both trees marked 1/4 S.B.T.

48.10 Deep g
Ascen
80.00 Set a
the grou
Marked
on N
12 in
Marked
A Piñon
Marked
A Piñon
Marked
A Cedar
Marked
Land
Heavy Timbe

Ascen
27.40 At Sou

BOOK-A-206

of the Salt Lake Meridian

48.10 Deep Gulch Course S. 24.
Ascend.
80.00 Set a sandstone 26x18x12 ins 16 ins in
the ground for Cor to Secs 1. 6. 12 & 7.
Marked with 5 notches on S and 1 notch
on N edges. from which a cedar
12 ins diam bears N. 12° E. 46 lks. dist.
Marked T. 35 S. R 25 E. S. 6. B.T.
A pinon 15 in diam bears S 23° E. 52 lks dist.
Marked T. 35 S. R 25 E. S. 7. B.T.
A Pinon 12 in diam bears S. 52° W. 36 lks dist.
Marked T. 35 S. R 24 E. S. 12. B.T..
A Cedar 18 in diam bears N. 24° W. 48 lks dist.
Marked T. 35 S. R 24 E. S. 1. B.T..
Land Mountainous. rocky, bld 4th rate.
Heavy Timber, Cedars & Pinons on 80. chs.

~~Commenced at last established Corner~~
~~and ran on true line.~~
N. between Secs 1. & 6.
Va 15° E.
Ascend.
27.40 At foot of precipice 25 lks high.

E. Boundary Mp 35. S. R. 24. E.

459 BOOK A 206

Thence level,

29.76 At foot of precipice 69 lks high.
Enter Woods. edge bears S. 84° W. & S. 85° E.

34.00 Leave Timber.

40.00 Set a sandstone 12 x 12 x 3 in 8 in in the
Ground for ¼ Sec. Cor. marked ¼ on W face
dug pits 18 x 18 x 12 ins N. & S. of stone
3½ ft dist. and raised a mound of earth
1½ ft high. 3½ ft base alongside.
The "Ute Peak" bears S. 36° 35' E.

80.00 Set a sandstone 24 x 7 x 6 in 16 in in the
Ground for Cor to Mps 34 & 35. S. Rs 24 & 25
Marked with 6 notches on each edge,
dug pits 24 x 18 x 12 in length in line on
each line N. S. E. & W. of stone. 6 ft dist
and raised a mound of earth 2½ ft high
5 ft base alongside.
Land 1st 29.76 lks Mountainous, rocky
Soil 4th Rate.
Rest nearly level, sloping at an angle of
2° Northerly. Soil 2nd Rate.
Heavy Timber, Cedars & Pinions, on 1st 34 chs

Oct. 13th 1884.

BOOK-A-206

of the Salt Lake Meridian

General Description

The line runs partly through, and along "Devils Canon" a dark forbidding gulch about 600 ft deep. On both sides of same are plateaus richly covered with blue joint grass and white sage, excellent pasturage

Ernst Ruettner
U. S. Deputy Surveyor

BOOK-A

U. S. SURVEYO

Salt Lake

The forego

Ca

Township No. 3

Executed by .....

Under Contract

day of Au

October

amined, the nec

the said field

hereby approved

.....

BOOK-A-206

462

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13th *1885*

The foregoing field notes of the survey of the

East Boundary

Township No. 35 South *Range No.* 24 E.

Executed by Ernst Buettner

Under Contract No. 128 *of the* 27th

day of August *1884, in the month of*

October *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-206

PORT: 1885

d

mined by

nscribed by

pared by

FIEL

OF THE S

venth Stan

w. Jns. 35 & 36

& East

wnship No.

ge No.

SALT LA

UT

A

Ernst

U. S.

Under his Cont

ted Augu

rvey commence

rvey completed

BOOK-A-206 2

PORT: 1885

464

d 188

mined by E. Solomon

nscribed by E. Michaelis

pared by Ord. & He. A.

FIELD NOTES

OF THE SURVEY OF THE

Seventh Standard Parallel South

w. Tps. 35 & 36 S. through Rg.

East

OF

wnship No. ——

ge No. ——

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

ted August 27th 1884

rvey commenced October 8th 1884

rvey completed October 9th 1884

BOOK-A-206

Township 35 S *R.* 25 E

480 482 483 484 485 487

6	5	4	3	2	1	491
7	8	9	10	11	12	498
18	17	16	15	14	13	497
19	20	21	22	23	24	496
30	29	28	27	26	25	495
31	32	33	34	35	36	494

466 467 468 469 471 473

Seventh Standard P. South

NAMES AND DUTIES OF ASSISTANTS.

.....*Compassman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Chainman.*

.....*Axeman.*

.....*Axeman.*

.....*Flagman.*

BOOK-A-206

Between Tps 35 & 36. S. Through Range 25 East

Survey commenced Oct. 8, 1884

From the above established Cor
To Tps 35. S. Ra 24 & 25. E. Run
East along South boundary Sec 31
Va 15°. E.

0.111 Some scattering Cedars & Pinons
Enter Cleus & Sage brush.

10.00 Set Cedar Post 4 ft long x 4 x 4 in Square
12 ins in the ground with Marked Stone, for
Stan & Sec Cor marked S.C. & on N faces.
dug pits 18 x 18 x 12 in. E. & W. of Post
½ ft dist and raised a mound of earth
1½ ft high. 3½ ft base around Post.

16.00 Enter Timber, leave brush.

18.00 Leave Timber

20.00 Set Cedar Post 4½ ft long 4 x 4 in Square
12 inches in the ground
with Marked Stone for Stan. Cor to Secs 31 & 32
Marked S.C. T. 35 S. R. 25. E. on N. & 31 on W.
& 32 on E faces. and 1 notch on W. and
5 notches on E faces, dug pits 18 x 18 x 12 in
W. N. & E. of post 5½ ft dist and raised
a mound of earth 2 ft high and 4½ ft base
around post.
Land level. Soil 2nd rate.
Timber on 12 Chs. Dense undergrowth on 46 Chs.

Augmented on 58 Chs.

Smith Standard Parallel S

Set Dps 35 & 36 S. Strmgh Range 25

East along South boundary Sec

Va 15°

In grass and white Sage.

40.00 Set Piñon Post 4½ ft long x 4 x 4 in Sq

12 ins in the ground with marked

for Stan ¼ Sec Cor marked S.C. ¼ on

face, Bey Pits 18 x 18 x 12 in E. & W.

of Post 5½ ft dist and raised a

of earth 1½ ft high 3½ ft base around P

47.00 Mark Witness rock deep no

Course S. 15° E.

Enter Timber.

71.1111 Leave Timber, enter Park.

80.00 Set Cedar Post 4½ ft long x 4 x 4 in Sq

12 ins in ground with marked stone for

Stan Cor to Secs 32 & 33 marked S.C.

S.R. 25 E. on N. S. 32 on W. S 33 on E fac

Bey Pits 18 x 18 x 12 in W. N. & E. and

on W. and 4 notches on E. sides

Pits 18 x 18 x 12 in W. N. & E. Piles

dist and raised mound of earth 2 ft

and 4½ ft base around Post

Land Level. Soil 2nd rate.

Timber on 24 Chs

Augmented on 24 Chs.

East Abo

In gras

0.00 Set Cedar

12 ins. in the

for Stan ¼

Bey Pits

5½ ft dis

earth 1½

Enter Ti

3.20 On East

Precipice

5.72 "

Opposite

0.00 Set Sta

in mound

to 33 & 34

E and

which a

27 lks N

a Cedar

marked S

Piñon

marked

Land

Mt. Diablo Meridian

Between Standard Parallel South Bet Tps 35 & 36 S. through Range 25 E.

East Bdry S Boundary Sec 33.
Va 15° E.

In grass & white sage.

0.00 Set Cedar Post 4½ ft long × 4 × 4 in square 12 ins. in the ground with marked stone for Stan ¼ Sec Cor marked S.C. ¼ on N. face Bury pits 18 × 18 × 12 in E & W of Post. 5½ ft dist and raised a mound of earth 1½ ft high 3½ ft base around post.

7.00 Enter Stumbon.

13.20 On East edge of Plateau.
Precipice 29 ft deep perpendicular.

15.72 " 41 ft " " "

Descend.

20.00 Set Sandstone 24 × 18 × 6 in. 16 in in ground in mound of rocks, marked for Stan Cor to Secs 33 & 34 marked S C with 3 notches on E and 3 notches on W edges, from which a Cedar 20 ins dia bears N. 36° W 27 lks Marked SC T 35 S. R 25 E. S 33. B.T. and a Cedar 9 in. in dia bears S 15° W 43 lks Marked SC T 36 S. R 25 E. B.T. and a Pinon 8 in. in dia bears S 27° E. 54 lks. Marked SC T. 36 S. R 25 E. B.T.

Land 1st 63.20 Chs nearly level, Soil 2nd rate

Section Standard Parallel So... Seventh Mer...
Bet Apps 35 & 36. S. Through Range... Bet Apps 35 &...

Rest Mountainous Rocky soil 4th qu...
Timber and dense undergrowth on 23...
Augmented on 23 Chs.

East along South Boundary Sec 34...
Va 15°...

Descend.

40.00 Set Sandstone 15 x 10 x 6 in. 10 in. in... ground and Mound of rocks. Mar... S.C. 1/4 on N. face. from which a pi... Pine 8 in. in dia bears S 25° W 68 l... and a Pinon Pine 9 in in dia bears N... 23 lks. both Marked 1/4 S.C. B.T.

Descend.

42.70 Montezuma Creek 3 Lks wide 18 ins deep... in Narrow Gulch 3 ft deep, Course S. 10°...

Ascends

80.00 Set Sandstone 24 x 15 x 8 ins in ground a... Mound of rocks, Marked S.C. and 4 ... on N. and 2 notches on E. edges. fro... Stan Con to Sec's 34 & 35. from which ... Cedar 30 ins in dia bears S 58° W 24 lks. ... Marked S.C.T. 36. S. R 25. E. B.T. And a Ced... 22 in in dia bears S 42° E. 63 lks Marked ... S.C. T. 36. S. R 25. E. B.T. and a Ced...

16 in. in ...
Marked S.C...
Pinon Pine ...
Marked S. ...
Land Mon...
Timber. ...
with dense ...
Augm...

On the ...
Tike, ob...
from Ca...

Fourth Standard Parallel South
Bet Rgs 35 & 36 S. Strong's Range 25 E.

16 in, in dia bears N. 63° E. 105 lks.
Marked S.C.T. 35 S. R 25 E. S. 35 B.T. and a
Pinon Pine 10 in in dia bears N. 149° W. 83 lks
Marked S.C.T. 35 S. R 25 E. S. 34 B.T.
Land Mountainous, Rocky, Soil 4th rate.
Timber. Cedars and Pinon,
With Scrub underwood on 80 chs.
Augmented on 80 Chains.

October 8. 1884.

On the night of October 8th 1884
Took Observation on the Star Polaris
from last established corner.

Sixth Standard Parallel South

Set Pps 35 & 36. S. through Range 2

October 9th 18

Commence at last established
Corner and run East along
Boundary of Sec 35.
Va. 15° E.
Note: 3/4 of mile S° of Corner, an ope
grass flat with Spring.
Pine runs along N. side of "Oas
with level plateau on top, a rem
of Mesa.
Ascend.

31.00 Deep gulch, Course N. W.

40.00 Set Sandstone 14x9x6 in 9 ins in
ground for Stan 1/4 Sec Cor mark
S.C. 1/4 on N. face. from which a pi
7 ins dia bears N. 39° W 65. lks Mar
S.C. 1/4. B.T.
Ascend.

30.00 Pass of "Oasis" bears. S. about 15 Chs.

6.00 Descend.

80.00 Set Sandstone 18x15x4 in. 12 in in gro
and Mound of rocks. for Stan Cor
Secs 35 & 36. Marked S.C. and 1 notch
on E. and 3 notches on W edges. fr
which a Pinon 10 in. dia bears N.

Set Pps 35 &

15 lks. N
and a pi
Marked S.C
Cedar 20
Marked
Land Mar
Timber. C
with de
Magne

BOOK-A-206

South Standard Parallel South

Between Tps 35 & 36, S. through Range 25 E.

15 lks. Marked: S.C.T. 35 S. R 25 E. S. 36. B.T.
And a pinon 12 in dia bears N. 47° W. 82 lks
Marked S.C.T. 35 S. R 25 E. S. 35. B.T. And a
Cedar 20 in. dia bears S. 14° W. 73 lks.
Marked S.C.T. 36 S. R 25 E. B.T.
Land Mountainous, soil rocky. 4th rate.
Timber, Cedars & pinon.
with dense undergrowth 80 chs.
Measured on 80 Chains

BOOK-A-206

475

South Standard Parallel Sou

Set Dps 35 & 36. S through Range 2

South, Sta

t Dps 35 & 36

East along S Boundary Dec 36

Va 15°

Descend.

5.00 Gulch. Course N.E.

22.50 Enter bottom of Canon.

Thence level. Leave Timber.

25.00 Trail. Course S.

26.00 Creek 2 lks wide, 4 ins deep in gulch.

Gulch 20 ft deep. Course S.

31.00 Ascend.

Enter Timber.

40.00 Set a Sandstone 16 x 9 x 8 in. 12 in. high

and mound of rocks. Marked S.C. ¼ 0

N. face. from which a Cedar 15 ins in dia

bears S. 87° W 103 lks. Marked S.C. ¼ S B.T.

and a Cedar 10 in in dia bears N. 44°

94 lks. Marked S.C. ¼ S B.T.

71.50 At foot of precipice 46 ft high.

75.82 Precipice 26 ft high.

Enter Mesa.

80.00 Set a Sandstone 24 x 11 x 10 in. 16 in in the

ground for Mon. Cor to Dps 35 S. Rs 25

marked ~~S.C. T. 36 S.~~ S.C. and 6 notches o

E. N. & W. edges. from which a Ced

10 ins in dia bears N. 24° W. 85 lks

marked S.C. T.

Cedar 16 in

S.C. T. 36. S.

in dia bea

S.C. T. 36. S.

10 in. in d

S.C. T. 35 S.

Sand Mo

Timber

Surv

General

The S

level pla

and ent

for publi

rough.

206

BOOK-A-206

South Standard Parallel from A[illegible]
to Pts 35 & 36 S. through Range 25 E.

Marked S.C.T. 35 S. R. 25 E. S 36, B.T. and a Cedar 16 in dia bears S 37° W. 64 lks marked S.C.T. 36 S. R 25 E. B.T. Also a pinon 9 in dia bears S. 43° E. 21 lks marked S.C.T. 36 S.R. 26 E. B.T. and a pinon 10 in. in dia bears N. 19° E 79 lks marked S.C.T. 35 S. R. 26 E. S. 31. B.T.

Land Mountainous, Soil rocky 1st rate Timber Cedar & pinon on 71.80 chs

Augmented on 7.80 chs
October. 9. 1884.

General Description—

The first 2 3/4 miles run over a level plateau, well covered with grass and white sage. Excellently adapted for pasture. The last part thro through rough, nearly inaccessible Canons.

Ernest Burton
U. S. Dep. Surveyor

BOOK-A-2

U. S. SURVEYOR

Salt Lake Ci

The foregoing
Standard Para
Tps. 35 & 36

Township No.

Executed by

Under Contract N

day of *Au*
Utah

amined, the neces

the said field n

hereby approved.

BOOK-A-206 476

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13 1885.

The foregoing field notes of the survey of the 4th Standard Parallel South between Tps. 35 & 36 S. through Rg. 25 East

Township No. —— *Range No.* ——

Executed by Ernst Buettner

Under Contract No. 128 *of the* 27th *day of* August 188[illegible], *in the month of* October 188[illegible], *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-206

EPORT: 1885

led

amined by

anscribed by Alex

mpared by Vals

FIEL

OF THE S

Nort

Township No. 35

Range No. 25 E

SALT LA

UT

Erv

U. S

Under his Co

Dated 29th

Survey commen

Survey complete

BOOK-A-206 7

EPORT: 1885

478

iled 188

xamined by .....

ranscribed by Henry R Mathison

ompared by Mathison & Atkinson

FIELD NOTES

OF THE SURVEY OF THE

North Boundary

OF

Township No. 35 South

Range No. 25 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 28

Dated 29th August 1884

Survey commenced October 24th 1884

Survey completed " 24th 1884

NAMES AND DUTIES OF ASSISTANTS.

Compassman.

Chainman.

Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

Flagman.

BOOK-A-206

N. Boundary

BOOK-A-206

N. Boundary of 35 S. R. 25 E.

480

On the night of October 23d 1884
I took an observation on the Star
Polaris from Cor to Tps 34 & 35 S. Rs
25 & 26 E. with Stackpole theodolite
No. 1734. Survey commenced Oct. 24th 1884
From the Cor to Tps 34 & 35 S. Rs 25 & 26 E
I run west on a random line between
said Tps.

Va 15° E.

I set temporary ¼ mile & mile Cor's at
every 40.00 & 80.00 chs. and find the line to
be 5 miles S. 81 chs long, and the falling to be
6.41 chs N of the Cor to Tps 34 & 35 S
Rs 24 & 25 E.
The correction therefore for the true
line will be 11½ chs S & 1.16 chs W per mile
The course will be N. 89° 55' E.

From the Cor to Tps 34 & 35 S. Rs 24 & 25 E
I run

N. 89° 55' E on true line
along South boundary Sec. 31.

Va. 15° E.

5.1111 Enter Timber.

N. Boundary Tp 35 S. R 25 E.

481 BOOK A 206

	Accend.
7.111	Enter higher beech. Leave Timber.
38.84	Set a Sandstone 20 x 10 x 3 ins 15 in in the ground for 1/4 Sec Cor. marked 1/4 N face, dug pits 18 x 18 x 12 in E. & W. of stone 5 ft dist, and raised a mound of earth 1½ ft high 3½ ft base alongside
53.30	40 lks N. the remains of Moca house.
	Enter dead Timber & Deuse Pine brush.
59.00	Descend.
65.50	Leave dead Timber & enter living timber
78.84	Set a Sandstone 20 x 14 x 3 lks, 10 in in the ground, for Cor to Secs 31. 32. 5. & 6 marked with 1 Notch on W side and 5 notches on edges from which. A Pinon 6 in diam bears N. 33° W. 60 lks dist Marked T. 34. S. R. 25 E. S 31. B.T., A Pinon 11 in diam bears S. 79° W. 66 lks dist Marked T. 35. S. R. 25 E. S. 6. B.T., A Pinon 15 in diam bears S. 42° E. 25 lks dist Marked T 35 S. R 25 E. S. 5. B.T., no other trees within limits and raised a mound of Stones alongside—
	Land Mountainous rocky. Soil 4th rate. Timber on 15.30 chs. Dead Timber on 12.00 chs. Deuse brush on last 25.34 Chs—
	Augmented on 52.64 chains

BOOK-A-

N. Boundary

N. along

Gulch. S

Descend

Thence

Descend

Creek 18 in

course S.

Ascend

Set a Sto

the ground

and raise

from whi

and a P

both trees

Ascend

A Post 6

LS 36

Ascend

Enter

Set a Sto

the grou

Marked

on E

N. 89° 55' E on a true line
& along South boundary Sec 32.
Va 15° E.

2.50 Gulch. S.
Descend.
5.00 Thence rolling, rocky.
11.00 Descend.
14.95 Creek 18 lks wide 3 lks deep in wash.
Course S. W. Sinks below
28.86 Ascend.
40.00 Set a Sandstone 13 X 12 X 5 ins 10 ins in
the ground 1/4 Sec Cor marked 1/4 on N face
and raised a mound of stone along side.
from which a Pinon 6 ins in diam bears S 22° E. 26 lks dist
and a Pinon 6 ins diam bears N 23° E. 37 lks dist.
both trees marked 1/4 S. B. T.
Ascend.
49.40 At foot of precipice 78 lks deep. Course N 10 1/2° E
& S 36° W.
Ascend,
52.35 Enter level plateau.
60.00 Set a sandstone 33 X 12 X 2 ins 24 ins in
the ground for Cor to Secs 32, 33, 4 & 5.
Marked with 2 notches on W. and 4 notches
on E edges, from which

N. Boundary Tp S. R 25 E.

BOOK A 206

A Pinon 11 in diam bears S 51° E 98 lks dist
Marked T. 35 S. R 25 E. S 4. B.T.
A Cedar 9 in diam bears S 46° W. 8 lks dist
Marked T. 35 S. R 25 E. S 5. B.T.
A Pinon 8 in diam bears N. 15° W 41 lks dist
Marked T 34 S. R 25 E. S. 32. B.T.
dug a pit 18 X 18 X 12 in. in Sec 33 5½ ft dist, and raised a mound of earth 2 ft 4½ ft base along side.
No other Trees within limits.
Land 1st 52.35 chs Mountainous, rocky soil 4th rate.
Rest level plateau, soil 2nd rate.
Heavy Timber cedars & pinons and dense undergrowth on 80.00 chs.

N 89° 55' E on a true line.
along South boundary Sec 33.
Va 15° E.

Descend.
7.50 Ravine, course N.
12.98 Ascend.
17.50 Ravine course N.W.
25.00 Leave Timber and dense undergrowth.

W. Boundary of 35 S. R. 25 E.

10.00 Set a Sandstone 16 x 10 x 4 in 11 in in the ground for ¼ Sec Cor marked ¼ on N face Dug pits 18 x 18 x 12 ins E & W of Stone 5½ ft dist, and raised a mound of earth 1½ ft high 3½ ft bare alongside.

1.50 Mica Schist.

10.00 Set a Sandstone 16 x 9 x 2 in 11 in in the ground for Cor to Secs 33. 34. 3 & 4. Marked with 3 notches on W. and 3 notches on E edges. Dug pits 18 x 18 x 12 ins in each Sec. 5½ ft dist, and raised a Mound of earth 2 ft high 1½ ft bare alongside.

Level rolling. Soil 3rd rate.

Heavy Timber, cedars & pines Dense undergrowth on 25.00 Chs.

N. 89° 55' E on true line. along S. boundary Sec 34. Va 15½° E.

5.00 Enter dense undergrowth.

Descend

24.00 Hollow, Course S.

Ascend.

10.00 Set Cedar Post 3 ft long 3 ins square

N. Boundary Tp 35 S. Range 20 E.

BOOK A 206

with marked stone, 12 ins in ground for ¼ Sec Cor Marked ¼ S on N face. dug pits 18 X 18 X 12 ins & ¼ of Post 1 ft dist. and raised a mound of earth 1½ ft high 3½ ft base around Post.

46.00 Ascend.

80.00 Set a sandstone 16 X 12 X 2 ins 11 ins in ground for Cor to Secs 34, 35, 2 & 3. Marked with 4 notches on W and 2 notches on E edges. dug pits 18 X 18 ins each Sec. 3½ ft dist, and raised a mound of earth 2 ft high 4½ ft base along side.

Land rolling soil 2nd rate, sandy
Fine pasture.
Dense undergrowth of sagebrush
7500 Cls.

N. 89° 55' E on true line.
along S boundary Sec 35.
Va 15.° E.

7.00 Descend.

19.00 Bottom of Hollow. Course S.
Trail Course. S.

N. Boundary of T. 35 S. R. 25 E.

3.1111 Chs S in Gulch, Horse head spring
8.00 Leave Hollow.
Ascend.
Enter Timber.
10.00 Set Cedar Post 3 ft long 3 ins Square with
Marked Stone 24 ins in the ground for
¼ Sec Cor. Marked ¼ S on N. face. from
which,
A Cedar 15 ins diam bears N. 55° W 31 lks dist
A Pinon 10 ins diam bears S. 44° W. 91 lks dist
both trees marked ¼ S. B.T.
44.00 Leave Timber. Shinee level
47.50 Enter Timber
57.50 Leave Timber. Descend
61.00 Hollow, Course S.
Enter dead timber & dense undergrowth.
Ascend.
80.00 Set a sandstone 18 X 10 X 4 ins. 12 ins in the
ground for Cor to Secs 35, 36, 1, & 2.
Marked with 5 Notches on W. and 1 notch
on E. edges. dug pits 18 X 18 X 12 ins.
in each Sec 3½ ft dist and raised
a mound of earth 2 ft high, 4½ ft
base alongside.
Land rolling soil 3rd rate —

N. Boundary Tp. 35 S. R. 25 E.

BOOK A 206

Heavy Timber cedars & pines on 36 chs Dense undergrowth on 9.00 Chs.
Augmented on 45.00 chains

N 89° 55' E on same line, along S Boundary Sec 36, & Va 15° E

Descend

14.00 Mark. Course S. W.
Enter dense undergrowth.

40.00 Set a Sandstone 14 X 14 X 3 ins in ground for ¼ Sec Cor Marked ¼ on N face. Dug pits 18 X 18 X 12 ins E. & W. of Stone. Set ¼ ft dist. and raised a mound of earth 1½ ft high 3½ ft base along

45.00 Ascend.
Enter Timber.

64.00 Leave Timber. Thence level
In dense undergrowth.

80.00 The Cor to Tps 34 & 35 S. Rs 25 & 26 E
Land slightly rolling, Soil 2nd rate
Timber cedars & pines on 19.00 Chs.
Dense undergrowth on 66.00 Chs.
Augmented on 66.00 chains

October 24th 1884

BOOK-A-206

N. Boundary of T. 35 S. R. 25 E.

38

General Description

The land North of line is an uninterrupted plateau, covered with occasional groves of timber, mostly however with grass and white sage. Excellent pasture.

The plateau South of line is frequently intersected by broad deep gulches, but also offers splendid feed for cattle.

Ernst Buettner
U. S. Dep. Surveyor

BOOK-A-

U. S. SURVEYOR

Salt Lake C

The foregoin

North

Township No 2

Executed by C

Under Contract N

day of Aug

October

amined, the neces

the said field n

hereby approved

.....

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13th 1884

The foregoing field notes of the survey of the

North Boundary

Township No. 32 South *Range No.* 25 East

Executed by Ernst Buettner

Under Contract No. 128 *of the* 27th

day of August 1884, *in the month of*

October 1884, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-20

REPORT: 188

Filed

Examined by

Transcribed by

Compared by Sal

FIE

OF THE

Ra

Township No. 3

Range No. 2e

SALT

Ernst

U

Under his

Dated A

Survey comm

Survey compl

BOOK-A-206 65

492

REPORT: 1885

Filed 188

Examined by .....

Transcribed by E Michaelis

Compared by Solomon D Atkinson

FIELD NOTES

OF THE SURVEY OF THE

East Boundary

OF

Township No. 35 South

Range No. 25 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 27th *1884.*

Survey commenced October 23rd *1884*

Survey completed " 23rd *1884*

NAMES AND DUTIES OF ASSISTANTS.

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A-206

E. Boundary Tp 35 S. R. 25, E.

W.

494

On the night of October 22d 1884
I took an observation on the star
Polaris, from Cor to Tp 35. S. R 25 & 26 E
established by me.
And drive pickets on line thus established.
Survey Commenced October 23d 1884
From Cor to Tp 35 S. Rs 25 & 26. E. Dunn
N. between Secs 36 & 31.
Va, 114° 35' E.
Line runs on level plateau in Timber.
27.0 Leave Timber.
40.00 Set Cedar Post 3 ft long, 3 ins square, with
marked Stone 12. ins in the ground. for
¼ Sec Cor. marked ¼ S. on W face. dug
pits 18 X 18 X 12 ins N. & S. of post 5½ ft
dist, and raised a mound of earth
1½ ft high. 3½ ft base around post.
67.0 Deep gulch, course westerly.
80.00 Set Cedar Post 4 ft long. 4 ins square
with marked Stone 12 ins in the ground
for Cor to Secs. 25, 36, 30 & 31. Marked
T. 35 S. S. 30. on N.E.
R 26. E. S. 31. on S.E.
S. 36 on S.W. and
S 25. on N.W. faces. with 1 Notch on S.

E. Boundary of T. 35. S. R. 25. E.

BOOK A 206

and 5 Notches on N edges. dug pits
18 X 18 X 12 ins in each Sec 5½ ft dist
and raised a mound of earth 2 ft high
4½ ft base around post.
Land level. Soil 2nd rate, sandy
Heavy Timber, cedars & pinons on 27.00 chs.
Indications of Coal.
Augmented on 27.00 chains

N. between Secs 25 & 30.
Va 14° 35' E.

40.00 Set a Cedar post. 3 ft long 3 ins Square
with marked stone 12 ins in the ground
for ¼ Sec Cor Marked ¼ S. on W face
dug pits 18 X 18 X 12 ins N. & S. of post
5½ ft dist. and raised a mound of
earth 1½ ft high 3½ ft base around post.
71.00 Deep Gulch. Course S. W.
80.00 Set a Sandstone 18 X 10 X 2 ins 12 ins in
the Ground for Cor to Secs 18. 19. 24 & 13
Marked with 2 notches on S. and 4 notches
on N. edges. dug pits 18 X 18 X 12 ins in
each Sec. 5½ ft dist. and raised a
mound of earth 2 ft high 4½ ft base
alongside.

E. Boundary Sp. 35. S, R. 24. E.

Land level. Soil 2nd rate, sandy
Indications of Coal.
Good pasture.

N. between Secs 24 & 19.
Va. 14° 55' E.

40.00 Set a Cedar post 3 ft long 3 ins square with
Marked Stone 12 ins in the ground. for
¼ Sec Cor. Marked ¼ S. on W face.
dug pits 18 X 18 X 12 ins N. & S. of post
5½ ft dist. and raised a mound of earth
1½ ft high 3½ ft base around post.
46.00 Euctor Timber.
80.00 Set a sand stone 22 X 16 X 2 ins 15 ins in
the ground for Cor to Secs 18. 19, 24. & 13.
Marked with 3 notches on N. and 3 notches
on S edges. from which,
A Cedar 24 ins diam bears N. 25° E. 82 lks dist.
Marked T. 35. S. R. 26. E. S. 18. B. T.
A Cedar 18 ins diam bears N. 67½° W 139 lks dist.
Marked T. 35. S. R. 25. E. S. 13. B. T.
A Pinon 15 ins diam bears S. 43° W. 168 lks dist
Marked T. 35. S. R. 25 E. S. 24. B. T.
No other Trees within limits.

E. Boundary of T. 35 S. R. 25 E.

497 BOOK A 206

and dug a pit in Sec 19. 18 x 18 x 12
5½ ft dist. and raised a mound of
2 ft high 4½ ft base alongside.
Land level. Soil 2nd rate. sand
Heavy Timber, Cedar & Pinon on 34.00 Chs

N. between Secs 13 & 18
Va 14° 55'

3.24 Br perpendicular precipice 52 lks deep.
Leave Mesa.
Descend.
40.00 Set a Sandstone 14 x 9 x 7 ins 9 ins in
ground for ¼ Sec Cor marked ¼ on W
from which
A Pinon 14 ins diam bears N 12° E. 152 lks
and A Pinon 9 ins diam bears S 34° W. 65 lks
both trees Marked ¼. S. B. T.
41.55 Bottom of Canon. a creek
deep, in deep gulch. Course W about
Chs, thence S. 20° W.
Ascend.
80.00 Set a Sandstone 16 x 14 x 10 in. 11 in in the
ground for Cor to Secs 7, 18, 12 & 13.
Marked with 4 notches on S and 2 notch

BOOK-A-29
Boundary

on N. edge
A Pinon 18 in
Marked T. 35
A Pinon 10 in
Marked T. 3
A Cedan 15 in
Marked T. 3
No other Tr
Pits unfra
Raised a
Land 12
Rock Mound
Heavy Timber, C
undergr

N

Ascend
At foot
Enter
Leave
Set a Sa
ground
face. A

on N. edges. from which,
A Piñon 18in diam bears N. 83° E. 52 lks dist.
Marked T. 35 S. R 26 & 27. B. T.,
A Piñon 10 in diam bears N. 44° W 10 lks dist.
Marked T. 35 S. R 25 E. S 12 B. T.,
A Cedar 13 ins diam bears S. 38° W. 58 lks. dist.
Marked T 35 S. R 25 E. S 13, B. T.
No other trees within limits.
Pits impracticable.
Raised a mound of rocks alongside.
Land 1st 3.24 chs level plateau Soil 3rd rate,
Rest Mountainous, rocky, Soil 4th rate.
Timber, Cedars & Piñons. with dense
undergrowth on 80.00 chs.

N. between secs 12 & 7.
Va. 14° 55' E.

Ascend.
7.94 At foot of precipice 78 lks high.
Enter Mesa.
2.00 Leave timber. Enter dense sage brush,
8.00 Set a sandstone 14 x 9 x 4 ins 9 ins in the
ground for 1/4 sec Cor. marked 1/4 on W
face. Dug pits 18 X 18 X 12 ins S & N of Stone

5½ ft dist, and raised a mound
earth 1½ ft high. 3½ ft base along
~~5.00 Chains Ft. Head of gulch, Brow~~
77.50 Remainder of Meas. Brow.
80.00 Set a Sand stone 20 x 15 x 3. ins 15 in
the ground for Cor to Secs 6. 7. 12 & 1.
Marked with 5 Notches on S and 1. on
on N edges. Dug pits 18 x 18 x 12 in in
each Sec, 5½ ft dist, and raised a m
of earth 2 ft high 4½ ft base along
Ute Peak bears S. 29° 40' E.
Land 1st 17. 94 chs. Mountainous
Rocky. Soil 4th rate.
Rest sloping at an angle of 1½°
Soil 3rd rate. sandy
Timber, Cedars & Pinons, on 1st 32.00
Dense sage brush on ~~48.00 chs~~
Augmented on 80.00 chains

N between Secs 1. & 6.
Va 14° 35' E

40.00 Set a Pinon Post 3 ft long 3 ins square
with Marked stone, 12 ins in the
ground for ¼ Sec Cor. Marked ¼ S on
W face. Dug pits 18 x 18 x 12 ins N. & S.

BOOK-A-206

E. Boundary Tp. 35 S. R. 25 E.

500

of Post 5½ ft dist. and raised a Mound of earth 1½ ft high 3½ ft base around post.

0.00 Set a Cedar Post 4½ ft long 4 ins square, with marked Stone, 12 ins, in the ground for Cor to Tps 34 & 35 S. Rs 25 & 26 E, marked.

T. 34 S. S. 31. on N. E.

R 26 E. S. 6. on S. E.

T. 35 S. S. 1. on S. W. and

R 34 S. S 36. on N. W. faces. with 6 notches on each edge. Bury pits 24 x 18 x 12 ins lengthwise on each line N. S. & W. of post 6 ft dist, and raised a mound of earth 2½ ft high 5 ft base around post.

Land Level, Soil sandy 2nd rate.

Some Sage brush.

Indications of Coal.

October 23d 1884.

General Description.

This line runs partly thro a level plateau, which is well covered with fine grass & white sage & some Timber, partly through a rugged canon about 1000 ft deep, the course of which is S. W. ¼ Mile thence, nearly South

Gerrit Pfuettner
U. S. Dep. Surveyor

BOOK-A-20

U. S. SURVEYO

Salt Lake

The foregoi

East

Township No.

Executed by

Under Contract

day of Au

Octobe

amined, the neces

the said field n

hereby approved

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13th *1885.*

The foregoing field notes of the survey of the East Boundary of *Township No.* 35 South *Range No.* 25 East *Executed by* Ernst Buettner *Under Contract No.* 128 *of the* 27th *day of* August *1884, in the month of* October *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salsbury

U. S. Surveyor General for Utah.

BOOK-A-2

REPORT: 1883

Filed

Examined by

Transcribed by

Compared by

FIE

OF THE

Seventh Sta

Township No. 3

Range No. 9 E

SALT L

Ernest

U.

Under his

Dated Dec

Survey comm

Survey compl

BOOK-A-206 3 7

REPORT: 1885

504

Filed 188

Examined by .....

Transcribed by Henry R. Mallison

Compared by C.E.S. & H.R.M.a.

FIELD NOTES

OF THE SURVEY OF THE

Seventh Standard Parallel South

Township No. 35, 36 OF South

Range No. 2 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 27th 1884

Survey commenced October 9th 1884

Survey completed " 10th 1884

NAMES AND DUTIES OF ASSISTANTS.

.....Compassma

.....Chainman.

.....Chainman.

.....Chainman.

.....Chainman.

.....Axeman.

.....Axeman.

.....Flagman.

BOOK-A-206

South Bar

Bek Pts 35

From Cor

Inun, E

Survey ca

5.00 Leave Inv

28 St de

23.00 A Cal

39.00 Enter bottom

40.00 Set Sumb

ground

S.C. 4 on

E.4.W. o

raised a

base alo

pine 16

Marked S

41.00 Trail.

43.50 Work w

course,

45.00 Ascend

74.40 At foot o

Enter

80.00 Set San

ground

and 5

to Sec 3

BOOK-A-206

Second Standard Parallel South

Bet Pts 35 & 36. S. through Range 26. E.

From Corner to Pts 35, S. Ranges 25 & 26. E.
Runs E. Along S. Boundary Sec. 31.
Survey commenced Oct 9th 1884
15.00 Leave Mesa, perpendicular precipice
28 ft deep. thence descend.
23.00 A Coal vein 2 ft thick.
39.00 Enter bottom of Canon. Leave Timber.
40.00 Set Sandstone, 16 x 10 x 9 ins. 10 ins in the
ground for Stan ¼ Sec Cor. Marked
S.C. ¼ on N. face, Any Pits 18 x 18 x 12 ins
E. & W. of Stone 5½ ft dist, and
raised a mound of earth 1½ ft high 3½ ft
base alongside. from which a pinon
pine 16 ins dia bears S. 55° W. 128 lks.
Marked S. C. ¼ S B. T.
41.00 Trail, Course S. 10° W.
43.50 Mark with holes filled with water,
Course S. 10° W.
45.00 Ascend ~~[illegible]~~ Enter Timber.
74.40 At foot of perpendicular precipice 24 ft high
Enter Mesa.
80.00 Set Sandstone 18 x 15 x 6 ins. 12 ins in the
ground. Marked S.C. and 1 Notch on W.
and 5 notches on E. edges for Stan Cor
to Secs 31 & 32. from which a pinon

South Standard Parallel South
Bet Pts 35 & 36 S. Straigh Range 26

12 ins in dia bears S 53½° E. 98 lks
and a Cedar 16 ins in dia bears S. 46°
both marked S.C.T. 36 S. R 26 E, B.T.
and a pinon 14 ins in dia bears N.
1451 lks. Marked S.C.T. 35 S. R 26 E. S 31
and a pinon 10 ins in dia bears N. 56° E.
Marked S.C.T. 35 S. R. 26 E. S. 32. B.T.
Land 1st 3 Chains level, Soil 2nd rate
remainder Mountainous, Soil 4th rate.
Timber, Cedars & pinons, with dense
Undergrowth on 7 Chs.
Augmented on 7 Chs.

East along S Boundary Sec. 32
Va. 14° 55'

Pine runs on high mesa.

5.00 Leave Timber.

40.00 Set Cedar post 4 ft long x 4 x 4 ins Sqd
12 ins in the ground with marked stone. for
Stan ¼ Sec. Cor. Marked S. C. ¼ on N.
face, dug pits 18 x 18 x 12 ins E. & W. of
5½ ft distant
and raised a mound of earth 1½ ft high
3½ ft base ~~stone~~ around post.

80.00 Set Cedar Post 4½ ft long x 4 x 4 ins Sqd
12 ins in the ground
with marked stone for Stan Cor to Sec

BOOK A
32 & 33
S 32 on W.
W. and
18 x 18 x 12
raised m
Found
Timber
Indicate
Augm
East
22.00 Enter Pi
40.00 Set Pin
12 ins in
¼ Sec
dug pits
dist an
3½ ft b
18 ins
Cedar
Marke
63.00 Leave
80.00 Set C
12 ins. in
with

South Standard Parallel South

Bet Tps 35 & 36 S. through Range 26 E.

32 & 33. Marked S.C. T. 35 S. R 26 E. on N. S. 32 on W. S. 33. on E. faces. and 2 notches on W. and 4 notches on E faces. Dug pits 18 x 18 x 12 in N. & W. & E Sides. 5½ ft dist and raised mound of earth 2 ft high & 4½ ft base ~~Hemisite~~ around post

Level level, soil 2nd rate.

Timber on 5 chs. Fine Pasturage.

Indications of Coal.

~~Augmentation~~ 5 chs

East along S boundary Sec 33.

Va. 14° 55' E.

22.00 Enter Timber.

40.00 Set Piñon Post 4 ft long x 4 x 4 in Square 12 ins in ground with Marked Stone for Stan ¼ Sec Corner marked S.C ¼ on N face Dug Pits 18 x 18 x 12 in E. & W. of Post 5½ ft dist and raised a mound of earth 1½ ft high 3½ ft base around post ~~Hemisite~~ - from which a Piñon 18 ins dia bears N. 4° E 22 lks. and a Cedar 16 ins dia bears S. 16° W. 38 lks. both Marked S.C. ¼. B.T.

63.00 Leave Timber. enter Park.

80.00 Set Cedar Post 4½ ft long x 4 x 4 in Square 12 ins. in the ground with Marked Stone for Stan Cor to

Seventh Standard Parallel fo... Bet Pts 35 & 36. S. through Range...

Secs 33 & 34 marked S.C. T 35. S. R... on N. S. 33. on W. S. 34. on E. faces. a... 3 notches on E. & W. faces, Aug... 18 X 18 X 12 in on W. N. & E sides. 5½ ft d... and raised mound of earth 2 ft hig... and 4½ ft base alongside Ammd Post... Land nearly level. Soil 2nd rate... Timber Cedar & Pinons on Hi Cl... Indications of Coal.

Augmentation Hi Sec. October 9th 1884

East on S Boundary Sec 34.

October 10th 188...

Va 14.° 5...

12.00 A few Cedars & pinons.

29.00 Enter Timber.

40.00 Set a Pinon Post 4 ft long X 4 X 4 in Aug... 2 ft in the ground Mds marked Stone... for Stan ¼ Sec Cor. Marked S.C. ¼ on N... Aug pits 18 X 18 X 12 in E & W of Post 6½ ft... Set, and raised a mound of earth 1... high 3½ ft base alongside from wh... a Cedar 22 ins dia bears N. 25.° W. 6... and a Cedar 18 in dia bears S. 3.° E. 42 lks... both marked S.C. ¼ 1137

BOOK-A-...

Seventh Sta... Bet Pts 35 & 3...

Leave P... Set a Ce... 2 ft in th... for Stan... S.C. T. 35. S... faces and... & faces. C... 5½ ft dis... 2 ft high... Land ne... Pine C... Timber.

Augm... East o...

10.00 Enter A... 35.00 A Fa... 40.00 Build... Make... of Cedar... At a p... establ... Spruc... Ceder...

BOOK-A-206

Fourth Standard Parallel South - W. & E. Bs. 35 & 36 S. through Range 26 E.

12.00 Leave Timber.

1.00 Set a Cedar Post 4½ ft long x 4 x 4 in Square 2 ft in the ground, with Marked Stone for Stan Cor to Secs 34 & 35, Marked S.C. T. 35 S. R 26 E. on N. S. 34. on W. S 35 on E. faces and 4 notches on W and 2 notches on E faces. dug pits 18 x 18 x 12 in W. N & E. of post 5½ ft dist and raised mound of earth 2 ft high and 4½ ft base ~~stone~~ around post Land nearly level, soil 2nd rate.

Fine Pasture.

Timber. Cedars & Pinons on 43 chs.

Augmented on 43 chs

East on S Boundary Sec 35.

Va. 14° 53' E.

10.00 Enter Scattering Timber.

35.00 A Fail - Course S. E.

40.00 Build Rock Mounment.

Make diligent Search for Traces of Colorado boundary Survey.

At a point 14.50 chs. E. of the established Cor to Secs 34 & 35 from N. 25 60 chs thence said a base spot 6 ft square, where a mounment and Mound

BOOK A 206

South Standard Parallel fou
Bet Tps 35 & 36 Through Range 26

might have been, but fail
discover either charcoal or ma
rock by digging down.
Land slightly rolling soil 2nd rat
some scattering timber
indicating of coal.

October 10th 1884

General Description.
The 1st mile in Tp 35 S, R. 26 E.
runs through a canon. The can
of which is S.W. The cano
joins the Devils canon about 1
S of line. The last 3 miles ar
Plateau, which at a grade
1½° gently slopes, Easterly.
This Plateau or mesa is excell
adapted for cattle pasturage.
Said figment signs of coal
along line.

Ernst Duettner
U. S. Dep. Survey

BOOK-A-

BOOK-A

U. S. SURVEYO

Salt Lake

The foregoi

Seventh P

Township No. 3

Executed by C

Under Contract N

day of Au

October

amined, the neces

the said field n

hereby approved

.....

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 5th *1885*

The foregoing field notes of the survey of the Seventh Standard Par.l South *Township No.* 35 South *Range No.* 26 East *Executed by* Ernst Buettner *Under Contract No.* 128 *of the* 27th *day of* August *1884, in the month of* October *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salsbury

U. S. Surveyor General for Utah.

BOOK-A-20

REPORT: 1880

Filed

Examined by

Transcribed by

Compared by

FIE

OF THE

North

Township No. 35

Range No. 26

SALT I

Great

U.

Under his

Dated

Survey comm

Survey compl

BOOK-A-206

REPORT: 1885

516

Filed 188

Examined by .....

Transcribed by E. Michaelis.

Compared by C.E.S. & H.M.M.

FIELD NOTES

OF THE SURVEY OF THE

North Boundary

(fractional)

OF

Township No. 35 South.

Range No. 26 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Ernst Buettner

U. S. Deputy Surveyor,

Under his Contract No. 128

Dated August 27th *1884.*

Survey commenced October 25 tth *1884*

Survey completed October 25 tth *1884*

BOOK-A-206

Township 35 S R. 26 E.

518 519 520 521 523.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

506 507 508 509 510

Seventh Standard P. South

NAMES AND DUTIES OF ASSISTANTS.

.....	*Compassman.*
.....	*Chainman.*
.....	*Chainman.*
.....	*Chainman.*
.....	*Chainman.*
.....	*Axeman.*
.....	*Axeman.*
.....	*Flagman.*

BOOK-A-206

N. Boundary

Survey
October
From Co
Jun
Alo
C
Fire mus
underbrus
7.0 Enter De
6.00 Set a Cedar p
with Marke
for 1/4 Sec Co
Dug pits
3½ ft dia.
Earth 1½
Trees small
20.00 Set a Cedar
2 Hubs in th
31.30. 51 &
T. 31 N. S. S.
R 26 E. S.
S. 6, on S.
S. 31. on
and 5
A Pine 12
Marked

N. Boundary Sp 35 S. R. 26 E. 18

Survey commenced
October 25th 1884
From Cor to Sps 34 & 35 S. Rs 25 & 26 E.
Run E on a true line
along S. Boundary Sec 31.
Va 14° 35' E
Line runs on level plateau in dense
undergrowth.
17.00 Enter Timber.
21.00 Set a Cedar Post 3 ft long 3 ins square
with Marked Stone 12 ins in the ground
for 1/4 Sec Cor. Marked 1/4 S. on N. face,
dug pits 18 x 18 x 12 ins E. & W. of post
5 1/2 ft dist. and raised a mound of
earth 1 1/2 ft high, 3 1/2 ft base around Post.
Trees small brushy crippled.
26.00 Set a Cedar Post 4 ft long 4 ins square
24 ins in the ground for Cor to Secs
31, 32, 5 & 6. Marked
T. 34 S, S. 32, on N. E.
R 26 E. S 5. on S. E.
S. 6, on S. W.
S. 31. on N. W. faces, with 1 notch on W.
and 5 notches on E edges. from which
a Pine 12 ins diam bears S 4° E 34 lks dist
Marked T 35 S. R 26 E. S. 5. B. T.

N. 599 Boundary of 35 S. Range 26, E

A Pinon 10 ins diam bears N 26¼° E 37 lks
Marked T 34 S. R 26 E S. 32. B.T.
A Pinon 16 in diam bears N. 30° W 47 lks d
Marked T. 34 S. R 26 E. S 31. B.T.
A Cedar 18 ins diam bears S. 48° W. 47 lks d
Marked T. 35. S. R 26 E, S. 6. B.T.
Land nearly level. Soil, 2nd rate.
Heavy Timber ~~cedar & pinon~~ on 63.00 chs.

E on a true line,
along S. Boundary Sec 32,
Va 114° 35'

5.00 Leave Timber.
Enter dense Paye brush.
40.00 Set a Cedar Post 3 ft long 3 ins Square
with marked Stone 12 ins in the ground
for ¼ Sec Cor Marked ¼ S on N face
dug pits 18 X 18 X 12 ins E. & W. of Post
3½ ft dist, and raised a mound
earth 1½ ft high 3½ ft base around Post
80.00 Set a Cedar Post 4 ft long. 4 ins Square
with marked Stone 12 ins in the ground
for Cor to Secs 32, 33. 4. & 5. Marked

BOOK-A-206

N. Boundary Tp 35 S. R. 26 E. 520

T 34 S. S. 33. on N. E.
R 26 E. S. H. on S. E.
S. 5. on S. W. and
S. 32. on N. W faces. with 2 notches on
W and 4 notches on E. edges. Dug pits
18 x 18 x 12 ins in each Sec, 5½ ft dist, and
raised a mound of earth 2 ft high.
4½ ft base around post.
Land nearly level. Soil 2nd rate, Sandy
Heavy Timber Cedar & Pinon on 5.00 chs
Dense Undergrowth on 75.00 chains
Augmented on 8400 Acres

E. on a fine line
along South Boundary Sec 33
Va. 14° 55' E.

14.00 Enter Timber.
21.00 Descend
30.41 Bottom of Canon & trail Course S.E. turns S.
Ascend.
38.83 Enter level plateau.
40.00 Set a Sandstone 14 x 12 x 3 ins 9 ins in the
ground for ¼ Sec Cor. marked ¼ on N. face
from which a Cedar 10 in diam bears S. 42° E. 26 lks dist
a Pinon 15 in diam bears N. 23° W. 30 lks dist

N. 3rd Boundary Sp 35 S. R. 26, E.

both trees marked T. S, B. T.

75.00 Leave Timber.

80.00 Set a Cedar Post 4 ft long 4 ins square with marked Stone, 12 ins in the ground for Cor to Secs 33, 34, 3 & 4. Mark T. 36 S. S 34. on S. E. R. 26 E. S 3. on S. E. S. 4. T 36 S on S. W. and S. 33. on N. W. faces with 3 notches on E. & W. edges. Dug pits 18 X 18 X 12 ins in each Sec. 1/2 ft dist, and raised mound of earth 2 ft high, 4 1/2 ft base around Land 17.93 chs Mostly Canon. mostly rocky. Soil 4th rate. Rest nearly level. Soil 3rd rate Dense undergrowth on 80.00 chs. Heavy Timber cedar & pines on 6.00 chs.

Course line. along South boundary Sec 34. N 89 14° 55' E

Line runs in heavy undergrowth.

40.00 Set a Cedar post 3 ft long 3 ins square with marked Stone. 12 ins in the gro

N. 3rd Boundary

For 4 Sec

dug pits

3 1/2 ft di

earth 1 1/2

52.00 Enter Ca

Mount

40.00 Gulch.

Ascend

Ridge

55.00 Descend

8.50 Descend

60.00 Set a Sto

ground for

with 4 n

dug pits

and raise

4 1/2 ft ba

Land 1

Rest Mou

Heavy Timber

Dense

BOOK-A-206

W. Boundary of 35 S. R. 26. E. 522

Sor ¼ Sec Cor. Marked ¼ S on N face.
Alley pits 18X18X12 ins E. & W. of Post
3½ ft dist, and raised a mound of
earth 1½ ft high 3½ ft base around Post.
32.00 Enter Timber.
Descend.
40.00 Gulch. Course S. 70° E.
Ascend.
Open level.
35.00 Descend. Leave Timber.
8.50 Descend.
60.00 Set a Sandstone 18X10X4 ins 12 in in the
ground for Cor to Secs 34. 35. 2. & 3. Marked
with 4 notches on W. and 2 notches on E edges
Alley pits 18X18X12 ins in each Sec. 3½ ft dist
and raised a mound of earth 2 ft high
4½ ft base alongside.
Land 1st 32.00 Chs Nearly level. Soil 2nd rate. —
Rest Mountainous Rocky. Soil 4th rate.
Heavy Timber cedar & pine on 23.00 Chs
Dense undergrowth on 80.00 Chs.

BOOK A 206

5223

N. Boundary of 35 S. R. 2 E.

Commence line
along South Boundary Sec 35
No 14 55

Injunction

8.00 Cross of Gulches.
Trails. One leads N. the other E.
run in bottom S. W.
40.00 Build a Rock monument.
Make diligent search but find no
of Colorado boundary, Survey.
Land rocky, Mountainous, Soil 4th
Dense undergrowth on 40.00 chain
October 25th 18

General Description.
The line runs on mesa, interse
by deep gulches.
The Mesa is well covered with gr
and white saye, and is well adap
for pasture —

Ernst Bjetten
U. S. Dep. Surveyor

BOOK-A

U. S. SURVEYO

Salt Lake

The foregoi

fractional

Township No.

Executed by

Under Contract

day of Au

Octobe

amined, the nece

the said field

hereby approved

BOOK-A-206

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, April 13th *1885*

The foregoing field notes of the survey of the fractional North Boundary

Township No. 35 South *Range No.* 26 East

Executed by Ernst Buettner

Under Contract No. 128. *of the* 27th

day of August *1884, in the month of* October *1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.