8 BO

PORT: 1885

ed

mined by John

nscribed by Hen

mpared by Ath

FIEL

OF THE S

Sube

ownship No

nge No

SALT L

UT

Stewart M

U. S

Under his Co

Dated Sep

Survey commen

Survey complete

3

BOOK-A-207

1

PORT: 1885

ed 188

mined by John H. Campe 1 26 1 85

nscribed by Henry R. McAlkinson

mpared by Alkinson & Michaelis

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

ownship No 15 South

nge No 13 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Stewart M. Pancake

U. S. Deputy Surveyor,

Under his Contract No. 130

Dated September 6th 1884

Survey commenced Oct 18th 1884

Survey completed October 25th 1884

BOOK-A-207

Township 15 S R. 13 E.

6	64	5	48	4	37	3	25	2	14	1
63		62		47		36		24		13
7	61	8	46	9	35	10	23	11	12	12
60		59		45		34		22		11
18	58	17	44	16	33	15	21	14	10	13
57		56		43		32		20		8
19	55	20	42	21	31	22	19	23	7	24
54		53		41		30		18		6
30	52	29	40	28	29	27	17	26	5	25
51		50		39		28		16		4
31	49	32	38	33	27	34	15	35	3	36

BOOK-A-207

Subdivisions Tp. 15 S. R 13 E

Survey commenced Oct. 18, 1884
with a Gurley improved Solar compass.
commence at the Standard cor. to secs.
35 & 36 on S. boundary of Tp. which
is a sandstone 14"×7"×5": 9" in the
ground properly marked with
stone mound alongside, Town
North betw. secs. 35 & 36

Var. 16° 9' E.

24.00	Low Ridge bears E & S. W.
0.00	Marked stat sandst. boulder 2×2×2 ft above ground for 1/4 sec. cor. 1/4 on W face graised & stone mound alongside.
0.75	Wash drain S. W.
5.50	" " "
8.50	" " "
66.50	Ascend 24° 4.50 chs to
0.61	Top of bluff bears NE & S. W.
18.00	Enter level ground
0.00	Set sandstone 16"×8"×6": 10 in the ground for cor. to secs. 25. 26. 35 & 36 marked with 1 notch on S & E edges & raised

Subdivisions

a stone mound alongside
Land. level & broken
Soil 2nd rate. — —
Timber scall cedars.
Dense artemisia undergrowth
rocks.

East on random line
betw secs. 25 & 36.
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.
80.00 Intersect the E. boundary of tp. at cor.
secs. 25 & 36, which is a stat. boulder 4 x
above ground properly marked & stone mound
alongside from which I run
W on true line
betw secs. 25 & 36.
with same var
Descend 100 38 chs to
37.40 Deep gulch drains S. W. at end 33½
40.00 On E. side of ridge set sandstone
16"x8" 12" the ground for 1/4 sec cor. marked 1/4 on
face and raised a stone mound alongside

BOOK-A-207

Tp.

00 Top of ridg
00 Bottom o
22 Top of bin
03 Enter level
00 The cor. to
Land. ver
Soil 2nd
Timber

artem

North b
Va
00 Wash d
00 Set san
for 1/4 sec. c
a stone
3.00 Wash dr
7.50 "
00 Set sa
ground
26. ma

BOOK-A-207

Tp. 15 S. R 13 E.

00 Top of ridge bears N.E. S.W.
00 Bottom of hollow drains. N. as and 20° 13
22 Top of bench
03 Enter level ground
.00 The cor. to secs. 25. 26. 35 & 36.
Land. very broken
Soil 2nd rate
Timber scall cedars.

dense
artemisia undergrowth on 80 ch.

North betw. secs. 25 & 26
Var: 16° 9' E.
.00 Wash drains S.W.
.00 Set sandstone 12"×8"×3". 8." the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.
3.00 Wash drains S.W.
7.50 " " "
.00 Set sandstone 12"×12"×12". 8." the ground for cor. to secs. 23. 24. 25 & 26. marked with 2 notches on S.

Subdivisions

and 1 on E edges graised a
stone mound along side.
Land. level valley
Soil Scale
No timber
Dense undergrowth of 80 artemisia

East on random line
betw. secs. 24 and 25.
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.
80.00 Intersect E. boundary of tp. at the
to secs. 19. 24. 25 & 30 which is a sandstone
26"×16"×5" firmly set in the ground for
marked, with stone mound along
from which Town
West on true line
betw secs. 24 and 25
Var. 16° 9' E.

4.80 Leave Scatt cedars
39.30 Wash drains N. W.
40.00 Marked boulder 18"×18"×18" above

BOOK-A-20

Pp. 15

ground
N. and ra
5.50 Wash dra
2.00 "
9.00 "
0.00 The cor.
Land.
Soil
Timb
artem
North
5.00 Gulle
9.00 "
000 Set
ground
1/4 on
mou
5.00 Enter Sca
7.00 Wash

BOOK-A-207

Sp. 15 S. R 13 E.

ground for 1/4 sec. cor. with (+ cross and 1/4 facing ?
N. and raised a stone mound alongside.

5.50 Wash drains S.W.

2.00 " " "

9.00 " " S.W.

0.00 The cor. to secs. 23. 24. 25 & 26.
Land. Level.
Soil 1st rate — —
Timber scatt. cedars.
dense
artemisia undergrowth on 80 ch 60

North between secs. 23 & 24
Var. 16° 9' E.

5.00 Gullie drains S.W.

9.00 " " S.W.

000 Set sandstone 12"×8"×6". 8" the
ground for 1/4 sec. cor. marked
1/4 on W face and raised a stone
mound alongside.

5.00 Enter scatt Cedars.

7.00 Wash drains S.W.

Subdivisions

69.50 Wash drains S.W.

74.50 " " "

80.00 Set sandstone 18×10×6 in 12 in the ground for cor. to secs. 13. 14. 23 & 24 marked with 3 notches on Sand 1 on E edges & raised a stone mound along

Land. Level valley

Soil 1st rate. — —

Timber scatt. cedar

Dense under growth of artemisia on 8

East on random line

betw. secs. 13 & 24

Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.

80.40 Intersect the E. boundary of tp. at cor. to secs. 13 & 24 which is a sandst. 30"×10"×8" 22" in the ground properly marked with stone mound alongside from which Lone

West on tone line

BOOK-A-2

Tp. 1

bet

Sandstone

Wash dr

Set san

ground

1/4 on N

along

Wash d

"

"

"

The cor.

Land

Soil

Timb

Dens

BOOK-A-207

Tp. 15 S. R 13 E.

betw secs. 13 & 24.
with same var.

1.00	Sandstone boulder 4×4×4 ft.
4.50	Wash drains S.
7.00	Set sandstone 16"×8"×6"×12" the ground for 1/4 sec. cor. marked 1/4 on N face & raised a stone mound alongside.
9.60	Wash drains S.W.
1.00	" " "
1.00	" " S.
1.00	" " "
1.40	The cor. to secs. 13. 14. 23 & 24

Land. Level
Soil 2nd rate.
Timber scatt. cedar.
Dense underwrowth a 80 cts. Artemisia 40

Subdivisions

North betw secs. 13 & 14
Var. 16° 9' E.

6.00 Hollow drains S. W.
35.00 " " "
40.00 Set sandstone 12"×8"×6:"8" the g
for 1/4 sec. cor. marked 1/4 on W
face and raised a stone mou
alongside.
80.00 Marked stat. boulder. 2×2×1
above ground for cor. to secs.
11.12, 13 & 14 with 4 notches on S
1 on Edges & raised a stone
mound alongside.
Land. Rolling
Soil. 1st rate
Timber. scalb. Cedars.
Dense artemisia undergro
on 80 ch's

BOOK-A-20

Tp.

Ea

0.00 Set Ston
0.50 Intersec
to secs.
8×10×5
marke
side, fr
W

00 Wash
28.00 a holl
3.90 " "
0.25 Set sand
sec cor. mark
0.50 The cor.
Land.
Soil
Timber
Dense

BOOK-A-207

Tp. 15 S. R 13 E

East on random line
betw. secs. 12 & 13
Var. 16° 35' E

0.00 Set temp. 1/4 sec cor.

0.50 Intersect E. boundary of tp. at cor to secs. 12 & 13. which is a Sandstone 8"x10"x5" above ground, properly marked with stone mound along side, from which Sun

West on true line
betw. secs. 12 & 13
with same var.

00 Wash drain S. W

28.00 " hollow " "

3.90 " " "

0.25 Set sandstone 20"x10"x10" 15" the ground for 1/4 sec cor. marked 1/4 on N face and raised a stone mound alongside

0.50 The cor. to secs. 11. 12. 13 & 14.

Land. Level valley

Soil 2nd rate

Timber scall. Cedars

Dense artemisia undergrowth on 16.50

Subdivisions

North betw. secs. 11 & 12

Var. 16° 35' E.

3.50 Wash hollow drains S.W.

6.50 " " " "

17.00 Boulder 4×3×3 ft. above ground

35.60 Wash hollow drains S. W. ascend 28° 22

40.00 At foot of bluff set sandstone 22"×18"×8"; 16"; the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound along

55.03 Top of bluff bears N.E. & S.W. 300 ft. high

80.00 Set sandstone 14"×10"×6"; 9"; the ground for cor. to secs. 1. 2. 11 & 12 marked with 5 notches on Land 1 on Edges and raised a stone mound along side.

Land. level & Mts

Soil 1st & 3rd rate

Timber scatt. cedars

[illegible] & dead

[illegible] underwrooth on [illegible]

Oct. 18th 188[illegible]

BOOK-A-20

Sp. [illegible]

Ecc[illegible]

b[illegible]

[illegible]00 Set ter[illegible]

[illegible]70 Interv[illegible]

cor. to sec[illegible]

2×2×2 ft[illegible]

marked [illegible]

from wh[illegible]

betw[illegible]

Ascend 17° [illegible]

[illegible].75 Spring [illegible]

[illegible].40 On S. face [illegible]

boulder [illegible]

1/4 sec. cor. [illegible]

raised a [illegible]

[illegible]4.95 Top of b[illegible]

[illegible].20 The cor. to [illegible]

Land. [illegible]

Soil [illegible]

Timber [illegible]

BOOK-A-207

Tp. 15 S. R 13 E

East on random line
betw. secs. 1 & 12
Var 16° 9' E.

000 Set temp 1/4 sec. cor.

0.70 Intersect E. boundary of Tp. at cor to secs. 7 & 12. which is a boulder 2 x 2 x 2 ft above ground, properly marked with stone mound alongside from which Town West on true line betw secs. 7 & 12. with same Var

Assumed 17° 47 chs.

1.75 Spring bears N. 1.75 chs. dist.

0.40 On S. face of bluff marked stat. boulder 5 x 5 x 4 ft above ground for 1/4 sec. cor. with 1/4 facing N and raised a stone mound alongside.

4.95 Top of bluff bears NE & SW

0.00 The cor to secs. 1. 2. 11 & 12.

Land. Level bench

Soil 2nd rate

Timber scatt. cedars

Actinogonia 20
& dense undergrowth ag 80 ch

Subdivisions

North on random line
between secs. 1 & 2
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.

80.16 Intersect N. boundary of tp
at cor. to secs. 1.2.35 & 36. which
a sandstone 16"×12"×5" firmly set.
the ground, properly marked, with
stone mound alongside from whi
Trun South on true line
between secs. 1 & 2
with same var.

40.16 Set sandstone 24"×22"×16"×18" the grou
for 1/4 sec. cor. marked 1/4 on W face graised, a stone mound along

40.50 Wash drains W.

45.00 Wagon road bears E & W.

57.00 Dry bed of Grassy trail drains

80.16 The cor. to secs. 1.2.11 & 12.
Land. Level valley
Soil 1st rate.
Timber scatt. cedars.
Dense artemisia undergrow

BOOK-A-20

Sp. 15

From th
boundary
16"×16"×16"
properly m
alongsid
Nor

0.00 Set sand
Ground f
on W fac
mound

41.25 Wash a

45.50 Wash

40.00 Set san
Ground f
marked
on E edge
Land.
Soil
No tim
Dense

Tp. 15 S. R 13 E.

From the stand cor to secs. 34 & 35. on S. boundary of tp which is a sandstone 16"×16"×16": firmly set in the ground properly marked with stone mound alongside, from which Town

North betw secs. 34 & 35

Var. 16° 9' E.

0.00 Set sandstone 12"×8"×6": 8" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

41.25 Wash drains W.

45.50 Wash " W.

0.00 Set sandstone 18"×6"×3": 12" the ground for cor. to secs. 26. 27. 34 & 35 marked with 1 notch on S and 2 on E edges and raised a stone mound alongside

Land. Level. valley

Soil Prate

No timber

Dense underbrush, artemesia on 80 chs

Subdivisions

East on random line
betw secs. 26 & 35
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor

79.50 Intersect N & S line 25 lb. N. of cor. to
25. 26. 35 & 36 from which S run
N. 89° 49' W on true line
betw secs. 26 & 35
with same var.

10.00 Wash drains S.W.

20.00 " " "

39.75 Set cable stone 12" x 8" x 6"; 8" the ground fr
1/4 sec. cor. marked 1/4 on W face sid
raised a stone mound alongside.

79.50 The cor. to secs. 26. 27. 34 & 35.
Land. Level valley
Soil brate
No timber.

12 Dense undergrowth artemesia on 79.50

13

BOOK-A-20

15 S.

North

3.00 Wash dr
3.00 Hollow
0.00 Set sam
ground
on W face
9.00 Wash d
.50 "
0.00 Set sa
the grou
27. mark
Edges &
alongs
Land
Soil
No tr

BOOK-A-207

15 S. R 13 E.

North betw. secs. 26 & 27
Var. 16° 9' E.

3.00 Wash drains W.
3.00 Hollow drains W.
0.00 Set sandstone 12"×8"×6"×8" the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside
9.00 Wash drains W.
1.50 " " "
0.00 Set sandstone 18"×6"×4"×12" the ground for cor. to secs. 22. 23. 26 & 27. marked with 2 notches on S & E edges & raised a stone mound alongside.
Land level valley
Soil 1 rate.
No timber.

Subdivisions

East on random line
betw secs. 23 & 26.
Var. 16° 37' E.

40.00 Set temp 1/4 sec. cor.

79.80 Intersect N & S line 30 lks N. of
to secs. 23. 24. 25 & 26. from which I
run N 89° 47' W on true line
betw secs. 23 & 26.

" " with same var.

39.90 Set sandstone 20"x12"x6" 15" the
ground for 1/4 sec. cor. marked 1/4
N face and raised a stone mound alongside

45.50 Wash drains S. W.

71.00 " " "

79.80 The cor. to secs. 22. 23. 26 & 27.
Land. Level valley
Soil 1st rate.
No timber.
Dense undergrowth artemisia on 79. 80

BOOK-A-20

Tp. 1

Nor

7.00 Wash d

5.00 "

0.00 Set san
ground
on W face
alongside

0.00 Set sa
ground
marked
2 on E
along
Land
Soil
Tim
De

BOOK-A-207

Tp. 15 S. R 13 E.

North betw. secs. 22 & 23
Var. 16° 9' E.

7.00 Wash drains S. W.

5.00 " " "

0.00 Set sandstone 12"×16"×3:8:" the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

0.00 Set sandstone 16"×8"×6:" 12:" the ground for cor. to secs. 14. 15. 22 & 23 marked with 3 notches on S and 2 on E edges & raised a stone mound alongside.

Land. Level valley
Soil 1 rate.
Timber. Cedars scattering
Dense artemisia
undergrowth on 80 chs

Subdivision

East on random line
betw. secs. 14 & 23
Var. 16° 9' E.

40.00 Set temp. 1/4 sec. cor.
80.00 Intersect N & S line at cor
to secs. 13. 14. 23 & 24 from which
True West on true line
betw. secs. 14 & 23
with same var.
4.50 Wash in gulch dr. S. W.
23.00 " dr. W.
25.00 Leave wash drains S. W.
Thence along S. edge of bench
31.00 Top of lower bench
36.50 Leave S. edge of bench bears N. W.
40.00 Near foot of same set sandstone 20"
x 4" x 15" the ground for 1/4 sec cor. mar
1/4 on N. face and raise a stone mound
alongside.
55.50 Wash drains S. W.

80.00 The cor to secs 14. 15. 22 & 23

BOOK-A-207

Tp. 15 S. R. B. E.

Soil 1st & 2nd rate
Timber scatt cedars
Dense undergrowth, artemisia on 80 chs

North betw secs. 14 & 15.
Var. 16° 9 E.

900 Low ridge point bears N E & S. W.
000 At edge of flat set sandstone 12"×8"×6" 8" the ground for 1/4 sec cor. marked 1/4 on W. face and raised a stone mound alongside.
~~[illegible]~~ Springs bears N. 24° W.
5.00 Wash drains S. W.
000 At foot of bluff marked boulder 2×2×2 ft. above ground for cor. to secs. 10. 11. 14 & 15 ~~[illegible]~~ 4 notches on Sand 2 on E edges & raised a stone mound alongside.
Land. Rolling
Soil 1st & 2nd rate
Timber scatt. cedar.
Dense undergrowth artemisia on 80 chs

Subdivisions

East on random line
betw. secs. 11 & 14
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.
80.60 Intersect N & S line at the cor. to
11. 12. 13 & 14 from which I run
West on true line
betw. secs. 11 & 14
with same var.
3.50 Wash in gulch drains S. W.
40.30 Set sandstone 12"×10"×3" [illegible]
the ground for 1/4 sec. cor. mark
with 1/4 on N face and raised a stone [illegible]
46.00 Hollow wash drains S. W.
58.00 Stream & water 16 lks. wide. 4 in deep ra[illegible]
63.00 " " 10 ft. " 6 " "
80.60 The cor. to secs. 10. 11. 14 & 15
Land, broken & level.
Soil 1 & 3 rate
Timber scath cedars.
[illegible] & dense underg[illegible] after
on 80.60 dis.

BOOK-A-207

Tp. 13

North

Second 1[illegible]
1096 Top of [illegible]
4010 Set sand[illegible]
ground [illegible]
on W face [illegible]
along [illegible]
Set san[illegible]
ground [illegible]
marked [illegible]
Non Ec[illegible]
mounn[illegible]
Land. [illegible]
Soil [illegible]
Timb[illegible]

Dense [illegible]

BOOK-A-207

Tp. 15 S. R 13 E.

North betw secs. 10 & 11

Var. 16° 9' E.

Ascend Bluff. 14° 12 chs.

1096 Top of bluff, enter level bench

1050 Set sandstone 12"×8"×6"; 8" the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

" Set sandstone 12"×12"×7"; 8" the ground for cor. to secs. 2. 3. 10 & 11 marked with T notches on Sand Zon E edges & raised a stone mound alongside.

Land. Level.

Soil 1st rate.

Timber scatt. cedars.

Dense undergrowth artemisia on 80 chs

Oct 20th 1884

Subdivisions

East on random line
betw. secs. 2 & 11
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor
80.00 Intersect N. & S line 20 lks N of
cor. to secs. 1. 2. 11 & 12 from which
True N 89° 51' W on true line
betw. secs. 2 & 11
with same var.
40.00 Marked stat. sandstone boulder
2 x 2 x 1 ft above ground for 1/4 sec. cor
with 1/4 on N face and raised a
stone mound alongside.
80.00 The cor. to secs. 2. 3. 10 & 11.
Land. Level.
Soil 1st rate. — —
Timber scalb. cedar.
Dense undergrowth artemisia on 80 cts.

BOOK-A-207

15 S. R 13 E

North on range line
betw. secs. 2 & 3
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.
70.00 Intersect the st. boundary 15 lks
E. of cor. to secs. 2 & 3 which is a
Sandstone 30"x30"x20" above ground
properly marked, with stone
mound alongside from which
Sun
S. 0° 6' E. on true line
betw. secs. 2 & 3
with same cor.
29.00 Wash drains S.W.
40.00 Set sandstone 12"x8"x6" 8" thg. ground
for 1/4 sec cor marked 1/4 on W. face
and mound of stone mound alongside
60.50 Road bears E. & W.
67.00 Gravel trail; drains S.W.
80.00 The cor to secs. 2. 3. 10 & 11.
Land level.
Soil rich

Subdivisions

Timber scatt. cedars
Dense underground artemesia on 80 ch

BOOK-

Fr

Fro
on S. b
20"x16
mark
Fru

40.00 Sel
gro
1/4 m
mo
45.25 Wa
50.50
71.25
80.00 Sel
gro
mu
Ec
Le
G
C
a

Tp. 15 S. R 13 E.

From the Standard cor. to secs. ~~3.4~~ 33 & 34 on S. boundary which is a sandst. 20"×16"×8"×15" the ground properly marked with stone mound alongside.

Trun North betw. secs. 33 & 34

Var. 16° 9' E.

40.00 Set sandstone 22"×7"×6"×15" the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

45.25 Wash 10 ft. deep drain N. W.

50.50 " 40 " " " S. W.

71.25 " 50 " " " S. E.

80.00 Set sandstone 16×8×4×12 the ground for cor. to secs. 27. 28. 33 & 34 marked with 1 notch on Sand 3 on Edges and raised a stone mound alongside

Land. Level valley

Soil. 1st rate.

No timber.

Dense artemisia undergrowth on 8 Ochs

Subdivisions

East on randomline
betw secs. 27 & 34
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.
79.50 Intersect N. line 30 lks. S.
of cor. to secs. 26. 27. 34 & 35 from
which Trees
S. 89° 47' Mon true line
betw secs. 27 & 34
Var. 16° 9' E.

36.00 Wash drains W.
39.75 In wash drains S.W. marked sandstone
boulder 3 x 2 x 2 ft. for 1/4 sec. cor. 1/4 feet
N and raised a stone mound alongside
79.50 The cor. to secs. 27. 28. 33 & 34
Land level.
Soil 1st rate.
No timber.
Dense undergrowth artemesia on 79.50 ch.

BOOK-A-207

Sp. 15 T. R 13 E

North betw. secs. 27 & 28

Var. 16° 9' E.

1.50 Wash. drains S. W

10.00 Same " S. 7° W.

18.50 same " S. E.

38.00 same " S. W.

40.00 Set sandstone 12"×8"×6"×8" the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

60.40 Same Wash drains S. E.

65.75 thence up wash

69.50 Leave same heads N. E.

80.00 Set sandstone 12"×8"×6"×8" the ground for cor. to secs. 2 & 22 27 & 28. marked with 2 notches on S and 3 on E edges and raised a stone mound alongside.

Land. Level valley

Soil 1st rate.

No timber.

Dense underg rooth artemisia on 80 chs

Subdivisions

East on and on line
betw secs. 22 & 27
Var. 16° E.

40.00 Set temp 1/4 sec. cor.

80.66 Intersect N & S line 10 chs
N. of cor. to secs. 22. 23. 26 & 27 from
which Iron
N. 89° 56' W on true line
betw secs. 22 & 27
with same var.

4.20 Wash drains S. W.

33.00 Wagon road to Springs bears N. & S.

40.08 Set sandstone 12"×16"×8" 8" the ground
for 1/4 sec. cor. marked 1/4 on N face
piled 3 stones mound alongside

56.00 Wash drains S. W.

59.00 " " "

71.00 " " "

80.66 The cor. to secs. 21. 22. 27 & 28
Land. Level valley
Soil 1st rate.
No timber

BOOK-A-207

Tp. 15 S. R 13 E.

Dense artemisia undergrowth on 80 chs

North betw secs. 21 & 22

Var 16° 9' E.

40.00 Set sandstone 12"×10"×6":8:" the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside

42.00 Wash drains S.W.

43.50 same drains S.

54.00 leave same

80.00 Set sandstone 26"×16"×8:15:" the ground for cor. to secs. 15.16.21 & 22 marked with 3 notches on S & E edges & raised a stone mound alongside

Land, level valley

Soil 1st rate.

No timber.

Dense undergrowth artemisia on 80 chs.

Subdivisions

East on random line
betw secs. 15 & 22
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.
79.40 Intersect N & S line 20 lks
S. of cor. to secs. 14. 15. 22 & 23
from which Sun S. 89° 51' W
on true line betw secs. 15 & 22
with same var.
2.50 Gulch drains S.
19.00 Road bears N E & S. W.
35.00 Gulch drains S. W.
39.70 Set sandstone 12" × 10" × 6" 8"
the ground for 1/4 sec. cor. marked
1/4 on N face graised a stone mound along ride
56.00 Wash drains S. W
62.00 " " S.
79.40 The cor. to secs 15. 16. 21 & 22
Land. Level
Soil 1st rate — — —
Timber scattered
Dense underground with artemisia or 79.40 ch

Tp. 15 S. R 13 E.

North betw. secs. 15 & 16.
Var. 16° 09' E.

20.00 Ascend 30° 23 ch's, to
39.92 On top of bluff bears E & W.
40.00 marked sandstone boulder 5×4×1½ above ground for 1/4 sec. cor. 1/4 on W face and raised a stone mound along side.
40.00 Set sandstone 22×10×4. 18. the ground for cor. to secs. 9. 10. 15 & 16. marked with 4 notches on S and 3 on E edges & raised a stone mound along side.
" " Land. Level & mts.
Soil. 1 & 2nd rate
No timber.
Dense artemisia underprowth on 80.00 chs

October 21st 1884

Subdivisions

East on random line
betw. secs. 10 & 15
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.
79.80 Intersect N. & S. line at cor.
to secs. 10. 11. 14 & 15 from which
Trees West on true line
" " betw secs. 10 & 15
with same var.
ascend 250 – 20 chs to
18.13 Top of bluff bears N. & S. W.
39.90 Set sandstone 12"×10"×4" 8" the ground
for 1/4 sec. cor. marked 1/4 on N face & raised
a stone mound alongside.
79.80 The cor. to secs. 9. 10. 15 & 16.
Land. level. & mount.
Soil 1" & 2nd rate — —
No timber.
Dense underbrush & asteriscia
79.80 chs

BOOK-A-207

Tp. 15 S. R 13 E.

North betw secs. 9 & 10

Var. 16° 9' E.

40.00 Set sandstone 20"×18"×8" 15" the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

64.40 Dry bed of gravelly trail drains S.W.

76.20 Road bears NE & S.W.

80.00 Set sandstone 22"×16"×10" 18" the ground for cor. to secs. 3. 4. 9 & 10 marked with 5 notches on S and 3 on E edges & raised a stone mound alongside.

Land. Level valley

Soil 1st rate.

No timber.

Dense undergrowth on 80 chs acetyl tree

Subdivision

East on random line
betw. secs. 3 & 10
Verr. 16° 9' E

40.00 Set temp 1/4 sec. cor.
79.70 Intersect N & S line 55 lks N of
cor. to secs. 2.3.10 & 11. from which True
N. 89° 36' W. on true line
betw secs. 3 & 10.
with same vor.
35.50 Dry bed of grassy trail dr. W.
39.00 Same drains S. W.
39.85 Set sandstone 12"×8"×6"×8" the
ground for 1/4 sec. cor. marked 1/4
on N face and raised a stone mound
alongside.
73.00 Road bears NE & S. W.
79.70 The cor. to secs. 3.4.9 & 10
Land. Level valley
Soil 1st rate. — — —
Timber scatt cedars.
Dense undergrowth on alternate 79.70 ch

Tp 15 S. R 13 E.

North on random line
betw. secs. 3 & 4.
Var. 16° 91 E.

40.00 Set temp 1/4 sec. cor.

80.40 Intersect the N. boundary of tp. at cor. to secs. 3. 4. 33 & 34 ~~which~~ is a sandstone 22"×18"×10" firmly set in the ground, properly marked with stone mound along side, from which

Trim South on true line
betw. secs. 3 & 4.
with same var.

40.40 Marked sandstone boulder 3×2×1 ft above ground for 1/4 sec. cor. north 1/4 facing W and raised a stone mound along side.

59.50 Wash drains S.W.

80.40 The cor. to secs. 3. 4. 9 & 10
Land. Level.
Soil 1st rate
Timber scatt cedars
Dense underground cortemedia on 80 chs 40

Subdivisions

From the Stand cor. to secs. 32 & 33 on S bound of tp. which is a sandstone 12×6×5 firmly set in the ground properly marked with stone mound. Trun

North betw. secs. 32 & 33

Var. 16° 9' E.

37.00 Hollow wash drains S.E.

40.00 Set sandstone 14"×12"×4" 9" the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside

55.00 Wash drains S.E.

65.00 Wash-gulch " S.W.

80.00 Set sandstone 20"×16"×10" 15" the ground for cor. to secs. 28. 29. 32. 33. marked with 1 notch on S and 4 on E edges & raised a stone mound alongside

Land Level & rolling

Soil. Grate

No timber.

Dense undergrowth alternate on 80 ch.

Tp. 15 S. R 13 E.

Eastern random line
betw secs. 28 & 33
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.

80.00 Intersect N and S line 55 lks N of cor. to secs. 27. 28. 33 & 34 from which S run
N. 89° 36' W on true line
betw secs. 28 & 33
with same var.

30.00 North end of ridge

35.00 Wash drains S. W.

40.00 Set sandstone 18" x 12" x 6" 12" the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside

55.00 Wash & gulch drains S.

74.40 " " " S.

76.50 Top of little low ridge spur heads N.

80.00 The cor. to secs. 28. 29. 22 & 23.
Land level & rolling
Soil 4th rate
No timber.
Dense undergrowth attempted on 80 chs

Subdivisions

North betw. 28 & 29

Var. 16° 9' E.

15.60	Bending Gulch wash drains S.E. heads N.E.
37.50	" " " "
40.00	Marked sandst. boulder 4×3×2 ft above ground for 1/4 sec. cor. with 1/4 facing W and raised a stone mound along side
40.50	Gulch wash drains S.E. around S.E. slope of bench 18° – 10 chs to
50.00	Top of same, enter bench
79.20	Descend 20°
80.00	Set sandstone 20"×20"×7" A 15" A the ground for cor. to secs. 20. 21. 28 & 29 marked with 2 notches on Sand 4" on E edges & raised a stone mound along side.
	Land: Broken
	Soil 2nd rate.
	Timber scatt. cedar

& dense undergrowth attenuation on Rock's

October 22nd 1884.

Sp. 15 S. R 13 E.

East on random line
betw secs. 21 & 28
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.

80.18 Intersect N & S line 50 lks N. of cor.
to secs. 21. 22. 27 & 28 from which I run
N. 89° 39' W on true line
betw. secs. 21 & 28.
with same var.

6.25 Wash drains S.

15.25 " " S.E.

25.10 " " S.

40.09 In rolling flat set sandst
14"×12"×5"×9" the ground for 1/4 sec. cor.
marked 1/4 on N face and raised a
stone mound alongside.

56.00 Leave flat and 200 25.73 chs to

80.18 The cor. to secs. 20. 21. 28 & 29.
Land Level valley & rolling
Soil 1st & 2nd rate
No timber
Scrub underground [illegible] 80 chs

Subdivisions

North between secs. 20 & 21

Vers. 16° 9' E

Along rolling & broken east slope of bench

0.50	Ledge
10.00	Gulch drains N.E.
16.20	" " N.E.
22.50	Enter flat
32.50	Wash drains S.E.
40.00	Set sandstone 12"×8"×6"-8" the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside. thence ascend 10° 40.00 ch
79.39	Top of bluff bears E & W.
80.00	Set sandstone 24"×20"×6"-18" in the ground for cor. to secs. 16.17. 20 & 21 marked with 3 notches on S and 4 on E edges & raised a stone mound alongside.
	Land broken & leaf
	Soil 1st & 3 rate
	No timber.
	& dense artemisia
	undergrowth on soils

BOOK-A

Sp.

Ea

40.00	Set b
79.50	Inte
	of cor.
	Sum
6.50	Wash
18.25	"
31.50	Long Ridg
35.50	Wash
39.75	Set
	Gra
	1/4 on W
	mo
50.00	Asc
69.70	Top
79.50	The
	Lan
	So

BOOK-A-207

Tp. 15 S. R 13 E.

East on random line
betw. secs. 16 & 21
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.
79.50 Intersect N & S. line 25 lks. N.
of cor. to secs. 15. 16. 21 & 22. from which
Sun N. 89° 49' W on true line
betw secs. 16 & 21.
with same var.
6.50 Wash drains S.
18.25 " " S.
31.50 Long Ridge bears N & S.
35.50 Wash drains S.
39.75 Set sandstone 12"×8"×6" 8" the
ground for 1/4 sec. cor. marked
1/4 on W face and raised a stone
mound alongside.
50.00 Ascend 10° – 20 chs to
69.70 Top of bench bears N.E.
79.50 The cor. to secs. 16. 17. 20 & 21
Land Rolling
Soil 2nd rate. No timber
& dense undergrowth as 79.50 ch.

Subdivisions

North betw secs. 16 & 17

Var. 16° 09' E

40.00 Set sandstone 12"×8"×6": 8" the ground for 1/4 sec. cor. marked 1/4 on W face graised & stone mound alongside.

80.00 Set sandstone 12"×8"×6": 8" the ground for cor. to secs. 8, 9, 16 & 17 marked with 4 notches on S & E. edges and raised & stone mound alongside.

Land. Level.

Soil 1st rate

No timber.

Dense underbrush artemisia on 80 ch's

BOOK-A-207

15 S. R 13 E.

East on random line
betw secs. 9 & 16.
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.

80.20 Intersect N & S line at cor. to secs. 9. 10
15 & 16. from which Town
West betw. secs. 9 & 16
With same var.

40.00 Set sandstone 12"×8"×6": 8" the ground
for 1/4 sec. cor, marked 1/4 on N face &
raised a stone mound alongside.

80.20 The cor. to secs. 8. 9. 16 & 17.
Land level.
Soil 1st rate. —
No timber.
Dense underbrush on 80 ch's alternative 20

Subdivisions

North betw secs. 8 & 9

Var 16° 9' E.

1200	Road wars N.E. & S.W.
40.00	Set sandstone 12"×8"×6:" 8:" th ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
60.50	Dry bed of grassy trail drains W.
80.00	Set sandstone 12"×8"×6:" 8:" th ground for cor to secs. 5. 4. 8 & 9 marked with 5 notches on S and 4 on E edges & raised a stone mound alongside.
	Land. Level.
	Soil Pr trate — — — —
	No timber.
	Dense underbrush artemisia on 80 chs

BOOK-A-

Tp.

East

be

40.00	Set te
80.30	Inte
	of cor
	Tru
0.50	Was
40.15	Set s
	Grou
	1/4 on
	alon
44.50	Lea
47.00	Ente
80.30	The
	Lan
	Soi
	Tr
	De

BOOK-A-207

Tp. 15 S. R 13 E.

East on random line
betw secs. 4 & 9
Var 16° 9' E.

40.00 Set temp 1/4 sec. cor.

80.30 Intersect N & S. line 45 lks N.
of cor. to secs. 3. 4. 9 & 10. from which
True
N. 89° 41 W on true line
betw secs. 4 & 9.
with same var.

0.50 Wash drains S. W.

40.15 Set sandstone 14"x12"x10" 9" the
ground for 1/4 sec. cor. marked
1/4 on N face & raised a stone mound
alongside.

44.50 Leave Birch.

47.00 Enter level valley

80.30 The cor to secs. 4. 5. 8 & 9.
Land. Level
Soil 1st & 3 rate
Timber. Cedars scatt.
Dense underground [illegible] on 80.30

Subdivisions

North on sandomline
betw secs. 4 & 5.
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.

80.60 Intersect N. boundary of tp. at cor. to secs. 4 & 5. which is a sandstone 12"×8"×6"; 8" the ground properly marked with stone mound alongside from which Town

South betw. secs. 4 & 5.
with same var.

40.60 Set sandstone 12"×8"×6"; 8" the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

80.60 The cor. to secs. 4. 5. 8 & 9.
Land. Level valley
Soil 1st rate. - - - -
No timber.
Dense undergrowth attention on 80.60 chs.

October 23rd 1884

Tp. 15. S. R. 13 E.

From the Standard cor. to secs. 31 & 32 on S. bound of tp. which is a sandstone 16"×14"×5" firmly set in the ground, properly marked with stone mound alongside.

Town North betw. secs. 31 & 32

Var. 16° 9' E.

1.00 Wash drains S.E.

3.50 " " S.W.

10.40 " " S.E.

21.00 Road bears N.W. & S.E.

29.50 Wash drains S.W.

40.00 Set sandstone 14"×12"×5" 9" the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

80.00 Set sandstone 16"×12"×8" 12" in the ground for cor to secs. 29. 30. 31 & 32 & marked with 1 notch on S and 5 on E edges and raised a stone mound alongside.

Land. Level valley

Soil 1st rate

No timber.

Dense undergrowth on artesian 80 chs.

Subdivisions

East on random line
betw. secs. 29 & 32
Var. 16° 9' E.

40.00	Set temp. 1/4 sec. cor.
80.60	Intersect N & S line at cor. to secs. 28. 29. 32 & 33 from which S run
	West on true line
	betw. secs. 29 & 32
	with same var.
11.50	Top of low gravel ridge bears N & S.
16.25	Wash drains S.W.
30.00	Bottom of hollow drains S.
40.30	Set sandstone 20"×12"×5" 15" in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside
46.00	Road bears N.W. & S.E.
70.25	Wash drains S.W.
80.60	The cor. to secs. 29. 30. 31 & 32
	Land. Level & broken
	Soil 1 & 2nd rate — — — —
	No timber
	Dense undergrowth on 80 chs artemisia 60

BOOK-A

Tp.

	Wes
	be
40.00	Set ter
79.80	Inter
	tp. 50
	31. & 3
	firmly
	mar
	along
30.00	Enter
39.80	Set
	for 1
	a ut
42.50	Wes
55.00	
60.00	
79.80	The
	Lan

Tp. 15 S. R 13 E

Weston random line
betw. secs. 30 & 31.
Var. 16° 09' E.

40.00 Set temp 1/4 sec. cor.

79.80 Intersect W. boundary of tp. 50 lks. N. of cor. to secs. 25. 30. 31. & 36. which is a sandstone 15 x 10 x 7 firmly set in the ground, properly marked with stone mound alongside from which I run

N. 89° 39' E on true line
betw. secs. 30 & 31.
with same var.

30.00 Enter valley leave bench

39.80 Set sandstone 12" x 10" x 3" : 8" the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside

42.50 Wash drains S.

55.00 " " S.

60.00 " " S.

79.80 The cor. to secs. 29. 30. 31 & 32.
Land. level & rolling

Subdivisions

Soil 1st rate — — —
No timber.
Dense artemisia undergrowth on 79.8

North betw secs. 29 & 30
Var. 16° 9' E.

25.50 Road bears N W & S E.
39.50 Wash drains S. W.
40.00 Set sandstone 12"×8"×6"; 8" the ground for 1/4 sec cor. marked 1/4 on W face & raised a stone mound alongside.
62.75 Ridge bears E & W.
65.60 Wash in hollow drains N. W.
75.65 " ~~heads~~ N. W.
80.00 Set sandstone 20"×12"×5"; 15" in the ground for cor. to secs. 19. 20. 29 & 30 marked with 2 notches on Sand. 5 on E edges & raised a stone mound alongside
Land level valley
Soil 1st rate.
No timber.

dense undergrowth artemesia on 80.00

BOOK-A-207

Tp 15 S. R 13 E

East on random line
betw. secs. 20 & 29
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.
79.40 Intersect N & S. line at cor. to secs.
20. 21. 28 & 29. from which I run
West on true line
betw. secs. 20 & 29
with same var.
Ascend 15° 3 chs
2.00 Enter level bench
35.00 Gradual descend
39.70 Marked stat. boulder 3 x 2 x 1 ft above
Ground fr 1/4 sec. cor. 1/4 on N face & raised
a stone mound alongside
60.62 ~~blue clay hill~~ Enter flat.
79.40 Re cor to secs. 19. 20. 29 & 30
Land. Level & broken
Soil 1° & 3 outs.
Timber sceth. Cedar.
& dense artemisia
underprowth on 79.40 chs

Subdivisions

West on sand on line
betw secs. 19 & 30
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.

79.90 Intersect W. bound. of tp. at cor. to sec
which is a sandst. 14"×12"×5" firmly set
properly marked, with stone mound.
from which Iron East on true line
betw. secs. 19 & 30.
with same var.

15.00 Road bears N.W. & S.E.

18.00 Wash drains S.W.

39.90 Set sand stone 12"×10"×4" 8" th
ground for 1/4 sec cor marked 1/4 on N
grain edge stone mound alongside.

77.00 Wash drains S.W.

79.90 The cor. to secs. 19. 20. 29 & 30
Land level.
Soil 1st rate. — — —
No timber.
Dense artemisia undergrowth
on 79.90 ch's

BOOK-A-207

Tp. 15 S. R 13 E.

North betw. secs. 19 & 20
Var. 16° 9' E.

4.00	Wash drains S. W.
20.30	" " S. W. ascend
10.00	Set sandstone 12"×12"×10" 8" the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.
1.43	Enter bench bears E & W.
.00	Descend 16° 6 chs to
10.77	Ravine drains N. W. ascend
19.48	Spurridge bears E. descend
.28	Gulch 100 ft deep drains W. ascend
	Enter bench bears E & W.
10.00	Set sandstone 18"×12"×5" 12" the ground for cor to secs 17. 18. 19 & 20 marked with 3 notches on S and 5 on E. edges & raised a stone mound alongside.
	Land. Level & broken W. slope
	Line 1st rate & 2nd rate
	No timber.

deuse
undergrowth on attempted 80 chs.

October 24/84

East on random line
betw secs. 17 & 20.
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.
80.00 Internal N & S. line at cor. to s
16. 17. 20 & 21. from which Same
West on true line
betw secs. 17 & 20
with same var.
40.05 Set sandstone 22" x 20" x 6" 18" th
ground for 1/4 sec. cor. marked
1/4 on N face and raised a stone
mound along rid c. Spring bears N. 14.10 d
68.50 Along S. face of bluff
77.50 Top of same
80.00 The cor. to secs. 17. 18. 19 & 20.
Land. Level.
Soil 1st rate
No timber
Dense underbrush alternate on 80 chs 10

BOOK-A-20

Tp. 1

West a
be

0.00 Set temp
4.25 Inter
18 & 19 fo
set in the g
stone mo
l

9.00 Road
18.50 Wash
37.00 Enter
40.25 Set
the gro
face an
65.00 Gulch
80.25 The cor
Land.
Soil
No tim

Tp. 15 S R 13 E.

West on random line
between secs. 18 & 19
Var. 16° 9' E.

0.00 Set temp 14 sec cor.
4.25 Intersect the W. bound. of tp. at cor. to secs. 18 & 19 which is a sandst. 18"×12"×6" firmly set in the ground properly marked with stone mound alongside from which I am

East on true line
between secs. 18 & 19.
Var. 16° 9' E

9.00 Road. bears N.E. & S.W.
18.50 Wash drains S. ascend
37.00 Enter higher bench
40.25 Set sandstone 30"×30"×30": 23" the ground for 14 sec. cor. marked "4 on N face and raised a stone mound alongside
65.00 Gulch wash drains S.W.
80.25 The cor. to secs. 17. 18. 19 & 20.
Land. Level. & broken
Soil 1 & 2 rate
No timber.
& dense underground with a 8 ft. antennae

North betw 17 & 18
Var 16° 9' E.

7.00 Descend 15° 7 chs to
13.76 Gulch wash drains S.W. a kind 15° 5
18.59 Enter level bench
40.00 Set sandstone 14"×12"×5" 9" the
Ground for 1/4 sec. cor. marked 1/4
on W face and raised a stone mound
alongside.
68.00 Road bears E & W.
80.00 Set sandstone 20"×10"×6" 15" the
Ground for cor to secs 7, 8, 17 & 18
marked with 4 notches on Land 5 on
Edges & raised a stone mound
alongside.
Land level & broken
Soil 1 & 3 rate.
No timber.
Dense underbrush artemisia on 8 acres

Tp. 15 S. R 13 E.

Earlou randomline
betw. Secs. 8 & 17.
Var. 16° 9' E.

4000 Set temp. 1/4 sec. cor.
79.50 Intersect N & S line 50 lks S. of cor.
to secs. 8. 9. 16 & 17 from which I run
S. 89° 39' W on true line
betw secs. 8 & 17
with same var.
9.00 Road bears N.E. & S.W.
39.75 Set sandstone 12"×8"×6" 8" the ground
for 1/4 sec. cor. marked 1/4 on N face & raised
a stone mound alongside.
66.05 Road bears N W & S E.
79.50 The cor. to secs. 7. 8. 17 & 18.
Land. Level.
Soil 1st rate
No timber.
Dense underground growth on 79.50 chs

West on random line
betw secs. 7 & 18.
Var. 16° 9' E.

40.00 Set temp 1/4 sec cor.

80.00 Intersect W. boundary of tp. at cor. to secs. 7. 12. 13 & 18 which is a sandstone 12"×8"×6" firmly in the ground properly marked with stone mound alongside from which Some Eastontrue line
betw secs. 7 & 18.
with same var.

40.00 Set sandstone 12"×8"×6" 8" the ground for 1/4 sec. cor. marked 1/4 on N face & raised a stone mound alongside.

41.00 Road bears N & S.

80.00 The cor. to secs. 7. 8. 17 & 18.
Land. Level.
Soil 1st rate.
No timber.
Dense undergrowth as attempted on S & Elk

BOOK-A-2

Tp. 15

Nort

24.00 Road
0.00 Set sa
ground
1/4 on W
mound
77.00 dry bed
0.00 Set
ground
marke
edges
along
Land
Soil
No tr
be

BOOK-A-207

Tp. 15 S. R 13 E.

North between secs. 7 & 8

Var. 16° 9' E.

24.00 Road bears N W & S E.

0.00 Set sandstone 12"x8"x6": 8" the ground for 1/4 sec cor marked 1/4 on W face and raised a stone mound alongside.

77.00 Dry bed of grassy trail runs W.

0.00 Set sandstone 12"x8"x6": 8" the ground for cor. to secs. 5. 6. 7 & 8 marked with 5 notches on S & E. edges & raised a stone mound alongside.

Land. Level.

Soil Grate

No timber.

Cause underground artemesia a 80 ft

Subdivision

	East on random line
	between secs. 5 & 8
	Var. 16° 9' E.
40.00	Set temp 1/4 sec. cor.
79.70	Intersected N & S. line 25 l.
	N. of cor. to secs. 4. 5. 8 & 9. from which
	Sun N 89° 49' W on true line
	between secs. 5 & 8
	with same var.
39.00	Dry bed of grassy trail
39.85	Set sandstone 14"×12"×4". 9" the grou
	for 1/4 sec. cor. marked 1/4 on N face & rain
	a stone mound alongside
40.50	Grassy trail bed runs N.W.
76.00	" " " S.W.
79.70	The cor to secs. 5. 6. 7 & 8.
	Land. level.
	Soil Crate
	Timber. Cottonwoods on grassy
	Dense undergrowth of 79.7 attempted

BOOK-A

Tp.

	West
	betw
	(
40.00	Set te
80.35	Inter
	secs. 6
	firmly
	with
	which
37.00	dry b
37.85	Road
40.35	Set s
	for 1/4
	a stone
49.25	Roa
60.25	Was
68.60	"
80.35	The cor
	Land
	Soil

BOOK-A-207

Tp. 15 S. R. 13 E.

West on random line
betw secs. 6 & 7.
Var. 16° 9' E.

40.00 Set temp 1/4 sec. cor.

80.35 Intersect W. bound. of Tp. at cor. to secs. 6 & 7. ~~which~~ is a sandstone 12"×8"×6" firmly set in the ground, properly marked with stone mound alongside, from which Town East on true line
betw secs. 6 & 7
with same var.

37.00 dry bed of grassy trail runs S.W.

37.85 Road bears N.W. & S.E.

40.35 Set sandstone 12"×8"×6" 8" in the ground for 1/4 sec. cor. marked 1/4 on N face & raised a stone mound alongside

49.25 Road bears N.E. & S.W.

60.25 Wash drains S.

68.60 " " S.W.

80.35 The cor. to secs. 5. 6. 7 & 8.
Land. Level valley
Soil 1st rate

Timber. few cottonwoods
Dense artemisia
undergrowth 80.35

North on random line
betw. secs. 5 & 6.
Var. 16° 9 E.

40.00 Set temp 1/4 sec. cor.

80.40 Intersect N. boundary of tp. at cor. to secs. 5 & 6 which is a sandstone 14"x8"x4" firmly set in the ground properly marked, with stone mound along side, from which Some

South on true line
betw. secs. 5 & 6.
with same var.

18.00 Ascend

30.56 Top of bench ridge bears ~~[illegible]~~ S. W.

39.02 Ravine drains S. W. ascend

40.40 Set sandstone 14"x12"x8" 9" the ground for 1/4 sec. cor. marked

BOOK-A-207

S. R 13 E.

1/4 m W face and raised stone mound along rive

46.50 Top of Bench

69.40 Enter valley leave bench

80.40 The cor to secs. 5. 6. 7 & 8.

Land. level & broken

Soil 1/8 Lake

No timber.

Dense underground with artemisia on 80 40 ch.

October 25th 1884.

General Description

This Township embraces some excellent bench land, consist of an upper and lower bench. In the Northern part (on the upper bench) Grassy Trail Creek is situated, which is usually dry at this time of the year, on account of the porous nature the soil, but which yields an abund of water in the spring and summer (irrigation time). There are numerous springs on the S. edge of the upper bench. Notably in Sec^s 1. 11. 15. 17 & 18. which yield considerable water. It is my opinion that with proper management there is sufficient water to irrigate the whole Township. Mr. Fairbanks (the applic improvements are situated in the West ½ of Sec. 18 and consist of considerable fencing ditching and land under cultivation besides 2 small cabins.

There is also some land being cultivated in Sec 1. and claims made by E. Felser on Springs in Sec^s 15 & 17. 15 Hewart M. Pun cath. U.S. Clerk Inc.

BOOK-A

U. S. SURVEYO

Salt Lake

The forego

Lub

Township No.

Executed by

Under

day of Sep

October

amined. the neces

the said field n

hereby approved.

BOOK-A-207

67

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 12th 1885

The foregoing field notes of the survey of the Subdivisions

Township No. 15 S. *Range No.* 13 E.

Executed by Stewart M. Pancake

Under his *contract of the* No 130 6th

day of September 1884, *in the month of* October 1884, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-

REPORT: 1885

Filed

Examined by

Transcribed by E

Compared by A

FIE

OF THE

fractional

Boundar

Township No. 17

Range No. 3 E

SALT L

U

August

U.

Under his C

Dated Sep

Survey commen

Survey complet

BOOK-A-207

REPORT: 1885 69

Filed 188

Examined by .....

Transcribed by E. Michaelis

Compared by Atkinson & Michaelis

FIELD NOTES

OF THE SURVEY OF THE

fractional North & South Boundaries and East Boundary

OF

Township No. 17 South

Range No. 3 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Augustus V. Ferron

U. S. Deputy Surveyor,

Under his Contract No. 129

Dated September 5th 1884

Survey commenced October 7 1884

Survey completed " 9 1884

BOOK-A-207

Township 17 S. R. 3 E.

			82		83		84		85		86
6	98	5	156	4	140	3	128	2	117	1	81
			155		154		139		127		116
7	97	8	153	9	137	10	126	11	115	12	80
			152		151		136		125		114
18	96	17	150	16	135	15	124	14	113	13	79
			149		148		134		123		112
19	95	20	147	21	133	22	122	23	111	24	78
			146		145		132		121		110
30	94	29	144	28	131	27	120	26	109	25	77
			143		142		130		119		108
31	100	32	141	33	129	34	118	35	107	36	76
			71		72		73		74		75

ow Township 1

6

7

18

19

30

31

NAMES AND DUTIES OF ASSISTANTS.

.....	*Compassman.*
.....	*Chainman.*
.....	*Chainman.*
.....	*Chainman.*
.....	*Chainman.*
.....	*Axeman.*
.....	*Axeman.*
.....	*Flagman.*

BOOK-A-

South Bou

Survey
Note. The
not bein
true lin
on South
which i
contract
lines
Ea

19.50 Ditch
34.00 Road
40.00 Nobra
10"×10"×4
marke
a stone
43.50 Ascen
50.50 Mont
80.00 Nobra
surve
set lin
for co
with
raised

BOOK-A-207

South Boundary T17 S, R3 E, S L M

Survey commenced Oct 7, 1884.
Note. The cor to Tp 17 & 18 S, R3 & 4 E
not being established I run E on a
true line from the cor to secs 31 & 32
on South Boundary of T17 S, R3 E
which is established under present
contract in retracing subdivision
lines

East on resurvey true line
bet secs 5 & 32
Var 17½° E

19.50 Ditch drains NE
34.00 Road bears NE & SW
40.00 No trace of old cor, set a limestone
10" × 10" × 4" 6" in ground for 1/4 sec cor
marked 1/4 on N face and raised
a stone mound alongside
43.50 Ascend
50.50 Mouth of gulch drains NW
80.00 No trace of old cor, end of old
survey, Top of ridge bears SW & NE
set limestone 10" × 10" × 10 × 6" in the ground
for cor to secs 4, 5, 32 & 33, marked
with 2 notches on W & 4 on E edges
& raised a stone mound alongside

South Boundary

Land level & mountain
Soil, 1st & 3rd rate
Timber scatt cedar
Dense undergrowth, antennaria
on 80.00 chs

Eastern line
between 4 & 33
Var 17½° E

15.00 Range diam SW
40.00 Set limestone 10"x8"x8" 6"
in the ground for 1/4 sec cor
marked 1/4 on N face, and
raised a mound of stone
alongside
80.00 Set limestone 20"x10"x8" 15" in
the ground for cor to secs
3, 4, 33 & 34, marked with 3
notches on E & W edges and
raised a stone mound alongside
Land mountain
Soil 3rd rate
No timber
Dense undergrowth
antennaria on 80 chs

BOOK-A-207

Tp. 17 S. R 3 E.

East outline line
betw. secs. 3 & 34
Var 17½° E.

40.00 Set quartzite 10×10×10: b: the
ground for 1/4 sec. cor. marked
1/4 on N face and raised a stone
mound alongside.
42.50 4.50 North of line a Spring &
remains of cabin.
58.50 Ridge 200 ft. high bears NE & SW.
71.50 across same, descend
80.00 Set Quartzite 20×8×8: 14 ins
the ground for cor. to secs
2. 3. 34 & 35 marked with
4 notches on W and 2 on E edges
and raised a stone mound
alongside.
Land: Mountain
Soil Loam.
No timber.
Dense undergrowth
on 80 ch's.

South boundary Pp. 17

East on true line
bitw. secs. 2 & 35.
Var 17½° E.

22.00 Trail in hollow drains W.
40.00 Set limestone 10×8×8 & 6 in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound alongside.
58.50 Top of Divide bears NE & S.
79.98 Trail in hollow drains NE
80.00 Set limestone 20×14×4 in the ground for Cor to secs 1 & 2. 35 & 36 marked with 5 notches on W and 1 on E edge & raised a stone mound alongside.
Land: Mountain
Soil 3 rate
No timber.
Dense undergrowth
artemisia on 80 ch's.

BOOK-A-207

South boundary Tp 8 R 3 E

East between 1 & 36
Var 17½° E

Enter rolling country
3.10 Spring branch in small hollow
2 lks wide in deep runs SW
40.00 Set limestone 18"×10"×7" 6" in the ground
for ¼ sec cor, marked ¼ on S face
and raised a stone mound alongside
68.10 South branch of willow creek 10 lks
wide 4' deep runs SW. Enter burnt
quaking asp. Leave undergrowth
80.00 Set a sandstone 20"×6"×6" 15" in the
ground for cor to Tps 17 & 18 S R 3 & 4
E, marked with 6 notches on
each edge & raised a stone mound
alongside

Land mountainous
Soil 2nd rate
Heavy timber, burnt quaking
aspen 11.90 chs
Dense undergrowth on 68.10 chs
Augmented on 80 chs
Oct 9, 1884

East Boundary

From the cor to Tp 17 & 18 S
R 30 & 31 E set by me from
North bet secs 31 & 36
Var 19½° E

1.75 Wagon road bears S 6° & N 6° E
21.20 Creek 8 lks wide 4" deep runs NW
24.00 NW edge of Lake bears N 29° W
40.00 Set limestone 20"x10"x6 14" in the ground for 1/4 sec cor, marked 1/4 on W face and raised a stone mound alongside. No trees convenient to mark
46.50 Lake bears NW
53.30 Creek 4 lks wide 3" deep runs NW
78.50 Leave quaking asp. Enter dense asp
80.00 Marked stationary flint 24 x 12 x 12 aboveground for cor to secs 25 30 31 & 36 with 5 notches on N & W edges and raised a mound of stone alongside

Land rolling. Soil 2nd rate
Heavy timber, burnt quaking asp on 48 chs
Dense undergrowth, artemesia on 1.50 chs
Augmented on 80 chs

BOOK-A-207

T 17 S. R 3 E. S.L.M.

North bet secs 25 & 30
Var 17 1/2° E

33.00 Creek 15 lks wide 4" deep runs W
40.00 Set flint stone 30"x15"x6" 20" in the ground for 1/4 sec cor, marked 1/4 on W face and raised a stone mound alongside
54.50 Descend
65.30 Bottom of hollow drains SW
80.00 Set slate 22"x20"x2" 16" in the ground for cor to secs 19, 24 25 & 30, marked with 2 notches on S & 4 on N edges and raised a stone mound alongside

Land Mountains
Soil 2d rate
Timber, burnt quaking asp
Dense undergrowth
artemisia on 80 chs

East Boundary T 17 S. R 3 E

North between 19 & 24
Var 17 1/2° E

Ascend
6.50 Top of ridge bears NW & SE
40.00 Set limestone 10" x 10" x 8" 6' in the ground for 1/4 sec cor marked 1/4 on W face and raised a stone mound alongside, Descend
57.00 Ravine drains NW, ascend
80.00 Ridge bears NW & SE, Set sandstone 22" x 10" x 6" 16" in ground for cor to sec 13 18, 19 & 24 marked with 3 notches on N & S edges raised a stone mound alongside

Land Mountainous
Soil 2d rate
Timber
Dense undergrowth
Intersection on 80.00 ch

BOOK-A-207

East boundary Tp. 17 S. R 3 E

North betw. secs. 13 & 18
Var 17½° E.

22.50 Easter flat, Creek 6 lks wide
3 in deep runs N. W.

40.00 Set sandstone 19×10×7: 12
in the ground for 1/4 sec. cor.
marked 1/4 on W face and
raised a stone mound alongside

50.00 Shingle mill bears N 84° W.

66.66 Creek 20 lks wide 7 in deep runs S.W.

67.00 Road bears S W & NE.

75.00 " " S.W & NE

75.50 Mill of O. Peterson bears S 61° W

80.00 Set sandstone 18×10×10: 12 ins in
the ground for cor. to secs. 7. 12.
13 & 18. marked with 4 notches
on S and 2 on N edges & raised
a stone mound alongside.
Land. flat & Mountain
Soil Grats.
No timber.
Dense undergrowth
artemisia on 80 ch's

Eastboundary

North betw secs. 7 & 12
Var 17 1/2° E.

3.43. Creek 10 lks wide 3 : deep runs W.

6.00 Road bears S.W. & N.E.

40.00 Set lime stone 20×10×5 : 14 : the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound along side.

54.50 Ridge 400 ft high bears N.E. &

80.00 Set a lime stone 15×8×6 : 16 : the ground for cor to secs 1.6.7 & 12 marked with 1 mi on N and 5 on Sedges & raised a stone mound alongside

Land. Mountains
Soil 2 rate
No timber
Dense underground
artemisia on 8 ch's

BOOK-A-207

Tp. 17 S. R 3 E.

North betw. sec. 1 & 6.
Var 17½° E.

Descend

40.00 Set lime stone 20×10×5 - 15 - the ground for 1/4 sec cor. marked 1/4 on W face & raised a stone mound along side.

80.00 Set sandstone 24×24×10 - 18 - the ground for cor. to Tps. 16 & 17 S. R 3 & 4 E. marked with 6 notches on N S E & W edges & raised a stone mound along side.

Land. Mountain slope
Soil Poor.
No timber.

Dense undergrowth artemisia on 80 ch.

Oct 8 - 1884

Northbound. Tp. 17 South R

From the cor. to Tps. 16 & 17 S. R. 5 E. I run West on random line betw. said townships. I find the distance to be 5 Miles 5 lks to the cor. to secs. 5 & 6 reset and present cor. to 31 & 32 on said boundary and the falling to be in line. I adjust my chain to the distance found and run

East on true resurvey line betw. secs. 5 & 32

Var 17 1/2 E.

9.75 Fence bears NE & SW.

40.00 No trace of old cor. set a lime stone 10×8×6: 6 in the ground for 1/4 sec. cor. marked 1/4 on N face & raised a stone mound alongside.

59.60 Fence bears N & S.

61.00 Ditch " NE & SW.

68.50 Fence " N & S

80.00 No trace of old cor. set lime stone 10×8×6 in the ground for cor. to secs. 4, 5, 32 & 33 marked with 2 notches on W and 4 on E edges & raised

stone mound alongside
Land. Level valley
Soil Prairie.
No timber.

East on resurvey line
between secs. 4 & 33
for 17 20 E.

19.42 Ditch bears N & S.
40.00 No trace of old cor. set sandstone
18×8×6 in 12 in the ground for 1/4 sec
cor marked 1/4 on N face and
raised a stone mound alongside
49.01 Fence bears N & S. W side of
County Road.
49.50 Ditch bears N & S.
51.38 fence bears " E. side of Co. Road
60.45 Telegraph line " "
70.25 Road bears "
70.50 Ditch " "
80.00 No trace of old cor. set a
limestone 42×10×6 in 30 in the
ground for cor. to secs. 34. 33 & 34
marked with 3 notches on E & W

Northboundary

edges and raised a stone
mound alongside
Land Level
Soil 1 rate
No timber

East on true resurvey line
betw secs. 3 & 34
Var 17½° E.

0.47 Ditch bears N & S.
4.46 " " " "
10.70 " " " "
11.15 Street " "
21.35 Ditch " "
21.55 Street " "
38.46 Wash drains S.W.
40.00 No trace of old cor set a lime stone 14×10
7 in 9 in the ground for 1/4 sec.
cor marked with 1/4 on N face
and raised a stone mound along
side
43.00 Ditch drain N.W.
57.88 fence bears N & S. leave field
enter dense undergrowth
57.92 Ditch drain N.W.

BOOK-A

Sp. 17

58.10 Roa
80.00 No tra
lime stone
for C
with
Wedg
mou
Lan
Soi
No
C
A
E
7.00 Woo
40.00 Set
the g
1/4 on
ng
77.00 Leo
va
78.50 Wash
80.00 Set
15 in

Sp. 17 South R 3 E

58.10 Road bears N & S. enter rolling hills

80.00 No trace of old cor. End of old survey set a lime stone 40 x 20 x 4: 30 in the ground for Cor to secs. 2.3.34 & 35 marked with 2 notches on E and 4 on W edges & raised a stone mound alongside.

Land: Level

Soil Crate.

No timber.

Dense undergrowth

Artemisia on 22.12 chs.

East betw secs. 2 & 35

Var. 17°20 E.

7.00 Wood Road bears S.W. & N.

40.00 Set lime stone 20 x 6 x 4: 15 in the ground for 1/4 sec cor marked 1/4 on N face and raised a stone mound alongside.

77.00 Leave rolling hills & enter valley

78.50 Wash 10 ft deep drains S.W.

80.00 Set sandstone 20 x 8 x 7 in 15 in the ground for cor to secs.

Northbound. Tp. 17 S R 3

1.2.35 p 36 marked north 1 no
on E and S on Wedge and raised
a stone mound alongside
Land. Level & rolling
Soil 1 & 2 rate
No timber.
Dense undergrowth
Artemisia on 80 ch's.

East bet secs. 1 & 36
Var 17½° E

28.50 Road bears S. E & N. W.
40.00 Set sandstone 20×10×10: 15
the ground for 1/4 sec. cor. mar
1/4 on N face and raised a
stone mound alongside
48.50 Ascend
80.00 The cor. to Tps. 16 & 17 S. R 3 & 4 E.
Land. Level & Mount.
Soil 1 & 2 rate
Timber. scall. Cedars
Dense undergrowth on
Artemisia 80.00 ch's
Octr. 9th 1884

BOOK-A-207

General Descript.

The unsurveyed part of this tp consists of rolling foothills and high Mountains, portion of which are under cultivation. The land is of considerable value on account of proximity of town of Ephraim, which contains about 5000 inhabitants and is situated in the northern part of the township.

Augustus S. Ferron
N. Dep surv.

BOOK-A

U. S. SURVEY

Salt Lake

The foreg

bo

Forth, Cont

Township No.

Executed by

Under *his*

day of *Se*

Octo

amined, the nece

the said field

hereby approved

BOOK-A-207

89

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Jany 22nd 1885

The foregoing field notes of the survey of the fractional boundaries and

North, South, & East boundaries

Township No. 17 S. *Range No.* 3 East

Executed by Augustus D. Ferron

Under his *contract of the* 5th

day of Septbr. *188*4, *in the month of*

Octobr *188*4, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

90

2243

BOOK

EPORT: 18

iled

xamined by

ranscribed by

ompared by

FI

OF TH

wnship No

nge No

SALT

Augu

U

Under his

ated

rvey comm

rvey compl

BOOK-A-207

REPORT: 1885 91

Filed 188

Examined by .....

Transcribed by H. Atkinson

Compared by H. A. & E. M.

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

of

fractional

~~of~~

Township No 17 South

Range No 3 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Augustus D. Ferron

U. S. Deputy Surveyor,

Under his Contract No. 129.

Dated September 5th 1884

Survey commenced October 6th 1884

Survey completed ~~October 6th~~ 1884

Dec. 28. 1884

NAMES AND DUTIES OF ASSISTANTS:

	Compassman
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A

Resurvey of

Survey
From th
the N. bo
original
U.S. Dep
stake
making
at whi
most of
this
to secs.
of the
remain
survey.
the exa
chainin
I recur
between

From
which i
with p
good

BOOK-A-207

Resurvey of Fract. Subdivisions
Tp. 17 South, Range 3 East.

Survey commenced October 6th/84.
From the cor. to secs. 5.6.31 & 32 on the N. boundary of Tp. 17 S. Rg. 3 E. original set by Charles Moye, U.S. Dep. Surveyor. The original stake was found by me when making a private survey 1873 at which time I retraced most of the original lines in this Tp., and found the cor. to secs. 29.30.31 & 32 to be, besides of the above corner, the only remaining corner of the original survey. In order to find the exact variation and chaining of the original survey I rerun the subdivision lines between said corners.

From the cor. to secs. 29.30.31 & 32 which is an original stake with pits and mound in good preservation. I run

Resurvey Subdivisions Tp. 17 South

North on resurvey line between secs. 29 & 30
Va. 17½° E.

26.00. County Road bears N E & S W
40.00. No trace of old cor., set limestone 25x10x6 ins 18 ins in ground for ¼ sec. cor., marked ¼ on W. face, and raised a stone mound alongside.
56.50 Enter fields. Leave undergrowth
Telegraph line bears N E & S W
80.00. No trace of old cor., set limestone 20x8x6 ins 15 ins in the ground for cor. to secs. 19. 20. 29 & 30, marked with 2 notches on S. and 5 notches on E. edges, and raised a stone mound alongside
Land, level valley
Soil 1st rate.
No timber
Dense undergrowth, artemisia on 56.50 chs.

BOOK

3 East.

North
be

21.00. Ro
40.00. No t
limest
the g
mark
raise
along
61.00. Ro
80.00. No tr
lime
in th
17. 18
3 not
edge
mou
Lan
Soil
No

BOOK-A-207

3rd East. East Lake Meridian.

North on resurvey line
betw. secs. 19 & 20.
Va. 17½° E.

21.00. Road bears E. & W.

40.00. No trace of old cor. set limestone 16x8x6 ins, 6 ins in the ground for ¼ sec. cor. marked ¼ on W. face, and raised a stone mound alongside.

61.00. Road bears E. & W.

80.00. No trace of old cor., set limestone 15x10x7 ins, 10 ins in the ground for cor. to secs. 17. 18. 19 & 20, marked with 3 notches on S and 3 on E. edges, and raised a stone mound alongside.

Land, level & ally.
Soil, 1st rate.
No timber.

Resurvey frac. Subdiv. Tp. 17. South

North on resurvey line
betw secs. 17 & 18.
Va. 17½° E

5.50 Canal 15 lks wide runs W.
26.50 Road bears E & W.
40.00 No trace of old cor., set a lim-
stone 10 x 7 x 7 ins, 6 ins in the
ground for ¼ sec. cor. mark
¼ on W. face, and raised
a stone mound alongside
47.00 Road bears E & W.
67.50 " E & W.
80.00 No trace of old cor., set lim-
stone 19 x 10 x 4 ins, 13 ins in
the ground for cor. to secs.
7. 8. 17 & 18, marked with
4 notches on S. and 5 on E.
edges, and raised a stone
mound alongside.
Land, level valley
Soil 1st. rate
No timber

R. 3. E

North
betw
1
7.90 Road
19.50 "
29.00 "
33.70 Fence
ground
growth
40.00 No tr
limest
in the
marke
raised
50.70 Spring
60.50 Fence
73.00 Enter
80.00 No tr
limestone
for cor. to
5 notche
raised
Land,
Soil,

R. 3. E. Salt Lake Meridian.

North on resurvey line
betw secs. 7 & 8.
Va. 17½° E.

7.90 Road bears E & W
19.50 " " N E & S W.
29.00 " " E. & W.
33.70 Fence bears E & W, leave cultivated ground, enter dense under-growth artemisia
40.00 No trace of old cor., set limestone 12 x 8 x 6 ins, 8 ins in the ground for ¼ sec. cor. marked ¼ on W. face, and raised a stone mound alongside.
50.70 Spring bears W. glks runs N.W.
60.50 Fence bears E & W.
73.00 Enter cultivated land
80.00 No trace of old cor. Set limestone 15 x 10 x 7 ins 10 ins in ground for cor. to secs. 5. 6. 7 & 8, marked with 5 notches on S. & E. edges, and raised a stone mound alongside.
Land, level valley
Soil, 1st rate

Resurvey fract. Subdiv. T. 17 S. R. 5

No timber.
Dense undergrowth, artemisia on 40.70 chs.

North on resurvey line betw. secs 5 & 6.
Va. 17½° E.
Leave field.
0.20. Road bears E & W.
0.75. Fence cor. 10 lks W.
3.50 " bears N E & S W.
14.50 Slough 40 lks wide bears E & W
16.25. Fence bears E & W.
20.00 Ditch drains S W.
22.00 Fence bears E & W.
28.50 Leave undergrowth & enter field.
39.69 Fence bears E & W., leave field and enter dense undergrowth
40.00 No trace of old cor. set limestone 16x8x4 ins. 12 in in the ground for ¼ sec. c

Tacs L

marke
and p
alongs
40.50 Road
43.56 "
44.00 Ditch
79.95 Fence
79.96 The or
secs. 5 &
of Tp.
by set
5 ins,
for cor
with 5
1 on W.
a stor
Land
Soil
No tr
Dense

Tacs Lake Meridian

marked 1/4 on W. face
and raised a stone mound
alongside.
40.50 Road bears E & W.
43.56 " " N.W. & S.E.
44.00 Ditch drains S.W.
79.95 Fence bears E & W.
79.96 The original Mayo corner to
secs. 5 & 6 on North boundary
of Tp., which I perpetuate
by setting a limestone 20x10x
5 ins, 12 ins in the ground
for cor. to secs. 5 & 6, marked
with 5 notches on E and
1 on W. edges and raised
a stone mound alongside.
Land level valley
Soil 1st rate.
No timber
Dense undergrowth artemisia
on 68.77 chs.

Subdivis. Tp. 17 S. R. 3 E.

Having thus determined th
original chain measuremi
and variation, I run from
the cor. to secs. 29. 30. 31 & 32
which is a post with pits
and mound of earth
South on resurvey line
betw secs. 31 & 32.

Va. 17½° E.

1.50 Low ridge bears N E & S W
6.10 Ditch runs S W.
7.20 Enter cultivated land.
Leave dense undergrowth
39.80 Ditch runs W.
40.00 Road bears E & W.
No trace of old cor., set a
limestone 10x8x6ins, 6ins
ground for ¼ sec cor. mark
¼ on W. face and raised a
stone mound alongside.
52.50 Leave cultivated ground
Enter dense undergrowth
80.00 No trace of old cor., set
limestone 20x10x6ins, 14in

BOOK-A

Sact. L

in the
secs. 5
with
E. edg
stone
Land
Soil
No tr
Dense
on 34

Sacr. Lake Meridian.

in the ground for cor. to secs. 5. 6. 31 & 32, marked with 1 notch on W. and S. on E. edges, and raised a stone mound alongside.
Land, level.
Soil, sat rate.
No timber.
Dense undergrowth, artemisia, on 34. 70 chains.

October 6. 1884.

For General Descripti
see Exteriors of this
Bk.

Augustus D. Ferron
U.S. Dep. Surveyor

BOOK-A

U. S. SURVEYO

Salt Lake

The foregoi

Subdivis

Township No. 1

Executed by A

Under J

day of Sept

October

amined, the necess

the said field no

hereby approved.

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, January 22d 1885

The foregoing field notes of the survey of the Subdivisions of the fractional *Township No.* 17 South *Range No.* 3 East *Executed by* Augustus D. Ferron No. 129. *Under* his *contract of the* 5th *day of* September 1884, *in the month of* October 1884, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-2

REPORT: 1885

Filed

Examined by

Transcribed by

Compared by

FIE

OF THE

Ge

Township No 17

Range No 3

SALT I

U

Stewar

U.

Under his C

Dated Sep

Survey commen

Survey complete

4 12 Books

BOOK-A-207 105

REPORT: 1885 ck

Filed 188

Examined by [signature]

Transcribed by P. D. Schoeber.

Compared by H. Atkinson & E. Michaelis

FIELD NOTES

OF THE SURVEY OF THE

~~Fractional~~

Subdivisions

fractional.

OF

Township No 17 S.

Range No 3 E.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Stewart M. Pancake

U. S. Deputy Surveyor.

Under his Contract No. 130

Dated Septbr 6th 1884.

Survey commenced Dec 22nd 1884

Survey completed " 28 1884

NAMES AND DUTIES OF ASSISTANTS:

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

Subdivision
BOOK-A-207 107
Sp. 17 S. R 3 E.

Survey commenced: Dec. 22nd 1884
The instrument used is a Solar Transit with vertical circle. — adjusted dailey by Solar and occasionally by Polaris observations. —

I commence at the cor to Secs 35 & 36. on the South Boundary of the Township which is a lime stone 20×14×4, properly marked and firmly set in the ground with stone mound alongside from which I run

North bet. Secs 35 & 36.
Var: 17°30' E.

6.50 Spring branch 2 lks wide 4 in. deep runs N.E.
.50 Ascend
3.06 N.E. point of ridge descend 10°
enter small aspen
0.00 Set lime stone 10×8×7, 6 in. in the ground for 1/4 sec cor. marked 1/4 on W. face, and raised a stone mound along side. —
8.50 Leave small aspen
6.50 Road bears N.W. & S.E.
7.38 (45 chs S.M.) S. fork of Willow Cr. 4 lks wide 6 in deep runs N.W. no Carson aspend
1.00 Set lime stone 20×10×8. 15 in. in the

Subdivisions

ground for corto Secs 25.26.35 &
marked with 1 Notch on S. & E. edge
and raised a stone mound along side
Land, Mountains;
Soil, 1st rate;
Timber some small aspen
High Mountains on 80 chs.—

East on a random line bet. Secs 25 &
Var 17° 30' E.
40.00 Set temp. 1/4 Sec Cor
80.22 Intersect E. Boundary of Tp 35
N. of corto Secs 25 & 36 which is a
stationary flint 24×12×12 in above ground
properly marked with stone mound along side
from which Fence
N. 89° 45' W. on true line bet. Secs 25 & 36.
with same Var.
40.11 Set sand stone 10×8×7. 6 in in the ground for
1/4 Sec Cor, marked 1/4 on N. face and raised
a stone mound along side.—
70.50 leave rolling top of high Mountain
descend
80.22 The corto Secs 25.26.35 & 36.

BOOK-A

Tp. 1

Land
&
High Mo
North
Along W.
40.00 Set S
ground
face an
side—
55.50 N. fork
deep,
80.00 Set
ground
marke
and ra
Land
Timber
High

BOOK-A-207

Tp. 17 S., R. 3 E.

Land, mountains;
Soil, Indrate;
No Timber
High Mountains on 80, 22 chs.—

North bet. Secs. 25 & 26.
Va 17° 30' E.

Along W. slope of Mountains
40.00 Set Sandstone 11×8×6, 7 in. in the ground for 1/4 Sec cor, marked 1/4 on W. face and raised a stone mound along side—
55.00 N. fork of Willow Creek 10 lks wide 4 in deep, runs in Canon W. ascend.
80.00 Set Sand stone 18×10×6, 12 in. in the ground for Cor to Secs. 23. 24. 25 & 26. marked with 2 Notches on S. & 1 on E. edges and raised a stone mound along side.
Land, mountains;
Soil, 2nd rate;
Timber, Scrub Cedars Scattering
High Mountains on 80 chs.

Subdivisions —

	East on a random line bet. Sec.s 24 & 25
	Va 17½° E.
4.00	Set temp. ¼ Sec. cor.
80.48	Int. E. Boundary of Tp. at Cor. Sec.s 24 & 25, which is a Shale 22×20× properly marked and firmly set the ground, from which I run
	West on a true line bet. Sec.s 24 & 25 with same var.
	along rolling & broken. S. slope
24.50	Gulch drains S.E.
40.24	Set sandstone 11×10×7, 6in. in the ground, for ¼ Sec cor. marked ¼ on N. face and raised a stone mo alongside. —
57.25	Gulch drains S.
80.48	Thy cor to Sec.s 23. 24. 25 & 26
	Land, Mountainous;
	Soil Indrate;
	No Timber
	High Mountains on 80.48 chi.

BOOK-A-2

Tp. 17

	North
	Ascend
25.37	Ridg
4.00	Set Sa
	ground
	face, an
	alongs
45.77	
61.74	Top of
	Ascend
80.00	Set
	the gro
	& 24. m
	edges a
	along
	La
	High M

BOOK-A-207

Tp. 17 S., R. 13 E.

North bet Sec.s 23 & 24
Va 17 1/2° E

Ascend

25.37 Ridge bears E & W. descend ~~[illegible]~~

40.00 Set Sandstone 11×9×7. bin. in the ground for 1/4 Sec. cor., marked 1/4 on W. face, and raised a stone mound alongside.

45.77 Gulch drains N. Ascend

61.74 Top of Ridge bears N.W. & S.E.

Descend

80.00 Set Sand stone 11×9×6, bin. in the ground, for corn Sec.s 13. 14. 23 & 24. marked 3 Notches on S. & 1 on E. edges and raised a stone mound alongside.

Land, Mountainous,
Soil Indrate
No Timber
High Mountains on 80 chs.

Subdivisions

East on a random line bet Secs 13 & 24
Va 17½° E.

40.00 Set temp. ¼ sec cor.

80.26 Intersect E. boundary of Tp. 42
S. of corte Secs 13 & 24, which
a Sand stone 22 x 10 x 6, 15 in. in
ground, properly marked with
stone mound along side, from
which run S. 89° 42' W. on
true line bet Secs 13 & 24
with same Var.
Akers

18.35 Ridge bears N.W. & S.E.
Descend 18°

40.13 Set Sand stone 16 x 9 x 5, 11 in. in
the ground for ¼ Sec. cor. marked
¼ on N. face, and raised a
stone mound alongside.

41.98 Gulch drains N.W.
Thence along rolling N.W. Slope.

70.50 Gulch drains N.W.

80.26 The corte Secs 13. 14. 23 & 24.
Land, Mountainous;
Soil, 2nd rate;
No Timber
High Mountains on 80.26 chs.

BOOK A-

Tp 17

North

Descen

12.00 Gulc

40.00 Set S

in the

marked

raised a

59.89 (

W. &

62.20 Ephra

runs (

71.60 Ridg

80.00 Set. lin

for corte

on S. & 1

mound

Land

Timber,

High

BOOK A-207

Tp 17 S., R. 3 E.

North bet Sec. 13 & 14
Va 17½° E.

Descend

12.00 Gulch drains N.W.

40.00 Set Sand stone 25"×8"×6", 18 in. in the ground, for ¼ Sec. cor. marked ¼ on W. face, and raised a stone mound along side

59.89 ([illegible]) Road in Cañon bears W. & S.E.

62.20 Ephraim Creek 10 lks wide 5 in deep runs W. Ascend [illegible]

71.60 Ridge bears N.E. & S.W. descend

80.00 Set lime stone 20×10×4, 15 in. in the ground for corte Sec. 11.12.13. & 14. marked 4 Notches on S. & 1 on E. edges, and raised a stone mound along side.

Land, Mountainous, Soil, Indrate;

Timber, Scattering Scrub Cedar.

High Mountains on 80 ch's.

Dec. 22nd 1884

Subdivisions

East on a sandown line
bet Sec. 12 & 13.
Var 17½° E.

40.00 Set temporary ¼ Sec. cor.
80.42 Cont. E. Boundary of Tp. 21 N.
N. off cor to Sec. 12 & 13. which
a lime stone 15×8×6, firmly set
in the ground & properly marked
from which I run
N. 89°51' W. on true line bet Sec. 12 & 13
with same var.
Descend in Canon
4,53 Creek 10 ch. wide 4 in deep runs S.
Ascend 35°
6.50 Road bears N.E. & S.W.
37.30 Ridge bears N.E. & S.W.
Descend
40.21 Set lime stone 10×9×7, 6 in. in the
ground for ¼ Sec. cor. marked ¼ on
N. face, and raised a stone mound
alongside.
57.97 Gulch drains S.
Ascend
72.07 Ridge bears N.E. & S.W.
80.42 The cor to Sec. 11. 12. 13 & 14.

BOOK-A

Tp 1

Land,

High

North

Along

8.50 Hall

1.00 Low

7.50 Wash

31.50 Road

40.00 Set Sa
the ground
on W. fa
along

63.00 Roa
Ascen

73.88 Ridg
Descen

80.00 Set
for cor to
S. 1 on E.
Land, M
No T
High

BOOK-A-207

Tp 17 S.; R. 3 E.

Land, Mountainous;
Soil, Indrate;
No Timber;
High Mountains on 80, 42 chs.

North bet. Sec. 11 & 12
Va 107½° E.

Along rolling West. Slope.

8.50 Hollow drains S.W.

21.00 Low Spur bears N.E. & S.W.

7.50 Wash Hollow drains S.W.

31.50 Road in hollow bears S.W.

40.00 Set Sand Stone 10×10×10, 6 in. in the ground for 1/4 sec. cor. marked 1/4 on W. face, and raised a stone mound along side.—

63.00 Road in hollow bears S.W.

Ascend

73.88 Ridge bears N.E. & S.W.

Descend

80.00 Set Sandstone 40×8×8, 20 in in the ground, for cor to Sec. 1. 2. 11 & 12, marked 5 Notches on S. & 1 on E. edges and raised a stone mound along side.

Land, Mountainous; Soil, Indrate;
No Timber
High Mountains on 80 chs.

Subdivisions

Earth on a random line bet Sec.s 1 & 12
Var 17½° E.

40.00 Set temp. 1/4 Sec. Cor.

80.18 Intersect the E. Boundary of the Tp. at Cor to Sec.s 1 & 12 which is a Line Stone 15×8×6, firmly set in the ground & properly marked from which Sun West on true line bet. Sec.s 1 & 12
with Same Var:—

40.09 Set Line Stone 12×8×7, Dis. in the ground, for 1/4 Sec. Cor. marked 1/4 on N. face and raised a Stone mound alongside.—

67.00 Road in hollow bears S.W. ascend

75.46 Ridge bears N.E. & S.W. descend.

80.18 The cor to Sec.s 1. 2. 11 & 12,
Land, Mountainous,
Soil, Indrate,
No Timber
High Mountains on 80.18 ch

BOOK-A-

Tp. 17

North
be

40.00 Set
80.10 Int.
Cor to
Sand
ground
which
South on

10.50 Fence
C. A. L
11.20 Ditch
31.10 Fen
bench
31.30 Ditch
40.00 Set
the gr
raised a
55.50 Ascen
80.10 The
Land
Soil

Tp. 17 S. — R. 3 E.

North on a random line
bet. Sec^s 1 & 2
Va 17½° E.

4.00 Set temp. ¼ Sec. cor.
80.10 Int. N. Boundary of Tp. at
Cor to Sec^s 1 and 2 which is a
Sandstone 20×8×7, firmly set in the
ground & properly marked, from
which I run
South on a true line bet Sec^s 1 & 2
with Same Var.
10.50 Fence bears N.W. & S.E. enter
C. A. Larsen (the applicant) field
11.20 Ditch drains W.
31.10 Fence bears N.E. & S.W. Enter
bench & dense underprowth.
31.30 Ditch runs S.W.
40.10 Set Sandstone 20×10×7, 15 in. in
the ground for ¼ Sec cor marked ¼ on W. face &
raised a stone mound alongside. —
55.50 Ascend.
80.40 The Cor to Sec^s 1. 2. 11 & 12.
Land flat bottom & bench & Mountain
Soil 1st & 2nd rate
Timber a few Satt. Scrub Cedar

Subdivisions

High Mountains on 24.60 chs.
Dense Undergrowth on 24.40 "
Augmented Total — 49.00 "

From cor to Sec. 34 & 35, on S. boundary of Tp
which is a quartzite 20×8×6, firmly set in the
ground, properly marked with stone mound
alongside S run
North bet Sec. 34 and 35.

Var 7½° E.

along rolling & broken West slope of mountain
4000 Set lime stone 10×8×7, 6 in. in the ground
for ¼ Sec cor, marked ¼ on W. face and raised a
stone mound alongside. —
47.50 Hollow drains N.W.
80.00 Set lime stone 20×8×6, 15 in. in the ground
~~[illegible]~~ Cor to Sec. 26. 27. 34 & 35. marked
Notch on S. & 2 on E. edges, & raised a stone
mound alongside. —
Land, mountainous,
Soil 2nd rate;
No Timber
High Mountains on 80 chs. —

Tp. 17 S., R. 3 E.

East on a random line bet Secs 26 & 35
Var 17½° E.

40.00 Set temp. 1/4 Sec cor.

80.46 Intersect N & S. line at cor to Secs 25. 26. 35 & 36. from which Sun West on true line bet Secs 26 & 35 with Same Var:—

Descend

6.58 Creek 4 lks wide 6 in deep runs N.W

Ascend

9.50 Road bears N.W. & S.W. a cabin bears S. 95 lks dist. a Corral 3.20 chs dist belonging to Dorines.

16.84 Ridge bears N.W. & S.E.

descend

27.47 Ravine drains N.W. ascend 22°

40.23 Set line stone 20×8×6, 15 in. in the ground for 1/4 Sec cor. marked 1/4 on N face and raised a stone mound alongside.

47.87 Ridge bears N.W. & S.E.

descend

80.46 The cor. to Secs 26. 27. 34 & 35.

Land, mountainous.—

Soil Indrate;

No Timber

High Mountains on — 80 & 6 chs,

Subdivisions

North bet Sec^s 26 & 27
Var 17½° E.

Ascend 15 [illegible]

30.91 Top of Ridge bears N.W. & S.E.
descend 22°

40.00 Set lime stone 10×8×8, 6 in. in the
for ¼ Sec Cor, marked ¼ on W. f
and raised a stone mound
alongside

67.07 [illegible] Road bears N.W. & S.E.
Enter cañon flat & dense underpro

68.50 Willow Creek 10 lks wide 4 in deep
runs N.W.

69.75 Road bears N.W. & S.E.

70.50 Ascend [illegible]

80.00 Set Sandstone 25×8×6, 18 in. in the
ground for Cor. to Sec^s 22. 23. 26 & 27
marked 2 Notches on S. & E. edges, an
raised a stone mound alongsi

Land, Mountainous;
Soil, 2nd & 1st rate;
No Timber

High Mountains on 77.57 chs
Dense underpowth on 2.43 chs
Augmented Total 80.00 chs

BOOK

BOOK A-207

Sp. 17. R. 3 E.

East on a random line
bet. Sec. 23 & 26
Var 17½° E.

40.00 Set temp. 1/4 Sec. cor.
80.58 Intersect N & S. line 43 lks S.
of cor to Sec. 23. 24. 25 & 26.
from which I run
S. 89° 42' W. on true line bet Sec. 23 & 26
with same Var.
11.00 Hollow drains S.
27.00 S. point of Ridge
40.29 Set Sand stone 10×9×7. 6 in.
in the ground for 1/4 Sec. cor. marked
1/4 on N. face & raised a stone
mound alongside.
42.00 Hollow drains S.W.
80.58 The Cor. to Sec. 22. 23. 26 & 27.
Land, Mountainous
along rolling & broken
South Slope.
Soil, Indrate;
No Timber;
High Mountains on 80.58 ch.
Dec. 23rd 1884

Subdivisions.

North bet Sec 22 & 23
Va 17½° E.

Ascend

1.93 Ascend " "

13.21 Ridge bears E & S.W.

Descend

31.06. Gulch drains S.W. ascend 20°

40.00 Set Sand Stone 40×10×10. 20 in. in the ground for ¼ Sec cor. marked ¼ on W. face and raised a stone mound alongside.

44.22 Ridge bears N.W. & S.E.

Descend

50.80 Ravine drains N.W. ascend

60.77 Road on Ridge bears N.W. & S.E.

80.00 Set lime stone 15×10×8. 10 in. in the ground, for corn Sec 14. 15, 22 & 23. marked 3 Notches on S. & 2 on E. edges and raised a stone mound alongside

Land mountainous;
Soil, Indrate;
No Timber
High Mountains on 80 chs.

BOOK-A-207

Th 17 S. R 3 E.

East on a random line bet.
Sec^s 14 and 23.
Va: 17½° E.

4000 Set temp. ¼ sec cor.
8,52 Intersect N. & S. line 22 lks N.
of Corte Sec^s 13. 14. 23 & 24
from which I run
N 89° 51' W. on true line bet.
Sec^s 14 & 23. with same va.
Ascend
22,55 Ridge bears N. W. & S. E.
Descend
40,26 In Gulch drains N.W. Set
Sandstone 14×7×7. 9 in. in the ground
for ¼ sec cor; marked ¼ on N. face and
raised a stone mound alongside
Ascend
59,05 Ridge bears N.W. & S.E.
Descend
73 99 Gulch drains N.W. thence on N. slope
80 52 The cor to Sec^s 14. 15. 22 & 23.
Land, Mountainous;
Soil, Indrate;
No Timber
High Mountains on 80,52 chs.

Subdivisions

North bet. Secs 14 & 15
Vat 7½° E.
along rolling foot hills no definite
slope. — very broken ground.
4.50 Hollow drains N.W.
8.00 ridge point bears N.W. & S.E.
16.50 Hollow drains N.W.
24.00 Spur ridge bears N.W. & S.E.
34.00 Hollow drains N.W.
37.50 N.W. point of ridge
40.00 Set lime stone 10×8×8, 6 in. in the ground
for ¼ sec cor marked ¼ on W. face & raised stone mound
alongside.
45.00 Enter valley & dense undergrowth
49.00 Trace of old survey for resurvey commences.
68.50 Cabin
70.60 Road bears E. & W.
76.75 Ephraim Cr. 20 lks wide 6 in deep runs
78.40 Road bears N.W. & S.E.
80.00 No Trace of old cor Set Lime stone 40×20×10, 20 in. in the ground
Cor to Secs 10.11.14 & 15, marked 4 Notches on S & 2 on E edge
raised a stone mound alongside. —
Land, mountainous & valley flat
Soil 2nd & 1st rate.
W Timber
High Mountains on 45 chs
Dense Undergrowth " 35 "
Augmented Total 80 "

BOOK-A

Tp. 1

East on ca
3000 No trace
40.00 Set
80.16 Int.
11.12.13
N
bet. Sec
Along br
9.00 Hollow
23.00 Road
31.50 Enter
40.08 Set
the gro
marked
Stone m
50.00 No tra
Comm
55.30 Cana
80.16 The
Land
Soil
High Mo
Dense
Augme

BOOK-A-207

Tp. 17 S., 125 3 E.

Resurvey

East on random line bet. Sec. 11 & 14

Va 17½° E.

3000 No trace of old cor.

40.00 Set temp. 1/4 sec cor.

80.16 Int. N & S. line 20 lks. N. of cor to Sec. 11.12.13 & 14. from which Sun —

N 89° 51' W. on true line

bet. Sec. 11 & 14

with same var: —

Along broken S.W. slope. —

9.00 Hollow drains S.W.

23.00 Road in Hollow bears S.W.

31.50 Enter bench & dense undergrowth

40.08 Set sand stone 20×10×5, 15 in. in the ground for 1/4 sec cor. marked 1/4 on N. face & raised a stone mound alongside. —

50.00 No trace of old survey cor. resurvey Commences. —

55.30 Canal runs N.W.

80.16 The cor to Sec. 10.11.14 & 15

Land valley & Mountains

Soil, Nitrate & Quadrate

No Timber

High Mountains on 31.50 chs

Dense undergrowth " 48.66 "

Augmented Total 80.16 "

Subdivisions

North on primary line bet Sec^s 10 & 11
Va 17½° E.

18.15 Fence bears N. E. & S. W. Enter Cult^d Land
22.50 " " N.W. & S.E. leave same
23.50 Cabin 40 lks west
24.00 Road bears N. W. & E.
34.50 " " N.W. & S.E.
40.00 No Trace of old Cor Set Lime Stone 10×10×7. 6 in. in the ground for ¼ Sec Cor. marked ¼ on W. face and raised a stone mound alongside.
45.00 Low ridge bears E & W.
51.50 " " " W. & S.E.
Jacobson's House bears N 25° W.
65.80 Fence bears E & W.
69.50 Enter Cult^d Land leave undergrowth
70.30 Wash drains W.
80.00 No Trace of old Cor. Set lime Stone 12×8×7. 8 in. in the ground for Cor to Sec^s 2. 3. 10 & 11. marked 5 Notches S. & 2 on E. edges, and raised a stone mound alongside. house bears: N 55½° W. from which Jacobson's Land, level valley;
Soil, Wrate;
No Timber
Dense undergrowth on 65.15 chs.

BOOK-A-2

Tp 17

East on

In cul

40.00 No Tra

Cor.

42.00 No.

New

80.10 Intersec

Sec^s 1.2

West on

Descend

8.00 Enter

20.00 Fen

Enter

40.05 Set

in the g

marke

a Stone

80.10 The Cor

Land,

High Mou

Subdivisions

Tp 17 S. Rg 3 E.

East on a random resurvey line
bet. Secs 2 & 11
Var 17½° E.

In cultd Land

40.00 No Trace of old cor set temp 1/4 sec
Cor.

42.00 No Trace of old Monument
New Survey commences

80.10 Intersect N & S. line at cor to
Secs 1.2.11 & 12 from which Sun
West on true line bet Secs 2 & 11
with same var.

Descend to

8.00 Enter Sage brush bench

20.00 Fence bears N & S.
Enter cultd Land

40.05 Set Lime stone 20x10x6, 15 in
in the ground for 1/4 sec cor.
marked 1/4 on N. face, and raised
a stone mound alongside.

80.10 The Cor to Secs 2.3.10 & 11.
Land, mostly level;
Soil, 2nd rate;
No Timber

High Mountains & dense underground on 20 chs.

Subdivisions

North on random line bet Sec^l 2 & 3. (Resurvey)
Va 17½° E.

40.00 No Trace of old Cor set temp. 1/4 Sec Cor.

80.17 Int. N. Boundary of Tp at Cor to Sec^l 2 & 3, which is a lime stone 40×20×10 properly marked and firmly set in the ground from which I run

South on true line bet Sec^l 2 & 3 with Same Var:

8.50 Hollow drains W.

10.50 Road bears N.E. & S.W.

14.60 Wash drains W.

19.50 Road bears E. & W. ~~Ascend 10° 5. 6 chs to~~

25.01 Enter flat top of hill

40.17 Set lime stone 10×8×8. 6 in. in the ground for 1/4 Sec Cor. marked 1/4 on W. face & raised a stone mound alongside

50.00 Descend from hill

59.66 Road bears N.E. & S.W. enter Valley and cult^d Land leave Underground

80.17 The Cor to Sec^s 2. 3. 10 & 11

BOOK-A-207

Land, Mountains & Valley;
Soil, 2nd & 1st rate;
No Timber
Dense undergrowth on 59.66 ch's.
Dec. 24/84.

From the cor to Sec.s 33 & 34 on the S. boundary which is a lime stone 20×10×8, properly marked & firmly set in the ground. Sun North bet Sec.s 33 & 34
Va 17½° E.

Descend:
40.00 Set Lime Stone 20×10×7. 15 in. in the ground, for ¼ Sec. cor. marked ¼ on W. face and raised a stone mound alongside.
60.41 [illegible] enter small meadow
73.50 Descend 80, Leave meadow
80.00 Set Lime Stone 20×10×6, 15 in in the ground, for cor. to Sec.s 27. 28. 33 & 34 marked 1 Notch on S. & 3 on E. edges, and raised a stone mound alongside.
Land, Mountains;
Soil 2nd rate, No Timber
Dense undergrowth on 66.91 ch's.
High Mountains on 80 ch's

Subdivisions Tp. 17 S. R.

East on random line bet. Sec.s 27 & 34
Var 17½° E.
Along rolling ~~North~~ Slop
40.00 Set temp. ¼ Sec cor.
80.14 Intersect N & S. line 22 lks
N. of cor to Sec.s 26. 27. 34 & 35.
from which I run
N. 89° 51' W. on Sec line
bet. Sec.s 27 & 34.
With Same Var:
31.50 Ravine Hollow drains N.W.
40.07 Set quartzite 15×9×6, 10 in. in the
ground for ¼ Sec Cor. marked
¼ on N. face & raised a stone mound
alone side. —
47.00 Hollow drains N.W.
69.00 " " "
80.14 The Cor to Sec.s 27. 28. 33 & 34
Land rolling & broken N. Slop
Soil 2 rd rate; No Timber
Mountainous & dense ~~[illegible]~~
undergrowth on 80.14 ch's

BOOK-A-207

Tp. 17 S. R 3 E.

North Cst. Sec^l 27 & 28.
Va 17° 30' E.
along broken N. Slope
Gulch drains N.W.

.50 40.00 Set a lime stone 20×10×7" 15 in
in the ground, for 1/4 Sec Cor.
marked 1/4 on W. face and
raised a stone mound alongside
Enter Valley & dense artemisia undergrowth
near Mouth of gulch heads S.E.
0.00 Set a lime stone 30×20×8" 18
in. in the ground for Cor to
Sec^l 21. 22. 27 & 28, marked
2 Notches on S. and 3 on E. edges
And raised a stone mound along
side.
Land mostly high Mountains
Soil 2nd rate
Timber Scattering Cedar
High Mountains on 71.50 chs.
Dense Undergrowth on 50 chs

Subdivisions

East on a random line
bet. Sec. 22 & 27
Va 17°30' E.

4.00 Set temp ¼ sec cor.
80.36 Intersect N & S. line at co
to Sec. 22, 23, 26 & 27. from wh
Same West on a line line
bet. Sec. 22 & 27
with same var.
33.50 Enter Cañon bottoms &
dense undergrowth.
39.40 Willow Creek 20 lks wide 6
deep runs N.W.
40.18 Set a sand stone 20×10×6, 15
in the ground for ¼ sec cor
marked ¼ on N. face and
raised a stone Mound alongside
49.50 Road bear N.W. & S.E.
51.20 Willow Creek 15 lks wide, 6 in
deep runs S.W. ascend
59.00 S.W. point of ridge descend
69.35 Willow Creek 15 lks wide 6 in
deep runs N.W. dense sage brush entire valley
80.36 The corts Sec. 21. 22. 27 & 28.
Land, Mountainous

BOOK-A-
T. 17

Soil, 2
Grind
High M
undr

North

4.60 Small
[illegible] Road
33.00 No trace
38.50 Willo
runs
40.00 No trace
10×10×6 in
sec cor, w
raised
49.50 Road
58.70 Fence
66.40 Ditch
76.50 Wash
79.00 Road
80.00 No trace of
Dir. in th
21 & 22, in
and ra

BOOK-A-207

T. 17 S. 133 3 E.

Soil, 2nd rate;
Timber Scattering Cedar
High Mountains and dense
undergrowth on Sec. 36 ch's.

North bet Sec. 21 & 22
Va 17° 30' E.

4.60 Small branch 3 lks wide 4 in deep runs W.
13.00 Road bears N.E. & S.W.
33.00 No trace of old cor Resurvey begins
38.50 Willow Cr. 10 lks wide 4 in deep runs S.W. heads S.E.
40.00 No trace of old cor Set-line stone 10×10×6 in, 6 in. in the ground, for 1/4 sec cor, marked 1/4 on W. face and raised a stone mound alongside.
49.50 Road bears N.W. & S.E.
58.70 Fence bears N.W. & S.E.
66.40 Ditch runs W.
76.50 Wash drains N.W.
79.00 Road bears N.W. & S.E.
80.00 No trace of old cor. Set line stone 12×8×6" 8 in. in the ground for cor to Sec. 15.16. 21 & 22, marked 3 Notches on S. & E. edges and raised a stone mound alongside

Land, level valley
Soil 1st rate;
No Timber
Dense undergrowth on 80 chs.

East on a random ~~recovery~~ line bet Sec. 15 &
Var 17 30' E

36.00 No trace of old cor, new survey begin
40.00 Set temp. 1/4 Sec Cor
79.96 Intersect N & S line 20 chs N. of
Corto Sec. 14. 15. 22 & 23. from or
S run N 89°51' W. on true line bet.
Sec. 15 & 22. with same var
27.00 Enter valley & dense Sage brush
39.98 Set Sand stone 18 x 6 x 6, 12 in. in
the ground for 1/4 Sec Cor, mark
1/4 on N. face and raised a stone
mound along side.
79.96 The corto Sec. 15. 16. 21 & 22
Land, valley & mountains
Soil 1st & 2nd rate
Timber a few scattering Cedar
High Mountains on 27 chs
Dense undergrowth on 79.96 ch

BOOK-A

Th 17

North

.07 Road
5.40 "
9.60 Wash
0.00 No tr
line
in the
marked
raised
along
7.50 Wash
0.15 "
0.00 No tr
Set. line
in. in the
9.10 x 15
S. and
a stone
Land
Sub

Dense

BOOK-A-207

Tp 17 S., R 3 E.

Reservoir

North bet. Sec^s 15 & 16

Va 17°30' E.

.07 Road bears N.E. & S.W.

5.40 " " N.W. & S.E.

9.60 Wash drains W.

0.00 No trace of old Cor. Set a lime stone 16×10×6 in, 11 in. in the ground, for 1/4 Sec Cor. marked 1/4 on W. face and raised a stone mound alongside.

7.50 Wash drains W.

10.15 " " S.W.

0.00 No trace of old Cor. Set lime stone 15×10×4 in. 10 in. in the ground for cor to Sec^s 9.10×15 & 16 marked 4 Notches on S. and 3 on E. edges and raised a stone mound alongside.

Land level valley

Soil Strata

No Timber

Dense underprowth on 80 ch's.

Subdivisions

Reservoir

East on a random line
bet Sec^s 10 & 15
Vat 70° 30' E.

40.00	No trace of old cor set
	Temp. 1/4 sec cor.
80.00	Intersect N & S. line at Cor
	Sec^s 10. 11. 14 & 15. from which
	Run West on a true line
	bet Sec^s 10 & 15, with same v
3.07	Road bears N.W. & S.E.
12.30	Ephraim Cr. 15 lks wide 10 in
	deep runs N.W.
21.50	Road bears N.W. & S.E.
30.15	" " " "
40.00	Set a line stone 14×10×7" 7 in.
	the ground for 1/4 sec cor.
	marked 1/4 on N. face and
	raised a stone mound
	alongside. —
41.80	Corral bears N. 1.50 lks d
43.00	Road bears N.W. & S.E.
45.07	Ditch drains N.
62.50	Fence bears N & S, Cor of fe
	7 lks N. —

BOOK-A-

Tp

76.50	Road
80.00	The Co
	Land
	Dense
	North
2.00	Ditch
4.90	Road
9.85	"
19.95	fence
26.20	"
37.40	ditch
40.00	no tra Set
	15 in.
	marke
	raised
	along
46.00	South-
	bears
56.04	S. side
65.88	" "

Tp 17 S. R 3 E.

76.50 Road bears N & S.
80.00 The Cor to Sec^s 9. 10. 15 & 16.
Land level valley
Soil 1 strata
No Timber
Dense underprowth on 80 chs.
Dec 26/84

Reserves
North bet Sec^s 9 & 10.
Var 17° 30' E.

72.00 Ditch runs N.W.
74.90 Road bears N.W. & S.E.
79.85 " " E & W.
79.95 fence " "
76.20 " " N.E & S.W.
37.40 ditch drains S.W.
40.00 no trace of old cor. Set lime stone 20×10×7", 15 in. in the ground for 1/4 sec cor. marked 1/4 on W. face and raised a stone mound alongside. —
46.00 South-most Street of Ephraim City bears E & W.
56.04 S. side of Street bears E & W.
65.88 " " " " " "

Subdivisions

7550 S. Side of Sheet
bears E. St
No trace of old corner
80.00 Set Lime Stone 18×10×
12in. in the ground, f
cor to Sec 3. 4. 9 and
marked 5 Notches on S.
and 3 on E. edges
and raised a stone
mound alongside
Land, level;
Soil, 1st rate
No Timber
Dense under growth
on 46 ch's.

BOOK-A-20

Sp 1

Cast on
bet.

4000 No Tr
Set Sc
0.16 Inte
S. of cor. t
which I
fence line
3350 Fence
Enter de
4008 Set L
in the
marked
raised
along
50.03 fence
60.50 "
5.00 fence
8.98 " on
Ephr
6950 W. Si
78.60 E. side
0.16 The cor
Land
No Tim
Dense

BOOK-A-207

Sp 17 S., R. 3 E.

Reserving
East on a random line
bet. Sec^l 3 & 10
Var 17° 30' E.

4.00 No Trace of old cor.
Set temp. 1/4 Sec Cor.
0.16 Intersect N & S. line 11 lks
S. of cor. to Sec^l 2.3.10 and 11, from
which I run S. 89° 55' W. on
true line bet. Sec^l 3 & 10, with same Va.
3.50 Fence bears N. & S. leave field
enter dense undergrowth
4.08 Set Lime Stone 20×10×6, 15 in.
in the ground for 1/4 Sec. Cor.
marked 1/4 on N. face and
raised a stone mound
along side.
50.03 fence cor. then along fence
60.50 " bears N & S.
5.00 fence cor
8.98 " on E. side of Street enter
Ephraim City. leave undergrowth.
9.50 W. side of Street.
78.60 E. side of Street
0.16 The cor. to Sec^l 3.4.9 and 10.
Land level, Soil 1 strata
No Timber
Dense undergrowth on 35.48 chs

Subdivisions

Reserves

North on random line bet
Sec^s 3 & 4. Va 17° 30' E.

40.00 No trace of old Cor set
temp. 1/4 Sec. Cor.

80.12 Intersect N. Boundary of
at Cor to Sec^s 3 & 4. from which
Run South on true line bet Sec. 3
with same Va.

3.50 Field Stent bears E & W.

13.50 Ditchs drains W.

23.50 Fence bears E & W.

33.92 " " "

40.00 Set Lime stone 16×10×6" 11 in. in
ground, for 1/4 Sec. Cor. marked
1/4 on W. face and raised a
stone mound along side.

43.43 Fence bears E & W. enter Ephrai
City.

44.70 S. side of Stent bears E & W.

55.00 " " " " " "

65.00 " " " " " "

75.13 " " " " " "

80.00 The Cor to Sec^s 3. 4. 9 & 10
Land, level, Soil Strate
No Timber

BOOK-A-2

Tp. 17

From th
S. bound
Lime W
marked a
Irun N
7.80 Ravi
6.50 Ridge
40.00 Set
15 in. m
Cor. m
raised
57.00 Gulch
80.00 Set
in the gr
marked
and ra
side.
Land

Tim
High W

Tp. 17 S. R 3 E.

From the Cor to Sec^s 32 & 33 on the S. boundary of the Tp. which is a Lime Stone 10×10×10 in. properly marked and firmly set in the ground

Trun North bet Sec^s 32 & 33 Var 17°30' E.

7.80 Ravine drains S.W.

6.50 Ridge 200 feet high bears N.E.

10.00 Set lime stone 20×10×6," 15 in. in the ground for 1/4 Sec Cor. marked 1/4 on W. face and raised a stone mound along side.

5.00 Gulch drains S.W.

10.00 Set Sand stone 20×10×4" 15 in. in the ground for Cor to Sec^s 28. 29. 32 & 33 marked 1 Notch on S. & 4 on E. edges and raised a stone mound along side.

Land Mountainous;

Soil Indrate;

Timber scatt. Cedar

High Mountains on 80 ch's.

Subdivisions

East on a random line bet. Sec. 28 & 33. Va 17° 30' E.

40.00 Set temp. 1/4 sec cor.

79.92 Intersect N & S. line 21 lks S. of Cor to Sec. 27. 28. 33 & 34 from which I run S. 89° 51' on true line bet. Sec. 28 & 33 with same Va.

21.50 Gulch mains N. W.

39.96 Set Sand Stone 13×8×6" in the ground for 1/4 sec cor. mark 1/4 on N. face and raised a stone mound alongside.—

79.92 The Cor to Sec. 28. 29. 32 and 33.

Land High Mountain Soil Endrase

Timber Scatt. Cedar.

High Mountains on 79.92 [illegible]

Th 17 [illegible]

Note: T[illegible] being [illegible] on ran[illegible]

9.00 Reserv[illegible] of [illegible]

[illegible]00 Not[illegible] temp[illegible]

[illegible]18 Inter[illegible] to Sec[illegible] which [illegible] true li[illegible]

[illegible]00 Low [illegible]

[illegible]10 dite[illegible]

[illegible]50 Asc[illegible]

[illegible]09 Set [illegible] in the [illegible] mark[illegible] raised [illegible]

[illegible]60 Gulc[illegible]

[illegible]18 The [illegible] Land [illegible] Mountain[illegible] on 8[illegible]

Th 17 S. R 3 E.

Note: The cor to Sec. 29. 30. 31 & 32 being set. I run West on random line bet Sec. 29 & 32 Va 17° 30' E.

9.00 Resurvey commences. No trace of old cor.

10.00 No trace of old cor. Set temp. 1/4 Sec cor.

9.18 Intersect N & S. line at cor to Sec. 29. 30. 31 & 32 from which I run East on a true line bet. Sec. 29 & 32 with Same Va.

5.00 Low ridge bears N.E. & S.W.

6.10 ditch runs S.

9.50 Ascend

9.09 Set line stone 12 × 8 × 6," 8 in. in the ground for 1/4 Sec. cor. marked 1/4 on N. face and raised a stone mound along side

6.00 Gulch drains S.W.

9.18 The Cor to Sec. 28. 29. 32 & 33. Land mostly Mountainous Soil Indrate. No Timber Mountainous & dense underprowth on 80.18 ch's.

Subdivisions

North bet Sec. 28 & 29
Va 17° 30' E.

16.50 Ridge 400 feet high
bears N.E. and S.W.

23.50 Ravine drains S.W.

40.00 Set Sand stone 20×10×7
15 in. in the ground for 1/4
Cor marked 1/4 on W. face
and raised a stone mound along

56.00 Ravine drains S.W.

80.00 No trace of old Cor.
Set limestone 30×20×8" 18 in
in the ground, for Cor to Sec
20. 21. 28 & 29. marked 2 notches
S. and 4 on E. edges and
raised a stone mound along
side

Land: High Mountain
Soil Indrak
Timber Scatter
Cedar
High Mountains on 80 ch

BOOK-A-2

Op. 17

East
bet.

40.00 Set
39.94 Inte
N. o
from
on a tu
w

20.15 Corra
39.97 Set
in the
mak
raise

20.50 Asc
37.50 Road
39.94 Th
28. &
La
S

Dem

Tp. 17 S. R. 3 E.

East on a sand on line
bet. Sec. 21 & 28
Va 17°30' E.

40.00 Set temporary 1/4 sec. cor.
79.94 Intersect N & S line 22 lks
N. of Cor to Sec. 21. 22. 27 & 28
from which Sum N. 89°51' W
on a true line bet. Sec. 21. & 28
with Same Va.

20.15 Corral bear S. 180 lks dist.
39.97 Set lime stone 12×10×7," 8 in.
in the ground, for 1/4 sec cor.
marked 1/4 on N. face and
raised a stone mound along side
20.50 Ascend.

77.50 Road bears N W & S E.
79.94 The Cor to Sec. 20. 21.
28. & 29.
Land level & mountainous
Soil 1st & 2nd rate
No Timber 79.94
Dense undergrowth on 79.94 chs

Dec 27/84

Subdivisions

Resurvey

West on a random line bet. sec^l 20 & 29.

Var 17° 30' E.

40.00 No trace of old cor set temp 1/4 sec. cor.

80.00 Intersect N & S. line at cor to sec^l 19. 20. 29 & 30. from which Turn East on a [illegible] line bet sec^l 20 & 29. with Sa[illegible] Var.

29.10 Telegraph line bears N.E. & S.

30.00 County Road bears N & S.

40.00 Set line stone 10×9×6" 6 in. the ground for 1/4 sec cor; mark 1/4 on N. face and raised a stone mound alongside from which a house bears N 41 1/2°

48.90 ditch runs S.W.

62.00 a sand

74.50 Small Corral

80.00 The cor to sec^l 20. 21. 28 & 29, from which a house bears N 31 1/2° W

Land level, Soil Whate;

No Timber

Dense underprowth on 80 ch[illegible]

BOOK-A-20

Tp. 17[illegible]

Resu[illegible]

North[illegible]

[illegible]00 Road

[illegible]6.50 Enter[illegible]

[illegible]9.50 W. a[illegible]

[illegible]4.00 dite[illegible]

[illegible]0.00 No Tra[illegible]

Set lin[illegible]

the grou[illegible]

1/4 on W.

Stone [illegible]

[illegible]0.00 Set li[illegible]

in the [illegible]

16. 17. 20 [illegible]

on S. & [illegible]

raised [illegible]

Land [illegible]

Dense [illegible]

80 ch[illegible]

BOOK-A-207

Tp. 17 S. R 3 E.

Reservoir

North bet. Sec. 20 & 21

Val 17° 30' E.

3.00 Road bear N.W. & S.E.

6.50 Enter Valley

9.50 Wash drains S.W.

14.00 ditch runs W.

40.00 No Trace of old Cor.

Set lime stone 16×9×7," 6 in. in the ground for 1/4 sec cor, marked 1/4 on W. face and raised a stone mound alongside.

80.00 Set lime stone 16×8×6," 11 in. in the ground, for corts Sec. 16.17.20 & 21. marked 3 Notches on S. & 4 on E. edges and raised a stone mound alongside

Land level. ~~So~~

Soil 1st rate;

No Timber

Dense underprowth on 80 chains.

Subdivisions

Reserve

East on random line
bet. sec. 16 & 21
Va 17° 30' E.

40.00 No Trace of old Cor set Sem
¼ sec cor.

80.00 Int. N & S. line at Cor to
sec. 15.16.21 & 22 from which
Runs West on true line
bet sec. 16 & 21 with same Va

0.04 Road bears N.E. & S.E.
8.50 " " N.W. " "
12.50 Wash drains N.W.
23.80 " " "
31.35 Willow Cr. 10 lks wide 4 m
deep runs N.W.
39.00 Wash drains N.W.
40.00 Set limestone 16×8×7," 11 in
in the ground for ¼ sec cor
marked ¼ on N. face and rais
a stone mound alongside.
79.00 Road bears N.W. & S.E.
80.00 The Corts sec. 16.17.20 & 21,
Land level, Soil 1 Wash
No Timber
Dense underpowth on 80 ch

BOOK A-2

Th 1

Weston
17 & 2
0.00 Set
No
0.10 Int
Corts
which
line be
9.90 di
0.05 Set
in the
mark
raise
side
40.10 Ro
8.50 Log
4.97 Fen
Roa
6.59 fen
8.50 Stac
3.35 Tele
N.E.
0.10 The
Land le
Dense

BOOK A-207

Th 17 S. 1833 E.

Reserve

West on a random line bet sec^s 17 & 20. Va 17° 30' E.

[illegible]0.00 Set temp 1/4 sec cor
No Trace of old cor.

[illegible]0.10 Intersect N & S. line of Corts Sec^s 17, 18, 19 & 20 from which Sun East on a true line bet sec^s 17 and 20 with same Va.

[illegible]9.90 ditch runs N.W.

[illegible]0.05 Set line Stone 10×10×7," 6 in. in the pound for 1/4 sec cor. marked 1/4 on N. face and raised a stone mound along side —

[illegible]0.10 Road bears N.W. & S.E.

[illegible]8.50 Log Cabin & Corral 50 lks S.

[illegible]4.97 Fence bears N & S. County Road bears "

[illegible]6.59 fence bears N & S.

[illegible]8.50 Stackyard 125 lks S.

[illegible]3.35 Telegraph line bears N.E. & S.W.

[illegible]0.10 The Corts Sec^s 16, 17, 20 & 21
Land level, Soil 1st rate; No Timber
Dense underpoint on 80.10 ch^s.

Subdivisions

Resurvey

North bt 16 & 17

Va 17° 30' E.

0.60 Road bears N.W. & S.E.

9.10 Telegraph line bears N.E. &

10.00 Road bears E.W.

14.10 Fence bears E. & W.

25.60 ~~Ditch~~ Dry bed of Willow Creek runs W.

26.50 County Road bears N.E.

40.00 No trace of old Cor

Set lime stone 30×6×4" 18

in the ground for 1/4 Sec Cor

marked 1/4 on W. face and

raised a stone mound along

side.—

66.00 Ditch runs W.

80.00 ~~Set~~ Trace of old Cor.

Set lime stone 14×7×5" 9

in the ground for Cor to Sec

8 9. 16 & 17. marked 4 Notches

on S. & E. edges, and raised

a stone mound alongside.

Land, level

Soil Shale

No Timber

Pence underpoint on Sochs

Sp 17

East on

Sec

No

1/4 Sec

9.92 Inter

Cor to

Sum

Sec 9

9.02 Fence

9.96 Set

in the

marke

raised

side.

3.00 Telegr

3.00 County

9.92 The

Land

Th 17 S. R 3 E.

Reservoir

East on random line bet.
Sec. 9 and 16.
Va 17° 30' E.

4.00 No Trace of old cor Set temp.
¼ Sec cor.

9.92 Intersect N & S. line 22 lks N. of
Cor to Sec. 9. 10. 15 & 16. from which
Run N. 89° 51' W. on a true line bet.
Sec. 9 & 16 with Same Va.

10.02 Fence bears N. & S.

9.96 Set lime stone 20×10×8," 15 in.
in the ground for ¼ Sec cor.
marked ¼ Sec No face and
raised a stone mound along
side.

13.00 Telegraph line bears N & S.

13.00 County Road bears N. E. & S. W.

9.92 The cor to Sec. 8. 9. 16 & 17.
Land level, (~~mostly cultivated~~)
Soil 1 Shale,
No Timber

Subdivisions

Reservoir

West on a random line bet. Sec. 8 & 17.

Va 17°30' E.

4000 No Trace of old cor set temp. 1/4 sec cor.

79.98 Intersect N & S line at cor to sec. 7. 8. 17 & 18 from which Spun East on a true line bet. Sec. 8 & 17.

with same Va.

9.50 ditch runs N.

19.65 Road bears N & S.

30.20 ditch runs N.

39.99 Set lime stone 15×10×6". 10 in the ground for 1/4 sec cor marked 1/4 on N. face and raised a stone mound alongside.

40.05 Road bears N & S.

57.75 Dry bed of Willow Cr. drains

60.70 Road bears N & S.

79.98 The cor to sec. 8. 9. 16 & 17.

Land level;

Soil Strata;

No Timber

Tp 17

North

6.80 Road

7.00 Ditch

6.85 Road

7.00 dit

7.50 "

4000 No Tr

line

ground

marked

raised

along

7.00 Ro

7.60 "

9.60 Fe

No Tr

0.00 Set

the gr

mark

edges

along

Lan

BOOK-A-207

Tp 17 S. 153 R 3 E.

Resurvey

North bet Sec. 8 & 9.

Va 17°30' E.

6.80 Road bears E. & W.

7.00 Ditch runs W.

6.85 Road bears E & W.

7.00 ditch runs W.

7.50 " " "

4.00 No Trace of old cor. Set lime stone 12×10×5", 6in. in the ground for 1/4 sec cor. marked 1/4 on W. face and raised a stone mound alongside.

7.00 Road bears E & W.

7.60 " " "

9.60 Fence " "

No trace of old cor.

0.00 Set lime 10×9×6," 6in" in the ground for cor to Sec. 4.5.8 & 9 marked 5 Notches on S. & 4 on E. edges and raised a stone mound alongside.—

Land level;

Soil, State

No Timber

Subdivisions.

Reserves

East on a random line bet. Sec. 4 & 9. Va. 17°30' E.

40.00 No trace of old cor. set temp. 1/4 sec. cor.

80.11 Intersect N & S line at cor. to Sec. 3.4.9 & 10 from which I run West on true line bet. Sec. 4 & 9 with same va.

0.75 W. side of Street bears N & S.

10.50 " " " " "

20.50 " " " " "

32.96 " " " " "

40.06 Set lime stone 11×8×7." 6 in. in ground for 1/4 sec. cor. marked on N. face & raised a stone mound along

42.85 W. side of Street bears N & S.

51.50 " " " Ephraim City.

61.50 Fence cor. bear S.E. & S.W.

80.11 The cor. to Sec. 4.5.8 & 9.

Land level;

Soil, 1 strata;

No Timber

BOOK-A-207

Th 17 S. Q 3 E.

Reserve

West on a random line bet Sec^s 5 & 8. Va 17° 30' E.

1000 No Trace of old cor. Set temp 1/4 Sec cor.

1984 Intersect N & S. line at Cor to Sec^s 5. 6. 7 & 8. from which I run East on a true line bet Sec^s 5 & 8 with Same Va.

3992 Set limestone 11 x 9 x 7." 6 in" in the ground for 1/4 Sec. cor. marked 1/4 on W. face and raised a stone mound alongside.

1984 The Cor to Sec^s 4. 5. 8 & 9.

Land, level;

Soil, 1st rate;

No Timber

Subdivisions

Resurvey

North on a random line
bet Sec.s 4 & 5,
Va 17° 30' E.

40.00 No Trace of old Cor
Set Temp 1/4 Sec Cor
80.07 Int. N. Boundary of Tp
9 lks. W. of cor to Sec.s
4 & 5. from which Temp
S. 0° 4' W. on a Sec line
bet Sec.s 4 & 5 with Same Va
40.07 Set lime stone 10 × 9 × 6," [illegible]
in the ground for 1/4 Sec C
marked 1/4 on W. face
and raised a stone mon
alongside. —
80.07 The cor. to Sec.s 4.5.8 & 9
Land level;
Soil, 1st rate;
N. Timber
Dec. 28/84. —

BOOK-A-207

Tp 17 [illegible]

Gen[illegible]
The ado[illegible]
[illegible]
[illegible]
[illegible]
adjacen[illegible]
high W[illegible]
It is [illegible]
Cr. & [illegible]
fine Mo[illegible]
and ca[illegible]
The app[illegible]
are in [illegible]
and [illegible]
1/2 Mile [illegible]
2 1/2 Mi[illegible]
and a[illegible]
under [illegible]
Ste[illegible]
[illegible]

BOOK-A-207

Tp 17 S. R. 36.

General Description

The additional land embraced in this Tp. consists of some good flats in Sanpete valley and adjacent foot Hills and high Mountains.

It is watered by Willow Cr. & Ephraim Cr. two fine Mountain streams and can be easily irrigated.

The applicants improvements are in Secs. 2. 3. 10 & 11 and consist of:

1½ Miles Fencing

2½ Miles Ditching

and about 100 Acres under cultivation.—

Stewart M. Pangaki

U. S. deputy Surveyor.

BOOK-A

A list of t
ployed by S
United States
ning, measur
corners descr
the survey of
R1E 10 S R
18 S R9 E
S R. 14 E

of the Salt La
tory of Utah,
in which they
Geo
Al
Gard
Harr
W
Gara
Har

BOOK-A-207

[4.—LIST OF NAMES.]

A list of the names of the individuals employed by Stewart M. Jancke *United States deputy surveyer, to assist in running, measuring, and marking the lines and corners described in the foregoing field notes of the survey of* the subdivisions of Tps. 1 S R 1 E 10 S R 5 E 15 S R 13 E 17 S R 3 E 18 S R 9 E 18 S R 14 E Tps. 21, 22, 23 & 24 S R. 14 E & 24 S R 15 E

of the Salt Lake base and meridian in the Territory of Utah, showing the respective capacities in which they acted.

George Marchbank, Compassman.
Olaf Larsen, Chainman.
Gardner Crawford, Chainman.
Harry Goldsbrough, Chainman.
Wm Riches, Chainman.
Gardner Crawford, Axeman.
Harry Goldsbrough, Axeman.
, Flagman.

BOOK-A

[5,-

We hereby
M. Pan
surveyor, in su
of the Subdiv
S S R 13 E, 17
23 & 24 S R 14

of the Salt Lak
ory of Utah, a
field notes as h
under his dire
been in all resp
and belief, wel
corner monum
nstructions f
urveyor-gener

Geo
Ol
Ga
Ha
Wil
Ga
Ha

Subscribed and
day of

[5.—FINAL OATHS OF ASSISTANTS.]

We hereby certify that we assisted Stewart M. Pancake United States deputy surveyor, in surveying all those parts or portions of the subdivisions of sec. 1 S R 1 E 10 S R 5 E 6 S R 13 E, 17 S R 3 E, 18 S R 9 & 14 E 21, 22, 23, 24 S R 14 E, 24 S R 15 E

of the Salt Lake base and meridian in the Territory of Utah, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States surveyor-general for Utah.

George Marchbank, Compassman.

Olof Larsen, Chainman.

Gardner Crawford, Chainman.

Harry Goldsbrough, Chainman.

Will Riches, Chainman.

Gardner Crawford, Axeman.

Harry Goldsbrough, Axeman.

, Flagman.

Subscribed and sworn to before me this 28th day of December 1884

Stewart M. Pancake
U.S. Dept Sur

BOOK-A-207

[6.—FINAL OATH OF UNI

I, Stewart

ited States depu

ear that in pursu

m Ird.

ited States surve

date of the

84., I have well, f

n proper person, a

instructions fur

rveyor-general for

l and the laws of

those parts or po

S R1 E. T10 S R

8 S R9 E. T18 S

4 E. Tp. 24 S R

d meredian in t

presented in the f

en surveyed by m

d I do further so

rs of said surve

rpetuated in str

ying manual, pr

ritten instructio

yor-general for

BOOK-A-207

[6.—FINAL OATH OF UNITED STATES DEPUTY SURVEYOR.]

I, Stewart M. Pancake

ited States deputy surveyor, do solemnly ear that in pursuance of instructions received m Frd. Salomon

ited States surveyor-general for Utah, bear- date of the 6th day of September, 84, I have well, faithfully, and truly, in my n proper person, and in strict conformity with instructions furnished by the United States rveyor-general for Utah, the surveying man- l and the laws of the United States, surveyed those parts or portions of the subdivisions of 1S R1E, T10S R5E T15S R13E, T17S R3E 18S R9E T18S R14E. Tps 21 22, 23 & 24 S 14E, Tp 24 S R15E

of Salt Lake base d meredian in the Territory of Utah, as are presented in the foregoing field notes as having en surveyed by me and under my directions; d I do further solemnly swear that all the cor- rs of said survey have been established and rpetuated in strict accordance with the sur- ying manual, printed instructions, the special ritten instructions of the United States sur yor-general for Utah, and in the specific man-

ner described in the field notes, and that the fo
going are the **TRUE** *field notes of such surve*
and, should any fraud be detected, I will suff
the penalty of perjury, under the provisions of
act of Congress, approved August 8, 1846.

Stewart M Pancake
United States Deputy Survey

Subscribed and sworn to before me this 20
day of February 1885

Edward Michael
Notary Pu

BOOK-A-20

U. S. SURVEYOR

Salt Lake C

The foregoin

Subdivisio

Township No. 1

Executed by St

Under Su

day of Sept

December

amined, the necess

the said field not

hereby approved.

BOOK-A-207

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 12th, 1885.

The foregoing field notes of the survey of the Subdivisions of fractional Township No. 17 South Range No. 3 East Executed by Stewart M. Pancake No 130 Under his contract of the 6th day of September 1884, in the month of December, 1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-

REPORT: 1885

Filed

Examined by

Transcribed by

Compared by

FIE

OF THE

Township No

Range No

SALT L

U

U. S

Under his C

Dated

Survey commen

Survey complete

BOOK-A-207

167

REPORT: 1885 ok

Filed 188

Examined by John R Campe.

Transcribed by Henry R M Atkinson

Compared by H. Atkinson & E Michaelis

FIELD NOTES

OF THE SURVEY OF THE

Fract. Subdivision

OF

Township No 18 S.

Range No 9 E.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Stewart M Pancake

U. S. Deputy Surveyor,

Under his Contract No. 130

Dated September 6th 1884

Survey commenced Oct 6 1884

Survey completed " 8 1884

NAMES AND DUTIES OF ASSISTANTS:

	Compassm
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

BOOK-A-207

[1 — PRELIMINAR

I, George

solemnly swear th

m the duties of

tructions given m

d ability, in the su

Tp. 1 S R 1 E,

7 S, R 3 E, T 18

22, 23, 24 S

the Salt Lake bas

y of Utah.

George M

bscribed and sw

y of Octob

BOOK-A-207

[Y.—PRELIMINARY OATH OF COMPESSMAN.]

ANTS:

mpassmen.

ainman.

ainman.

ainman.

ainman.

eman.

eman.

gman.

I, George Marchbank solemnly swear that I will well and truly perform the duties of compassmen, according to structions given me, and to the best of my skill d ability, in the survey of the Subdivisions Tp. 1 S R 1 E, Tp 10 S R 5 E, T 15 S R 13 E T 1 S R 3 E, T 18 S R 9 E, T 18 S R 14 E, Tps 21, 22, 23, 24 S R 14 E, Tp 24 S R 15 E

the Salt Lake base and meridian in the Territory of Utah.

George Marchbank, Compassman.

bscribed and sworn to before me this 6th y of October 1884

Stewart M Paneake
U.S. Dept Sur

BOOK-A-207

[2.—PRELIMINA

We, Olof Larse
nd Gardner C
solemnly swear t
lly execute the du
e will level the ch
round and plum t
g or dropping th
e true distance to
ue length of all lin
g, to the best of o
ccordance with in
rvey of the Sub
S R5 E, T15 S R12
21, 22, 23 & 24 o

the Salt Lake bas
ry of Utah.

Olof
Will
Gardner
Harry

ubscribed and sw
day of Octo

S

[2.—PRELIMINARY OATH OF CHAINMEN.]

We, Olof Larsen, Will Riches

nd Gardner Crawford, Harry Goldsbrough

solemnly swear that we will well and faith-
lly execute the duties of chain carriers; that
e will level the chain upon even and uneven
round and plum the tally pins, either by stick-
g or dropping the same; that we will report
e true distance to all notable objects, and the
ue length of all lines that we assist in measur-
g, to the best of our skill and ability, and in
ccordance with instructions given us, in the
urvey of the Subdivisions of Tps. 1 S R 1 E
S R 5 E, T 15 S R 13 E, T 17 S R 5 E T 18 S R 9 & 14 E
s. 21, 22, 23 & 24 S R 14 E, T 24 S R 15 E

the Salt Lake base and meridian in the Terri-
ry of Utah.

Olof Larsen, Chainman.

Will Riches, Chainman.

Gardner Crawford, Chainman.

Harry Goldsbrough, Chainman.

ubscribed and sworn to before me this 6th
day of October 1884

Stewart M Pancake
U. S. Dept Sur

BOOK-A-207

[3.—PRELIMI

We, Gardn

d Harry

solemnly swear

rform the duties

ent of corners a

structions given

nd ability, in the

1S R1E,

17S R3E, T

3 & 24 S R14

the Salt Lake b

ry of Utah.

Gar

Ha

ubscribed and s

day of Oc

BOOK-A-207

[3.—PRELIMINARY OATH OF AXEMEN.]

We, Gardner Crawford

nd Harry Goldsbrough

solemnly swear that we will well and truly rform the duties of axemen, in the establishent of corners and other duties, according to structions given us, and to the best of our skill nd ability, in the survey of the subdivisions of

Tp 1 S R 1 E, 10 S R 5 E T 15 S R 13 E

17 S R 3 E, T 18 S, Rs 9 & 14 E, Tps 21, 22

3 & 24 S R 14 E, T 24 S, R 15 E

f the Salt Lake base and meridian in the Terriory of Utah.

Gardner Crawford, Axeman.

Harry Goldsbrough, Axeman.

ubscribed and sworn to before me this 6th

day of October 1884

Stewart M Pancake

U S Dept Surv

BOOK-A-207

ow Township 18 S R. 9 W.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13 180
19	20	21	22 188	23 184	179 24 178
30	29	28 190	187 27 186	183 26 182	177 25 176
31	32 189	33 185	34 181	35 176	36

Tract
BOOK-A-207 175
Subdivisions Tp. 18 S. R 9 E.

Survey commenced Oct 6th 1884
From the cor to secs. 35 & 36 on S.
boundary of tp which is a sandstone
34×15×5 firmly set in the ground properly
marked with stone mound alongside
Scum.

North betw. secs. 35 & 36
Var. 16° 40' E.

40.00 Set sandstone 20×10×8 in 15 in the ground
for 1/4 sec. cor. marked 1/4 on W face and
raised a stone mound alongside.
50.00 Ascend 40. 8 chs. to
56.00 Top of bench bears E & W.
80.00 Set sandstone 24×12×4 in 18 in the
ground for Cor. to secs. 25. 26 35 & 36
marked with 1 notch & S & E edges & raised
a stone mound alongside.
Land. rolling
Soil 2nd rate
No timber.
Dense undergrowth artemisia on 80 chs

Fract. Subdivis

East on random line betw. secs. 25 & 36

Var. 16°40' E.

40.00 Set temp 1/4 sec. cor.

80.10 Intersect E. boundary 25 lks

of cor. to secs. 25 & 36 which is a lim

stone 12x8x6 firmly set in the ground

& properly marked

from which Sam

S. 89°49' W on true l

betw secs. 25 & 36

with same var.

4.00 Wash drain S.W.

29.00 " " S.W.

40.05 Set slate 18x10x6 : 12 : the ground fr

1/4 sec. cor. marked 1/4 on W face & rain

a stone mound along side

70.00 Ascend on edge of bench

71.00 Enter bench bears NE & S.

80.10 The cor. to secs. 25. 26. 35 & 36.

Land broken & rolling

Soil 2nd rate

No timber

BOOK-A

Tp. 1

Dem

No

6.00 Gulch

0.00 No trac

20x14x6

cor. mar

stone m

42.00 Wood r

0.00 No trac

12x10x

23. 24. 25

on Sa

stone

Lan

Lo

No

Dem

BOOK-A-207

Tp. 13 S. R 9 E.

Dense undergrowth artemisia on 80. 10 chs.

North betw secs. 25 & 26.
Var. 16° 40' E.

Gulch drains W.

No trace of old cor. set sandstone 20×14×6: 15: the ground for 1/4 sec cor. marked 1/4 on W face & raised a stone mound alongside. Commence resurvey

Wood road bears NE & SW.

No trace of old cor set sandstone 12×10×8: 8: the ground for cor. to secs. 23. 24. 25 & 26. marked with 2 notches on Sand 1 on E edges and raised a stone mound alongside.

Land: Rolling
Soil 2nd rate
No timber.
Dense artemisia undergrowth on 80 chs.

Fract. Subdivisions

East on random resurvey line
between secs. 24 & 25.
Var. 16°40' E.

40.00 No trace of old cor. set temp 1/4 sec. cor.
commence new survey.

80.40 Intersect Chainsburg 14 lks S.
of cor. to secs. 24 & 25. which is a
sandstone 20×14×4. firmly set
in the ground, properly marked with
stone mound alongside from which
Trees S. 89° 54' W on true line
between secs. 24 & 25.
with same var.

27.00 Gulch drains N.E.

40.20 Set sandstone 15×9×4. 9. the ground
for 1/4 sec. cor. marked 1/4 on N face & [illegible]
a stone mound alongside.

52.00 Road bears N.E. & S.W.

80.40 The cor. to secs. 23. 24. 25 & 26
Land. Rolling
Soil 2" rate
No timber.

BOOK-A-207

Tp. 18 S. R 9 E.

Dense artemisia and undergrowth on 80.40 chs.

North on resurvey line
betw secs. 23 & 24
Var 16° 40' E.

40.00 No trace of old cor. set sandstone 12 x 9 x 8. 8. the ground for 1/4 sec cor. marked 1/4 on W face and raised stone mound along side.

80.00 The cor. to secs. 13. 14. 23 & 24 which is a Sandstone 12 x 10 x 9 lying loose on the ground, resting against 8. the ground, properly marked with stone mound along side.

Land Rolling
Soil 2nd rate
No timber.

Dense artemisia
undergrowth on 80 chs

Fract. Subdivi

East on random survey line
betw secs. 13 & 24
Var. 16° 40' E.

40.00 No trace of old cor. set temp 1/4 sec. cor.

80.37 Intersect E. boundary of Tp at cor.
to secs 13 & 24 which is a sandstone 14" × 8" × 6"
firmly set in the ground and
properly marked from which
I run

West on true line bet secs 13 & 24
with same var.

40.19 Set sandstone 14 × 10 × 7: 9: the
ground for 1/4 sec. cor. marked
1/4 on N. face and raised a stone
mound alongside.

80.37 The cor. to secs. 13. 14. 23 & 24.
Land. Rolling
Soil 2° rate
No timber
Dense artemisia
undergrowth on 80.37

Rett. 6. 18

BOOK-

Tp

From th
of Tp. w
set in the
stone
I run

22.50 Wash
36.00 Holl
40.00 Set sa
for 1/4
raised
43.00 Ente
80.00 Set s
grou
mark
and
Lan
Soi
Not
D

Tp. 98 S. R 9 E.

From the cor to secs. 34 & 35 on S boundary of Tp. which is a sandstone 18×12×12: firmly set in the ground properly marked with stone mound alongside from which

Trun North betw. secs. 34 & 35.

Var. 16° 40' E.

22.50 Wash in hollow drains N.W.

36.00 Hollow drains S.W.

40.00 Set sandstone 12×8×6: 8: the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

43.00 Enter bench lands NE & SW.

80.00 Set sandstone 20×14×4: 15: the ground for cor. to secs. 26.27. 34 & 35 marked with 1 notch on Sand 2 E edges and raised a stone mound alongside.

Land. Level

Soil 1st rate

No timber.

Dense undergrowth on 80 chs.

Fract. Subdivisi

East on random line
betw. secs. 26 & 35.
Var. 16° 40' E.

40.00 Set temp. 1/4 sec. cor.

80.37 Intersect N & S. line at cor. to
secs. 25. 26. 35 & 36 from which S
West on true line
betw. secs. 26 & 35
with same var.

21.00 Edge of breaks bears S E & S. W

40.09 Set sandstone 12 x 9 x 6 : 8 : the
ground for 1/4 sec cor. marked 1/4 on
N face and passed a stone mound alongside.

80.37 The cor. to secs. 26. 27. 34 & 35.
Land. Rolling bench
Soil 2nd rate.
No timber.
Dense undergrowth on 80.37

BOOK-A-

Tr.

3.50 Wash
16.00
23.00 Road
40.00 No tra
10 x 10 x
marke
resur
80.00 The cor
which
lying
mark
Land
Soil
No tr
De

BOOK-A-207

Tp. 18 S. R 9 E.

North betw. secs. 26 & 27

Var 16° 40' E.

3.50 Wash drains W.

16.00 " " S. W

23.00 Road bears N E & S. W.

40.00 No trace of old cor. Set sandstone 10×10×10: 6: the ground for 1/4 sec. cor. marked 1/4 on W face, & raised a stone mound alongside. resurvey commences.

80.00 The cor. to secs. 22. 23. 26. 27. which is a sandstone 10×10×7: lying on the ground properly marked, Fresh same bin the ground & raised and stone mound alongside.

Land. Rolling bench

Soil 2nd rate.

No timber.

Dense undergrowth on 80 ch.

Subdivision

East on random resurvey line
betw. secs. 23 & 26
Var. 16°40' E.

40.00 Set temp 1/4 sec. cor. No trace of old cor.

80.00 Intersect N & S line at cor. to secs. 23. 24. 25. 26 from which I run

West on true line
betw secs. 23 & 26
with same var.

40.00 Set sandstone 10×9×9; 7 the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

80.00 The cor. to secs. 22. 23. 26 & 27.
Land. Rolling bench
Soil 2nd rate.
No timber.
Dense undergrowth, on 80 chs

BOOK-A-2

Tp. 18

From th
boundar
16×7×6
marked
I run

22.00 Road
30.00 Gulch
40.00 Road
Set a
ground
1/4 on N f
mound
80.00 No trace
25×10×
to secs. 2
Snotch o
a stone
Land.
Soil
No t
Den

BOOK-A-207

Tp. 18 S. R 9 E.

From the cor. to secs. 33 & 34 on S. boundary of tp. which is a sandstone 16 x 7 x 6 firmly set in ground, properly marked with stone mound alongside.

Thence North betw. secs. 33 & 34

Var. 16° 40' E.

22.00 Road bears NE & SW.

30.00 Gulch draws SW.

40.00 Road bears NE & SW. where set a sandstone 12 x 10 x 8" in ground for 1/4 sec cor. marked 1/4 on W face and raised stone mound alongside

56.00 No trace of old cor. set sandstone 25 x 10 x 5 in 18" the ground for cor. to secs. 27, 28, 33 & 34. marked with Notch on S and E edges & raised a stone mound alongside.

Land. Rolling bench

Soil 2nd rate

No timber.

Down underbrush on 80 chs

Subdivisions

East on random line
betw. secs. 27 & 34
Var. 16° 40' E.

40.00 Set temp 1/4 sec. cor.

80.20 Intersect N & S line 45 lks S. of
cor. to secs. 26. 27. 34 & 35. from
which S run
S. 89° 41' W on true line
betw. secs. 27 & 34
with same var.

26.00 Road bears N E & S. W.

40.10 Set sandstone 15 × 9 × 4 : 9 : the
ground for 1/4 sec. cor. marked
1/4 on N face and raised a stone
mound alongside.

80.20 The cor. to secs. 27. 28. 33 & 34.
Land. Rolling bench
Soil 2nd rate.
No timber.
Dense artemisia undergrowth
on 80. 20 chs.
October 7th 1884.

Tp.

No

40.00 No trac
12 × 9 ×
cor. ma
raised

80.00 The c
which
lying
Spp
mark
along
Land
So
No
Dec

BOOK-A-207

Tp. 18 L R 9 E.

North betw. secs. 27 & 28.
Var. 16° 40' E.

40.00 No trace of 1/4 sec. cor. set sandstone 12×9×9: 7: the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

80.00 The cor. to secs. 21. 22. 27 & 28. which is a sandstone 10×9×7: lying on the ground properly marked, with stone mound alongside.

Pipe 1 same 6" in the ground

Land. Rolling
Soil 2nd rate — —
No timber.
Dense underg rowth on 80 chs.

Subdivisions

East on said survey line
betw. secs. 22 & 27
Var 16° 50' E.

40.00 Set temp 1/4 sec. cor. No trace of other.

80.00 Intersect N & S line at cor. to secs. 22. 23. 26 & 27 from which I run
West on true line
betw secs. 22 & 27
with same var.

40.00 Set sandstone 10 x 10 x 7. 7. 7 in ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

80.00 The cor. to secs. 21. 22. 27 & 28.
Lands. Rolling bench
Soil 2nd rate.
No timber.
Dense undergrowth on Beds

BOOK-A-207

Tp. 18 S. R 9 E.

From the cor. to secs. 32 & 33 on S bound. of tp. which is a sandstone 14×11×4 firmly in the ground properly marked with stone mound along side Trim

North 32 & 33
secs.

Var. 16° 40' E.

40.00 No trace of old cor. set sandstone 12×10×8 in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound along side.

44.50 Road bears N.W. & S.E.

81.00 Wash drains W.

80.00 The cor. to secs. 28. 29. 32 & 33 which is a sandstone 17×10×5 lying on the ground, properly marked & stone mound along side

I reset same 11" in ground & rapid

Land rolling bunch

Soil 2nd rate.

No timber.

Dense artemisia

undergrowth on 80 ch.

Fract. Subdivisions Tp. 18 S. R

East on random resurvey line
betw. secs. 28 & 33.
Var. 16° 40' E.

40.00 Set temp 1/4 sec. cor. No trace of old cor.

80.00 The cor to secs. 27. 28. 33 & 34. from which Grun West on true line
betw. secs. 28 & 33
with same var.

40.00 Set sand stone 12×10×6 : 8 : the ground for 1/4 sec. cor. mer 1/4 on N face graised a stone mound alongside.

49.00 Huntington Creek 60 lks wide 15 in deep runs S

80.00 The cor. to secs. 28. 29. 32 & 33.
Land. Rolling bench
Soil 3 rate.
No timber.
Dense extensive undergrowth
on 80 chs.
October 8 1884.

BOOK-A-207

General Descript

The add. Land embraced in this township consist of some small patches of bottom land on Huntington Creek and of some broken adjoining bulk land. There is sufficient water in Huntington Creek for all the land.

The applicants Rhodes & Paul have their improvements in the S. W. 1/4 sec. 33. which consist of several cabin and outhouses, some fencing, considerable ditching, 40 acres land under cultivation

Stewart M. Pancake
W. S. dep. surv.

BOOK-A-207

Township 18 S R. 14 W.

6	245	5	229	4	219	3	208	2		1	
244		243		228		218		207			
7	242	8	227	9	217	10	206	11		12	
241		240		226		216		205			
18	239	17	225	16	215	15	204	14	203	13	
238		237		224		214		201			
19	236	20	223	21	213	22	200	23	202	24	
235		234		222		212		199			
30	233	29	222	28	211	27	199	26		25	
232		231		221		210		198			
31	230	32	220	33	209	34	197	35		36	

Subdivisions Tp. 18 S. R 14 E.

Survey commenced October 10/84

I commence at the cor. to secs. 34 & 35 on the S. boundary of this tp. which is a sandstone 20×14×10 in marked with 2 notches on E. and 4 on W edges, firmly set in the ground with a stone mound alongside. it being the farthest secs. cor. E. on the S. boundary and run

North betw secs. 34 & 35
Var. 15° 45' E.

7.50 Wash drains N. W.
40.00 Set a sandstone 18×12×8 in 12 in in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.
49.50 Wash drains W.
80.00 Set sandstone 20×12×4 in 14 in the ground for cor. to secs. 26. 27. 34 & 35 marked with 2 notches on E and 1 on S edges and raised a stone mound alongside.
Land. Broken foothills of Main bluff
Soil 3 rate.
No timber.
Dense artemisia Undergrowth ~~on~~ 80 chs.

Note. The cor. to secs. 25. 26. 35 & 36 being established from
East on tone line
betw secs. 26 & 35
Var 15° 45' E.
Ascend in broken foot hills
19.50 Wash drains N.W.
21.00 Enter high broken bench bears N.W.
36.00 Gulch drains S.W.
40.00 Set a sandstone 20×8×3. 15. the g
for 1/4 sec. cor. marked 1/4 on N. face an
raised a stone mound alongside.
Note. On account of high in access
table mountains I abandon further
survey East.
Land. Broken W. dope of high
Soil. 3 rate
No timber.
Dense Undergrowth on 40 ch

BOOK-A-2

8 S. R 19

N

4000 Set a
ground
face an
6650 Descend

80.00 Set a
for cor.
with 2
a stone
Land
Soil
No t
Den

Note.
not

Ascen
2.50 Top of
7.50 Enter

BOOK-A-207

North betw. secs. 26 & 27
Var. 15° 45' E.

4000 Set a candestone 12×9×6 in. 7 in. in the ground for 1/4 sec. cor. marked 1/4 m. W. face and raised a stone mound alongside

6650 Descend

along W. slope of ridge

80.00 Set a stone 20×6×4 in. 7 in. in the ground for cor. to secs. 22. 23. 26 & 27 marked with 2 notches on S. & E. edges and raised a stone mound alongside.

Land. Very broken

Soil 3rd rate.

No timber.

Dense Undergrowth on 80 chs.

Note. The Cor. to secs. 23. 24. 25 & 26 not being set I run

East on a true line
betw. secs. 23 & 26
Var. 15° 45' E.

Ascend

7.50 Top of ridge bears N. & S. descend

7.58 Enter flat drains NE.

16.40	Wash. drains N.
21.00	Ascend
26.00	Enter high broken bench
40.00	At foot of Mainbluff bears N E & set sandstone 12×8×6 in 7 in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound along side
	Land broken high bench
	Soil 3 rate.
	No timber.
	High Mountains on 40 ch
	Note. On account of high inaccessible bluff abandon further survey East.
	North betw. secs. 22 & 23
	Var. 15° 45' E. along broken W. slope of ridge
15.00	Gulch drains S. W.
18.00	Small spur bears E & W.
40.00	Set sandstone 12×8×6 in 7 in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.
50.00	Ridge bears N. W. & S. E. descend
60.00	Enter dense artemisia & flat
80.00	Set a sandstone 14×9×9 in 9 in the ground for cor. to secs. 14.15.22 & 23 marked with 3 notches on S. and 2 on E

BOOK-A-207

18 S. R. 14 E.

edges and raised a stone mound
Alongside.
Land. Very broken & level
Soil. 3 & 1 rate.
No timber.
High Mountains on 60 chs.
Dense artemisia undergrowth on 20 chs
augmented on 80 chs.

Note. The cor. to secs. 13. 14. 23 & 24
not being established I run
East on true line
bet w. secs. 14 and 23
Var 15° 45' E.

32.50 Wash drains N.E.
40.00 Set sandstone 18×12×6 in 12 in the ground
for 1/4 sec. cor. marked 1/4 on N face &
raised a stone mound alongside. ascend
50.00 Hollow drains N.E.
61.00 Top of clayridge bears N.E. & S.W.
80.00 On W. side of hollow set sandstone
20×20×5 in 12 in in the ground for cor. to
secs. 13. 14. 23 & 24 marked with 1 notch
on E and 3 on S edges and raised a
stone mound alongside.

Subdivisions

Land. Rolling & broken
Soil. 3 rate.
No timber.
High Mountains on 40 ch
Dense undergrowth on 40
80.00

South betw. secs. 23 & 24
Var. 15° 45' E.

4.00 Wash in hollow dr. N.W.
8.00 Ascend
40.00 Set sandstone 12×10×10: 8: [illegible]
ground for 1/4 sec. cor. mark
1/4 on W face & raised a stone
mound alongside.
Note. On account of impa[illegible]
mountains I abandon sur[illegible]
here.
Land. Mountainous
Soil. 3 rate.
No timber
High Mountains
on 40 chs

BOOK-A-2[illegible]

15 S. R[illegible]

15.00 Enter [illegible]
17.85 Price [illegible]
20 in deep
24.00 Ascend
40.00 Set sa[illegible]
ground
W face [illegible]
along [illegible]
53.00 Gulch
72.00 "
80.00 Set sa[illegible]
for cor.
with 4[illegible]
and ra[illegible]
Land
Soil
Tim[illegible]
Hig[illegible]
De[illegible]

BOOK-A-207

15 S. R 14 E.

North betw. secs. 13 & 14
Var. 15° 45' E.

15.00 Enter river bottom & dense undergrowth
17.85 Price river heads N. W by W 60 lks wide
20 in deep runs S. E.
24.00 Ascend leave dense undergrowth
40.00 Set sandstone 24 × 10 × 7 in 18 in the
ground for 1/4 sec. cor marked 1/4 on
W face and raised a stone mound
alongside. Ascend
53.00 Gulch drains S. W.
72.00 " " " S. W.
80.00 Set sandstone 24 × 10 × 8 in 18 in the ground
for cor. to secs. 11. 12. 13 & 14 marked
with 4 notches on S and 1 on E edges
and raised a stone mound alongside.
Land broken & bottom
Soil 3 & 1 rate
Timber few cottonwoods in bottom
High Mountains on 46 chs.
Dense undergrowth " 34 "
augmented on 80 chs.

Subdivisions

North betw secs. 14 & 15
Var 15° 45' E.

15.55 Price River runs S.E. 60 lks wide
4 ft. deep.
26.30 East bank of same
29.50 Across same
37.00 Leave dense artemisia, access
40.00 Set cable 20×20×3: 15: the grou
for 1/4 sec. cor. marked 1/4 on W. face an
raised a stone mound alongside
40.50 Enter bench bears S.W. & N.E. dens
underbrush
64.00 Descend leave brush
67.00 Enter Hollow drains S.W.
80.00 Set sandstone 13×10×5: g. ab
ground for cor. to secs. 10. 11. 14 & 15 m
with 4 notches on S and 2 on E edges
and raised a stone mound along
Land level & broken
Soil 4 Grate
No timber.
Dense artemisia undergrowth.
High Mountains
augmented on 80

18 S. R

Ear

0.00 Set temp.
0.00 Intersect
11. 12. 13 & 14

Descend
0.00 Gulch dr
0.00 Set a sa
for 1/4 sec.
raised a
0.00 Enter ho
0.00 Leave s
5.72 Ridge
7.50 Enter ho
0.00 The cor. t
Land.
Soil
No tim
High
Dens

BOOK-A-207

18 S. R 14 E.

East on a random line
betw. secs. 11 & 14
Var. 15° 45' E.

0.00 Set temp. 1/4 sec. cor.
0.00 Intersect N & S. line at the cor. to secs.
11. 12. 13 & 14 from which I run
West on true line
betw. secs. 11 & 14
with same var.

Descend:
8.50 Gulch drains S. W.
0.00 Set a sandstone 12×10×10 in the ground
for 1/4 sec. cor. marked 1/4 on W face and
raised a stone mound along side.
9.00 Enter hollow drains S. W. & dense Artemisia
3.00 Leave same, ascend.
5.72 Ridge bears N E & S. W.
7.50 Enter hollow and dense artemisia.
0.00 The cor. to secs. 10. 11. 14 & 15.
Land. Mountainous & level
Soil 3 & 1 rate.
No timber.
High Mountains on 63.50 chs.
Dense Undergrowth 16.50 "
80.00 "

October 10th 1884.

North betw. secs 10 & 11
Var 15° 45' E.

In dense artemisia

40.00 Set a sandstone 20×15×10: 12: ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

46.00 Wash drains S. W.

55.00 Ascend leave artemisia.

80.00 Set sandstone 14×9×6: 9: the gr for cor. to secs. 2. 3. 10 & 11. marked with 5 notches on S and 2 on E and raised a stone mound along

Land level & Mountainous

Soil 1 & 3 rate

No timber

Dense artemisia undergrowth

High Mountains

Augmented on 80

18 S.

Note
being

On rolling

20.20 Steep

40.00 Set
for 1/4 se
and r
Note. On
table
Surve
Lan
Soil
No
Hi

18 S. R 14 E.

Note The cor to secs. 1. 2. 11 & 12 not being set I run
East on true line
between secs. 2 & 11
On rolling slope Var. 15° 45' E.
20.20 Steep rocky accend
40.00 Set State 12 x 8 x 7 in 7 in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside
Note. On account of high inaccessible table mountains I abandon further survey E.
Land. Very broken West slope
Soil 3 rate
No timber.
High, Mountains on 40 chs.

Subdivisions

North on a random line
betw. secs. 2 & 3
Var 15° 45' E.

40.00 Set temp 1/4 sec. cor.
80.50 Intersect N. boundary of this
township at cor to secs. 2 & 3 which
is a sandstone 12×6×5 firmly set
in ground marked with 4 notches
on W and 2 on E edges and with a
stone mound along side from
which I run

South on true line
betw secs. 2 & 3
with same var.

20.00 Wash drains S.W.
22.00 Same " S.E.
24.00 " " S.W.
40.50 Set sandstone 14×10×10: 9: the ground
for 1/4 sec. cor. marked 1/4 on W face and
raised a stone mound along side
46.20 Ridge bears E & W.
55.20 Washing hollow drains S.W.
67.50 Ridge bears N E & S.W.
80.50 The cor. to secs 2.3.10 & 11.
Land. Broken

BOOK-A-20

18 S.

Soil
No tim
Hig

From
S. bound
sandstone
the ground
E & W. edg
I run

15.50 Wash dr
40.00 Set sand
for 1/4 sec.
raised a
60.50 Wash d
80.00 Set sa
for cor
with 3
raised a
Land.

BOOK-A-207

18 S. R 14 E.

Soil 3 rate.
No timber.
High Mountains on 80.50 ch's.

From the cor. to secs 33 & 34 on S. boundary of this Tp. which is a sandstone 14×12×6: firmly set in the ground, marked with 3 notches on E & W. edges and stone mound alongside S. run

North betw secs. 33 & 34
Var. 15° 45' E.

35.50 Wash drains N. W.
40.00 Set sandstone 8×8×8: 6: the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
60.50 Wash drains N. W.
80.00 Set sandstone 12×8×6 in 7: the ground for cor to secs. 27. 28. 33 & 34 marked with 3 notches on E and 1 on S edges and raised a stone mound alongside.
Land. Level & rolling

Subdivisions

	Soil / rate -
	No timber
	Dense artemisia undergrow[illegible] on 80 ch's
	East on random line
	betw. secs. 27 & 34
	Var 15° 45' E.
40.00	Set temp. 1/4 sec. cor.
80.00	Intersect N & S line 5 lks S of the cor. to secs. 26. 27. 34 & 35 from whi[illegible] S run
	West on true line
	betw secs. 27 & 34
	with same var.
	Descend
39.00	Steep descend
40.00	Set sandstone 20×12×12. 14. the gr[illegible] for 1/4 sec. cor, marked 1/4 on N face a[illegible] raised a stone mound alongside
46.00	Enter flat.
53.35	Wash drains N. W.
80.00	The cor to secs. 27. 28. 33 & 34
	Land Very broken & level
	Soil 1 & 3 rain

18 S.

	No tr[illegible]
	Dense [illegible]
	No [illegible]
40.00	Set san[illegible] for 1/4 se[illegible] raised
72.50	Road b[illegible]
80.00	Set sa[illegible] for cor. [illegible] with 2[illegible] and ran[illegible]
	Land.
	Soil
	No tr[illegible]
	Dens[illegible]

BOOK-A-207

T. 18 S. R. 14 E.

No timber

Dense undergrowth
Artemisia on 80 chs.

North betw. secs. 27 & 28
Var. 15° 45' E.

40.00 Set sandstone 10×10×8 in 7 in in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

42.50 Road bears N & S W.

80.00 Set sandstone 12×8×6 in 7 in in the ground for cor. to secs. 21. 22. 27 & 28 marked with 2 notches on S and E edges and raised a stone mound alongside.

Land. Level.

Soil 1st rate.

No timber

Dense undergrowth Artemisia on 80 chs.

Subdivisions

East on random line
betw secs. 22 & 27
Var. 15° 45' E.

40.00 Set temp 1/4 sec. cor.
80.06 Intersect N & S. line 7 lks S. of cor to
secs: 22. 23. 26 & 27 from which S run
S 89° 57' W. on true line
betw. secs. 22 & 27
with same var.

13.00 Enter flat.
40.03 Set a sandstone 18×6×4 a 12 a the gr
for 1/4 sec. cor. marked 1/4 on N face &
raised a stone mound along si
40.50 Wash drains h. W.
78.90 Road bears h & S.
80.06 The cor. to secs. 21. 22. 27 & 28
hand. level & broken
Soil 3 & 1 rate
No timber
Dense artemisia undergrowth

18 S. R 14 E.

North betw. secs. 21 and 22
Var. 15° 45' E.

.00 Ascend leave artemisia
.00 On top of gravel bluff set sandstone 12×8×6 in 7 in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.
.50 Descend
3.50 Enter flat bears N E & S. W. dense artemisia
.50 Telegraph line bears N E & S. W.
.00 Denver & Rio Grand R.R. "
.00 Set slate 20×10×4 in 12 in in the ground for cor. to secs. 15. 16. 21 & 22 marked with 3 notches on S. & E edges and raised a stone mound alongside.
Land. Level & mount.
Soil. 1 rate & 3 rate.
No timber.
High Mountainous on 23.50
Dense undergrowth - 56.50
augmented on 80 chs.

East on random line
betw. secs. 15 & 22
Var. 15° 45' E.

40.00 Set temp 1/4 sec. cor.
80.00 Intersect N & S. line 9 lks N of cor. to secs. 14. 15. 22 & 23 from which run
S. 89° 56' W on true line
betw. secs. 15 & 22
with same var.
39.86 Wash drains N. E.
40.00 Set sandstone 14×10×8 in 9 in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound alongside.
51.80 Road bears N E & S. W.
63.00 Ascend leave dense artemisia
67.53 Top of ridge bears N E & S. W.
75.70 Telegraph line bears N E & S. W.
75.85 D. & R. G. R. R. in cut " do.
79.00 Enter flat dense artemisia
80.00 The cor. to secs. 15. 16. 21 & 22.
Land. Level & mount.
Soil 3 & 1 rate
No timber

October 11th 188

BOOK-A-20

18 S. R

He
Dense

Vo

39.00 Road
40.00 Set sta
for 1/4 s
and rai
46.25 Road b
52.70 D. & R.
53.75 Telegr
54.00 Road b
60.00 W. poi
66.50 Enter
76.00 Price
30 ins de
80.00 Set a
for cor
with 4
and r
Land.
Soil

BOOK-A-207

18 S. R 14 E.

High Mountainson on 1 600
Dense underg rowth " 6400
Augmented on 80 chs.

North betw. secs. 15 & 16
Var. 15° 45' E.

39.00 Road bears N W & S. E.
40.00 Set slate 10×9×7 in 7 in in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
46.25 Road bears N. W & S. E.
52.70 D. & R. G. R. R bears "
53.75 Telegraph line " "
54.00 Road bears N W & S. E.
60.00 W. point of ridge
66.50 Enter bottoms of Price River
76.00 Price river heads N. W. 60 lks wide 30 ins deep
80.00 Set a Cabble 10×10×8 in 7 in in the ground for cor. to secs. 9. 10. 15 & 16. marked with 4 notches on S and 3 on E edges and raised a stone mound alongside hand. Level.
Soil 1 rate.

Subdivisions

Timber. few Cottonwoods: bottom
Dense artemisia on 80 chs.

East on random line
betw secs. 10 & 15
Var. 15° 45' E.

40.00 Set temp 1/4 sec. cor.
80.20 Intersect N & S. line 10 chs. S. of cor. to sec.
10.11 14 & 15 from which True
S 89° 56' W on true line
betw secs. 10 & 15
with same var.
12.50 Wash drains S. W.
17.50 Ascend leave artemisia
21.00 Ridge bears N E & S.W. descend
26.00 Enter bottoms & dense undergrow
40.00 Set sandstone 24×20×10: 18: the ground
1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside
80.20 The cor. to secs. 9. 10. 15 & 16.
Land. Level
Soil 1 rate.
Timber. Cottonwoods: bottom
Dense undergrowth on 71.70 chs
High Mountains on 8.50
Augmented on 80.20

BOOK-A-2

18 S.

N

21.00 Ascend
25.50 S.W. po
80 Enter h
000 Set sa
ground
on W fac
alongsi
80.00 Set a
for cor. t
5 notche
raised a
Land.
Soil
No tim
Dense

Ea

40.00 Set ter
80.00 Inters
to secs.
T. ra

18 S. R 14 E.

North betw secs. 9 & 10
Var 15° 45' E.

21.00 Ascend
25.50 S.W. point of ridge descend
[illegible]80 Enter hollow
[illegible]000 Set sandstone 20×10×8 in 14 in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
80.00 Set a flint 12×10×6 in 7 in the ground for cor. to secs. 3.4.9 & 10 marked with 5 notches on S and 3 on E edges and raised a stone mound alongside.
Land. Level & rolling
Soil 1 & 3 rate
No timber
Dense undergrowth on 80 chs.

East on a random line
betw. secs. 3 & 10.
Var. 15° 45' E.

40.00 Set temp 1/4 sec. cor.
80.00 Intersect N & S line 12 lks S. of cor. to secs. 2.3.10 & 11 from which I run

S 89° 55' W on true line
betw. secs 3 & 10
with same var.

Ascend

9.40 Ridge bears N & S. Descend

15.46 Enter Hollow &

40.00 Set sandstone 16×10×8 in 12 in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

48.00 Wash 15 ft deep, drains S.

57.00 Ascend

61.70 Ridge bears N & S. descend

65.33 Enter flat

80.00 The cor. to secs. 3.4.9 & 10.
Land. Level & mound.
Soil 1 & 3 rate.
No timber.
Dense artemisia undergrowth. 86

18

No

40.00 Set te

40.20 Inter
E of cor.
boulder
ground
edges a
from co

11.50 Wash i

36.23 Top of

40.20 On S. s
Q in the gr
a stone

57.52 Enter

80.20 The co
Lan
Soil
No t
High
Sense

Tp. 18 S. R. 14 E.

North on random line
between secs. 3 & 4
Var. 15° 45' E.

40.00 Set temp. 1/4 sec. cor.
40.20 Intersect N. boundary of tp. 17 lks E of cor. to secs. 3 & 4 which is a sandst. boulder 60 × 40 × 20 in. firmly set in the ground marked with 3 notches on E & W edges and a stone mound along side from which I run
S. 0° 7' E on true line
between secs. 3 & 4
with same var.
41.50 Wash in hollow drains S. W.
36.23 Top of ridge bears N.E. & S.W.
40.20 On S. slope of same set sandstone 14 × 10 × 4 in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound along side.
51.52 Enter hollow drains S. W. & dense arbeminis
80.20 The cor. to secs. 3. 4. 9 & 10.
Land. Level & Mount.
Soil 1 & 3 rate
No timber.
High Mountains on —— 51.52 chs
Dense undergrowth 0.2868 chs
Augmented on 80.20

Subdivisions Sp

From the cor. to secs. 32 & 33 on S. boundary of this township wh is a sandstone 20 × 10 × 8 in firmly set in the ground marked with 4 notches on E and 2 on W edges and st mound alongside. I run

North betw. secs. 32 & 33

Var. 15° 45' E.

33.00 Wash drains E.

35.20 Road bears N E & S. W. enter rolling E.

40.00 In small gulch drains E set sa 12 × 8 × 6 in 7 in the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

80.00 Set calk 10 × 8 × 6 in 7 in the ground cor. to secs. 28. 29. 32 & 33 marked w 1 notch on S and 4 on E edges and raised a stone mound alongside

Land. rolling & level

Soil. Prate

No timber

Mountainous on 44.80 chs & dense under on 80 chs.

BOOK-A-20

18 S.

E ect

0.00 Set ten

0.10 Interc

to secs. 27.

2.70 Road b

40.05 Set san

ground

N face an

alongside

9.30 Telegrap

9.91 Rail

2.00 Assend

0.10 The cor.

Land.

Soil.

No tim

Den

BOOK-A-207

Sp. 18 S. R 14 E.

East on random line
betw secs. 28 & 33
Var. 15° 45' E.

40.00 Set temp. 1/4 sec. cor.
40.10 Intersect N & S. line 7 lks N. of cor to secs. 27. 28. 33 & 34 from which True
N. 89° 57' W on true line
betw secs. 28 & 33
with same var.
42.70 Road bears N E & S.
40.05 Set sandstone 12×6×4 in 8 in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.
43.30 Telegraph line bears N & S.
49.91 Rail Road D. & R. G. bears N & S.
72.00 Ascend rolling E. Slope
80.10 The cor. to secs. 28. 29. 32 & 33.
Land. Level.
Soil. 1st rate.
No timber.
Dense undergrowth on 80.10 chs.

Subdivisions

North betw secs 28 & 29
Var 15° 45' E

22.50 Wash in Mouth of hollow drains
40.00 Set Cobble 10×8×8 in the ground
for 1/4 sec. cor. marked 1/4 on W face
and raised a stone mound alongside
67.50 Wash in hollow drains E.
80.00 In hollow drains S.E. set Sl
14×10×3 in 9 in the ground for cor
to secs. 20. 21. 28 & 29 marked with
2 notches on S and 4 on E edges an
raised a stone mound alongside.
Land. gently Rolling low hills
Soil. Trail.
No timber.
Dense artemisia on 80 chs.

East on random line
betw secs. 21 & 28
Var. 15° 45' E

40.00 Set temp 1/4 sec. cor.
80.07 Intersect N & S line 11 lks S. of
to secs. 21. 22. 27 & 28 from which Sun
S. 89° 55' W on true line

BOOK-A-207

S. R.

betw sec
with
16.75 Wash d
29.32 Telegr
31.97 D & R. J
40.04 Set a s
for 1/4 sec
raised a
66.50 Ascend
79.00 Wash d
80.07
Land.
Soil
No tim
Den

Nort

0.50 Wash in
17.00 "
33.00 Enter
39.80 Wash in
40.00 Set sla
for 1/4 sec.
and rai
45.75 Wash
49.00 Leave

S. R 14 E.

betw secs. 21 & 28
with same var.

16.75 Wash drains S.W.
29.32 Telegraphline bears N. & S.
31.97 D. & R. G. R.R. " "
40.04 Set a slate 18×5×5 in 12 in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound alongside.
66.50 Ascend low gently rolling hills
79.00 Wash drs S.E.
80.07 the cor. to secs. 20. 21. 28 & 29.
Land. Rolling flat
Soil rate.
No timber.
Dense undergrowth on 80.0 Tchs.
October 13th 1884.

North betw. secs. 20 & 21
Var. 15°45' E.

0.50 Wash in hollow drains S.E.
17.00 " " " " "
33.00 Enter hollow
39.80 Wash in hollow " E
40.00 Set slate 10×8×6 in 7 in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.
45.75 Wash drains E.
49.00 Leave bottom

Subdivisions Tp 18 S.

57.50	Hollow drains E.
64.00	" " "
80.00	Set shale 10×10×4 in 7 in the gro[illegible] for cor. to secs. 16. 17. 20 & 21 marked with 3 notches on S and 4 on E [illegible] and raised a stone mound along
	Land gently rolling ~~low~~ hills
	Soil 1 & 2 rate.
	No timber.
	Dense undergrowth on 8 [illegible]
	Exact on random line
	betw secs. 16 & 21
	Var. 15° 45' E.
40.00	Set temp 1/4 sec. cor.
80.20	Intersect N & S line at cor. to sec 15. 16. 21 & 22 from which I run
	West on true line
	betw secs. 16 & 21
	with same var.
22.50	Road bears N E & S W.
40.50	Set slate 10×10×6 in 7 in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound alongside.
60.00	Ascend gently rolling & low hills.

BOOK-A-207

18.00	Head o[illegible]
0.20	The cor. [illegible]
	Land [illegible]
	Soil [illegible]
	No tim[illegible]
	Dense [illegible]
	Vo[illegible]
16.00	Hollow [illegible]
0.00	Set sla[illegible] for 1/4 sec. [illegible] raised a [illegible]
48.00	Hollow [illegible]
0.00	Set Sa[illegible] ground [illegible] marked [illegible] 4 on E [illegible] alongsi[illegible]
	Land [illegible]
	Soil [illegible]
	No tim[illegible]
	High [illegible]
	unde[illegible]

18 S. R 14 E.

18.00 Head of gulch drains N.E.
0.20 The cor. to secs. 16. 17. 20 & 21.
Land rolling low Hills
Soil 1 rate.
No timber.
Dense undergrowth on 80. 20 chs

North betw. Sts 16 & 17
Var. 15° 45' E.

16.00 Hollow drains N.E.
0.00 Set slate 16×10×3 in 12 in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.
48.00 Hollow drains E.
0.00 Set Sandstone 10×6×6 in 7 in the ground for cor. to secs. 8. 9. 16 & 17 marked with 4 notches on S and 4 on E edges and raised a stone mound alongside.
Land very broken
Soil 3 rate.
No timber.
High Mountains & dense undergrowth on 80 chs.

Subdivisions

East on random line
betw secs. 9 & 16
Var 15° 45' E.

40.00 Set temp. 1/4 sec. cor.
80.30 Intersect N & S. line 12 lks S. of
to secs. 9. 10. 15 & 16. from which S run
S. 89° 55' W on true line
betw. secs. 9 and 16
with same var.
1.75 Price river 60 lks wide 15 in deep runs S.
17.50 Road bears N W & S E.
19.90 D. & R. G. R. R. bridge " "
20.10 Telegraph line bears N W & S E.
21.00 Watertank bears N 33° E. 2.50 ds
Sec. House " N 29° W. 1.75 "
Price River 50 lks wide 20 in deep runs
heads S. W by W.
32.50 Along N bank of river
40.15 Set sandstone 20 x 6 x 6 in 14 in the gr
for 1/4 sec. cor. marked 1/4 on N fa
and raised a stone mound along
51.50 Price river 75 lks wide 20 in deep runs S.
61.50 S. bend of river
79.00 Leave bottom enter low rolling hills
80.30 The cor to secs 8. 9. 16 & 17

BOOK-A-20

S. R.

Land.
Soil
Timb
Dec

No

1.00 Enter
19.00 Price
27.40 Road
27.90 D. & R
37.00 Ascen
40.00 Set C
for 1/4
and r.a
50.00 Enter
77.00 Gulch
80.00 Set
grou
with
and r
Land.
Soil
Timb

S. R 14. E.

Land. bottoms mostly
Soil 1 rate.
Timber few Cottonwoods.
Dense underg rowth on 80.30 ac.

North betw. secs. 8 & 9
Var. 15° 45' E.

1.00 Enter bottom
19.00 Price river 30 in deep 6 ft wide runs N.E.
27.40 Road & Telegraph line bears N.W. & S.E.
27.90 D. & R.G. R.R. " "
37.00 Ascend ~~30~~
40.00 Set Cabble 10×8×8 in 7 in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside
50.00 Enter higher bench
77.00 Gulch drains S.E.
80.00 Set sandstone 20×10×6 in 14 in the ground for cor. to secs. 4, 5, 8 & 9 marked with 5 notches on sand 4 on Edges and raised a stone mound alongside.
Land. rolling & bottom
Soil 1 & 2 rate
Timber. Cottonwoods bottom

BOOK-A-207

Subdivisions 18 S. 9

	Dense artemisia undergrowth on
	East on random line betw. secs. 4 & 9 Var. 15° 45' E.
40.00	Set temp 1/4 sec. cor.
80.10	Intersect N & S line 5 lks S of to secs. 3. 4. 9 & 10 from which S run S. 89° 58' W on true line betw. secs. 4 & 9 with same var.
9.50	Leave hollow Enter low polling h
25.00	Ridge bears N & S
40.05	In hollow set sandstone 14 x 10 Gr the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mo alongside. Road bears N W &
40.10	Wash drains S.
42.00	Leave hollow. drains S.
69.50	Gulch drains S. W.
80.10	The cor. to secs. 4. 5. 8 & 9 Land. Broken & low hills pon Soil 2nd rate. No timber.
	dense undergrowth

North
bet
Va
0 Set temp 1/4
5 Intersec
west of cor.
a sandstone
in the ground
on E and 2 on
alongside f
S. 0
be
Gulch dra
Road in
In hollow drains
5 Set cable
for 1/4 sec.
and raised
5 The cor. to s
Land. Ra
Soil 2n
No timber
underg

18 S. R 14 E.

North on random line
betw secs. 4 & 5.
Var 15° 45' E.

0 Set temp 1/4 sec cor.
15 Intersect N. boundary of tp. 7 lks
west of cor. to secs. 4 & 5 which is
a sandstone 24×8×6 in firmly set
in the ground marked with 4 notches
on E and 2 on W edges with stone mound
alongside from which True
S. 0° 3' W on true line
betw secs. 4 & 5.
with same var.
00 Gulch drains S. W.
00 Road in hollow dr. S. E.
In Hollow drains S. E.
15 Set cable 10×8×6 in 7 in the ground
for 1/4 sec. cor. marked 1/4 on W face
and raised a stone mound alongside
05 The cor. to secs. 4. 5. 8 & 9.
Land. Rolling bench Hills
Soil 2nd rate.
No timber.
dense
undergrowth on 80.05 chs.
October 14th 1887

Subdivisions

From the cor. to secs. 31 & 32 on
boundary of this township whi
is a trachyte 14×10×8 in firmly
set in the ground & properly marked with stone m
alongside, Trun

North betw. secs. 31 & 3
Var 15° 45' E.

10.00 Hollow drains E.
35.00 do drains E.
40.00 In Hollow drains E set conglomerate 2
×4 in 18 in the ground for 1/4 sec. cor. m
1/4 on W face and raised a stone mound
65.00 Hollow drains E.
80.00 Set trachyte 25×15×6 in 18 in the
ground for cor. to secs. 29. 30. 31 & 32
marked with 5 notches on E and
on Sedges & raised a stone mound
alongside.
Land Rolling and hilly
Soil 2 rate.
No timber
Dense undergrowth on 80

BOOK-A-207

18 S.

Ea

40.00 Set ter
40.40 Intersec
to secs.
S.

19.02 Ridge
20.04 Enter
40.20 Set sa
for 1/4 sec.
and rais
41.00 Leave
41.50 Gulch
80.40 The cor.
Land
Soil.
No tr
Dens

18 S. R 14 E.

East on random line
betw secs. 29 & 32.
Var 15° 45' E.

40.00 Set temp 1/4 sec. cor.
80.40 Intersect N & S line 9 lks S of cor
to secs. 28. 29. 32 & 33 from which S run
S. 89° 56' W on true line
betw secs. 29 & 32
with same var

19.02 Ridge bears N E & S. W.
30.04 Enter hollow drains N. E.
40.20 Set sandstone 14×8×6 in 9 in the ground
for 1/4 sec. cor. marked 1/4 on N. face
and raised a stone mound alongside.
41.00 Leave hollow. enter low & rolling hills
51.50 Gulch drains N E.
80.40 The cor. to secs. 29. 30. 31 & 32
Land rolling & low hills
Soil. 2nd rate
No timber.
Dense undergrowth on 80.40 chs

West on random line
betw. secs. 30 & 31
Var. 5° 45' E.

40.00 Set temp 1/4 sec. cor.

78.40 Intersect W. boundary of Lp. 110
S. of cor. to secs. 30 & 31 which is a
sandstone 15×9×7: firmly set
the ground, properly marked
and stone mound alongside, from
which Chain

S. 89° 55' E on true line
betw. secs. 30 & 31
with same var.

38.40 Set sandstone 14×10×6 in G. the
ground for 1/4 sec. cor. marked 1/4
W face and raised a stone mound
alongside.

65.00 Gulch drains N. E.

78.40 Meas to secs. 29. 30. 31 & 32
Land, Low rolling hills.
Soil Grass.
Timber scrub cedars

Meas underground
on 78.40 chs.

BOOK-A-207

18 S.

Nor

2.50 Junction
7.00 Gulch dr
0.00 Set trach
ground
on W face
alongsi
6.00 Gulch d
0.00 Set trac
ground
marked
& edges a
alongsi
Land. L
Soil
& Timber

BOOK-A-207

18 S. R 14 E.

North betw. 29 & 30
Var. 15° 45' E.

12.50 Junction of 2 gulches drains N.E.
7.00 Gulch drains S.E.
10.00 Set trachyte 24 × 8 × 6 in 18 in the ground for 1/4 sec. cor marked 1/4 on W face and raised a stone mound alongside.
66.00 Gulch drains S.E.
80.00 Set trachyte 20 × 10 × 10 in 12 in the ground for cor to secs. 29. 30. 31 & 32 marked with 2 notches on S and 5 on E edges and raised a stone mound alongside.
Land Low rolling hills
Soil 2nd rate.
Timber. scull. cedars.
Dense
undergrowth on 80 chs.

East on random line
betw. 20 & 29
Var. 15° 45' E.

40.00 Set temp 1/4 sec. cor.
80.25 Intersect N & S line 4 lks S. of
cor to secs. 20.21.28 & 29 from which Pr
S. 89° 58' W on true line
betw secs. 20 & 29
with same var.
40.12 Set sandstone 20×10×7: 14: the gr
for 1/4 sec. cor. marked 1/4 on N fac
and raised a stone mound along
70.00 S. head of gulch
80.25 The cor. to secs. 19.20.30 & 29.
Land Broken & low hills
Soil 2nd rate
Timber scatt. cedars.
[illegible] dense under
on 80.25 ch

BOOK-A-20

18 S. R

Wen

40.00 Set temp
78.60 Intersec
S. of cor.
trachyte
ground
mound
S.

38.60 Set trac
ground
on N. fac
along
73.50 Gulch
78.60 The cor.
Land.
Soil
Timbe

BOOK-A-207

18 S. R 14 E.

West on random line
betw. secs. 19 & 30
Var. 15° 45' E.

40.00 Set temp. 1/4 sec. cor.

48.60 Intersect W. boundary of tp. 14 S. of cor. to secs. 19 & 30 which is a trachyte 20×20×20 firmly set in the ground, properly marked & stone mound alongside from which True S. 89° 54' E on true line betw secs. 19 & 30 with same var.

38.60 Set trachyte 25×20×6 in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound alongside.

73.50 Gulch draines N.E.

78.60 The cor. to 19. 20. 30 & 31.
Land. ~~Undulating~~ hills
Soil 2nd rate
Timber scall. cedar.
dense
undergrowth on 78.60 chs

North betw secs 19 & 20
Var 15° 45' E.

5.00 Gulch draines N. E.
32.50 " " N. E.
40.00 Set trachyte 24×18×9: 18: th
ground for 1/4 sec. Cor. marked
1/4 on W face and raised a stone
mound alongside.
76.50 Gulch draines N E.
80.00 Set trachyte 20×19×6: 12: th
ground for cor to secs 17.18.19
marked with 3 notches on S and
E edges and raised a stone mo
alongside.
Land Low & broken hills
Soil 3 rate.
No timber

Descended
on 80 chs

Ea

.00 Set temp
.17 Intersec
to secs. 16.17.
S

9.50 Hollow
9.09 Set Sla
for 1/4 sec.
and raise
7.00 Gulch dr
5.50 "
.17 The cor to
Lazed.
Soil
Timber

BOOK-A-207

18 S. R 14 E.

East on random line
betw secs. 17 & 20
Var 15° 45' E.

.00 Set temp 1/4 sec. cor.
.17 Intersect N & S. line 8 lks S. of cor.
to secs. 16. 17. 20 & 21 from which I run
S. 89° 57' W on true line
betw. secs. 17 & 20
With same var.

9.50 Follow drains N.E.
0.09 Set Slate 40×6×4 : 24 : the ground
for 1/4 sec. cor. marked 1/4 on N. face
and raised a stone mound alongside.
7.00 Gulch drains N.E.
5.50 " " S.E.
0.17 The cor to secs. 17. 18. 19 & 20.
Land. Low broken hills
Soil 2nd rate
Timber. Scatt cedars.
Dense
undergrowth on 80. 17 chs.
October 15th 1884

Subdivisions

West on random line
betw secs. 18 & 19
Var. 15° 45' E.

40.00 Set temp 1/4 sec. cor.

78.55 Intersect W. boundary of Tp. S. of cor. to secs. 18 & 19 which is a sandstone 10×9×6 in firmly in the ground, properly marked with stone mound alongside. from which I run
S. 89° 57 E on true line
betw secs. 18 & 19
with same var.

38.55 Set sandstone 24×20×16 in 12 in ground for 1/4 sec. cor. marked 1/4 N. face and raised a stone mound alongside.

68.50 Gulch drains S.E.

78.55 The cor. to secs. 17. 18. 19 & 20.
Land. Low broken hills
Soil. Grate
Timber. scell. cedars.
Dense
undergrowth on 78.55

BOOK-A-20

18 S.

Vo

8.50 Gulch
40.00 Set tre
ground
1/4 on W
mound
47.00 Gulch
80.00 Set tre
ground
marked
on E edg
alongs
Land.
Soil
Timb

BOOK-A-2077

18 S. R 14 E.

North between secs. 17 & 18
Var. 15° 45' E.

8.50 Gulch drains S. E.

40.00 Set trachyte 24×10×8 in 16 in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

47.00 Gulch drains E.

80.00 Set trachyte 40×20×4 in 24 in the ground for cor. to secs. 7. 8. 17 & 18 marked with 4 notches on S and 5 on E edges and raised a stone mound alongside.

Land. Low, broken hills
Soil 2nd rate
Timber. scall. cedars.

Dense
artemisia undergrowth on Hoh

Subdivisions

East on random line
betw secs. 8 & 17
Var. 15° 45' E.

40.00	Set temp 1/4 sec. cor.
80.00	Intersect N & S line 12 lks S of cor. to secs. 8.9.16 & 17 from which run S. 89° 55' W on true line betw secs. 8 & 17 with same var.
2.10	Gulch drains N E.
18.00	Ridge bears N E & S. W.
32.00	Enter sandy flat sloping N. E.
40.00	Set sandstone 20 × 10 × 6. 15. the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.
80.00	The cor. to secs. 7.8.17 & 18. Land, Low & rolling hills Soil 2 rate No timber

House
undergrowth on 80 ch's.

BOOK-A-2

18 S.

Wa
ki

.00	Set temp
8.20	Intersec
	10 lks S.
	is a sa ut
	in the grou
	stone mo
	S.
	wi
5.00	Enter,
6.50	Gulch
4.00	Ridge
0.60	Hollow
8.20	In gu
	the ground
	face and r
2.50	Gulch
1.50	"
8.20	The cor. t
	Land.
	Soil
	No tr

BOOK-A-207

18 S. R. 14 E.

West on random line
betw secs. 7 & 18
Var 15° 45' E.

2.00 Set temp. 1/4 sec. cor.
4.20 Intersect W. boundary of township
10 lks S. of cor. to secs. 7 & 18. which
is a sandstone 20 x 15 x 10 in. firmly set
in the ground, properly marked with
stone mound alongside from which I saw
S. 89° 55' E. on true line
betw secs. 7 & 18
with same var.
5.00 Enter, low broken hills
6.50 Gulch drains N.
14.00 Ridge bears N.E. & S.W.
10.60 Hollows drains N.E.
18.20 In gulch set sandstone 14 x 10 x 10 in. 9 in.
the ground for 1/4 sec. cor. marked 1/4 on N.
face and raised a stone mound alongside.
22.50 Gulch drains N.
28.50 " " "
28.20 Sec. cor. to secs. 7. 8. 17 & 18.
Land low, broken hills
Soil 3 rate
Timber.
dense undergrowth on 28.20 ch.

North betw. secs. 7 & 8
Var 15° 45' E.

36.00	Gulch drains N. W.
40.00	In " " " set sandst 36×20×4 : 20 : in the ground for sec. cor. marked 1/4 on W face and raised a stone mound alongside
63.50	Enter flat hollow
72.00	" road ... bears NE & S
80.00	Set quartzite 30×8×4 : 20 : in the ground for cor. to secs. 5. 6. 7 & 8 marked with 5 notches on S. & E. and raised a stone mound alongside.
	Land. Rolling hilly & flat
	Soil 3 & 1 rate
	No timber.
	Dense undergrowth on 80

BOOK-A-20

Sp.

4000	Set te
79.75	Intersec cor. to sec
3.50	Gulch d
12.60	"
17.50	Descen
25.00	Gulch
29.60	Enter
38.48	D & R.
38.86	Peleg r
39.88	Set sand for 1/4 sec raised a
40.30	Road
46.50	"
50.05	Price r
51.50	Road
59.80	"
79.75	The cor

BOOK-A-207

Tp. 18 S. R 14 E.

East on random line
betw secs. 5 & 8
Var. 15° 45' E.

4000	Set temp 1/4 sec. cor.
79.75	Intersect N & S. line 7 lks S of cor. to secs. 4. 5. 8 & 9 from which S run S. 89° 56' W on true line betw. secs. 5 & 8 with same var.
3.50	Gulch drains S. E.
12.60	" " S. W.
17.50	Descend
25.00	Gulch drains S. W.
29.60	Enter river bottom
38.48	D & R. G. R. R bears N. W & S. E.
38.86	Telegraph line " "
39.88	Set sandstone 24×12×6 in 14 in the ground for 1/4 sec. cor. marked 1/4 on N face & raised a stone mound alongside.
40.30	Road bears N. W & S. E.
46.50	" " NE & S. W
50.05	Price river 40 lks wide, 20 in deep runs S. W.
51.50	Road bears N & S.
59.80	" " NE & S. W.
79.75	The cor. to secs. 5. 6. 7 & 8.

Subdivisions

Land. bottom & rolling be
Soil. 1 & 3 rate.
Timber. Cottonwoods: bottom
Dense undergrowth on 79.7

West on random line
betw secs. 6 & 7
Var. 15° 45' E.

40.00 Set temp 1/4 sec. cor.
78.10 Intersect W. boundary 12
S. of cor. to secs. 6 & 7 which is a
Slate 30 × 25 × 4 in firmly set
ground, properly marked with
stone mound alongside from
which I run
S 89° 55' E on true line
betw secs. 6 & 7
with same var.

5.50 Gulch drains N.E.
29.40 " " S.
36.50 " " S.
38.10 Set quartzite 12 × 9 × 6: 8 in the
ground for 1/4 sec. cor. marked
on W face and raised a stone

BOOK-A-20

18

mound
6.50 Enter
8.10 The cor
Land
Soil
Timber
Dens

Nor

Set tem
0.10 Inters
14 lks
is a co
ground
stone
which

Wash
1.00 Wash
3.60 D. & R
4.40 Teleg
5.20

BOOK-A-207

18 S. R 14 E.

mound alongside.
16.50 Enter bottom
18.10 The cor. to secs. 5. 6. 7 & 8.
Land rolling & bottom
Soil B & 1 rate
Timber Cottonwood in bottom
Dense undergrowth on 7 8. 10 chs

North on random line
betw secs. 5 & 6.
Var. 15° 45' E.

1000 Set temp. 1/4 sec. cor.
20.10 Intersect N. boundary of Tp.
14 lks W. of cor. to secs. 5 & 6 which
is a cobble stone 12 x 12 x 4 in firmly in the
ground, properly marked with
stone mound alongside, from
which I run
S. 0° 6' W on true line
betw. secs. 5 & 6.
Wash IN. with same var.
1.00 3.60 Wash drains N. W.
4.40 D. & R. G. R. R bears N. W. & S. E.
5.20 Telegraph line " "

0 5 Notches = E + 1 = W. edges

Subdivisions

18.90 Road bears N W & S E.
20.25 Price river 75 lks wide 12 deep runs S. E.
40.10 Set cabble stone 12×8×6 & the g for 1/4 sec. cor. marked 1/4 on W. and raised a stone mound along side.
59.00 Ascend
67.73 E. point of low ridge ascend
75.34 Enter bottom
80.10 The cor. to secs. 5.6.7 & 8.
Land. rolling & bottom
Soil 1 & 3 rate
Timber. Cottonwoods - bottom
Dense undergrowth on 80
October 16/84.

X

BOOK-A-207

18 J.

Gener
The Inv
embraces
along Pr
whole ex
which m
valuable
rolling
corned
artem
The un
a high
which i
The ap
has made
consisting
outhou
irrigat
land
they are
of sec 8
Station is
The settlem
sec 6, his
& some fe

BOOK-A-207

Tp. 18 S. R 14 E.

General Description.

The surveyed part of this Tp. embraces some excellent bottoms along Price River, traversed their whole extend by the D & R. G. Ry which makes the land very valuable, there are besides low rolling hills and benches covered densely with large artemisia undergrowth. The unsurveyed part falls in a high barren bluff mountain which is unavailable.

The applicant Henry Hutchison has made considerable improvements, consisting of 3 Cabins, corral outhouses, about a mile of irrigating canal and some land under cultivation they are situated in the N.E. 1/4 of Sec 8. Lower crossing R.R. Station is situated in S.E. 1/4 Sec. 9. The settlement of C Marsh is situated in N 1/2 Sec 6, his improvements consist of 2 cabins & some fencing.

Stewart M. Pancake

U. S. dep. Sur.

BOOK-A-2

U. S. SURVEYOR

Salt Lake C

The foregoin

Township No. 18

Executed by Ke

Under h

day of Sept

October

amined, the necess

the said field no

hereby approved.

BOOK-A-207 249

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 12th 1885

The foregoing field notes of the survey of the

Subdivisions of fractional

Township No. 18 S. Range No. 14 E.

Executed by Renard M. Pancake No. 130

Under his contract of the 6th

day of September 1884, in the month of

October 1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-20

EPORT: 1885

led

amined by

anscribed by

mpared by Atkin

FIEL

OF THE SU

Subdi

fra

ownship No 2

nge No 1

SALT LA

UTA

AS

Stewart M.

U. S. I

Under his Cont

ated Septe

urvey commence

urvey completed

BOOK-A-207

REPORT: 1885 251 ok

Filed 188

Examined by .....

Transcribed by E Michaelis

Compared by Atkinson & Michaelis

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

fractional

OF

Township No 21 South

Range No 14 East,

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Stewart M. Pancoast

U. S. Deputy Surveyor,

Under his Contract No. 130

Dated September 6. 1884.

Survey commenced October 28th 1884

Survey completed November 4th 1884.

BOOK-A-207

Township 21 S R. 14 E

6		5	296	4	284	3	273	2	263	1	
	301		295		283		272		262		
7		8	294	9	282	10	271	11	261	12	
	300		293		281		270		260		
18		17	292	16	281	15	270	14	259	13	
	300		291		280		269		258		
19		20	290	21	279	22	268	23	257	24	
	299		289		278		267		256		
30	299	29	287	28	277	27	267	26	255	25	
	298		286		276		266		254		
31	297	32	285	33	275	34	265	35	253	36	

BOOK-A-207

Subdivisions Tp. 21 S. R 14 E

Survey commenced Oct 28th 1884 with a Burts improved solar compass. From the cor. to secs. 35 & 36 on S. boundary of tp. which is a shale 20×12×4: firmly set in the ground properly marked with stone mound alongside Trees

North betw. secs. 35 & 36

Var 15° 18' E.

4.00 Set slate 12×8×6 in 8 in the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

41.25 Gulch Wash drains E.

47.50 " " " "

48.00 " " " N. E.

75.50 " " " "

80.00 Set slate 12×8×6 in 8 in the ground for cor. to secs. 25. 26. 35 & 36 marked with 1 notch on S & E edges & raised a stone mound alongside.

Land. Rolling

Soil 2nd rate.

No timber.

Dense artemisia undergrowth on 80 chs

Subdivision

East on random line
betw. secs. 25 & 36
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.00 Intersected E boundary of tp
10 lks. N. of cor. to secs. 25. 30. 31 & 36
is a post, firmly set in the ground
properly marked with pits & mou
of earth around it from which T
N. 89° 56' W on true line
betw. secs. 25 & 36
with same var.
39.90 Wash hollow drains N. E.
40.00 Set Slate 12×8×6: 8: the ground for
sec. cor. marked 1/4 on N face & raised
a stone mound alongside.
68.00 Wash hollow drains N. E.
80.00 The cor. to secs. 25. 26. 35 & 36.
Land. Rolling
Soil 2nd rate.
No timber.

Dense artemisia undergrowth
on 80 chs.

BOOK-A-2

Tp.

No

4.50 Wash
13.00 "
40.00 Set sam
for 1/4 se
and rai
along
40.50 Main
42.25 Road
45.25 Wash
70.00 Wash
78.75 "
80.00 Set slat
for cor
with
raised
Land.
Soil
No tim

Dens

BOOK-A-207

Tp. 21 S. R. 14 E.

North betw secs. 25 & 26.
Var. 15°18' E.

4.50 Wash drains N.
13.00 " " "
40.00 Set sandstone 12×8×6. S. the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
40.50 Main Wash drains N.
42.25 Road bears E & W.
45.25 Wash drains E.
70.00 Wash " E.
78.75 " " E.
80.00 Set slate 14×12×4 in. S. the ground for cor. to secs. 23. 24. 25 & 26. marked with 2 notches on S and 1 on E edges & raised a stone mound alongside.
Land. Rolling
Soil 1st rate.
No Timber.

Ceanothus in undergrowth on Hills.

Subdivisions

	Exact on random line betw. secs. 24 & 25 Var 15° 18' E.
40.00	Set temp 1/4 sec. cor.
80.10	Intersected E. boundary of t[illegible] 20 lks. N. of cor. to secs. 19. 24. 25 & which is a post firmly set in grou[illegible] properly marked with pits & mou[illegible] of earth around it, from which [illegible] N. 89° 57' W on true line betw secs. 24 & 25 with same var.
34.00	Road bears N E & S W
40.05	Set a quartz ite 16×5×4 in 12 in the ground for 1/4 sec. cor. marked 1/4 on N face & raised & stone mound alongsi[illegible]
78.75	Wash drains N. E.
80.10	The cor. to secs. 23. 24. 25 & 26. Land. Level. Soil Rate. No timber.

Dense artemisia undergro[illegible] on 80.10 chs.

2.1

	No[illegible]
2.70	Wash d[illegible]
8.30	"
3.50	"
0.00	Set s[illegible] the grou[illegible] on W. fa[illegible] alongsi[illegible]
0.50	Wash [illegible]
2.75	Road [illegible]
0.00	Set sl[illegible] for cor. [illegible] with 3 [illegible] & raise[illegible] Land. [illegible] Soil. [illegible] No tim[illegible] Den[illegible]

BOOK-A-207

21 S. R. 14 E.

North betw. secs. 23 & 24
Var. 15° 18' E.

2.70 Wash drains E.
8.30 " " E.
13.50 " " N.E.
0.00 Set sandstone 12 × 8 × 6 : 8 in : the ground for 1/4 sec. cor. marked 1/4 on W. face & raised a stone mound alongside.
0.50 Wash drains E.
2.75 Road bears E & W.
0.00 Set slate 18 × 16 × 8 in 12 in the ground for cor. to secs. 13. 14. 23 & 24 marked with 3 notches on S and 1 on E edges & raised a stone mound alongside.
Land Rolling
Soil. 2nd rate.
No timber.
Dense artemisia
— undergrowth on 80 chs.

Subdivision Tp. 21

East on random line
betw. secs. 13 & 24
Var. 15°18' E.

40.00 Set temp. 1/4 sec. cor.

79.50 Intersected E. boundary of Tp.
40 lks. N. of cor. to secs. 13. 18. 19 & 24
which is a post firmly set in the
ground, properly marked fit
& mound of Earth around it.
from which I run
N. 89°43' W on true line
betw secs. 13 & 24
Var. 15°18' E.

25.25 Wagon road bears NE & SW

39.75 Set sandstone 24×12×2 : 18 : the
ground for 1/4 sec. cor. marked 1/4 on
N face & raised a stone mound
alongside.

79.50 The cor. to secs. 13. 14. 23 & 24
Land. Level
Soil Pebble
No timber
Dense artemisia
undergrowth on 79.50

BOOK-A-20

N

17.25 Wash
30.50 Spurrid
40.00 Set a qu
for 1/4 s
raised
44.00 Hollow
53.75 Wash
64.50 "
68.75 "
80.00 Set a
for cor.
4 notches
astone
Land.
Soil
No
De

Tp. 21 S. R 14 E

North betw secs. 13 & 14
Var. 15° 18' E.

17.25 Wash drains E.
30.50 Spurridge heads W.
40.00 Set a quartzite 10 × 10 × 8 : 6 : the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.
44.00 Hollow drains N.E.
53.75 Wash drains S.E.
64.50 " " E.
68.75 " " N.E. low ridge between.
80.00 Set slate 14 × 10 × 4 in 9 in the ground for cor. to sec 11. 12. 13 & 14 marked with 4 notches on land 1 on E edges & raised a stone mound alongside.
Land. Rolling
Soil 1st rate.
No timber
Dense artemisia undergrowth on 80.00 ch's

Subdivisions

East on random line
betw. secs. 12 & 13
Var. 15°18' E.

40.00 Set temp 1/4 sec. cor.

79.60 Intersect E. boundary at the cor. to secs. 7.18.12 & 13 which is a post firmly set in the ground with spot & mound of earth alongside, properly marked from which Trees

West on true line
betw secs. 12 & 13.
Var. 15°18' E.

39.80 Set state 14 x 10 x 3 : 9 : the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside

59.75 Gulch Wash drains N. E.

79.60 The cor. to secs. 11.12.13 & 14.
Land. Rolling
Soil pr Gate.
No timber.
Dense undergrowth as terms in on 79.60 chs

October 28th 1884

Tp.

(No

.00 Set sand
ground
1/4 on W
alongside
.00 Wash dr
.00 Ridge
.00 Wash: h
.00 " d
.00 E. Point of
.00 Wash
.50 "
.00 Set gran
ground
with 5 note
raised a
Lays.
Soil
No tim
Den

Tp. 21 S. R 14 E.

(North betw. secs. 11 & 12
Var. 15°18' E.

.000 Set sandstone 20×10×4 : 15 : the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

7.00 Wash drains N.E.

6.00 Ridge bears E & W.

.00 Wash: hollow drains N.E.

.000 " drains E.

.00 E Point of spurridge heads W.

2.00 Wash " drains S.E.

7.50 " drains E.

.00 Set granite 26×14×14 : 27 : the ground for cor. to secs. 1.2.11 & 12. marked with 5 notches on S and 1 on E edges & raised a stone mound alongside.

Lay. Rolling clay hills.

Soil 1st rate.

No timber.

Dense artemisia

undergrowth on 80 ch's

Subdivisions

East on random line
betw secs 1 & 12
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor
79.75 Intersected E. boundary of
15 lks. S. of cor. to secs. 1. 6. 7 & 12 whi
is a post firmly set, properly m
with pits & mound alongside from
which Sun S. 89° 54' W
on true line betw. secs. 1 & 12
with same var.
26.50 Gulch drains S.
37.50 Leave flat, enter bench bears N. W &
39.88 Set sand stone 22 x 6 x 4 : 16 : th
ground for 1/4 sec. cor. marked 1/4
on N face & raised a stone mou
alongside.
55.50 Green River road bears N W & S E.
62.00 Gulch drains S.
63.00 Leave bench bears N W & S E
67.00 Wash hollow drains S E.
68.60 abandoned Grade of D & R. G. R. bears N. W & S E leave Gulch
79.75 The cor. to secs. 1. 2. 11 & 12.
Land level & rolling
Soil Indrata

BOOK-A-207

Tp. 21

No timber
Dens

North o
S

6.10 Gulch
6.95 abandoned Grade of
18.00 Bend
20.50 Enter
30.90 Green Riv
36.50 Leave
40.00 Set sa
ground
on W fa
alongsi
46.00 Cottonw
65.00 Wash

Tp. 21 S. R. 14 E.

No timber.
Dense undergrowth
on 79. 75 ds

North on true line betw.
Secs. 1 & 2
Var 15° 18' E.

6.10 Gulch drains E.
6.95 abandoned Grade of D & R.G. Ry bears N.W. & S.E.
18.00 Bend of gulch Wash bears N.W. & S.W.
20.50 Enter bench
30.90 Gun River road bears N.W. & S.E.
36.50 Leave Bench bears N.W. & S.E.
40.00 Set sandstone 12×8×6: 8: the ground for 1/4 sec cor marked 1/4 on W face and raised a stone mound alongside.
46.00 Cottonwood wash drains S.E. thence up same
65.00 Wash dr. S.W.

Subdivisions

77.00	Same drains S. E.
113.50	" " S. W.
124.50	Intersect 4" Standard parallel S. 25.50 chs. E of the cor. to secs. 33 & 34 which is a sandstone 15×16 firmly set in the ground properly marked, with stone mound along where I set a sandstone 22×14×8 in 16 in the ground for closing cor. to secs. 1 & 2 marked with 1 notch on E and 6 on Wedges on C. C. and raised a stone mound along Land. Rolling Soil E-rate No timber. Dense artemisia undergrowth on 124.50 chs.

BOOK-A-207

Tp.

From the
boundary
16×12×12
properly
alongside
Nor

6.00	Wash dr
2.00	"
6.75	"
1.00	Set sand
	ground f
	in W face
	alongside
7.75	Wash dr
8.35	Wagon R
0.00	Set san
	ground
	marked
	Edges an
	alongsi
	Land.
	Soil
	No tim
	Dense artem

BOOK-A-207

Tp. 21 S. R 14 E.

From the cor to secs. 34 & 35 on S. boundary of tp. which is a quartzite 16×12×12 : firmly set : the ground properly marked, with stone mound alongside. Trim

North betw secs. 34 & 35

Var. 15° 18' E.

6.00 Wash drains W.

22.00 " " "

26.75 " " "

10.00 Set sandstone 12×8×6 : 8 : the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

57.75 Wash drains S. W.

18.35 Wagon Road bears E & W.

10.00 Set sandstone 12×8×6 : 8 : the ground for cor. to secs. 26. 27. 34 & 35 marked with 1 notch on Sand Lon Edges and raised a stone mound alongside.

Layed. rolling

Soil 2nd rate.

No timber

Dense artemisia undergrowth on 80 chs.

	Cast on random line
	betw. secs. 26 & 35
	Var. 15° 18' E
40.00	Set temp 1/4 sec cor.
80.00	Intersect N & S line 15 lks. N of
	cor. to secs. 25. 26. 35 & 36 from
	which I run N 89° 54' W on true
	betw. secs. 26 & 35
	with same var.
	gradual ascent.
7.00	Wash drains N.E.
17.00	" " "
37.00	Descend 20° 25 chs.
40.05	Set limestone 12×8×6. 8. the ground
	for 1/4 sec. cor. marked 1/4 on N face
	& raised a stone mound alongside
	enter level ground.
60.34	Lower Bench bears N & S.
76.00	Wagon track bears N.E. & S.W.
80.00	The cor. to secs. 26. 27. 34 & 35.
	Land rolling
	Soil 2nd rate.
	No timber.
	Dense undergrowth on 80

BOOK A-20

Tp. 2

	N
40.00	Set s
	grou
	1/4 cor W
	along
63.50	Wash
80.00	Set
	grou
	marked
	& raise
	Land
	Soil
	No tr
	Den
	Ea
	bet
40.00	Set te
80.30	Inter
	23. 24. 2
	West o
40.05	Set st

Tp. 21 S. R. 14 E.

North betw. 26 & 27
Var. 15° 18' E.

40.00 Set sandstone 12×8×6: 8: the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

63.50 Wash drains W.

80.00 Set slate 20×20×2: 15: the ground for cor. to secs. 22. 23. 26 & 27 marked with 2 notches on S & E edges & raised a stone mound alongside

Land. Level.

Soil 2nd rate.

No timber.

Dense undergrowth on 80 lks.

East on random line betw. secs. 23 & 26.
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.

80.30 Intersect N & S line at cor. to secs. 23. 24. 25 & 26. from which Tree Well on true line betw. secs. 23 & 26
Var. 15° 18' E.

40.00 Set slate 14×10×3: 9: the ground

Subdivisions

for 1/4 sec. cor. marked 1/4 on N fa
& raised a stone mound along
49.50 Leave Upper bench descend 25°. 13.50
61.73 Enter lower " — bears N & S.
80.30 The cor. to secs. 22. 23. 26 & 27.
Land. Rolling
Soil 2nd rate.
No timber.
Dense artemisia
undergrowth on 80.30

North betw. secs. 22 & 23.
Var. 15° 18' E.

39.78 Wagon track bears N E & S W.
40.00 Set trachyte 22×20×4: 16: the gro
for 1/4 sec. cor. marked 1/4 on W face &
raised a stone mound alongside.
71.50 Wagon road bears N E & S. W.
80.00 Set sandstone 20×18×14: 15: the
ground for cor. to secs. 14. 15. 22 & 23. marked
with 3 notches on Sand. 2 on E edges
and raised a stone mound alongside
Land. Level.
Soil 2nd rate
No timber.
Dense artemisia undergrowth on 8

BOOK-A-207

Tp. 2

East
bet

.00 Set temp
.40 Intersec
13. 14. 23 & 24.
West
bet
wit
.50 Wash dra
.00
.50 Leave Upper b
.20 Set sand
ground f
on N face
4.64 Enter S
8.20 Wagon r
.40 The cor. to
Land. rol
Soil 2
No tim
Dens

Tp. 21 S. R 14 E.

East on road on line
betw secs. 14 & 23
Var. 15° 18' E.

.00 Set temp 1/4 sec. cor.
.40 Intersect N & S. line at cor. to secs.
13. 14. 23 & 24. from which I run
West on true line
betw secs. 14 & 23
with same var.
.50 Wash drains S. E.
.00 " " "
.50 Leave upper bench descend 20° 78 chs.
.20 Set sandstone 12×8×6: 8: the
ground for 1/4 sec. cor. marked 1/4
on N face & raised a stone mound alongside
4.64 Enter Lower Bench.
8.20 Wagon road bears N & S.
0.40 The cor. to secs. 14. 15. 22 & 23.
Land. rolling
Soil 2nd rate.
No timber.
Dense undergrowth on
80.40 chs.
October 29th 1884.

Subdivision

North betw. 14 & 15
Var. 15° 18' E.

13.75 Wash drains E.
40.00 Set trachyte 18×12×10: 12 th
ground for 1/4 sec cor marked 1/4
W face praised a stone mound along
80.00 Set trachyte 20×20×5 & 15: the
ground for cor. to secs. 10. 11. 14 &
marked with 4 notches on Sand
Zon E edges praised a stone mou
alongside.
Land. Level.
Soil 2nd rate.
No timber.
Dense artemisia
undergrowth on 80 ch

East on random line
betw. secs. 11 & 14.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.50 Intersected N & S line 10 lks N. of
to secs. 11. 12. 13 & 14. from which S
run N. 89° 56' W on true line
betw secs. 11 & 14.

BOOK-A-2

p. 21

12.00 Wash
24.00 "
31.00 Descend
0.35 Set sa
ground
W face
55.28 Entry
57.50 Way o
0.50 The cor
Land.
Soil
No t
Dense

Nort

40.00 Marke
2 ft above
facing
53.50 Gullie
57.50 "
61.50 "
80.00 Set sa
groun

BOOK-A-207

Tp. 21 S. R 14 E.

with same var.

12.00 Wash drains N. E.

24.00 " " "

31.00 Descend 20° 16 chs — ~~[illegible]~~

0.35 Set sandstone 22×20×3: 16: the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

55.28 Enter lower bench

57.50 Wagon road bears N & S.

60.50 The cor. to secs. 10. 11. 14 & 15.

Land. Level.

Soil 1st & 2nd rate.

No timber.

Dense artemisia undergrowth on 80.50 chs.

North betw. secs. 10 & 11

Var. 15°18' E.

40.00 Marked stat. sandstone boulder 4×3×2 ft above ground for 1/4 sec. cor with 1/4 facing W. & raised a stone mound alongside.

53.50 Gullie drains E.

57.50 " " "

61.50 " " S. E.

80.00 Set sandstone 20×20×10: 15: the ground for cor to secs. 2. 3. 10 & 11

Subdivisions

	marked with 5 notches on 2 on E edges & raised a stone mound alongside.
	Land rolling
	Soil 2nd rate.
	No timber
	Dense artemisia undergrowth on 80 chs.
	East on random line betw. secs. 2 & 11 Var. 15° 18' E.
40.00	Set temp 1/4 sec. cor.
80.68	Intersect N & S. line at cor. to secs. 1. 2. 11 & 12 from which I run West on true line betw. secs. 2 & 11. with same var.
4.35	Gulch drains N.E.
22.50	Bottom of gulch drains N. E.
24.00	Leave Upper bench descend 75° 13' to
35.78	Lower bench
40.34	Set slate 12×10×5 in the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside

Tp.

4.50	Wash
.50	Road
.68	The cor.
	Land.
	Soil
	No tim
	Hous
	un
	North
	Va
6.50	Gulli
5.65	Wash a
2.00	W poin
0.00	Set lime
	for 1/4 sec.
	& raised
54.50	Wash a
60.75	abandoned Grade of
1.00	Wash d
17.25	Gun. Rw
24.50	Inters
	25 chs. E.
	Set a s
	in the g

Tp. 21 S. R 14 E.

4.50 Wash drains N.
.50 Road - gulch wash drains N.
.68 The cor. to secs. 2.3.10 & 11
Land. Rolling
Soil 2nd rate.
No timber.
House artemisia
undergrowth on 80.68 chs.
North on true line betw. secs. 2 & 3.
Var. 15° 18' E.
6.50 Gullie drains N.E.
5.65 Wash drains N.E.
2.00 W point of ridge bears N & S.E.
0.00 Set limestone 12×8×6 : 8 : the ground
for 1/4 sec. cor. marked 1/4 on W face
& raised a stone mound alongside
54.50 Wash drains S.E. enter flat.
60.75 abandoned Grade of D. & R. G. Ry. bears N. W & S.E.
1.00 Wash drains S.W.
7.25 Gun River road bears N. W & S.E.
24.50 Intersect 4° stand. parallel S.
25 chs. E. of cor. to secs. 32 & 33, where
I set a sandstone 36×16×4 : 27
in the ground for closing cor.

Subdivision

to secs. 2 & 3 marked cor
2 notches on E and 4 on W
edges & C. C. and raised
& stone mound along
hand. Broken & rolling
Soil 2 rats
No timber

deine
underground 24.50 chs

Sec.

From
2 hou
36×12×
marked,
N
Descend
8.19 Enter
10.50 Wash
19.00 Low
32.50 Wash
35.00 Lower
39.00 Was
40.00 Set s
for 1/4
& raise
46.50 E end
52.50 Road
60.00 Low Ridg
64.00 Lea
67.00 Wen
80.00 Set
gro
mar
on E
alo

BOOK-A-207

Tp. 21 S. R 14 E.

From the cor. to secs. 33 & 34 on
S boundary of tp. which is a sandst
36×12×3: firmly set: the ground, properly
marked, with stone mound alongside.

North betw secs. 33 & 34

Descend 35° 10' Var. 15° 18' E.
chs to

8.19 Enter flat
10.50 Wash drains S. W.
19.00 Low ridge heads S. E.
32.50 Wash drains W.
35.00 Spur ridge bears E & W.
39.00 Wash drains S. W.
40.00 Set sandstone 12×8×6: 8: the ground
for 1/4 sec. cor. marked 1/4 on W face
& raised a stone mound alongside.
46.50 E end of lone gravel ridge bears W.
52.50 Road bears E & W.
60.00 Low Ridge " E & W.
64.00 Leave same
67.00 W end of Spur ridge heads E. 2 chs
80.00 Set sandstone 16×8×4: 12: the
ground for cor. to secs. 27. 28. 33 & 34
marked with 1 notch on S and 3
on E edges & raised a stone mound
alongside

Subdivisions

Land. very broken
Soil 3 rate.
No timber
Dense undergrowth on 80 ch's. —

East on random line
betw. secs. 27 & 34
Var. 15° 18' E.

40.00	Set temp 1/4 sec. cor.
80.20	Intersect N & S. line 15 lks S. of cor. to secs. 26. 27. 34 & 35. from which Sun S. 89° 54' W. on true line betw. secs. 27 & 34 with same var.
9.75	Main wagon road bears N & S.
15.00	" wash drains S.
18.50	Road bears N & S.
40.10	Set limestone 12×12×6: 8: the grown for 1/4 sec. cor. marked 1/4 on N. face & raised a stone mound alongside
42.00	Wagon road bears NE & S.W.
50.00	~~N. point of~~ ridge heads S.
54.60	Road bears NE & S.
60.00	Wash drains S.E.
73.00	Point of ridge heads S.
80.20	The cor. to secs. 27. 28. 33 & 34

BOOK-A-20

Tp. 2

Land.
Soil
No tim
Dens

North

0.00	Set trac
	for 1/4 sec.
	raised a
4.00	Gullie
4.00	Wash dr
6.00	Point of
0.00	Set sa
	the grou
	marked
	& raised a
	Land.
	Soil
	No tim
	Dens

BOOK A-207

Tp. 27 S. R 14 E.

Land. broken & level
Soil 2d rate.
No timber.
Dense artemisia undergrowth
on 80 20 chs.
October 30. 1884.

North betw. secs. 27 & 28
Var. 15° 18' E.

0.00 Set trachyte 18×12×10: 12: the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.
4.00 Gullie drains E.
4.00 Wash drains N.E.
6.00 Point of ledge breaks bears N.E. & S.W.
0.00 Set sandstone 30×12×12: 22: the the ground for cor. to secs. 21. 22. 27 & 28 marked with 2 notches on S & 3 on E edges & raised a stone mound alongside.
Land. Rolling
Soil. 2nd rate.
No timber.
Dense artemisia undergrowth
on 80 chs.

Subdivision of Tp. 2

	East on random line
	betw. secs. 22 & 27
	Var. 15°18' E.
40.00	Set temp 1/4 sec. cor.
80.25	Intersected N & S line 35 lks [illegible]
	of cor. to secs. 22.23.26 & 27 from
	which Trun
	N. 89°45' W on true line bet
	secs. 22 & 27
	with same var.
5.40	Wagon road bears N & S.
10.00	Mainwash drains S. lease levels
17.00	Gullie drains S.E.
29.00	Descend rocky bluff 30° 12 chs to
39.39	Enter bench
40.12	Set granite 12x12x4.8. the gro
	for 1/4 sec. cor. marked 1/4 on N face
	& raised a stone mound alongside
44.50	Wash drains S.W.
49.00	" " S.
57.50	Descend 40° 7 chs to
62.86	Wash at foot of same drains S.
80.25	The cor. to secs. 21. 22. 27 & 28
	Land. Level & broken
	Soil 2" rate

BOOK-A-2

No tim

ust

Nor

var.

4000 On S side

18x18x18.

marked 1/

mound a

8000 Set s

the gra

22. mar

edges g

Land.

Soil

No tr

bens

BOOK-A-207

Tp. 21 S. R 14 E

No timber.

dense

ceanothus underground on 80.25 chs.

North betw. secs. 21 & 22

var. ~~betw secs.~~ 15° 18' E.

4000 On S side of gulch drains E. set sandst. 18x18x18: 12 in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

8000 Set sandstone 24x14x12: 18 in the ground for cor. to secs. 15.16.21 & 22. marked with 3 notches on S & E edges & raised a stone mound alongside.

Land. broken & level.

Soil 3 rate.

No timber

dense underground on 80 chs.

Subdivisions

East on random line
betw. secs. 15 & 22
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.
80.10 Intersect N & S line 20 lks N. of cor.
to secs. 14. 15. 22 & 23 from which Sun
N. 89° 51' W on true line
betw. secs. 15 & 22.
with same var.
11.75 Trachyte ridge bears N.
25.00 Reef bears N & S.
38.50 " " N & S.
40.05 In wash drains S. marked Cable
24 x 24 x 12 : 18 : the ground for 1/4 sec. cor. 1/4 on
N face & raised a stone mound along side
41.00 Wash drains S.
70.00 Spurridge heads N.
80.10 The cor. to secs. 15. 16. 21 & 22.
Land. very broken
Soil 3 rate.
No timber
~~High Mountain~~
dense undergrowth 80.10 d

BOOK-A-2

Sp

Nor

00 Set sam
marked
ground
0.00 Set trac
ground
marke
3 on E c
mound
Land.
Soil
No tim
Dense

East
bet

0.00 Set temp
0.00 Intersec
to secs. 1
W. on
bet
w
3.50 Leave fl
0.00 Gulch

Tp. 2 S. R 14 E.

North betw secs. 15 & 16.
Var. 15° 18' E.

00 Set sandstone 20×20×5: 15: the
marked 4 on W side &
ground for 1/4 sec raised M of S. along side

0.00 Set trachyte 20×10×4: 15: the
ground for cor. to secs. 9. 10. 15 & 16.
marked with 4 notches on S and
3 on E edges and raised a stone
mound alongside.
Land. Breaks
Soil 2nd rate.
No timber
Dense artemisia under growth 80 cts.

East on random line
betw secs. 10 & 15.
Var 15° 18' E.

0.00 Set temp 1/4 sec. cor.
0.00 Intersect N & S. line at the cor.
to secs. 10. 11. 14 & 15 from which Sam
W. on true line
betw secs. 10 & 15.
with same var.
3.50. Lease flat - cor. broken ground.
0.00 Gulch drains N. W.

Subdivision

27.50	Reef bears N & S.
32.50	Foot of same
40.00	Set sandstone 12×8×6: 8: the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
80.00	The cor. to secs. 9. 10. 15 & 16
	Land. broken
	Soil 3 rate
	No timber
	Dense artemisia
	undergrowth on 80 ch's.
	North betw secs. 9 & 10
	Var. 15° 18' E.
40.00	Marked sallid ledge for 1/4 sec. cor. 1/4 facing W and at cor. point raised a stone mound alongside.
80.00	Set sandstone 22×12×12: 18: the ground for cor. to secs. 3. 4. 9 & 10. marked with 5 notches on Land 3 on E edges and raised a stone mound alongside.
	Land. Rolling

BOOK-A-2

Sp. 2

	Soil
	No tr
	Dec
	Eau
40.00	Set ter
80.35	Inter
	2. 3. 10 & 1
	N
2.00	Top of
4.50.	Foot
25.50	Wash
33.50	"
35.50	"
40.17	Mark
	above g
	Wand
80.35	The co
	Lan
	Soil
	No

Tp. 21 S. R 14 E.

Soil 2nd rate.
No timber
Dense undergrowth on 80 ch's

Erection random line betw secs. 3 & 10.
Var. 15° 18' E.

40.00 Set temp. 1/4 sec cor
80.35 Intersect N & S line 15 lks. N. of cor. to secs.
2. 3. 10 & 11 from which I run
N. 89° 54' W on true line
betw secs. 3 & 10.
with same var.

2.00 Top of reef bears N & S.
4.50. Foot of same, Wash dr. N.
25.50. Wash dr. S. E.
33.50 " " N. E.
35.50 " " S.
40.17 Marked sallit stat. 24 x 24 x 12. standstone
above ground for 1/4 sec. cor. 1/4 facing
Nand raised a stone mound alongside.
80.35 The cor. to secs. 3. 4. 9 & 10.
Land. broken, rolling
Soil 2nd rate.
No timber.

dense undergrowth on 80.35.

Subdivisions

North on line betw. secs. 3 & 4
Var 15° 18' E.

40.00 Set sandstone 22 x 20 x 4: 18: [illegible]
ground for 1/4 sec. cor. marked 1/4 on [illegible]
face and raised a stone mound
alongside.

122.50 Enter pass through reef bears N W & S E

124.80 Intersect 4th Standard
parallel S. 25 chs. E of cor. to [illegible]
31 & 32. where I set a trachyte
24 x 12 x 12: 18: the ground for Cl[illegible]
cor. to secs. 3 & 4 marked C.C.
with 3 notches on E & W edges
raised a stone mound
alongside.

Land: Rolling & broken
Soil 2d rate.
No timber.

~~and~~ dense underground
on 124.80 chs
October 31. 1884

BOOK-A-207
Tp. 21 285 R 14 E.

From the cor. to secs. 4. 5. 32 & 33 on S. boundary of tp. which is a sandst. 42×18×10: firmly set: the ground, properly marked, with pits & mound of earth around it I run

North betw. secs. 32 & 33.

Var. 15° 18' E.

16.00 Road bears E. & S.W.
40.00 Top of reef bears N E & S. W. marked sallid ledge for 1/4 sec. cor. 1/4 facing W and raised a stone mound alongside. descend.
13.00 Enter bottomland ditch dr. S.W.
19.50 Enter field Leave underground
64.60 Ditch runs S. W.
78.00 Leave field Enter underground
79.00 On account of river bend I offset E. 75 lks. then North 100 lks where I set a lime 12×10×5: 8: the ground 75 lks. E. of true cor. point for Witness cor. to secs. 28. 29. 32 & 33 marked W. C. with 1 notch on Sand 4 on E edges & raised a stone mound alongside.
Land Rolling & bottom
Soil 1 & 2 rate.

Subdivisions

	Timber scatt. Cottonwood dense
	undergrowth on 50.50
	East on random line
	betw secs. 28 & 33
	Var. 15°18' E.
0.75	Witness cor.
40.00	Set temp. 1/4 sec. cor.
89.40	Intersect N & S. line 40 lks S.
	cor. to secs. 28. 29. 32 & 33 from whe
	Same S. 89°45' W on true li
	betw secs. 28 & 33
	with same var.
38.00	Descend 25° 12.25 chs
49.20	Set sandstone 10×10×10: 6:
	ground for 1/4 sec. cor. marked
	on N face & raised a stone mound
	alongside.
49.00	Enter bottom
60.00	Road bears N W & S E
65.65	" " N E & S W
70.70	fence & ditch runs S W. T
	& cabins bears S. 3.50 chs

Sp 21

72.50	Road
	dist.
80.40	The Cor
	Land
	Soil
	Tim
	Dense
	Vo
	From t
	is 75 E.
	1.50 lks
1.50	on li
7.50	Sandst
	runs
16.00	Ditch
21.40	Road
26.60	"
31.85	Ditch
32.00	Enter
40.00	Not

Sp 21 S R 14 E.

72.50	Road bears S. 2° W. to cabin 3.50 chs. dist.
80.40	The Cor. ~~point~~ to Secs. 28. 29. 32 & 33. Land Rolling & bottom. Soil 1 & 2nd rate. Timber. scatt cottonwood. Dense artemisia undergrowth on 80.40 chs.

North betw. secs. 28 & 29
Var. 15° 18' E.

From the cor. to secs. 28. 29. 32 & 33. Which is 75 lks E. of true cor. point Trun North 1.50 lks. then W. 75 lks. to.

1.50	on line
7.50	Sandy Rafael river 2.00 chs wide 2 ft deep runs W.
16.00	Ditch bears E & W.
21.40	Road bears S. W & S E.
26.60	" " E & W.
31.85	Ditch runs S. E.
32.00	Enter backwater of river
40.00	Not set

Subdivisions

43.00 Leave backwater, where I s[illegible] a sandstone 10×9×8: 7. the gr[illegible] for 1/4 sec. W.C. cor. marked W.C. on W face and raised a stone mo[illegible] alongside.

50.57 Sandafael river 150 lks wide 1 1/2 deep runs E.

58.00 Wash dr. S.W.

77.00 Entered from Hills.

80.00 Set sandstone 22×20×5. 18. in the ground for cor. to secs. 20. 21. 28 & 29 marked with Enotches on Sand & on Edges and raised a stone mound alongside.

Land. Level & rolling

Soil 1/2 Erate.

Timber. scatt. cottonwood

Dense underg wooth on 80 chs.

Tp. 21 S. R 14 E.

East on random line
betw secs. 21 & 28
Var. 15°18' E.

40.00 Set temp 1/4 sec. cor.
50.00 Intersect N & S. line at cor.
to secs. 21. 22. 27 & 28 from which I
run West on true line
betw secs. 21 & 28
with same var.
22.00 Top of reef bears N & S.
27.00 Enter bottom
36.50 Ledge 15 ft high, lower terrace bears N & S.
40.00 Set sandstone 12×12×3: 8: the
ground for 1/4 sec. cor. marked 1/4
on N face and raised a stone mound alongside
42.00 ~~Road bears~~ N. and S.
46.50 Ledge 50 ft. bears N & S. enter level
ground.
51.00 ~~Wash~~ with stream water 5 ft wide
6 in deep runs S.
54.00 Enter low Hills
60.00 The cor. to secs. 20. 21. 28 & 29.
Land. Level & broken
Soil 1st & 2 rate.
No timber.
Demand ergrowth arterimerice ... 80 cts.

Subdivisions

Nath betw secs. 20 & 21
Var 15° 18' E.

20.50	2 chs. E. hill 50 ft high
40.00	Set sandstone 24×12×3, 18: [illegible] ground for 1/4 sec. cor marked on W face and raised a stone mound alongside.
52.00	Gulch draines W.
56.00	do "
69.00	do " S.E.
76.50	Top of yellow clay hill
80.00	Set conglomerate 24×14×6: 18: in the ground for cor to secs. 16 & 20 & 21, marked with 3 notches. Sand 4 on E edges and raised a stone mound alongside.

Land: broken
Soil 3 rate.
No timber.
Dense artemisia undergro[illegible]

on 80 chs.
November 1st 18[illegible]

BOOK-A-[illegible]

Tp 21 [illegible]

Ea[illegible]

40.00	Set temp[illegible]
80.50	Inters[illegible] of cor. [illegible] which [illegible]
1.50	Ruf[illegible]
23.50	Perpen[illegible]
35.00	Wagon[illegible]
40.25	Set sa[illegible] ground on N fa[illegible] alongs[illegible]
42.00	Perpen[illegible]
52.50	Enter Co[illegible]
60.00	Leave [illegible]
75.50	Wagon[illegible]
80.50	The e[illegible]

Land[illegible]
Soil[illegible]
No [illegible]

Tp 21 S. R 14 E.

East on random line
betw secs. 16 & 21
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.50 Intersect N & S. line 15 lks. S.
of cor. to secs. 15. 16. 21 & 22. from
which Trun
S. 89° 54' W on true line
betw secs. 16 & 21
with same var.
1.50 Ref. bears N & S.
23.50 Perpendicular ledge bears N & S.
35.00 Wagon road bears N & S.
40.25 Set sandstone 18 x 12 x 4 : 12 : the
ground for 1/4 sec. cor. marked 1/4
on N face and raised a stone mound
alongside.
42.00 Perpend. ~~Ledge~~ ledge bears N E & S. W.
52.50 Enter Cottonwood wash
60.00 Leave " " dr. S. E.
75.50 Wagon tracks bears N & S. E.
80.50 The cor. to secs. 16 & 17 : 20 & 21.
Land. Rolling
Soil Qnr rate
No timber
same under gr. 80.50 Chs.

Subdivisions

North betw. secs. 16 & 17
Var. 15° 18' E.

2.25 Road bears N E & S W.
9.50 Wash drains E.
40.00 Set sandstone 12×8×6 : 8 : the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.
47.50 Wash drains E.
68.00 Stream of water : gulch 2 ft wide 6 : deep runs E.
71.00 Head of gulch dr. S E.
80.00 Set sandstone 20×18×4 : 15 : the ground for cor. to secs. 8. 9. 16 & 17. marked 4 notches on S & E edges & raised a stone mound alongside.
Land. Level & broken
Soil 2 & 3 rate.
No timber.
Dense artemisia undergrowth
80

Sp. 2

East
b

0.00 Set ten
0.15 Intersec
of cor. to
which Tru
on
10
.50 Top of
.00 Foot of
.00 Road b
.07 Set san
ground
1/4 on W fa
mound
5.00 Ballon
1.00 Gulch
.15 The cor.
Land.
Soil
No tim
Dens

Tp. 21 S. R 14 E.

East on random line
betw secs. 9 & 16
Var 15° 18' E.

0.00 Set temp 1/4 sec. cor.
0.15 Intersect N & S. line 25 lks. N.
of cor. to secs. 9. 10. 15 & 16 from
which Trun N. 89° 49' W
on tri line betw. secs. 9 & 16
with same var.
.50. Top of reef bears N & S.
.00 Foot of Same
0.00 Road bears N & S. enter level ground
0.07 Set sandstone 26 × 20 × 8 : 18 : the
ground for 1/4 sec. cor. marked
1/4 on W face and raised a stone
mound alongside.
5.00 Bottom of wash : gulch dr. S.
1.00 Gulch drains S. E.
0.15. The cor. to secs. 8. 9. 16 & 17.
Land. rolling & very broken
Soil 2 - rate.
No timber.
Dense undergrowth on
80.15 chs

Subdivision

North betw secs. 8 & 9
Var 15° 18' E.

4.50. Head of gulch drains N.E.
7.00 Stream water: gulch 3 ft wide, bi
runs E.
18.50 Stream water. " " "
runs E.
40.00 Set sand stone 12×10×5: 8: th
ground for 1/4 sec. cor. marked
1/4 on W face and raised a stone
mound alongside.
41.50 Gulch drains E.
58.75 " " S.E.
64.00 " " S.W.
75.00 Leaves " heads N.W.
80.00 Set slate 36×8×4: 27: the ground
for cor. to secs. 4. 5. 8 & 9 marked
with 5 notches on Land 4 on Esp
& raised a stone mound alongside
hand. Level & broken
Soil Zonate.
No timber.

dense undergrowth on
80 chs.

Sp.

Ca
d
4000 Set
80.17. Inter
cor. to
5.00 Reef
10.00 Foot
21.00 Miner
25.10 70 Chs.
28.50 Wagon
40.08 Set sa
Groun
1/4 on W
mou
45.00 Wash
72.50 "
80.17 The co
Land
Soil
Timb
Dense

Tp. 21 S. R 14. E.

East on random line
betw secs. 4 & 9.
Var. 15° 18' E.

40.00	Set temp. 1/4 sec. cor.
80.17.	Intersect N & S line 30 lks N of cor. to secs. 3. 4. 9 & 10 from which Town N. 89° 47' W on true line betw secs. 4 & 9 with same var.
5.00	Reef bears N & S.
10.00	Foot of same.
21.00	Mineral reef bears N & S.
25.10	70 lks. N., W cor. of Gardiner Lode.
28.50	Wagon road bears N & S.
40.08	Set sandstone 18×12×4: 12: the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.
45.00	Wash dr. S.
72.50	" " S.
80.17	The cor. to secs. 4. 5. 8 & 9.

Land. Very broken
Soil 2" rate.
Timber, scull. Cedars.
Dense underground on 80 chs.

Subdivisions

North between secs. 4 & 5.
Var 15° 18' E.

8.50 Hill 30 ft high
20.00 Hill 30 " "
40.00 Set gypsum 12×8×5: 8: the ground for 1/4 sec. cor marked 1/4 on W face and reised a stone mound alongside.
57.00 Gullie drains E.
71.90 " " E.
95.00 Cedar gulch " E.
117.00 Halfie creek 5 ~~[illegible]~~ 8 in dry [illegible]
124.50 Intersect the 4: Standard parallel S. 25.50 chs. E. of the cor. to secs. 4 & 5. where I set a trachyte 16×8×5: in 12: the ground for Cor. to secs. 4 & 5. marked with 4 notches on E and 2 on W edges grained a stone mound alongside
Land. Broken
Soil 3 rate.
Timber few - Cedars.
Dense undergrowth 124.50

Nov. 3rd 1884

BOOK-A-207

Sp.

From th
boundary
firmly se
marked
From

Set sand
ground f
on W fac
alongside
Gulch dra
Set sand
ground
marked
edges and
alongside
Land.
Soil
No tim
Dense

Tp. 21 S. R 14 E.

From the cor. to secs. 31 & 32 on S. boundary of Tp. which is a line 40×18×10 firmly set in the ground properly marked with stone mound alongside

From North betw. secs. 31 & 32

Var. 15° 18' E.

0.00 Set sandstone 20×10×10: 14: the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

9.00 Gulch drains S. E.

9.00 Set sandstone 15×9×9: 10: the ground for cor. to secs. 29. 30. 31 & 32 marked with 1 notch on S and 5 on E edges. and raised a stone mound alongside.

Land. E. slope of high table Mts.

Soil 3 rats

No timber.

Dense underprowth on 80 chs.

BOOK-A-207

Subdivisions

East on random line
betw. secs. 29 & 32
Var 15°18' E.

40.00 Set temp 1/4 sec. cor.
80.80 Intersect N & S line 11 lks S
(W. C. 75 lks E. of true cor. pt.)
cor. to secs. 28. 29. 32 & 33 from
which Sun
S 89°55' W on true line
betw secs. 29 & 32
with same var.
1.50 Sea Rafael river runs S.W. 28 lks
wide 1 1/2 ft deep.
17.50 Wash drains N E.
22.00 Road bears N E & S. W.
40.40 Set trachyte 20×10×10: 15: th
ground for 1/4 sec. cor. marked
on N face and raised a stone mou
alongside.
70.00 Gulch drains S E.
80.80 The cor to secs. 29. 30. 31 & 32
Land. hollow & broken
Soil. 1 & 2 rate
No timber.
dense
undergrowth on 80.80 ...

21. T...

Note. On
inaccess
Saban

From th
Sun (
not hen

9.00 Enter flat
16.00 Ascen
40.00 Set sa
in the g
marke
a stone
Note. On
Mts. Sa
Land.
Soil.
No t
Dum

21. S. R. 14 E.

Note. On account of high inaccessible table mountains Tahandon survey North.

From the cor. to secs. 20. 21. 28 & 29 Trun (the cor. to secs. 19. 20. 29 & 30 not being set) West on true line between secs. ~~29 & 30~~. 20 & 29

9.00 Enter flat. Var. 15° 18' E.

16.00 Ascend. 40° 5.22 chs to

40.00 Set sandstone 14 x 9 x 6: 9: in the ground for 1/4 sec. cor. marked 1/4 on N face & raised a stone mound alongside.

Note. On account of impassable Mts. Tahandon survey here.

Land. bottom & Mts.

Soil. 1 & 3 rate.

No timber.

Dense undergrowth on 40 chs.

Note: The cor to sec^s 17.18.19 & 20 not b[illegible]
bet Trun
West on true line bet Sec^s 17 & 2[illegible]
Va 15°18' E.

3.00 Road bears N.E. & S.W.
34.60 Ascend
40.00 Set Sandstone 11×10×6. – bin dtst grou[illegible]
for 1/4 Sec cor. marked 1/4 on N. f[illegible]
and raised a stone mound alongside
Note: on account of unavailable Bl[illegible]
Sabandon line here. —
Land, broken;
Soil, 2nd rate
Timber, scattering b[illegible]
Dense Undergrowth on 40 chs.

Note: the cor to Sec^s 7.8.17 & 18 no[illegible]
being set Trun West on true line
bet. Sec^s 8 & 17
Va 15°18' E.

5.00 Gulch drain S.E.
25.00 Ascend
40.00 Set Sand stone 12×9×6, 8 in. in the ground f[illegible]
Sec cor. marked 1/4 on N. face & raised a stone mou[illegible]
alongside. —

BOOK-A-20[illegible]

Tp 21 S.

Note: on ac[illegible]
Sabando[illegible]
Land, b[illegible]
Soil,
Dense undr[illegible]

Note: Th[illegible]
Not bein[illegible]
West on [illegible]

3.00 Gulch
4.00 Ascend
40.00 Set Sa[illegible]
the grou[illegible]
1/4 on N[illegible]
Stone Mo[illegible]
Not
unavaila[illegible]
Land,
Dense un[illegible]

Tp 21 S. R 14 E.

Note: on acct of unavailable Bluff
Pabandon line here.
Land, broken;
Soil, 2nd rate;
Timber Scatt. Adar
Dense undergrowth on 40 chs.

Note: The Cor to Sec^s 5.6 4.5.8 & 9
Not being set I run
West on true line bet. Sec^s 5 & 8
Va 15° 18' E.
3.00 Gulch drains S.E.
4.00 Ascend
40.00 Set Sandstone 18×10×8, 12 in. in
the ground, for 1/4 Sec. cor. marked
1/4 on N. Face, and raised a
Stone Mound along side. —
Note: — On account of
unavailable Bluff, Cabandon line.
Land, broken;
Soil, 3rd rate;
Timber Scatt. Adar
Dense undergrowth on 40 chs.
Nov 4th 1884

General Description

The surveyed part of this T. embraces long wood bottom along the Sanpete River and adjacent benches.

There are settlements and improvements in Sec. 28. & 32 & 33. — The applicants improvements are in Sec. 32 & 33, and consist of a wagon road, an irrigation canal, considerable fencing and land under cultivation besides 3 or 4 Log Cabins, corral, stacks &c.

(?)

Stewart M. Pancoast
U. S. Dep. Sur.

BOOK-A-20

U. S. SURVEYOR

Salt Lake Ci

The foregoing

subdivision

Township No. 21

Executed by Ste

Under Sir

day of Septe

October & N

amined, the necessa

the said field note

hereby approved.

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 12th 1885.

The foregoing field notes of the survey of the Subdivisions of fractional Township No. 21 South Range No. 14 East Executed by Stewart M. Pancake Under his contract No. 130 of the 6th day of September 1884, in the months of October & Novber 1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-207

Township 22 S R. 14 E.

6	364	5	350	4	339	3	328	2	317	1	
	362		362		349		338		327		316
7	361	8	348	9	337	10	326	11	315	12	
	360		359		347		336		325		314
18	358	17	346	16	335	15	324	14	313	13	
	358		357		345		334		323		312
19	356	20	345	21	333	22	322	23	311	24	
	355		354		344		332		321		310
30	353	29	343	28	331	27	320	26	309	25	
	352		352		342		330		319		308
31	351	32	341	33	329	34	318	35	307	36	

BOOK-A-207

305

EPORT: 1885

ok

led 188

amined by

anscribed by Henry R M Atkinson

mpared by R. Atkinson & E Michaelis

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

ownship No 22 South

ange No 14 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Stewart M. Pancake

U. S. Deputy Surveyor,

Under his Contract No. 130.

ated September 6. 1882

urvey commenced November 5th 1884

urvey completed " " 10th 1884

NAMES AND DUTIES OF ASSISTANTS:

~~George Hauchtank~~ Compassman

Chainman.

Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

Flagman.

The following Survey was ma[illegible] with two sets of Chainmen, one under myself running N & S. lines and the other un[illegible] my Compassman the E & W lines, both under my personal Supervision.

Subdivision
Tp. 22 S., R 14 E

Survey Commenced Nov. 5th 1884
with 2 Gurley Solar Compasses
From the Cor to Sec. 35 & 36 on S.
boundary of the Tp. which is a
Sandstone 40×16×11, firmly set
in the ground, properly marked
with Stone mound alongside: Cram
North Cut Sec. 35 & 36
Va 150 18' E.

00 Gulch drains N.W.
4.00 " " W.
00 In " " SW. Set
Trachyte 14×10×4 in. 10 in. in the
ground for 1/4 Sec Cor. marked 1/4
on W. face and raised a stone
mound alongside.
1.00 Ascend
7.00 Ridge 200 ft high bears
N.E. & S.W. Ascend
3.00 Gulch drains W.
6.60 " " "
00 Set Sand stone 22×20×5, in.
15 in. in the ground for Cor to Sec.
25, 26, 35 & 36. marked 1 notch on
Sand [illegible] edges and raised a

Subdivisions

Stone mound alongside
Land level broken
Soil Gedrak;
No Timber
Dense underprowth on 80 ch.

East on a random line bet.
Sec. 25 & 36.
Vas 5°18' E.

4.00 Set Temp. 1/4 Sec Cor.
80.45 Intersect E. Boundary of Tp
30 lks N. of Cor to Sec. 25 & 36
which is a quartzite 16×7×7,
firmly set in the ground properly
marked from which Sun
N. 89°47° W. on true line bet.
Sec. 25 & 36. with Sun Var.
1.40 Gulch drains N.
26.50 Ridge bears N.W. & S.E.
36.00 Gulch drains N.
40.22 Set Flint, 18×12×5 in
12 in. in the ground for 1/4 Sec
marked 1/4 on N. Face and
raised a stone mound alongside
55.00 — 5 chs. S. N.E. end of ridge

BOOK-A-207

Tp 2

67.50 Gulch
74.00 descen
77.00 Enter
80.45 Tp
Land bro
So

Dense
North

4.00 Ascen
9.50 Top of
7.50 Ledge
5.20 Road
2.00 "
4.00 Set
8 in.
marked
raised a
44.50 Wash
56.50 Hill
65.20 Wash
80.00 Set gr
12 in.

Th 22 S. R 15 E.

67.50 Gulch drains N.E.
74.00 descend bluff bears N.W. & S.W.
77.00 Enter flat
80.45 Th. Cor to Sec. 25. 26. 35 & 36.
Land broken,
Soil 3rd rate
No Timber
Dense Underground on 80.45 ch.

North bet Sec. 25 & 26.
Va 15°18' E.

4.00 Ascend
1.50 Top of Bluff bears N.W. & S.E.
2.50 Ledge bears N.E.
5.20 Road " N.E. & S.W.
2.00 " " "
6.00 Set Sand stone 12 x 10 x 4 in.
8 in. in the ground for 1/4 Sec Cor.
marked 1/4 on W. face and
raised a stone mound alongside
44.50 Wash in Gulch drains W.
56.50 Hill 75 ft high.
65.20 Wash in gulch drains S.W.
80.00 Set grey granite 8 x 16 x 4 in.
12 in. in the ground for Cor to

BOOK-A-207

Subdivisions

Sec. 23. 24. 25 & 26. marked 2 1.50
Notches on S. and 1 on E. edge 5.00
and raised a stone mound 7.00
alongside. 3.00
Land, broken;
Soil, Bedrock; 6.00
No Timber 0.40
Dense underwood on Sec.

East on random line bet.
sec. 24 & 25.
Var 15° 18' E

4.00 Set temp 1/4 sec. cor.
8.40 Int. E. boundary of Sec.
20 lks N. of cor to sec. 19. 24.00
25 and 30. which is a sand 0.00
stone 18×18×6, firmly set in
ground, with stone mound from
which Trees N. 9° 51' W.
on a true line bet. sec. 24 & 25
with same Var. 2.00
40.00 Set trachyte 14×12×4 in 5.00
9 in. in the ground for 1/4 sec. 3.00
Cor. marked 1/4 on N. face and 5.00
raised a stone mound alongside 0.00

Tp 2

Gulch

Ridge

Wash

a small

Cave

The

Land

High

underg

No

Wash

Set Tr

18 in. in

Cor. m

and ra

alongs

Ascen

Top

Des

En

Set

Tp 22 S. R 14 E.

1.50	Gulch drains N.
5.00	" N.W.
7.00	Ridge bears N.W. & S.E.
3.00	Wash in Basin drains S.W.
	a small wash heads W.
6.00	Cave " " N.W. ascend
7.40	The Cor. to Sec. 23. 24. 25 & 26.
	Land broken; Soil Gridrate;
	No Timber;
	High mountains, and dense
	underprovet on 80. 40 chs
	North bet Sec. 23 & 24
	Va 15° 18' E.
4.00	Wash in Gulch drains S.E.
0.00	Set Trachyte 24. x 19 x 5 in.
	18 in. in the ground, for 1/4 sec
	Cor. marked 1/4 on W. face,
	and raised a stone mound
	alongside.
2.00	Ascend Bluff.
5.00	Top of " bears N.E. & S.W.
8.00	Descend
5.00	Enter flat
0.00	Set Trachyte 22 x 20 x 42 in.

Subdivisions

15 in. in the ground,
fast cor to Sec^s 13. 14. 23 &
marked 3 Notches on S. & 1
E. edges, and passed
Stone mound alongside
Land broken,
Soil 3rd rate,
No Timber
Dense underproof on 80 ch

East on a random line
bet Sec^s 13 & 24
Va 15° 18' E.

40.00 Set temp 1/4 Sec cor
80.65 Cut E. boundary of
50 lks N. of Cor to Sec^s
13 & 24, which is a line
Stone 16×10×4 in. firmly set
properly marked, with Stone
mound, from which Sec
N. 89° 39' W. on true line
bet Sec^s 13 & 24 with same Va
34.00 Bluff bears N.E. & S.W.
40.32 marked on S.E. face of bluff
a trachyte boulder 3×3×2 ft

BOOK-A-20

Th 22

above
and pa
alongside
57.50 Main
65.50 Bluff
68.50 Enter
80.65 The co
Land,

Dense

North

40.00 Set Sa
9 in. in
Sec Cor.
and pa
alongs
65.20 Wa
86.00 "
80.00 Set L
8 in. in
Sec^s 11.1
marked

Th 22 S. R 14 E

above ground 1/4 on N. face
and raised a stone mound
alongside for 1/4 sec cor. as and
57.50 Main gulch drains SW.
65.50 Bluff bears N.E. & SW. descend.
68.50 Enter level ground
80.65 The cor to sec. 13.14.23 & 24.
Land, breaks;
Soil 2nd rate;
No Timber
Area underpowth artemisia on 80.65 dis.

North bet sec. 13 & 14
Va 15° 18' E.

40.00 Set sand stone 12 x 8 x 6 in.
9 in. in the ground, for 1/4
sec cor. marked 1/4 on W. face
and raised a stone mound
alongside.
65.20 Wash drains N.E.
76.00 " " "
80.00 Set Lime stone 12 x 10 x 5 in.
9 in. in the ground for 1/4 cor to
sec. 11.12.13 & 14.
marked 4 Notches on S. and

Subdivisions

1 on E. edges and raised a stone mound alongside land, welling placed Soil 3rd rate; No Timber

Dense underground on 800

East on a random line bet. Sec. 12 & 13.

Va 15°78' E.

4000 Set Temp. 1/4 Sec Cor.

79.50 Int. E boundary of Tp 75 lk N. of Cor to Sec 12 & ~~from~~ which is a Sand Ro 16×10×5 in, firmly set properly marked with stone mound from which Sun N 89° 28' W. on true line bet Sec. 12 & 13.

with Same Va.

18.50 Wash drains N.E

39.75 Set lime stone 12×8×6 in 6 in. in the ground for 1/4 Sec Cor. marked 1/4 on N. face and raised a stone mound

BOOK-A-20

Ch. 2

alongside

15.00 Was

7.00 "

7.00 "

9.50 The

Land

Soil

Dense

North

8.10 Wash

4.00 Set

6 in. in

marked

raised

along

47.70 Wa

55.00 "

71.00 East

8.00 Set

in the

1.2.11

on S.

alongside
15.00 Wash drains N.
17.00 " " N.E.
17.00 " " "
19.50 The Cor to Sec^s 11. 12. 13 & 14.
Land rolling plateau.
Soil Indrock
No Timber
Dense underprowth on 79.50 chs

North bet Sec^s 11 and 12.
Vas 15° 18' E.
8.10 Wash in hollow drains E.
10.00 Set lime stone 12×10×5 in.
8 in. in the ground for 1/4 Sec Cor.
marked 1/4 on W. face, and
raised a stone mound
alongside.—
47.70 Wash drains N.E.
55.00 " " "
71.00 Enter Hollow drains S.W.
80.00 Set Sand stone 12×8×6 in 8 in.
in the ground for Cor to Sec^s
1. 2. 11 & 12, marked 5 Notches
on S. and 1 on E. edges, and

Subdivisions

raised a stone mound along
Land level & broken pla
Soil 2nd rate
No Timber
Dense underwrowth on 80 chs.

East on a random line
bet Secs 1 and 12.
Va 15°18' E.

4000 Set temp. 1/4 sec cor.
79.50 Int. E. Boundary of Tp.
65 lks N. of Cor to Secs 1 & 12
which is a Sandstone 16×10×5
firmly set, properly marked
with stone mound, from which
I run N 89°32' W. a true
line bet Secs 1 and 12
with same Va.
39.75 Set Sand stone 12×8×6 in
Pin in the ground, for 1/4
sec cor. marked 1/4 on N. face
And raised a stone mound along
79.50 The Cor to Secs 1.2.11 & 12
Land level
Soil 1st rate, No Timber
Dense underwrowth on 79.50 chs

Tp 22

North on a
1 and
Va
4000 Set temp
79.25 Int. N
60 lks E.
which is
firmly
with pit
I run
line, b
with
leave
Wash
"
"
Set
Pin. in
marked
raised
along
Wash
"
79.25 The Co
Land

Tp 22 S. R 14 E.

North on a random line bet Sec.
1 and 2
Va 15° 18' E.
000 Set temp 1/4 Sec. Cor.
9.25 Int. N. boundary of Tp.
60 lks E. of Cor to Sec. 1 & 2.
which is a Shale 20×12×4 in
firmly set, properly marked,
with pits & mound from which
I run S. 0° 26' E. on true
line, bet Sec. 1 & 2.
with same Va.
11.00 leave Clay bench
15.70 Wash drains S.W.
1.75 " " W.
5.35 " " "
9.25 Set Sandstone 12×8×6 in
8 in. in the ground for 1/4 Sec. Cor.
marked 1/4 on W. face and
raised a stone mound
alongside
8.75 Wash drains W.
14.00 " " S.W.
9.25 The Cor to Sec. 1. 2. 11 & 12
Land level;

Subdivisions

Soil 1 Stroke;
No Timber.
Dense underpowth on 79.25

From the Cor to Sec. 34 & 35
on S. boundary of Tp which is a
Sand stone 18×12×5, firmly set
with stone mound, and properly
marked, Trun
North bet Sec. 34 & 35
Va 15°18' E

5.50 Ascend
14.00 Top of Bluff Hoof't high
bears N.E. & S.W.
23.00 Descend from Bluff.
27.50 Enter level ground
40.00 Set Sand stone 22×20×3 in.
16 in. in the ground for 1/4 Sec.
marked 1/4 on W. face and
raised a stone mound alongside
63.00 Wash drains S.W.
64.30 Wagon road bears N.E. & S.W.
80.00 Set Sand stone 20×18×4" 15
in. in the ground for Cor to Sec.
26. 27. 34 and 35, marked 1 No.

Tp 22

on S. & 2
a stone
Sand
Sa

Dense

East on
Sec. 2

00 Set Sa
00 Int. c
25. 26. 3
Trun W
Sec. 26
7.25 road
3.50 Ascen
0.00 Set S
in the
marked
raised
8.50 Entr
9.50 Wa
7.50 Lea
00 Enter

BOOK-A-207 319
Th 22 S. R 14 E.

on S. & 2 on E. edges, and raised
a stone mound alongside.
Land level;
Soil 3rd rate;
No Timber
Dense underwrath on 80 chs.

East on a random line bet.
Secs. 26 & 35.
Va 15°78' E.
[illegible]000 Set temp 1/4 Sec cor.
[illegible]000 Int. N & S. line at cor to Secs.
25, 26, 35 & 36. from which
Sun West on true line bet.
Secs 26 & 35 with Same Va.
[illegible]7.25 Road bears N. & S.W.
[illegible]3.50 Around broken ridges
[illegible]0.00 Set sandstone 18×10×4" 12 in.
in the ground, for 1/4 Sec cor
marked 1/4 on N. face and
raised a stone mound alongside.
[illegible]8.50 Enter hollow drains S.W.
[illegible]9.50 Wash " "
[illegible]7.50 Leave Hollow
[illegible]000 Enter level ground.

Subdivisions

62.90 Wash drains N.W.
67.25 " " S.W.
86.00 The Cor to Sec. 26.27. 34 & 35
Land breaks;
Soil 3rd rate.
No Timber
Dense underwood on 80 ch
Nov. 5th 1884.

North Cor Sec. 26 & 27
Va 15° 18' E.
5.00 Enter higher bench
4.00 Set Sand Stone 20×20×4,"
in. in the ground, for 1/4 Sec. Cor
marked 1/4 on W. face, and
raised a Stone mound alongside
67.00 Road bears N.E. & S.W.
8.00 Set Sandstone 14×8×6,"
ground for Cor to Sec. 22×23 & 26
& 27. marked 2 Notches on S. and
E. edges and raised a stone mound
Land, broken;
Soil 3rd rate;
No Timber
Dense underwood on 80 ch's

BOOK-A-207

Th 22

East on ran

00 Set fem
50 Mt. N
Cor to Sec
which Tr
fence line
with
50 low
.00 Ascen
00 Ridg
.25 Set fra
in the
marked
raised a
50 Enter
1.50 Wash
0.00 Roa
50 The Cor
Land
So

Dense

Th. 22 S. R. 14 E.

East on random line bet Sec. 23 & 26
Var 15° 18' E
00 Set temp. 1/4 Sec Cor.
50 Int. N & S line 10 lks N. of
Cor to Sec. 23. 24. 25 & 26. from
which Sum N. 89° 56' W. on
true line bet Sec. 23 & 26
with same Va.
50 low ridge bears N & S.
.00 Ascend
7.00 Ridge bears N & S. descend
0.25 Set granite 18×10×4", 12 in.
in the ground for 1/4 Sec Cor.
marked 1/4 on N. face and
raised a stone mound alongside.
0.50 Enter level ground.
1.50 Wash drains S.E.
0.00 Road bears N.E. & S.W.
0.50 The Cor to Sec. 22. 23. 26 & 27
Land broken
Soil 3rd rate
McGinber
Sum underpoint on
80.50 chs.

Subdivisions

North bet Sec. 22 & 23
Va 15°18' E

14.00 Road bears N.E. & S.W.
40.00 Set Sandstone 20×12×4" in the pound, for 1/4 sec Cor marked 1/4 on W. face and raised a stone mound alongside.
59.75 Entis lone hill bears E & W
62.00 Leave Lance
74.50 Wash drains W.
80.00 Set Trachyte 20×10×4" in the pound for Cor to Sec 14. 15. 22 & 23. marked 3 No to on S. & 2 on E. edges and raised a stone mound along land, level,
Soil, Indrate
No Timber
Dense artemisia underpowth on 80 ch

BOOK-A-20

Th 22

Part on
Cor to
Set
Int.
to Sec
from
West on
Sec
with
Wa
On N.
Trach
in the
marke
raised
Road
The
Land
So
Dense

Th 22 S. R 14 E.

Part on a random line
bet Sec^l 14 & 23,
Va 15°18' E.
6.00 Set Sunk 1/4 Sec Cor.
6.00 Int. N & S. line, at Cor
to Sec^l 13. 14. 23. & 24,
from which I run
West on true line bet
Sec^l 14 & 23
with same Va.
3.50 Wash drains S.
6.00 On N. side low Hill set
Trachyte 20 x 12 x 5" 15 in.
in the ground for 1/4 Sec Cor.
marked 1/4 on N. face and
raised a stone mound alongside.
7.80 Road bears N & S.
8.00 The Cor to Sec^l 14. 15. 22 & 23.
Land, Broken;
Soil, 3rd rate;
No Timber
Lines under proof
on 80 chs.

Subdivisions

North bet Sec^s 14 & 15
Va 15° 18' E.

6.00 Wash drains S.W.
9.25 Road bears N.W. & S.
33.50 W. point of Trachyte Bluff
40.00 Set Trachyte 22 x 10 x 10 in
16 in. in the ground for 1/4 sec
marked 1/4 on W. face and
raised a stone mound along side
40.15 Enter Hollow drains S.W.
46.00 Wash drains S.W.
50.00 Enter bench bears N.E.
56.00 Ascend Bluff.
62.00 Enter Plateau
80.00 Set Sandstone 24 x 18 x 4
in. 18 in. in the ground for Cor
Sec^s 10. 11. 14 & 15, marked
4 Notches on S. & 2 on E. edge
and raised a stone mound
along side.

Land very broken,
Soil Erdrock
N. Timber

Sense underground on 80 ch

BOOK-A-207

Tp 27

East on
Sec^s 11

St
Cut
Sec^s 1
S run
bet Sec^s
Enter
W
Leave
Set
12" in
Cor. m
raised a
foo
Top
The
Lan

Sense
on

Tp 27 S., R 14 E.

East on a random line bet
Sec. 11 & 14.
Va 15° 18' E.
St temp 1/4 sec cor.
Cont. N & S. line at cor to
Sec. 11.12.13 & 14 from which
I run West on true line
bet Sec. 11 & 14, with same Va.
Enter gulch drains S.W.
Wash " "
Leave gulch.
Set sand stone 18 x 8 x 6"
12" in the ground for 1/4 sec
Cor. marked 1/4 on N. face and
raised a stone mound alongside.
foot of Bluff.
Top " "
The Cor. to Sec. 10.11.14 & 15
Land, very broken;
Soil, Erdrock
McGinter
Lines underground
on 80 60 ch's.

Subdivisions

North bet Sec^l 10 & 11
Va 15°78' E.

14.00 Wash drains N.E.
28.60 descend
40.00 Set Trachyte 24×12×1[illegible]
18 in. in the ground for 1/4 Sec
marked 1/4 on W. face and
raised a stone mound
alongside.
45.00 Enter flat.
75.00 Wash drains S.W.
80.00 Set Trachyte 24×12×8
18" in the ground, for C
to Sec^l 2, 3, 10 & 11, marked
5 Notches on S. and 2 on E. e
and raised a stone mound
alongside.
Land, broken
Soil, Hydrate
No Timber
Dead Underwrath on 80

BOOK-A-

Th

East on
bet Sec

40.00 Set
79.94 Pret
S. of
from
S. 89°4
Sec^l 2
5.00 Wa
8.30 Ent
8.40 Wa
Asc
79.00 Tot
39.97 Set
in the
mark
rai
44.50 Wa
52.50 Desc
65.00 Ent
75.00 W
79.94 Th
Lun

Den

Th 22 S. R 14 E.

East on a random line
bet sec. 2 and 11
Va 15°18' E.

4000 Set temp 1/4 sec cor.
79.94 Pret. N. & S line 35 lks
S. of corts sec. 1. 2. 11 & 12
from which I run
S. 89°45' W. on true line bet
sec. 2 & 11. with same va.
5.00 Wash drains S.W.
8.30 Enter Gravel hills
8.40 Wash in hollow drains S.W.
Ascend
29.00 Top of Bluff
39.99 Set Trachyte 24 x 20 x 12" 18"
in the ground for 1/4 sec cor.
marked 1/4 on N. face and
raised a stone mound alongside
44.50 Wash drains N.
52.50 Descend Bluff.
65.00 Enter level ground
75.00 Wash drains S.W.
79.94 The Corts sec. 2. 3. 10 & 11
Land broken;
Soil 3rd rate;
No Timber;
Dense underprowth on 79.94 chs

Subdivisions

North on a random line
bet sec^s 2 and 3
Va 15°18' E.

4.00 Set temp 1/4 sec Cor.
79.60 Int. N. Boundary of Sp.
at Corts sec^s 2 and 3.
which is a quartzite 16×12×12, firm
set, properly marked, with stone
mound from which Trun
South on true line bet. sec^s
2 & 3. with same va.
39.60 Set Sandstone 20×10×3
15" in the ground, for 1/4 sec
marked 1/4 on W. face and ran
a stone mound alongside
40.00 Wash drains S.W.
57.50 Wash " N.W.
64.30 Descend
69.00 foot of Bluff
79.60 The Corts sec^s 2. 3. 10 & 11
Land broken;
Soil 3rd rate;
No Timber
Dense underprowth on
79.60 ch's.

BOOK-A-2

Th 2

From th
th S. bou
a Chained cot
marke
Trun

20
5.00 Leave
8.50 Ent
9.00 Set Sand
ground
4 on W.
Stone m
3.15 Higg
bear E
7.00 Road
8.25 Earth
0.00 Set Sand
ground
1 Notch
raised a
Land
So
Dense

Th 22 S. R 14 E.

From the cor to sec. 33 & 34 on the S. boundary of the Tp. which is a Charred cottonwood post, firmly set, properly marked with ~~stone~~ pits and mound of earth, Trun North bet sec. 33 & 34

Vol 5781 E.

20
5.00 Leave River bottoms
8.50 Enter " "
0.00 Set Sandstone 10×8×7" 6 in. in the ground for 1/4 sec cor. marked 4 on W. face and raised a stone mound alongside.
3.15 Higgin's Cabin & corral bear E. 10 chs dist
7.00 Road bears N.W. & S.E.
8.25 Earth bank 4 ft high bears N.E. & W.
0.00 Set Sandstone 14×12×10" 9" in the ground, for cor to sec. 27.28.33 & 34 marked 1 Notch on S. and 3 on E. edges, and raised a stone mound alongside.
Land, mostly river bottom,
Soil, 1st rate
Timber a few cottonwoods
Lense underpoint on 80 chs.

Subdivisions

East on a random line bet sec.
27 and 34
Va 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.26 Int. N & S. line at cor to sec.
26. 27. 34 & 35, from which S.
West on true line bet. sec.
27 & 34 with same va.
8.50 Ridge bears N & S.
11.75 Wagon road " N. & S.W.
22.00 Wash in gulch drains S.
34.00 S.W. point of ridge
40.13 Set Sand stone 26 x 24 x 4", 1
in the ground for 1/4 sec cor, mar
1/4 on N. face and raised a
stone mound alongside
50.00 S.W. point of ridge
68.00 San Rafael River 100 lks
wide 18 in deep runs S.
80.26 The cor to sec. 27. 28. 33 & 3
Land, broken bench & bottom
Soil 1st and 3rd rate,
Timber a few bottom
Dense underground on 80.26 ch

BOOK-A-207

Th 2 2

North

0.00 F. Ti
N 55° 4
.50 Road
4.00 Set S
in the g
marked
a stone
45.00 Ascen
49.00 Top
N.E.
79.10 Wa
N.E.
80.00 Set Sa
the gro
27 & 28
S. and
raised a
Land,
Dens

Th 22 S. R 14 E.

North bet Secs 27 & 28
Va 15° 18' E.

0.00 F. Tidwell's latin bears:
N 55° 40' E. 10 chs dist.

2.50 Road bears: N.E. & S.W.

4.00 Set Sandstone 14×10×10 in 9"
in the ground for 1/4 Sec cor,
marked 1/4 on W. face and raised
a stone mound alongside.

5.00 Ascend

49.00 Top of Bluff bears
N.E. & S.W.

79.10 Wash in Gulch drains
N.E.

80.00 Set Sandstone 20×10×6", 15" in
the ground, for Cor to Secs 21. 22,
27 & 28. marked 2 Notches on
S. and 3 on E edges and
raised a stone mound alongside
Land, level brushs
Soil, 2nd rate
No Timber
Dense underprowth
on 80 chs
Nov. 6th 1884.

Subdivisions

East on a random line bet
sec. 22 & 27
Va 15° 18' E.

40.00 Set temp 1/4 sec cor
80.40 Int. N & S. line 45 lks N.
Cor to sec. 22. 23. 26 & 27 from
which Sun N 89° 41' W.
on true line bet sec. 22 & 27
with same Va.
9.60 Road bears N.E. & S.W.
39.25 " " N. & S.
40.20 Set Sand stone 12×10×6,
in the ground for 1/4 sec cor
marked 1/4 on N. face, and
raised a stone mound
alongside.
42.00 Gulch drains N.W.
43.50 Irrigation ditch runs S.
enter bottoms
44.00 San Rafael Rivr, 100
lks wide 18 in ditch runs S.W.
51.00 Irrigation ditch runs S.
58.00 Top of Bluff 200 ft high bears N.W.
78.00 Wash in gulch drains N.E.
80.40 The Cor to sec. 21. 22. 27 & 28

Tp 22 S. R 14 E.

Land broken; Soil 1st & 3rd rate;
No Timber
Dense underpowth ~~on~~ 80.40 chs.

North bet secs 21 & 22
Vat 5°18' E.
[illegible].00 Gulch drains N.E.
[illegible].00 Ridge bears N.W. & S.E.
[illegible]7.80 Gulch drains S.E.
[illegible]0.50 Head of Gulch " E.
[illegible]0.00 Set sand stone 12×8×6," 8" in the ground, for ¼ sec Cor. marked ¼ on W. face & raised a stone mound alongside.
[illegible]1.50 Descend & enter flat.
[illegible]8.00 W. slope of round hill
[illegible]3.10 Leave ~~Hill~~ flat; enter bench
[illegible]0.00 Set sand stone 18×12×4", 12" in the ground for Cor to secs 15. 16. 21 & 22. marked 3 notches on S. and E. edges, and raised a stone mound alongside.
Land, breaks!
Soil, 3rd rate;
No Timber
Dense underpowth
on 80 chs.

Subdivisions

East on a random line bet
Sec^s 15 & 22
Va 15° 18' E

40.00 Set temp 1/4 sec cor.
80.20 Int. N & S. line at cor to
14.15.22 & 23. from which
West on a true line bet.
Sec^s 15 & 22 with same va
4.75 Wash drains S.W.
17.50 " " "
20.00 Enter bottoms
22.00 San Rafael River 150 lks mo
18 in deep runs S.E. 5 chs then
40.10 Set sandstone 20×14×4," 15 in. in
ground, for 1/4 sec cor, mark
1/4 on N face and raised a stone mound al
55.00 Wash drains N.E.
59.00 " " "
76.00 ascend.
78.50 Top of Bluff bears N & S.W.
80.20 The Cor to Sec^s 15.16.21 & 22.
Land river bottoms & benches
Soil 1st rate
Not timber
Dense undergrowth on 80.20 ch

BOOK-A-207
Th 22 335 R 14 E

North bet Sec. 15 & 16
Va 15° 18' E.

00 Descend
0 Gulch heads S.W.
0 Leave breaks enter bottoms
0 San Rafael River 100 lks wide, 10 in deep runs S.E.
9.50 Ditto runs N.W.
0.00 Set charred cottonwood post 3 ft long, 3 in sqr. 12 in. in the ground, for 1/4 sec cor marked 1/4 S. on W. face dug pits 18×18×12 in N & S. of post 5 1/2 ft dist. and raised a mound of Earth 1 1/2 ft high, 3 1/2 ft base around the post.
2.00 E. point of Bluff.
3 00 a Cabin bears West 350 ch's dist
4 00 San Rafael R. 150 lks wide 12 in deep runs S.E.
1.50 Fence bears E & W. leave bottoms
00 Set sandstone 24×8×4", 18" in the ground, for Corto sec. 9.10.15 & 16, marked 4 Notches on S. & 3 on E. edges, and raised a stone mound alongside
Land bottoms & breaks;
Soil 1st & 3rd rate;
No Timber
Dense underpoint on 80 chs

Subdivisions

East on a random line bet sec 1
Var 15° 18' E.

40.00 Set temp 1/4 sec cor.
80.55 Int. N & S. line at cor to sec 10.11.1
from which Trun West on a
line bet sec 10 & 15 with same
9.00 Descend
17.00 Foot of Bluff 300 ft high bears N.
40.27 Set Sand stone 20×20×5 7/10
the ground for 1/4 sec cor, marked
1/4 on N. face and raised a stone
mound alongside.
53.30 Road bears N & S.
62.00 N.W. point of ridge
70.70 Road bears N.E. & S.W.
80.55 The cor to sec 9.10.15 & 16
Land rolling & broken
Soil 3rd rate;
No Timber
Dense under growth
on 80.55 chs.

BOOK-A-20

Th 2

Noc

00 Head of
90 W
00 Set
15" in
marked 1/4
a stone
5.00 Wat
3.20 Small
9.75 Roa
0.00 Set
18 in
Cor to
5 Notch
and ra
along
From
gypsu
N 45
Land
Dense

Th 22 S. R 14 E.

North bet Sec^l. 9 & 10
Va 15° 18' E.

[illegible]00 Head of gully drains S.W.
[illegible].90 Wash " "
[illegible]00 Set Sand Stone 20×12×10"
15" in the pound, for 1/4 Sec cor
marked 1/4 on W. face & raised
a stone mound alongside.
[illegible]5.00 Wash drains S.W.
[illegible]3.20 Small ridge bears S.E. & S.W.
[illegible]9.75 Road bears N.W. & S.E.
[illegible]0.00 Set Sand Stone 24×12×6"
18 in. in the pound for
Cor Sec^s 3. 4. 9 & 10., marked
5 Notches on S. and 3 on E. edges
and raised a stone mound
alongside
From which a round red
gypsum hill bears:—
N 45° W. 2.40 chs dist.
Land, rolling;
Soil 2nd rate;
No Timber
Dense underpowth
on 80 chs.

Subdivisions

East on a random line
bet Secs 3 and 10.
Va 15°18' E.

40.00 Set temporary 1/4
sec cor.

80.50 Intersect N & S. line
45 lks N. of cor to
Secs 2. 3. 10 & 11.
from which I run
N. 89°41' W.
on a true line bet Secs 3 & 1
with same va.

3.00 little flat topped gravel hill

10.50 Ascend

15.00 Top of Buff 175 ft.
high bears N.E. & S.

40.25 Set Conglomerate Same
stone 18 x 12 x 4 in. 12 in
in the ground for 1/4
sec cor. marked 1/4
on N. face and
raised a stone
mound alongside

43.00 Ascend

55.00 Foot of Bluff

BOOK-A-207

Ch 2

bears

80.50 Th
3. 4.

Dur

No
lin

40.00 Se
Se

79.30 In
bou
50 l
to
wh
36.
pu
St
w

Ch 22 S. R 14 E.

bears N.W. & S.E.

80.50 The corner to Sec^s 3. 4. 9 and 10.

Land rough and broken

Soil 3rd rate

no timber

Dense underwood on 80.50 ch.

North on a random line bet Sec^s 3 & 4

Va 15°18' E.

4000 Set temporary 1/4 sec corner

79.30 Intersect North boundary of Tp. 50 lks west of corner to Sec^s 3 and 4. which is a sandstone 36. x 12 x 4 in. firmly set, properly marked, with stone mound from which I run.

Subdivisions.

S. 0° 21' W. on a line b
bet secs 3 and 4
with same va
Along W. face of Bluf
17.50 Top of W. point of Bl
bears N.E. & S.E.
39.30 Set sandstone 30×14×
20 in. in the ground
for 1/4 sec cor, marke
1/4 on W. face and
raised a stone mom
alongside.
50.00 Enter level bench
79.30 The corner to secs
3. 4. 9 and 10.
Land, broken;
Soil, 2nd rate;
No Timber
Down underpromth
on 79.30 chs.

BOOK-A-207

2 2 S.

From the
the S. Bo
is a gyp
properly
in the g

6.00 Enter B
3.00 Ascend
8.00 Top of
1.00 Set Sa
in the
marked
raised
1.00 Head
3.00 Descend
7.00 Foot
12.00 Enter
0.00 At foo
S. E.
12 in.
Sec.
notch
and
along

22 S., R. 14 E.

From the Cor. to Sec. 32 & 33 on the S. Boundary of the Tp. which is a ~~gypsum~~ 12 x 8 x 6 inches properly marked and firmly set in the ground, I run N.

bet. Sec. 32 & 33

Var. 15°18' E.

6.00 Enter Bench brace N.E. & W.
13.00 Ascend higher Bench
18.00 Top of same.
21.00 Set Sandstone 12 x 9 x 7 in., 8 in. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and raised a stone mound alongside.
1.00 Head of Gulch drains N.E.
13.00 Descend.
17.00 Foot of higher Bench.
22.00 Enter N.E. point of sedge.
30.00 At foot of same brace bet. W. & S.E. Set Sand Stone 19 x 7 x 7 in. 12 in. in the ground for Cor. to Sec. 28. 29. 32 & 33, marked 1 notch on S. and 4 on E. edges and raised a stone mound along side.

Subdivisions

Land broken brucker
Soil 3rd rate
No Timber
Dense undergrowth on 80 chs.

East on a random line bet.
Secs. 28 & 33
Var. 15° 18' E.

40.00 Set temp. 1/4 Sec. Cor.
80.26 Intersect N. & S. line at Cor. to Secs. 27. 28. 33 & 34 from which I run West on true line bet Secs. 28 & 33 with same Var.
3.00 Road bears N. E & S. W.
20.00 Leave Bottoms
39.00 Ascend
40.13 Set Sandstone 13 x 7 x 7 in., 8 in. the ground for 1/4 Sec. Cor. marked 1/4 on N. face and raised a stone mound along side.
42.00 Top of Bench bears N. E & S. W.
60.00 Enter Lower Bench.
66.00 Enter Depression
80.26 The Cor. to Secs. 28, 29, 32 & 33

BOOK-A-20

Sp. 22 T.

Land
S
Dense
North be
20.00 Enter
32.00 Leave
40.00 Set Sa
in the
mark
raise
80.00 Set Sa
in th
20, 21,
on S.
rais
side
L
S
Den

BOOK-A-207

Tp. 22 S., R. 14 E.

Land Benches and Bottom
Soil 2nd & 1st rate
No Timber
Dense undergrowth on 80.16 chs.

North bet. sec. 28 & 29
Var. 15° 18' E.

20.00 Enter higher Bench trav. to E & to W.
32.00 Leave same
40.00 Set Sandstone 12x9x6 in., 8 in. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and raised a stone mound alongside
80.00 Set Sandstone 16x8x8 in., 10 in. in the ground for Cor. to Sec. 20, 21, 28 & 29 marked 2 notches on S. and 4 on E. edge and raised a stone mound along side.

Land Benches
Soil 2nd rate
No Timber
Dense undergrowth on 80 chs.

Subdivisions

East on random line bet. Sec
21 & 28
Var. 15°18' E
40.00 Set temp. 1/4 Sec. Cor.
80.18 Intersect N. & S. line 20 lks. S. of
Cor. to Secs. 21, 22, 27 & 28
from which
I run S 89°51' W. on true line
bet. Secs. 21 & 28 with same Var.
3.00 Gulch drains N. E.
40.09 Set sand stone 11x9x8 in. 6 in.
in the ground for 1/4 Sec. Cor.
marked 1/4 on N. face and
raised a stone mound
alongside.
46.00 Gulch drains N.
62.00 " " N. E.
80.18 The Cor. to Secs. 20, 21, 28 & 29
Land Benches
Soil 2nd rate
No Timber
Dense undergrowth on 80.18 ch
November 7th 1884

BOOK-A-207

Sp. 22

North bet.
Va
40.00 In Gulch
14x8x6 in.
1/4 Sec. Cor
and raise
80.00 In large G
sandstone
ground fo
marked
E. edges
mound a
Land
Dense
East on
Along S
40.00 Set temp
80.58 Intersec
Cor. to Se
I run
bet. Sec

Tp. 22 S, R, 4 E.

North bet. Secs. 20 + 21
Var. 15° 18' E.

40.00 In Gulch drains N.E. set sand stone 14 x 8 x 6 in., 9 in. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and raised a stone mound alongside.

80.00 In large Gulch drains S.E. set sandstone 15 x 9 x 8, 10 in. in the ground for Cor. to Secs. 16. 17. 20 + 21 marked 3 notches on S. and 4 on E. edges and raised a stone mound alongside.

Land Benches
Soil 2nd rate
No Timber
Dense undergrowth on 80 chs.

East on random line bet. Secs. 16 + 21
Var. 15° 18' E.

Along S. side of Bluff.

40.00 Set temp. 1/4 Sec. Cor.

80.58 Intersect N. + S. line 43 chs. N. of Cor. to Secs. 15. 16. 21 + 22 from which run S 89° 42' W. on true line bet. Secs. 16 + 21 with same Var.

BOOK-A-207

Subdivisions

15.50 Gulch drains N. E.
24.00 Enter broad Hollow drains N. E.
36.00 Enter S. side of Bluff.
40.29 Set Sand stone 17 x 10 x 6 in. 11 in. in the ground for 1/4 sec. marked 1/4 on N. and raised a stone mound along side.
80.58 The Cor. to Sec. 16. 17. 20 + 21
Land Broken
Soil 3rd rate
No Timber
High Mountains and dense under growth on 80.58 chs.

North bet. Sec. 16 + 17
ascend Cor. 15° 18' E.
16.00 Top of Bluff 500 ft. high leaves N. W. + S. E.
38.00 Small Ridge leaves N. E. + S. W.
40.00 Set Sand Stone 13 x 9 x 5 in. 8 in. in the ground for 1/4 sec. Cor. marked 1/4 on W. face and raised a stone mound alongside.
60.50 Head of Gulch drains E.
80.00 Set Sandstone 14 x 9 x 5 in. 9 in.

Tp. 22 S.

in the gr
8. 9. 16 + 17
S. and E
stone m

N
High M
under

East on

44.00 Set temp.
80.40 Intersect
Cor. to Se
Gum
bet. Sec
4.75 Gulch
4.40 Pack
16.50 Enter
26.50 San
18 in. de
30.00 Leave
34.75 Gulch
40.20 Set S

BOOK-A-207

Tp. 22 S. Rg. 14 E.

in the ground for Cor. to Sec.
8. 9. 16 & 17 marked 4 notches on
S. and E. edges and paired a
stone mounded along side.
Land Rough broken Mountain
Soil 2nd rate
No Timber
High Mountains and dence
undergrowth on 80 chs.

East on random line bet. Sec. 9 & 16
Var. 15° 18' E.

40.00	Set temp. 1/4 Sec. Cor.
80.40	Intersect N. and S. line 23 lks. S. of Cor. to Sec. 9. 10. 15 & 16 from which Gum S. 89° 50' W. for true line bet. Sec. 9 & 16 with same Var.
4.75	Gulch drains S. W.
4.40	Wash in Gulch drains S.
16.50	Enter Bottom
26.50	San Rafael River 100 lks. wide. 18 in. deep, runs S. W.
30.00	Leave Bottoms
34.75	Gulch drains N. E.
40.20	Set Sandstone 20 x 14 x 3, 15 in. in

Subdivisions

Stand for 1/4 Sec. Cor. marked 1/4
N. face and placed a stone mound
alongside.

80.40 The Cor. to Sec. 8. 9. 16. + 17
Land Bottom and Benches
Soil 1st. and 2nd rate
Timber a few Cottonwoods on Riv
Dense undergrowth on 80.40

North bet. Sect. 8 + 9
Var. 15° 18' E.

16.50 Gulch drains E. 100 ft. deep.
35.50 " " E.
40.00 Set Sandstone 12 x 8 x 6 in. 8 in. in
the ground for 1/4 Sec. Cor. marked
1/4 on W. face and placed a stone
mound alongside.
48.00 Ridge Trees N. E. and S. W.
62.30 Descend Bluff 300 ft. high
68.50 Foot of same
75.00 San Rafael River 100 ft. wide
18 in. deep heads S. W.
80.00 At foot of Bluff set Sandstone
18 x 14 x 3 in. 2 in. in the ground
for Cor. to Sec. 4. 5. 8. + 9

BOOK-A-207

Tp. 22 S, R. 14 E.

marked 5 notches on S. and 4 on E. edges and raised a stone mound along side.

Land mostly high Bluff.

Soil 2nd Rate

No Timber

Dense ~~underproseth~~ artemisia on 80 chs.

East on a random line bet. sec. 4 & 9

Var. 15° 18' E.

40.00 Set temp. 1/4 Sec. Cor.

40.36 Intersect N. & S. line at Cor. to secs. 3. 4. 9 & 10 from which I run

West on true line bet. sec. 4 & 9 with same Var.

4.50 Wagon Road bears N.W. & S.E.

40.18 Set sandstone 22 x 18 x 10, 15 in. in the ground for 1/4 Sec. Cor. marked 1/4 on N face and raised a stone mound along side.

[illegible] Enter Bottom

57.00 Wash drains S.W.

80.36 The Cor. to secs. 4. 5. 8. & 9

Land Bench & Bottom

Soil 1st ~~Rate~~

S. ub divisions

No Timber

Dense undergrowth on 80.36 chs.

North on random line bet. Sec. 4

Var. 15° 18' E.

40.00 Set temp. 1/4 Sec. Cor.

79.60 Intersect N. Boundary of Tp. at Cor. to Secs. 4 & 5 which is a sandstone 42×18×10" firmly set in the ground and properly marked from which Run South on true line bet. Secs. 4 & 5.

With same Var.

39.60 Set Sandstone 20×20×20 in. 15 in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and raised a stone mound alongside

65.00 Gulch drains E.

73.50 Descend

79.60 The Cor. to Secs. 4. 5. 8. & 9

Land Bench

Soil 2nd rate

No Timber

Dense undergrowth on 79.60 chs.

BOOK-A-20

Tp. 22 S.

From the
S. Bound
which
properly
in the
North

6.00 Trail be
18.00 Wash di
28.00 Enter
29.00 Road
40.00 Set San
in the
marked
a stone
80.00 Set gy
in
29. 30.
on S. a
raise

Dense

Tp. 22 S. R. 14 E.

From the Cor. to secs. 31 + 32 on the S. Boundary of the Township which is a sand stone 16 x 6 x 6 in. properly marked and firmly set in the ground I run

North bet. secs. 31 + 32

Var. 15° 18' E.

6.00 Twice bears N.W. & S.E.
18.00 Wash drains S.E.
28.00 Enter Bench
29.00 Road bears N.W. & S.E.
40.00 Set sandstone 20 x 12 x 3 in. 15 in. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and raised a stone mound along side.
80.00 Set gypsum 12 x 9 x 7 in., 8 in. in the ground for Cor. to secs. 29. 30. 31 + 32 marked 1 notches on S. and 5 on E. edges and raised a stone mound along side.

Land Benches

Soil 2nd rate

No Timber

Dense underbrowth on 80. chs.

Subdivisions

East on random line bet. Sec. 29
Var. 15° 18' E.

40.00 Set temp 1/4 Sec. Cor.

80.76 Intersect N. + S. line 41 lks. S. of Cor. to Sec. 28.29.32+33 from which I run S 89° 42' W on true line bet. Sec. 29+32 with same Var.

5.50 Enter Flat

19.50 Ascend

21.00 Gypsum Ridge bears N.E + S.W.

26.00 Enter level Bench

40.38 Set Gypsum 12×8×6 in., 8 in. in the ground for 1/4 Sec. Cor., marked 1/4 on N. face and raised a stone mound along side.

80.76 The Cor. to Sec. 29.30.31+32

Land Bench

Soil 2nd rate

No Timber

Dense undergrowth on 80.76 chs.

West on random line bet. Sec. 30+31
Var. 15° 18' E.

40.00 Set temp 1/4 Sec. Cor.

BOOK-A-20

Tp. 22

7.95 Intersect
40 lks. S
which
proper
from
S 89°
Sec.
3.00 Gravel
6.00 Road
7.95 Set Sand
the grou
1/4 on
mound
44.00 Wash
55.00 North
77.95 The C
D
North
37.00 Asce
40.00 Set

BOOK-A-207

Tp. 22 S., R. 14 E.

77.95 Intersect W. Boundary of Township 40 lks. S. of Cor. to Sec. 30 + 31 which is a sandstone 14x12x5 in properly marked and firmly set from which I sup
S 89° 43' E on true line bet. Sec. 30 + 31 with same bal.
13.00 Gravel Ridge bears N. W. + S. E.
16.00 Road bears N. W. and S. E.
27.95 Set sandstone 16x8x5 in., 10 in. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face and raised a stone mound alongside.
44.00 Wash drains N. E.
55.00 North side of round hill
77.95 The Cor. to Sec. 29. 30. 31 + 32
Land Bench
Soil 2nd rate
No Timber
Dense undergrowth on 77.95 chs.

North bet. Sec. 29 + 30
Var. 15° 18' E.
37.00 Ascend
40.00 Set Gypsum 20x14x4 in. 15 in. in

Subdivisions

the ground marked 1/4 on W. face and raised a stone mound along side.

52.00 Short ridge bears E & W. Descend

60.50 Enter Hollow

62.60 Wagon road bears E & S W.

67.00 Ascend

80.00 On face of High Bluff marked Stationary Boulder 3x3x1 foot above ground with a cross and 5 notches on E and S. side of same and raised a stone mound along side for Cor. to Sec. 19. 20. 29 & 30

Land Bench and Bluffs
Soil 2nd & 3rd rate
No Timber

Dense artemisia undergrowth on 80 chs.

East on random line bet. Sec. 20 & 29

Var. 15° 18' E.

40.00 Set temp. 1/4 Sec. Cor.

80.62 Intersect N. & S. Line 35 chs. N. of

BOOK-A-20

Tp. 22 S

to Sec. 2
from
S 89°
Sec. 20
40.30 Set Sa
in the g
marke
raised
46.00 Ascend
80.62 The Cor
Lan
No
Dense
West on
40.00 Set tem
78.95 Interse
45 chs
from
N.
Set. S

Tp. 22 S. R. 14 E.

to Sec. 20. 21. 28 & 29
from which I run
S 89° 45' W. on true line bet.
Sec. 20 & 29 with same Var.
40.36 Set Sandstone 13 x 10 x 7 in., 8 in.
in the ground for 1/4 Sec. Cor.
marked 1/4 on N. face and
raised a stone mound along side
46.00 Ascend S. side of Bluff.
80.62 The Cor. to Sec. 19. 20. 29 & 30
Land Bench and Bluffs.
Soil 2nd rate
No Timber
Dense underg rowth on 80.62 chs.
November 8th 1884
West on random line bet. Sec. 19 & 30
Var. 15° 18' E.
40.00 Set temp. 1/4 Sec. Cor.
78.95 Intersect West Boundary of Township
45 lks. N. of Cor. to Sec. 19 & 30
which is a sand stone 14 x 12 x 8 firmly set, properly marked
from which I run
N. 89° 41' E on true line
bet. Sec. 19 & 30
with same Var.

Subdivisions

28.00	Enter S. side of Bluff.
38.95	Set Sandstone 14×7×7 in., 9 in in the ground for 1/4 Sec. Cor. marked 1/4 on N. face and raised a stone mound along side
46.00	Gulch drains S.
78.95	The Cor. to Secs. 19. 20. 29 & 30
	Land broken Bluff.
	Soil 3rd rate
	No Timber
	Mountains and dense artemisia undergrowth on 78.95 chs.
	North bet. Secs. 19 & 20
	Var. 15° 18' E.
4.00	Top of Bluff.
40.00	Set Sandstone 16×7×6 in. 10 in in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and raised a stone mound along side
53.00	Descend Bluff.
59.00	Enter level ground.
80.00	Set Sandstone 23×12×6 in. 17 in. in the ground for Cor. to Secs. 17. 18. 19 & 20 marked 3 notches on S and 5 on E.

BOOK-A-2

Tp. 22

edges
mound
Land
So
Dense
East on
40.00 Set ten
80.16 Inter
16.17 2
West o
5.00 Ascen
16.00 Top o
40.08 Set
grou
1/4 o
stone
66.00 Wash
80.16 The

BOOK-A-207

Tp. 22 S., Rg. 14 E.

edges and placed a Stone
mound along side.
Land High Mountains
Soil 2nd rate
No Timber
Dense undergrowth on 80 chs.

East on random line bet. Sec. 17 & 20
Var. 15° 18' E.
40.00 Set temp. 1/4 Sec. Cor.
80.16 Intersect N. & S. Line at Cor. to Sec.
16, 17, 20 & 21 from which Grove
West on true line bet. Sec. 17 & 20
with same Var.
5.00 Ascend
16.00 Top of Bluff.
40.08 Set sandstone 11 x 7 x 7 in. 7 in. in the
ground for 1/4 Sec. Cor. marked
1/4 on N. face and placed a
stone mound along side.
66.00 Wash drains N.W.
80.16 The Cor. to Sec. 17, 18, 19 & 20
Land High Mountains
Soil 2nd rate
No Timber

Subdivisions

Dense undergrowth on 80.16 chs.

West on random line bet. Secs. 18 & 19
Var. 15° 18' E

40.00 Set temp. 1/4 Sec. Cor.

78.75 Intersect West Boundary of Towns at Cor. to Secs. 18 & 19, which is a sand stone 20 x 20 x 10 in. firmly set and properly marked from which I run

East on true line bet. Secs. 18 & with same Var.

11.00 Wash drains N. E.

25.00 Ridge bears N. E. & S. W.

38.75 Set Sand stone 12 x 10 x 6 in., 8 in in the ground for 1/4 Sec. Cor. marked 1/4 on N. face and raised a stone mound along side

78.75 The Cor. to Secs. 17. 18. 19. & 20

Land Mountains

Soil 2nd rate

No Timber

Dense undergrowth on 78.75 chs.

North bet. Secs. 17 & 18
Var. 15° 18' E.

29.00 Wash drains N. W.

BOOK-A-207

Tp. 22 S

40.00 Set Sand
the grou
1/4 on W. f
mound a
48.75 Wash dr
73.00 Wash in
0.00 Set Sand
the grou
marked
edges
along
La

Dense u

East o

40.00 Set tem
80.15 Inters
Cor. to s
I run
bet. S
23.00 Wash
40.08 Set

BOOK-A-207

Tp. 22 S., R. 14 E.

40.00 Set Sandstone 11x10x7 in., 6 in. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face and raised a stone mound along side.

48.75 Wash drains N. E.

73.00 Wash in Gulch drains S. E.

80.00 Set Sand stone 14x7x7 in. 9 in. in the ground for Cor. to Sec. 7.8.17+18 marked 4 notches on S. and 5 on E. edges and raised a stone mound along side.

Land high Mountains
Soil 2nd rate
No Timber
Dense undergrowth on 80 chs.

East on random line bet. Sec. 8+17
Var. 15° 18' E.

40.00 Set temp. 1/4 Sec. Cor.

80.15 Intersect N. + S. line 50 lks. S. of Cor. to Sec. 8.9.16+17 from which Gum S. 89° 39' W. on true line bet. Secs. 8+17 with same Var.

23.00 Wash drains N. E.

40.08 Set Sand Stone 9x8x8 in. 6 in. in the

ground for 1/4 Sec. Cor. marked
1/4 on N. face and raised a
stone mound along side.
45.00 Wash drains N.E.
52.00 Gulch drains N.E.
80.15 The Cor. to Sec. 7.8.17+18
Sand Mountains
Soil 2nd rate
No Timber
Fence undergrowth on 80.15 chs.

West on random line bet Sec. 7+18
Var. 15° 18' E.
40.00 Set temp. 1/4 Sec. Cor.
78.75 Intersect West Boundary of
Township at Cor. to Sec. 7+18.
which is a sandstone 24x16x12
properly marked and firmly set,
from which I run
East on true line bet. Sec. 7+18
with same Var.
along N.W. slope of Bluff
29.00 Top of Bluff bears N. E and S.W.
38.75 Sand Stone 14x9x6 in., 9 in. in
the ground for 1/4 Sec. Cor.

marked
a stone
13.00 Wash in
18.75 The Cor. to
Sec
Fence
North
15.00 Gulch
40.00 Set Sa
ground
W. face
along
80.00 Set
the gr
5.6.7.
and
stone
Fence

BOOK-A-207

Tp. 22 S., R. 14 E.

marked 1/4 on N. face and raised a stone mound along side.

13.00 Wash in Gulch drains S. E.

78.75 The Cor. to Sec. 7.8.17.+18.

Land Bluff.

Soil 2nd rate

No Timber

Dense undergrowth on 78.75 chs.

North bet. Sec. 7+8

Var. 15° 18' E.

15.00 Gulch drains N. E.

40.00 Set sandstone 14 x 7 x 6 in. 9 in. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and raised a stone mound along side.

80.00 Set sandstone 16 x 7 x 7 in. 10 in. in the ground for Cor. to Sec. 5.6.7.+8 marked 5 notches on S. and E. edges and raised a stone mound along side

Land Table Mountain

Soil 2nd rate.

No Timber

Dense undergrowth on 80 chs.

Subdivisions

East on random line bet. Secs. 5
Var. 15° 18' E.

40.00 Set temp. 1/4 Sec. Cor.

80.18 Intersect N. + S. line at Cor. to Secs. 4. 5. 8 + 9 from which Gru
West on true line bet. Secs. 5 + 8
with same Var.

8.00 San Rafael River 100 lks. wide 18 in. deep runs S. E.

29.00 Ascend N. Slope

40.09 Set sandstone 12 x 8 x 7 in., 8 in. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face and raised a stone mound along side.

59.00 Gulch heads S.

65.00 Top of Bluff.

80.18 The Cor. to Secs. 5. 6. 7 + 8.
Land Bluff and Bottom
Soil 2nd + 1st rate
No Timber
Dense undergrowth on 80.18 chs.

West on random line bet. Secs. 6 + 7
Var. 15° 18' E.

20.26 No trace of old witness Cor.

BOOK-A-207

T/p 22 S.

Reserve
No trace of
40.00 Set temp
77.80 Inter se
at Cor.
22 x 12 x 6 fi
from
East

6.30 Gulch
15.00 N. side
25.00 Bluff
37.80 Set S
the gro
1/4 on
mound
42.00 Descen
47.00 Foot
57.00 Wash
60.00 Road
70.00 Top of
77.80 The Cor
Land

No
Dense

BOOK-A-207

Tp. 22 S., Re. 14 E.

Reservoir commences
No trace of old corner
40.00 Set temp. 1/4 Sec. Cor.
77.80 Intersect West boundary of Township at Cor. to Secs. 6 & 7 which is a Sandstone 22x12x6 firmly set and properly marked, with stone mound
from which I run
East on true line bet. Secs. 6 & 7.
with same Var.
6.30 Gulch drains N. E.
15.00 N. side of Hill
25.00 Bluff bears N. E. & S. W.
37.80 Set Sandstone 14x7x7, in. 9 in. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face and raised a stone mound along side.
42.00 Descend
47.00 Foot of Bluff bears N. E. & S. W.
57.00 Wash drains N. E.
60.00 Road bears N. E. & S. W. ascend
70.00 Top of Bluff
77.80 The Cor. to Secs. 5, 6, 7 & 8
Land Mountainous
Soil 3rd rate
No Timber
Dense undergrowth on 77.80 chs.

Subdivisions

	North on random line bet. Sec. 5+6
	Var. 15° 18' E.
9.50	No trace of old witness Cor.
40.00	No trace of old corner Set Imp. 1/4 Sec. Cor.
80.00	Intersect N. Boundary of Township at Cor. to Sec. 5+6 which is a ~~sand~~ Lime stone 40×18×10 in. firmly set in the ground and properly marked, from which I run
	S. on true line bet. Sec. 5+6 with same var.
25.00	Wash in Gulch drains N.E.
35.00	Lone Hill
40.00	Set sand stone 16×7×7 in., 11 in. in the ground for 1/4 Sec. Cor. marked 1/4 on W. face and raised a stone mound along side.
42.50	W. side of Lone Hill.
55.00	Wash drains E.
57.30	Descend
61.00	Foot of Bluff.
68.00	Road bears E+S.W.
71.00	Ascend
75.00	Top of Bluff
80.00	The Cor. to Sec. 5.6.7+8.

BOOK-A-20

Tp. 2.2

Lan

Dence

Gene

The

of Bo

and ad

The

are

of Sec

part

fencin

plot

There

15.16

BOOK-A-207

Tp. 22 S., R. 14 E.

Land Mountain
Soil 2nd rate
No Timber
Dence undergrowth on 80 chs.

November 18th 1884

General Description
The land in this Township consists of Bottoms on San Rafael River and adjoining Benches.
The Applicants improvements are situated in the West half of Sec. 34. and consist of 2 cabins, part of a ditch, a corral, some fencing and a few acres of plowed land.
There are other settlers in Secs. 15. 16 and 27.

Stewart M. Pancake
U. S. Dep. Surveyor

BOOK-A-20

U. S. SURVEYOR

Salt Lake Ci

The foregoing

Subo

Township No.

Executed by Ste

Under he

day of Sepe

Novemb

amined, the necess

the said field no

hereby approved.

BOOK-A-207

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 12th 1885

The foregoing field notes of the survey of the Subdivisions

Township No. 22 S. *Range No.* 14 E.

Executed by Stewart M. Jeneke No. 130.

Under his *contract of the* 6th

day of September 1884, *in the month of* November 1884, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-207

Township 23 S R. 14 E

6	431	5	417	4	405	3	393	2	382	1	
	430		429		416		404		392		381
7	429	8	415	9	403	10	391	11	380	12	
	428		427		414		402		390		379
18	426	17	413	16	401	15	389	14	378	13	
	425		425		412		400		388		377
19	424	20	411	21	399	22	387	23	376	24	
	423		422		410		398		386		375
30	421	29	409	28	397	27	385	26	374	25	
	420		419		408		396		384		372
31	418	32	407	33	395	34	383	35	371	36	

BOOK-A-207

ORT: 91885

369

iled ..... 188 ok

mined by E.

ranscribed by E Michaelis

ompared by H. Atkinson & E Michaelis

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

ownship No 23 South

ange No 14 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Stewart M. Pancake

U. S. Deputy Surveyor,

Under his Contract No. 130.

Dated September 6. 1884.

Survey commenced Nov. 11 1884

Survey completed " 17 1884.

NAMES AND DUTIES OF ASSISTANTS:

370

George Macellank Compassman

Chainman.

Chainman.

Chainman.

Chainman.

Axeman.

Axeman.

Flagman.

Note: There are two sets of Chainmen used in the Survey of this Tp. one under myself running the N & S lines and a under my compassman run the E & W. lines, both under my personal Supervision

BOOK A-207

Subdivi

Survey co
from the c
of tp. which
ground, pr
mound of
North
W

00 See charre
3 ins square
marked 1/4 o
+12 N & S of
a mound of
around it
Note. On ac
of Saurofa
8 ch's then N
00 In place
1 wood stake
ground for
marked
1 on bedg

BOOK A-207

Survey commenced November 11th 1884
from the cor. to secs. 35 & 36 on S. boundary
of tp. which is a post firmly set in the
ground, properly marked with pits &
mound of earth around it. Thence
North betw. secs. 35 & 36.
Var. 15° 18' E.

00 Set charred cottonwood post 3 ft. long
3 in square for 1/4 sec. cor. 12 in. the ground
marked 1/4 S on W face and dug pits 18 x 18
x 12 in. N & S of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft high 3 1/2 ft base
around it. Cabin bears SE 45° E. 15 chs dist.
Note. On account of numerous crossing
of Sacramento river I offset West
8 chs then North 40 chs. then East 8 chs to
00 the place where I set a charred Cotton-
wood stake 4 ft long 4 in square 12 in in the
ground for cor. to secs. 25. 26. 35 & 36
marked with 1 notch on E and
1 on Sedge and with

BOOK-A-207

T. 23. S Sec. 25 on N.E.
R. 14. E. " 36 " S.E.
" 26 " N.W.
" 35 " S.W. faces
dug pits 18×18×12: in the ground in each
5½ ft. dist. and raised a mound of
earth 2 ft. high 4 ft base around post
from which a Cottonwood 8 in diam bears S. 88° E.
80 lks. dist marked T. 23. S. R14E. S 36. B.
A Cottonwood 8 in diam bears N. 51½° W.
15 lks. dist. marked T. 23. S. R14E. S 25 B.
Land. Bottom
Soil 1st rate
Timber Cottonwoods.
Dense undergrowth on 80 chs.

East on random line
betw. secs. 25 & 36.
Var. 15°18' E.

40.00 Set temp ¼ sec. cor.
80.00 Intersect E. boundary 20 lks N. of cor

to secs. 25 &
ledge (prope
from which
N. 89
bet
w
Marked ea
N for 1¼ sec.
alongside.
50 Road bea
50 Ditch in
00 A field 5
00 The cor. to
Land. Lea
Soil 1
Timber
Dense u

to secs. 25 & 26 which is marked on stationary ledge (properly) and a stone mound alongside, from which I run

N. 89° 51 W on true line
betw secs. 25 & 26
with same var.

Marked cellid sandstone ledge 1/4 facing N for 1/4 sec. cor. & raised stone mound alongside.

50 Road bears N.W. & S.E. Descend

50 Ditch runs S.W. Enter river bottom

00 A field 5 chs. N.

00 The cor. to secs. 25. 26. 35 & 36

Land. Level.

Soil 1st & 3rd rate.

Timber Cottonwoods on bottom

Dense undergrowth on 80 chs.

North betw. secs. 25 & 26.

Var. 15° 18' E.

Note. On account of numerous cross
of Sourafael river I offset E. 10 chs.
then N. 40 chs. then West 10 chs to

40.00 In place where I set a cottonwo
3 ft. long 3 ins square 12 in. in the ground
for 1/4 sec. cor. marked 1/4 S. on W face
dug pits 18×18×12 in. in the ground 5 1/2
dist. of post. N & S. and raised a mo
of earth 1 1/2 ft high 3 1/2 ft base around
From this point Newell's cabin bear
5 chs. E.

Note. I offset again 10 chs. E. then 40 ch
then 10 chs. W to

80.00 in place near W. point of low ridge where I se
sandstone 14×12×3 in. in the ground for co
secs. 23. 24. 25 & 26. marked with 2 notches
Sand 1 on E. edges & raised a stone mound al
Land. Bottom
Soil 1 rate
Timber Cottonwoods.
Dense undergrowth on 80 chs.

East on random line
betw secs. 24 & 25.
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.

40.50 Intersect E. boundary of tp. 50 lks N of cor. to secs. 24 & 25 which is a sandstone 18×14×4: firmly set in the ground, properly marked with stone mound alongside, from which
Trun N 89° 39' W on true line
betw. secs. 24 and 25
with same var.

40.25 Set sandstone 20×12×3: 15: the ground for 1/4 sec. cor. marked 1/4 on N face & raised a stone mound alongside.

45.25 Mouth of Gulch drains W. Road bears N.W. & S.E.

80.50 The cor. to secs. 23. 24. 25 & 26.
Land. Level & broken
Soil 2nd rate.
No timber
Dense undergrowth on 80.50 ch's.

North betw secs. 23 & 24
Var. 15°18' E.

3.50 Gulch drains W.
11.00 " " S.W.
14.50 Road bears at W & S.E.
26.00 Enter boulders
34.50 W. point of round hill, leave boul
40.00 Set sandstone 20×14×3: 15: the ground for 1/4 sec. cor. marked 1/4 on W. face & raised a stone mound alongside.
58.50 Hill 1 chs. West.
79.20 Gulch drains S.W.
80.00 Set sandstone 12×10×3: 8: the ground for cor. to secs. 13.14.23 & 24 marked with 3 notches on S & 1 on E edges and raised a stone mound alongside.
Land. very broken
Soil 3 rate
No timber.

[illegible] dense underwoods on

East
bet

00 Set tam
60 Intersect
N. of cor. t
is a sand
set in the
with stone
from whic
N 89° 3
bet
10
30 Wash dra
30 Set Shale
ground for
N face an
alongside
00 Gulch dra
60 The cor. to
Land. Leve
Soil 2nd

BOOK-A-207

East on random line
betw. secs. 13 & 24
Var. 15° 18' E.

00 Set temp 1/4 sec. cor.
60 Intersect E. boundary of tp. 50 lks
N. of cor. to secs. 13. 18. 19 & 24, which
is a sandstone 16 × 10 × 4: firmly
set in the ground properly marked
with stone mound along side.
from which I run
N 89° 39' W on true line
betw. secs. 13 & 24
with same var.
30 Wash drains S. W.
30 Set shale rock 24 × 20 × 2: 18: the
ground for 1/4 sec. cor. marked 1/4 on
N face and raised a stone mound
along side.
00 Gulch drains S. W.
60 The cor. to secs. 13. 14. 23 & 24.
Land: Level & broken
Soil 2nd rate

No timber.

Dense artemisia undergrowth

North betw. secs. 13 & 14
Var. 15° 18' E.

8.75 W. edge of round hill 20 ft h
30.00 Gulch drains N. into
37.00 Gulch drains W.
40.00 Set sandstone 22×18×3: 16: the
ground for 1/4 sec. cor. marked 1/4
W face & raised a stone mound al
70.00 Ascend 30°
75.00 Top of bench.
80.00 Set sandstone 24×20×3: 18: the
ground for cor. to secs. 11. 12. 13 & 14 m
with 4 notches on S and 1 on E edge
raised a stone mound alongside
hand. Level & broken
Soil 1st & 3rd rate.
No timber.

& dense undergr
on 80 chs.

East a
bet
W
40.00 Set temp
40.50 Intersec
which is a sa
ground wi
from which
betw
w
0.25 Set sand
for 1/4 sec. c
a stone mo
3.00 Gulch dr
3.00 Ascend
4.00 Ridge b
4.50 The cor. t
hand. Le
Soil 1 &
No timb

BOOK-A-207

East on random line
betw. secs. 12 & 13
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

0.50 Intersect E. boundary of Tp at cor. to secs. 12 & 13.
which is a sandstone 14×8×6: firmly set: the
ground with pits & mound of earth alongside.
from which Trees West on true line
betw secs. 12 & 13
with same var.

0.25 Set sandstone 14×12×4 in 9: the ground
for 1/4 sec. cor. marked 1/4 on N face & raised
a stone mound alongside.

3.00 Gulch drains S. W.

3.00 Ascend 25° 12.15 chs to

4.00 Ridge bears N E & S W descend 20° 69 chs to

4.50 The cor. to secs. 11. 12. 13 & 14.
Land: level & rolling
Soil 1 & 2nd rate
No timber
dense undergrowth
on 80. 50 chs

North betw. secs. 11 & 12

Var. 15° 18' E.

along broken West slope of bench

7.50 Gulch drains S. W. 40 ft deep

12.00 Ridge bears E & W

19.50 Gulch 50 ft deep drains W.

30.00 " 150 " " S. W.

34.00 " 200 " " S. W.

40.00 Set sandstone 12×8×6: 8: the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound along side

42.00 Leave breaks

67.00 Wash drains N. W.

80.00 Set sandstone 20×12×5. 15: the ground for cor. to secs. 1. 2. 11 & 12 marked with 5 notches on S and 1 on E edge and raised a stone mound along side.

Land. Very broken

Soil 3 rate.

No timber.

Dense undergrowth on 80 ch's.

Nov. 11th 1884.

BOOK-A-2

Eas

bet

0.00 Set tem

.50 Intersec

to secs. 1 & 1

18×8×7 fi

marked

from whi

N. 84

be

w

.50 Wash d

.25 Set sand

for 1/4 sec.

and rais

.50 Leave bre

.50 The cor. to

Land. Leav

Soil 2nd

No timber

East on random line
betw. secs. 1 & 12.
Var. 15° 18' E.

0.00 Set temp. 1/4 sec. cor.
.50 Intersect E. boundary of Lg Colks. N of cor
to secs. 1 & 12. which is a conglomerate
18 x 8 x 7 firmly set: the ground, properly
marked with stone mound along side.
from which Town
N. 89° 34' W on town line
betw secs. 1 & 12
with same var.
.50 Wash drains N.
.25 Set sandstone 14 x 12 x 5: 9: the ground
for 1/4 sec. cor. marked 1/4 on W face
and raised a stone mound along side.
.50 Leave breaks
.50 The cor. to secs. 1. 2. 11 & 12
Land. Level & breaks.
Soil 2nd rate
No timber.

& dense underg north on 80.50 chs

North on random line
betw secs. 1 & 2
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.

79.50 Intersect N. boundary of tp. 25 lks. W. of cor. to secs. 1. 2. 35 & 36. which is a same 40×16×4: 30: the ground, properly marked with stone mound along side, from which

Trun S 0° 11' W on true line
betw. secs. 1 & 2.
with same var.

39.50 Set granite 22×6×4: 18: the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound along side.

44.00 W. side of round hill

64.50 Descend. breaks

66.60 Enter level flat.

79.50. The cor. to secs. 1. 2. 11 & 12
Land. Level & broken
Soil 2nd rate.
No timber.

[illegible] & dense undergrowth o

BOOK-A-207

From the cor. to secs. 2.3.34 & 35
on S. boundary of Sp which is a sandstone 17×10×10: firmly
set in the ground properly marked & stone mound
From North betw. secs. 34 & 35

Var. 15° 18' E.

10.00 Set sandstone 12×12×4: 8: the
ground for 1/4 sec. cor. marked 1/4 on W face
& raised a stone mound alongside.

10.00 Set sandstone 12×8×6: 6: the ground
for cor. to secs. 26.27.34 & 35 marked with
1 notch on S and 2 on E edges & raised a
stone mound alongside.

Land Level.

Soil 2nd rate.

No timber.

Dense undergrowth on 80 ch's

East on random line
betw secs. 26 & 35
Var. 15°18' E.

40.00 Set temp 1/4 sec. cor.

80.20 Intersect N & S. line at the cor. to secs
25. 26. 35 & 36 from which I run
West on true line.
betw secs. 26 & 35
with same var.

10.40 San rafael river runs S. W. 1.40 ch
wide. 1 1/2 ft deep.

16.50 Leave bottom, enter low rolling ground

40.00 Set sandstone 20×10×5: 15. the ground
for 1/4 sec. cor. marked 1/4 on N face &
raised a stone mound alongside.

43.00 Low Ridge bears N W & S E.

80.20 The cor. to secs. 26. 27. 34 & 35.
Land. Level & rolling
Soil 1 & 2 rate.
Timber Cottonwood on bottom
Dense underwrooth on 80 20 ch's

Vari

0.50 Gulch dr
.00 Set sandst
for 1/4 sec. cor.
raised a sto
.00 Set sand
for cor to se
with 2 no
raised a s
Land. R
Soil 2
No tim
Dense

BOOK-A-207

Tp. 23 S. R. 13 E.

Var's between secs. 26 & 27.
Var. 18° 18' E.

0.50 Gulch drains E.

0.00 Set sandstone 12×8×6: 8: the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

0.00 Set sandstone 12×8×6: 8: the ground for cor to secs. 22. 23. 26 & 27 marked with 2 notches on S & E edges and raised a stone mound alongside

Land. Rolling sandhills

Soil 2nd rate.

No timber.

Deer entering into growth on SE cor.

East on random line
betw secs. 23 & 26
Var. 15°18' E.

40.00 Set temp 1/4 sec. cor.

80.20 Intersect N & S. line 40 lks N of cor. to secs. 23. 24. 25 & 26 from which run N 89°43' W on true line
betw secs. 23 & 26
Var. 15°18' E.

1.00 Scurafael river 100 lks wide 24 runs S. W.

40.40 Set sandstone 12×9×6 : 8. the ground for 1/4 sec cor. marked 1/4 on N & raised a stone mound alongside.

45.50 Accend.

77.00 Ridge bears N. W & S. E.

80.20 The cor. to secs. 22. 23. 26 & 27
Land. rolling & level.
Soil 1st rate.
Timber few cottonwoods. both
Dense undergrowth on 80. 20 ch

North

Low
9.00 Ridge be
0.00 Set chan
12 in. in th
marked 1/4
N & S. of po
a mound
around po
75.00 San Ra
deep run
a cabin bears
0.00 Set chan
12 in. in th
22 & 23 ma
S. 15 on N
S. 22 on S
deg pit 18
& 2 on E. ed
earth 2 ft
post.
Land m
Co

Dense ma

BOOK-A-207
Tp. 23 S., R 14 E.
387

North bet. Secs 22 and 23.

Va: 15° 18' E.

Low
9.00 Ridge bears E & W.

40.00 Set charred (cedar) post. 3 ft long 3 in Squ. 12 in. in the ground for 1/4 Sec Cor. marked 1/4 on W. face dug pits 18×18×12 in N & S. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high, 3 1/2 ft base around post.

75.00 San Rafael River 100 lks wide, 10 in deep runs S.E.

a Cabin bears N. 40° E 10 chs dist.

80.00 Set charred post. 4 ft long, 4 in Squ. 12 in. in the ground for Cor to Secs 14, 15, 22 & 23 marked ~~with~~ T. 23 S. R 14 E. S. 15 on N.W., Ps 14 on N.E. S. 23 on S.E. S. 22 on S.W. faces with 4 Notches on S. & 2 on E. edges dug pits 18×18×12 in each sec 5 1/2 ft dist and raised a mound of earth 2 ft high, 4 1/2 ft base around post.

Land mostly level

Soil 1st & 2nd rate,

Timber Scatt Cottonwoods

Dense undergrowth on 80 chs.

East on a random line
bet Secs 14 & 23.
Vas 15° 18' E.

40.00 Set temp 1/4 Sec cor.
80.16 Intersect N & S. line at cor to
Secs 13. 14. 23 & 24. from which
Iron
West on true line
bet. Secs 14 & 23.
with same Var.
1.90 Gulch drains S.W.
8.10 Breaks bear N.W & S.E.
Enter bottoms
14.50 N. edge of hill. —
40.08 Set chained post 3 ft long 3
Sqr. 12 in. in the ground for 1/4
Sec. cor. marked 1/4 S. on N
face and raised a stone mo
~~around post~~ alongside
42.00 Wash drains S.W.
50.00 Wagon road bears N.W. & S.E.
80.16 The Cor to Secs 14. 15. 22 & 23.
Land broken bench & bottom
Soil 1st & 3rd rates
Timber Scatt. bottom
Dense undergrowth on 80.16 ch

BOOK-A
Sp.
No
Note. On a
of Sauvap
then N. 4
4.00 in place
a sandsta
for 1/4 sec.
graised a
5.80 Road bea
4.50 Gulch a
7.60
0.00 Set sand
ground p
with 4 no
raised a
Land. Le
Soil 1
No tim
Dense un

BOOK-A-207
Sp. 23 S. R 14 E. 389

North betw secs 14 & 15
Var. 15° 18' E.

Note. On account of numerous crossings of Sanrafael river I offset 10 chs. E. then N. 40 chs. then W. 10 chs to in place where I set 30 lks E of river a sandstone 16×14×4 : 12 : the ground for 1/4 sec. cor. marked 1/4 on W. face & raised a stone mound alongside.

40.00

15.80 Road bears N. W & S. E. Enter bench

4.50 Gulch drains S. W.

7.60 " " "

20.00 Set sandstone 20×10×4 : 15 : the ground for cor to secs. 10. 11. 14 & 15 marked with 4 notches on Sand 2 on E edges & raised a stone mound alongside.

Land. Level & mountainous
Soil 1 rate.
No timber
Dense undergrowth &
on 80 chs.

East on random line
betw. secs. 11 & 14.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

80.60 Intersect N & S line at cor. to secs. 11. 12. 13 & 14. from which Sou
West on true line
betw secs. 11 & 14
with same var.

5.00 Enter bench Leave breaks

25.00 Gulch drains S. W.

40.30 Set sandstone 14×12×3: 9: the ground for 1/4 sec. cor. marked 1/4 on N face & raised a stone mound alongside.

71.00 Gulch drains S. W.

80.60 The cor. to secs. 10. 11. 14 & 15.
Land. Level.
Soil 2nd rate.
No timber:

[illegible] & dense undergro
on 80. bock's

No

2.25 Gulch dr
.00 Set sand
Ground
on W face
alongside
6.20 Wash dr
.00 Set sand
Ground
marked
on E edge
alongside
Land.
Soil
No tim
Ac

North betw secs. 10 & 11
Var. 15° 18' E.

2.25 Gulch drains W.
.00 Set sandstone 14×12×5: 9: the ground for 1/4 sec cor. marked 1/4 on W face and raised a stone mound alongside.
6.20 Wash drains S.W.
.00 Set sandstone 18×12×3: 12: the ground for cor to secs. 2. 3. 10 & 11 marked with 5 notches on Land 2 on E edges & raised a stone mound alongside.
Land. level.
Soil 1 & 2 rate.
No timber.
Dense undergrowth
artemisia on 80 ch's.
Nov. 12th 1884

 East on road on line

East betw secs. 2 & 11

Var. 15° 18' E.

40.00 Set temp 1/4 sec cor.

80.00 Intersect N & S line at cor. to sec. 1. 2. 11 & 12. from which Trees

West on true line

betw secs. 2 & 11

with same var.

22.25 S.W. point of ledge heads NE

Enter breaks.

40.00 Set sandstone 24×18×4: 18: the ground for 1/4 sec cor marked on N face and raised a stone mound along side.

44.00 Ledge bears NE & S.W.

56.50 Wash drains N.

73.50 Same " S.W.

80.00 The cor. to secs. 2. 3. 10 & 11.

Land. Breaks & level flat

Soil 1" & 3 rate.

No timber.

& dense underg worth on 80

BOOK-A-207

North on random line
betw secs. 2 & 3.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

49.60 Intersect N. boundary of tp. 25 lk. W of cor. to secs. 2 & 3 which is a sandst 18×12×5. firmly set in the ground properly marked with stone mound along side. from which S run

S. 0° 11' W on true line
betw secs. 2 & 3.
with same var.

9.80 Set granite 12×8×6 : 8 : the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound along side.

2.00 Enter high bench

5.85 Sandstone ledge 100 ft high bears NE & SW

7.50 Flat topped hill

8.50 Enter flat leave higher bench

9.60 The cor. to secs. 2. 3. 10 & 11.

Land Breaks & level

Soil 3 rate.
No timber.

[illegible] dense
underwrowth on 79. [illegible]

Sp.

From [illegible]
on S. bo[illegible]
quartzite
ground, [illegible]
stonemou[illegible]
Nor[illegible]

[illegible]00 Enter, [illegible]
set trachy[illegible]
for 114 sec. [illegible]
raised a [illegible]
Leave [illegible]
[illegible]50

[illegible]00 Wash i[illegible]
[illegible]00 Set sau[illegible]
ground [illegible]
marked [illegible]
raised a [illegible]
Land. Ro[illegible]
Soil 18 [illegible]
No timber [illegible]

BOOK-A-207

Tp. 23 S. R 14 E

From the cor. to secs. 3.4.33 & 34 on S. boundary of tp which is a quartzite 13×9×9, firmly set in the ground, properly marked with stone mound alongside Trun

North betw secs. 33 & 34

Var. 15° 18' E.

.00 Enter, bench bears NE & S.W set trachyte 16×12×10:12 the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

Leave beach

.50

.00 Wash in hollow drains N.E.

.00 Set sandstone 14×10×3:9: the ground for cor. to secs. 27. 28. 33 & 34 marked with 1 notch on S and 3 on E edges & raised a stone mound alongside.

Land Rolling & broken

Soil 1 & 2 rate

No timber.

& dense undergrowth a 80 ch

East on random line
betw secs. 27 & 34
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

80.00 Intersect N & S. line at cor. to secs.
27 & 34. 26 & 35 from which I run
West on true line
betw secs. 27 & 34
with same var.

8.00 S. face of gravel hill

40.00 Set sandstone 12×8×6: 8: the ground for
cor. marked 1/4 on N face & raised a stone mound along

55.50 Gulch drains S. W.

58.00 Ridge heads N. E.

78.00 Wash in Gulch drains N. E.

80.00 The cor. to secs. 27. 28. 33 & 34.
Land. level & broken
Soil 1st & 2nd rate.
No timber.

dense undergrowth
on 80

Sp.

North

2.00 Ridge

10.00 Leave san

26.50 Enter Gu

31.50 Leave s

37.00 Ridge be

40.00 Set san

ground

on W fa

50.00 Set sand

for cor. to

with R

raised a

Land.

Soil 2

No timb

Dens

BOOK-A-207
Sp. 23 S. R. 14 E 397

North betw secs. 27 & 28

Var. 15° 18' E.

2.00 Ridge heads S. W.

10.00 Leave same

26.00 Enter Gulch drains E.

31.50 Leave same

37.00 Ridge bears N W & S E.

40.00 Set sandstone 22×12×4: 16: the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

80.00 Set sandstone 20×10×5: 15: the ground for cor. to secs. 21. 22. 27 & 28, marked with 2 notches on S & and 3 on E edges & raised a stone mound alongside.

Land. Rolling

Soil 2n rate.

No timber.

Dense undergrowth on 80 ch's.

East on sand on line
betw secs. 22 & 27
Var. 15° 18' E.

40.00 Set temp 1/4 sec cor
80.00 Intersect N & S line at cor. to secs.
22. 23. 26 & 27 from which S run
West on true line
betw secs. 22 & 27
with same var.
1.00 50 lks. S. round rocky hill
14.00 " " " Slate "
40.00 Set sandstone 22×20×3: 16: the ground
for 1/4 sec. cor. marked 1/4 on W face &
raised a stone mound alongside
41.00 ~~Thence~~ along N. side of ridge
54.00 Leave same, a cond
58.00 Ridge bears N & S.
80.00 The cor. to secs. 21. 22. 27 & 28.
Land level & broken
Soil 2nd & 3 rate
No timber
dense undergrowth a

Nor
.00 Set san
ground
W face an
alongsid
.00 Round
00 Set sand
ground
marked w
and raise
alongside
Land
Soil
No timb
Dens

BOOK-A-207

North betw. secs. 21 & 22
Var. 18° 18' E

.00 Set sandstone 10×10×6: 7: the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

.00 Round hill 5 ch. E.

.00 Set sandstone 20×10×6: 15: the ground for Cor. to secs. 15. 16. 21 & 22 marked with 3 notches on S & E edges and raised a stone mound alongside.

Land. Level.

Soil 1st rate.

No timber.

Dense undergrowth. 80 ch.

	East on random line
	betw. secs. 15 & 22
	Var. 15° 18' E.
40.00	Set temp. 1/4 sec. cor.
80.50	Intersect N & Shin 30 lks N of
	cor. to secs. 14. 15. 22 and 23 from
	which Trum N 89° 47' W on true l
	betw secs. 15 & 22
	with same var.
227	Saurafael river 100 lks wide 1 1/2
	deep runs S.E.
3.50	Ascend
40.25	On ridge bears N & Sw. set sandstone 20×14×4: 16. the ground
	1/4 sec. cor. marked 1/4 on N face & raised a st
	mound alongside. descend.
80.50	The cor. to secs. 15. 16. 21 & 22
	Land. Rolling
	Soil 2nd rate.
	Timber cottonwoods in bottom
	Dense undergrowth
	on 80.50 chs

Sp.

	No
17.00	Gradu
15.50	Top of
40.00	Set sa
	ground
	W face a
80.00	Set sa
	ground
	marke
	3 on E
	mound
	Land
	Soil
	No tr
	Dense

BOOK-A-207

North between secs. 15 & 16.

Var. 15° 18' E.

17.00 Gradual descend

25.50 Top of round hill

40.00 Set sandstone 36×36×5 - 27: the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

80.00 Set sandstone 16×10×4: 12: the ground for cor. to secs. 9. 10. 15 & 16 marked with 4 notches on S and 3 on E edges and raised a stone mound alongside.

Land. Rolling

Soil 2nd rate.

No timber.

Dense undergrowth on 80 chs

	East on random line
	betw secs. 10 & 15
	Var 15° 18' E.
40.00	Set temp. 1/4 sec. cor.
80.45	Intersect N & S. line at cor. to secs.
	10. 11. 14 & 15. from which True
	West on true line
	betw secs. 10 & 15
	with same var.
9.25	Road bears N & S.
33.00	Gulch drains S. W.
38.50	Ledge bears N & S.
39.50	Enter bottom
40.22	Set sandstone 20×12×4: 15: the ground
	for 1/4 sec. cor. marked 1/4 on N face & raised
	a stone mound alongside.
54.90	Saurafeel river 100 lks wide 1 ft deep runs S.
58.80	Ascend.
80.45	The cor to. secs. 9. 10. 15 & 16.
	Land. Rolling
	Soil 1st rate

Timber cottonwood in bottom
Dense undergrowth on 80.45 chs

North betw secs. 9 & 10.
Var. 15° 18' E.

Ascend

0.00 Top of ridge bears N E & S W.
0.00 Set sandstone 14×8×6 9: the ground
for 1/4 sec. cor. marked 1/4 on W face &
raised a stone mound alongside.
3.00 Ascend
5.00 Top of ridge bears S W & N E. descend
5.00 Enter level ground
.00 Set sandstone 18×16×3: 12: the
ground for cor to secs. 3. 4. 9 & 10.
marked with 5 notches on Sand
3 on E edges & raised a stone mound alongside
Land. Rolling
Soil 2nd rate
No timber
Dense undergrowth on 80 chs

East on random line
betw secs. 3 & 10.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

80.00 Intersect N & S line at cor to
2.3.10 & 11 from which I run
West on true line
betw secs. 3 & 10
with same var.

18.35 Road bears N & S.

27.50 Enter river bottom

40.00 Set sandstone 12×10×8: 8: the ground
for 1/4 sec. cor. marked 1/4 on N face &
raised a stone mound along side

42.00 Saurafael river 125 lks wide 2 ft deep
runs S.

54.00 Ascend

62.75 N.E. point of low ridge

80.00 The cor. to secs. 3.4.9 & 10.
Land. Rolling
Soil Rate.

Timber. scrub Cottonwoods
Dense undergrowth on 8000 ch.

North on random line
betw. secs: 3 & 4
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

79.40 Intersect N bound. of tp. 18 lks. W of cor. to secs. 3 & 4. which is a charred Cottonwood post firmly set & properly marked with hits and mound from which Town S. 0° 7' W. on true line
betw secs. 3 & 4
with same var.

5.00 Gulch drains N.E.

39.40 Set sandstone 12×8×6: 8: the ground for 1/4 sec. cor. marked 1/4 on W. face & raised a stone mound alongside.

44.00 Ascend

48.00 Top of ridge bears NE & N.W.

58.50 " " round gravel hill

79.40 The ex to secs. 3. 4. 9 & 10.
Land. Rolling
Soil 1st rate
Timber fav. Cottonwood
Deciduous growth on 79.40 ac.
Nov. 13th 1884

From the cor to secs. 4. 5. 32 & 33
on S bound. of tp which is a sandstone
14×10×6: 9: the ground, properly
marked, with stone mound alongside
S run

Nath betw. secs. 32 & 33

Var. 15° 18' E.

6.00 Enter plateau

10.00 Set trachyte 12×8×6: 8: the ground
for 1/4 sec. cor. marked 1/4 on W face
and raised a stone mound
alongside.

15.50 Descend

20.00 Set sandstone 18×12×5: 12: the
ground for cor to secs. 28. 29. 32 & 33
marked with 1 notch on S. and
4 on E edges & raised a stone mound
alongside.

Land. Rolling

Soil 2nd rate

No timber.

Dense undergrowth on 8 vel's.

East on random line
betw. secs. 28 & 33
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.

80.00 Intersect N & S line at cor. to secs. 27. 28. 33 & 34 from which S run
West on true line
betw. secs. 28 & 33
with same var.

5.00 ridge bears N E & S W

40.00 Set sandstone 12 × 8 × 6 : 8 : the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

80.00 The cor. to secs. 28. 29. 32 & 33.
Land. Level.
Soil 2nd rate.
No timber.
Dense undergrowth on 80 chs.

BOOK-A-207

Sp. 23 T. R 14 E.

North betw. 28 & 29

Var. 15° 18' E.

38.50 Gulch drains S. E.

40.00 Set cobble 10×10×8: 6. the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

55.00 Gulch drains S. E.

80.00 Set sandstone 12×8×6: 8. the ground, for cor. to secs. 20.21.28 & 29 marked with 2 notches on S & 4 on E edges & raised a stone mound alongside.

Land level.

Soil 2nd rate.

No timber.

Dense undergrowth of sticks

East on random line
betw. secs. 21 & 28
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.00 Intersect N & S line at the
cor. to secs. 21. 22. 27 & 28 from which Tru
West on true line
betw secs. 21 & 28
with same var.
40.00 Set sandstone 12 x 8 x 6 in 8 in the ground
for 1/4 sec. cor. marked 1/4 on N face
& raised a stone mound alongside
62.00 Ridge bears N. W. & S. E.
80.00 The cor. to secs. 20. 21. 28 & 29
Land. Level.
Soil 2nd rate.
No timber.
Dense undergrowth on 80

Sp. 23 S. R 14 E.

North betw. secs. 20 & 21

Var. 15° 18' E.

[illegible]0.00 Set sandstone 10 × 9 × 9 in. 6 in. the ground for 1/4 sec. cor. marked 4 on W face and raised a stone mound alongside.

[illegible]5.00 Lava table rocks.

80.00 Set sandstone 14 × 10 × 5 in. 9 in. the ground for cor. to secs. 16. 17. 20 & 21 marked with 3 notches on S and 4 on E edges and raised a stone mound alongside.

Land, Level.

Soil 1 rate.

To timber

Dense underground on 80 lks.

East on random line
betw. secs. 16 & 21
Var 15° 18' E

40.00 Set temp 1/4 sec. cor.

80.00 Intersect N & S line at cor. to
secs. 15. 16. 21 & 22 from which
Trun West on true line
betw. secs. 16 & 21
with same var.

40.00 Set sandstone 18×12×4 : 12 in
ground for 1/4 sec. cor. marked 1/4
W face and raised a stone mound
alongside.

71.50 Lava table rocks.

80.00 The cor. to secs. 16. 17. 20 & 21.
Land. Level.
Soil 2nd rate.
No timber.
Dense undergrowth on 80 chs.

BOOK-A-207

Tp. 23 S. R 14 E

North betw secs. 16 & 17

Var 15° 18' E.

5.50 Leave Lava table rocks

17.00 Ridge bears E & W.

25.00 Enter flat

40.00 Set sandstone 10 x 10 x 10 in 7 in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

80.00 Set sandstone 24 x 20 x 10 in 18 in the ground for cor. to secs. 8 & 9 16 & 17 marked with 4 notches on S & E. edges raised a stone mound alongside.

Land. Level.

Soil 2nd rate

No timber.

Dense undergrowth on 80 chs

268

East on random line
betw secs. 9 & 16
Var 15° 18' E

40.00 Set ~~ensept~~ 1/4 sec. cor.

80.00 Intersect N & S line at cor to secs. 9 & 10. 15 & 16 from which S run

West on true line
betw secs. 9 & 16.
with same var.

13.50 Sandst. ridge bears N & S.

40.00 Set sandstone 18 x 12 x 4 in 12 in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

80.00 The cor. to secs. 8. 9. 16 & 17
Land. Rolling
Soil 2nd rate
No timber.
Dense undergrowth a 80 chs

BOOK-A-207

Tp. 23 S. R 14 E

North betw secs. 8 & 9
Var. 15° 18' E.

5.80 Sandst. ridge bears E & W.

10.00 Set sandstone 18 × 16 × 3 : 12 : the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

Land. Level.
Soil Trate.
No timber.
Dense undergrowth on 80 chs

*

10.00 Set sandstone 22 × 20 × 4 : 16 : the ground for Cor to secs. 4. 5. 8 & 9. marked with 5 notches on S and 4 on E edges & raised a stone mound alongside.

East on random line
betw secs. 4 & 9
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
79.80 Intersect N & S. line 35 lks S of
to secs. 3.4.9 & 10. from which S run
S. 89° 45' W on true line betw
secs. 4 & 9.
with same var.
19.25 Ridge bears N E & S. W.
39.90 Set sandstone 10×10×6 in the
ground for 1/4 sec cor marked 1/4
on W face and raised a stone
mound alongside.
79.80 The cor. to secs. 4.5.8 & 9.
Land rolling
Soil 2nd rate
No timber.
Dense artemisia undergrow
on 79.80 chs.

BOOK-A-207

Sp. 23 S. R 14 E

North on random line
betw. secs. 4 & 5.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

80.00 Intersect N. boundary of tp.
at the cor. to secs. 4 & 5 which is a gypsum
12×8×6 in firmly set properly marked with stone mound
from which Trees South on true line
betw. secs. 4 & 5.
with same var.

40.00 Set slate 22×20×4. 16. the ground
for 1/4 sec. cor. marked 1/4 on W face & raised
a stone mound alongside.

55.00 Enter flat hollow drains E.

61.00 Wash drains S.E.

68.50 Leave Hollow. Wash drains E.

80.00 The cor. to secs. 4. 5. 8 & 9.
Land. Rolling
Soil Crate.
No timber.

Dense underwooth on 80 ch's.

Nov. 14th 1884

From the cor to secs 31 & 32 on S. b
of tp. which is post firmly set in the
ground with pits & mound of ea
around it Sun

North betw. secs. 31 & 32.

Var. 15° 18' E

40.00 on hill drus W Set sandstone 10 × 7 × 7 : 7 : th
ground for 1/4 sec cor. marked 1/4
on W face and raised a stone
mound alongside. descend

65.00 Bench bluff bears SE & S.W.

80.00 Set trachyte 14 × 12 × 4 : 9 : the
ground for cor. to secs 29. 30. 31 & 32
marked with 1 notch on Sand
E edges and raised a stone mound
alongside.

Land. Rolling
Soil 2nd rate.
No timber.

Dense undergrowth on
80 chs.

BOOK-A-207
Sp. 15 S. R 13 E. 419

East on random line
betw sect. 29 & 32.
Var. 15° 18' E.

40.00 Set temp 1/4 sec cor.
80.00 Intersect N & S line at cor to sect 28. 29. 32 & 33. from which Same
West on true line
betw sect. 29 & 32
with same var.
40.00 Set trachyte 12×8×6. 8. the ground for 1/4 sec. cor marked 1/4 on N face and raised a stone mound along side.
69.00 Gulch drains N.
72.75 " " N.
80.00 The cor. to sect. 29. 30. 31 & 32.
Land. Level & broken
Soil 2nd rate.
No timber.
Dense artemisia undergrowth on 80 chs.

West on random line
betw secs. 30 & 31
Var. 15°18 E.

40.00 Set temp 1/4 sec. cor.

77.50 Intersect W boundary of tp. 11 lks S. of
cor. to secs. 25 & 30 which is a sandst [illegible]
set in ground, properly marked & stone mound along
from which I run
S. 89°55 E on true line
betw secs. 30 & 31
with same var.

3.00 Leave wash Hollow.

25.10 Gulch drains N.

37.50 Set sandstone 26 x 12 x 4. 18. the ground for
1/4 sec. cor. marked 1/4 on N face & raised a stone mound along gro

59.50 a sec. cor.

60.50 Bluff bears SW & NE.

77.50 The cor to secs. 29. 30. 31 & 32
Land very broken
Soil 3 rate
No timber

dense undergrowth on 77.

North betw secs. 29 & 30.
Var. 15° 18' E.

4.00 Descend.
8.75 Enter flat.
24.50 Enter gulch drains S.E.
30.00 Leave same
40.00 At foot of ridge bears N.W. & S.E. set sandstone 36×24×6: 27: the ground for 1/4 sec cor. marked 1/4 on W face and raised a stone mound alongside.
80.00 Set sandstone 18×10×4: 12: the ground for cor to secs. 19. 20. 30 & 29 marked with 2 notches on S and S on E edges and raised a stone mound alongside.
Land. Level broken
Soil 2nd rate.
No timber.

dense
underground on 80 chs

East on random line
betw secs. 20 & 29
Var 15° 18' E.

40.00 Set temp 1/4 sec. cor.

80.00 Intersect N & S. line at cor. to secs. 20. 21. 28 & 29 from which I run West on true line
betw. secs. 20 & 29
Var. 15° 18' E.

40.00 Set sandstone 14×8×6. 9. the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside

80.00 Fre cor. to secs. 19. 20. 29 & 30.
Land. Level
Soil. 1 rate
No timber.
Dense underbrush on Hch's.

West on sand on line
betw secs. 19 & 30
Var. 15° 18' E

40.00 Set temp. 1/4 sec. cor.

77.50 Intersect W. bound. of tp. at cor to secs. 19 & 30 which is a sand stone 20 x 8 x 5 in firmly set & properly marked from which I run East on true line

betw secs. 19 & 30
same var.

37.50 Set sandstone 18 x 10 x 4. 12 - the ground for 1/4 sec. cor. marked 1/4 on N face & raised a stone mound along side.

77.50 The cor. to secs. 19. 20. 29 & 30.
Land. Level.
Soil 2nd rate
No timber
Dense artemisia
under growth on 77.50 ℓ

silt stone — marked

North betw secs. 19 & 20
Var. 15°18' E.

40.00 Set sandstone 18×10×4: 12 the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

62.00 E. edge of Lava rocks

69.00 Leave same

80.00 Set sandstone 18×12×4: 12. the ground for Cor. to secs. 17.18.19 & 20 marked with 3 notches on Sand 5 on E edges & raised a stone mound alongside.

Land. rolling
Soil. 2nd rate
No timber
dense underground with [illegible]

East on random line bet Secs 17 & 20
Va 15° 18' E.

14.00 Temp. 1/4 Sec Cor.

8.00 Int. N & S. line at Cor. to Secs 16.17.20 & 21
from which I run West on a true line
bet Secs 17 & 20. with Same Va.

3.00 Leave Lava Table rock

40.00 Set Sand Stone 12×8×6," 8 in. in the
ground for 1/4 Sec Cor, marked 1/4 on N.
face and raised a Stone mound alongside.

8.00 The Cor to Secs 17.18.19 & 20.
Sand level, Soil 1st rate;
No Timber
Dense undergrowth on Pd chs.

West on a random line bet Secs 18 & 19
Va 15° 18' E.

4.00 Set temp 1/4 Sec Cor.

7.50 Int. W. boundary of Tp. 40 lks N. of
Cor to Secs 18 & 19 which is a sandstone 20×10×5 in
15 in. the ground, properly marked with
Stone mound alongside, from which I run
N. 89° 43' E. on a true line bet Secs 18 & 19
with Same variation

7.50 Set Sand Stone 12×9×7." 8 in. in the

ground for 1/4 sec cor marked 1/4
on N. face and raised a stone mound
alongside.—

6650 N. Edge of ridge heads S.

7750 The Cor to Sec.s 17.18.19 & 20
Land level; Soil, Indrate,
No Timber
Dense underprowth on 77.5
Nov. 15th 1884

North bet Sec.s 17 & 18.
Vas 5°18' E.

4000 Set Sand stone 12×9×6" Dim. in the ground
for 1/4 sec cor. marked 1/4 on W. face and
raised a stone mound alongside

8000 Set Sand stone 19×12×7" Dim. in the
ground for Cor to Sec.s 7.8.17 & 18
marked 4 Notches on S. & 5 on E. edge
and raised a stone mound alongside
Land level
Soil Strata
No Timber
Dense underprowth on 80 ch

Th 23 S. R 14 E.

East on a random line bet. Sec. 8 & 17

Va. 15° 18' E.

4000 Set Sump 1/4 Sec Cor.

8000 Int. N & S. line at Cor to Sec. 8. 9. 16 & 17. from which Run West on a true line bet Sec. 8 & 17 with Same Var.

4000 Set Sandstone 22 x 20 x 4" 16 in in the ground for 1/4 Sec Cor. marked 1/4 on N. face & raised a stone mound alongside.

8000 The Cor to Sec. 7. 8. 17 & 18. Land level;

Soil Ind rate;

No Timber

Dense underpoort on Sock.

West on a random line bet
Sec. 7 & 18
Var 15° 18' E.

4.00 Set Sump 1/4 Sec Cor.
77.40 Int. W. boundary of Tp
at Cor to Sec. 7 & 18 which
a Cottonwood post ~~a stone stone 11 x 10 x 6~~ firm
Set in the pound properly mar
with ~~stone~~ pits and mound ~~of earth~~
from which run East
a true line bet Sec. 7 & 18
with Same Var.
37.40 Set Sand stone 20 x 8 x 3"
in in the pound for 1/4 Sec
marked 1/4 on N face, and
raised a stone mound alongs
71.40 S. Slope of roundhill 40 ft hi
77.40 The Cor to Sec. 7. 8. 17 & 18
Land level;
Soil Indrate;
No Timber
Pence undergrowth on 77.40

BOOK-A-207

Sp. 23 S. R 14 E

North betw secs. 7 & 8.

Var. 15° 18' E.

.00 Set sandstone 12×9×6 : 9 : the ground for 1/4 sec. cor marked 1/4 on W face and raised a stone mound alongside.

8.00 Sandstone ledge bears E & W.

.00 Set sandstone 22×18×10 : 16. the ground for Cor to secs. 5.6. 7 & 8 marked with 5 notches on S & E edges and raised a stone mound alongside.

Land Level.

Soil 2nd rate.

No timber.

Dense underground on 80 chs.

East on sand on line betw secs. 5 & 8

Var. 15° 18' E.

.00 Set temp 1/4 sec. cor.

.00 Intersect N & S line at cor to secs. 4. 5. 8 & 9 from which I run West on true line

betw secs. 5 & 8

Var. 15° 18' E.

31.90 Wash drains N.E.

36.80 " " N.E.

40.00 Set sandstone 20×10×7: 15: the ground for 1/4 sec cor marked 1/4 on W face and raised a stone mound alongside

80.00 The cor. to secs. 5.6.7 & 8

Land: Rolling

Soil 2nd rate.

No timber.

Dense under ~~brush~~ growth on 80 chs.

West on random line betw secs. 6 & 7.

Var. 15° 18' E.

40.00 Set temp 1/4 sec cor

77.50 Intersect W bound of tp. 5 lks N. of cor to secs. 1.6.7 & 12. which is a sandstone 20×14 ~~[illegible]~~ 12: the ground, properly marked with stone mound alongside. from which I run

BOOK-A-207
Spr. 23 S. R 14 E.
431

N 89° 58' E. on true line
betw secs. 6 & 7

500 N.E. point of Hill with same var.
00 Top of gravelridge bears N & S.
50 Set a sandst. 10 x 10 x 10: 7: the ground
for 1/4 sec. cor. marked 1/4 on N face and
raised a stone mound alongside.
50 Sandstone ledge bears N E & S W.
50 The cor. to secs. 5.6.7 & 8.
Land. Rolling
Soil 2nd rate.
No timber.

dense and eg. growth a 7 50 ...

North on sand on line
betw secs. 5 & 6
Var. 15° 18' E.

00 Set temp 1/4 sec. cor.
70 Intersect N. bound of Tp. 43 lks. E of cor. to
secs. 5.6. which is a sandstone ~~20 x 7 x 5 x 15~~ 16 x 6 x 6
the ground, properly marked, with
stone mound alongside.

Subdivisions Tp. 23 S. R 14 E.

- from which Trun S. 0° 18' E on true line
betw secs. 5 & 6.
name var.

39.70 Set sandstone 24×12×4: 18.. the ground
for 1/4 sec. cor. marked 1/4 on W face & rain
a stone mound along rivl.

45.40 S.W. point of hill 30 ft. high

56.75 Gulch drains E.

64.50 Spurridge heads E.

74.20 Gravel ridge bears E & W.

78.90 W. point of ridge heads E.

79.70 The cor to secs. 5. 6 & 7 & 8.
Land rolling
Soil 2nd rate
No timber

High Mountains on 79.70

Nov. 17th 18

BOOK-A-

Gen
The la
Townsh
bottom
River
Benc
Ther
Timbe
There
for
The
are
North
and
Sec. 2
fence
a mi
forty
cell
four
situa

General Description

The land embraced in this Township consists of first rate bottoms along the San Rafael River and adjacent Benches and Hills.

There is some Cottonwood Timber in the River Bottoms. There is plenty of Rock for Building purposes.

The applicants improvements are situated in the North West quarter of Sec. 25 and the South West quarter of Sec. 25. They consist of some fencing, a ditch about a mile long and about forty acres of land under cultivation. There are some other settlements situated in Sec. 3 + 14

Stewart M. Pancake
U. S. Dep. Surveyor

BOOK-A-2

. S. SURVEYOR (

Salt Lake City

The foregoing f

Subc

Township No. 23

Executed by Steu

Under his

ay of Septe

Novemb

mined. the necessary

he said field notes,

ereby approved.

BOOK-A-207

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 12th 1885

The foregoing field notes of the survey of the Subdivisions

Township No. 22 South Range No. 14 East

Executed by Stewart M. Pancake

Under his contract No. 130 of the 6th

day of September 1884 in the month of

November 1884 having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Frd Falconer

U. S. Surveyor General for Utah.

ID 7 BOOK-A

EPORT: 1885

iled

xamined by

ranscribed by He

ompared by H. C

FIE

OF THE

Gr

Gu

ownship No. 24

ange No. 15 & 1

SALT L

UT

Stewa

U. S

Under his Co

ated Septe

urvey commenc

urvey complete

BOOK-A-207

EPORT: 1885

iled 188

xamined by .....

ranscribed by Henry R. Atkinson

ompared by H. Atkinson & E. Michaelis

FIELD NOTES

OF THE SURVEY OF THE

Green River

Guide Meridian

OF

ownship No. 24 South

ange No. 15 & 16 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Stewart McPancake

U. S. Deputy Surveyor,

Under his Contract No. 130

ated September 6th 1884

urvey commenced Nov 24th 1884

urvey completed " 24th 1884

NAMES AND DUTIES OF ASSISTANTS.

	Compassman.
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

Green River Lands Meridian
Tp 24 South bet. Ranges 15 & 16 E.

Note:- In subdividing Tp. 24 S. R. 15 E I found that the Cor to Secs 7. 12. 13 & 18 on the East Boundary of that Tp was established by a witness corner 20.50 chs. N. of true Cor point said witness cor. being a Sand-Stone 16×12×4 ins. firmly set and properly marked, with stone mound alongside from which I run on resurvey line. South bet. Secs 7 & 12
Var: 15°18' E.

1.35 foot of Bluff 75 feet high bears E & W.
San Rafael River 100 lks wide 2 feet deep runs E.
1.50 Ascend broken Bluff
1.50 Set Sand Stone 16×10×10 in 11 ins in the ground for Cor to Secs 7. 12. 13 & 18. marked with 2 notches on N. & 4 on S. edges, and raised a stone mound alongside.
Land broken Bluffs—

Soil, 3rd rate;
No Timber
High Mountains on 20 50 ch
Nov. 24th 188

Note: For General Descrip
See Subdivisions of
24 S. R. 15 E.
Stewart M. Pancake
U. S. deputy surveyor.

BOOK-A

U. S. SURVEYO

Salt Lake

The foregoi

Green Re

Township No. 24

Executed by Sl

Under li

day of Sept

Novem

amined, the necess

the said field no

hereby approved.

BOOK-A-207

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 12th 1885

The foregoing field notes of the survey of the Green River Guide Meridian Township No. 24 South Ranges No. 15 & 16 East Executed by Stewart M Pancake Under his contract No 130 of the 6th day of September 1884, in the month of November 1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-207

Township 24 S R. 14 E.

6 504	5 488	4 477	3 465	2 455	1
503	502	487	476	464	454
7 501	8 486	9 475	10 464	11 453	12
500	499	485	474	463	451
18 498	17 484	16 473	15 462	14 451	13
497	496	483	472	461	450
19 495	20 482	21 471	22 460	23 449	24
494	493	481	470	459	447
30 492	29 480	28 469	27 458	26 447	25
491	490	479	468	457	446
31 489	32 478	33 467	34 456	35 445	36

10 BOOK-A-207

443

EPORT: 1885

led 188

amined by C.E.S.

anscribed by Henry R. McAllister

mpared by Atkinson & Michaelis

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

wnship No 24 South

nge No 14 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Stewart M. Peacock

U. S. Deputy Surveyor,

Under his Contract No. 130

ted September 6th 1884

rvey commenced Nov 18th 1884

rvey completed " 22nd 1884

NAMES AND DUTIES OF ASSISTANTS:

George Marchbank ..... Compassman.

..... Chainman.

..... Chainman.

..... Chainman.

..... Chainman.

..... Axeman.

..... Axeman.

..... Flagman.

Note: There were two sets of chainmen used in the survey of this Tp. one running the E & W. and the other the N & S. lines both under my supervision, one under my direct and the other under my Compassman. —

BOOK-A-207

Subdivisions Tp. 24 S. R. 14 E.

Survey commenced: Nov. 18th 1884
The instrument used are ~~with~~ two Burts improved Solar compass.
From the cor. to secs. 1. 2. 35 & 36 on S. boundary of this tp. which is a sandstone 20×20×6 firmly set in the ground & properly marked with stone mound alongside.
True
North betw secs. 35 and 36
Var. 15° 18' E.

1.00 Set gypsum 22×20×7 in 16 in the ground for 1/4 sec. cor. marked 1/4 on W face, dug pits 18×18×12 in N & S. of stone 5 1/2 ft diet & raised a mound of earth 1 1/2 ft high, 3 1/2 ft base alongside.

.50 Gypsum veins 2 ft high.

.00 Set sandstone 18×12×4 in 12 in the ground for cor. to secs. 25. 26. 35 & 36 marked with Inotch on S & E edges & raised a stone mound alongside.
Land rolling
Soil 2nd rate.
No timber
Dense artemisia and ergrowth on 80 chs.

East on random line
betw secs. 25 & 36.
Var 15° 18' E.

40.00 Set temp 1/4 sec. cor.

80.10 Intersect E. boundary of lp
at the cor. to secs. 25 & 36 which is
line 14×12×3. firmly in the grou
properly marked, with mound
earth & pits alongside. from
True West on true line
betw. secs. 25 & 36.
with same var.

40.05 Set gypsum 12×10×4: 7/: the
ground for 1/4 sec. cor. marked 1/4
N. face and dug pits 18×18×12: E
5 1/2 ft dist. of stone & raised a m
of earth 1 1/2 ft high 3 1/2 ft base al

80.10 The cor. to secs. 25. 26. 35 & 36.
Land. Rolling
Soil 2nd rate.
No timber.
Dense artemisia undergr
on 80.10 chs.

24 S.

Nort

26.50 10 chs. E.

40.00 Set ra
grou
W. face a

0.00 Set ra
for cor. to
2 notches o
a stone m
Land.
Soil
No tim
Dens

East
betw

0.00 Set te

0.10 Inter
at the c
is a gy
the gro
pits & m

BOOK-A-207

North betw secs. 25 & 36
Var 15° 18' E.

26.50 10 ch. E. S. point of main ridge.

40.00 Set sandstone 16×12×5: 12: the ground for 1/4 sec. cor marked 1/4 on W. face and raised stone mound alongside.

80.00 Set sandstone 14×12×5: 9: the ground for cor. to secs. 23. 24. 25 & 26. marked with 2 notches on land to E edges and raised stone mound alongside.

Land. Rolling
Soil 2nd rate.
No timber.
Dense undergrowth on 80 ch.

Easton random line
betw secs. 24 & 25.
Var. 15° 18' E.

0.00 Set temp 1/4 sec. cor.

0.10 Intersect E. boundary of towns. at the cor. to secs. 19. 24. 25 & 30. which is a gypsum 12×8×8 firmly set in the ground properly marked with pits & mound of earth alongside.

from which Town
West on true line betw. secs. 2
with same var.

20.00 Ascend
40.05 Set sandstone 16×10×3: 12: th
ground for 1/4 sec. cor. marked 1/4
N. face and raised a stone mound
alongside.
42.00 Top of mainridge bears S.W. g
65.00 Ledge 15 ft high bears S.W. g N.
80.10 The cor. to secs. 23. 24. 25 g 26.
Land rolling
Soil 2nd rate
No timber
Dense undergrowth
on 80.10 chs.

Tp.

Nor

00 Set sand
ground f
W face. Du
W g S. 5 1/2 f
a mound
alongside
00 Set san
for cor. to se
3 notches o
18×18×12:
5 1/2 ft dis
of earth
Land.
Soil
No tim
Den

Tp. 24 S. R 14 E.

North betw. secs. 23 & 24
Var 15° 18' E.

00 Set sandstone 12×10×6. 9 in the ground for 1/4 sec. cor. marked 1/4 on W face. dug pits 18×18×12. the ground N & S. 5 1/2 ft dist. of stone and raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside.

00 Set sandstone 14×12×5. 9. the ground for cor. to secs. 13. 14. 23 & 24 marked with 3 notches on S and 1 on E edges. dug pits 18×18×12. in the ground in each sec. 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base alongside.

Land rolling
Soil 2nd rate
No timber.
Dense artemisia
undergrowth on 80 chs.

East on random line
betw secs. 13 & 24
Var. 15° 18' E.

40.00 Set temp 1/4 sec cor.

80.20 Intersect E boundary of tp
cor. to secs. 13. 18. 19 & 24. which
sandstone 24×16×3. firmly
in the ground, properly mar
with pits & mound of earth along
from which Town

West on true line
betw secs. 13 & 24
with same var.

30.00 Enter level ground

40.00 Set sandstone 12×10×4: 8: th
ground for 1/4 sec cor. marked 1/4
on N face and raised a stone mo
alongside.

80.20 The cor. to secs. 13. 14. 23 & 24
Land rolling.
Soil 2nd rate.
No timber
Dense artemisia undergo
on 80.20

40.00 Set sa
for 1/4 se
raise
66.00 Ledge
74.00
80.00 Set sa
grou
marke
on Ledg
alongs
Land
Soil
Notr
Den

Ec
b

40.00 Set te
80.00 Intec
cor. to
sandsto

North betw secs. 13 & 14
Var 15° 18' E.

40.00 Set sand stone 14×10×4: 9: the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

66.00 Ledge 30 ft. high bears E & W.

74.00 20 " " " S & W.

80.00 Set sandstone 14×12×5: 9: the ground for cor. to secs. 11. 12. 13 & 14 marked with 4 notches on S and 1 on E edges and raised a stone mound alongside.

Land. Rolling & broken
Soil 2nd rate
No timber.
Dense artemisia
undergrowth on 80 ch.

East on random line
betw. secs. 12 & 13.
Var. 15° 18' E.

4000 Set temp 1/4 sec cor.

8000 Intersect E boundary of tp. at the cor. to secs. 12 & 13, which is a congl. sandstone 16×9×7. firmly set in the

ground, properly marked, with pits & mound of earth alongside from which I run

West on true line
betw secs. 12 & 13
with same var.

10.00	Top of Mainridge bears N W &
40.00	Set sandstone 12×8×5 : 7 the ground for 1/4 sec cor. marked " on N face and raised a stone mound alongside.
70.00	Sandstone ledge bears S. W & N. descend.
72.00	Enter level ground
80.00	The cor. to secs. 11. 12. 13 & 14.

Land rolling
Soil 2nd rate.
No timber.
Dense artemisia undergrowth on 80 chs.

North betw secs. 11 & 12
Var 15° 18' E.

10.00 Set sandstone 18 × 14 × 3 : 12 : the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

10.70 Alkali Pond Gulch & wash drains N. E.

15.50 W. face of gypsum hill 30 ft high

14.50 Spurridge heads E.

11.50 " " E.

10.00 Set sandstone 12 × 8 × 6 : 7 : the ground for cor to secs. 1. 2. 11 & 12. marked with 5 notches on S and 1 on E edges & raised a stone mound alongside.

Land. Rolling
Soil 2nd Rate.
No timber
Dense artemisia
undergrowth on 80 chs.

Subdivisions

East on random line
betw. secs. 1 & 12.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.10 Intersect E. boundary of t
at cor. to secs. 1. 6. 7 & 12. which
a post, properly marked o fr
set in the ground with pits &
mound of earth around it
from which True West on tru
line betw. secs. 1 & 12
with same var.
40.05 Set sandstone 12×12×5. 7. the
ground for 1/4 sec. cor. marked
on N face, dug pits 18×18×12.
ground E & W of stone 5 1/2 ft
and raised a mound of earth
high, 3 1/2 ft base alongside.
62.00 Alkali pond gulch, [illegible] drains
71.50 broken hills bear N & S.
80.10 The cor. to secs. 1. 2. 11 & 12.
Land. Level.
Soil Grate.
No timber.
Dense undergrowth, on 80.1 [illegible]

BOOK-A

24 S.

Nor

40.00 Set te
80.00 Inter
50 lks E
is a po
the gr
from
S

29.30 Ascen
40.00 Set s
ground
W face
N & S.
raised
3 1/2 ft
53.50 E. po
57.50 Enter
80.00 The
Lan
So
No t
dens

24 S. R 14 E.

North on random line
betw. secs. 1 & 2.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.00 Intersect N. boundary of tp.
50 lks E of the cor. to secs. 1 & 2. which
is a post with p & m. firmly in
the ground & properly marked
from which I run
S. 0° 21' E on true line
betw secs. 1 & 2
with same rev.

29.30 Ascend
40.00 Set sandstone 20×12×10: 15: the
ground for 1/4 sec. cor. marked 1/4 on
W face, dug pits 18×18×12: the ground
fly S. of stone 5 1/2 ft dist. and
raised a mound of earth 1 1/2 ft high
3 1/2 ft base alongside.
53.50 E. point of mainridge
57.50 Enter level ground
80.00 The cor. to secs. 1. 2. 11. & 12.
Land Rolling
Soil 2nd rate.
No timber.
Dense artemisia on 80 chs.

From the cor. to secs. 34 & 35 on S. bo
of tp which is a sandstone 24×16×6 firm
set & properly marked with stone m
alongside. Trim
North betw secs 34 & 35
Var 15° 18' E

20.00 East point of Ridge bears NW
40.00 Set sandstone 10×10×8: 6: the g
for 1/4 sec. cor marked 1/4 on W face
raised a stone mound alongside
63.00 Ridge bears E & W. descen
65.50 Enter level ground
80.00 Set flint 12×8×6: 8: the ground
cor. to secs. 26. 27. 34 & 35. marked
with 1 notch on S and 2 on E edge
and raised a stone mound along
Land. Rolling
Soil 2nd rate.
No timber.
Dense artemisia underg wo
on 80 chs.
Nov. 18th 1884

Tp.

East

.00 Set tem
.00 Interse
25. 26. 3
We

.00 Set gyp
for 1/4 sec
raised
.00 The cor.
Land.
Soil
No tri
Dense

BOOK-A-207

Sp. 24 S. R 14 E. 457

East on random line
betw secs. 26 & 35
Var. 15° 18' E.

.00 Set temp. 1/4 sec. cor.

.00 Intersect N & S line at cor. to secs 25. 26. 35 & 36 from which S run
West on true line
betw secs. 26 & 35
with same var.

.00 Set gypsum 12×8×6: 8: the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.

.00 The cor. to secs. 26. 27. 34 & 35
Land. Rolling
Soil 2nd rate
No timber.
Dense artemisia undergrowth on 80 ch's.

North betw. secs. 26 & 2
Var. 15° 18' E.

40.00 Set sandstone 12×10×4: 8: th
ground for 1/4 sec. cor. marked
1/4 on W face and dug pits 18
12 in the ground N & S of stone
ft. dist. and raised a mound
earth 1 1/2 ft. high 3 1/2 ft base along
80.00 Set sandstone 15×15×8: 10:
ground for Cor. to secs. 22-23. 26
marked with 2 notches on S & E
& raised a stone mound along
Land level.
Soil 2nd rate
No timber
Dense artemisia
undergrowth a 80

BOOK-

24 S. R

East

40.00 Set te
40.20 Intes
cor. to se
N. 8

40.10 Set
grou
1/4 on
the gro
dist. a
1 1/2 ft
40.20 Ft. Cor. to
Land
Soil
No
De

BOOK-A-207

East on random line
betw. secs. 23 & 26
Var 15° 18' E.

40.00 Set temp 1/4 sec. cor.

40.20 Intersect N & S line 10 lks. N. of the cor. to secs. 23. 24. 25 & 26 from which Tree N. 89° 56' W. on true line betw secs. 23 & 26 with same var.

40.10 Set sandstone 18×12×6: 12: the ground for 1/4 sec. cor. marked 1/4 on N face, dug pits 18×18×12: the ground E & W. of stone 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base along side.

40.20 Ht. cor. to secs. 22. 23. 26 & 27.
Land. rolling
Soil 2nd rate
No timber
Dense artemisia
on 80 20 chs

North betw. secs. 22 & 1
Var. 15° 18' E.

40.00 Set sandstone 12×8×6: 7: th
for 1/4 cc. cor. marked 1/4 on W. f
and dug pits 18×18×12: th. gr
N & S. 5 1/2 ft dist. and raised a
mound of earth 1 1/2 ft high
base along side.

80.00 Set sandstone 18×10×6: 12:
ground for cor to secs. 22. 23. 15
marked with 3 notches on S
2 on E edges and raised a sta
mound along side.
Land Rolling
Soil 2nd rate.
No timber.
Dense artemisia under
on 80 chs.

East
bet
Set temp
Intersect
cor. to secs.
Town N
betw
wit
Set sand
ground f
on N face,
the ground
dist. & rai
1 1/2 ft high
The cor. to
Land. L
Soil 2
No timb
Dense a

BOOK-A-207

East on random line
betw secs. 14 & 23
Var 15° 18' E.

Set temp 1/4 sec. cor.
Intersect N & S. line 20 lks. N of cor. to secs. 13. 14. 23 & 24 from which
Town N 89° 51' W. on true line
betw secs. 14 & 23
with same var.

Set sandstone 14 x 12 x 8 : 9 : the ground for 1/4 sec. cor. marked 1/4 on N face, dug pits 18 x 18 x 12 : : the ground E & W of stone 5 1/2 ft dist. & raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside.
The cor. to secs. 14. 15. 22 & 23.
Land. Level.
Soil 2nd rate
No timber.
Dense artemisia undergrowth
on 80 lks.

North betw. secs. 14 & 15
Var. 15° 18' E.

28.50	E. end of low ridge heads W.
40.00	Set sandstone 14×8×6: 9:
	ground for 1/4 sec. cor. mark
	1/4 on W face, and raised a stone
	mound along side.
65.00	5 chs. E hill. 30 ft high
77.00	Enter alkali Pond quick drain
79.00	Leave same Wash drains N.
80.00	Set volcanic rock 20×12×7:
	Ground for cor. to secs. 10. 11. 14 &
	marked with 4 notches on Sand
	E on E edges and raised a stone
	mound along side.
	Land. Rolling.
	Soil 2nd rate
	No timber.
	Dense artemisia undergr
	on 8

BOOK-

Tp. 2

East
be

40.00	Set te
80.00	Enter
	to secs.
	N.
0.00	Set g
	for 1/4
	graised
78.00	Alkali
79.00	Leav
0.00	The e
	Land
	Soil
	No tr
	Den

East on random line
betw secs. 11 & 14
Var. 15° 18' E.

40.00 Set temp 1/4 sec cor.
80.00 Intersect N & S line 45 lks N of cor
to secs. 11. 12. 13 & 14 from which Trim
N. 89° 41' W on true line
betw secs. 11 & 14.
with same var.

0.00 Set gypsum 14×12×4 : 9 : the ground
for 1/4 sec. cor. marked 1/4 on N face
graised a stone mound alongside.
78.00 Alkali Pond Gulch drains N.E.
79.00 Leave same. Wash drains N.E.
0.00 The cor. to secs. 10. 11. 14 & 15.
Land. Rolling
Soil 2nd rate.
No timber.
Dense artemisia undergrowth
on 80 chs

North betw. secs. 10 & 11
Var 15° 18' E.

33.00 Gypsum ledge 4 ft high bears W
40.00 Set sandstone 16 x 12 x 5 : 12 : the
for 1/4 sec. cor. marked 1/4 on W face
raised a stone mound along
80.00 Set sandstone 13 x 8 x 4 : 8 : the
ground for cor to secs. 2. 3. 10 &
marked with 5 notches on S
2 on E edges and raised a stone
mound alongside.
Land Level
Soil 2nd rate.
No timber. arteriosa
Dense undergrowth on 80

East on random line
betw secs. 2 & 11.
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.
80.00 Intersect N & S. line at cor. to
1. 2. 11 & 12 from which I run
West on true line
betw secs. 2 & 11

Tp.

co
00 Set san
ground
1/4 on N fa
in the gr
5 1/2 ft di
of earth
along s
.50 Wash
00 The cor
Land.
Soil
No tim
Dense

North o
betw
Va
00 Set tem
40 Inters
tp. 50 lk
is a sa
in the g
with sto

Tp. 24 S. R 14 E.

with same var.

00 Set sandstone 12×12×4: 8: the ground for 1/4 sec. cor. marked 1/4 on N face, dug pits 18×18×12: in the ground E & W of stone 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside.

.50 Wash drains S.

00 The cor. to secs. 2. 3. 10 & 11

Land. Rolling

Soil 2nd rate

No timber. antennae

Dense undergrowth on 80 ch's

North on random line

betw. secs. 2 & 3.

Var. 15° 18' E.

00 Set temp 1/4 sec. cor.

40 Intersect N boundary of tp. 50 lks W of cor. to secs. 2 & 3. which is a sandstone 17×10×10 firmly in the ground & properly marked with stone mound alongside.

from which Trun
S 0° 21' W on true line
betw secs. 2 & 3
with same var.
ascend.

11.00 Sand Stone ledge bears
27.50 Top of ridge bears N E & S W.
gradual descend
40.40 Set trachyte 18×14×6:12 in the gr
for 1/4 sec. cor. marked 1/4 on W fac
raised a stone mound along
55.00 West edge of round gravel Knob
77.00 Enter level ground
80.40 The cor. to secs. 2.3. 10 & 11.
Land Broken
Soil 3" rate
No timber underground
Dense artemisia on 80.40

Sp.

From
bounda
20×20×
marke
Trun

8.50 Main
11.50 Wash a
40.00 Set sa
ground
1/4 on W
mou
80.00 Set sa
grou
marke
3 on E
mou
Land.
Soil
No tr
Dens

Tp. 24 L R 14 E

From the cor. to secs. 33 & 34 on S. boundary on tp. which is a sandst. 20×20×2 firmly set: the ground properly marked with stone mound alongside

Trav North betw. secs. 33 & 34

Var 15° 18' E.

8.50 Main ridge bears S.E. & N.W.

11.50 Wash drains N.E. enter flat.

40.00 Set sandstone 12×12×4: 8: the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

80.00 Set sandstone 12×8×6: 8: the ground for cor. to secs. 27. 28. 33 & 34 marked with 1 notch on S and 3 on E edges and raised a stone mound alongside.

Land. Rolling.

Soil 2nd rate.

No timber. artemisia

Dense undergrowth on 80 chs.

	East on random line
	betw. secs. 27 & 34
	Var 15° 18' E.
40.00	Set temp 1/4 sec. cor.
79.60	Intersect N & S line 10 lks. S. of
	cor. to secs. 26. 27. 34 & 35 from wh
	Trun
	S. 89° 56' W. on true line
	betw. secs. 27 & 34
	with same var.
39.80	Set sandstone 12 x 8 x 6 in. 8 in
	the ground for 1/4 sec. cor. mark
	1/4 on N face and raised at the
	mound alongside.
79.60	The cor. to secs. 27. 28. 33 & 34
	Land. Level.
	Soil 2nd rate.
	No timber. arteriaria
	Dense underg rowth 79.
	Nov. 19th 1884

Tp.

	N
.00	Spurr
.00	Set sa
	grou
	1/4 on W
	mou
.50	Sand
	bears N
.00	Wash
.00	Set sa
	grou
	marke
	3 on
	mou
	Land.
	Soil
	No tim
	Dou

BOOK-A-207

Tp. 24 S. R 14 E.

North betw secs. 27 & 28
Var 15° 18' E.

.00 Spurridge heads N.E.

.00 Set sand stone 12×12×6 in 8 in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound along side.

4.50 Sandstone ledge 10 ft high bears N E & S.W.

.00 Wash drains S.W.

.00 Set sandstone 12×8×6 in 8 in the ground for cor. to secs. 21. 22. 27 & 28 marked with 2 notches on S and 3 on E edges and raised a stone mound along side.

Land. Rolling & broken
Soil 2nd & 3rd rate.
No timber.
Dense artemisia
undergrowth on 80 dis.

East on random line
betw secs. 22 & 27
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
79.50 Intersect N & S line 50 lks N
cor. to secs. 22. 23. 26 & 27 from a
True N. 89° 39' W on true
betw secs. 22 & 27
with same var.
5.00 Little ridge bears N & S.
10.00 " " " "
20.00 Broken ridge heads S.
39.75 Marked stal. sandstone rock
4 x 3 x 2 ft above ground for 1/4
cor. with 1/4 facing W. and rai
a stone mound alongside
79.50 The cor. to secs. 21. 22. 27 & 28
Land Rolling & broken
Soil 2nd & 3 rate.
No timber.
Dense artemisia under
on 79.50 chs.

BOOK

Tp. 2

N

40.00 Set s
groun
W. fac
along
63.50 Alka
5 chs.
80.00 Set s
groun
mark
edges
along
hand
Soil
No t
Den

BOOK-A-207

Tp. 24 S. R 14 E.

North betw. secs. 21 & 22.
Var 15° 28' E.

40.00 Set sandstone 12 x 8 x 6 : 8 in the ground for 1/4 sec cor. marked 1/4 on W. face and raised a stone mound alongside.

63.50 Alkali Pond & Gulch, drains N.E. 5 chs. thence N.W.

80.00 Set sandstone 22 x 12 x 4 : 16 in the ground for cor to secs. 15. 16. 21 & 22 marked with 3 notches on S & E. edges and raised a stone mound alongside.

Land. Rolling
Soil 2nd rate
No timber.
Dense artemisia undergrowth on 80 chs.

East on random line
betw secs. 15 & 22
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
79.50 Intersected N & S. line 45 lks
of cor. to secs. 14. 15. 22 & 23 from
which Trees S. 89° 41' W on
true line betw secs. 15 & 22.
with same var.
3.00 Crest of ridge heads S. W.
39.75 Set sandstone 12 x 8 x 6 : 8 in
ground for 1/4 sec. cor. marked
1/4 on N. face and raised a stone
mound along side.
75.00 Alkali Pond gulch, drains N
79.50 The cor. to secs. 15. 16. 21 & 22.
Lays. Rolling
Soil 2nd rate
No timber.
Dense extension undergrowth
on 79.50 ch

Tp. 24 S. R 14 E.

North betw. secs. 15 & 16
Var. 15° 18' E.

1.50 Spurridge heads E.

0.00 Set sandstone 12×10×5:8: the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

0.00 Set sandstone 12×8×6:8: the ground for cor. to secs. 9. 10. 15 & 16 marked with 4 notches on S and 3 on E edges and raised a stone mound alongside.

Land. Rolling

Soil 2nd rate

No timber

Dense artemisia undergrowth on 80 chs.

Subdivision

East on rand on line
betw secs. 10 & 15.
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.
80.00 Intersect N & S. line at cor.
secs. 10. 11. 14 & 15. from which
run

West on true line
betw secs. 10 & 15.
with same var.

40.00 Set sandstone 12×10×6. 8.
ground for 1/4 sec. cor. marked
1/4 on N face, dug pits 18×18×12
in the ground E & W of stone 5 1/2
distant. graised a mound of
1 1/2 ft. high and 3 1/2 ft base al
80.00 The cor. to secs. 9. 10. 15 & 16.
Land. Rolling
Soil 2nd rate
No timber. artemisia
Dense undergrowth
on 80 chs.

BOOK-A-2

Sp.

N

40.00 Set sa
ground
on W fa
alongsi
70.00 Gradu
80.00 Set sa
ground
marke
3 on E
ground
and ra
2 ft hig
Land
Soil
No tim
Dens

BOOK-A-207

Tp. 24 S. R. 14 E.

North betw secs. 9 & 10.
Var. 15° 18' E.

40.00 Set sandstone 12×12×5: 7: the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

70.00 Gradual ascent.

80.00 Set sandstone 14×12×3: 9: the ground for cor. to secs. 3. 4. 9 & 10. marked with 5 notches on S and 3 on E edges, dug pits 18×18×12 in: the ground for each sec. 5 1/2 ft dist. and raised a stone mound of rock 2 ft high 4 1/2 ft. low alongside.

Land. Level.

Soil 2nd rate.

No timber. artemisia

Dense undergrowth, on 80 lks.

Subdivisions

East on random line
betw. secs. 3 & 10.
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.
80.00 Intersect N & S. line at cor.
to secs. 2. 3. 10 & 11. from which S.
West on true line
betw secs. 3 & 10.
with same var.
10.50 Top of bench bears N E & S.
15.50 Head of gulch dr. S.
40.00 Set sandstone 12×8×6: 8: th
ground fr 1/4 sec. cor. marked 1/4
on N face and raised a stone
mound alongside.
80.00 The cor. to secs. 3. 4. 9 & 10.
Land. Bench.
Soil 2nd rate.
No timber.
Dense artemisia
undergrowth on 80 ch

Tp. 24 S. R 14 E.

North on random line
betw. secs. 3 & 4.
Var: 15° 18' E.

40.00 Set temp. 1/4 sec. cor.

79.90 Intersect N. boundary of tp.
50 lks W. of cor. to secs. 3 & 4. which
is a quartzite 13 × 9 × 9 in firmly set
in the ground & properly marked
with stone mound alongside.
from which I run
S. 0° 21' W on true line
betw. secs. 3 & 4.
with same var.

9.90 Set trachyte 22 × 8 × 6 in 16 in the
ground for 1/4 sec. cor. marked
1/4 on W face and raised a stone
mound alongside.

18.50 Top of spurridge heads S. W.

79.90 Tho cor. to secs. 3. 4. 9 & 10.
Land. bench.
Soil 2nd rate.
No timber.
Dense artemisia
undergrowth on 79.90 chs

From the cor. to secs. 32 & 33 [illegible]
boundary of tp. which is a sand
26×8×4 firmly set in the ground,
properly marked with stone mou[illegible]
alongside. True

North betw. secs. 32 & 33
Var. 15° 18' E.

40.00 Set sandstone 20×20×3: 15: th[illegible]
ground for 1/4 sec. cor. marked
on W face and raised a stone mou[illegible]
alongside.

49.50 Descend Ridge bears E & W.

55.00 Enter level ground

64.00 Alkali Pond gulch & wash drains NE.

80.00 Set sandstone 18×12×4: 12: th[illegible]
for cor. to secs. 28. 29. 32 & 33. marked
with 4 notches on E and 1 on S edges
raised a stone mound alongside

Land. Rolling

Soil 2nd rate.

No timber

Dense artemisia undergrow[illegible]
on 80 chs.

BOOK-A-

24 T.

Eas[illegible]

40.00 Set la[illegible]
50.00 Inter[illegible]
27. 28. 3[illegible]
W. on[illegible]

17.00 50 lks [illegible]
40.00 Set s[illegible]
grou[illegible]
on N. f[illegible]
mo[illegible]

68.00 Clay b[illegible]
Pond [illegible]

71.00 Leav[illegible]
80.00 The c[illegible]
Lan[illegible]
Soi[illegible]
No [illegible]
De[illegible]

BOOK-A-207

East on random line
betw. secs. 28 & 33.
Var 15° 18' E.

40.00 Set temp 1/4 sec cor.
80.00 Intersect N & S line at cor. to secs. 27. 28. 33 & 34 from which S run W. on true line
betw secs. 28 & 33
with same var.
17.00 50 lks N. of line Spurridge heads hr.
40.00 Set sandstone 18 x 12 x 4 : 12 : the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound alongside
68.00 Clay bank 30 ft. high Enter Alkali Pond gulch, near drains N.
71.00 Leave same.
80.00 The cor. to secs. 28. 29. 32 & 33
Land. Level.
Soil 2nd rate.
No timber.
Dense artemisia undergrowth on 80 chs.

Nov. 20th 1884

North betw. secs. 28 & 29
Var. 15° 18' E.

2.75 Wash drains N.

9.50 Gulch drains E.

4.00 Set sandstone 22 x 20 x 4. 16. the
ground for 1/4 sec. cor. marked
on W face and raised a stone mo
alongside.

8.00 Set sandstone 12 x 8 x 6. 8. the gr
for cor to secs. 20. 21. 28 & 29 mark
with 2 notches on S and 4 on E &
raised a stone mound along
Land. Level.
Soil 2nd rate
No timber
Dense artemisia undergrow
on Rocks.

Sp. 24 S. R 14 E.

East on random line
betw. secs. 21 & 28.
Var. 15° 18' E.

0.00 Set temp. 1/4 sec. cor.
0.20 Intersect N & S. line 10 lks. N. of cor. to secs. 21. 22. 27 & 28 from which I run
N. 89° 56' W on true line
betw secs. 21 & 28
with same var.
6.50 Alkali Pond gulch & wash drains N. E.
0.10 Set sandstone 18×12×6 : 12 : the ground for 1/4 sec. cor. marked 1/4 on N. face dug pits 18×18×12 : : the ground, E & W of stone 5 1/2 ft dist. & raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside.
4.00 N End of spurridge heads S. 8 chs. S. is a very prominent round hill.
7.50 Main gulch drains N. E.
0.20 The cor. to secs. 20. 21. 28 & 29
Land. Rolling
Soil 2nd rate
No timber.
Dense artemisia undergrowth
on 80. 20 chs.

Subdivision

North betw secs. 20 & 2
Var. 15° 18' E.

1.50 Ridge bears E & W.
6.00 Leave same
23.00 Round rocky knoll. 20 ft h
31.50 Sandstone ledge 20 ft high be
E & W ascend.
32.00 Enter bench
40.00 Set sandstone 14×12×6: 9.
ground for 1/4 sec. cor. marke
1/4 on W face and raised a sto
mound along side.
64.00 Perpend. ledge, enter level grou
80.00 Set sandstone 18×10×6: 12
ground for cor. to secs. 16.17.
marked with 3 notches on Sa
4 on E edges and raised a sto
mound along side.
Land. broken
Soil 3 rate
No timber.
Dense artemisia
undergrowth on 80

BOOK-A-

Sp. 2

Eac
b

40.00 Set ter
80.00 Inter
secs. 15
run W
bet

40.00 Set sa
grou
on N fac
E & W of
a mou
less al
80.00 The cor.
Land.
Soil
No tim
Dens

BOOK-A-207

Tp. 24 S. R 14 E.

East on random line
betw. secs. 16 & 21.
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.
80.00 Intersect N & S. line at cor. to
secs. 15, 16, 21 & 22. from which I
run West true line
betw secs. 16 & 21
with true var.
4.00 Set sandstone 12 x 8 x 6: 8" the
ground for 1/4 sec. cor. marked 1/4
on N face dug pits 18 x 18 x 12: ~~the ground~~
E & W of stone 5 1/2 ft diet and raised
a mound of earth 1 1/2 ft high 3 1/2 ft
long along side.
80.00 The cor. to secs. 16. 17. 20 & 21.
Lay'd. Rolling
Soil 2nd Rate.
No timber.
Dense artemisia undergrowth
on 80 chs.

Subdivisions

North betw secs. 16 & 1
Var. 15° 18' E.

40.00 Set sandstone 14×10×3 : 9 : 1
ground for 1/4 sec. cor. marked
on W face, dug pits 18×18×12 : 1
ground P. & S. of stone 5 1/2 ft
dist and raised a mound of earth
1 1/2 ft high & 3 1/2 ft base alongside

80.00 Set sandstone 14×12×5 : 9 : 2 ft
ground for cor. to secs. 8. 9. 16
marked with 4 notches on S & E
edges, dug pits 18×18×12 in each
sec. 5 1/2 ft dist. and raised a
mound of earth 2 ft high 4
ft. base alongside.
Land. Level.
Soil 2nd rate.
No timber.
Dense artemisia
underbrush on 80 ch

BOOK-A

Tp

Ea

.00 Set tem
.00 Interse
secs. 9.
Wes

.00 Set sa
grou
on N fa
grou
and rais
high 3
.00 Clump
.00 The c
Land.
Soil
No tim
Den

Tp. 24 S. R 14 E.

East on random line
betw. secs. 9 & 16.
Var. 15° 18' E.

00 Set temp 1/4 sec. cor.

00 Intersect N & S. line at cor. to
secs. 9. 10. 15 & 16 from which true
West on true line
betw. secs. 9 & 16.
Var. 15° 18' E.

00 Set sandstone 12×10×4. S. the
ground for 1/4 sec. cor. marked 1/4
in N face, dug pits 8×18×12: the
ground E & W of stone 5½ ft diet.
and raised a mound of earth 1½ ft.
high 3½ ft long alongside.

.00 Clump of sand stone boulders.

.00 The cor. to secs. 8. 9. 16 & 17.
Land. Level.
Soil 2nd rate.
No timber.
Dense undergrowth
on Rocks.

Subdivisions

North betw secs. 8 & 9
Var. 15° 18' E.

40.00 Set sandstone 12×8×6: 8: h
ground for 1/4 sec. cor. marke
1/4 on W face, dug pits 18×18×
in the ground N & S. of stone 5 1/2
dist. and raised a mound of
1 1/2 ft high 3 1/2 ft base alongsi

80.00 Set sandstone 14×12×6: 9
ground for cor. to secs. 4. 5. 8 & 9
marked with 5 notches on Sa
4 on E edges and raised a stone
mound alongside.
Land. Level
Soil 2nd rate
No timber.
Dense artemisia
undergrowth on 80

BOOK-

Sp. 24

Ea

40.00 Set te
79.70 Inte
of cor.
Trun

39.85 Set s
for 1/4
dug pi
of stone
mound
along
53.50 Seat
56.00 Leav
79.70 The c
Lan
So
No
Den

BOOK-A-207

Tp. 24 S. R 14 E.

East on random line
betw. secs. 4 & 9.
Var. 15° 18' E

40.00 Set temp 1/4 sec. cor.

79.70 Intersect N & S. line 20 lks. N.
of cor. to secs. 3. 4. 8 & 9. from which
Trees N. 89° 51' W on true line
betw secs. 4 & 9
with same var.

39.85 Set sandstone 12 x 8 x 6: 8: the ground
for 1/4 sec. cor. marked 1/4 on W face,
dug pits 18 x 18 x 12: the ground, E & W
of stone 5 1/2 ft dist and raised a
mound of earth 1 1/2 ft high 3 1/2 ft base
along side.

53.50 Pass table rock

56.00 Leave same.

79.70 The cor. to secs. 4. 5. 8 & 9.
Lands. Level.
Soil 2nd rate
No timber.
Dense extensive
undergrowth on 79.70 chs.

North on random line
betw. secs. 4 & 5.
Var. 15°, 8' E.

40.00 Set temp 1/4 sec. cor.

49.50 Intersect N. boundary of tp
45 lks W. of cor. to secs. 4 & 5 which
is a sandstone 14×10×6 firmly
set in the ground, properly
marked with stone mound
along side. from which I run
S. 0° 19' W. on true line
betw secs. 4 & 5
with same cor.

39.50 Set sandstone 20×12×8: 15. thick
ground for 1/4 sec. cor. marked
1/4 on W face & raised a stone
mound along side.

45.00 Head of hollow drains N.E.

60.50 Hollow drains N.E.

79.50 The cor. to secs. 4. 5. 8 & 9.
Land. Rolling
Soil 2nd rate.
No timber
Dense artemisia
undergrowth on 79.50

BOOK-A-207

Tp. 24 S. R. 14 E.

From the cor. to secs. 5. 6. 31 & 32 on S. boundary of tp. which is a sandstone 26×8×4 in firmly set in the ground, properly marked, and stone mound along side, I run

North betw. secs. 31 & 32.
Var. 15° 18' E.

Perp. Wall of gulch 75 ft. high, bears E. & W.
Set sandstone 12×10×6 : 8 : the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound along side.
Up tributary gulch heads N.
Head of draw, enter bench
Set sandstone 18×13×3 in 12 : the ground for cor. to secs. 29. 30. 31 & 32 marked with 1 notches on land S. on E. edge and raised a stone mound along side.
Land level & broken
Soil 2nd & 3rd rate
Timber few cottonwoods
Dense undergrowth on bottoms

East on random line
betw. secs. 29 & 32
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.30 Intersect N & S. line at c
secs. 28. 29. 32 & 33, from wh
Same West on true line
betw. secs. 29 & 32
with same var.
5.00 Ascend
8.00 Top of bench bears N. W &
38.50 Gulch drains N.
40.15 Set sandstone 24×12×6:18
ground for 1/4 sec. cor. marke
on N face and raised a stone
mound alongside.
57.50 Gulch drains N.
65.00 Head of gulch drains N. 6
80.30 The cor. to secs. 29. 30. 31 & 3
Land mostly broken
Soil 3" rate
No timber.
Dense underbrush wit
on 80.30 chs.

Tp. 2

We

40.00 Set ter
79.80 Inter
35 lks. e
which is
set in the
with s
from w
N

79.80 Set sa
the grou
1/4 on N
mound
80.40 Spurr
79.50 "
79.80 The co
Land.
Soil
No tr
Dense

BOOK-A-207

Tp. 24 S. R. 14 E.

West on random line
betw. secs. 30 & 31
Var. 15° 18' E.

0.00 Set temp 1/4 sec. cor.
79.80 Intersect W. boundary of tp
35 lks. N. of cor. to secs. 25 & 30. 31 & 36
which is a sandstone 24×22×4: firmly
set in the ground, properly marked
with stone mound along side.
from which Trun
N. 89° 45' E. on true line
betw. secs. 30 & 31.
with same var.
9.80 Set sandstone 22×12×4: 16:
the ground for 1/4 sec. cor. marked
1/4 on N. face and raised a stone
mound along side.
0.40 Spurridge heads N.
9.50 " " " "
9.80 The cor. to secs. 29. 30. 31 & 32.
Land. Level & rolling
Soil 2nd rate.
No timber
Dense artemisia
underbrush on 79.80 chs.

North betw secs. 29 &
Var 15° 18' E.

18.00 Descend
21.00 Enter level ground
31.50 Wash drains N. E.
33.50 " " "
40.00 Set sandstone 12×10×8:8: the ground
for 1/4 sec. cor. marked 1/4 on W face, dug
pits 18×18×12:: the ground, N & S. of
5 1/2 ft dist. and raised a mound of Earth
1 1/2 ft. high 3 1/2 ft base alongside.
80.00 Set sandstone 12×8×6:8: in the gr
for cor. to secs. 19. 20. 29 & 30. marked in
2 notches on Sand 5 on E edges, dug pits
18×18×12:: the ground in each sec. 5 1/2 ft
dist. & raised a mound of earth
2 ft high 4 1/2 ft base alongside
Land. Level & rolling
Soil 1 & 3 rate
No timber.
Dense artemisia under gro
on 80 chs.
Nov. 21st 188

BOOK-

Sp

Eac

00 Set tem
00 Interc
20. 21. 28
We
le
00 S. poin
00 Set sa
Groun
on N fac
alongsi
00 The cor
Land.
Soil
No tim
Dens

Sp. 24 S. R 14 E.

East on random line
betw secs. 20 & 29
Var. 15° 18' E.

00 Set temp 1/4 sec. cor.
00 Intersect N & S. line at cor. to secs.
20. 21. 28 & 29 from which S run
West on true line
betw secs. 20 & 29
with same var.
00 S. point of low gravel ridge heads N.E.
00 Set sandstone 22×20×3: 16 in the
ground for 1/4 sec. cor. marked 1/4
on N face and raised a stone mound
alongside.
00 The cor. to secs. 19: 20. 29 & 30.
Land. Level.
Soil 2nd rate.
No timber.
Dense artemisia
undergrowth on 80 chs.

West on random line
betw. secs. 19 & 30
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

80.00 Intersect W. boundary of tp.
N. of cor. to secs. 19 & 30 which is a sa
18×6×5: firmly set in the ground
properly marked with stone
mound alongside from whi
Trim N. 89° 39' W. on true
line betw. secs. 19 & 30.
with same var.

40.00 Set sandstone 12×8×2 in 8" th
ground for 1/4 sec. cor. mark
1/4 on N. face, dug pits 18×18×12
in the ground E & W of stone 5 1/2 ft
and raised a mound of earth
ft high 3 1/2 ft base alongside

70.60 Wash drains N. E.

80.00 The cor. to secs. 19. 20. 29 & 3
Land. Level.
Soil 2nd rate.
No timber
Dense artemisia
undergrowth on

BOOK-A-2

Tp. 2

Nor

9.00 Gravel
0.00 Set trac
ground
1/4 on W
mound
0.00 Set sa
in the gro
18. 19 & 2
on Sa
a stone
Land.
Soil
No tim
Dens

BOOK-A-207

Tp. 24 S. R 14 E.

North betw. secs. 19 & 20
Var. 15° 18' E.

9.00 Gravel ridge bears E & N. W.
10.00 Set trachyte 18×10×4 :: 12 : the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
80.00 Set sandstone 20×18×6 : 15 : the ground for cor to secs. 17 18. 19 & 20. marked with 3 notches on S and 5 on E edges & raised a stone mound alongside.
Land. Level.
Soil 2nd rate.
No timber
Dense artemisia
undergrowth on
80 chs

East on random line
betw. secs. 17 & 20
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.00 Intersect N & S. line at cor. to
secs. 16. 17. 20 & 21 from which Tr
West on true line
betw. secs. 17 & 20
with same var.
40.00 Set sandstone 18 x 10 x 6 : 12 : th
ground for 1/4 sec. cor. marked
1/4 on N. face and raised a stone
mound along side.
40.75 Rocky knoll 25 lks S. of line
80.00 The cor. to secs. 17. 18. 19 & 20.
Land. Rolling
Soil 2nd rate.
No timber.
Dense artemisia undergrowth on
80 chs.

West

.00 Set tem
.70 Intersec
35 lks. N.
which is
imly set the grou
with stone
from wh
N. S
be

.70 Set san
the grou
1/4 on N f
ground
and rais
ft. high
.70 The cor. to
Land.
Soil
No tim
Dense

24 S. R 14 E.

West on random line
betw. secs. 18 & 19.
Var. 15°18' E

.00 Set temp. 1/4 sec. cor.
.70 Intersect W boundary of tp.
35 lks. N. of cor. to secs. 13.18.19 & 24
which is a sandstone 10×10×6: ~~6~~
imly set the ground, properly marked
with stone mound along side
from which True
N. 89°45' E. on true line
betw. secs. 18 & 19
with same var.
.70 Set sandstone 16×6×4: 12:
the ground for 1/4 sec. cor. marked
1/4 on N face, dug pits 18×18×12: in the
ground E & W. of stone 5 1/2 ft dist.
and raised a mound of Earth 1 1/2
ft. high 3 1/2 ft base along side.
.70 The cor. to secs. 17.18.19 & 20.
Land. Level.
Soil 2nd rate.
No timber. artemisia
Dense undergrowth, on 79.70 chs.

North betw. secs. 17
Var. 15° 18' E.

19.00 Broken sandstone ridge heads N. W.

40.00 Set sandstone 12×10×6 : 8. ground for 1/4 sec. cor. mark 1/4 on W face and raised a stone mound alongside.

50.50 Ledge bears N E & S. W.

65.00 Ledge " N E & N. W.

80.00 Set sandstone 12×8×6 : 8 ground for cor. to secs. 7. 8. 17 marked with 4 notches on S 5 on E edges and raised a st mound alongside.

Land rolling
Soil 2nd rate
No timber.
Dense artemisia undergrowth on

BOOK-A

Tp. 24

Ea

0.00 Set te
0.00 Inter
to secs.
run W

8.00 Sand
0.00 Set sa
ground
1/4 on
& the gr
distan
earth
along
0.00 The co
Land
Soil
No tr
De

BOOK-A-207

East on random line
betw. secs. 8 & 17.
Var. 15° 18' E.

6.00 Set temp. 1/4 sec. cor.
10.00 Intersect N & S line at cor.
to secs. 8. 9. 16 & 17. from which I
run West on line betw. secs.
8 & 17.
with same var.
8.00 Sandstone ref bears N. E. & S.W.
10.00 Set sandstone 12 x 8 x 6: 8: the
ground for 1/4 sec. cor. marked
1/4 on N. face, dug pits 18 x 18 x 12:
& the ground E. & W. of stone 5 1/2 ft.
distant and raised a mound of
earth 1 1/2 ft high 3 1/2 ft. base
alongside.
10.00 The cor. to secs. 7. 8. 17 & 18.
Land rolling
Soil 2nd rate
No timber.
Dense artemisia
undergrowth on 80 rds.

West on said outline
betw. secs. 7 & 18.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

80.20 Intersect W. boundary of
50 lks N. of the cor. to secs.
13 & 18. which is a sandstone
14×10×6: firmly set in the ground
properly marked, and with a
mound along side, from which
Trees N 89° 39' E on the
betw. secs. 7 & 18
with same var.

40.20 Set sandstone 12×8×6: 8:
ground for 1/4 sec. cor. mark
1/4 on W face and raised a stone
mound along side.

54.00 3 chs. N. Ridge heads N.E.

80.20 The cor. to secs. 7. 8. 17 & 18.
Land rolling
Soil 2nd rate
No timber
Dense extensive
undergrowth on 80.20

BOOK-A-207

Tp. 24 S. R 14 E.

North betw. secs. 7 & 8
Var. 15° 18' E.

.00 Set sand stone 12×8×6: 8: in the ground for 1/4 sec. cor. marked 1/4 on W face, dug pits 18×18×12 in the ground N & S of stone 5 1/2 ft dist. and raised a stone mound 1 1/2 ft high & 3 1/2 ft base alongside.

5.00 Enter upper bench.

.00 Set sandstone 14×10×5: in the ground for cor. to secs. 5. 6. 7 & 8 marked with 5 notches on S & E edges, dug pits 18×18×12: in the ground in each sec. 5 1/2 ft dist. and raised a mound of earth 2 ft high & 1 1/2 ft base alongside.

Land Rolling
Soil 2nd rate.
No timber.
Dense artemisia
undergrowth for 80 chs

Subdivision

East on random b
betw. secs. 5 & 8.
Var. 15° 18' E.

40.00	Set temp 1/4 sec. cor.
80.10	Intersected N & S. line 2
	N. of cor. to secs. 5.6.7 & 8. from
	True N. 89° 49' W on true
	betw. secs. 5 & 8.
	with same var.
14.00	Ascend
17.50	Top of ridge bears N E & S. W
40.05	Set sandstone 12×8×6:
	the ground for 1/4 sec. cor. mark
	1/4 on N. face, dug pits 18×18×12
	the ground E & W of stone 5 1/2
	dist. and raised a ~~stone~~ mound of
	earth 1 1/2 ft high 3 1/2 ft base
	alongside.
80.10	The cor. to secs. 5.6.7 & 8.
	Land. Level.
	Soil. 2nd rate.
	No timber.
	Dense artemisia
	undergrowth on 80

BOOK-

Tp.

Wes

40.00	Set te
79.80	Inte
	50 lks.
	is a sa
	set in t
	with st
	from
39.80	Set
	grou
	1/4 on
	mou
50.00	Uppe
79.80	The co
	Lan
	Soil
	No t
	Dens

Tp. 24 S. R 14 E.

West on random line
betw. secs. 6 & 7
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
79.80 Intersect W. boundary of Tp.
50 lks. N. of cor. to secs. 6 & 7 which
is a sandstone 16 x 8 x 8, firmly
set in the ground, properly marked
with stone mound alongside.
from which I run
N. 89° 39' E on true line
betw. secs. 6 & 7
with same cor.

39.80 Set trachyte 20 x 10 x 5 : 15 : the
ground for 1/4 sec. cor. marked
1/4 on N face and raised a stone
mound alongside.
50.00 Upper bench leers S. W.
79.80 The cor. to secs. 5. 6. 7 & 8.
Lay. Rolling
Soil 2nd rate.
No timber
Dense artemisia undergrowth
on 79.80 chs

North on random line
betw secs. 5 & 6.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

79.50 Intersect N. boundary of tp
50 lks E. of cor. to secs. 5 & 6 which is
post firmly set in the ground,
properly marked with reg. p
& mound of earth from wh
Sun

S. 0° 21' E. on true lin
betw secs. 5 & 6.
Var. 15° 18' E.

39.50 Set sandstone 22×20×7: 16:
ground for 1/4 sec. cor. marked 1/4
on W face dug pits 18×18×12. N & S
stone 5 1/2 ft dist. and raised a mound
of earth 1 1/2 ft high 3 1/2 ft base along sid

60.00 Ascend

66.30 Bluff 75 ft high bears E. and W.

79.50 The cor. to secs. 5. 6. 7 & 8.
Land. Level.
Soil 2nd rate.
No timber
Dense ordinary undergrowth on 79.50
Nov. 22nd 188

BOOK-A

Tp. 24

Tener
The b
Townk
of the
River
which
said
Alka
runs
Townsi
water
summ
avail
pump
The
consi
fencin
Sand
Ditch
Riv
in th

BOOK-A-207

T. 24 S. R. 14 E.

General Description

The land embraced in this Township consists of a portion of the Bottoms of San Rafael River and adjacent Benches which can be irrigated from said River.

Alkali Pond Gulch which runs diagonally accross the Township furnishes considerable water until the middle of summer which is also available for irrigation purposes.

The applicants improvements consist of a cabin, some fencing and clearing of some land and portions of a ditch from the San Rafael River and are situated in the North half of Sec. 1.

Stewart M. Pancake
U. S. Dep. Surveyor

BOOK-A

J. S. SURVEYOR

Salt Lake C

The foregoin

Sec

Township No.

Executed by Ste

Under Ci

ay of Septe

November

mined. the necessa

he said field not

ereby approved.

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 12th 1885

The foregoing field notes of the survey of the Subdivisions

Township No. 24 S. Range No. 14 E.

Executed by Stewart M. Pancake

Under his contract No 130 of the 6th

day of September 1884, in the month of

November 1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salomon

U. S. Surveyor General for Utah.

BOOK-A-207

Township 24 S R. 15 E

6 569	5 553	4 542	3 532	2 521	1
568	567	552	541	531	520
7 565	8 551	9 540	10 530	11 519	12
564	563	550	539	529	517
18 562	17 549	16 538	15 528	14 516	13
561	560	548	537	527	515
19 559	20 547	21 537	22 525	23 515	24
558	558	546	536	525	514
30 557	29 545	28 535	27 524	26 513	25
556	555	544	534	523	512
31 554	32 543	33 533	34 522	35 511	36

Green River Guide Meridian

BOOK-A-207

12

509

PORT: 1885

ed 188

amined by .....

nscribed by Henry R. McAllister

mpared by Atkinson & Michaels

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

wnship No 24 South

nge No 15 East

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Stewart M. Pancake

U. S. Deputy Surveyor,

Under his Contract No. 130

ted Sept 6th 1884

rvey commenced Nov. 24th 1885

rvey completed Nov. 29th 1885

NAMES AND DUTIES OF ASSISTANTS:

	Compassman
	Chainman.
	Chainman.
	Chainman.
	Chainman.
	Axeman.
	Axeman.
	Flagman.

Note: There were two sets of Chainmen used in the Survey this Tp. both under my supervision. One directly under myself, and the other under my Compassman. —

BOOK-A-2

Subd

Survey co
with 2 B
From the
a post firm
pits & mo
marked
Nort

9.50 Gullie a
00 Marked s
ground fo
raised a st
1.00 Gulch a
.00 Head of g
.00 Broken
.00 Set sand
for cor. to s
with 1 notch
stone mo
Land. Ve
Soil Bra
No trim
Dense

Subdivisions Tp. 24 S. R 15 E

Survey commenced Nov. 24 - 1884
with 2 Burts improved Solar compass
From the cor. to secs 35 & 36 which is
a post firmly set in the ground with
pits & mound of earth around, properly
marked Trun

North betw. secs. 35 & 36.
Var. 15° & 8' E.

9.50 Gullie drains N. W.
0.00 Marked stat. sandstone 6×3×1 ft. above
ground for 1/4 sec. cor. with 1/4 facing W and
raised a stone mound alongside.
1.00 Gulch drains S. W.
.00 Head of gulch drains N. W.
.00 Broken spurridge heads N. E.
.00 Set sandstone 14×12×12 : 9 : the ground
for cor. to secs. 25. 26. 35 & 36 marked
with 1 notch on S & E edges & raised a
stone mound alongside.
Land. Very broken
Soil Brate
No timber.
Dense undergrowth on 80 chs.

Subdivisions

East on random line
betw. secs. 25 & 36.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.10 Intersect E. boundary of Tp 40 ch.
of cor. to secs. 25. 30. 31 & 36 which
a ~~post~~ limestone 11×6×5 firmly set in ground & properly mark
with ~~pits~~ & mound of ~~earth around~~ stone along
from which I run
S. 89° 43' W on true line
betw. secs. 25 & 36
with same var.
40.05 Set sandstone 12×8×6: 8: the
for 1/4 sec. cor. marked 1/4 on N face
raised a stone mound along
57.60 West side of gorge dr. N. W.
64.10 Gulch drains N.
74.60 Gullie drains N. W.
80.10 The cor. to secs. 25. 26. 35 & 36.
Land. broken
Soil 3 rate.
No timber
Dense undergrowth on
84: 10 ch.

BOOK-A-

Tp.

N

28.50 Gulch
36.50 "
40.00 Set sa
for 1/4
raise
49.50 Gulch
62.50 Head
64.00 Sand
80.00 Set s
grou
mark
Edge
along
Lan
So
No
De

BOOK-A-207

Tp. 24 S. R. 15 E.

North betw. secs. 25 & 26
Var 15° 18' E.

28.50 Gulch 75 ft. deep drains W.
36.50 " " " " "
40.00 Set sandstone 20×10×4 : 15 : the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside
49.50 Gulch 100 ft deep heads E.
62.50 Head of gulch dr. S. W.
64.00 Sandstone spurridge heads N E.
80.00 Set sandstone 20×12×8 : 15 : the ground for cor. to secs. 23. 24. 25 & 26. marked with 2 notches on S and 1 on E edges and raised a stone mound alongside.

Land. Very broken
Soil 3rd rate
No timber.
Scrub oak undergrowth on 80 chs.

Fast on rand on line
betw. secs. 24 & 25
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.50 Intersect E. boundary of Tp 18 lks. N
cor. to secs. 19. 24. 25 & 30 which is a sandstone
18×10×4 firmly set, in ground properly marked with p
& mound of ~~earth around it~~ stone alongside from whi
Trun N. 89° 52' W on true line
betw secs. 24 & 25
with same var.
12.75 Sandstone ledge bears N & S.
40.25 Set sandstone 12×8×6 in 8 in the
ground for 1/4 sec. cor. marked 1/4
on N face and raised a stone mound
41.50 Head of gulch drains S. W.
80.50 The cor. to secs. 23. 24. 25 & 26.
Land. broken
Soil 4° rate
No timber.
Dense underground on 80.50

Tp.

No

.00 In gul
18×8×6 in
cor. mark
raised a
3.00 Gulch
.00 Set sa
ground
marke
1 on ledg
alongsi
Land.
Soil
No tr
Dens

East
be

.00 Set tem
.45 Inters
cor. to sec
13×8×7
properly

Tp. 24 S. R 15 E

North betw. secs. 23 & 24
Var. 15° 18' E.

0.00 In gulch drains S.W. set sandstone 18×8×6 in 12 in in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

13.00 Gulch 150 ft deep drains S.W.

0.00 Set sandstone 20×10×6 in 15 in the ground for cor. to secs. 13. 14. 23 & 24 marked with 3 notches on S and 1 on E edges & raised a stone mound alongside.

Land. Sandstone reef
Soil 3 rate.
No timber.
Dense undergrowth on 80 chs.

East on random line
betw. secs. 13 & 24
Var. 15° 18' E.

00 Set temp 1/4 sec. cor.

.45 Intersect E. boundary of Tp 20 lks. N. of cor. to secs. 13 & 24 which is a ~~post~~ quartzite 13×8×7 properly marked & firmly set in

the ground, with ~~pits~~ & mound of ~~earth~~ stone
~~around it~~ alongside from which I run
N 89°51' W on true line
betw. secs. 13 & 24
with same var.

Descend.

40.22 At foot of ridge set sandstone
12 x 5 x 16 in the ground for 1/4 sec. cor
marked 1/4 on U face and raised a
stone mound alongside.

47.00 Head of gulch drains N.

67.00 2 chs. N. cones haped hill 600 ft h

69.80 Sandstone ledge bears N & S.

80.45 The cor. to secs. 13. 14. 23 & 24
Land. very broken
Soil 3 rate.
No timber
Dense undergrowth 80.45 ch

North betw secs. 13 & 14
Var. 15°18' E.

3.50 Along W. face of hill.

26.50 Horse shoe bend & sandstone dr. W.

31.00 " " " " N

40.00 Set sa
ground
face and
68.50 Wash
77.00 Descen
80.00 Set sa
for cor. to s
notche
a stone
Land
Soil
No t
Dense

East o
12

40.00 Set ten
80.20 Inter
at Cor.
a Sand
marke
from w
West
12 + 13

Tp. 24 S. R 15 E.

40.00 Set sandstone 20×8×6 : 15 in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.

68.50 Wash drains N. W.

77.00 Descend

80.00 Set sandstone 12×12×10 : 8 : the ground for cor. to secs. 11. 12. 13 & 14 marked with 4 notches on S and 1 on E edges & raised a stone mound alongside.

Land. Broken

Soil 3° rate.

No timber

Dense underground on 80 chs.

East on random line bet. Secs. 12 & 13.

Var. 15° 18' E.

40.00 Set temp. 1/4 Sec. Cor.

80.20 Intersect E. Boundary of Tp. at Cor. to Secs. 12 & 13 which is a Sand stone 16×10×10 properly marked & firmly set, with stone mound. from which I run

West on true line bet. Secs. 12 & 13 with same var.

40.10	Set sandstone 12x8x6, in. 8 in. the ground for 1/4 Sec. Cor. marked 1/4 on N. face and erected a stone mound along side.
49.00	Gulch drains N. W.
55.00	" " N. E.
62.00	" " " "
72.00	" " " "
80.20	The Cor. to Sec. 11, 12, 13 + 14
	Land broken
	Soil 2nd + 3rd rate
	No Timber
	Dense undergrowth, afternoon on 80.20

BOOK-A-207

North betw. secs. 11 & 12
Var. 15° 18' E.

5.00 Head of gulch dr. N. W.
0.75 Perpendicular Bluff 50 ft. high bears E & W.
2.50 Sanrafael River runs E. 2.00 chs. wide 2 ft deep runs E.
7.00 Ascend
9.50 Spurridge heads E.
0.00 Set sandstone 12×12×4. 8. : the ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.
4.15 Trail bears E & W.
0.00 Set sandstone 12×8×6. 8. : the ground for cor. to secs. 1. 2. 11 & 12. marked with 5 notches on S and 1 on E edges & raised a stone mound alongside.
Land rolling & broken.
Soil 3" rate.
Timber. scatt. Cottonwoods.

dense undergrowth
artemisia on 80 chs.

East on random line
betw. secs. 1 & 12
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.
80.50 Intersect E. boundary of tp.
30 lks. N. of cor. to secs. 1. 6. 7 &
which is sandst. ~~16~~ 18 × ~~8~~ 13 × ~~4~~ 4 ~~11~~ - firm
set in the ground, properly marked
& with stone mound alongside
from which I run
N. 89° 47' W on true line
betw. secs. 1 & 12.
with same var.

30.00 Bluff bears N E & S.
40.25 Set sandstone 12 × 12 × 5 : 8 : the
ground for 1/4 sec. cor. marked
N face and raised a stone mound
alongside.
42.00 Gulch drains S.
50.00 " " S.
80.50 The cor. to secs. 1. 2. 11 & 12.
Land. Rolling & broken
Soil 3 rate
No timber
Dense undergrowth, artemisia on 80.5

Tp.

N

40.00 Set to
79.50 Inte
W. of
sands
the gr
with s
from
9.

25.00 Desc
39.50 Mark
above
1/4 fac
mou
79.50 The c
Lan
Soi
No
Dense

Tp. 24 S. R. 15 E.

North on random line
betw secs. 1 & 2.
Var. 15° 18' E.

40.00 Set temp 1/4 sec cor.

79.50 Intersect N. boundary of tp. 40 lks. W. of cor. to secs. 1. 2. 35 & 36 which is a sandstone 19 x 12 x 6 : firmly set in the ground, properly marked with stone mound alongside from which I run

S. 0° 17' W on true line
betw secs. 1 & 2.
with same var.

25.00 Descend

39.50 Marked stat. sandstone 4 x 3 x 1 ft above ground for 1/4 sec. cor. with 1/4 facing W and raised a stone mound alongside.

79.50 The cor. to secs. 1. 2. 11 & 12.
Land Rolling
Soil 3rd rate.
No timber. artemisia
Dense undergrowth " 79.50 chs

Nov. 24th 1884

From the cor. to secs. 34 & 35 on S. bound
of tp. which is a sandstone 18×6×6 f
set in the ground, properly marked, w
stone mound alongside Trun
North betw. secs. 34 & 35.
Var. 15° 18' E.

40.00 Set sandstone 12×10×6 : 8 :
ground for 1/4 sec. cor. marked 1/4
on W face and raised a stone
mound alongside.

80.00 Set sandstone 18×12×5 : 12
in the ground for cor. to secs. 2
27. 34 & 35. marked with 1 notch
on S and 2 on E edges & raised a
stone mound alongside.
Land. broken
Soil 3 rate.
No timber.
Dense underground ... 80 ch

BOOK-A

Tp.

Eas
k

0.00 Set ter
0.50 Interse
to secs. 2
run S
be
w
3.50 Gullie
9.00 Gulch
0.25 Set san
grou
on N. fa
alongs
8.50 Gulch
7.00 "
6.50 Wash
0.50 The cor
Land
Soil
No tr
Dense

BOOK-A-207

Tp. 24 S. R 14 E.

East on random line
betw. secs. 26 & 35.
Var. 15° 18' E.

0.00 Set temp 1/4 sec. cor.
0.50 Intersect N & S line 15 lks. S. of cor. to secs. 25. 26. 35 & 36. from which I run S. 89° 54' W on true line
betw secs. 26 & 35
with same var.
3.50 Gullie drains N. W.
9.00 Gulch " N.
0.25 Set sandstone 18×12×6 : 12 : the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound alongside.
8.50 Gulch drains N. W.
7.00 " " N.
6.50 Wash " N.
0.50 The cor. to secs. 26. 27. 34 & 35
Land. very broken
Soil 4th rate.
No timber
Devise underground artemesia on 80.50 ch.

North betw. secs. 26 & 27
Var. 15° 18' E.

28.00 Wash is Gulch drains N.E.
33.50 " " E.
40.00 Set sandstone 14×10×4: 9 ground for 1/4 sec. cor. marked on W face and raised a stone mound along side.
42.00 Gulch drains E.
80.00 Set sandstone 22×18×6: 1 in the ground for cor. to secs. 2 26 & 27 marked with 2 notch on S & E edges and raised a st mound along side.
Land: Very broken
Soil 3 rate.
No timber. artemisia
Dense undergrowth on Hel

East on random line
betw. secs. 23 & 26
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.00 Intersect N & S line at cor. to

BOOK-A

Tp.

23.24.
W

24.50 Gulc
40.00 Set
grou
1/4 or
mou
45.00 Gul
53.25 Wash
69.00 Wash
80.00 Theco
Lan
Lo
No
Den

Nor

Wash in
12.00 Gul
13.00 Wa
19.90 Sam
24.80 Lea

BOOK-A-207

23. 24. 25 & 26 from which Same
West on true line
betw. secs. 23 & 26
north same var.

24.50 Gulch drains N. W.
40.00 Set sandstone 12×8×6 in 8 in the ground for 1/4 sec. cor. marked 1/4 on U face and raised a stone mound along side.
45.00 Gulch drains S. W.
53.25 Wash in Gulch 100 ft. drains N. W.
69.00 Wash in Gulch drains N.
80.00 The cor. to secs. 22. 23. 26 & 27.
Land. broken
Soil. 3 rate.
No timber
Dense undergrowth antennaria 80 chs.

North betw. secs. 22 & 23
Var. 15° 18' E.

12.00 Wash in Gulch drains N E.
13.00 Wash heads E.
19.90 Same heads S. W. drains N.
24.80 Leave same. drains N. W.

Subdivisions

34.00	Ledge bears N E & S.W.
39.00	Junction of 2 gulches heading S.E.
40.00	In main gulch set sandstone 30
	4 : 22 in. in the ground for 1/4 sec. cor
	marked 1/4 on W face and raised
	a stone mound alongside.
59.00	Gulch 100 ft. deep drains N.W.
63.00	" " " " "
70.60	" " " " "
76.50	" " " " "
80.00	Set sandstone 24×20×5 : 18 : the
	ground for cor. to secs. 14.15.22 &
	marked with 3 notches on S and
	2 on E edges and raised a stone
	mound alongside.
	Land. very broken
	Soil 3 rate.
	Timber few. cottonwood
	Dense underground antimony on 8

p. 24 S. R 15 E.

East on random line
betw secs. 14 & 23.
Var. 15° 18' E.

0.00 Set temp 1/4 sec. cor.
0.00 Intersect N & S. line at cor. to secs. 13. 14. 23 & 24 from which I run West on true line
betw. secs. 14 & 23
with same var.
2.00 Wash drains N. W.
4.50 Same " S. W.
0.00 Set sandstone 18 × 8 × 3 in 12 in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.
5.00 Gulch drains N.
7.35 Gulch " "
9.50 " " "
5.00 50 lks. S. of line boulder hill 50 ft high
2.50 Gulch drains N. W.
0.00 The cor. to secs. 14. 15. 22 & 23.
Land. very broken
Soil 3 rate
No timber
Dense underground 80 lks. [illegible]

Subdivision

North betw. secs. 14 & 15
Var. 13° 18' E.

9.00	Gulch drains N. W.
29.50	Bluff bears E & W. descend [illegible]
35.00	Gulch drains W.
40.00	Set sandstone 20×14×4 in 15 the ground for 1/4 sec. cor. m 1/4 on W face and raised a st mound alongside.
62.50	Gulch drains N. W.
71.00	Enter bottom
77.00	Sanrafael river 2.90 chs wide 2 ft deep runs S. E.
80.00	Set flint 20×14×3. 15: the gr for cor. to secs. 10. 11. 14 & 15 mark with 4 notches on S and 2 on E edg & raised a stone mound alongside
	Land. very broken
	Soil 3 rate.
	No timber.
	Dense underbrush & [illegible]

BOOK-A

40.00	Set [illegible]
80.40	Inte[illegible] of cor[illegible] Trun[illegible]
3.00	Gulch
9.00	"
12.50	Top of
13.50	Gulc[illegible]
19.50	"
21.00	"
30.00	Gulc[illegible]
40.20	Set sa[illegible] marked [illegible]
42.00	Gulc[illegible]
59.00	Ente[illegible]
71.00	Sanr[illegible]
80.40	The co[illegible]
	Land
	Soil
	Timb[illegible]
	[illegible] Mount[illegible]

Sp. 24 S. R 15 E.

East on random line
betw. secs. 11 & 14
Var. 15°18' E.

40.00 Set temp 1/4 sec. cor
80.40 Intersect N & S. line 30 lks. N
of cor. to sec. 11. 12. 13 & 14. from which
Trun N 89°47' W on true line
betw secs. 11 & 14.
with same var.
3.00 Gulch drains N. W.
9.00 " " N. E.
12.50 Top of ridge heads N. E.
13.50 Gulch drains N.
19.50 " " N. W.
21.00 " " N.
30.00 Gulch " N.
40.20 Set sandstone 18×12×10: 12: the ground for 1/4 sec cor.
marked 1/4 on N face & raised a stone mound along side.
42.00 Gulch 150 ft deep. drains N.
59.00 Enter river bottom
71.00 Sanrafael river 3 chs wide. 2 ft deep runs N. E.
80.40 The cor. to secs. 10. 11. 14 & 15
Land very broken
Soil 3 rate
Timber fcw. Cottonwoods. [illegible]
[illegible] Mountains & dense underground [illegible] 80.40.

North betw. secs. 10 & 11
Ser 15° 18' E.

0.80	Leave river bottom & sand
6.10	Gullie draines S. E.
24.00	Trail bears E & W.
26.00	Wash in Gulch draines S. E.
40.00	Set sandstone 14×10×4 in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound along side.
47.00	Enter bench 50 lks. W. Head of gulch dr.
51.50	Leave "
55.00	Enter level ground
80.00	Set sandstone 26×8×6 in 19 in the ground for cor. to secs. 2. 3. 10 & 11 marked with 5 notches on S and 2 on E edges and raised a stone mound along side.

Land. Rolling & broken
Soil 2nd & 3 rate.
No timber
undergrowth and
dense artemisia on 80 chs.

Tp. 24 S. R 15 E

East on random line
betw. secs. 2 & 11
Var. 15° 18' E.

10.00 Set temp. 1/4 sec. cor.
10.30 Intersect N & S. line 45 lks. N of
cor. from which I run
to secs 1.2 11 & 12
N: 89° 41' W. on true line
betw. secs. 2 & 11.
with same var.
14.50 Hollow drains S.
15.00 " S. W.
0.15 Set sandstone 18×6×4 in the
ground for 1/4 sec. cor. marked
1/4 on N face and raised a stone
mound along side.
18.00 Gulch drains S.
20.30 The cor. to secs. 2.3.10 & 11.
Land. Level & rolling.
Soil 2nd & 3rd rate.
No timber
Dense artemisia undergrowth
on 80. 30 chs

Subdivi

North on random line
betw secs. 2 & 3.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

79.40 Intersected N. boundary of
50 lks. W. of cor. to secs. 2 & 3 whi
a sandstone 38×8×3: firmly se
in the ground, properly mark
and with stone mound along si
from which Trees
S. 0° 21' W on true lin
betw secs. 2 & 3
with same cor.

39.40 Set sandstone 22×12×6: 16
ground for 1/4 sec. cor. marked
1/4 cor. W face, dug pits 18×18×12: th
ground N & S of stone 5 1/2 ft dist
and raised a mound of earth 1 1/2
high 3 1/2 ft. base alongside.

79.40 The cor. to secs. 2. 3. 10 & 11.
Land Rolling
Soil 2nd rate.
No timber.
Dense artemisia undergrowth
on 79.40 ch
Nov. 25th 1884

BOOK-A

Sp

From
S. bou
state
propert
Trees

40.00 Set s
for 1/4 sec
8×12 N &
of earth 1

80.00 Set sa
for cor. t
notch
mou
Lan
Soi
No

Tp. 24 S. R 15 E.

From the cor. to secs. 33 & 34 on the S. boundary of Tp, which is a state 14×10×6. firmly in the ground, properly marked & stone mound alongside.
Trim North betw secs. 33 & 34
Var. 15° 18' E.

40.00 Set sandstone 14×12×6. 9. in the ground for 1/4 sec. cor. marked 1/4 on W face, dug, uts 18×8×12. Up S. of stone 5 1/2, 1. dist & raised a mound of earth 1 1/2 ft. high 3 1/2 ft base alongside.

80.00 Set sandstone 12×10×6. 8. in the ground for cor. to secs. 27. 28. 33 & 34 marked with 1 notch on S and 3 on E edges & raised a stone mound alongside.
Land. Level bench
Soil 2nd rate
No timber.
Dense artemisia undergrowth on 80 chs

East on random line
betw. secs. 27 & 34
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.
80.00 Intersect N & S. line at the cor. to
secs. 26. 27. 34 & 35 from which
run West on true line
betw secs. 27 & 34
with same var.
11.00 Wash draws N.
18.50 " " " N. E.
38.65 Gulch " N. W.
40.00 Set sandstone 18 x 18 x 4: 12:
ground for 1/4 sec. cor. marked
on N face and raised a stone
mound alongside.
43.00 Gulch draws N. W.
50.50 " " N.
80.00 The cor. to secs. 27. 28. 33 & 34.
Land. level.
Soil 2nd & 3rd rate.
No timber.
High Mountains & dense
artemisia undergrowth on Rock

BOOK-A-207

Tp. 24 S. R 15 E.

North betw. secs. 27 & 28
Var. 15° 18' E.

40.00 Set sandstone 18×10×4 : 12. the ground for 1/4 sec. cor. marked 1/4 on W face, dug pits 18×18×12 : - the ground N & S. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside.

42.00 Top of spurridge heads S. E.

49.60 E. end of sand rocks.

80.00 Set a sandstone 24×12×10 : 18. in the ground for cor. to secs. 21. 22. 27 & 28 marked with 2 notches on Sand 3 on E edges, dug pits 18×18×12 in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft high 4 1/2 ft base alongside.

Land. Level bench.

Soil 2nd rate.

No timber.

Dense artemisia
undergrowth on 80 ch's

East on random line
betw. secs. 22 & 27
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
79.70 Intersect N & S line 25 lks
of cor. to secs. 22. 23. 26 & 27, from
which True S. 89° 49' W on true
line betw. secs. 22 & 27
with same var.
4.00 Gulch drains N.
39.85 Set sandstone 12×10×5. 7.
ground for 1/4 sec. cor. marked
on N face and raised a stone
mound alongside.
46.50 Gulch drains N.
79.70 The cor. to secs. 21. 22. 27 & 28
Land broken & level
Soil 2nd rate.
No timber.

undergrowth & dense
intermixed on 79.7

BOOK-A-207

North betw. 21 & 22
Var. 15° 18' E.

40.00 Set sandstone 20×14×8: 15: in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

80.00 Set sandstone 16×10×8: 12: in the ground for cor. to secs. 15. 16. 21 & 22. marked with 3 notches on S & E edges and raised a stone mound along side.

Level level plateau
Soil 2nd rate.
No timber.
Dense artemisia
undergrowth on 80 chs.

East on random line
betw. secs. 15 & 22
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

80.00 Intersect N & S. line at the cor. to secs. 14. 15. 22 & 23. from which
True West on true line
betw. secs. 15 & 22

	with same var.
12.50	Gulch drains N.W.
29.00	" " N.
40.00	Set sandstone 12×12×8: 8: the ground for 1/4 sec. cor. marked 1/4 on W face & raised stone mound alongside.
80.00	The cor. to secs. 15. 16. 21 & 22 Land. Level & broken Soil 2nd rate. No timber. Dense artemisia undergrowth on 80 chs.
	North betw. secs 15 & 16. Var. 15° 18' E.
24.00	Descend
30.00	Gulch drains N.W.
39.00	" " "
40.00	Set sandstone 20×10×3: 15: ground for 1/4 sec. cor. marked 1/4 on W face & raised a stone mound alongside.
57.00	Enter hollow.
60.00	Sunrafael river in canyon 3 chs. wide

Cp. 24 S. R 15 E.

2 ft. deep runs East. accord.

0.00 Set flint 12×8×6 : 8 in the ground for cor. to secs. 9. 10. 15 & 16. marked with 4 notches on S and 3 on E edges and raised a stone mound alongside.

Land. Level & broken

Soil Tur & 3 rate.

No timber.

underwrowth, on 80 chs. [illegible] dense

East on random line

betw secs. 10 & 15.

Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

80.40 Intersect N & S. line 20 lks. N. of the cor. to secs. 10. 11. 14 & 15 from which I run N. 89° 51' W on true line

betw. secs. 10 & 15

with same var.

40.20 Set sandstone 20×12×10 : 15 : the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

Subdivisions

41.00	Bend of Saurafael river
42.00	across same ascend
51.00	Top of Bluff bears N E & S W
57.00	Gulch drains S. E.
66.50	" " S.
80.40	The cor. to secs. 9. 10. 15 & 16.
	Land. Level. & broken
	Soil 1 & 3 rate.
	No timber.
	[illegible] & dense
	undergrowth on 80.

North betw secs. 9 & 10.
Var. 15° 18' E.

6.00	Gulch drains S. W.
7.50	W. side of Clay hill
16.50	Gulch drains S. E. heads W.
21.25	Trail bears E & W.
40.00	Set sandstone 20×14×4: 15: the gr
	for 1/4 sec. cor. marked 1/4 on W face,
	pits 18×18×12: the ground N & S of st
	5 1/2 ft. dist. and raised a mound of
	earth 1 1/2 ft high 3 1/2 ft along side
80.00	Set sandstone 22×10×4: 16:

Sp. 24 S. R 15 E.

ground for cor. to secs. 3. 4. 9 & 10.
marked with 5 notches on S and
3 on E edges & raised a stone
mound alongside.
Land. Broken & rolling
Soil. 2nd & 3rd rate.
No timber.

dense
artemisia undergrowth 80 L.

East on random line
betw. secs. 3 & 10.
Var 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.30 Intersect N & S. line 50 lks.
N. of cor. to secs. 2. 3. 10 & 11 from
which Sun N. 89° 39' W.
on true line betw secs. 3 & 10.
with same var.
19.00 Wash drains S.
32.00 " " S. W.
40.15 Set sandstone 20×12×5. 15. the ground
for 1/4 sec. cor. marked 1/4 on N face &
raised a stone mound alongside.

80.30 The cor. to secs. 3.4.9 & 10.
Land. rolling
Soil 2nd rate
No timber.
Dense artemisia undergrow[illegible]
on 80.30

North on random line
betw secs. 3 & 4
Var. 15° 18' E.

39.50 Set temp 1/4 sec. cor.
79.50 Intersect N. Boundary of tp. 40 lks. of the cor. to secs. 3 & 4 which is a sand 18 x 10 x 3 firmly set in the ground, prop[illegible] marked & stone mound alongside, fr[illegible] which S run S. 0° 17' W. on true line
betw secs. 3 & 4
with same var.

39.50 Set sandstone 12 x 10 x 5 ⊙ the ground for 1/4 sec[illegible] marked 1/4 on W face and raised a stone mound al[illegible]
42.00 Gulch drains S.W.
79.50 The cor. to secs. 3.4.9 & 10.
Land. rolling
Soil 2nd rate.
No timber.
Dense artemisia undergrowth on 79.50
Nov. 26. 1884

BOOK-A-207

Tp. 24 S. R 15 E. 543

From the cor. to secs. 4. 5. 32 & 33 on the S. boundary of Tp. which is a slate 18×8×4 in firmly set in the ground, properly marked with stone mound alongside. True

North betw. secs. 32 & 33

Var. 15° 18' E.

000 Set slate 20×12×3 in 15 in the ground for 1/4 sec. cor. marked 1/4 on W face, dug pits 18×18×12 in the ground N & S of stone 5 1/2 ft. dist. and raised a ~~stone~~ of earth 2 1/2 ft high 3 1/2 ft base alongside.

000 Set slate 20×8×4 in 15 in the ground for cor. to secs. 28. 29. 32 & 33. marked with 1 notch on S and 4 on E edges and raised a stone mound alongside.

Land. Level.

Soil 2nd rate.

No timber.

Dense artemisia

undergrowth on 80 chs.

Subdivisions

East on random line
betw. secs. 28 & 33
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.20 Intersect N & S. line 45 lks
S. of the cor. to secs. 27. 28. 3[illegible]
from which I run
S. 89° 41' W. on true line
betw secs. 28 & 33.
with same var.
40.10 Set flint 12×8×6: 8: the ground
for 1/4 sec. cor. marked 1/4 on N[illegible]
dug pits 18×18×12: the ground [illegible]
W. 5 1/2 ft. dist. of stone & raised
a mound of earth 1 1/2 ft high [illegible]
base alongside.
80.20 The cor. to secs. 28. 29. 32 & 3[illegible]
Land. rolling
Soil 2nd rate.
No timber
Dense artemisia undergrow[illegible]
on 80.20 lks

BOOK-A

Th. 24 [illegible]

40.00 Set s[illegible]
for 1/4 s[illegible]
pits 18[illegible]
5 1/2 ft a[illegible]
earth [illegible]
61.00 Gulli[illegible]
80.00 Set [illegible]
for cor. [illegible]
with [illegible]
dug pi[illegible]
in each [illegible]
mou[illegible]
along [illegible]
Land. [illegible]
Soil [illegible]
No tim[illegible]
Den[illegible]

BOOK-A-207

North betw. secs. 28 & 29.
Var. 13° 18' E.

40.00 Set sandstone 12 × 8 × 6 : 8 : the ground for 1/4 sec. cor. marked 1/4 on W face, dug pits 18 × 18 × 12 : the ground N & S of stone 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside.

61.00 Gullye drains S. W.

80.00 Set sandstone 18 × 12 × 4 : 12 : the ground for cor. to secs. 20. 21. 28 & 29. marked with 2 notches on S and 4 on E edges, dug pits 18 × 18 × 12 : the ground in each sec. 5 1/2 dist and raised a mound of earth 2 ft high 4 1/2 ft base alongside.

Land. Rolling
Soil 2nd rate
No timber.

Dense artemisia undergrowth on 80 chs

East on random line
betw. secs. 21 & 28
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

79.50 Intersect N & S line 20 lks S. of c
to secs. 21. 22. 27 & 28 from which
run S. 89° 57' W. on true line
betw. secs. 21 & 28.
with same var.

39.75 Set sandstone 18 x 12 x 5 : 12 : the
ground for 1/4 sec. cor. marked "
on N face and raised a stone mo
alongside.

79.50 The cor. to secs. 20. 21. 28 & 29.
Land. Level.
Soil 2nd rate.
No timber.
Dense chaparral
undergrowth on 79.50 ch

Tp. 24 S. R 15 E.

North betw. secs. 20 & 21
Var. 15° 18' E.

40.00 Set sandstone 14×8×4 in 10 in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

44.90 Wash drains W.

64.50 Gulch drains S. 65° W.

75.00 Wash drains S. W.

80.00 Set sandstone 14×12×5 in 9 in the ground for cor. to secs. 16. 17. 20 & 21 marked with 3 notches on S and 4 on E edges, dug pits 18×18×12 in the ground in each sec. 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base alongside.

Land rolling

Soil 2nd rate.

No timber.

Dense artemisia underwrowth on 80 chs.

Subdivision

	East on random line
	bet. secs. 16 & 21
	Var. 15° 18' E.
40.00	Set temp 1/4 sec. cor
80.00	Intersect N & S. line at cor. to sec
	15. 16. 21 & 22. from which Town
	West on true line
	betw secs. 16 & 21
	Var. 15° 18' E.
26.50	Gulch drains N. W.
40.00	Set granite 12×10×6: 8: the ground
	for 1/4 sec. cor. marked 1/4 on W face
	and raised a stone mound alongside
62.00	3 chs. N. gravel hill.
80.00	The cor. to secs. 16. 17. 20 & 21.
	Land. Rolling
	Soil 2nd rate.
	No timber.
	Dense artemisia undergrowth
	on 80 chs.

BOOK-A-2

Sp. 2

	Nor
9.50	E. poin
36.00	Ridge
40.00	Set sa
	ground
	on W face
	alongsi
58.00	Enter
62.80	Laura
	runs
70.00	Accend
80.00	Set sa
	ground
	marke
	edges a
	along
	Land
	Soil
	No tr
	Dens

Sp. 24 S. R 15 E

North betw. secs. 16 & 17
Var. 15° 18' E.

9.50 E. point of Ridge heads W.
36.00 Ridge bears E & W. descend.
40.00 Set sandstone 12×8×6: 8: the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
58.00 Enter bottom
62.80 Laurafael river 2 chs. wide 2 ft deep runs S. 80° E.
70.00 Ascend. sandstone ledge bears E & W.
80.00 Set sandstone 14×12×4: 9: the ground for cor. to secs. 8. 9. 16 & 17 marked with 4 notches on S & E edges and raised a stone mound alongside.
Land. Level & broken
Soil 2nd rate.
No timber.
Dense artemisia undergrowth on 80 chs.

Subdivisions

East on random line
betw. secs. 9 & 16.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.50 Intersect N & S. line 10 lks N
cor. to secs. 9. 10. 15 & 16. from wh
Trun N. 89° 56' W. on true lea
betw secs. 9 & 16.
with same var.
0.10 Leave bench, descend
5.00 Gulch drains S.W
17.50 Ridge bears N & S.E.
20.50 Spurridge heads N.
26.80 Gulch drains S.E. " N.
31.00
40.25 Set sandstone 18×12×3. 12: the
ground for 1/4 sec. cor. marked 1/4 on
N face and raised a stone mound along
57.50 Gullie drains N.E.
80.50 Pt cor. to secs. 8. 9. 16 & 17
Land. Level & broken
Soil 2nd & 3rd rate
No timber.

& dense
artemisia undergrowth 80

BOOK-A-20

Sp

5.80 Wash
5.00 "
7.10 Trail
00 Set gy
for 1/4 sec
raised a
.50 Ridge
7.00 Gulch
4.35 "
8.50 "
0.00 Set sa
ground
marked
4 on E c
along
Land.
Soil
No t
Dens

Tp. 24 S. R 15 E.

North betw secs. 8 & 9
Var. 15° 18' E.

5.80 Wash drains S.W.
5.00 " " "
7.10 Trail bears E & W
0.00 Set gypsum 12×8×6: 8: the ground for 1/4 sec. cor. marked 1/4 on W. face & raised a stone mound alongside.
3.50 Ridge bears N E & S. W.
7.00 Gulch drains S. W.
4.35 " " S. 10° W.
8.50 " " S. E.
0.00 Set sandstone 20×4×4: 15: the ground for cor. to secs. 4.5. 8 & 9 marked with 5 notches on S and 4 on E edges & raised a stone mound alongside.

Land. Rolling
Soil 2nd rate.
No timber.
Dense artemisia
undergrowth on 80 chs.

East on random line
betw. secs. 4 & 9
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.
80.50 Intersected N & S line 40
S. of cor. to secs. 3. 4. 9 & 10. from wh
Trav. S. 89° 43' W. on true
betw. secs. 4 & 9
with same var.
40.25 Set sandstone 24×16×5 : 18
ground for 1/4 sec. cor. marked
1/4 on N face and raised a st
mound alongside
45.00 Gulch drains S. W.
79.00 " " "
80.50 The cor. to secs. 4. 5. 8 & 9.
Land. Rolling
Soil 2nd rate.
No timber.
Dense artemisia undergro
on 80.50 ch

Tp. 24 S. R 15 E.

North on random line
betw. secs. 4 and 5.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
79.80 Intersect N. boundary of tp. at the cor. to secs. 4. 5. 32 & 33 which is a sandstone 70 × 14 × 3 in. firmly in the ground properly marked with stone mound alongside. from which I run
South on true line
betw. secs. 4 & 5.
with same var.
10.00 Bluff bears N W & S E. descend
29.80 Set sandstone 22 × 20 × 5 : 16 : the ground for 1/4 sec. cor. marked 1/4 on W face, & raised a stone mound alongside
62.00 Head of gulch drains S. W.
78.50 Gulch drains S. E.
79.80 The cor. to secs. 4. 5. 8 & 9.
Land rolling & very broken
Soil 2nd rate
No timber
[illegible] & dense
artemisia undergrowth — 79.80 ch
Nov. 27th 1884

Subdivisions

From the cor. to secs. 31 & 32. on the S. boundary of tp which is a sandstone 18 firmly set in the ground, properly mark with stone mound along side Trun

North betw. secs. 31 & 32

Var. 15° 18' E.

40.00 Set Slate 16×12×4: 12: the ground for 1/4 sec. cor. marked 1/4 on W face raized a stone mound along side

80.00 Set sandstone 16×12×3: 12: the ground for cor. to secs. 29. 30. marked with 1 notch on S. and 5 on E edges and raised a stone mound along side.

Land. Rolling

Soil. 2nd rate

No timber

Dense artemisia

undergrowth on 80 ch

Tp.

Ea

40.00 Set te

79.70 Inter

the cor.

from

S.

36.00 Hollo

79.85 Set s

grou

on N

mou

79.70 The c

Land.

Soil

No t

BOOK-A-207

Tp. 24 S. R. 15 E.

East on random line
betw. secs. 29 & 32
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

39.70 Intersect N & S line 20 lks. S. of
the cor. to secs. 28. 29. 32 and 33
from which Trees
S. 89° 51' W. on true line
betw secs. 29 & 32
with same var.

36.00 Hollow drains N. W.

39.88 Set stake 20 x 6 x 5 : 15 : the
ground for 1/4 sec. cor. marked 1/4
on W face and raised a stone
mound alongside.

39.70 The cor. to secs. 29. 30. 31 & 32.
Large. Level.
Soil 2nd rate.
No timber.
Dense artemisia
undergrowth on 39.70 ch.

Subdivisions

West on random line
betw. secs. 30 & 31
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.

80.25 Intersect W. boundary of Cp. 40
S. of the cor. to secs. 25. 30. 31 & 36
which is a limestone 14×12×3: g
set in the ground, properly mar
with pits & mound of earth along
from which True

S. 89° 43' E. on true line
betw. secs. 30 & 31
Var. 15° 18' E.

10.00 Spring gulch drains N.E.

40.25 Set sandstone 12×10×4: 8: the
ground for 1/4 sec. cor. marked
1/4 on N face and raised a stone
mound alongside.

50.00 Wash drains N.

80.25 The cor. to secs. 29. 30. 31 & 32
Lay'd. Level.
Soil 2nd rate.
No timber.
Dense artemisia
undergrowth on 80.25 ch

BOOK-A-2

24

0.00 Ridge
0.00 Set s
for 1/4 s
and ra
0.00 Set s
for cor.
with 2
& rais
Lay'd
Soil
No tr
Den

Co

40.00 Set
79.70 Inter
cor. to
True

BOOK-A-207

24 S. R. 5 E.

North betw. secs. 29 & 30
Var. 15°18' E.

0.00 Ridge bears E & W.

40.00 Set slate 30×25×4: 23: the ground for 1/4 sec. cor. marked 1/4 on W face and raised stone mound alongside.

80.00 Set slate: 14×12×5. g: the ground for cor. to secs. 19. 20. 29 & 30. marked with 2 notches on S and 5 on E edge & raised stone mound alongside.

Land Rolling
Soil 2nd rate.
No timber
Some artemisia
undergrowth on 80 chs.

East on random line
betw. secs. 20 & 29
Var. 15°18' E.

40.00 Set temp. 1/4 sec. cor.

49.70 Intersect N & S. line 19 lks S. of cor. to secs. 20. 21. 28 & 29. from which Trees
S. 89°52' W on true line

Subdivisions

betw. secs. 20 & 29 & 28.
with same cor.

8.50 Gulch drains S. W.
35.50 Gulch drains N. W.
39.85 Set sand stone 12×8×6. 8. the
Ground for 1/4 sec. cor. marked
1/4 on W face and raised a stone
mound alongside.
57.50 Wash drains N. W.
79.70 The cor. to secs. 19. 20. 29 & 30
Lay'd. rolling
Soil 2nd rate.
No timber.
Dense artemisia
undergrowth on 79.70

West on random line
betw. secs. 19 & 30.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.30 Intersect W. boundary of tp
10 lks. S. of the cor. to secs. 19. 24.
30. which is a gypsum 12×8×8.
firmly set in the ground, properly

BOOK-A-207

Tp. 24 S. R 15 E.

marked with pits & mound of earth alongside, from which Trans S. 89° 56' W. on true line betw secs. 19 & 30 with same var.

40.30 Set slate 20 x 20 x 3 : 15 : the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

61.50 Spring Gulch drains N.

80.30 The cor. to secs. 19. 20 & 29 & 30.

Lay'd. Level.

Soil 2nd rate.

No timber.

Dense artemisia undergrowth on 80. 30 chs.

North betw. secs. 19 & 20

Var. 15° 18' E.

39.50 Spring Gulch drains No 10 E.

40.00 Set slate 20 x 12 x 3 : 15 : the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.

Subdivisions

80.00 Set foot of ridge set limestone 12×10×6: 8: the ground for cor. to secs. 17. 18. 19 & 20 marked with 3 notches on S and 5 on E edges & raised a stone mound. along Land. Rolling & broken Soil Grate.
No timber.
Dense artemisia undergrowth

East on random line betw. secs. 17 & 20
Var 15° 18' E.

40.00 Set temp 1/4 sec cor.
80.10 Intersect N & S. line 20 lks S. of cor. to secs. 16. 17. 20 & 21 from which I run
S. 89° 51' W. on true line betw secs. 17 & 20 with same var.
4.85 Head of wash drains S. W.
15.00 Same drains N.W.
17.75 Same drains S.E.
23.00 Ridge bears N.W. & S.E.

Tp. 24

38.00 Gulch
40.05 Set g
ground
1/4 on
mound
42.50 Leave
65.00 Spr
80.10 Thec
Land
Soil
Not
De
W
40.00 Set
80.25 Int
10 lks
whic
firm
with

BOOK-A-207
561

Tp. 24 S. R 15 E.

38.00 Gulch drains S. 88° W. thence in Gulch
40.05 Set gypsum 12×10×6 : 8 : the ground for 1/4 sec. cor. marked 1/4 on bor N face and raised a stone mound alongside.

42.50 Leave Gulch drains S. W.
65.00 Spring gulch dr. N.E.
80.10 The cor. to secs. 17. 18. 19 & 20.
Land Level & broken
Soil 2nd rate.
No timber
Dense artemisia
undergrowth on 80.10 ch.

West on random line
betw. secs. 18 & 19
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.
80.25 Intersect W. boundary of tp. 10 lks N. of the cor. to secs. 13 & 19 which is a sandstone 20×16×3 firmly set in ground, properly marked with pits & mound of earth alongside

from which Sun
N. 89° 56' E on true l
betw. secs. 18 & 19.
with same var.

40.25 Set sandstone 12×8×6: 8: the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

80.25 The cor. to secs. 17. 18. 19 & 20
Land Rolling & broken
Soil 3 rate
No timber.
Dense artemisia
undergrowth on 80.
Nov. 28. 1

North betw secs. 17 & 18
Var. 15° 18' E.

Ascend

40.00 On top of ridge bears N E & S. W. set sandstone 12×8×6: 7: the ground for 1/4 sec cor. marked 1/4 on W face and raised a stone mound alongside.

65.00 Enter level ground

80.00 Set granite 12×8×6: 8: the ground

Tp. 24 S. R 15 E.

for cor. to secs. 7. 8. 17 & 18. marked
with 4 notches on S and 5 on E edges
& raised a stone mound alongside.
Land. Rolling
Soil 3 rate.
No timber.
Dense undergrowth on 80 chs.

East on random line
betw secs. 8 & 17
Var. 15° 18' E.

40.00 Set temp. 1/4 sec. cor.
79.75 Intersect N & S. line 10 lks N.
of the cor. to secs. 8. 9. 16 & 17 from
which I run
N 89° 56' W. on true line
betw secs. 8 & 17
with same var.
10.00 Enter bottom
12.50 Sanrafael river 2 chs. wide 2 ft deep
runs S.
17.50 Leave bottomland, ascend
20.00 Enter rolling bench
39.88 Set sandstone 26 × 20 × 14: 15: the
ground for 1/4 sec. cor. marked

Subdivisions

1/4 on N face, dug pits 18×18×1
in the ground E & W of stone 5
dist. and raised a mound of
earth 1 1/2 ft high 3 1/2 ft base
alongside.

79.75 The cor. to secs. 7. 8. 17 & 18.
Land. Level & hilly
Soil, 1st & 2 rate.
No timber
Dense artemisia
undergrowth on 79.

West on random line
betw. secs. 7 & 18
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.40 Intersect W. boundary of
20 lks. N. of the cor. to secs. 7. 12. 13 &
18. Which is a conglom. 16×9
firmly set in the ground, prop
marked with pits & mound of
earth alongside, from which
run N 89° 51' E. on true line
betw. secs. 7 & 18.

Sp.

40.40 Set a d
long 3
1/4 sec. c
dug pit
of post
1 1/2 ft h
80.40 The co
Land.
Soil
No
D

No

40.00 Set, ch
3. squ
cor. m
pits 1
of pos
of ear
47.25 Enter
50.25 Sau

Tp. 24 S. R. 15 E.

with same var.

40.40 Set a charred cottonwood post 3 ft long 3 in square 12 in the ground for 1/4 sec. cor. marked 1/4 S. on N face dug pits 18×18×12: E & W. 5 1/2 ft dist of post and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around it

80.40 The cor. to secs. 7. 8. 17 & 18.
Land. Rolling hills.
Soil 3 - rate.
No timber.
Dense artemisia
undergrowth on 80.40 ch

North betw. secs. 7 & 8
Var. 15° 18' E.

40.00 Set charred cottonwood post 3 ft long 3 in square 12 in the ground for 1/4 sec cor. marked 1/4 on W face, dug pits 18×18×12: N & S. 5 1/2 ft dist. of post and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around it.

47.25 Enter bottom

50.25 Saurafael river bend 5.75 chs wide

Subdivisions

2ft deep runs E.

68.00 Enter field

80.00 Set a charred cottonwood post 4 long 4 in square 12" in the ground for cor to secs. 5.6 marked

T. 24 S. R. 15 E. Sec. 5. on N.E.
Sec. 6 " N.W.
Sec. 7 " S.E.
Sec. 8 " S.W.

faces, with 5 notches on S & E edges, dug pits 18×18×12 in the ground in each secs. 5½ ft dist. and raised a mound of earth 2 ft high 4½ ft base around it from which A cottonwood bears N 10° E. 83 lks dist. 6 in diam. marked T. 24 S. R. 15 E. S. 5. A cottonwood 2 in diam. bears N. 60° E 6 dist. marked the same.

Land level.

Soil 1 rate

Timber Cottonwoods.

Dense undergrowth on 68.00 chs.

Tp. 24 S. R 15 E.

East on random line
betw secs. 5 & 8.
Var. 15° 18' E.

40.00 Set temp 1/4 sec. cor.
80.00 Intersect N & S line at the cor. to secs.
4. 5. 8 & 9. from which S run
West on true line
betw secs. 5 & 8.
with same var.
4000. Set sandstone 18 x 12 x 4 : 12. the
ground for 1/4 sec. cor. marked 1/4
on N face and raised a stone mound alongside.
51.00 Gulch drains S.
63.50 Enter river bottom
70.00 Enter field leave undergrowth
80.00 The cor. to secs. 5. 6. 7 & 8.
Land 1st & 2nd rate.
Timber. Cottonwoods.
Dense undergrowth on 7 chs.

Subdivision

	West on random line
	betw secs. 6 & 7
	Var. 15° 18' E.
40.00	Set temp 1/4 sec. cor.
80.55	Intersect W boundary of tp. 50 chs.
	of cor. to secs. 6 & 7. which is a post, one
	from which I run
	N 89° 39' E. on true line
	betw secs. 6 & 7
	with same var.
40.55	Set sandstone 12 × 10 × 6 : 8 : the ground
	for 1/4 sec. cor. marked 1/4 on N face &
	raised a stone mound alongside.
	Enter bottom
43.60	Sourafael river 250 chs. wide 24 deg runs S.
57.00	3 chs. N. Cabin & corral
69.50	Enter cultiv. land
80.55	The cor. to secs. 5. 6. 7 & 8.
	Land. level.
	Soil 1 rate
	Timber. Cottonwoods
	Dense undergrowth
	on 69.50 chs
	~~Nov. 29th 188~~

BOOK-

Tp.

40.00	Set t
50.00	Inter
	at cor.
	sands
	prope
	along
15.00	Gull
38.00	Wash
40.00	Set sa
	for 1/4
	& rai
48.40	Wash
60.30	Gule
68.00	"
71.50	Ente
80.00	the co
	Land
	Soil
	Tim
	Den

Tp. 24 S. R 15 E.

North on random line
betw secs. 5 & 6.
Cor. 16 & 8. E.

40.00 Set temp. 1/4 sec cor
50.00 Intersect N. boundary of tp.
at cor. to secs. 5. 6. 31 & 32 which is
sandstone 16 x 8 x 7 firmly in the ground
properly marked with stone mound
alongside, from which Trees
S. on true line betw. secs. 5 & 6.
with same var.

15.00 Gullie draws S. W.
18.00 Wash dr. S. W.
40.00 Set sandstone 12 x 12 x 5. in the ground
for 1/4 sec. cor. marked 1/4 on W face
& raised a stone mound alongside.
48.40 Wash draws W.
60.30 Gulch dr S. W.
68.00 "
71.50 Enter field
80.00 the cor. to secs. 5. 6. 7 & 8.
Land. Mostly broken
Soil 1st g Brato
Timber with. cottonwood.
Dense undergrowth on 71.50 chs.

Nov 29, 1882

General Description

The land in this Township consists of good bottom land along San Rafael River, and adjoining benches. The benches as well as bottoms are covered with various kinds of artemisia undergrowth. - There are some Cottonwoods along the River.

The aplicants improvements are situated in Sec. 5.6.7 & and consist of a cabin, a corral a little fencing and a ditch, also about 40 acres of land under cultivation

Stewart M. Pancak
U.S. dep. surveyor

BOO

U. S. SURVEY

Salt Lak

The foreg

Su

Township No.

Executed by

Under his

day of Sep

Nov

amined. the nec

the said field

hereby approve

571

BOOK-A-207

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, March 12th 1885

The foregoing field notes of the survey of the Subdivisions

Township No. 24 S. Range No. 15 E.

Executed by Lewis M. Pancake

Under his contract No 180 of the 6th

day of September 1884, in the month of

Nov 1884, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

Fred Salomon

U. S. Surveyor General for Utah.