Township 14 No

~~48~~		~~49~~		
25	6	135	5	
~~134~~		~~132~~		
23	7	131	8	
~~130~~		~~129~~		
22	18	128	17	
~~127~~		~~126~~		
21	19	125	20	
~~124~~		~~123~~		
20	30	122	29	
~~121~~		~~120~~		
19	31	119	32	

Guide Meridian

(Front)

H 1

216

BOOK-A-216

Township 14 North Range 4 West

	48		49		50		51		53		54.41
25	6	135	5	117	4	103	3	92	2	80	1	33
		134		132		116		103		91	79.	63
23	7	131	8	115	9	102	10	90	11	78	12	35
		130		129		114		101		89	78	62
22	18	128	17	113	16	100	15	88	14	77	13	36
		127		126		112		99		87	76	61
21	19	125	20	111	21	98	22	86	23	75	24	37
		124		123		110		97		85	74	60
20	30	122	29	109	28	96	27	28	26	73	25	38
		121		120		107		95		83	72.	59
19	31	119	32	106	33	94	34	82	35	71	36	40

Guide Meridian
Ref No. 4 S Dr.

2

Township 14 North



BOOK-A-216

Township 14 South Range 5 West

151	152	153, 159	161	162	163
150 6	5	184 4	225 3	219 2	204 1
—	—	~~185~~ 224	~~223~~	~~217~~	~~203~~
149 7	8	184 9	222 10	216 11	202 12
—	—	~~185~~ 222 220	~~221~~	~~215~~	~~201~~
147 18	17	182 16	174 15	214 14	200 13
—	—	~~181~~	~~173~~ 213	~~212~~	~~198~~
146 19	20	180 21	173 22	211 23	197 24
—	—	~~179~~	~~172~~ 210	~~209~~	~~196~~
145 30	29	178 28	171 27	208 26	195 25
—	—	~~177~~	~~170~~ 207	~~206~~	~~194~~
144 31	32	176 33	169 34	203 35	193 36

BO

wnship North

233 6 5

34 7 8

18 17

36 19 20

246 247

7 30 245 29 264

267 266 264

8 31 268 32 286

Meander

BOOK-A-216

Township 9 North Range 7 West

233 6	5	4	3	2 260	1 259	
234 7	8	9	10	11 258	12 257	
235 18	17	16	15	14 256	13 255	
236 19	20	21	22	23 254	24 253	
237 30 265	29 264	28 263	27 262	26 261	25	
238 31 268	32 286	33 283	34 280	35 277	36	

246 247 249 250 251 252

267 266 284 285 281 282 278 279 275 276

Amended page 293.

B

ownship 9 North

6	5 326	
7	8	
18	17	
19	20	
30	29	
31	32	

Meand

BOOK-A-216

Township 9 South Range 8 West

6	5 326	4 322	3 319	2 309	1
		321 323	317	308	
7	8	9	10 318	11 307	12
			316	315	306
18	17	16	15 314	14 305	13
			313	312 313	304
19	20	21	22	23 303	24
				310 302	300
30	29	28	27	26	25
					299
31	32	33	34	35	36

Meanders 329 & 331.

BOO

wnship 10 North R

6 5 4

7 8 9

18 17 1

19 20 2

30 29 2

31 32 3

339 341

BOOK-A-216

Township 10 South Range 7 West



BOO

wnship 10 Nort

6 5

7 8

18 17

19 20 43

432

30 29 43

429

31 32 42

Meander

BOOK-A-216

Township 10 North Range 8 West

6	5	4	3 415	2 403	1	
			414	402		
7	8	9	10 413	11 400	12	
			425	412	399	
18	17	16 423	15 411	14 398	13	
		426	422	409	396	
19	20 433	21 422	22 409	23 395	24	
	432	431	420	408	394	
30	29 430	28 420	27 407	26 393	25	
	429	428	419	406	391	
31	32 427	33 417	34 405	35 389	36	

Meanders 437 & 444

BOO

vnship 11 Nath

6	5	
7	8	
18	17	
19	20	
30	29	
31	32	

BOOK-A-216

vnship North Range 7 West

~~475~~	~~474~~	~~473~~	~~472~~	~~471~~	~~469~~
6	5	4	3	498 2	~~495~~ 1
				~~497~~	~~494~~ ~~524~~
7	8	9	10	496 11	~~493~~ 12
				~~491~~	~~493~~ ~~523~~ 492
18	17	16	15	490 14	13
				~~489~~ ~~521~~	~~520~~ 522
19	20	21	22	488 23	~~518~~ 24
				~~487~~ ~~518~~	~~517~~ ~~483~~
30	29	28	27	~~483~~ 26	~~515~~ 25
				~~483~~ 514	~~514~~ ~~482~~ 513
31	32	33	34	464 35	481 36

BOOK-A

nship 11 North, Ra



Uncondem

T. 11 N., R. 8 & 9 W.

BOOK-A-216

nship 11 North, Range 8 West



Incendios pages 609 & 617

T-12-11 M R1 8+9 W.

ork - BOOK

PORT:

ed

amined by John

nscribed by Jesse

mpared by A.B.

FIELD

F THE SU

Guide M

wnship No. 14

nges No. 4 E

SALT LAK

UTAH

AS

Henry G

U. S. I

Under his Co

ated Oct.

urvey commenced

urvey Completed

/8 r 6m 0

BOOK A-216

16

17

PORT:

ed 188

amined by John A. Campe.

nscribed by Jennie V. Bowman

mpared by J. Bowman & A. Atkinson

FIELD NOTES

OF THE SURVEY OF THE

Guide Meridian

OF

wnship No. 14 N.

nges No. 4 & 5 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY.

AS SURVEYED BY

Henry Fitzgerald

U. S. Deputy Surveyor,

Under his Contract No. 142

ated Oct. 6th 1886

urvey commenced April 30th 1887

urvey Completed " " 1887

8 6 miles 00 chs 00 lks

6

NAMES AND DUTIES OF ASSISTANTS.

Benjamin R. Petersen	Compassm.
William Carr	Chainman.
Charles Boyer	Chainman.
Oscar Schultz	Chainman.
Fredrick Olsen	Chainman.
Bruce B. Meredith	Axeman.
Morris Mann	Axeman.
George Jenkins	Flagman.
Alfred L. Lance	Flagman.

BOOK-A-21

T. 14 N - Rs.

STANTS.
ompassm
hainman.
hainman.
hainman.
hainman.
xeman.
xeman.
eman.
eman.

T. 14 N - Rs. 4 & 5 W - S.L.M.

From the Cor. to Shs. 13 & 14 N. Rs. 4 & 5 W. set by me under this Contract - & run.
N. Variation Decr. 3' & 36 W = 18° 30' E.
80 Iron dividing trees & W.
80 Set Sandstone 30 x 12 x 6 ins - 20 ins. in the ground for 1/4 Sec. Cor. Mkd. 1/4 S on W. face and scribed N. side of Stone alongside Pits impracticable -
Cedar Spurs E.
Yellow Pine trees E. about 15.00 chs. dist.
Spruce trees E. about 15.00 chs. dist.
Set Sandstone 12 x 9 x 6 ins. 8 ins in the ground for Cor. to Secs. 25, 30, 31 & 36, Mkd. 1/4 S on S. and S notches on N. edges and raised a mound of Stone alongside -

BOOK-A-216

Gride Meridian

Chs. Pits impracticable
Sand Mountain
Soil 1st rate.
Fine grass for grazing

N. between Secs. 25 & 30
E.

6.50 Ridge bears E. & W.
16.00 Deep Cañon drains E.
4.00 Set Sandstone 18x24 ins.
12 ins. in the ground for
Sec. Cor. marked 1/4 on
face and mound
of stone alongside.
Pits impracticable
4.50 Ridge bears N. & S.
5.50 Gulch drains E.
6.50 Ridge bears E. & W.
8.00 Set Sandstone 17x28 ins.
ins. in the ground for Cor
to Secs. 19, 24, 25 & 30 mark
ed 2 notches on S. and
4 on N. edges and C
raised a mound of sto

T. 14 N. Rs. 4

Alongside
Pits impr
Sand M
Soil 1
Fine gras
Some b

N. between

Cañon
Ridge b
Cañon
Ridge b
Cañon
Ridge b
Set Sand
10 ins. in
1/4 Sec. Co
N. face
Notches
Pits im
Cañon
Trees
Ridge b

14 N. Rs. 4 & 5 W. S. L. M.

Alongside.
Pits impracticable.
Sand mountains
Dri / 2 gate.
Fine grass for grazing
Some brush.

N. Bdry Secs. 19 & 24
Var = 18° 30' E.

50 Canon draws E.
50 Ridge runs E & W.
50 Canon draws S E
50 Ridge runs E & W
50 Canon draws N E.
50 Ridge runs N E. & S W.
50 Bet Sandstone 14 x 10 x 4 ins.
10 ins. in the ground for.
1/4 sec. Cor. Marked 1/4 on
W. face, and mound
Mound 1/2 stone alongside.
Pits impracticable.
Canon with cottonwoods
Trees draws N E.
Ridge runs E & W.

BOOK-A-21

Guide Meridian

chs		
8.00	Set sandstone 14×10×6 ins.	
	10 ins. in the ground for	
	to Secs. 13, 18, 19 & 24,	
	ed 3 notches on N. & S.	
	and raised a mound	
	stone alongside.	
	Pits impracticable.	
	Land Mountainous	
	Soil 1st rate.	
	Grass and bush.	

N. between Secs. 13 & 18
S = 18° 30' E

2.50	Ridge runs E & W.	
14.50	Cañon draws E.	
25.00	Ridge runs E & W.	
38.00	Cañon draws E.	
41.00	Set sandstone 24×12×8	
	18 ins. in the ground for	
	1/4 sec. cor. marked 1/4 on	
	face and raised a	
	mound of stone alongside.	
	Pits impracticable.	
42.00	Ridge runs E & W.	

T. 14 N., Rs. 6

	Deep Cañ
	Ridge ru
	Set sand
	18 ins. in
	to Secs. 7,
	4 notches
	N. Edges
	mound &
	Pits im
	Land M
	Soil 1st
	Grass

N. betwe

00	Enter he
00	Cañon
50	Steep
50	Ridge
00	Cañon
	Set sand
	18 ins. i
	1/4 sec. Cor
	N. face

BOOK-A-216

T. 14 N. Rs. 4 & 5 W. S.L.M.

Deep Cañon drains E.
Ridge runs N.W. & S.E.
Lt. Sandstone 16×9×4 pieces
10 pcs. in the ground for Cor.
to Secs. 7, 12, 13 & 18 marked.
4 notches on S. and 2 on
N. edges and faces a
mound of stone alongside
Pits impracticable.
Said Mountainous
soil 1st & 3rd rate.
Grass and Brush.

N. Victorio Secs. 7 & 12
W. 18.30 E.
Enter heavy Aspen grove.
Cañon drains N.E.
Open Aspen grove.
Ridge N.E. & S.W. Enter Aspen
Cross Cañon drains E.
Lt. Sandstone 24×12×8 pcs.
18 pcs. in the ground for 1/4
Sec. Cor. marked 4 on
N. face and mound a

BOOK-A-2

Guide Meridian

D. 14 N. Rs.

Chs. Mound of Stone along
from which
Ag aspen 8 ins. diam. bears E. 4 lks. dist.
Marked 1/4 S. B. T.
Ag aspen 12 ins. diam. bears N. 15 lks. dist.
Marked 1/4 S. B. T.
4.50 Four aspen trees
5.00 Ridge trees E. & W.
6.00 Cairn of stones
7.50 Ridge trees E. & W.
8.00 Set Standstone 30 x 15 x 6 ins.
2 ins. in the ground for Cor.
to Secs. 4. 5. 7 & 8. Marked
S. notches on E. and W.
on N. edges, and pits
Mound of Stone along
Pits impracticable.
Land mountainous
Soil 1st & 3rd rate.
Grass and brush.
Aspen trees on 11.50 chs

S. N. bdry

Cairn
Ridge
Cairn
Ridge
Set
10 ins.
Cor.
and
Stone
Pits
High
"
Ag N.
Set
20 ins.
to lks.
Marked
E. & W.
a num
Pits
Land
Soil
Grass

N. 1/4 N. Rs. 4 & 5 W. S. L. M.

.50 S. N. Bluffs Secs. 1 & 6.
N. 1/2 1850 E.
.50 Cairn. dyams E.
.00 Ridge trees S & W.
.50 Cairn dyams E.
.00 Ridge trees E & W.
.00 Set Sandstone 14 x 10 x 4 ins.
10 ins. in the ground for 1/4
Sec. Cor. Mound 1/4 bn N. face
and raised a mound by
S. side alongside.
Pits unpracticable.
.70 High ridge trees N.W. & E.
.00 " " S. E & W.
.00 On N. hill side.
.00 Set Sandstone 30 x 12 x 4 ins.
Lying in the ground for Cor.
to Secs. 1 & 6 in N. Rs. 4 & 5 W.
Mound 6 notches on N. S.
E. & W. edges, and raised
a mound of stone alongside
Pits unpracticable.
Land Mountainous.
Soil 1st & 4th Rate.
Grass and brush
Chains 80 1/4 W.

BOOK-A-21

General Description

The land on each side of this line is high broken mountains covered with a fine growth of timber, consisting in places of heavy growth of Miller Pine and Spruce and some Cottonwood and Aspen trees in the numerous Cañons — The townships offer fine Summer range for stock.

Jerry Fitzpatrick
U.S. Dep. Surveyor

S. SURVEYOR GE

Salt Lake Ci

The foregoing fie

Guide

wnhsip No. 14

the Salt Lake Meri

Sur

der Contract No.

y of Octo

April

amined, the necess

ude, the said field n

e hereby approved.

Mill

BOOK-A-216

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 29th 1888

The foregoing field notes of the ..... survey of the

Guide Meridian

wnhsip No. 14 S. Ranges Nos. 1 & 2 W.

the Salt Lake Meridian, Executed by

Henry Silvaugh

der Contract No. 12 of the 6th

y of October 1886, in the month of

April 1887, having been critically

amined, the necessary corrections and explanations

ade, the said field notes, and the surveys they describe

e hereby approved.

William G Bowden

U. S. Surveyor General for Utah.

BOOK A-

PORT

d Dec 21 et

mined by John H.

scribed by

pared by John H. Ca

FIELD

Re

OF THE SUI

South East

Bounda

wnship No. 14

nge No. 4

SALT LAK

UTAH

AS S

Henry

U.S. L

Under his Contra

ated Janu

urvey commenced

urvey completed

6 m 00 ch

75

6 m 75 ch

BOOK A-216

PORT

d Dec 21st 1887.

mined by John H. Caupse

scribed by Jennie L. Bowman

pared by John H. Caupse & W. A. Hinson

FIELD NOTES

Re

OF THE SURVEY OF THE

~~South~~ East and North

Boundaries

OF

wnship No. 14 North

nge No. 4 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Henry Fitzhugh

U.S. Deputy Surveyor,

Under his Contract No. 141

ated June 24th 1886

rvey commenced May 20th 1887

rvey completed " 20th 1887

6 m. 00 ch. 0 lks

6 m. 75 ch. 00 lks

6 m. 75 ch. 0 lks

BOOK-A-216

BOOK-A-216

30 NAMES AND DUTIES OF ASSISTANTS

Benjamin R. Stevenson	Compassm
William Carr	Chainmun
Charles Brown	Chainman
Oscar Schultz	Chainman
Fredrick Aden	Chainman
George B. Meredith	Axeman
Morris Mann	Axeman
George Jenkins	Axeman ~~Flagman~~
Alfred L. Jones	Axeman

16 -
STANTS

ompassm
ainmun
ainman
ainman
ainman
eman
eman
Excess
~~*eman*~~
Excess

BOOK-A-216

Resurvey E. By. T. 14 N. R.

Chs. Resurvey commenced with ... Stones Pole Transit May 20... from the Cor to Yps. 13 & 14 ... Rs. 3 & 4 W. Established ... me under this Contract ... Iron N. W a Juniper ... Survey line between said ... Yps. Va. 18° 30' E. ... I am unable to find any ... trace of any Cor. mutilation ... the 1/4 Sec. Cor. Bet. Secs. 19 ... Where I find traces of old mound ... from this point I run on a ... 20° & 19° E. in accordance with ... old notes - I also find traces ... old mound at Cor. to Secs. 13, ... & 24 Also traces of mound at ... Sec. Cor. Bet. Secs. 13 & 18 also ... traces of mound at Cor. to ... Secs. 1. 6. 7 & 12. ... I initiate the Cor. to Yps ... 14 & 15 N. Rs. 3 & 4 W.

... Thence ... from the ... N. Rs. 3 ... a Juniper ... the Section ... ed, which ... a Juniper ... E. on ... Bet. S ... Road ... Thence ... Thence ... No Tree ... at Quar ... 3 ft. Lar ... ins the ... Restab ... Cor. Mo ... Aug Pin ... of Post ... Stone ... 1/2 ft. ... Groun ...

T. 14 N. R. 4 W. - S. L. M.

Thurston.

From ~~Fd~~ Cor. to Shs. 14 & 15 — N. R6. 3 & 4 W. Which is a Juck Stone standing in the ground properly marked, which I found by rebuilding a stone mound.

I run

S. on true Meridian line Dist. Secs. 10 & 15. 25 L. Vs = 19 G.

40 Road bears N.W. & S.E.

40 Fence bears E & W.

50 Fence bears E & W.

4 No Trees of Old Cor.

Set Quartz Mound post 2 ft. long 2 ins. square, 12 ins. in the ground for Reestablished 1/4 Sec. Cor. marked 1/4 S. in W. face. Dug pits 18 x 18 x 12 ins. N. & S. of post 5 1/2 ft. dist. and placed a mound of Earth 1 1/2 ft. high, 3 1/2 ft. base around post.

BOOK-A-216

Cor. N. mouth in Portage
bears S. 73 E. about 200 ch
dist.
67 6/8 - Canal runs E.
Thence along N. Street
Portage -
Canal runs E.
Find Traces of old mo
Set Chamfered post
4 ft. long 4 ins. square,
ins. in the ground for
established Cor. of Sec
1. 6. 7 & 12, marked.
T. 14 N. R. 6. on N.
R. 3 W. - S. 7 on S.
R. 4 W. S. Cor on S.W.
S. 1 on N.W. Traces mi
Notch in N. End & notc
in S. edges, dug pits
18 x 18 x 12 ins. in each
Sec. 6 1/2 ft. dist. and
mound a mound of
earth 2 ft. high 4 1/2 ft
base around post -

T. 14 N.
Find
Set
Sage
S. in the
Bet. Sec
No Trace
Set Stone
12 ins. in
Restab
Cor. runs
and
ins. No
dist. an
of earth
left. base
Find Tra
Set Stone
ins. in
established
7, 12, 13 &
Notch

C. 1/4 N. R. 4 W. = S. L. M.

Surd. Mar
Soil & Rolling
Sage & Rabbit brush

S. in the Masonry line
Bet. Secs. 7 & 12 235 L
Cor. 1 gds E.
No trace of old Cor.
Set Sandstone 18 x 6 x 6 ins -
12 ins. in the ground for
Reestablished 1/4 Sec
Cor. marked 1/4 on N. face
and reading pits 16 x 18 x 12
ins. No 8. Stone 5 1/2 ft.
dist. and raised a mound
of earth 1 1/2 ft. high 3 1/2
ft. base alongside.
Set Faces of old mound
Set Sandstone 17 x 8 x 6 ins - 12
ins. in the ground for 1/4 =
established Cor. to Secs.
7, 12, 13 & 18, marked 2
notches on N. & 4 on

Reservoir E. By. [illegible] 14 N. [illegible]

Chs. S. Edges, dug pits 18 [illegible] Gully [illegible]
18×12 ins. in each 5 [illegible] "
6½ ft. dist. and raised [illegible] Faces [illegible]
a mound of earth 1½ [illegible] Set Stones [illegible]
high 4½ ft. base alongside [illegible] ins. [illegible]
Sand flat [illegible]
Soil & gate [illegible]
Sage & Rabbit brush [illegible]

S. on Res. Levy [illegible]
Set. Secs. 13 & 18 [illegible]
V = 20° E. [illegible]
1500 Euler bench brass No. [illegible]
4000 Find faces of old mon. [illegible]
Set Sandstone 17×10×6 [illegible]
12 ins. in the ground [illegible]
Reestablished ¼ Sec. [illegible]
marked ¼ on W. face [illegible]
dug pits 18×18×12 ins. [illegible]
of stone 5½ ft. dist. [illegible]
raised a mound of [illegible]
earth 1½ ft. high 5½ [illegible]
base alongside. [illegible]

S. on [illegible]
Set. Sec. [illegible]

Faces [illegible]
Set Sandstone [illegible]
12 ins. [illegible]
Reestab [illegible]

S. 14 N. R. 4 W. S. L. M.

Gully drains S. E.

" " "

Pacs of old mound
Set Sandstone 12×8×6 ins.
5 ins. in the ground for
Reestablished Cor. to
Secs. 13, 18, 19 & 24, marked
3 notches on N. & S. edges,
Dug pits 18×18×12 ins. in
each Sec. 6½ ft. dist.
and raised a mound
of earth 2 ft. high & 4½
ft. base alongside.
Land mostly brush
Soil 1st qlty.
Sage brush & grass.

S. on true Meridian line
Bet. Secs. 19 & 24
T. 2 N. R. 4 W.

Pacs of old mound
Set Sandstone 17×8×4 ins.
12 ins. in the ground for
Reestablished 1/4 Sec. Cor.

BOOK-A-2

Ramsey E. By.

Chs. Marked 1/4 on N. face of
dug pits 18x18x1/2 ins. i
of stone 6 1/2 ft. dist. and
raised a mound of e
1 1/2 ft. high 3 1/2 ft. base
alongside.

80.00 No trace of old Cor.
Set Sandstone 18x5x6 ji
12 ins. in the ground for
established Cor. to Sec
19, 24, 25 & 30, marked 4
notches on N. and 2 on
S. edges, dug pits 18x18
ins. in each Sec 6 1/2 ft
dist. and raised a
mound of earth 2 ft.
high 4 1/2 ft. base alongs
Sand hilling brush
Soil 1st rate
Sage brush & grass

S. on the Ramsey line
Bet. Secs. 25 & 30
W. 18.30 C

T. 14 N. R. 4 W. - S. L. M.

No trace of old Cor.
Set Sandstone 20x6x4 ins.
6 ins. in the ground for
re-established 1/4 Sec. Cor.
Marked 1/4 on N. face, dug
pits 18x18x12 ins. N.S. of
stone 6½ ft. dist, and
raised a mound of earth
1½ ft. high, 3½ ft. base
alongside.
Deep ~~Ditch~~ Canyon drains N.E.
No trace of old Cor.
Set Sandstone (30x7x6 ins).
6 ins. in the ground for re-
established Cor. to Secs.
25, 30, 31 & 36, marked 5
notches on N. and 1 notch
on S. edges, dug pits 18x
18x12 ins. in each Sec.
6½ ft. dist. and raised
a mound of earth 2 ft.
high 4½ ft. base along-
side.
Sand rolling bench
Soil 1st rate

BOOK-A-216

Reservoir

E. By. T. 14 N. R 4 W. S. & M. By. T. 1

Chs. Sage brush & grass

Reservoir Set. Secs. 31 & 36

Dec 18 1930

6.00 Road bears N.W. & S.E.

Road meanders bears N.W. & S.E.

4500 No trace of old Cor.

Set Limestone 18x8x6 ins. 12 ins. in the ground Reestablished 1/4 sec. Cor. marked 1/4 on N. face Dug pits 18x18x12 deep N. & W. of Stone 6 ft. dist. and raised a mound of 1 1/2 ft. high, 3 1/2 ft. base alongside.

4850 Gully drains E.

72.50 Wire fence bears E.

88.00 Cor. reestablished by Twps. 13 & 14 N. - Rs. 3 & 4 W. Sand rolling Mountainous Soil 1/4 & 2/5 rock Sage brush & grass

Irrigation

Sage

Road

Sage

No trace

Set Limestone

for Reservoir

Cor. Mound

and pits

& Stone

Pits

Ridge

Gully

Resurvey

N. By. T. 14 N. R. 4 W. S.L.M.

From the Cor. to Tps. 14 & 15
N. R. 3 & 4 W. found by
me under this contract
I run
W. on the Resurvey line
Betr. Secs. 1 & 36
Vr. 18° 15' E.
90 Irrigating ditch bears N.
88° W. 8
25 Irrigating ditch bears S.E.
25 Road bears N.W. & S.E.
Four Flat.
Ascend Mountains bear
N.W. & S.E.
90 No trace of old cor.
Set Quartzite stone 19x8x6
ins - 12 ins. in the ground
for reestablished 1/4 Sec.
Cor. Marked 1/4 on N. face
and pitted a nail and
2 stone alongside.
Pits impracticable.
90 Ridge bears N. & S.
50 Enter hollow drains S.E.

42

Resurvey

N. Bdy. T. 14 N. R. 4 W. S.L.

Cor.
65.00 Iron Stake.
75.00 East of Resurvey
No Trees of other Cor.
Set Trimble Cor.
Land Flat & Mountainous
Soil Light Color
Sage brush & grass
May 20th 18

General Description

The land embraced in this township is mostly mountainous. and Covered with a fine growth of bunch grass, affording excellent Summer range for Stock. For a more particular description thereof see field Subdivision notes.

Henry Fitzhugh
U.S. Dep. Surveyor

BOOK-A-21

S. SURVEYOR GEN

Salt Lake City

The foregoing field
South East
Bound
Township No. 14 N
the Salt Lake Meri
Henry F
der Contract No.
y of June
May
amined, the necess
ade, the said field
e hereby approved.

BOOK-A-216

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 29th 1888

The foregoing field notes of the Ist *survey of the* ~~South~~ East and North Boundaries *Township No.* 14 N. *Range No.* 4 W. *the Salt Lake Meridian. Executed by* Henry Fitzhugh *under Contract No.* 141 *of the* 24th *day of* June 1886 *in the month of* May 1887, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Brennan

U. S. Surveyor General for Utah.

BOO

RT: DEC 2

ined by John H

cribed by Jesse

ared by Norton

FIELD

OF THE SU

uth Bra

nship No. 14

e No. 4

SALT LAK

UTAH

AS S

Army

U. S. D

Under his Contr

ted Octo

rvey commenced

rvey completed

0 - 5 m 00

BOOK A-216

45

RT: .....

DEC 21 1887

ined by John D. Gaufd.

cribed by James C. Bowman

ared by Noten & Atkinson

FIELD NOTES

OF THE SURVEY OF THE

North Boundary

OF

nship No. 14 North

e No. 4 West.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Henry Fitzhugh

U. S. Deputy Surveyor,

Under his Contract No. 142

ted October 6th 1886.

rvey commenced May 21st 1887

rvey completed " 21st 1887

0 v 5 m 00 ds 00 lks

6

BOOK-A-216

NAMES AND DUTIES OF ASSISTANTS.

Benjamin R. Thurston ..... Compass

William Carr ..... Chainman

Charles Brown ..... Chainman

Owen Schultz ..... Chainman

Hendrick Olsen ..... Chainman

George B. Meredith ..... Axeman.

Wood Mann ..... Axeman.

George Jenkins ..... ~~Flagman.~~ Axeman

Alfred L. Jones ..... Axeman

N. By. Fs. 14 N. R. 4 W. S. L. M.

Survey Commenced with
a Stone Pole Mound
May 21st 1887

From the Intersection
of the ~~Cor. to Ts 14 & 15 R 3 & 4~~
West line of Survey No. 141
I run W. on a random
line between Ts. 14 & 15
N. R. 4 W., setting temporary
stone every half mile and
mile Cors. at each 40
and 80 chains.
Variation 18° 15' E.
at 5 miles I intersect
Gyde Meridian 105 chs.
S. of Cor. to Ts. 14 & 15
N. Rs. 4 & 5 W.
The course of the true
line run thereon
is E. S. 89° 57' E.
Thence
From the Cor. to Ts. 14 & 15
N. Rs. 4 & 5 W. on the Gyde
Meridian set by me

BOOK-A-216

N. Bdy. T. 14 N. R. 4 W.

Chs. under this Contract.

Surv

S. 89° 51' E. on true li

Bet. Secs. 6 & 31

Va 18.15 E

24.00 Quick drains N & S

28.50 Ridge bars N.E. & S.W.

35.00 Set Sandstone 14x8x4

10 lks. in the ground

1/4 Sec. Cor. Mound

N. face quadrisected

Mound of Stone alongside

Pits impracticable

47.50 Quick drains NE

58.00 Same " S.E.

60.00 Ridge bars N.W. & S.E.

69.50 Quick drains NE.

75.00 Set Sandstone 20x16x16 in

20 lks. in the ground

to Secs. 5, 6, 31 & 32 mar

1 notch on N. and 6 - no

N.E. edges and mound

a mound of stone also

Pits impracticable.

Land mountainous

Surv

S. 87° 57'

Bet. Sec

Ridge b

Enter Co

Spring br

Road bri

Same

Set Sand

18 lks.

Sec. Cor.

face q

of Stone

Pits im

Quick

Ridge b

"

Same

Set Sand

R. 4 W. S. L. M.

Sec 1st + 4th note.
Fine pass for grazing.

S. 87° 57' E. on true line
Bet. Secs. 5 & 32
Va 18.15 E.

Ridge runs N.E. + S.W.
Enter Cañon drains S.E.
Spring branch drains S.E.
Road runs N.W. + S.E.
Upper Cañon
Head of gulch drains S.W.
Ridge runs N.E. + S.W.
Set Quartz 24x6x4 ins.
18 lks. on the ground for 1/4
Sec. Cor. Mound 1/4 on N.
face and pits 2 a mound
of stone alongside.
Pits unpracticable.
Gulch drains S.W.
Ridge runs N.W. + S.E.
" " "
Gulch drains S.W.
Set Quartz 22x7x5 ins.

BOOK-A-216

N. Bdy. T. 14 N. R. 4 W.

Chs. 15 lks. in the ground
Cor. to Secs. 4, 5, 32 & 33
marked 2 notches on
and 4 on E. edges a
buried a number of
Mongrels.
Pits impracticable.
Land mountainous
Soil 1st & 4th rate.
Fine grass for grazi

S. 89° 57' E. on the line
Bet. Secs. 4 & 33
Va 18° 15' E.
3.00 Ridge runs N.
17.00 Gulch runs S.E.
23.75 " " S.
30.50 Ridge runs N. & S.
40.00 Set Stone 12 x 24
10 lks. in the ground
Sec. Cor. marked 1/4 R
face and buried a
of Stone Mongrels
Pits impracticable

Ridge
Gulch
Ridge
Set Stone
10 lks.
Cor. to Sec
1.83 not
and buried
Stone
Pits
Land
Soil
Fine

S. 89° 57
Bet. S

Enter
Grani
Rock
Cedar 4
Pine 2
Cedar
Pine

R. 4 W. S. L. M.

Ridge runs N.W. + S.E.
Gulch drains S.E.
Ridge runs N.W. + S.E.
Set Limestone 27×18×4 ins.
20 ins. in the ground for
cor. to Secs. 3, 4, 33 & 34 mark-
ed B3 notches on E. & W. ridges
and raised a mound of
stone alongside.
Pits impracticable.
Sand & gravel banks
one mile & a half east
three stakes for grazing.

S. 89° 51' E. on true line
Bet. Secs. 3 & 34
One 18.15 E.
Enter Canon ("middle")
drains N.E. ~~Ridge runs N.W. + S.W.~~
Road runs ~~N.W. + S.E.~~
Creek 4 ft. wide, 5 ins. deep.
runs ~~N.W.~~ N.E.
Creek 4 ft. wide, 5 ins. deep
runs N.E.

BOOK-A-216

N. Bdy. T 14 N. R. 4 W.

Chs.		
35.00	Runs "Middle" Cañon	S. 89° 51' E.
40.00	Set Sandstone 20x8x4 ins.	But. Scr.
	15 ins. in the ground	
	1/4 Sec. Cor. Mounded	Ridge Ru
	N. face and grade	Ridge
	Ground & stone along	Set Sandst
	Pits impracticable	8 ins. in
42.50	Ridge Runs N.W. & S.	Sec. Cor.
57.50	Gulch Runs N.W.	face and
58.00	Ridge Runs N.W. & S.	& stone
69.50	Gulch Runs N.	Pits im
77.00	Gulch Runs N.W.	Ridge Ru
80.00	Set Sandstone 20x6x5	Gulch
	15 ins. in the ground	Ridge Ru
	Cor. to Secs. 2, 3, 34 & 35,	Set Sandst
	Mounded 4 notches	15 ins. in
	and 2 on E. edges and	5 Secs. &
	mound of stone	5 notche
	alongside	on E. Edg
	Pits impracticable	mound
	Sand Mountains	Pits imp
	Soil 1st rate	Sand M
	Nice grass for grazing	Soil
		Nice gr

R. 4 W. S. L. M.

S. 89° 51' E. on true line
But. Sec. 2 & 35
= 18° 15' E.
Ridge bears N.W. & S.E.
Ridge " N. & S.
Set Sandstone 12x8x6 ins
8 ins. in the ground for 1/4
Sec. Cor. marked 1/4 on N.
face and mound of stone alongside
Pits impracticable.
Ridge bears N.W. & S.E.
Gulch opens S.
Ridge bears N. & S.
Set Sandstone 20x12x4 ins.
16 ins. in the ground for Cor.
to Secs. 1, 2, 35 & 36, Marked
5 notches on N. and 1 notch
on E. edges and mound of
mound of stone alongside
Pits impracticable
Land Mountainous
Soil 1st & 4th rate.
Nice grass for grazing

BOOK-A-21

N. By. T. 14 N. R. 4 W. S. L.

Chs. S. 89° 57' E. on the
Bet. Secs. 1 & 36
1856
5.00 Temporary Cor. at Sec
Pebruary -
Sandy Mundquin
Soil 1st rate
Fine grass for graz
May 21 1856

SURVEYOR GEN

Salt Lake City, U

The foregoing fie

nship No.

ecuted by

der Contract No.

of

mined, the neces

s made, the sa

y describe are h

Journal Description

The land in either
of this line is mou
ous and covered wit
a fine growth of bun
grass, affording excell
sagebrush range for stoc
There are stunted spru
branches, and a limi
quantity of main for
stating purposes.

Henry Fitzhugh
U.S. Dep. Sur

BOOK-A-216

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 29th 1888

The foregoing field notes of the survey of the North Boundary

nship No. 4 N. Range No. 2 W.

ecuted by Percy Fitzhugh

der Contract No. 142 of the 6th

of October 1886, in the month of

May 1887, having been critically

mined, the necessary corrections and explana-

ns made, the said field notes, and the surveys

y describe are hereby approved.

William A. Bowman

U. S. Surveyor General for Utah.

016 — BOOK

PORT:

d Dec 21

mined by John H.

scribed by Jennie

pared by Norton

FIELD

OF THE SUR

Vol Civil

wnship No. 11

nge No. 1

SALT LAK

UTAH T

AS SU

U. S. D

Under his Contrac

ted June

rvey commenced

rvey completed

61 3 mi 39

BOOK A-216

57

PORT:

d Dec 21st 1887

mined by John A. Campe.

scribed by Jennie V. Bowman.

pared by Norton & Atkinson

FIELD NOTES

OF THE RE SURVEY OF THE

Subdivisional Lines

OF

wnship No. 11 North

nge No. 11 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Frank Wilmarth

U. S. Deputy Surveyor,

Under his Contract No. 111

ted June 24th 1886

rvey commenced May 21st 1887

rvey completed " 21st 1887

61 3rd 39ch 00lks

6

NAMES AND DUTIES OF ASSISTANT

Benjamin R. Stevenson	Compassm
William Carr	Chainmu
Charles Brown	Chainma
Oscar S Shultz	Chainma
Frederick Olsen	Chainma
George B. Meridith	Axeman
Moroni Mann	Axeman
George Jenkins	Axeman Flagman
Alfred J. Faust.	Axem

BOOK-A-216

Survey commenced with a
Blackstone Patent Mag
Dec 1887 -

Commencing at Sec. 25, 30,
31 & 36 on E. boundary of
Township 14 Established
by the undersigned Surveyor
of Lands
West on Section Line
Set. Secs. 25 & 36.
Enter Mountainous Region
Found Trees N.W. & S.E.
No Trace found Cr.
Set Brick Stone 12 x 12 x 14 ins.
Dug in the ground for.
Established 1/4 Sec. Cor.
Found 1/4 on N. Trees and
Stones as mound of
Stone aforesaid.
Pits interchangeable.
Creek Course N.E.
Cross of Railway

[illegible]

[illegible]

[illegible]

[illegible]

SURVEYOR GENE

Salt Lake City

The foregoing field

nship No.

he Salt Lake Meri

der Contract No.

of

mined, the neces

de, the said field

hereby approved

SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah Sept 29 1888

The foregoing field notes of the Re survey of the Subdivisions

nship No. 12 S. Range No. 4 E

he Salt Lake Meridian. Executed by Henry Petersen

der Contract No. 141 of the 24

of June 1886, in the month of

May 1887, having been critically

mined, the necessary corrections and explanations

de, the said field notes, and the surveys they describe

hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOO

ORT:

mined by

scribed by

pared by

FIELD

THE SU

nship No.

ge No.

SALT LAK

UTAH

AS SU

U. S. De

Under his Cont

ted

vey commenced

vey Completed

56 m 3

BOOK A-216

69

PORT:

188

mined by

scribed by

pared by

FIELD NOTES

THE SURVEY OF THE

OF

nship No.

ge No.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY.

AS SURVEYED BY

U. S. Deputy Surveyor,

Under his Contract No.

ted 1886

vey commenced 1887

vey Completed 1887

58 ch 32 lks
36

BOOK-A-216

NAMES AND DUTIES OF ASSISTANT

Benjamin R. Stevens ..... Compass

William Carr ..... Chainma

Charles Brown ..... Chainma

Oscar Schultz ..... Chainma

Fredrick Olsen ..... Chainma

George B. Mendick ..... Axeman

Morris Mann ..... Axeman

George Jenkins ..... Rodman

Alfred L. Jones ..... Rodman

ISTAN

Compas

Chainm

Chainm

Chainm

Chainm

Exeman

Exeman

Exeman

Exeman

Exeman

W. D. Pitt, C. & W. C. & C.

Notary Commissioned & Notice
of Records. Received May
23rd 1887

Notice Commissioned Notary Public
January 1887 for Counties
of Pike Utah Jordan in Utah
Territory Recorded this Register
of the said Commissions
Recorded - April Records
12 1887 - Surveys accordance
with Instructions Contained
in the Comm. Letter
of Pike, April 1887, - Plans
Field Notes & Location
of Pike

Since filed Ch. to Sec. 1, 2, 35
& 36 by the Surveyor.
Of the Township Copies to
be Sent under Seal Com-
plete

Utah Bur. Sec. 35 T. 2
R. 1 W. S. L. M.

BOOK-A-21

BOOK-A-210

BOOK-A-216

BOOK-A-216

BOOK-A-216

May 23rd 1887

May 24th 1862

BOOK-A-2

May 26th 188

May 27th 1887



BOOK-A

May 28th 1887

BOOK-

U. S. SURVEYOR

Salt Lak

The foregoi

Township No.

of the Salt Lake

Under Contrac

day of

examined, the

made, the said

are hereby app

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 29th *188*8

The foregoing field notes of the ~~re~~ *survey of the*

Subdivisions

Township No. 12 S. *Range No.* 1 W.

of the Salt Lake Meridian. Executed by

Levi Fitzhugh

Under Contract No. 142 *of the* 6th

day of October *1886, in the month of*

May *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Fouraus

U. S. Surveyor General for Utah.

REPORT

Filed Jan

Examined by Da

Transcribed by K

Compared by Tai

FI

OF THE

Nort

Township No. 1

Range No.

SALT

U

Ex

Under his

Dated

Survey comm

Survey compl

53 8 m 37

BOOK A 16

REPORT.

Filed Jan 12" 1888

Examined by John A. Quayle.

Transcribed by Kate Bowman.

Compared by Kate Bowman with M. Ellerson

FIELD NOTES

RE

OF THE SURVEY OF THE

North, and West

Boundary Lines

OF

Township No. 14 N.

Range No. 5 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Henry Fitzhugh

U. S. Deputy Surveyor,

Under his Contract No. 141

Dated June 24" 1886

Survey commenced May 13th 1887

Survey completed " 13th 1887

5½ 8 m. 37 ch. 00 lks

8

NAMES AND DUTIES OF ASSISTANTS.

Benjamin R. Stevenson	Compassman
William Carr	Chainmun
Charles Brown	Chainman
Oscar Schultz	Chainman
Frederick Olsen	Chainman
George B. Meredith	Axeman
Morris Mann	Axeman
George Jenkins	~~Flagman~~ Axeman
Alfred J. Jones	Axeman

BOOK-A

Remarks

Survey
Stock
B. Jord
Survey
of the
Greenid
acre
Find
on Sai
18° E
of the
Ar
From
Bo
at 7.
Said
1/2 ac
40.00
of acc
Grou
Iron
to the
Bo.
to Iro
of the

BOOK-A-216

Resurvey W. By T. 14 N. R. 5 W. 5th M.

Survey Commenced on the 2d Stack Pole. transit May 13th 1887
Before Commencing this Resurvey Took an observation of the Star Polaris, on its Meridian in order to determine the true Meridian & find the Va of the needle on said Meridian to be 18° E. Following the Course of the old lines as near as can be to arrive at Same on a Va of 18° 30' E.

From the Cor to Sec 13 & 14 N. Bo 5 & 6 W. Same Now at random resurvey line Back Said Sec. setting temporary 1/2 mile & mile Cors at each 40.00 & 80.00 chs. The Va of my transit being 18° 30' E. Run this random resurvey Same a distance of 6 miles to the Cor to Secs 14 & 15 N. Bo. 5 & 6 W. Same made to find any trace of any of the original Corners.

BOOK-A

Resurvey. N. B. & A. 5 T.

Mon.

Monofore

Traverse To the Cor of Secs
13 & 14 N. Rs. 5 & 6 W. on
by true meridian this Contract
Resurvey of
1881 N. Bd. Secs 31 & 36
Va. 180 50' E.

40.00 No trace of sec Cor.
Set Sandstone 17x10x4 ins = 11
ins ins ground - for reestablishment
11 Set Cor - scribed 11 on
W face - & raised a mound of
Stone alongside
Pits inspractacable

80.00 No trace of sec Cor.
Set Sandstone 19x8x6 ins = 1.27
ins ground - for reestablished
Cor To Secs 25-30-31 & 36
Scribed 5 notches on N. & W.
Notch on Edges - aug Pits
18x18x12 ins - ins back Sec. 5/2
Ft distant & raised a mound of
Earth 2 ft high 4½ ft base alongside

Land rolling

Soil ok rate =

Soil good Brush & grass -

W. N on rec
25 & 30 -

No trace
Set Sand
ins ground
Cor - Sa
aug Pits
ins
& raised
1½ ft
Side =
2.00 Eastern
5.50 Grass
S.E.
2.50 Leave
0.00 No trac
Set S
Stone
Grou
Secs 1
T. 14 N
R. 5
S 24
S 25

B. & O. S. W. S. L. Co.

Lks. Mon recovery line Bet Secs.
25 & 30 =
Va 18° 30' E.

.00 No trace of old Cor.
Set limestone 12 x 8 x 6 ins = 9 cu ft
in ground for reestablished 1/4 Sec
Cor = Marked 1/4 on W face =
Dug Pits 18 x 18 x 12 ins =
in N & S of Stone 5 1/2 ft dist
& raised a mound of Earth
1 1/2 ft height 3 1/2 ft base along
side =

2.00 Centre Rollers = drains ~~SE~~ SW

5.50 Grassy Swale in Rollers = drains
~~S.E.~~ S.W.

7.50 Leave Rollers.

.00 No trace of old Cor
Set charred red wood post 4 ft
long = 4 cu ins square = 12 cu ins
in ground = for reestablished Cor to
Secs 19-24-25 & 30 = Marked
T. 14 N. S. 19 on N. E.
" 5 W " 30 " S E.
" 24 on N W and
" 25 " S W faces " on T 2

Resurvey N. By S. 14 W. 5 W. Boundaries

Clo. Notches on S. & Notches on N. 39.50
Pegged — Dug Pits 18x18x12 ins 8.00
ins. Each) Set 5 1/2 ft disk & 80.00
Raised a Mound of earth 2
ft high & 4 1/2 ft base along
Side.
Land rolling
Soil, 1st rate
Sage Brush & Grass.

Non resurvey Line Bet Secs
19 & 24 Va. 18° 30' E

40.00 No trace of old Cor.
Set Planted redwood Post
3 ft long = 3 ins Square = 12
ins ins Ground = Iron Pipe
Stake 14 Sec. Cor. = Quartz
14 S on W face. = Dug Pits 18 6.25
18 x 12 ins = W. & S. of Post 40.00
5 1/2 ft disk = Raised a Mound
of Earth 1 1/2 ft high = 3 1/2 ft
base alongside.

Gl. Ag
"
No tra
Set P
10 ins
Inscribed
19 & 24
14 & 23
Pits 18
5 1/2 ft
of Ear
base a
Lan
Soi
Sag

Non re
13 & 18.

Drawn
No tra
Set P
Pits 18
Inscribed

R 5 W & Resurveys W. By T. 14 N. R 5 W.

Gully draining N.
" " N. W.
No traces of old Cors.
Set Limestone 15 x 6 x 6 ins =
10 ins in ground = for meas-
ured Cor To Secs. 13-18-
19 & 24 = Quarter & notches on
S & S notches on E. edges = dug
Pits 18 x 18 x 12 ins. in each Pit
5½ ft distt & raised a mound
of earth 2 ft high & 4½ ft
base alongside.
Land Rolling
Soil 1st rate
Sagebrush and Grass.

Non resurvey line Bet Secs.
13 & 18.
Va 18° 30' E.
Prairie Grass. N.
No traces of old Cors.
Set Limestone 13 x 8 x 5 ins = 9
ins in the ground for meas-
ured to Secs. Cors = Quarter

Resurvey N 134 N. R

Cko. 1/4 cor N face Aug Pits 18x18
x12 ins ~~in pits~~ No of
Stone 5½ ft diak & raised
a mound of earth 1½ ft
high 3½ ft base alongside

80.00 No trees of old Cor.
Set Sandstone 14x10x8 ins 43.50
ins in ground for reestablished
Cor to Secs 7-12-13 & 18 10.00
marked 2 Notches on N & Hon
Pits Aug Pits 18x18x12
ins ins each Sec 5½ diak
raised a mound of earth 2 ft
high 4½ ft base alongside
Land rolling
Soil 1st Rate
Sage brush & Grass.

N on resurvey line Bet Secs
7 & 12 =
Va 18° 30' E.

40.00 No trees of old Cor.
Set Sandstone 14x8x11 ins
10 ins in ground = Corr

W 1/4 N.R. 5 W. S.L.M.

No established 1/4 Sec Cor = marked 1/11 on W. face & dug Pits 18x18x12 ins = 1/4 Sec Stone 5 1/2 ft dist = & mound of earth 1 1/2 ft high 3 1/2 ft base alongside

Mound on South Ebens of Rolling - drains S. W. Head.

No trees on old Cor.

Sec Line to Stone 17x8x7 ins = 11 ins in ground = for reestablished Cor to Secs. 1-6-7 & 12 = marked 1 Notch on N. & 5 notches on S edges = dug Pits 18x18x12 ins. in each Sec 5 1/2 ft dist & mound of earth 2 ft high 4 1/2 ft base alongside =

Land = rolling
Soil 1st rate.
Sage brush & grass.

Resurvey W. By Tp N. R 5 E Resurvey N

Chs
Com resurvey Cor to Secs 13 & 14 T 5 N R 5 E W M 1876.
Va 18° 30' E
18.50 Ravine drains S W.
40.00 No Trace of old Cors.
Set Limestone 18 x 10 x 6 ins = 12 ins in ground = for reestablishment 1/4 Sec Cor = Scribed 1/4 on N Face = dug Pits 18 x 18 x 12 ins
W B S of Stone 5 1/2 ft distant
Mound of earth 1 1/2 ft high 3 1/2 ft base alongside
80.00 Ravine drains S W.
No Trace of old Cors.
Set Limestone 18 x 10 x 6 ins = 12 ins in ground for Cor to Secs 14 & 15 T 5 N R 5 E W M.
Scribed 6 notches on faces
dug Pits 24 x 18 x 12 ins
Noise on each line N E. S W
W B of Stone = 6 ft distant
Mound of earth 2 1/2 ft high 5 ft base alongside
Land rolling Mountainous
Soil Volcanic = Sagebrush & grass

From Cor to Secs 13 & 14 T 5 N R 5 E W M
Run S 33° E
Survey
Trace
Cor
Distance
Cont
Resurvey
13 1
Surveyed
Set
Scribed
Distance
Cont
1/4 on
x 12

R 5 W Resurvey N. By T. 14 N. R 5 W S.L.M.

Set Stone

Found reestablished Cor to Tps 14 & 15 N. Rs 5 & 6 W = S 1/4 & on random reservey line bet said Tps, 2 pace 63-100 chains to end of Survey on this line Va affray Transit being 18° 30' E. Same variable so find any trace of any of the original Cors = Therefore Return to the Cors to Tps 14 & 15 N. Rs 5 & 6 W = reestablished by me under this Contract = & my S on true resurvey line bet Secs 6 & 31.

Va 18° 30' E

Quick drains (S & Sh.

Entire Pocatello Valley

No trace of said Cors =

Set Limestone 15 x 7 x 5 ins = 10 ins in ground = for reestablished 1/4 Sec Cor = scribed 1/4 on N face = dug Pits 18 x 18 x 12 ins = S & M of stone 5 1/2

Resurvey T 14 N R 5 W

Chs. feet dist & raised a mound of earth 1½ ft high 3½ ft base alongside

80.00 No trace of old Cor

Set Limestone 16×10×8 ins in ground for reestab

Posts Cor to Secs 5-6 3/4 32 = Scribed 1 notch on N & 5 notches on Sec aug Pits 18×18×12 ins pits Sec 5½ ft dist = & raised a mound of earth 2 ft high & 4 ft base alongside

Land = Hills & rocky Soil, Pot Rate: Sagebrush & grass

End true Resurvey line Secs. 5 & 32 Va 18° 30' E

43.00 No trace of old Cor

Set Limestone 14×6×6 ins 10 ins in ground = for reest

abolished Pt See Cor — Mound

1/4 cor T
×18×12 ins
5½ ft
of earth
ft base
No trace
Set Limestone
ins in ground
abolished
5-32 &
on N
aug Pits
raised
2 ft
along

4.75 Road,
.00 End
Notes

T. 14. N. R. 5 W. S.L.M.

1/4 cor N. boundary - aug Pits 18 x 18 x 12 ins = E & W offsets 5 1/2 ft dists = & raised a mound of earth 1 1/2 ft high = 3 1/2 ft base alongside =

No trace of old Cor.

Set Limestone 17 x 11 x 6 = 12 ins in ground = for reclamation Pits dug for Sec 4-5-32 & 33 = & marked 2 notches on N & 4 notches on E edges. aug Pits 18 x 18 x 12 ins = 5 1/2 ft. dists. & raised a mound of earth 2 ft high - 4 1/2 ft base alongside

Land flat
Soil, clay adobe.
Sage brush & grass.

Trees.
On reservoir line Sec 4 & 33.

Va 18° 30' E.

Road, bears N.E. - S.W.

End of reservoir

No trace of Old Cor.

U. S. SURVEYOR

Salt Lake

Sol Township 2 S x 7 x 6 Fire-
ries in ground - for temporar
Cor Reed & Pressuring
Land Flat
Soil Salt Prate
Sagebrush Underbrush
& grass

May 13th 1892

General Description
The land on either side of
these lines, is flat Alkali
The Soil is Sandy Loam
& there is no water for
irrigating purposes. It
is covered with a fine
growth of grass. affording
Excellent Range for Stock

Henry FitzHugh
U. S. Dep Surveyor

The foregoing

Township No.

of the Salt Lake

Under Contract

day of

examined, the ne

made, the said fie

are hereby approv

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 29th *188*8

The foregoing field notes of the re *survey of the* North and West boundaries

Township No. 4 *North Range No.* 5 *West*

of the Salt Lake Meridian, Executed by Henry Fitzhugh

Under Contract No. 41 *of the* 24th

day of June *1886, in the month of*

May *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Burrows

U. S. Surveyor General for Utah.

REPORT:

Filed

Examined by

Transcribed by

Compared by

FIE

OF THE

Township No.

Range No.

SALT L

UT

U.

Under his Co

Dated

Survey commen

Survey complete

BOOK A 216 157

REPORT:

Filed December 30th 1887

Examined by John H. Gaupe

Transcribed by Jennie E. Bowman.

Compared by Norton & Atkinson

FIELD NOTES

OF THE SURVEY OF THE

~~South Line~~ North & West Boundary

OF

Township No. 14 N.

Range No. 5 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Henry Hoagland

U. S. Deputy Surveyor,

Under his Contract No. 142

Dated October 6th 1886.

Survey commenced May 13th 1887

Survey completed " 13th 1887

54 & 3m 40 chs 00 lks

5

NAMES AND DUTIES OF ASSISTANTS.

Benjamin R. Stevens	Compassman
William Carr	Chainmun
Charles Brown	Chainman
Oscar Schultz	Chainman
Fredrick Olsen	Chainman
George B. Meredith	Axeman
Morris Mann	Axeman
George Jenkins	~~Flagman~~ Axeman
Alfred J. Sawyer	Axeman

By T. 14 N. R. 5 W. S.L.M.
Survey Completed May 28 1852
From the Cor at end of re
Survey = 37.40 Chs & all Cor to
Secs 4-5-32 & 33 - on
N. Bdy of T. 15 N. Run E on
a random line Bet Tps
14 & 15 N. R. 5 W = Setting
Temporary 1/2 M. & Mile
Cor at 40.00 & 8000
Lks = The Va of my
Transit being 18° 30' E.
1k 3 M. & 40. Lks. & 8000
Lks S of the Cor to
Tps 14 & 15 N = R. 14 & 5
W on Guide Meridian = the
Correction for true line
will therefore be 21. Lks
N. per M. & the Course
will be N 89° 51' E.
Therefore
from the Cor at end of resurvey
Set by memd Contract
No 141
Runn
N 89° 51' E on true line
Bet Secs 4 & 33.

N. By Tn N. 5 M.

do	Va 18° 30' E.	do
3.00	Set Limestone 12 x 8 x 7 ins 8 ins in ground for Tn Au For = marked Tn on N face dug Pits 18 x 18 x 12 ins & Set Stones 5 1/2 ft dia & raised a mound of earth 1 ft high 3 1/2 ft Base along side =	
13.00	Entering Hills bear ~~S.E. & S.W.~~ at mouth of Hollow head S E.	
43.00	On N point of ridge bears S E. Set Limestone 15 x 7 x 7 ins - 10 ins in ground for Cor To Secs 3-4-33 & 34 = marked 3 notches on E & W Edges & raised a mound of Stones alongside =	

Pits impracticable

Land flat & Mountainous

Soil 1st rate =

Sage brush & grass

N. 5 W. S. L. Mi.

N 89° 51' E on true line
Set Secs 3 & 34.
Va 18° 30' E.

Hollow drains N.
Gulch drains N. W.
Set Limestone 14 x 7 x 6 ins
20 ins in ground for 1/4
Sec Cor - Marked 1/4 on
N face & raised a mound
of stone alongside
Pits impracticable
Gulch drains N. E.
Hollow drains N. W.
Set Limestone 13 x 7 x 6 ins
9 ins in ground for Cor to
Secs 3 - 10 - 34 & 35 -
Marked 4 notches on N & S
2 notches on E edges - and
Pits 18 x 18 x 12 ins in each
Sec 5 1/2 ft dist Raised
a mound of earth 2 ft
high & 4 1/2 ft base along
side

Land Mts.

Soil 1st rate - Good grass.

N By Tht. N.R. of N. Ab

Clo N 89° 51' E on true line N

Dees 2 & 35

To 180 00' E.

25.00 N Point of ridge bears S

38.00 Gulch drains N.W.

40.00 Set Limestone 16 x 4 x 6 ins

11 ins in ground for 1/4

Cor = marked 1/4 on N face

& raised a mound of stone

alongside

Pit impracticable

74.50 High ridge bears N

80.00 Set Limestone 19 x 8 x ins

12 ins in ground for Cor

to Dees 1-2-3 & 36

marked 3 notches on N &

notch on Edges = & raised

a mound of stone along

side

Pit impracticable

Land mountainous

Soil not fit to cultivate

Good grass for grazing

T. 3 S., R. 4 W.

N. 89° 51' E. on true line
Set Sec. 1836
Va 18°30' E
Gulch drains N.
" " "
Set limestone 7 x 9 x 7 ins
12 ins in ground for 1/4 Sec
Cor = marked 1/4 on N face.
raised a mound of stone
alongside
Pits impracticable
Gulch drains.
" " "
1/4 Sec Cor to SE Cor 1/4 Sec 15
T. 3 S. R. 4 W.

Land mountainous
Soil 1st to 2nd rate.
Good grass for grazing
May 15th 1896

General Description

Land on either side of these lines is hilly & covered with a fine growth of grass = affording excellent ranges for stock =

Henry Fitzhugh
U.S. Dep. Surveyor

BOOK-A

U. S. SURVEYOR

Salt Lake

The foregoing

Township No.

of the Salt Lake

Under Contract

day of

examined, the n

made, the said fi

are hereby appro

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 29th 1888

The foregoing field notes of the —— *survey of the*

North boundary

Township No. 49 N. *Range No.* 5 W.

of the Salt Lake Meridian. Executed by

Henry Sifthugh

Under Contract No. 142 *of the* 6th

day of October *1886, in the month of*

May *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G Brunson

U. S. Surveyor General for Utah.

REPORT

Filed Jan

Examined by

Transcribed by

Compared by

FIE

OF THE

Subdivis

Township No.

Range No.

SALT L

UTA

U.

4. Under his

Dated Jan

Survey commen

Survey Comple

55 15

BOOK A-216

REPORT:

Filed Jany 12th 1888

Examined by John A Campbell.

Transcribed by Jennie E Bowman.

Compared by Martin J Ackerman

FIELD NOTES

OF THE RESURVEY OF THE

Subdivision Lines

OF

Township No. 14 North

Range No. 5 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY.

AS SURVEYED BY

Henry Fishburn

U. S. Deputy Surveyor,

Under his Contract No. 44

Dated June 24th 1886

Survey commenced May 14th 1887

Survey Completed " 16th 1887

55 15 ac 59 chs 77 lks

12

NAMES AND DUTIES OF ASSISTANTS.

Benjamin R. Petersen	Compassman.
William Carr	Chainman.
Charles Brown	Chainman.
Oscar Schultz	Chainman.
Fredrick Olsen	Chainman.
George B. Murdick	Axeman.
Minnie Mann	Axeman.
George Jenkins	Axeman. Flagman.
Alfred L. Lane	Axeman.

Recovery
Jud. D. H. L. R. Dr. & L. M.

BOOK-A

BOOK-A-216

BOOK-A-2

May 14th 1882

Resurvey Subdivisions

T. 14 N. R. 5 W. L. L. M.

Beg. East on Indian Boundary line Bet. Secs. 28 & 33 N. 1° 30' E.

W. 21 chs. thence N. 1/4 Sec. Cor. 198 Quarter Mile. 43 lks. N. 89° 42' W. on Sec. line 7 chs. to Cor. to Secs. 27, 28, 33 & 34 Thence S. 2 chs. N. 89° 42' W. on Sec. line Bet. Secs. 28 & 33 ~~Leave Quarter Post~~ 10 chs. to Meander Cor. ~~S.~~ W. 21 chs. to Meander Cor. on Shore of Lake 14 chs. - 10 lks. to the ~~ground~~ for Pt. established 1/4 Sec. Cor. thence E. 1/4 mi. to N. bank of Lake 18 chs. + 12 lks. to Pt. on Bank 3/2 ft. high and ground around about 1 1/2 ft. high 3/2 ft. Tamarack 140 Dead Trees N. W. & S. E. 198 The Cor. to Secs. 28, 29, 32 & 33 Thence East on Indian Boundary Line 18 chs. to the West bank of Lake

Lake Mississippi

Penney Subdivision

Chs. Notes in Survey Lines
Ext. Secs. 28 & 29
of 1830 'S.

400 No Trees Found.
Set Quartz 16×4 Stones
Lies in the ground for Pos
Lobed 1/4 Sec. Cor. Mound
Dig Pits 18×18×12
N.E.S. & Trees 3½ ft. dist. ap
Stones a Mound of Earth 1
ft. high 3½ ft. the along

800 No Trees Found.
Set Quartz 80×36×6 Stones
Lies in the ground for Pos
Lobed Cor. to Secs 20, 21, 28
Mound 2 Notches on Side
E. Edges, dug Pits 18×18×12
in each Sec. 3½ ft. dist.
Found a Mound of Earth 2
high 4½ ft. base along side

Found Post
Quartz Post
Iron Pipe for Angle

T. 14

Cor
Lines

Lies

Set
Lies
Pos
Lobed
Mound
Pits
Lines

Set
Lies
Pos
Lobed
Mound
Pits
Lines

Found
Quartz
Iron

T. 14 N. R. 5 W. S. L. M.

East on Standard Parallel
Line Bet. Secs. 21 & 28
Var 18° 20' E.

1.00 to Stone in mound 1/4 Sec. Cor.
1.95 Bearing Trees. Line. 46 Lks. S.
of Cor. to Secs. 21, 22, 27 & 28.
Thence S. 2 1/2
E. 87.40 W. on the Standard
Line Bet. Secs. 21 & 28
With Chains &c
1.00 Head of Creek Chains N.W.
1.97 Foot of Mountains
Earth flat Trees Lks.
No Rock or Ledge.
Set Pipe Mon 28 x 4 x 4 Ins - 21
Ins. in the Ground for Meas-
ured 1/4 Sec. Cor. North 1/4
Mile. Thence Mound a
Mound of Stone Marked B.
Lies Impracticable.
For Land Trees N.W. & S.E.
1.95 Pine Cor. to Secs. 20, 21, 28 & 29.
Rad. Flat Mountainous
Lois 1st & 3rd Rate
Good Stand for Mining

Kearney Subdivision

Chs. Set the Kearney Line
Ext. Secs. 20 & 21
S. 15° 30 E.

4.00 No trace of old Cor.
Set Quartzite 19×12×9 ins.
ins. in the ground for Meas.
Ledge & Sec. Cor. Mound &
Pits dug Pits 18×18×12
Pits. of Stone 5½ ft. dist.
found a Mound of Earth
ft. high 3½ ft. base along

8.00 No trace of old Cor.
Set Quartzite 19×8×4 ins.
ins. in the ground for Meas.
established Cor. to Secs. 16,
20 & 21, marked. 3 Notches
S. and 4 on E. edges dug
18×18×12 ins. in Rock, Dis
5½ ft. dist. and Mound
Mound of Earth 2 ft. high
ft. base along Line.

Land flat
Land E. Face
Good pass for Wagons

T. 14 N. R. 5 W. S. L. M.

East on Indian Boundary
Line Bet. Secs. 16 & 21
N. 15° 30' E.
West Temporary 1/4 Sec. Cor.
Adjusted N. & S. Line 48 Lks.
S. of Cor. to Secs. 15, 16, 21 & 22
Thence N.
S. 89° 30' W. on the Indian Boundary
Line Bet. Secs. 16 & 21
Witness Trees
Ridge Trees N. E. & S. W.
Willow Trees S. W.
Ridge Trees N. E. & S. W.
No Trees for Cor.
Set Quartz Stone & Pits on Lines - 18
Lks. to the Mound from which
Established 1/4 Sec. Cor. Maple
14 ins. N. Fire and Pointed
a Mound of Stone alongside
Pits in Fractional Lots.
Enter Rolling Lands N. E. & S. W.
Road Trees ~~S. E. & S. W.~~
No Cor. to Secs. 16, 17, 20 & 21
Said Mountainous Rolling

Resurvey Subdivision

Chs. Link & Link
Good Land for Farming

North on Resurvey Line
Bet. Secs. 16 & 17
Var. 18° 30' E

24.50 Land Runs N.W. & S.E.
37.50 Spurs Land a N.E. & S.W.
41.00 No Trace of Old Cor.
Set Limestone 14"x10"x6" ins.
ins. in the ground for Pos.
Established 1/4 Sec. Cor. marked
Cor. W. face dug pits 8"x8"
ins. N.E. of Stone 5 1/2 ft. dist.
and with a mound of
1/2 ft. high 5 1/2 ft. base along
9.00 No Trace of Old Cor.
Set Limestone 24"x10"x6" ins.
ins. in the ground for Pos.
Established Cor. to Secs. 8, 9, 16
17, marked 4 notches on S
Corner dug pits 18"x18"x12" ins.
in each Stone 5 1/2 ft. dist. Ag
pared a mound of earth 2

N. 14 W. 8

No ft. high
Land
Link
Good

East 80
Bet. Sec

Land Ru
Cotton W
No Trace
Set Limes
12 ins. in
Established
1/4 on N.
mound
Pits 18
Ridge 4
Trees
Ridge
East 8
No Tra
Set Ston
Land ru

N. 14 W. R 5 W. — S. L. M.

[illegible] ft. high & 1½ ft. base [illegible]
Mud, rolling
Dyke 12 ft. c.c.
[illegible] Lines for staging

East on true boundary line
Pat. Sec. 9 T 16
[illegible]
Road runs N.E. & S.W.
Enter Mountainous Brush Land
No trace of Md. Cr.
Set Quartz 15 x 12 x 5 ins -
12 ins. in the ground at this -
point 1/4 Sec. Cor. Marked
1/4 on N. face and pointed
mound of Stone Almpits
Pits impracticable.
Ridge runs N.E. & S.W.
Creek runs S.W.
Ridge runs N.E. & S.W.
East of boundary
No trace of Md. Cr.
Set Quartz Cor.
Mud rolling & Mountainous

Remarks Subdivision

Chs. Lnks 1st & 3rd Rate Goods Rods for Degree

Left on Boundary Line Set Sec. Cor. N 15° 30' E.

4.00 No Trace of old Cor. Set Limestone 16x8 ins. 16 ins. in the ground for Witness Established Sec. Cor. marked on N. face Bears Pits 15 N 85 ins. W. of Stone 3½ ft. distant and pointed a Mound of Earth 1½ ft. high 3½ ft. base Stamped

5.00 No Trace of older. Set Limestone 16x8 ins. 16 ins. in the ground for Witness Established Cor. No Sec. 45, 89 marked 5 Notches on S. and on E. edges, Bears Pits 15 N 85 ins. W. Each Sec. 3½ ft. distant and pointed a Mound of Earth 2 ft. high 4½ ft. base Stamped

And Rolling

N. 14° W. R. 5 W. — L. L. M.

Spec. Sale
Field Notes for Staking

East on true meander line
Ret. Sec. 4 & 9
S. 82° 30' E.
50 Road bears N.W. & S.E.
1.00 Enter mountainous hill S. 65° W.
No trace of old Cor.
Set Sandstone 6"x6"x16" ins. 15
ins. in the ground for meander
established 1/4 Sec. Cor. marked 1/4
on N. face and mound a
mound of stone alongside
Pits impracticable.
5.00 End of meander
No trace of old Cor.
Set Sandstone Cor.
Land rolling & mountainous
Spec. Sale
Good Grass for Grazing

Chas. Mott's Subdivision

Chs. Mott's Subdivision of Lots Nos. 1 & 2 in Sec. 4 T 5 S R 18 E of the Mt. Diablo Meridian, as per map recorded in the office of the County Recorder of said County, and described as follows, to wit: Beginning at the Northwest corner of said Lot No. 1 in said Section 4, and running thence East along the North line of said Lot No. 1, 19.84 chains to the Northeast corner of said Lot No. 1; thence South along the East line of said Lot No. 1, 10 chains to the Southeast corner of said Lot No. 1; thence West along the South line of said Lot No. 1, 19.84 chains to the Southwest corner of said Lot No. 1; thence North along the West line of said Lot No. 1, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 2 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 2, and running thence East along the North line of said Lot No. 2, 19.84 chains to the Northeast corner of said Lot No. 2; thence South along the East line of said Lot No. 2, 10 chains to the Southeast corner of said Lot No. 2; thence West along the South line of said Lot No. 2, 19.84 chains to the Southwest corner of said Lot No. 2; thence North along the West line of said Lot No. 2, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 3 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 3, and running thence East along the North line of said Lot No. 3, 19.84 chains to the Northeast corner of said Lot No. 3; thence South along the East line of said Lot No. 3, 10 chains to the Southeast corner of said Lot No. 3; thence West along the South line of said Lot No. 3, 19.84 chains to the Southwest corner of said Lot No. 3; thence North along the West line of said Lot No. 3, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 4 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 4, and running thence East along the North line of said Lot No. 4, 19.84 chains to the Northeast corner of said Lot No. 4; thence South along the East line of said Lot No. 4, 10 chains to the Southeast corner of said Lot No. 4; thence West along the South line of said Lot No. 4, 19.84 chains to the Southwest corner of said Lot No. 4; thence North along the West line of said Lot No. 4, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 5 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 5, and running thence East along the North line of said Lot No. 5, 19.84 chains to the Northeast corner of said Lot No. 5; thence South along the East line of said Lot No. 5, 10 chains to the Southeast corner of said Lot No. 5; thence West along the South line of said Lot No. 5, 19.84 chains to the Southwest corner of said Lot No. 5; thence North along the West line of said Lot No. 5, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 6 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 6, and running thence East along the North line of said Lot No. 6, 19.84 chains to the Northeast corner of said Lot No. 6; thence South along the East line of said Lot No. 6, 10 chains to the Southeast corner of said Lot No. 6; thence West along the South line of said Lot No. 6, 19.84 chains to the Southwest corner of said Lot No. 6; thence North along the West line of said Lot No. 6, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 7 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 7, and running thence East along the North line of said Lot No. 7, 19.84 chains to the Northeast corner of said Lot No. 7; thence South along the East line of said Lot No. 7, 10 chains to the Southeast corner of said Lot No. 7; thence West along the South line of said Lot No. 7, 19.84 chains to the Southwest corner of said Lot No. 7; thence North along the West line of said Lot No. 7, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 8 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 8, and running thence East along the North line of said Lot No. 8, 19.84 chains to the Northeast corner of said Lot No. 8; thence South along the East line of said Lot No. 8, 10 chains to the Southeast corner of said Lot No. 8; thence West along the South line of said Lot No. 8, 19.84 chains to the Southwest corner of said Lot No. 8; thence North along the West line of said Lot No. 8, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 9 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 9, and running thence East along the North line of said Lot No. 9, 19.84 chains to the Northeast corner of said Lot No. 9; thence South along the East line of said Lot No. 9, 10 chains to the Southeast corner of said Lot No. 9; thence West along the South line of said Lot No. 9, 19.84 chains to the Southwest corner of said Lot No. 9; thence North along the West line of said Lot No. 9, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 10 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 10, and running thence East along the North line of said Lot No. 10, 19.84 chains to the Northeast corner of said Lot No. 10; thence South along the East line of said Lot No. 10, 10 chains to the Southeast corner of said Lot No. 10; thence West along the South line of said Lot No. 10, 19.84 chains to the Southwest corner of said Lot No. 10; thence North along the West line of said Lot No. 10, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 11 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 11, and running thence East along the North line of said Lot No. 11, 19.84 chains to the Northeast corner of said Lot No. 11; thence South along the East line of said Lot No. 11, 10 chains to the Southeast corner of said Lot No. 11; thence West along the South line of said Lot No. 11, 19.84 chains to the Southwest corner of said Lot No. 11; thence North along the West line of said Lot No. 11, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 12 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 12, and running thence East along the North line of said Lot No. 12, 19.84 chains to the Northeast corner of said Lot No. 12; thence South along the East line of said Lot No. 12, 10 chains to the Southeast corner of said Lot No. 12; thence West along the South line of said Lot No. 12, 19.84 chains to the Southwest corner of said Lot No. 12; thence North along the West line of said Lot No. 12, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 13 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 13, and running thence East along the North line of said Lot No. 13, 19.84 chains to the Northeast corner of said Lot No. 13; thence South along the East line of said Lot No. 13, 10 chains to the Southeast corner of said Lot No. 13; thence West along the South line of said Lot No. 13, 19.84 chains to the Southwest corner of said Lot No. 13; thence North along the West line of said Lot No. 13, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 14 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 14, and running thence East along the North line of said Lot No. 14, 19.84 chains to the Northeast corner of said Lot No. 14; thence South along the East line of said Lot No. 14, 10 chains to the Southeast corner of said Lot No. 14; thence West along the South line of said Lot No. 14, 19.84 chains to the Southwest corner of said Lot No. 14; thence North along the West line of said Lot No. 14, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 15 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 15, and running thence East along the North line of said Lot No. 15, 19.84 chains to the Northeast corner of said Lot No. 15; thence South along the East line of said Lot No. 15, 10 chains to the Southeast corner of said Lot No. 15; thence West along the South line of said Lot No. 15, 19.84 chains to the Southwest corner of said Lot No. 15; thence North along the West line of said Lot No. 15, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 16 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 16, and running thence East along the North line of said Lot No. 16, 19.84 chains to the Northeast corner of said Lot No. 16; thence South along the East line of said Lot No. 16, 10 chains to the Southeast corner of said Lot No. 16; thence West along the South line of said Lot No. 16, 19.84 chains to the Southwest corner of said Lot No. 16; thence North along the West line of said Lot No. 16, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 17 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 17, and running thence East along the North line of said Lot No. 17, 19.84 chains to the Northeast corner of said Lot No. 17; thence South along the East line of said Lot No. 17, 10 chains to the Southeast corner of said Lot No. 17; thence West along the South line of said Lot No. 17, 19.84 chains to the Southwest corner of said Lot No. 17; thence North along the West line of said Lot No. 17, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 18 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 18, and running thence East along the North line of said Lot No. 18, 19.84 chains to the Northeast corner of said Lot No. 18; thence South along the East line of said Lot No. 18, 10 chains to the Southeast corner of said Lot No. 18; thence West along the South line of said Lot No. 18, 19.84 chains to the Southwest corner of said Lot No. 18; thence North along the West line of said Lot No. 18, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 19 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 19, and running thence East along the North line of said Lot No. 19, 19.84 chains to the Northeast corner of said Lot No. 19; thence South along the East line of said Lot No. 19, 10 chains to the Southeast corner of said Lot No. 19; thence West along the South line of said Lot No. 19, 19.84 chains to the Southwest corner of said Lot No. 19; thence North along the West line of said Lot No. 19, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 20 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 20, and running thence East along the North line of said Lot No. 20, 19.84 chains to the Northeast corner of said Lot No. 20; thence South along the East line of said Lot No. 20, 10 chains to the Southeast corner of said Lot No. 20; thence West along the South line of said Lot No. 20, 19.84 chains to the Southwest corner of said Lot No. 20; thence North along the West line of said Lot No. 20, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 21 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 21, and running thence East along the North line of said Lot No. 21, 19.84 chains to the Northeast corner of said Lot No. 21; thence South along the East line of said Lot No. 21, 10 chains to the Southeast corner of said Lot No. 21; thence West along the South line of said Lot No. 21, 19.84 chains to the Southwest corner of said Lot No. 21; thence North along the West line of said Lot No. 21, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 22 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 22, and running thence East along the North line of said Lot No. 22, 19.84 chains to the Northeast corner of said Lot No. 22; thence South along the East line of said Lot No. 22, 10 chains to the Southeast corner of said Lot No. 22; thence West along the South line of said Lot No. 22, 19.84 chains to the Southwest corner of said Lot No. 22; thence North along the West line of said Lot No. 22, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 23 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 23, and running thence East along the North line of said Lot No. 23, 19.84 chains to the Northeast corner of said Lot No. 23; thence South along the East line of said Lot No. 23, 10 chains to the Southeast corner of said Lot No. 23; thence West along the South line of said Lot No. 23, 19.84 chains to the Southwest corner of said Lot No. 23; thence North along the West line of said Lot No. 23, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 24 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 24, and running thence East along the North line of said Lot No. 24, 19.84 chains to the Northeast corner of said Lot No. 24; thence South along the East line of said Lot No. 24, 10 chains to the Southeast corner of said Lot No. 24; thence West along the South line of said Lot No. 24, 19.84 chains to the Southwest corner of said Lot No. 24; thence North along the West line of said Lot No. 24, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 25 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 25, and running thence East along the North line of said Lot No. 25, 19.84 chains to the Northeast corner of said Lot No. 25; thence South along the East line of said Lot No. 25, 10 chains to the Southeast corner of said Lot No. 25; thence West along the South line of said Lot No. 25, 19.84 chains to the Southwest corner of said Lot No. 25; thence North along the West line of said Lot No. 25, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 26 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 26, and running thence East along the North line of said Lot No. 26, 19.84 chains to the Northeast corner of said Lot No. 26; thence South along the East line of said Lot No. 26, 10 chains to the Southeast corner of said Lot No. 26; thence West along the South line of said Lot No. 26, 19.84 chains to the Southwest corner of said Lot No. 26; thence North along the West line of said Lot No. 26, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 27 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 27, and running thence East along the North line of said Lot No. 27, 19.84 chains to the Northeast corner of said Lot No. 27; thence South along the East line of said Lot No. 27, 10 chains to the Southeast corner of said Lot No. 27; thence West along the South line of said Lot No. 27, 19.84 chains to the Southwest corner of said Lot No. 27; thence North along the West line of said Lot No. 27, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 28 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 28, and running thence East along the North line of said Lot No. 28, 19.84 chains to the Northeast corner of said Lot No. 28; thence South along the East line of said Lot No. 28, 10 chains to the Southeast corner of said Lot No. 28; thence West along the South line of said Lot No. 28, 19.84 chains to the Southwest corner of said Lot No. 28; thence North along the West line of said Lot No. 28, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 29 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 29, and running thence East along the North line of said Lot No. 29, 19.84 chains to the Northeast corner of said Lot No. 29; thence South along the East line of said Lot No. 29, 10 chains to the Southeast corner of said Lot No. 29; thence West along the South line of said Lot No. 29, 19.84 chains to the Southwest corner of said Lot No. 29; thence North along the West line of said Lot No. 29, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 30 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 30, and running thence East along the North line of said Lot No. 30, 19.84 chains to the Northeast corner of said Lot No. 30; thence South along the East line of said Lot No. 30, 10 chains to the Southeast corner of said Lot No. 30; thence West along the South line of said Lot No. 30, 19.84 chains to the Southwest corner of said Lot No. 30; thence North along the West line of said Lot No. 30, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 31 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 31, and running thence East along the North line of said Lot No. 31, 19.84 chains to the Northeast corner of said Lot No. 31; thence South along the East line of said Lot No. 31, 10 chains to the Southeast corner of said Lot No. 31; thence West along the South line of said Lot No. 31, 19.84 chains to the Southwest corner of said Lot No. 31; thence North along the West line of said Lot No. 31, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 32 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 32, and running thence East along the North line of said Lot No. 32, 19.84 chains to the Northeast corner of said Lot No. 32; thence South along the East line of said Lot No. 32, 10 chains to the Southeast corner of said Lot No. 32; thence West along the South line of said Lot No. 32, 19.84 chains to the Southwest corner of said Lot No. 32; thence North along the West line of said Lot No. 32, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 33 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 33, and running thence East along the North line of said Lot No. 33, 19.84 chains to the Northeast corner of said Lot No. 33; thence South along the East line of said Lot No. 33, 10 chains to the Southeast corner of said Lot No. 33; thence West along the South line of said Lot No. 33, 19.84 chains to the Southwest corner of said Lot No. 33; thence North along the West line of said Lot No. 33, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 34 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 34, and running thence East along the North line of said Lot No. 34, 19.84 chains to the Northeast corner of said Lot No. 34; thence South along the East line of said Lot No. 34, 10 chains to the Southeast corner of said Lot No. 34; thence West along the South line of said Lot No. 34, 19.84 chains to the Southwest corner of said Lot No. 34; thence North along the West line of said Lot No. 34, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 35 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 35, and running thence East along the North line of said Lot No. 35, 19.84 chains to the Northeast corner of said Lot No. 35; thence South along the East line of said Lot No. 35, 10 chains to the Southeast corner of said Lot No. 35; thence West along the South line of said Lot No. 35, 19.84 chains to the Southwest corner of said Lot No. 35; thence North along the West line of said Lot No. 35, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 36 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 36, and running thence East along the North line of said Lot No. 36, 19.84 chains to the Northeast corner of said Lot No. 36; thence South along the East line of said Lot No. 36, 10 chains to the Southeast corner of said Lot No. 36; thence West along the South line of said Lot No. 36, 19.84 chains to the Southwest corner of said Lot No. 36; thence North along the West line of said Lot No. 36, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 37 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 37, and running thence East along the North line of said Lot No. 37, 19.84 chains to the Northeast corner of said Lot No. 37; thence South along the East line of said Lot No. 37, 10 chains to the Southeast corner of said Lot No. 37; thence West along the South line of said Lot No. 37, 19.84 chains to the Southwest corner of said Lot No. 37; thence North along the West line of said Lot No. 37, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 38 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 38, and running thence East along the North line of said Lot No. 38, 19.84 chains to the Northeast corner of said Lot No. 38; thence South along the East line of said Lot No. 38, 10 chains to the Southeast corner of said Lot No. 38; thence West along the South line of said Lot No. 38, 19.84 chains to the Southwest corner of said Lot No. 38; thence North along the West line of said Lot No. 38, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 39 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 39, and running thence East along the North line of said Lot No. 39, 19.84 chains to the Northeast corner of said Lot No. 39; thence South along the East line of said Lot No. 39, 10 chains to the Southeast corner of said Lot No. 39; thence West along the South line of said Lot No. 39, 19.84 chains to the Southwest corner of said Lot No. 39; thence North along the West line of said Lot No. 39, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 40 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 40, and running thence East along the North line of said Lot No. 40, 19.84 chains to the Northeast corner of said Lot No. 40; thence South along the East line of said Lot No. 40, 10 chains to the Southeast corner of said Lot No. 40; thence West along the South line of said Lot No. 40, 19.84 chains to the Southwest corner of said Lot No. 40; thence North along the West line of said Lot No. 40, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 41 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 41, and running thence East along the North line of said Lot No. 41, 19.84 chains to the Northeast corner of said Lot No. 41; thence South along the East line of said Lot No. 41, 10 chains to the Southeast corner of said Lot No. 41; thence West along the South line of said Lot No. 41, 19.84 chains to the Southwest corner of said Lot No. 41; thence North along the West line of said Lot No. 41, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 42 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 42, and running thence East along the North line of said Lot No. 42, 19.84 chains to the Northeast corner of said Lot No. 42; thence South along the East line of said Lot No. 42, 10 chains to the Southeast corner of said Lot No. 42; thence West along the South line of said Lot No. 42, 19.84 chains to the Southwest corner of said Lot No. 42; thence North along the West line of said Lot No. 42, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 43 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 43, and running thence East along the North line of said Lot No. 43, 19.84 chains to the Northeast corner of said Lot No. 43; thence South along the East line of said Lot No. 43, 10 chains to the Southeast corner of said Lot No. 43; thence West along the South line of said Lot No. 43, 19.84 chains to the Southwest corner of said Lot No. 43; thence North along the West line of said Lot No. 43, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 44 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 44, and running thence East along the North line of said Lot No. 44, 19.84 chains to the Northeast corner of said Lot No. 44; thence South along the East line of said Lot No. 44, 10 chains to the Southeast corner of said Lot No. 44; thence West along the South line of said Lot No. 44, 19.84 chains to the Southwest corner of said Lot No. 44; thence North along the West line of said Lot No. 44, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 45 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 45, and running thence East along the North line of said Lot No. 45, 19.84 chains to the Northeast corner of said Lot No. 45; thence South along the East line of said Lot No. 45, 10 chains to the Southeast corner of said Lot No. 45; thence West along the South line of said Lot No. 45, 19.84 chains to the Southwest corner of said Lot No. 45; thence North along the West line of said Lot No. 45, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 46 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 46, and running thence East along the North line of said Lot No. 46, 19.84 chains to the Northeast corner of said Lot No. 46; thence South along the East line of said Lot No. 46, 10 chains to the Southeast corner of said Lot No. 46; thence West along the South line of said Lot No. 46, 19.84 chains to the Southwest corner of said Lot No. 46; thence North along the West line of said Lot No. 46, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 47 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 47, and running thence East along the North line of said Lot No. 47, 19.84 chains to the Northeast corner of said Lot No. 47; thence South along the East line of said Lot No. 47, 10 chains to the Southeast corner of said Lot No. 47; thence West along the South line of said Lot No. 47, 19.84 chains to the Southwest corner of said Lot No. 47; thence North along the West line of said Lot No. 47, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 48 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 48, and running thence East along the North line of said Lot No. 48, 19.84 chains to the Northeast corner of said Lot No. 48; thence South along the East line of said Lot No. 48, 10 chains to the Southeast corner of said Lot No. 48; thence West along the South line of said Lot No. 48, 19.84 chains to the Southwest corner of said Lot No. 48; thence North along the West line of said Lot No. 48, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 49 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 49, and running thence East along the North line of said Lot No. 49, 19.84 chains to the Northeast corner of said Lot No. 49; thence South along the East line of said Lot No. 49, 10 chains to the Southeast corner of said Lot No. 49; thence West along the South line of said Lot No. 49, 19.84 chains to the Southwest corner of said Lot No. 49; thence North along the West line of said Lot No. 49, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 50 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 50, and running thence East along the North line of said Lot No. 50, 19.84 chains to the Northeast corner of said Lot No. 50; thence South along the East line of said Lot No. 50, 10 chains to the Southeast corner of said Lot No. 50; thence West along the South line of said Lot No. 50, 19.84 chains to the Southwest corner of said Lot No. 50; thence North along the West line of said Lot No. 50, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 51 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 51, and running thence East along the North line of said Lot No. 51, 19.84 chains to the Northeast corner of said Lot No. 51; thence South along the East line of said Lot No. 51, 10 chains to the Southeast corner of said Lot No. 51; thence West along the South line of said Lot No. 51, 19.84 chains to the Southwest corner of said Lot No. 51; thence North along the West line of said Lot No. 51, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 52 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 52, and running thence East along the North line of said Lot No. 52, 19.84 chains to the Northeast corner of said Lot No. 52; thence South along the East line of said Lot No. 52, 10 chains to the Southeast corner of said Lot No. 52; thence West along the South line of said Lot No. 52, 19.84 chains to the Southwest corner of said Lot No. 52; thence North along the West line of said Lot No. 52, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 53 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 53, and running thence East along the North line of said Lot No. 53, 19.84 chains to the Northeast corner of said Lot No. 53; thence South along the East line of said Lot No. 53, 10 chains to the Southeast corner of said Lot No. 53; thence West along the South line of said Lot No. 53, 19.84 chains to the Southwest corner of said Lot No. 53; thence North along the West line of said Lot No. 53, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 54 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 54, and running thence East along the North line of said Lot No. 54, 19.84 chains to the Northeast corner of said Lot No. 54; thence South along the East line of said Lot No. 54, 10 chains to the Southeast corner of said Lot No. 54; thence West along the South line of said Lot No. 54, 19.84 chains to the Southwest corner of said Lot No. 54; thence North along the West line of said Lot No. 54, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 55 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 55, and running thence East along the North line of said Lot No. 55, 19.84 chains to the Northeast corner of said Lot No. 55; thence South along the East line of said Lot No. 55, 10 chains to the Southeast corner of said Lot No. 55; thence West along the South line of said Lot No. 55, 19.84 chains to the Southwest corner of said Lot No. 55; thence North along the West line of said Lot No. 55, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 56 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 56, and running thence East along the North line of said Lot No. 56, 19.84 chains to the Northeast corner of said Lot No. 56; thence South along the East line of said Lot No. 56, 10 chains to the Southeast corner of said Lot No. 56; thence West along the South line of said Lot No. 56, 19.84 chains to the Southwest corner of said Lot No. 56; thence North along the West line of said Lot No. 56, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 57 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 57, and running thence East along the North line of said Lot No. 57, 19.84 chains to the Northeast corner of said Lot No. 57; thence South along the East line of said Lot No. 57, 10 chains to the Southeast corner of said Lot No. 57; thence West along the South line of said Lot No. 57, 19.84 chains to the Southwest corner of said Lot No. 57; thence North along the West line of said Lot No. 57, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 58 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 58, and running thence East along the North line of said Lot No. 58, 19.84 chains to the Northeast corner of said Lot No. 58; thence South along the East line of said Lot No. 58, 10 chains to the Southeast corner of said Lot No. 58; thence West along the South line of said Lot No. 58, 19.84 chains to the Southwest corner of said Lot No. 58; thence North along the West line of said Lot No. 58, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 59 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 59, and running thence East along the North line of said Lot No. 59, 19.84 chains to the Northeast corner of said Lot No. 59; thence South along the East line of said Lot No. 59, 10 chains to the Southeast corner of said Lot No. 59; thence West along the South line of said Lot No. 59, 19.84 chains to the Southwest corner of said Lot No. 59; thence North along the West line of said Lot No. 59, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 60 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 60, and running thence East along the North line of said Lot No. 60, 19.84 chains to the Northeast corner of said Lot No. 60; thence South along the East line of said Lot No. 60, 10 chains to the Southeast corner of said Lot No. 60; thence West along the South line of said Lot No. 60, 19.84 chains to the Southwest corner of said Lot No. 60; thence North along the West line of said Lot No. 60, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 61 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 61, and running thence East along the North line of said Lot No. 61, 19.84 chains to the Northeast corner of said Lot No. 61; thence South along the East line of said Lot No. 61, 10 chains to the Southeast corner of said Lot No. 61; thence West along the South line of said Lot No. 61, 19.84 chains to the Southwest corner of said Lot No. 61; thence North along the West line of said Lot No. 61, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 62 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 62, and running thence East along the North line of said Lot No. 62, 19.84 chains to the Northeast corner of said Lot No. 62; thence South along the East line of said Lot No. 62, 10 chains to the Southeast corner of said Lot No. 62; thence West along the South line of said Lot No. 62, 19.84 chains to the Southwest corner of said Lot No. 62; thence North along the West line of said Lot No. 62, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 63 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 63, and running thence East along the North line of said Lot No. 63, 19.84 chains to the Northeast corner of said Lot No. 63; thence South along the East line of said Lot No. 63, 10 chains to the Southeast corner of said Lot No. 63; thence West along the South line of said Lot No. 63, 19.84 chains to the Southwest corner of said Lot No. 63; thence North along the West line of said Lot No. 63, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 64 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 64, and running thence East along the North line of said Lot No. 64, 19.84 chains to the Northeast corner of said Lot No. 64; thence South along the East line of said Lot No. 64, 10 chains to the Southeast corner of said Lot No. 64; thence West along the South line of said Lot No. 64, 19.84 chains to the Southwest corner of said Lot No. 64; thence North along the West line of said Lot No. 64, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 65 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 65, and running thence East along the North line of said Lot No. 65, 19.84 chains to the Northeast corner of said Lot No. 65; thence South along the East line of said Lot No. 65, 10 chains to the Southeast corner of said Lot No. 65; thence West along the South line of said Lot No. 65, 19.84 chains to the Southwest corner of said Lot No. 65; thence North along the West line of said Lot No. 65, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 66 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 66, and running thence East along the North line of said Lot No. 66, 19.84 chains to the Northeast corner of said Lot No. 66; thence South along the East line of said Lot No. 66, 10 chains to the Southeast corner of said Lot No. 66; thence West along the South line of said Lot No. 66, 19.84 chains to the Southwest corner of said Lot No. 66; thence North along the West line of said Lot No. 66, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 67 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 67, and running thence East along the North line of said Lot No. 67, 19.84 chains to the Northeast corner of said Lot No. 67; thence South along the East line of said Lot No. 67, 10 chains to the Southeast corner of said Lot No. 67; thence West along the South line of said Lot No. 67, 19.84 chains to the Southwest corner of said Lot No. 67; thence North along the West line of said Lot No. 67, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 68 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 68, and running thence East along the North line of said Lot No. 68, 19.84 chains to the Northeast corner of said Lot No. 68; thence South along the East line of said Lot No. 68, 10 chains to the Southeast corner of said Lot No. 68; thence West along the South line of said Lot No. 68, 19.84 chains to the Southwest corner of said Lot No. 68; thence North along the West line of said Lot No. 68, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 69 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 69, and running thence East along the North line of said Lot No. 69, 19.84 chains to the Northeast corner of said Lot No. 69; thence South along the East line of said Lot No. 69, 10 chains to the Southeast corner of said Lot No. 69; thence West along the South line of said Lot No. 69, 19.84 chains to the Southwest corner of said Lot No. 69; thence North along the West line of said Lot No. 69, 10 chains to the place of beginning. Containing 19.84 acres of land, more or less.

Also all that portion of Lot No. 70 in said Section 4, described as follows, to wit: Beginning at the Northwest corner of said Lot No. 70, and running thence East along the North line of said Lot No. 70, 19.84 chains to the Northeast corner of said Lot No. 70; thence South along the East line of said Lot No. 70, 10 chains to the Southeast corner of said Lot No. 70; thence West along the South line of said Lot No. 70, 19.84 chains to the Southwest corner of said Lot No. 70; thence North along the West line of said Lot No. 70, 10 chains to the place of beginning. Containing 19.84 acres

T. 14 N. R. 5 W. - 2. P. M.

No. Prime Description

The land embraced in the surveyed portion of this township is mostly gently rolling, and covered with a fine growth of grass, affording excellent pasturage for stock. There is no timber suitable for fencing in the township.

Henry Gilfillan
U.S. Dep. Surveyor

BOOK-A-

S. SURVEYOR GE

Salt Lake Cu

The foregoing fi

ownship No

f the Salt Lake Me

Under Contract No

day of

examined, the nece

made, the said field

are hereby approve

BOOK-A-216

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 29 1888

The foregoing field notes of the Re *survey of the*

Subdivisions

Township No. 4 S. *Range No.* 5 W

of the Salt Lake Meridian. Executed by

Henry Tetzlaff

Under Contract No. 141 *of the* 24

day of June 1886, *in the month of*

May 1887, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William A Burman

U. S. Surveyor General for Utah.

PORT.

ed. David

amined by

anscribed by

mpared by

FIEL

F THE S

Sublim

wnship No.

ange No.

SALT LA

UTAH

U.S.

Under his

Dated

urvey commence

Survey Complete

56 v 28 m 16

BOOK A-216

191

PORT.

ed Jan'y 12th 1888

amined by John A. Campbell.

anscribed by Jerome V. Bowman

mpared by Anton J. Atkinson

FIELD NOTES

OF THE SURVEY OF THE

Subdivision Lines

OF

ownship No. 14 North

ange No. 5 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY.

AS SURVEYED BY

Henry Lithgow

U.S. Deputy Surveyor,

Under his Contract No. 42

Dated October 6th 1886

Survey commenced May 17th 1887

Survey Completed Aug 29th 1887

56.V 28 ln 16 ch 89 lks

28

NAMES AND DUTIES OF ASSISTANTS.

Benjamin R. Stinson	Compassman.
William Carr	Chainman.
Charles Brown	Chainman.
Oscar Schultz	Chainman.
Fredrick Olsen	Chainman.
George B. Meredith	Axeman.
Morris Mann	Axeman.
George Jenkins	Axeman.
Alfred J. Lamm	Axeman.

Subdivis

S. County

Street Roa

1882

Before

County

of the

to depos

of the

Municip

1892, b

with ni

ne & on

" & of

make

variati

From

of 26 on

of the

under

& runn

of the

800 Ridge

Subdivisions T. 14 N. R. 5 W. - S. L. M.

Survey Commenced with a Steel Rod Tuesday May 17th 1887

Before Commencing this Survey I took an observation of the Star Polaris to determine the Variation of the Needle on the True Meridian - Which this day in 1887, But in accordance with instructions Contained in Gen. Lemmon's Letter "E" of June. 20th 1887. I make this Survey on a Variation of 18° 30' E.

From the Cor. to Secs 1, 2, 35 & 36 on the South Boundary of the Township but 4 miles under this Contract

Survey

North Bet. Secs 35 & 36 Var 18° 30' E.

500 Ridge Runs N. E. & S. W.

Subdivisions

T. 14 N.

Chs.

4.00 Set stick drains S. 8
& W. meander 21 & 22 lks.
lks. in the ground for 1/4 Sec.
mounded 1/4 in N. Pine and
a mound of stone along
Pits impracticable.

6.50 Ridge runs N.E. & S.W.

4.50 Small drains S. & W.

8.00 Set stick drains S. &
W. meander 17 & 0 & 4 lks.
lks. in the ground for Cor.
Secs. 25, 26, 35 & 36. mounded
notches on 6 edges, and
raised a mound of stone along
Pits impracticable.
Soil & vegetations
Soil 1st & 3rd rate
Good grass for grazing

East on standard line Bet
Secs. 25 & 36
N. 18° 30' E.

4.00 Set temporary 1/4 Sec. Cor.

4.00 Meander E. boundary of town
ship.

Ch.

4.00 Pits. S
31 & 36. M
Compare
Thence
S. 89° 46'
Set. S

4.00 Small
4.00 Ridge
4.00 Set Stick
lks. in
mounded
a mound
Pits im
3.50 Small
5.00 Ridge
4.00 Set Cor.
Soil
Sp
Good

Marsh

5.00 Ridge

T. 14 N. R. 5 W. - S. L. M.

Ws. 20 lks. S. of Cor. to Secs. 25, 30, 31 & 36. Set by me under this Contract

Thence W'ly
S. 89° 43' W. on true line
Bet. Secs. 25 & 36
with Chain Var.

.00 Gulch Drains S.E.

.00 Ridge Drains N.W. & S.E.

.00 Set Stone 16 x 10 x 8 ins. - 12 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. face and mine a mound of stone alongside - Pits not practicable.

.50 Gulch drains N.E.

.00 Ridge Drains N.E. & S.W.

.00 Hill Cor. to Secs. 25, 26, 35 & 36. Sand Mountains Spic 3rd rate Good Grass for grazing

---

Wash Bet. Secs. 25 & 26
Var. 18° 30' E.

.00 Ridge - Drains N.W. & S.E.

Subdivisions

Chs.	
25.50	Quick drains S.E.
30.50	Ridge runs E & W.
37.00	Quick drains N.E.
4.00	Set Sandstone 30×24×5 ins. ins. in the ground for Sec. marked 1/4 on W. face, and on ground of Stone always Pits impracticable.
4.75	Quick drains S.E.
6.50	Ridge runs N.E. & S.W.
8.00	Set Sandstone 18×14×4 ins. ins. in the ground for Cor. Secs. 23, 24, 25 & 26. marked notches on S. and notches on edges, and mound of Stone always Pits impracticable. Sandy Mountainous & vil 12 & 32 Poles Good grass for grazing

East on random line
Bet. Secs. 24 & 25
N = 18° 30' E.

T. 14 N. R. 5 W. S. L. M.

80 Set Stone Mg 1/4 Sec. Cor.
35 Intersect Smith Meridian 36.80 ch.
S. & Cr. to Secs. 19, 24, 25 & 30, set
Stone under this Contract
Thence S.
S. 89° 45' W. on the line
Bet. Secs. 24 & 25
with same W.
50 Ridge Runs N.E. & S.W.
35 Set Sandstone 16 x 12 x 5 ins. 10
ins. in the ground for 1/4 Sec. Cor.
Mound 1 ft. high, and mound
a mound of stone alongside
Pits in each direction.
50 Knoll Runs S.W.
00 Ridge Runs N.E. & S.W.
40 Ridge Runs N.E. & S.W.
35 The Cor. to Secs. 23, 24, 25 & 26.
Land Mountainous
Soil 3rd Rate
Good grass for grazing

North Bet. Secs. 23 & 24
W. 80.50 ch.

Subdivisions

Secs.

2.00 Ridge runs N.E. & S.W.

3.00 Head of Gulch drains S.

4.00 Set Sandstone 20"x8"x6" ins. in the ground for W. cor. mound 1/4 on N. line a mound of stone alongside

Pits unmarked

4.50 Ridge runs N.W. & S.E.

6.00 Gulch drains S.

6.50 Ridge runs E. & W.

8.00 Set Sandstone 24"x12"x6" ins. in the ground for Cor. to Secs. 13, 14, 23 & 24, marked 3 notches on S. and N. sides edges and mound of stone alongside.

Pits unmarked.

Said Cornerings Said 1st & 3rd are Good Grass for Grazing

East on random line Set. Secs. 13 & 24

P. 14 S.

Secs.

Set Sand

Intersec

Ms. N. of

Set Sandst

Stone

N. 87° 30'

Set. Sa

Ridge

Set Sand

in the g

1/4 on

mound

Pits

Gulch

Ridge

Set

Gulch

The Cor.

Said

Good

T. 14 N. R. 5 W. S. M.

Va. 18°30' E.

00 Set Stone mkd 1/4 Sec. Cor.
10 Intersect Said Meridian 18
Mks. N. & Cr. to Secs. 13, 18, 19 & 24
Set Stone under this Contract
Thence Run
N. 87°-39' W. on True line
Bet. Secs. 13 & 24
Witness Va
Ridge Runs N. W. & S. E.
10 Set Stone N 79 E 4 lks - 10 lks.
in the mound for 1/4 Sec. Cor. mkd
1/4 on N. Side, and mkd a
mound of Stone alongside
This impracticable
Creek runs N. W.
50 Ridge Runs N. W. & S. E.
50 " " " "
00 Creek runs N. W.
10 The Cr. to Secs. 13, 14, 23 & 24
Said Mountains
Are Va
Good Grass for Grazing

Subdivisions

Chs. North Bnt. Secs. 13 & 14
Var 8° 25' E

9.00 Ridge trees N.W. to S.E.
7.00 Creek drains N.W.
28.00 Ridge trees N.W. to S.E.
4.00 Set Limestone 6x10 ins. 18 ins. in the ground for 1/4 Sec. marked 1/4 on W. face, and a mound of stone along side. Pits impracticable.
6.00 Ridge trees N.W. to S.E.
6.00 Creek drains N.W.
5.00 Set Limestone 6x10 ins. 18 ins. in the ground for Cor. to Secs. 11, 12, 13 & 14, marked with notches on S. & E. notches and mound of stone alongside. Pits impracticable.

Said Mountains
and 1st & 3rd Ridges
good grass for grazing

N 1/4 P

East m
Bnt. S

Set Stone
Limestone
ins. in
marked
a mound
Pits
S. 89° 32'
Bnt.

Ridge
Creek
Ridge
Set Lim
ins. in
marked
a mound
Pits
Ridge
Creek
Ridge
Ridge
The Cr.

Fa

Gr

N. 1/4 N. R. 9 W. = S. L. M.

East on Standard Line
Bet. Secs. 12 & 13
Va 18° 30' E.
Set Stone May 1/4 Sec. Cor.
Subject to Mendian 65
Ms. S. of Cor. to Secs. 7/12/13 & 18
Set Stone under this Contract
Thence
S. 89° 32' W. on True Line
Bet. Secs. 12 & 13
With Same Va
Ridge Trees N. W. & S. E.
Quick Grains N. W.
Ridge Trees N. W. & S. E.
Set Stone 2 x 15 x 30 ins. - 15
ins. in the ground for 1/4 Sec. Cor.
Marked 1/4 on N. Side, and mound
a mound of Stone alongside.
Pits impracticable.
Ridge Trees N. W. & S. E.
Quick Grains N. W.
Ridge Trees N. W. & S. E.
The Cor. to Secs 11, 12, 13 & 14
Find Monuments
Evidence of Age

Subdivisions

Chs. Good Grass for Grazing

North Bet. Secs. 11 & 12

25.00 Cedar Corner S.W.

4.00 Set Sandstone 18×12×6 ins—

ins. in the ground for 11 &

Cor. marked S on W. face and

mound of stones

Pits impracticable

5.00 Quarter Corner S.E.

6.00 Ridge Grass N.E. & S.W.

4.50 Quarter Corner N.E.

5.00 Set Sandstone 24×18×5 ins—

ins. in the ground for Cor. to

11, 12, 13, 14, marked notches

S. and notches E. edges and

mound of stone

alongside.

Pits impracticable

Land Mountainous

Soil poor

Good Grass for Grazing

Chs. East

Bet. &

North

N. of Cor.

mile land

Pines

N. 89° 45

Bet. &

75 Quarter

75 Set Sand

ins. in

marked S

a mound

Pits im

50 Ridge G

00 Quarter

75 The C

Land

Soil

Good

T. 6 N. R. 5 W. S. L. M.

East on Standard Line
Bet. Secs. 1 & 12
Var. 18° 30' E.

Set Stone, Mound 1/4 Sec. Cor.

Intersect Ute's Meridian 76.50 N. of Cor. to Secs. 1, 6, 7 & 12, Set Stone and Mound for this Corner.

Thence run
N. 89° 49' W. on True Line
Bet. Secs. 1 & 12
with Variation
Black Oaks B.T.

Set Stone 17 x 10 x 5 ins. - 12 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N. side, and mound of stone alongside
Pits impracticable.

Pitch Pine B.T. 6 L.
Black Oaks B.T.

The Cor. to Secs. 1 & 2, 11 & 12
Land Mountainous
Line 10 L. & 32 Links
Good pass for mining

Subdivisions

Chs. North on said line
Bet. Secs. 1 & 2
N. 89° 30' E.
4.00 Set Stone 1/4 Sec. Cor.
50.90 Deflect N. Boundary of Tp.
Ship 70 lks. W. of Cor. to Secs.
35 & 36, set by measure &
Contract
Thence
S. 0° 30' W. on said line
Bet. Secs. 1 & 2
With chain &c.
12.75 - Creek 4 links E.
36.50 Ridge 2 links N.W. & S.E.
40.90 Set Sandstone 18x4x8 ins. -
ins. in the ground for 1/4 Sec.
marked 1/4 on W. face. and
a mound of stone along side
Pits impracticable.
46.50 Ridge 2 links N.W. & S.E.
56.50 Creek 4 links S.W.
61.50 Ridge 2 links N.W. & S.E.
71.00 Creek 4 links S.W.
80.90 The Cor. to Secs. 1, 2, 11 & 12
And Mountains

N 14 R. 2 W. S.L.M.

No. Sec 1st & 3rd Rec
Sage brush & grass
May 17th 1887.

Mon Cor. to Secs. 2, 3, 34 & 35 on
S. boundary of Township & run
by mes. under this contract
& viz.

North 80 ch. Secs. 34 & 35
W. 18° 30' E.

100 Brush drains N.W.
100 Ridge runs N.W. & S.E.
100 Set Limestone 8 x 14 x 4 ins - 15
ins. in the ground for 1/4 Sec.
Cor. mound 1/4 on N. face and
scribed a mound of stone
alongside
Pits impracticable.
150 Brush drains N.W.
400 Ridge runs N.W. & S.E.
400 Cedar drains N.W.
100 Set Limestone 16 x 14 x 4 ins - 10
ins. in the ground for Cor. to

Subdivisions

Chs. Sec. [redacted] 27. 34 + 35, mark
meet N.S. and 2 notches
edges, and thence 2 more
Stone almyds.
Pits in practicable.
Land Mountainous
Soil 1st + 4th Mile
Sage brush + grass

East on mid-section line
Bet. Secs. 26 + 35
Var = 18° 30' E.

4.00 Set Temporary 1/4 Sec. C
0.38 Intersect N.S. line 20 Chs. S.
Cr. to Secs. 25, 26, 35 + 36.
Thence N
S. 89° 51' W. on true line
Bet. Secs. 26 + 35 —
Pits Same Var.
4.50 Ridge Runs N.W. & S.E.
9.50 Creek Runs S.E.
20.50 Ridge Runs N.W. & S.E.
40.19 Marked Stone Temporary Monument
4 x 3 x 2 ft. above ground with

1/4 on N.
Cr. to
mound
Pits
00 Ridge
28 Creek
00 Ridge
38 Hill Cr.
Land
Soil
Sage

West on
Bet. Secs.
Set Tem
Sec. 26
Cr. at
mound
Thence
N. 89° 43'
Bet. Secs.

T. 14 N. R. 5 W. S. L. M.

S. 1/4 on N. face and cross (+) at Cor. to Sec. and found a mound of stone and pits.
Pile of rocks and stable.
00 Ridge trees N.W. & S.E.
00 Small drains S.E. & N.W.
00 Ridge trees N.W. & S.E.
38 The Cor. to Secs. 26. 27. 34 & 35 — Said mounds are 3 ft. wide and 1 foot high and 6 feet long.

West on grand line Bet. Secs. 27 & 34 Var. 18° 30' E.
70 Set stone mon. 1/4 Sec. Cor.
45 Sec. 26 Lks. N. of Temporary Cor. at end of 4 courses set by me under Contract No. 141
Thence run N. 89° 43' E. on true line Bet. Secs. 27 & 34 with Azimuth Var.

Subdivisions

Chs.	
2.00	Creek drains N.W.
6.70	Set Sandstone 25×14×4 ins. ins. in the ground for 1/4 Cr. marked 1/4 on N. face mixed a mound of stone alon
8.00	Ridge runs N.E. & S.W.
3.50	Creek drains S.W.
46.40	The Cr. to Secs. 26, 27, 34 & 35 Sand Mountains Soil 3rd rate Good pass for grazing

North Bnd. Secs. 26 & 27
Var. 18° 30' E.

4.00	Creek drains W.
2.00	Ridge runs N.W. & S.E.
4.00	Set Sandstone 17×4×4 ins. ins. in the ground for 1/4 Cr. marked 1/4 on W. face mixed a mound of stone alongside Pits impracticable.
5.00	Enter Cañon drains S.W.
60.50	Same course

S. 1/4 M

50	Ridge r
00	Marked 3+3+2 ft. notches mixed with a Cr. and ran alongside Pits im Sand & soil Sage

East m
Bnd.

00	Set Sa
83	Intersec of Cr. Thence N. 89° 4 Bnd.
50	Ridge
50	Creek

T. 14 N. R. 5 W. S. L. M.

Ridge runs N.W. & S.E.

Mound of stones 3+3+2 ft. at top surrounded with 2 notches on S.E. edges and with a cross (+) at Cr. point and mound a mound of stone alongside.

Pits impracticable.

Found Mountains & use 1st & 3rd pole Sage brush grass

East on mound line bet. Secs. 23 & 26. Var 15° 30' E.

1700 Set stone mon 1/4 Sec. Cor.

1983 Intersect N.S. line 25 lks. N. of Cr. to Secs. 23. 24. 25 & 26.

Thence S. run.

N. 89° 49' W. on mound line bet. Secs. 23 & 26.

With same Var

50 Ridge runs N.E. & S.W.

50 Creek runs S.W.

Subdivisions

Chs.
39.91 Set Sandstone 20x10x8 ins.
ins. in the ground for 1/4
Cor. marked 1/4 on the fac
and found a mound of
Stone alongside.
Pits impracticable.
6000 Ridge Grass Surv. of E.
4500 Enlick drains N.W.
1983 Thence to Secs. 22, 23, 26
Found Monuments
Soil 3rd rate
Good pass for grazing

West on Indian Line
Bet. Secs. 22 & 27
Var. 18° 30' E.
40.00 Set Sandstone 1/4 Sec. Cor.
54.75 Iron 15 lks. S. of Sandstone
Cor. Mound of Stones set
by me under Contract No. 14
Stone & Iron.
S 89 51' E. on Indian Line
Bet. Secs. 22 & 27
With Iron Cr.

N. 1/4 M.
Enlick C
Set Sand
Cor the So
marked 1/4
found a
alongside
Pits im
Ridge G
Enlick
The Cor.
Found
Soil
Good

North B
Enlick
Ridge
Enlick
Set Sa
ins. in
Cor. Mo
found
alongs

T. 14 N. R 5 W. S. L. M.

[illegible] 50 Creek drains S.W.
[illegible] 87 Bit Sandstone 22×8×6 ins - 16 lbs.
in the ground for 1/4 Sec. Cor.
marked 1/4 on N. face and
scribed a mound of stone
alongside -
Pits in ground
[illegible] 00 Ridge runs S.E. & S.W.
[illegible] 00 Creek drains S.E. S.W.
[illegible] 75 The Cor. to Secs. 22, 23, 26 & 27
Land Undulating
Soil 3rd rate
Good grass for grazing

North Bdy. Secs. 22 & 23
Var 18° 30' E.

Creek drains N.W.
[illegible] 00 Ridge runs N.W. & S.E.
[illegible] 00 Creek drains N.W.
[illegible] 00 Bit Sandstone 15×10×7 ins - 10
lbs. in the ground for 1/4 Sec.
Cor. marked 1/4 on W. face and
scribed a mound of stone
alongside.

Subdivisions

Chs.	
42.00	Pits impracticable. Ridge runs N.E. & S.W.
53.00	Gulch runs N.W.
60.00	Ridge runs N.W. & S.E.
80.00	Cor. Finished Stone 17x14x8 ins. in the ground for Cor. Secs. 14, 15, 22 & 23, marked notches on S. and E. sides, and mound of Stone alongside
	Pits impracticable. Rocky mountainous and of the Sage brush & grass.

	East on variation line between Secs. 14 & 23 N. 18° 30' E.
41.00	Cor. Fine Stone 1/4 Sec. Cor.
79.46	Intersect W.B. line 35 lks. W. of Cor. to Secs. 13, 14, 23 & 24
	Thence run N. 89° 45' W. on true line between Secs. 14 & 23

0.	Cor.
00	Gulch
00	Ridge
23	Mound
	3x2x1 ft.
	1/4 Sec. N.
	at Cor.
	mound
	Pits im
00	Gulch
00	Ridge
46	the Cor.
	Sur
	Sur
	Good
	West on
	Cor.
00	Cor. Fine
27	Sec.
	Cor. at
	by me
	Thence

T. 14 N. R. 5 W. S. L. M.

Witness Cor
00 Mulch drains N.W.
00 Ridge trees N.W. & S.E.
23 Marked Stations Bearing
3 & 2 links from mound with
1/4 inch N. face and a Cross (+)
at Cor. Point and mound
mound of stone alongside
Pits impracticable.
00 Mulch drains N.W.
00 Ridge trees N.W. & S.E.
46 The Cor. to Secs. 14, 15, 22 & 23
Land Mountainous
Soil 1st & 4th rate
Good grass for grazing
— Surveyed 18th 1887

West on random line
Bet. Secs. 15 & 22
Var 18° 30' E.
00 Set Temporary 1/4 Sec. Cor.
22 Face. Bears. N. of Temporary
Cor. at end of Chaining set
by meander Contract No. 141
Thence N. run

Subdivisions

Chs.	N 89° 40' E on the line Bet. Secs. 15 + 22 With same Cr.
10.00	Quick drains N.W.
12.13	Set Sandstone 25 x 9 x 3 ins. ins. in the ground for 1/4 Cor. marked 1/4 on W. face with a mound of Stones alongside.
	Pits impracticable
2.00	Ridge trees N.W. & S.E.
62.27	The Cor. to Secs. 14, 15, 22 and 23 Land Mountains Axle & Axle Spoke pass for Engineer

	North Bet. Secs. 14 + 15 Cr = 18.30 E
13.00	Enter Cotton drains S.W.
18.00	Grass Quick.
32.00	Ridge Trees N.E. & S.W.
40.00	Set Sandstone 15 x 24 x 10 ins. ins. in the ground for 1/4 Cor. marked 1/4 on W. face

T. 14 N. R. 5 W. S. L. M.

[illegible] and mound of
Stone alongside
Bts impracticable.
[illegible] Creek bears S. W.
[illegible] Ridge bears N.E. & S.W.
[illegible] Creek bears S.W.
[illegible] Set Sandstone 20 x 12 x 5 ins - 15
ins. in the ground for Cor. to
Secs. 10, 11, 14 & 15 Mound of stones
ins. and 2 on E. Edges, and mound
of stone alongside
Bts impracticable.
Sand Mountainous
Soil 1st & 4th rate
Soft brush & grass

East on meander line
Bet. Secs. 11 & 14
[illegible] = 18° 30' E.
[illegible] Set temporary 1/4 Sec. Cor.
[illegible] distant N. & S. line 20 lks. E.
of Cor. to Secs. 11, 12, 13 & 14
Thence down
S. 89° 51' W. on true line

Subdivisions

Chs.	Bet. Secs. 11 & 14
	With Same Co.
17.00	Ridge runs N.W. & S.E.
15.50	Gulch drains N.W.
23.00	Ridge runs N.W. & S.E.
29.00	Gulch drains N.E.
40.10	Set Sandstone 12x11x6 ins -
	ins. in the ground for 1/4
	Cor. Marked 1/4 on N. face
	mound of stone
	alongside
	Pits impracticable.
4.50	Gulch drains S.E.
66.50	Ridge runs N.E. & S.W.
7.00	Gulch drains S.W.
8.20	The Cor. to Secs. 10. 11. 14 & 15
	Sand Mountains
	Soil 3rd rate
	Sage brush & grass

North Bet. Secs. 10 & 11

Var 18° 30' E.

10.00	Ridge runs N.W. & S.E.

T. 14 N. R. 5 W. - S. L. M.

Chs.
700 Down drains N. W.
700 Set Sandstone 14×10×6 ins - 10 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on W face and found a mound of stone alongside
Pits impracticable.
700 Ridge Spurs N. W. & S. E.
700 Gulch Spurs N. W.
350 Ridge Draws N. W. & S. E.
700 Gulch drains N. W.
700 Set Sandstone 8×12×6 ins - 15 ins. in the ground for Cor. to Secs. 2, 3, 10 & 11, marked 5 notches N & S. and 2 on E. edges, and found a mound of stone alongside
Pits impracticable.
Land Mountainous
Soil 3rd rate
Good grass for grazing

East on meadow line
Bet. Secs. 2 & 11

Subdivisions

Chs.	
	T. = 18 S. R. 3 E.
4.00	Set stone on W. bank of Sec. Co
8.00	Intersect N. & S. line at Co
	to Secs. 1. 2. 11 & 12
	Thence N.
	West on the line
	between Secs. 2 & 11
	with same va
10.00	Ridge Runs N.W. & S.E.
31.00	Creek Runs N.W.
39.00	Ridge Runs N.W. & S.E.
4.00	Set Sandstone 24×13×8 ins
	ins. on the South bk
	Sec. Cor. marked 4 on N. fa
	and mound of
	Stone charcoal &
	Pits, impracticable
53.00	Creek Runs N.W.
71.00	Ridge Runs N.W. & S.E.
8.00	Meet to Secs. 2. 3. 10 & 11
	Find Mound ins
	and 3 Pits
	4 poor Grass for Stock

T. 14

to North

Bet.

Set Sa

Intersect

Runs

Sec 2.

under

Thence

S 0° 15

Bet. S

Enter

Ridge

Set Sa

ins. in

mark

a mou

Pits

Ridge

Creek

Ridge

The Co

Fou

Sou

T. 14 N. R. 5 W. 5th P.M.

[illegible] North on Standard Line
Bet. Secs 2 & 3
Var 18° 30' E.

[illegible] Set Stone mound 1/4 Sec. Cor.
70 Latitude N. Boundary of
Township 35 Rks. W. of Cor. to
Secs 2. 3. 34 & 35 Set by me
under this Contract.
Thence down
S 0° 15 W. on Std Line
Bet. Secs. 2 & 3
With Chains
00 Enter Mountains Bear N.W. & E.
00 Ridge Runs N.W. & S.E.
70 Set Sandstone 18 x 10 x 5 ins. 12
ins. in the ground for 1/4 Sec. Cor.
mound 1/4 on W. face and found
a mound of Stone alongside.
Pits impracticable.
00 Ridge Runs N.W. & S.E.
00 Creek Bears N.W.
00 Ridge Runs N.W. & S.E.
70 The Cor. to Secs 2. 3. 10 & 11
Found Mountains Bearing
Dist 1/2 & 3/4 Chs.

Subdivisions

Chs. Good Pass for grazing

From the Initial Cor. [illegible]
and N. [illegible] 78.99 chains
North [illegible] Secs. 15 & 16 [illegible]
by the under entitled
Act
North Bet. Secs. 15 & 16
[illegible] = 18° 30' E.
2.00 Act Subdivisions 19 & 20 Subdivs.
Subdivs. in the ground for Cor.
Secs. 9, 10, 15 & 16, Mounds &
notches on B. and T. Lines
and Subdivisional Mounds of
Aliquots -
Pits unpracticable.
Said Mountains
Said [illegible] Said
Good Pass for grazing

East [illegible]
Bet. S
Act Subdivisions
Subdivisions
N. of Cor.
Subdivisions
N. 89° W.
Bet. Sec
Ridge
Ridge
Pyramid
Subdivisions
Act Subdivisions
in the
Mounds
Subdivisional
Aliquots
Pits
Subdivisions
Ridge
The Cor.
Said
Said

T. 14 N. R. 5 W. S. L. M.

1 East on standard line
Bet. Secs. 10 & 15
Va. 18°30' E.
100 Set stone 1/4 Sec. Cor.
25 Set stone N. & S. line 40 lks.
N. of Cor. to Secs. 10, 11, 14 & 15
Thence due
N. 89° 45' W. on true line
Bet. Secs. 10 & 15
With blaze Va.
70 Ridge runs N. E. & S. W.
70 Small high plateau runs N. E. & S. W.
50 Open & dense
50 Small draws S. W.
1/2 Set stone 16 x 16 ins. - 10 ins.
in the ground for 1/4 Sec. Cor.
Mound 3 ft. N. Face cut
Mixed in mound of stone
Aneroid
Pits impracticable
100 Small draws S. E.
40 Ridge runs N. E. & S. W.
25 Thence to Secs. 9, 10, 15 & 16.
Snow Mountains
Axis 1st & 4th Rate

Subdivisions

Chs.	Bushes & grass

Left on Southern line
Bet. Secs. 9 & 16
Var 18° 30' E.

9.80 Line 10 lks. S. of Trumpeter
Cr. at end of boundary set
by me under Contract No. 14
Stone & Iron.
S. 89° 25' E. on true line
Bet. Secs. 9 & 16
N.W. Stone Var
6.00 Gulch Drains S.W.
9.80 The Cr. to Secs. 9, 10, 15 & 16
Sand Mountains
Line 3 Rods
Good Grass for grazing

N. on Bet. Secs. 9 & 10
Var 18° 30' E.
1.00 Gulch drains S.W.
4.50 " " "
15.00 Ridge Brush & Pr.

BOOK-A-2

T. 14 N. R. 5 W. S. L. M.

Los.

100 Set Quartz stone 6"x6"x18" - 5 ins. in the ground 1/4 Sec. Cor. marked 1/4 on N. face and filled a mound of stone Alongside.

Pits impracticable.

50 Enter Hollow drains S.W.

2.80 Fence Line.

50 Enter Creek drains S.W.

100 Set Quartz stone 12"x12"x24" - 12 ins. in the ground for Cor. to Secs. 3. 4. 9 & 10, marked 5 notches on S. and 3 notches on E. Edges and found a mound of stone Alongside.

Pits impracticable.

Found Monuments of Sec. 1st & 4th lines.

Work done for Bearing

East on Random line Bet. Secs. 3 & 10

Var. 18° 30' E.

100 Set Quartz mound 1/4 Sec. Cor.

Subdivisions

Chs.

80.25 Adjust N.S. line 32 Rs
E. of Cr. to Secs. 2, 3, 10 & 11
Thence W'ly
S. 89° 46' W. on True line
Bet. Secs. 3 & 10
Pitt. Same Cr.

17.00 Gulch drains N.W.

6.00 Ridge runs N.W. & S.E.

40.12 Set Sandstone 15 x 10 x 4 inches. in the ground for 1/4 Sec. Cor. Mound 4 pits on N. Sec. line Found a mound of stone alongside Pits impracticable.

5.00 Gulch drains S.W.

6.00 Ridge runs N.E. & S.W.

5.00 Gulch drains S.W.

80.25 The Cr. to Secs. 3, 4, 9 & 10
Found Mountains
Soil 1st & 4th Rate
Good Grass for grazing

Set my Random Line
Bet. Secs. 4 & 9
Var. 18° 30' E.

N. 14 M

53 Found & Set
Cor. at
by pits
Thence
S. 89° 42'
Bet. Secs

50 Ridge
50 the Cr.
Found
Soil
Good

Note
Bet. Sec

00 Set Temp
50 Adjusted
Township
to Secs. 3,
under th
Thence
S. 0° 17'
Bet. Se

T. 14 N. R. 5 W. S. L. M.

55 Feet S. of temporary Cor. at end of boundary set by me under Contract No. 141
Thence run
S. 89° 42' E. on true line
Bet. Secs. 4 & 9
Va 18° 30' E.
50 Ridge Brush N. E. & S. W.
50 The Cor. to Secs. 3, 4, 9 & 10
Sand Mounds
Soil 3rd rate.
Good grass for grazing

North on meridian line
Bet. Secs. 3 & 4
Va = 18° 30' E.
90 Set temporary 1/4 Sec. Cor.
50 Adjusted N. boundary of Township 40 Rs. W. of Cor. to Secs. 3, 4, 33 & 34, Subdivision under this Contract
Thence run
S. 0° 17' W. on true line
Bet. Secs. 3 & 4.

Subdivisions

Obs.	
	With Same Sa
5'00	Ridge Runs N.W. & E.
2.00	Creek drains N.W.
4.50	Sur Sandstone 17×12×8 ins. ins. lie the Sand for 1/4 Cr. marked 1/4 on W. face rise a mound of Sand alongside.
	Site impracticable.
4'00	Ridge Runs N.W. & E.
6'50	Creek drains N.W.
6'00	Ridge Runs N.W. & E.
6'50	Creek drains N.W.
5'00	Ridge Runs N.W. & E.
5.50	The Cr. to Secs. 3, 4, 9 & 10 Thick Mountainous Use 1st & 3rd Rate Good Grass for Sampling May 19th 188

D. H. N

The La
the Sa
Sidney
Creek
and Cr
South
affords
for Sa
two Sa
of the
might
dry Sa
Tributa
mound
that N
Ground
formed
wells

T. 44 N. R. 5 W. - S. L. M.

General Description

The land embraced in the part of this township Surveyed under this Contract is mountainous and Covered with an excellent growth of timber affording fine range for stock. There is no known water. Some of the land in the hollows might be cultivated by dry farming.

The surrounding country would seem to indicate that water in limited quantities, might be procured from artesian wells.

Henry Fitzpatrick
U. S. Dep. Surveyor.

BOOK-A-2

S. SURVEYOR GEN

Salt Lake City

The foregoing field

Siba

ownship No. 4

the Salt Lake Meridi

Henry

nder Contract No.

ay of October

May

camined, the necessar

ade, the said field not

re hereby approved.

Wil

U

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, Sept 29th 1888

The foregoing field notes of the —— *survey of the*

Subdivisions

Township No. 4 S. *Range No.* 5 E.

of the Salt Lake Meridian. Executed by Henry Fitzhugh

under Contract No. 142 *of the* 6th

day of October 1886, *in the month of*

May 1887, *having been critically*

examined, the necessary corrections and explanations

made, the said field notes, and the surveys they describe

are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK-

EPORT:

led 9 Coll Jr

amined by John H

anscribed by Jenn

mpared by Jennie L.

FIELD

Re

OF THE SU

Westbor

wnship No. 9

ange No. 17

O

SALT LAK

UTAH T

AS SU

Edward

U. S. Dep

Under his Contract

ated

urvey commenced

urvey completed

5m 39 ds 50

973

BOOK-A-216

231

EPORT:

led 9th Mail June 20th 1887

amined by John H Campbell

anscribed by Jennie V. Bowman

mpared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

OF THE SURVEY OF THE

Westbowmdary

Township No. 9 N

Range No. 7 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward N. Hoeber

U. S. Deputy Surveyor,

Under his Contract No. 143

ated June 2nd 1886

urvey commenced March 11 1887

urvey completed " 11 1887

5 m 39 ch 50 lks

1/6

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cramer	Chainman
H. J. Jamme	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A

Rec

Verborm

Surve
March 7

From the
R 7 & 8
Lines C
Symbo
Profile
Do

.50 Wash d
00 do
.00 No tre
a chorn
3" squa
for 1/4 su
N. face
N & S. of
and n
earth
arou
.00 Find
Earth
as lay
at a

BOOK-A-216

Resurvey

Verbonnidary. Tp. 9 & R 7 W.

Survey commenced March 11. 1887

From the cor. to Tps. 9 & 10 N R 7 & 8 W. which is a Limestone 18×12×6" ground & properly marked I run South on resur. line Var 18½° E.

0.50 Wash drains S & W.

0.00 do " do

0.00 No trace of old corner set a charred post 3 ft long 3" square 12" in the ground for ¼ sec cor. marked ¼ on W. face dug pits 18×18×12" N & S. of post 5½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base around post.

0.00 Find an old mound of earth the remains of the stake are laying 1 lks West. & set a limestone 15×10×8" 10"

BOOK-A-21

Resurvey West-boundary T9 N

Chain in the ground for cor. to
1.6.7 & 12. marked with
notch on N and S on E. edg
dug pits 18×18×12ᵈ in each
5½ ft dist. and raised a
mound of earth 2½ ft hi
4 ft base alongside.
Land. level.
Soil 2nd rate. gravelly
No timber.
Trees sagebrush and

South on resurvey line
betw. Secs. 7 & 12
Var. 18½° E.

40.00 Find no trace of old corn
set a lime rock 16×10×7" 12
in the ground for ¼ sec.
marked ¼ on W face, dug
and raised a stone mou
alongside.

80.00 No trace of old cor. set a
lime stone 16×10×8" 12ᵈ in
the ground for cor to sec

Chain 7.12.13 &
notches
and ra
alongsi
Land.
Soil 1s
No timb
Trees

South o
betw
Var

.00 N. ft of r
.00 No trace
a Cobble
Ground
¼ on W
×12ᵈ in th
Stone
raised
1½ ft hi
.00 No trac
a lime
The grou

7 West

7. 12. 13 & 18. marked with 2 notches on N and W edges and raised a stone mound alongside.
Lake. land
Soil Poor, alluvial
No timber.
Some sagebrush underbrush.

South on survey line
betw. secs. 13 & 18
Var. 18½° E.

28 lks of rocky slope.
No trace of old corr set a Cobble 10×10×8" 6ª in the ground for 1/4 sec cor marked 1/4 on W face also pits 8×8×12ª in the ground N & E of stone 2½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base alongside.
No trace of old corr set a lime rock 14×10×7ª 9ª in the ground for cor. to secs. 13. 18

Resurvey West Boundary 9 North

Chain 19.24 and raised a stone mound along side.
Level. level
Soil 2 rate rocky
No timber.

South on resurvey line
betw. secs. 19 & 24
Var 18½° E
1500 Pt. point of rocks slope bears W.
4000 No trace of old cor. set a
charred post 3 ft long 2" sq.
12" in the ground for 1/4
cor. mound 5" 1/4 in NE face
dug pits 18 X 18 X 12". Wood. of
post 5 1/2 ft distant and
raised a mound of earth
1 1/2 ft high 2 1/2 ft base
post.
8000 No trace of old corner
a charred post 4 ft long 4" square
12" in the ground for cor.
to secs. 19. 24. 25 & 30 mark
S 19. T. 9 N. on NE.
S. 30 R 7 W. " SE.

T. 9 N. S.
R 8 W. S
with 4
2 on L
in each
and
of
and 4
Level
Soil
No tr

South
bet
Va
Pt
Found
when
3 ft lon
grou
1/4 S. on
X 18 X 12
raised
1 1/2 ft
aro

9 North - R 7 West -

T. 9 N. S. 25 on S.W.
R 8 W. S 24 a N.W. faces and
with 4 notches on N and
2 on S edges dug pits 18x18x12"
in each acc. 5 1/2 ft dist.
and raised a mound
of earth 2 1/2 ft high
and 4 ft base around post.
Land level
Soil 2 rate. Grassy
No timber.

South on survey line
bet. secs. 25 & 30.
Var 18 1/2° E.
700. Find an old mound of earth
when I set a charred post
3 ft long. 3" square 12" in the
ground for 1/4 sec. cor. marked
1/4 S. on W face dug pits 18
x 18 x 12" Mg S. of post and
raised a mound of earth
1 1/2 ft high 3 1/2 ft base
around post

BOOK-A-2

Resurvey West Boundary

Chain	
79.00	Wash drains S.E.
80.00	No trace of old cor. set a limestone 16"x10"x10" 10" in the ground for cor to secs. 2 & 3 & 31 & 36 marked with 3 notches on N and 1 on E. dug pits 18x18x12" in each sec. 5 & 1/4 dist. and mound of earth 2' high & post about [illegible] Land level. Soil 2nd rate alkali No timber.

South on resurvey line between secs. 31 & 36 Var. 18½° E.

5.00	Wash drains S.W.
17.70	" "
35.20	" "
39.50	Shore of Great Salt Lake when I set stone post 4 ft long 4" square 12" in

Chain the grou
to stone
mounds
T. 9 N. o
R. 7 W. 9
T. 9 N. o
R 8 W. 9
pit 3 f
8 ths N
a mound
high
post
Land
Soil
No ti
Gene
For gu
set du
ship.

North R 7 West

Plain the ground for Meanderer.
to fractional secs. 3 & 36
shorten M. Co.
T. 9 N. on S.
R. 7 W. S. 31 on E.
T. 9 N. on N
R 8 W. S. 36 on W faces dug
pit 3 ft. square 1 ft. deep
& the N & W post and mound
a mound of earth 2 ft
high & 1/2 ft base alongside
post.
Land level
Soil Quite alkali
No timber.

March 11. 1887

General Descript.

For general descript
see Subs. of this town
ship.

Edward N. Dobbs
U. S. Dep. Surv.

BOOK-A-21

S. SURVEYOR G

Salt Lake City,

The foregoing fi

Norbo

ownship No. *J*

xecuted by *E*

nder Contract No.

y of *Mar*

camined, the necess

ions made, the said

ey describe are he

Hil

BOOK-A-216

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *1888.*

The foregoing field notes of the survey of the

West boundary

Township No. 1 *N. Range No.* 7 *W.*

Executed by Edward W Rosser

Under Contract No. 143 *of the* 24

day of June *1886, in the month of*

March *1887, having been critically*

examined, the necessary corrections and explana-

tions made, the said field notes, and the surveys

they describe are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

Note- see pa

EPORT:

iled 9th Dec

xamined by John

ranscribed by Jen

ompared by Jenni

FIEL

R

OF THE S

Subdivi

ownship No.

ange No.

SALT LA

UTA

A

Edwar

U. S.

Under his Conti

ated

urvey commence

urvey completed

18 m 32

70

Note - see next page

BOOK-A-2-16

REPORT:

Filed 9th day June 20th 1887

Examined by John H Campe

Transcribed by Jennie V. Bowman

Compared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 9 N

Range No. 7 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Kober

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 2nd 1886

Survey commenced March 12th 1887

Survey completed 15th 1887

18 m 32 ds 48 lks

70 " 70 "

2 15

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
W. M. Conner	Chainman
D. J. Jaune	Axeman
C. Leavitt	Axeman
	Flagman

U.S. Surv. Genl. Office.
Salt Lake City, Utah.

Edward H. Kaeber.
U. S. Dep. Surveyor

Sir. No closing corners should have been established on the lines closing on the South and East boundaries, said lines should close on the corners previously set and run back on a course.

John H. Campe
Chief draughtsman

BOOK-A-

Township

Survey

From the

on N. bou

was re

under

run 4

the cor.

I search

but cai

traces o

a temp.

proceed

secs. 19 & 30

of tp. wh

lished by

Contrac

5 miles

the temp

67 lks. a

North 37

line I d

corners,

to cover

Field Notes of Subdivisions Township 9 S. R 7 W.

Survey commenced March 14th 1887.

From the cor. to secs. 1 & 2. on S. boundary which was reestablished by me under this contract I run 4 miles South to the cor. to secs. 23. 24. 25 & 26. I search for a long while but cannot find any traces of same, so I set a temp. corner. I then proceed to the corner to secs. 1 & 30 on West boundary of tp. which is also reestablished by me under this Contract. and run East 5 miles. when I intersect the temp. cor. at 5 miles 67 lks. and same bears North 37 lks. Also on this line I did not find any corners. This country is covered densely with

Resurvey Subdivision 1 & 9

R 7 W

Chaining sagebrush in
which fires have ra
as can be seen by the
stumps and This
This is the reason for n
finding any post or
Return now to the cor.
to secs. 19 & 30 on W. bound
of Tp. and run after
having adjusted my instrum
& chain to the Course
and distance found
East on true line
betw. sec 19 & 30
Var. 18 1/2° E

7.50 Enter brush

4.00 No trace of old cor. set a lime
stone 26 x 14 x 4" 18" in the grou
for 1/4 sec. cor. marked 1/4
Trace dug pits 18 x 18 x 2"
E & W of stone 5 1/2 ft dist
and raised a mound
of earth 1.1/2 ft high 3 1/2 f
base alongside.

8.00 No trace of old cor. set a

lime ston
the grou
20. 30 & 29.
notches o
and mis
Stones al
Laced.
Soil
No tim
dense

East on
bet
T

.50 Work d

.97 No trac
charred
12" in the
cor. mar
dug pits
post 5 1/2
a mou
high
post.

R 7 West

limestone 24×12×9" 18" in the ground for Cor to secs. 19. 20. 30 & 29. marked with 2 notches on S. and E edges and raised a mound of stones alongside.
Land. Level
Soil Flute.
No timber
Trees sagebrush undergrowth.

East on true survey line betw. secs. 20 & 29
Var. 18½° E.
4.50 Wash drains to E.
7.99 No trace of old cor. set a charred post 3 ft long 3" square 12" in the ground for ¼ sec. cor. marked ¼ S. on N face. dug pits 18×8×12" E & W. of post 5½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base around post.

Resurvey Subdivision of Sec. 4 T. 4 N. R. 7 W.

Chains
42.50 Enter lower valley
67.50 Rocky ridge bears NE & SW
79.94 No trace of old cor. set a limestone 20 x 18 x 7" 15" in ground for cor to secs. 20, 21, 28 & 29. marked with 2 notches on S. and 4 on E edges & pits 18 x 18 x 12" in each sec. 5 1/2 ft dist and raised a mound of earth 2 ft high & 4 ft long along land level.
Soil brute. sandy loam
No timber.
Dense sagebrush undergrowth.

East

bi

T

Road be

No trace

a pit 12" in

square

1/4 on N

x 12" E & W

and ra

of earth

1/4 bears a

No trace

a limest

in the gr

secs. 21, 22

with 3 n

on S. Edg

x 12" in ea

and rais

earth 2

along s

Land le

Soil br

No timb

Twp 4 N R 7 West 5th

Cor on true survey line
btw. Sec. 21 & 28.
Var 18½° E

.50 Road bears N & S.

.06 Wit tree of old corner set
a post charred 3 ft long 3"
12" in the ground for ¼ sec. cor. marked
¼ on N face. dug pits 18 x 18
x 12" E & W of post 5½ ft dist
and raised a mound
of earth 1½ ft high 3½
ft base around post

.12 No tree of old corner set
a limestone 18 x 12 x 4" 12"
in the ground for cor to
Secs. 21. 22. 27 & 28. marked
with 3 notches on E and 2
on S. Edges dug pits 18 x 18
x 12" in each sec. 5½ ft dist
and raised a mound of
earth 2½ ft. high 4½ ft base
all round.
Land level.
Soil Unity.
Timber

Resurvey Subdivision of [illegible] R

Chains [illegible] attempts made [illegible] soil [illegible]
growth
March 12" 18[illegible] No timb
Dense

East on true resurvey line
betw. secs. 22 & 27
Var 18½° E.

39.96 No trace of old cor. set a chan
post 3 ft long 3" square 12" in
the ground marked 1/4
S on N face for 1/4 sec. cor. d
pits 18×18×2" Eg W of p
5½ ft distant an raised
a mound of earth 1½
high 3½ ft base around
post.

52.00 Wash drains S.W.

79.92 Set a lime stone 24×10×6" M
in the ground for cor. to sec
22. 23. 26 & 27. Marked wo
2 notches on S and E ed
and mixed a stone mo
alongside, no trace of
old corner.
Land. level

East on
betw

05. My trace
channel
12" in the
sec. cor.
face dug
of post
raised
Earth

Logs a
00 Road, logs N.E
10 No trace
lime sto
in the gr
secs. 23.
with bu
on S and
a mou
alongs

North R 7 West

Soil Sandy. Timber
No timber
Some sagebrush underwood

East on true survey line.
betw. Secs. 23 & 26
Var 18½° E

Ny trees of older. set a
charred post 3 ft long 3" square
12" in the ground for 1/4
Sec. Cor. mound 1/4 S on N
face dug pits 18×18×12" E & W
of post 5½ ft dist. and
raised a mound of
Earth 1½ ft high 3½ ft
base around post.
Road bears N.E. & S.W.
No trees of older. set a
limestone 13×11×8" q
in the ground for cor to
Secs. 23. 24. 25 & 26 marked
with 1 notch on E and 2
on S edges and raised
a mound of stones
alongside.

BOOK-A-216

Returning Subdivisions Tp 6 N - R 7 W

Land. level
Soil. 2 rate gro
Timber
dense sagebrush
undergrowth.

Note. In connecting the
Subdiv. of the old surve
with the East bounda
of this Tp. I refer to the
note I inserted at the
time I made the nu
of the North boundary
of this township.
and as those closing lin
all have been run Ea
on true line and furth
than I can extend the
to day I run them al
on true line and at th
point of intersection
on E. boundary of Tp.
all corners.

in Eastern
Var
No trace o
line stone
cor marked
the ground
raised
along sai
Intersec
10.60 chs S.
stone 16 x 1
the grou
and regu
of earth
where I s
20 x 10 x 6
for corner
with 2 pi
4 on N sid
2 stone
Land.
Soil
No timb
dens

T 4 S R 7 West

Meanders
in Cedar Tree bridle path Secs. 24 & 25.
Var 18½° E.

No trace of old cor. set a
lime stone 16 x 10 x 7" 12" in
the cor marking ¼ cor N face
the ground for ¼ sec. and
raised a stone mound
alongside.

1930 T4S R7W
Intersect cor. to secs. ~~24 & 25~~
10.60 chs S. which is a lime
stone 16 x 10 x 6" firmly set in
the ground properly marked
and regulations mound
of earth & pits alongside.
Where I set a lime stone
20 x 10 x 6" 16" in the ground
for cor to secs. 24 & 25. marked
with 2 notches on S. and
4 on N edges & C C and raised
a stone mound alongside.
Land. level
Soil Mixed, sandy loam
No timber.
Desert sagebrush
underwood

BOOK-A-216

Resurvey Subdivision

Chains	
	North on survey line betw. secs. 23 & 24 Var. 18° 30' E.
1.50	Road bears NE & SW
28.00	do
40.00	notches on cedar 15"
	Set limestone 15"x10"x5" in the ground for 1/4 sec. marked 1/4 on W faces raised a stone mound alongside.
80.00	No trace of old cor. set limestone 20"x10"x6" 15" the ground for cor. to secs. 13. 14. 23 & 24. marked cor. 3 notches on E and 1 on W Edges and raised a mound alongside.
	Land level
	Soil hard sandy loam
	No timber
	Undergrowth scattering sagebrush

East on
betw. secs. 13 & 24 Var
No trace o
limestone
the ground
marked
raised a
alongside
Intersec
10.40 chs. C
18"x10"x5" l
ground p
with stone
when set
12" in the g
to secs. 13
3 notches
and rai
alongsi
Land.
Soil
No Tim

North of R 7 West of 1—

East on true survey line between secs. 13 & 24 Var 18½° E.

No trace of old cor. set a limestone 16×10×7" 12" in the ground for 1/4 sec cor. marked 1/4 on N face and raised a stone mound alongside

Intersect cor. to sec 18 T 9 N R 6 W 10.40 chs. S. which is a quartz 18×10×5" firmly set in the ground properly marked with stone mound alongside. when I set a limestone 16×10×6" 12" in the ground for cor. to secs. 13 & 24 marked with 3 notches on N & S edges & CC and raised a stone mound alongside.

Land level.
Soil 1st rate. sandy loam
No Timber.

Returning Subdivisions

Chain	
	North on survey line between secs. 13 & 14 Var 18½° E.
11.50	Wash drains L.W.
40.00	No trace of old corner set a lime 19×12×7" 13" in ground for ¼ sec cor marked ¼ on W. face and raised a stone mound alongside
47.00	Wash drains L.W.
55.00	" do "
66.00	" do "
80.00	No trace of old corner set a lime stone 16×10×10" in the ground for cor. to secs. 11. 12. 13 & 14. marked with 4 notches on S and E. on E edges and raised a mound of stones alongside. Land level for 2 rods. no timber.

Morth - R

Chain	
	East on ... between ... Var.
50	Road be...
47.	
00	No trace ... a slate 14 ... ground ... marked ... raised ... alongs...
75	Intersec... 13, 10, 20 ... quartzite ... set in the ... marked ... mound ... alongside ... stone 12 ... for cor. to ... with 4 ... 2 on N ... a stone ... Land. ... for a

North R 7 West

in East on true survey bet
betw. secs. 12 & 13
Var. 18½° E

70 Road bears N & S.
47 a WM & LE
60 No trace of old cor. set
a slate 14×9×6" 9" in the
ground for 1/4 sec. cor.
marked 1/4 on N face and
raised a stone mound
alongside. 7+12 59 N R6 W
75 Intersect cor. to secs. 12
13 N 10,20 chs W. which is a
quartzite 16×8×7" firmly
set in the ground, properly
marked with regulation
mound of earth & pits
alongside. Set a bine
stone 12×10×10" 8" in the ground
for cor. to secs. 12 & 13 marked
with 4 notches on E and
2 on N edges, 4 CC and raised
a stone mound alongside.
Land level.
Soil & rate gravelly

Resurvey Subdivision

Chain & timber

Scattering attending

Undergrowth

North on resurvey line

betw. secs. 11 & 12

Var. 18½° E

28.50 Road bears S.W. & N.E.

40.00 Road bears E. & W. no trace of old cor. set a Cobble 12 x 6" 8" in the ground for sec. cor. marked 1/4 on W. f. and raised a stone mound alongside.

80.00 No trace of old cor. set a conglamerate 20 x 10 x 6 15" in the ground for to secs. 1. 2. 11 & 12 marked with 1 notch on E. and 5 Sedges and raised a stone mound alongside.

Land rolling

Soil 2nd rate rocky

No timber

East on the

betw. sec

Var.

00 No trace

a slate 14 x

for 1/4 sec. cor.

face and r

mound al

00 Road bears N.W.

00 Water pa

50 Intersec

to sec.

of 11. 12

is a line

firmly

property

Stone mo

where S

15 x 10 x 10

for cor.

with 5 no

on 4 edg

North R. 7 West.

Druse sayebrook
mitchgrowth.

East on the resurvey line
between secs. 1 & 2
Var 18½° E.

00 In trench of old corner set
a slate 14 x 8 x 6" 9" in the ground
for 1/4 sec cor marked 1/4 cor N
face and raised a stone
mound alongside.

00 Boundary trees N 70° E.

00 Waterpipe bears NW & SE.

50 Intersect the cor. corner
to secs. 6 & 7 for R 2 W on E boundary
of Tp. 10.50 chs S. which
is a limestone 17 x 14 x 11"
firmly set in the ground
properly marked with
stone mound alongside.
Where I set a sandstone
15 x 10 x 10" 10" in the ground
for cor. to secs. 1 & 12 marked
with 5 notches on I and 1
on N edges and raised a
mound alongside.

Resurvey Subdivisions North

Chain mound of stones alongside

Land. rolling
Soil Brute rocky
No timber.
Some sagebrush
undergrowth

North on random resurvey line
betw. secs. 1 & 2
Var 18½° E.

40.00 Set temp ¼ sec cor. no trace of old corner.

80.00 Intersect cor. to secs. 1 & 2 on boundary of R.R. published by me under this contract from which

South on true line
betw. secs. 1 & 2.
with same var.

20.00 Wash drains NW. Road NW

38.00 Ridge bears NW & E.

40.00 N trace of old cor. set a limestone 10×8×8" in the ground for ¼ sec cor. mar

---

From the
25 & 26. T
South
betw
Va

00 No trace o
limestone
the groun
marked
pits 18×
5½ dia
mound
3½ bur

00 End of

North R 2 West

1/4 on N. face and mixed.
a stone mound alongside
Enter lower bench
Thence to secs 1.2.11.12.
Land. rolling & Mts.
Soil 2nd rate Rocky
No Timber.
Dunn Underwood
Surveyor.
March 14. 1887.

From the cor. to secs. 23.24.
25 & 26. Run
South on survey line
bet. secs. 25 & 26.
Var 18½° E.
No trace of old corner set a
lime stone 12×12×5" 8" in
the ground for 1/4 sec cor.
marked 1/4 on W face dug
pits 18×18×12. Mound of stone
5½ ft dist. and raised a
mound of earth 1½ ft high
3½ ft base alongside
End of survey no trace

Resurvey Subdivisions T 26 N R 7

Chain of old cor. set a lime stone 18×10×7" 12" in the ground marked with a + cross. Land. level. Soil. 2 rate alkali No timber.

From the cor. to secs. 22 & 23, 27 T. 27 N. South on resurvey line betw. secs. 26 & 27 Var. 18½° E

12.50 Enter salt grass meadow bears N. 72° E.

20.50 Leave Rene

25.00 Enter meadow bears N.

39.00 Wash drains S.E.

40.00 No trace of old cor. set a hard post 3 ft long 3" square 12" in the Ground for ¼ sec. cor. marked "¼" on W. face, dug pits 18×18" N. & S. of post 3½ ft dist. and mound

40.00 find no trace of old cor. mound set a stone 3" square Ground marked dug pits N. & S. of post

From the cor. to secs. 22 & 23, 27 T. 27 N. South on resurvey line betw. secs. 26 & 27 Var. 18½° E

12.50 Enter salt grass meadow bears N. 72° E.

20.50 Leave Rene

25.00 Enter meadow bears N.

39.00 Wash drains S.E.

40.00 No trace of old cor. set a hard post 3 ft long 3" square 12" in the Ground for ¼ sec. cor. marked "¼" on W. face, dug pits 18×18" N. & S. of post 3½ ft dist. and mound

Y[illegible] R 7 West - S.L.M.

[illegible] of earth 1 1/2 ft high 3 1/2 ft bare
[illegible] stuck post
[illegible] No trace of old cor. end of
[illegible] survey rel a limestone
12 x 10 x 6" 8" in the ground
marked with a + on top.
Land level
Soil brute. alkali
brute. meadow land
No timber.

From the cor. to secs 21. 22. 27
& 28 I run
South on survey line
between secs. 27 & 28
Var 18 1/2° E.

[illegible] find remains of an old
mound of earth where I
set a charred post 3 ft
long 3" square 12" in the
ground for 1/4 sec. cor.
Marked 1/4 on W face
dug pits 18 x 18 x 12. Ops.
of post 5 1/2 ft distant

BOOK-A-216

Resurvey Subdivisions of North - E

Chained west a mound
earth 2 1/2 ft high 3 1/2 ft
around post.
49.00 No trace of soldier. End
of resurvey set a post 3
long 3" square. Unmarked
with a + cross.
Land level.
Soil Loam alkali
No timber.

From cor. to secs. 20. 21. 28
From
South on resurvey
below. secs. 28 & 29
Var. 18 1/2° E.
40.00 No trace of old cor. set a
lime rock 15" x 10" x 7" 10" in
ground for 1/4 sec. cor. mar
1/4 on W. face and mound
a stone mound alongside
68.00 End of resurvey, no trace
old cor. set a lime rock 10" x 10" x 6" 6"
the ground marked with a +

Land l
Soil L
No timb

From the
29 & 30. T
Soil
belo
Va

Ground
Enter lower
No trace o
post 3 ft
the grou
marked
pits 18 x 8
6 1/2 ft d
mound
3 1/2 ft ba
No trace
lime ston
the grou
29. 30. 31. &
notch o

North - R 7 West S.L.M.

Land level.
For Inter-state Rule
Not timber.

From the cor to sec 19. 20. 29 & 30. I run
South on survey line
betw. sec. 29 & 30
Var 18½° E.

10 Descend
50 Enter lower bench
00 No trace of old cor. set a chomd
post 3 ft long 3" square 12" in
the ground for 1/4 sec cor.
marked 1/4 on W face. dug
pits 18X8X12" NE & of post
0 1/2 ft dist. and raised a
mound of earth 1 1/2 ft high
3 1/2 ft base around post
00 No trace of old corner set a
limestone 18X11X4" 12" in
the ground for cor. to sec.
29. 30. 31. & 32 marked with
notch on S and E edges.

Resurvey Subdivision [illegible] T 4 N R 7

Chain dug pits 18×8×2" in ea[illegible]
Sec. 5 1/2 ft dist. and run
a mound of earth 2 1/2
high 4 ft long along
Sand level. Soil 2 ft dk
Timber

East on true resurvey li
betw. Secs. 29 & 32
Var. 18 1/2° E

40.00 No trace of old cor. Set
volcanic stone 14×14×4
10" in ground for 1/4 Sec
cor. marked 1/4 on N
dug pits 18×18×12 [illegible]
of stone and run
a mound of earth
ft high 3 1/2 ft long
alongside.

77.00 End of old survey n
trace of cor. set a lim
14×10×6" in the ground
marked with a + cr
Good level.
Soil 2 ft to alkali
No timber.

East on
betw.
Var. 18
No trace of
1/4 Sec cor.
Intersect
on W. boun
leg run
from wh
East on
betw.
Mark on S.W. Var
set a sto
long & 6"
ground.
marked
dug pits
of pork
Faint
earth 1 1/2
base ab
The cor.
Land le
Soil 2
No tim

T 4 N. R 7 West S.L.M.

Meander

Meander line on the
betw. Secs. 30 & 31
Var. 18½° E

N. 70 W. 80 lks to cor. set temp
1/4 sec cor.

S. 70 W. 80 lks to cor. to secs. 30 & 31
on W. boundary reestablished
by me under this Contract
from which I run
East on true line
betw. secs. 30 & 31
Wash dun S.W. Var 18½° E.

S. 65° W. 80 lks a charred post 3 ft
long 8" square 12" in the
ground for 1/4 sec. cor.
marked 1/4 on N face
dug pits 18 x 18 x 12". Bears W
& pine 5½ ft dist and
raised a mound of
earth 1½ ft high 3½ ft
base adjacent post.

N. 70 W. 80 lks to cor. to secs. 29, 30, 31 & 32
Low level.
Soil Loam alkali
No timber.

Retracing subdivisions & North - E

Chain South on true meri
bdry. secs. 31 & 32.
Var 18 1/2° E.

+4.00 Witness cor. set a
limestone 16×10×8" 12"
the ground for 1/4 sec cor
marked 1/4 on W face a
raised a stone mound
alongside.

6046 Intersect S. bound
of town 29 chs E
cor. to secs. 5 & 6 & 31 & 32
is a trachyte 33×8×12
set in the ground pro
marked with stone mou
alongside. when set
a sandstone 10×10×8"
in the ground for cor
secs. 31 & 32 mound
1 notch on N and S
edges and raised a
stone mound alon
side.

Notes. This line extend
originally 3.54 chs. fro

South bou
boundar
different
West & No
the South
S.W. and
surveys
to. Thence
cor. at the
Land
suit
in trivi

Genera

The lan
this Contr
of land
covered
and pur
They are
growing

North - R 7 West S.L.M.

South bdy as the South & East boundaries are run one different cor. from the West & North boundaries the South boundaries bear N.W. and reaches the old surveys before it ought to. I therefore set a special cor. at the pt. of intersect Lands level.
Soil Mute alkali
No timber.
March 15th 1887.

General Descript.

The lands resurveyed under this Contract consist mostly of level valley, partly covered with dwarf sagebrush and partly alkali flat. They are only suitable for grazing purposes

Edward W Kerbow
U.S. Dep Surv

BOOK-A-216

S. SURVEYOR GEN

Salt Lake City, U

The foregoing field

Subdivi

wnship No. *T*

ecuted by *Edw*

der Contract No. *1*

y of *June*

March *18*

amined, the necessar

ns made, the said f

y describe are hereb

William

U.

BOOK-A-216

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1887.

The foregoing field notes of the Re survey of the Subdivisions

Township No. 9 S. Range No. 7 W.

executed by Edward F. Roeber

under Contract No. 143 of the 24

day of June 1886, in the month of

March 1887, having been critically

examined, the necessary corrections and explana-

tions made, the said field notes, and the surveys

they describe are hereby approved.

William G. Brunson

U. S. Surveyor General for Utah.

272

T. 9 N., R. 7 W.

Note:

It appears that where the subdivisional lines of T. 9 N., R. 7 W. close on the 2nd standard Parallel North, the ties given are to the original standard corners instead of to the closing corners of T. 8 N., R. 7 W. The notes show this in their original writing, but changes have been inserted.

George W. Johnson.

George W. Johnson
Office Cadastral Engineer
July 14, 1955.

10/28/1964
The notes filed in washington do not show any cross-outs or corrections, but they read the same as these notes do after being amended. Mr. Johnsons deduction may or may not be correct Arthur D. Bro...

BOOK A...

...PORT:

...ed

...amined by

...scribed by

...pared by

FIELD

OF THE SU...

...wnship No.

...nge No.

SALT LAK...

UTAH

AS S...

U. S. D...

Under his Contra...

...ated

...rvey commenced

...rvey completed

8 en 03 ch 60
1 - 47 + 13

BOOK A-215

Note; see next page.

PORT:

ed 9th call June 20th 1889

amined by John H Crampe.

nscribed by Jennie V. Bowman

mpared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

OF THE SURVEY OF THE

Subdivs.

OF

wnship No. 9 S

ange No. 7 W

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward Kober.

U. S. Deputy Surveyor,

Under his Contract No. 145

ated June 24 1886

urvey commenced March 15 1887

urvey completed " 16 1887

8 mi 03 chs 60 lks
1 - 97 + 13 " closing
3.9

BOOK-A-216

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cronin	Chainman
A. J. Jane	Axeman
C. C. Leavitt	Axeman
	Flagman

U. S. Surv. Genl. Office
Salt Lake City, Utah.

Edward N. Koelzer,
U. S. Dep. Surveyor.

Sir! No closing corners should have been established on the lines closing on the South and East boundaries, said lines should close on corners previously set and then run back on a course.

John A. Campe,
Chief of Draughtsmen

Subdivisi

Survey com
March 15

Note.
Referrin
to secs. 3 &
Fract. Subs.
Contr. 143.
Subdiv. of
on the so

From the
survey
which w
by me
No 143.

Sout
bet

Beg
End of
Enter a
Set him
the gran
35.36 me
E. & S.
stone mar

Subdivisions Tp. 9 S. R. 7 W.

Survey commenced:
March 15th 1887

Note.
Referring to my note to secs. 3 & 32. resurvey of Subs. T. 9 S. R. 7 W. under Contr. 143. I also run the Subdiv. of the new survey on the same principle.

From the cor. at the end of resurvey betw secs. 25 & 26. which was reestablished by me under Contract No. 143. I run
South on true line
betw. secs. 25 & 26
Var. 17° 45' E.

80 End of resurvey
80 Enter adobe flat.
80 Set lime stone 18 x 10 x 5 12 in the ground for cor. to secs. 25. 26 35 & 36 marked with 1 notch on E & S. Edges and mound 4 stones mound alongside.

BOOK-A-216

Subdivisions Lf. 9 Nor[th] 7 We[st]

Chain Land. level.
Soil Quite alkal[i]
No timber.

Cor[ner] on true line
bet[ween] secs. 25 & 36
Var. 17° 45' E

36.50 Leave alkali flat
40.00 Set a lime stone 14×12×10" 9
in the ground for 1/4 sec c[or]
marked 1/4 on N face and
mound x Stone mound
alongside.
41.00 Enter alkali flat
52.61 Intersect E. boundary of
Tp 10 S. R 2 W. 59 chs 2 of cor. to secs. 30
31 Tp 9 S R 2 W. which is a limestone 2
11×7" firmly set in the gro
properly marked with
regulation mound of
earth & pits alongside
Scribe Set a lime ston
10×10×10" 6" in the ground
for cor. to secs. 25 & 36. mar
cc with 1 notch on East S[ide]

edges and
of stones
Land. le
Soil Qu
No timber

South
Var.
Set lime ston
the ground
marked
mound a
alongsi
Intersect
township
cor. to secs.
a post f
properly m
regulati
earth & pit
Set lime
×7"×12" in
cor. to secs.
with 1 not

Mon 7 Mer — S. L. M.

in edges and raised a mound of stones alongside.
Land. level.
Soil Brule clay
Timber. March 15 1887

South bdies. secs. 35 & 36.
Var. 17° 45' E.

Set limestone 10×10×6" 6" in the ground for 1/4 sec cor. marked 1/4 on N face and raised a stone mound alongside.

Intersect S. boundary of township 29 N. 10 W. E. of clay cor. to secs. 35 & 36 which is a post, firmly set in the ground properly marked with regulation mound of earth & pits around it.

Set here a limestone 17×10×7" 12" in the ground for cor. to secs. 35 & 36 marked C C with 1 notch on E and 5 on

BOOK-A-216

Subdivision of 9 Mon[illegible] Wes[illegible]

Chain W. edges and mixed a Stone
mound alongside.
Land level
Soil 2nds alkali
No timber.

From the corner at the end
of survey betw. secs. 26 & 27
which I have established
by me under Contract
No. 143. Iron
Latch on true line
betw. secs. 26 & 27
Var. 17° 45' E.

8.00 End of survey
63.50 Enter alkali flat
70.00 Wash drains S.E.
76.00 Low alkali flat
80.00 Set a limestone 15"x 5"x 6" in the ground for cor. to secs. 26. 27. 34 & 35. marked with notch on S. and 2 cor. E. edges and mixed a stone mound alongside.

Land level
Soil 2nds
No timber

Cast
betw.
Var.
Set temp
Intersect
S. for cor. to
from wh
S. 87
bet
with
Set a post
3" square
14" cor.
for drag
of post 3
Iron
1½ ft hig
mound
Wash dra
Low alk
The cor. t

BOOK-A-216

Mrs. S. L. M.

Land level.
Soil 2nts alkali
No timber.

Set an aluminum bill
below secs. 26 & 35
Var. 17° 45' E
Set temp 1/4 sec cor.
Intersect N & S. line 2 chs.
S. of cor. to secs. 25. 26. 35 & 36
from which from
S. 89° 51' W on true line
below secs. 26 & 35
with Quincy Var.
Set a post chiseled 3 ft long
3" square 12" in the ground for
1/4 sec cor. marked 1/4 S 35 N
four dug pits 18 X 8 X 2" E & W.
of post 5 1/2 ft dist. and
faced with mound of earth
1 1/2 ft high 3 1/2 ft base
around post.
West drains N.E.
Level alkali flat.
The cor. to secs. 26. 27. 34 & 35.

Subdivisions of Sec 9 T 7 N

Chain Legal Land
Soil Units.
Or Timber.

South on true line
betw. Secs. 34 & 35
Var 17° 45' E

2.00 Enter alkali flat

40.00 Set a charred post 3 ft low
3" square, 12 inches in the ground
for 1/4 sec. cor. mark
1/4 on W face dug pits 18x18
Up S. of post 5 3/4 dist.
a mound of earth 1 1/2 ft h
3 1/2 ft low charred post
20 links

55.00 Slough 2' deep, runs NE.

65.71 Entered S. boundary
of Sec 9 T 7 N R 3 E
2 3 T 8 N R 7 W
Set a stone, which is a post
firmly set in the ground
properly marked with cr
quite a mound of earth
and pits around it, whe
Set a limestone 14x8x6"
" in the ground for cor to sec
34 & 35. marked with 2 notch
cc

9 R. 17 West. S. L. M.

line on E and 4 on W edges and
mound a stone mound
alongside.
Ground level.
Soil Grit alkali
No timber.

From the cor. at the end of
survey betw. secs. 27 & 28
which was established
by me under Contract No 143
Run
South on true line
betw. Secs. 27 & 28 17.45 E.
80 End of survey
80 Enter alkali flat.
Model a limestone 17x10x7 in 11"
in the ground for cor to secs.
27. 28. 33 & 34 marked with
3 notches on E and 1 on S. edges
and mound a mound of
stones alongside.
Land level.

BOOK-A-216

Subdivision of Sec 9 Town 7 Regt.

Chain Soil. Drift alkali

Timber.

Var

Set a stone
Corner sec. 27 & 34
Var 17° 45' E.
40.00 Set temp. 1/4 sec cor.
79.95 Intersect top of S. line 27 &
S. of cor. to secs. 26. 27. 34 & 35
from which
S. 87° 45' W. on true
bdry. secs. 27 & 34
W. 1/4 cor. var.
39.99 Set a limestone 10x10x6"
in the ground for 1/4 sec
marked 1/4 in N face
pits 18x18x12" E & W of stone
5 1/2 ft dist. and mound
stones of earth 1 1/2 ft high
S. 1/4 ft bdry along hill
79.95 Top of to secs. 27. 28. 33 & 34.
Good load
Soil 2nd alkali
Timber.

Set a
3" square
for 1/4 sec.
Son N face
12" deep S.
dist. a
of earth
ft bdry an
Intersec
Ft. 29
33
Stone 20
in the gr
mound
mound
along si
bdry stone
the grou
& 34 and
in E & W
" in each
mound
1/4 bdry

Nov 7 Mgl. S. L. M.

South bdy. Sec 2 Tp 24
Var 17° E.

Set a post 3 ft long
3" square 12" in the ground
for 1/4 sec. cor. mound 1/4
S on W face shd pits 18x18x
12" Dist S. of post 5 1/2 ft
Dist. and mixed a mound
of earth 1 1/2 ft high 2 1/2
ft base around post.

Intersect S boundary of
Tp. 29 S. E. closing Cor. to Secs.
2 & 3 T 8 R 7 W. 1
which is a lime
stone 20x10x7" firmly set
in the ground properly
marked with regulation
mound of earth & pits
alongside. Set here a
limestone 10x10x7" 6" in
the ground for cor. to sec.
2 & 3 & marked C C with 3 notches
on E & W edges dug pits 18x18x12
" in each sec. 5 1/2 ft dist and mixed
a mound of earth 2 1/2 ft high
1/2 base alongside

BOOK-A-216

Subdivisions Tps 9 North 7 West

Chain Land Look
Soil Route alkali
No timber.

From the cor. at the end of
survey line betw. secs.
28 & 29 which was marked
by mounded Contract
Sp° 143 Thence
South on true line
betw. secs. 28 & 29
Var 17° 45' E.

68.00 End of survey
80.00 Set a limestone 12 x 9 x 6
8" in the ground for cor
secs. 28. 29. 32 & 33 marked
with 1 notch on S and W
Edges and mound of stone
mound alongside.
Land Look
Soil Route alkali
No timber.

Cor on
betw.
Var

Set limestone
Intersect
of cor. to
when

S. 8
betw
wi

Set a lime
in the gr
cor mar
and ma
alongs

The cor
Land.
Soil
No tim

BOOK-A-216

7 West — S. L. M.

Ean on random line
bttw. secs. 28 & 33
Var 14° 45' E.

Set temp 1/4 sec cor.

98 Intersect N & S line 29 lks S.
of cor. to secs. 27. 28. 33 & 34 from
which
S. 89° 47' W on true line
bttw. secs. 28 & 33
with Quinn Var.

99 Set a limestone 16 x 8 x 6" 12"
in the ground for 1/4 sec.
cor. marked 1/4 on N face
and mound a stone mound
alongside.

98 Thence to secs. 28. 29. 32 & 33
Land. level
Soil Loam alkali.
Timber.

BOOK-A-216

Subdivision of Sec 9 Town 7 West

Chain South on the line
between secs 32 & 33
Var 17° 45' E.

4000 Set limestone 4×10×6 in.
the ground for 1/4 sec cor
marked 1/4 on W face
and raised a stone
mound alongside.

6221 Intersect S. boundary
of Tp 29 S R 10 E along
to sec. 32 & 33 T 8 S. R. 27 W
a quartzite 16×13×3 in.
set in the ground pro
marked with regulation
mound of earth & st
alongside. when set
a limestone 17×6×8 1/2 in.
the ground for cor to
secs. 32 & 33 marked
4 notches on E and W
on W edges. and raised
a stone mound alongside
Land level
Soil Drift and Alkali
No timber.

From the
of secs
29 & 32. w
Linked by
Central
which is
to secs. 29
sec. the cor.
& 33. whic
N. 89° 57' E

of 8 9

bet

T

End of
Intersect
32 & 33
Land
Soil
No timb

7 West — S. L. M.

From the cor. at the end of survey betw. secs. 29, 32. which was recd. & listed by me under Contract No 143 and which is 77 chs. E of cor. to secs. 29. 30. 31, 32. Thence sec. the cor. to secs. 28. 29. 32 & 33. which bears from the N. 89° 57' E. Thence run

S 89° 57' E. on true line betw. secs. 29 & 32 Var 17½° E.

62 End of survey
Interest the cor. to secs. 28. 29 32 & 33.
Land level
fair quality alkali
no timber.
March 16. 1889

Subdivisions of Sec 9 T

General Descrip

The lands surveyed
under this Contract
consist mostly of
alkali flats, with
any timber with
in the S.E. cor. of sec 36.
little meadow land
which is fenced in by
Adams & Shilling.

Edward W. Kolb
Mid. dy mu

BOOK-A-21

S. SURVEYOR GE

Salt Lake City,

The foregoing fie

Subdi

wnship No. G

xecuted by Ed

nder Contract No.

y of

March

amined, the necess

ons made, the said

ey describe are her

Wi

BOOK-A-216

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888

The foregoing field notes of the survey of the

Subdivision

Township No. 6 N Range No. 7 W

Executed by Edmund W Norbo

Under Contract No. 145 of the 24

day of June 1886, in the month of

March 1887, having been critically

examined, the necessary corrections and explana-

tions made, the said field notes, and the surveys

they describe are hereby approved.

William G Bruman

U. S. Surveyor General for Utah.

BOOK-A-

EPORT:

ed 9th and Jun

amined by John H.

nscribed by Jenn

mpared by Jennie V. Bo

FIELD

OF THE SUR

Kennet

wnship No. 9

ange No, 7

OF

SALT LAKE

UTAH TE

AS SUR

Edward M

U. S. Dep

Under his Contract

Dated Jun

urvey commenced O

urvey completed

"—30 days"

4

BOOK-A-216

REPORT:

Filed 9th Day June 20th 1887

Examined by John A. Campbell

Transcribed by Jennie V. Bowman.

Compared by Jennie V. Bowman & H. Atkinson

FIELD NOTES

OF THE SURVEY OF THE

Meanders

Through

Township No. 9 North

Range No. 7 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward M. Hoeber

U. S. Deputy Surveyor,

Under his Contract No. 145

Dated June 24th 1886

Survey commenced March 11th 1887

Survey completed " 11 1887

" ~30 days "

4

3

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassman
Willard Carr	Chainman
J. V. Smith	Chainman
Fred Alexander	Chainman
H. M. Cornell	Chainman
D. J. Jaure	Axeman
C. C. Smith	Axeman
	Flagman

BOOK-A-216

Meanders

Survey cor

Meander
Cross cor.
boundar
by mea
Cross cor

Ta

S. 60° E. 10.
S. 30° E. 9.
S. 54° E. 11.
cor. to fra
of townsh
stone 17 x
the grou
with stone
Land
Soil
No timber

General

For ge
see subs. of

SISTANTS
Compassm
Chainman
Chainman
Chainman
Chainman
Axeman
Axeman
Flagman

Meanders through T. 9 N R 7 W

Survey commenced March 11. 1887

Meander Cor. to secs. 31 & 36 on W. boundary of Tp not established by me under Contract No 143 & run with meanders in sec 31.

Var. 17° 50' E.

S. 60° E. 10.00 chs.

S. 30° E. 9.00 "

S. 54° E. 11.00 " to the meander cor. to fract. secs. 6 & 31 on S. bound. of township which is a limestone 17 x 17 x 3' firmly set in the ground properly marked with stone mound alongside.

Land level

Soil Clay & Sand

No Timber

March 11. 1887

General Description

For general description see subs. of this township

Edward M. Foster

Deputy Surv.

BOOK-A-216

S. SURVEYOR GENE

Salt Lake City,

The foregoing field n

Meander

Thi

wnhsip No. 9 North

the Salt Lake Meridian

Edward M

der Contract No. 14

y of June

March

amined, the necessary c

ade, the said field notes,

e hereby approved.

William

U. S.

BOOK-A-216

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888

The foregoing field notes of the ..... *survey of the*

Meanders

Through

wnhsip No. North *Range No.* 7 West

the Salt Lake Meridian. Executed by

Edward W. Rowbur

der Contract No. 145 *of the* 24th

y of June *1886, in the month of*

March *188*7*, having been critically*

amined, the necessary corrections and explanations

ade, the said field notes, and the surveys they describe

e hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK A-2

PORT:

d July May

mined by John (H

nscribed by H. Ashe

pared by Jennie V. Bo

FIELD

OF THE SUR

wnship No. 8

nge No.

OF

SALT LAKE

UTAH TE

AS SUR

Edward

U. S. Dep

Under his Contract

ated June

urvey commenced

urvey completed

Subs. 20 m

Board 7-90

PORT:

d Salt Lake May 22 1887

mined by John H. Caudle

nscribed by H. A. Reisor

npared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions of Sections

OF

wnship No. 8 S

ange No. 8 W

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward H. Kober

U. S. Deputy Surveyor,

Under his Contract No. 145

ated June 24th 1886

urvey commenced Feb. 17th 1887

urvey completed " 21st 1887

V Subs. 20 mi 4 chs 31 lks

Board 7-90-59

5.20

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compass
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Croman	Chainman
A. J. Tame	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-216

Observations

Survey com
1887 with
Transit
On the Sou
Township
Great Sal
obliged to
at the Ea
of the Cru

From
Secs 25. 30
E bdy of
leyne n
Thro 143
Weston
Sect
N
Set Tracky
mi grou
marked 1/4
pit 18" x 18"
5 1/2 E dist a
mound
3 1/2 th base

Subdivisions T 4 N. R 8 W. S.L.M.

Survey commenced March 7th 1887 with a Burley Solar Transit

On the South & West part of this Township falls in the Great Salt Lake I was obliged to commence at the East Boundary of the Township

From the corner to secs 25. 30. 31 & 36 on the E bdy of Tp as established by me under contract No 143. From Weston Summit Set secs 25 & 36

Va 17° 24' E

Set Trachyte 12 x 10 x 8" 8" in ground for 1/4 sec cor marked 1/4 on N face, dug pits 18" x 18" x 12" & W stone 5 1/2 ft dist and a circle of stone around each 1 1/2 ft high 3 1/2 ft base alongside

BOOK-A-216

Subdivision of T. 9 N. R.

Chain
55.00 On edge of Great Salt Lake, Set a Hachyte [illegible] x 8"x6" 11" in ground. Meander Corner to [illegible] Secs 25 & 36, Marked [illegible] and raised a Mound [illegible] for Mine 2 ft high 4½ ft base alongside

Sand beach
Soil 1st rate, alluvial
Scattering Cedar [illegible]

From the corner to [illegible] 19, 24, 25 & 30 on the E[illegible] of Tp, re established by [illegible] meander contact

142 Iron
Western Line between Secs 25 & 24
Var 19° 24' E

4.00 Set a Chamfered cedar post 3 ft long 3" square 12" in ground for 1/4 [illegible] Cor. Marked 1/4 Sec

dug pit [illegible] post 3 ft [illegible] raised a [illegible] earth 2½ ft [illegible] around [illegible] Ascind, [illegible] N face of [illegible] Set a Chamfered [illegible] 4 ft long [illegible] ground for [illegible] 23, 24, 25 & [illegible]

T 9 N S[illegible]
R 8 W. S[illegible]
S 26 on S[illegible]

faces with [illegible] 42 on E[illegible] 18"x18"x12" [illegible] deep & raise [illegible] feet 2 ft [illegible] around [illegible]

Sand beach
Soil 1st [illegible]
Native [illegible]
Scatter[illegible]

T 9 N. R 8 W. S. L. M.

dug pit 18"x 18" x 12" C & W
of post 3 1/2 ft dist and
raised a mound of
earth 2 1/2 ft high 3 1/2 ft diam
around post
Ascend Stream along
N face of slope
Set a chamfered cedar post
4 ft long 4" square 12" in
ground pn on N sec
23, 24, 25 & 26 marked
T 9 N. S 24 m N C
R 8 W. S 25 m S C
S 26 m S W & S 23 m N W
faces with 2 notches m S
& E on C edges, dug pits
18"x 18" x 12" in each sec 3 1/2 ft
dist & raised a mound
of earth 2 ft high 4 1/2 ft diam
around post
Sand beach rolling
Soil 1st rate alluvial
N. timber
Scattering sagebrush

Subdivisions

Chitem South bet sec co 23 & 24
Var 17°24' E
22.50 Descend gently S
40.00 Set a Chained cedar
post 3ft long 3" sq
12" in ground for 1/4
Cor. Marked 1/4 Sec W
deg pits 18x18x12 N
& S of post 3 1/2 ft dist and
Raised a mound
earth 1 1/2 ft high 3 1/2 ft long
around post.
75.50 on shore of Great Salt
Lake set a chained
Cedar post 4ft long 2"
12" in ground for Meander
Corner to fractional
Sections 25 & 24, mark
M.C. with Tg N on W
P & W S 25' on E & S 2
in Wedges, dug a pit
3ft square 1ft deep 8 ft
N of post and raised
a mound of earth 2ft
high 4 1/2 ft base

around
Land
Soil 1st
Vegetable
Scattering

From the
23, 24 25
On be
Var
Descend
Set a Cha
post 3ft lo
12" in gr
Sec cor an
Face due
1/4 & S of
Raised a
earth 1 1/2
around p
Set a tach
8" in grou
Sec 23 24
Scratches in
Raised a

Mh 9 N. 1 E. W. S.L.M.

Marked post
Landbreed
Spil 1st Nat allowed
Ng timber
Scattering sagebrush

From the connections
23, 24 25 & 24. From
N bet secs 23 & 24
Van 17 24 '80
Deceased
Set a Chamfered cedar
post 3 ft long 3" square
12" in ground for 1/4
Sec cor marked 1/4 S on
W face also pits 18" x 18" x 12"
1/4 S of post 2-1/2 ft dist-
Raised a mound of
earth 1-1/2 ft high 3-1/2 ft base
around post
Set a hackyle 12 x 12 x 16
8" in ground for cor to
Secs 13, 14, 23 & 24 marked
3 notches on S & 1 on E edges
Raised a stone mound

Subdivisions

Cham alongside
Cabed beech
Soil 1st rate alluvial
No timber
Scattering sagebrush

East on a random
line 1st sec 13 & 2
Var 17° 34' E
40.00 Set limestone 1/4 sec cor
80.10 Intersect E bdy of Tp 16
N from sec 13. 18. 19 &
W. Bdy mound dug conts
"Or 1/4 3. Thence
N. 89° 53' W on true
line 1st sec 15 & 24
with same Va
40.05 Set chained post 3 ft
3" square 12" in ground
for 1/4 sec cor, marked
1/4 S on N face, dug pits
18" x 18" x 12" & W of post 5
dist to road to mound
of earth 1/2 ft high 3 1/2
base around post

BOOK-A-216

Y & N. R

The corner
23 & 24
Sand
Soil 1st
Timber
Scatter

North
Var
Set charred
E square
for 1/4 sec co
on W face
x 12" in
distant
Mound
3 1/2 ft base
Set balance
8" in ground
sec 11. 12.
4 notches
edges and
Ground
Sand

BOOK-A-216

T 4 N. R 8 W. S.L.M.

In the corner to sec 13, 14, 23 & 24
Sand beach
Soil 1st rate loam
Timber
Scattering sagebrush

North bet secs 13 & 14
Var 17° 24' E
Set chiseled post 3 ft long
2" square 12" in ground
for 1/4 sec cor. Marked 1/4 S
on W face also set 18" x 18"
x 12" in 24 & 5 ft from 5 1/2 ft
distant and raised a
mound of earth 1 1/2 ft high
3 1/2 ft base around post
Set Volcanic rock 12" x 10" x 8"
8" in ground for cor to
secs 11, 12, 13 & 14 marked
Hantelus on S & 1 in E
edges & raised a stone
mound alongside
Sand beach

Subdivisions

Chain — Soil, Rate, Loam, Timber, Scattering Sagebrush

East on a random line between secs 12 & 13 Sec 17 T 24 R 6 E

40.00 — Set temp 1/4 sec cor

80.14 — Intersect E. Bdy of Sp 21 lks N of cor to secs 7, 12, 13 & 18, re-established by running under contour N 0° 14' E. Thence

N 89° 51' W on true line between secs 12 & 13 with same va

40.07 — Set chained post 3 pits long 3 to square 12 in ground 1/4 sec cor Marked 1/4 S on N face dug pits 18 x 18 x 12" deep Mound stone 3 1/2 ft dist East and West a mound of earth 1 1/2 ft high 3 ft

base aro
The cor to
4 1/4

Sand
Soil, Ra
Timber
Scatter

North bet
Sec 1
Set chai
3 to square
for 1/4 sec c
on N face
x 12" N & S
Mound
earth 1 1/2
around
Set Soledad
14 x 12 x 18
Cor to sec
Marked
41 m E co
Stone Mo

Y & N. P. & W. S. & M.

base around post.
The corner trees 11, 12, 13
& 14

Sand level
Soil 1st. salt alluvial
No timber
Scattering sagebrush

North between 11 & 12
Var 17° 25' E

Set channel post 3 ft. long
3" square 12" in ground
for 1/4 sec. cor, marked 1/4 S
on W face, dug pit 18"x18"
x12" N & S of post 5 1/2 ft. dist
Mound & mound of
earth 1 1/2 ft. high 3 1/2 ft. base
around post
Set Volcanic rock 24"x
14"x12" 18" in ground for
Cor. trees 12, 11 & 12
Marked 5 notches on S
& 1 on E edges, mound of
stone around above

BOOK-A-216

Subdivisions

Chain Land level
Soil 2nd rate grave
Detritus
Scattering sagebru

Easterly corner stone
between 1 & 12
Var 17° 25' E

40.00 Set temp. 1/4 sec cor
80.19 Inter. & B dyst.
20 lks N of cor to secs.
6, 7 & 12, re established
by mes. under cott
N 1/4 W. from whi
Iron
N 89° 49' W na
mon line betw
1 & 12
with same va

40.09 Set oak stake 10"x10"
7" mi. ground for 1/4
Cor. marked 1/4
Road paved & stone
mound alongside

42.00 Ac. end

Ridge bar
Gulley
Ridge be
Tree cor to
Land rolli
Soil 1st &
Gravel
Detritus
Scattering

Northern
boundar
Var
Set temp
Intersect
1/4 18 lks
Secs 1, 2,
in a limi
X 9" Iron
Marked
Thence
No
line b
with

T. 9 N. R. 8 W. S. L. M.

Ridge bears N. W. & V. C.
Valley bears V. C.
Ridge bears N. W. & V. C.
The centre sec 1. 2. 11 & 12
Sand valley & level
Arid 1st & 2nd rate, alluvial
& gravel
No timber
Scattering sagebrush

North on random
line between 1 & 2
Var 17° 25' E
Set temp. stone on
intersection of Boley &
Sp 18 lks E of same to
secs 1. 2. 35 & 36, which
is a limestone 20x10
x 9" firmly set, properly
marked & mound of stone
Thence
V. 0° 8' E on true
line between 1 & 2
with same va

Subdivisions

BOOK-A-216

Chain gentle ascent
36.20 Drain dains &
39.87 Set a chained post
3 ft. long 3" square
12" in ground for 1/4
Cor. Marked 1/4 on N
Jac. dug pit 18 x 18 x
N & S of post 5 1/2 ft dist
& raised a mound
of earth 1/2 ft high 3
base around post
79.87 The cor to Secs 1. 2. 11
Sandstone
Soil 2nd rate grass
No timber
Scattering sagebrush

March 17

From the corner
Secs 23. 24. 25 & 26 T
Run west on base li
between 23 & 26
Var 17° 25' E
25.00 Descend
40.00 Set chained post 3 ft

[illegible] 3" square
[illegible] 1/4 bee
[illegible] N of
18 x 18 x 12
5 1/2 ft dist
a mound
ft high 3
post
on line
Lake set
post. 4 ft
12" in
Meander
Section
M.C. T
R 8
S 26
dug pit 3
Elk & 5
a mound
4 1/2 ft base
Sa
Sand
No tim
Scatte

Th 9 N. R 8 W. N. M. Th

ine 3" square 12" in ground
Fn 1/4 Sec Cor, Marked 1/4 S
on N face, dug pits
18 x 18 x 12" E & W of post
2 1/2 ft distant and raised
a mound of earth 1 ft
ft high 3 1/2 ft base around
post

On line of Great Salt
Lake set a Charred
post 4 ft long 4" square
12" in ground for
Meander Cor to fractional
Sections 26 & 23 marked
M.C. Fq Non S 23 on N
R & W ii E
S 26 on S faces
dug pit 3 ft square 12" deep
Sets E & W of post and raised
a mound of earth 2 ft high
4 1/2 ft base around post

Land rolling
Soil 2nd rate sandy
Vegetation
Scattering sagebrush

Subdivisions

BOOK-A-216

Chain from the corner to fo
13, 14, 23 & 24 from
Westerly line
between 14 & 23
Van 17° 25' E
4,000 Set a round stone 10 x 10 x 12,
in ground for 1/4 sec co
Marked 1/4 on N face
Also raised a stone
mound alongside
6,000 Scored ledge rock N & S
8,000 Set a round stone 13 x 1
18" in ground for
On to sec 14, 15, 22 & 23
marked 3 notches on S
2 on Edges. Also set
18 x 18 x 12 in each sec 5/
ft West & raised a mound
of stone 2 ft high 4 1/2 ft
base alongside
Sandy valley
Set 2nd rate grade
Sycamore
Gallery Cedars

South be
Van
40 At shore of
Lake set
12 x 10 x 6
for one
& fraction
22 & 23. N
Raised a
stone 2 ft
alongside
Lance
Set 2
On line
Sagebr

From th
14, 15, 22
Westerly
line
Va
60 Set a lon
15" in gro
of Great
Mound

Y. N. P. & W. S. & L. Co.

South between 22 & 23
Van 17° 25' E
40 At shore of Great Salt
Lake set a boulder
12" x 10" x 6" 8" in ground
for meander corner
& fractional sections
22 & 23. Marked M. C.
Raised a mound of
stone 2 ft high 4½ ft base
alongside
Land level
Soil 2nd rate sandy
Timber, scattering
Sagebrush.

From the corner between
14, 15, 22 & 23 from
Weston Base Line
between 15 & 22
Van 17° 25' E
50 Set a boulder 20" x 15" x 14"
15" in ground at shore
of Great Salt Lake, for
Meander corner

Subdivisions

Chain in fraction of Secs 18 & 19 marked M. C. and raised a mound of stone 2 ft high 4½ ft base alongside
Sand level
Soil 2nd rate sandy
Timber
Scattering sagebrush

From the corner to Secs 14, 15, 22 & 23 from North between Secs 14 & 15
Var 17° 25' E

8.00 gentle ascent
4.00 Set a cobble 18" x 7" 12" in ground for ¼ Sec cor marked ¼ on W face raised stone mound alongside
5.00 gentle descent
8.00 Set a cobble 14 x 15 x 9" 12" in ground for

Cor to Secs marked 42 on E pits 18 x 18 Sec 5½ ft raised a earth 2 ft base al
Sand
Soil
Timber
Scatter

East on line
Var
Set temp
Intersect
12 lks S
11, 12, 13 &
where
N 89°
line bet
earth

Sec. 21, T. 8 N. R. 2 E. 4th P.M.

Cor to secs 10. 11. 14 & 15 marked 4 notches on S & W edges & dug pits 18"x18"x12" in each for 5½ ft cedar posts & mound of earth 2 ft high 4½ ft base alongside.

Land rolling
Soil 1st rate loam
Timber
Scattering oak & elm

Eastern & Western lines between secs 11 & 14
N 17° 25' E
Set temp ¼ sec cor
Intersect N & S line
12 lks S of cor to secs
11, 12, 13 & 14 from
which I mon
S 89° 53' W on a line
between secs 11 & 14
with same va

BOOK-A-216

Subdivisions

Chgn
16.00 Little ascent
39.00 Descend
39.97 Set bank rock 15"x1
11"ii ground for 1/4
Cor. Marked 1/4 on N.
dug pit 18"x18"x12"
of stone 5'1/2 ft dist on
found a mound
earth 1/2 ft high 3/2 ft
base alongside
41.00 Enter flat trees N.E.
S.W.
79.95 The on trees 10.11.14
Sandrolling
soil 1st rate alluvial
No timber
sagebrush undergr

Meander line
Set trees 10 & 15
Var 17° 25' E
37.50 on edge of Great Salt
Lake Set Stone
post 4 ft long 4" sq

12"ii gr
Meander
trees 10 &
M.C. on
Tp N. S
R 8 W.
S 15 m
dug pit
deep 8
found a
of earth
ft base
Some
soil 2
No tim

North
Var
Set cha
post 3 ft
12"ii gr
tree on
Trees o
N & S of

T 9 N R 8 W W. M. Mich

Set 12" in ground for
meander corner to gradient
Iron 10 + 15 marked
M.C. with
T 9 N S 10 on N
R 8 W on E &
S 15 on Sedge
dug pit - 3 ft square 12"
deep 8 lks E of post
Raised a mound
of earth 2 ft high 4 ft
base around post
Sand flat
Soil 2 ft to gravel
No timber

North lat Iron 10 x 11
Var 17° 23' E
Set chamfered cedar
post 3 ft planted 3" square
12" in ground for 1/4
Sec cor Marked 1/4 S
Pace dug pit - 18 x 18 x 12
No Soft post 5 1/2 ft dist

Subdivisions

BOOK-A-216

Chain transcd a mound
feet th 1/2 ft high
ft base crossed
$1800 Accepted
75.00 N 89° W Joint fee
80.00 Set Pole cor Rock
16 x 12 x 4 x 12" in ground
for cor to secs 2, 3, 10
Marked S on
S & 2 on E edges each
a stone mound alongside
Sand flat rolling
Soil 2nd rate
Timber
Scattering sagebrush

Easterly random
line between secs 2 & 11
Var 17° 25' E
40.00 Set temp 1/4 sec cor
80.10 Intersect N & S line
21 lks N of cor to secs
1, 2, 11 & 12 from
which Trees

N 89° W
Once between
secs 2
with
Set cor
7" in ground
Cor Mound
N face alum
& W of S
Marked as
feet th 1/2
ft base cr
Accepted
Gulley dry
The cor to
Sand
Soil 2
Timber
Scattering

North
line be
Var
Set temp

BOOK-A-216

Vg N. & W. R. R.

N 89° 51' W on
true line last
desc 2 & 11
with same to
Set cor. to be 18 x 18 x 8
" mi. mound for 1/4 sec
Cor. marked 1/4 on
N face of log - 18" x 18" x 12"
6" W. of line 5 1/2 ft. dist
marked a mound
of earth 1 1/2 ft. high 3 1/2
ft. base alongside
Agent
Gulley dies N W
The cor. to secs 2 3 10 & 11
Sand flat
Soil 2nd rate gravel
Timber
Rattlesnake gulch

Meander line between secs 2 & 3
Var 17° 25' E
Set temp. 1/4 sec cor

Subdivisions

BOOK-A-216

Chain
19.76 Intersect N Bdy of
Lp 29 Clk & Scar
Sec 2. T. 34 S. R. 36 E.
is a volcanic rock
19"x12"x6" projecting
Marked with 12 grad
Ground & Pile, from
which Pine
S 0° 12' E on line
Sec bet Sec 2 & 3
with same bears
11.00 Rock dug N & E
39.75 Set chained Post
3" long 3" square 12"
in ground for 1/4 Sec
Cor marked 1/4 S on
N face drag Pile
x 12" N & S set Post 5/2
Dirt and raised
mound of earth 1/2
high 3 1/2 ft base around
Post
12.50 Gravelly ascent
19.75 The Cor to Sec 2. T. 10
4 11

Land
Soil
No timber
Scattering

From the
Sec 2. T
run
Western
but
Vac
Enter alk
Set an
x 9. 9" in
1/4 Sec Cor
on N fac
astern
almost
Leave alk
Set an
x 10. 9" in
Corner
40. mark
N & S

D. R. & W. & L. Co.

Sand flat
Soil 2nd rate gravel
No timber
Scattering sagebrush

March 18/1884

From the corner to
Secs 2. 3. 10 & 11. I
run
West on true line
between 3 & 10
Var 17° 25' E°
Enter alkali flat
Set sandstone 13" x 11"
x 9" 9" in ground for
1/4 sec cor, marked 1/4
on N face nearest
station ground
along side
Enter alkali flat
Set sandstone 13 x 11
x 10, 9" in ground for
Corner to Secs 3. 4. 9
& 10. marked 5 notches
on E & W edges

BOOK-A-216

Subdivisions

Chain

Raised a stone mon
alongside
Found flat
Set 2nd note yard
N number

Set ch an
long 3rd op
ground fo
Marked
dug pits
M & S. of pos
Raised a
south 1/2
Base ar
Gentle as
The co &
Found
Set
Stan
Entered
Set ch
long 3rd op
ground fo
Marked
dug pits
M & S. of pos
Raised a
south 1/2
Base ar
Gentle as
The co &
Found
Set
Stan
Entered

Northerly and
between sections 3 &
Var 17° 25' E

40.00 Set temp 1/4 Sec cor
79.81 Intersect N Bdy
Sp 34 Lks E of cor
to secs 3, 4, 33 & 34
which is a Coleau
Rock 18" x 9" x 5" prop
Marked X scribed
in ground with
pits & mound scr
from which a
pine

S 0° 15' E on line
between
3 & 4
with corner ca

BOOK-A-216

Sq N. 18 W. of L. Th.

Set channel post 3 ft
long 3" square 12" in
ground in 1/4 Sec cor
Marked 1/4 on W face
dug pits - 18" x 18" x 12"
N & S of post 3 1/2 ft dist
Raised a mound of
earth 1 1/2 ft high 3 1/2
ft base around post.
Gentle ascent
The cor to Secs 3. 4. 9 & 10
Sand rolling
Soil 2d rate
Timber
Scattering sagebrush

From the corner
to Secs 3. 4. 9 & 10, I
run
South between
9 & 10
Var 17° 25' E
Enter flat
on edge of Great Salt

324 Subdivision

Chain set ahead post 4/
long 4" square 12
mg mound for Meas
Corner fractional
Sections 9 & 10, Twp
N.C. with
S 9 on N
W 8 W S 10 on E &
S 9 on W face
deep pit - 3 ft square 12
def & elk N of post
& burned in mound
earth 2 ft high 4 1/2 ft
base around post
Sand valley flat
Soil 2nd rate Sandy
No timber

From corner Sec
34, 9 & 10 Twp
Western line
between 4 & 9
Var 17° 25' E

22.00 Outer flat
28.50 At edge of first

T. 2 N. R. 8 W. S. L. M.

Salt Lake, set a
boulder 20 x 16 x 13" 18"
in ground for Meander
Corner in fractional lines
4 & 9, marked M C
Raised stone mound
alongside
Oak & alley
Soil 2nd rate gravel
Timber
Scattering sagebrush

Not being able to
run the Univ lot lines
4 & 5 in the usual
manner on account
of the Lake. From
the corners of sec
4, 5, 32 & 33 on the
N Boundary of Tp which is
a volcanic rock
16 x 10" x 5" firmly set
in the ground and
properly marked with
regulation mound & pits

BOOK-A-216

Subdivisions

Chain Irons

Set pcs 4 & 5
Van 17° 25' E

3/50 at edge of Great
Salt Lake set a
Chained post 4" sq 4ft long
4" @ ground 12" in
Ground for Meander
Corner Fractional
Sections 4 & 5. Man
N. C with
T 9 N on N
R 8 W S 4 m E
& S 5 on N pcs
dug pit 3ft square
12 deep 8 ft N from
raised a mound
of earth 2ft high 4½
ft base around post
Said 2nd note Sand
Sand flat
No timber

March 19 1

T 9 N. R

General

The lan
in this
rolling
soil is
loam & al
There is
a timber
few scru
is cover
scattering
sage bru
suitable f

U S Sy

BOOK-A-216

T. 2 N. R. 20 W. 6th P.M.

General Description

The land embraced in this township is rolling & flat. The soil is sandy, gravelly loam & alluvial. There is no water nor timber except on Sand Creek & is covered with a scattering growth of sage brush & is only suitable for grazing

U.S. Dep. Surveyor

BOOK-A-216

Meand

Commen

Survey

Mark

Iron Ma

328 S. on

Iron wo

Thro

~~2.39 E~~ ~~41.59~~

~~0 E.~~ ~~41.50~~

fract

cor. to sec

under

Land. le

Said 2

Witn

Segel

Thence

61 3/4° E. 2

45 1/2° E. 2

43 ° E. 2

cor. to fra

mound

Land le

Said 2

Witn

BOOK-A-216

Meanders

Township 9 N. R 8 W.

Survey commenced
March 19. 1887
From Meander Cor. to secs.
32 & 5. on N. boundary of Tp.
Runs with Meanders
through secs 5.
Var. 17. 1/2° E.
~~N 39° E~~ ~~41.59~~ ~~N 45 1/4° E.~~ ~~41.36~~ chs. to the Meander
cor. to fract. secs. 4 & 5. set by me
under Contract No 145.
Land level
Soil Drift gravel
No timber.
Sagebrush undergrowth.

Thence through sec 4.
Var. 17. 1/2° E.
N 61 3/4° E. 23.00 chs.
N 45 1/2° E. 24.00 "
N 43° E. 20.00 " to the Meander
cor. to fract. secs. 4. & 9. set by
me under this Contract
Land level
Soil Drift gravel
No timber.

BOOK-A-216

Meanders Thr

Thence through sec
Var 17 1/2° E.

S. 32 3/4° W. 24.00
S. 47 1/4° E. 22.00
S 87° E. 25.00 to the
cor. to fract. secs. 9 & 10
by mounds under this Cent
Land level.
Soil 2nds rocky
No timber.
Bank 19'

Thence through sec.
Var. 17 1/2° E.

S. 75° E. 32.00
S. 29 1/4° E. 21.00
S. 10° E. 20.00 to the
Meanders cor. to fra
secs. 10 & 15. set by mo
under this Centre
Land level
Soil 2nds gra
No timber.
Bayelsmash under

Jr.

Thence
sec
Var.
16 1/2° E.
25 1/2° W.
15 1/2° E.
4° E.
Meanders
22. set by
this Cen
land s
ridge
Soil 2n
Nothin
Bayels

Thence th
Va
18° E. 28.0
cor. to frac
by mo
Land. L
Soil 2
No timb

Jr. 9 4. R 8 4.

Thence through
sec 15.
Var. 17½° E
N. 16½° E. 12.00
N. 25½° W. 15.00
N. 15½° E. 37.00
N. 4° E. 29.00 to the
Meanderer. Co. Tract. rec. 15 &
22. set by me under
this Contract.
Land rocky slope of
ridge.
Soil 2nds gravely.
No timber
Rock mahogany.

Thence through sec. 22.
Var 17½° E
N. 18° E. 28.00 chs. to the Meanderer. Co. Tract rec. 22 & 23 set
by me under this Contr.
Land. level
Soil 2nds gravel
No timber.

BOOK-A-216

Meanders thr

Township G

Thence through sec. 23
Var 17½°E.
S. 33¾° E. 33.00
S. 1½° W. 27.00 to the Me
cor. to fracs. secs. 23, 26
by me under this Centr
Land. level
Soil. 2nd. gravel
No timber.
Reyelsnah under

Thence thr
Var. 1
80° E. 26.0
cor. to fracs.
under the
land. l
Soil. 2
No timb
scatter
Reyel

Thence through sec. 2
Var. 17½° E.
S. 53½° E. 40.00
S. 31½° E. 25.00
S. 2½° E. 25.00 to the
Meander cor. to frac. sec
26 set by me under this Co
Land level.
Soil. 2nd. gravel
No timber.
Reyelsnah under

Thence thr
Var. 17
65° E. 42.0
36½° E. 28.0
cor. to frac
on E. bou
meander
under C
143.
land. l
Soil 2
No tim
Reye

Township 9 et R 8 W.

Thence through sec. 25.
Var. 17½° E.
80° E. 26.00 to the Meander
cor. to fract. sec. 25 & 36 set by me
under this Contract.
land. level.
soil. 2nd rate gravel
Timber.
scattering
Beech & hackmatack undergrowth

Thence through sec 36.
Var. 17½° E.
65° E. 42.00
36½° E. 28.00 to Meander
cor. to fract. secs. 31 & 36
on E. boundary of Tp.
marked & set by me
under Contract &c
143.
land. level.
soil 2nd
Timber.
Beech & hackmatack
March 21 1859

BOOK-A-216

General Descr

For General Descr
the Subdivisions of
this Township

Edward W Fos
U. S. Dep Sur

SURVEYOR GENERAL

Salt Lake City, Uta

The foregoing field notes
Subdivisi
Meande
nship No. 9 North
he Salt Lake Meridian.
Edward W. F
er Contract No. 14
of June
March 18
mined, the necessary co
de, the said field notes, a
hereby approved.

Willia
U. S.

SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the survey of the

Subdivisions &

Meanders

nship No. 9 North Range No. 8 West

he Salt Lake Meridian. Executed by

Edward W. Kerbow

ler Contract No. 145. of the 24th

of June 1886, in the month of

March 1887, having been critically

mined, the necessary corrections and explanations

de, the said field notes, and the surveys they describe

hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK A-21

RT:

9th and June

ed by John A. Cl

ibed by Jennie

ed by Jennie V. Bow

FIELD N

THE SURV

Re

outhbo

OF

ship No. 1 S

e No. 7 W

OF TH

SALT LAKE

IN

UTAH TER

AS SURVEY

Edward M

U. S. Deput

Under his Contract N

ed

vey commenced

vey completed

5m 60ch 10

10.30

6.

BOOK A-215

RT: 2d

2d and June 20th 1887

ed by John A. Crampe

ibed by Jennie E. Bowman

ed by Jennie E. Bowman & Kate Bowman

FIELD NOTES

OF THE RESURVEY OF THE

Southbound

OF

ship No. 10 N.

e No. 7 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward M. Hoeber

U. S. Deputy Surveyor,

Under his Contract No. 143

ed June 24 1886

vey commenced March 2 1887

vey completed " 3 1887

lowing 5 m 60 chs 10 lks

10 - 30 m

6 - 7

BOOK-A-216

NAMES AND DUTIES OF ASSISTA

Cyrus L. Johnson	Compa
William Carr	Chainm
J. V. Smith	Chainm
Fred Olsen	Chainm
H. H. Cramer	Chainm
A. J. Laine	Axeman
C. C. Leavitt	Axeman
	Flagman

Survey of South

Survey comm

Note From
108 71 N. R 7 & 8
the W. bounda
7 W. in order
instrument,
compare the
of the old sur
corners in g
and my in
charming a
the old Surv
From the cor
R. 7 & 8 W. w
18 x 12 x 6 fe
and from
Run
East on t
bttw.
Var 18
Washdraws
and an ol
and remai
Said a bran
in the gro

ASSISTA
Compa
Chainm
Chainm
Chainm
Chainm
Axeman
Axeman
Flagman

Survey of Southbound T. 10 N. R 7 W

Survey commenced March 3 1887

Note. From the cor to Tps. 10 & 11 N. R 7 & 8 W. I retrace the W. boundary of Tp. 10 N R. 7 W. in order to test my instrument & chain and compare them with the lines of the old survey. I find the corners in good condition and my instrument & chaining agrees nearly with the old Survey.

From the corner to Tps 9 & 10 N. R. 7 & 8 W. which is a limestone 18 x 12 x 6 firmly set and properly marked thus

East on true line
resurvey
betw. secs. 6 & 31.
Var 18½° E.

Water draws S. W.

Mound of earth and remains of 2 pits where had a limestone 18 x 10 x 6 12" in the ground for ¼ sec cor.

BOOK-A-216

Reservoir South bound [illegible] West.

Chain marked 1+ on N face dup
pits 18×18×12. [illegible] W. of po
5 1/2 ft dist. and raised
mound of earth 1 1/2 ft
3 1/2 ft base alongside.

71.00 Rock drains C & W

73.00 " " "

80.00 Found the old post ma
decayed laying alon
a mound of earth
Set a sandstone 16×10
12" in the ground for co
to sec. 5 & 32 marked
with 1 notch N & S
edges due pits 18×18×1
in each sec. 5 1/2 ft du
and raised a mou
of earth 2 1/2 ft high 4
ft base alongside
Road, Cabel valley
Fork 1 mile allow
No timber.

Bear saplebush
[illegible]

Cedar on
betw see
Var 1
Rock drai
" "
No trace of
a lime 10×8
ground for
1/4 on N face
12" E & W of
and raise
of earth 1 1/2
base alon
No trace of
a lime stone
the ground
5. 32 & 33. sh
notches on W
due pits 18×
sec. and ra
of earth 2 1/2
alongside
Road leav
Fork m
No timber

BOOK-A-216

7 West. S. L. M.

Cedar on true meander line
betg secs. 5 & 32.
Var 18½° E.
Wash driven S. W.
" " S. W.
No trace of old corner set
a lime 10×8×8 "6" in the
ground for ¼ sec cor marked
¼ on N face drg pits 18×18×
12" E & W of true 5½ ft dist.
and raised a mound
of earth 1½ ft high 2½ ft
base alongside.
No trace of old corner set
a lime stone 10×10×8 "6" in
the ground for corner to secs.
4. 5. 32 & 33. Marked with 2
notches on N and E. edges
drg pits 18×18×12" in each
sec. and raised a mound
of earth 2½ ft high 4 ft base
alongside
Land level valley
Soil rich alluvial
No timber.

March 2nd 1887

BOOK-A-216

Resurvey South Boundary T. 10 N. R. 7 W.

Chains Bearings & remarks

East on the resurvey line between secs. 4 & 33
Var 18½° E.

40.00 No trace of old corner set
charred post 3 ft long 3
square 12" in the ground
for 1/4 sec. cor. marked 1/4
N face and dug pits 18
x 12" E & W of post 5½ ft
dish. and raised a m
of earth 1½ ft high 3½ f
base around post.

57.50 Found bear trees &

80.00 Intersect an old mou
of earth & pits where I
a charred post 4 ft long
4" square 12" in the grou
for cor to secs. 3 & 4, 33 & 34
marked with
T. 10 N. S. 34 on NE
T. 9 N. S. 3 " SE
R. 7 W. S 4 " SW

S. 33 on
with 3 no
and a
in each
and raise
earth 2 ft
around
Land
Lot
No timb
Bears

East on
bet
Var.
Wash dr
No trace
a charred
3" square 12
for 1/4 sec cor.
N face dug
E & W. of po
raised a m
high 3 ft ba

10 N R 7 West S. L. M.

S. 33 on NW. faces and with 3 notches on E & W edges and 3 bury pits 18×18×12" in each sec. 5½ ft distant and raised a mound of earth 2 ft high 4 ft base around post.
Land level valley
Soil rich alluvial
No timber.
Course Regelmuseleuchtegrove

Land on true resurvey line betw. secs. 3 & 34.
Var. 18¼° E.
West drains S. W.
No trace of old corner set a charred post 3 ft long 3" square 12" in the ground for ¼ sec cor. marked ¼ S. on N face three pits 18×18×12" E & W. of post 5½ ft dist. and raised a mound of earth 1½ ft high & 3 ft base around post

BOOK-A-216

Freeway South bound

Chain
80.00 Find mound of earth & ...
remains of pits wh...
Set a charred post 4...
long 4" square 12" in the ...
ground for cor. to sec...
2.3.34 & 35. marked co...
T. 10 N. R. 35 on NE
T. 9 N R 2 " SE.
R 7 W S. 3 " SW
S. 34 " NW. ...
with 2 notches on E ...
4 on W edges. Dug pit ...
x 18 x 12" in each sec. ...
dist. and raised a ...
mound of earth 2' ...
high 4 ft base around pit ...
Level. valley
Soil Silt. allu...
No timber
Dense sagebrush ...
medium gro...

T. N. R 7 W

East on ...
betw...
Var.
Waterpipe ...
Road
a
gentle asc...
No trace o...
sandstone ...
the ground ...
1/4 on N fac...
a stone mo...
Limestone ...
steep asce...
Old road ...
No trace o...
a limonite ...
in the gro...
secs. 1. 2. 3...
with 1 no...
on W edg...
a stone ...
Level ...
Soil 2...
No timbe...

N. R 7 W. S. L. M.

East on true survey line
bet'n. secs. 2 & 35
Var. 18°30' E.
Water pipe bears NW & E.
Road " do
" " do

gentle ascend
No trace of old cor. set a
sandstone 12×10×6" 8" in
the ground for 1/4 sec cor. marked
1/4 on N face and raised
a stone mound alongside
Lime stone ledge bears NE & S.
steep ascend
Old road bears NE & S.
No trace of old corner set
a hickory 40×40×6" 30"
in the ground for cor to
secs. 1. 2. 35 & 36 marked
with 1 notch on E and
S'n W'ly sides and raised
a stone mound alongside.
Land rolling
Soil Drift & gravelly
No timber.

Resurvey South bou... 10 M. R...

Chain

Some sagebrush
undergrowth

Land in true bearing
betw. secs. 1 & 36.
Var. 18° 30' E.

0.40 Enter limestone bou...
2.40 across same.
39.10 Wide wash drains N...
40.00 No trees or old cor. set
limestone 16×10×7'...
in the ground for 1/4...
cor. marked 1/4 on N...
and raised a stone...
alongside.
60.10 Intersect W. bounda...
of Tp. 9 S. R 6 W. 10.30...
South of cor. to Tps. 9...
& R 6 & 7 W. when ...
a limestone 10×10×10" 6"...
the ground for cor. to...
1 & 36. on S. boundary of...
10 S. R 7 W. marke...
C.C. with 6 notches o...

L. E. & W...
raised a ...
along si...
Note. The...
call for 76...
on this line...
boundary...
and of Tps...
are mu...
17 1/2° E. w...
of the exten...
of those to...
run wi...
thence E. 6...
bend to...
Thence...
South of...
lines betw...
78 1/2 on E. ...
1,50 do. o...
lines on ...
of same ...
Layed. ...
Soil. ...
Timber.

BOOK-A-216

T 10 N. R 7 W.

S. E. & W. ways and
raised a stone mound
alongside.
Note. The notes of survey
call for 7.76 chs. old survey
on this line. but as the E.
boundary of this township
and of Twp. 9. N. R 7 W.
are run with a var. of
17 1/2° E. while the rest
of the exterior & subdiv.
of this township are
run with 18 1/2° & 19° E
these E. boundaries
bend towards the S.W.
The reason for falling
South of the cor. is that
lines between secs. 1 & 6, and
7 8/12 on E. boundary are
7.50 chs. shorter than the
lines on the W. boundary
of same township.
Land. Mountainous
Soil. Loam. rocky
Timber. pine. cedars
March 3' 1887.

348 N. R 7 W.

Returns of South Boun

General Descr

For general descrip
see Subs. of this Town

Edward M. Rob

M Stephenson

BOOK-A-216

S. SURVEYOR GENER

Salt Lake City, Utah

The foregoing field no

Southboun

nship No. 10

ecuted by Edwa

der Contract No. 14

of June

March 188

mined, the necessary c

s made, the said field

y describe are hereby a

William

U. S.

BOOK-A-216

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the survey of the Re

Southboundary

wnship No. 10 N Range No. 4 W

ecuted by Edward Harbor

der Contract No. 143 of the 24

of June 1886, in the month of

March 1887, having been critically

amined, the necessary corrections and explana-

ns made, the said field notes, and the surveys

y describe are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK-A-2

PORT:

d 9th Dec Juc

mined by John R

scribed by Jenni

pared by Jennie V. D

FIELD

Re

OF THE SUR

Jack. Sur

wnship No. 10 e

nge No. 7 W

OF

SALT LAKE

UTAH TE

AS SUR

Edward M

U. S. Dep

Under his Contract

ted

rvey commenced

rvey completed

7-68-09

BOOK-A-216

PORT:

d 9th Clear June 20th 1887

mined by John H. Campe.

scribed by Jennie V. Bowman

pared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

Re

OF THE SURVEY OF THE

Exct. Subdivisions

OF

wnship No. 10 S.

nge No. 7 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Kreber

U. S. Deputy Surveyor,

Under his Contract No. 143

ted March 24th 1886

rvey commenced March 8th 1887

rvey completed March 9th 1887

7-68-09 Lks

7-8

NAMES AND DUTIES OF ASSISTANT

Cyrus L. Johnson	Compass
William Carr	Chainman
J. T. Smith	Chainman
Fred Olsen	Chainman
H. M. Cramer	Chainman
A. J. Jamme	Axeman
C. C. Leavitt	Axeman
	Flagman

Resurvey

BOOK-A-216

Subdivisions

Survey com

From the cor
established
this Contra
North on
belw. sec
Var. 1

For of lime s
L W & NE
Top of same
Wash in gule
Lime stone
Enter vall
No trace of
limestone 2
the ground f
1/4 on W face
mound a
No trace of
limestone
ground for C
marked wit
E. Edges and
mound a

SISTANT
Compass
Chainman
Chainman
Chainman
Chainman
Axeman
Axeman
Flagman

Resurvey

BOOK-A-216

353

ubdivisions Tp. 10. N R 7 W.

Survey commenced March 3' 87

From there to secs 35 & 36 re-established by me under this Contract I run with an resurvey line betw. secs. 35 & 36 Var. 18½° E.

Post of lime stone ledge bears S W & NE

Top of same, descend

Walk in gulch draining S.W.

Lime stone ledges

Enter valley

No trace of old cor. set a limestone 20×10×4" 15" in the ground for ¼ sec. cor. mark ¼ on W face and raised a stone mound alongside.

No trace of old corner set a lime stone 12×8×6" 8" in the ground for cor to secs. 25. 26. 35 & 36 marked with 1 notch on East & E. Edges and raised a stone mound alongside.

BOOK-A-216

Resurvey Tract. Subdivis... 10 N. R 7

Chain Level. Mountainous ...
Soil Crute. rocky
No timber.
Scattering sagebrush
undergrowth.

East on true resurvey ...
betw. secs. 25 & 36
Var 18½° E.
2000 Junk exceed
2800 No trace of old cor. end ...
resurvey when I set a ...
stone 12×10×7" 8" in the ...
ground marked with ...
+ cross.
Level. Valley
Soil 2nd Rate gravel...
No timber.
Some sagebrush
undergrowth.
March 3rd ...

North on ...
betw. sec...
Var. ...
Road bear...
Wash drain...
Gulch ...
No trace of ...
12×10×6" 8"...
for ¼ sec. cor. ...
face and ...
alongside ...
Road bear...
fence bear...
Telegraph ...
C.P.R.R. post...
Centr. P. Rail...
fence bears ...
Telegraph ...
On E. side of ...
limestone 10...
ground for ...
25 & 26. mar...
on S. and ...
raised a ...
alongside ...

10 N. R 7 W. S. L. Mt.

North on survey line ...
betw. secs. 25 & 26
Var. 18½° E.
Road bears NE & SW
Wash dries " SW.
Gulch " SW.
No trace of old cor. set a cobble
12 x 10 x 6" 8" in the ground
for 1/4 sec. cor. marked 1/4 on W.
face and raised a stone mound
alongside.
Road bears NE & W. ascend
Fence bears NE & SW
Telegraph " do
C.P.R.R. post 105. bears N. 30 lks.
Centre P. Railroad bears NE & SW
Fence bears NE & W.
Telegraph " do
On E. side of Mountain set a
limestone 10 x 10 x 8" 6" in the
ground for cor. to secs. 23. 24.
25 & 26. marked with 2 notches
on S. and 1 on E. edges and
raised a stone mound
alongside. No trace of old cor.

BOOK-A-216

Resurvey Tract. Subdivi... 10 N. R. ...

Chain Land. valley & hills.
Soil 2" Stn. gravly
No timber.

East on true resurvey line
bet'w. secs. 24 & 25
Var 18½° E.

Descend.

1800 Enter rolling valley.

22.00 Witness cor. Set a lim
rock 18x10x7" 10" in the gro
for the end of resurvey m
bath a + cross.
Land. rolling
Soil 2" stn. gravely
No timber

North on re...
betw. secs
Var. 18...

Top of ridge

On E. side of
of old corne
10x6" 6" in m
sec. cor ma
and raised
alongside.

Wash drains

Enter valley

On N side of
of old corner
14x8x6" 9" i
cor to secs. 2
with 1 note
& ridges and
mg and abo
Land. Mos
Soil Lom
No timber
Scattering
under

10 N. R 7 W. 4th P.M.

North on survey line
btw. secs. 23 & 24
Var. 18½° E.

W Top of ridge bears NE & SW.

W On E. side of hollow no trace of old corner set brine 10×10×6" 6" in the ground for 1/4 sec. cor marked 1/4 on W. face and raised a stone mound alongside.

W Mark drains NE.

W Enter valley bears NE.

W On N side of Little Knob. no trace of old corner set a limestone 14×8×6" 9" in the ground for cor to secs. 23 & 24 / 13 & 14 marked with 1 notch on E and 3 on S. edges and raised a stone mound alongside.

Land. Mountainous valley
Soil Grate. Gravelly
No timber.
Scattering sagebrush
& undergrowth

BOOK-A-216

Resurvey Fract. Subdiv 10 N. R.

Chains

Cedar on true resurvey line
betw. secs. 13 & 24.
Var 18½° E.

29.00 End of resurvey, no trace of old cor. set 6 sandstone 16×10×8" 12" in the ground marked + with 4 cross.
Land rolling
Soil 2nd
No timber.

North on resurvey line
betw secs. 13 & 14.
Var 18½° E.

5.00 Gentle ascend
5.90 Old road bears E & W
40.00 No trace of old corner set a limestone 14×10×6" 9" in ground for ¼ sec cor. marked ¼ on W face and ruled a mound of stones alongside
Cedar scattering
70.00 Hollow drains S.E.
80.00 On E. side of hollow set

a limestone
the ground
marked with 4
12. 13. 14 Ruled
mound at
trace of old
Land. ro
Soil 2nd
Timber

Cedar
betw.
Var.
00 Gulch dr
00 End of r
of old cor
stone 16×8
marked
Land ro
Soil 2
Timber

T10N. R. 7W. S.L.M.

a limestone 20×10×4' 15 cu ft.
The ground for cor to secs. 11, 12, 13, 14 and mound of stone
marked with 4 notches on 2 sides / on E edge /
mound alongside. no
trace of old cor.
Land. rolling
Soil 2nd rate rocky.
Timber. scattering cedars.

Cadastral survey line
Betw. secs. 12 & 13.
Var. 18½° E.
Gulch drains S.W.
End of survey, notice
of old corner Set a limestone
stone 16×8×6' in the ground
marked with a + on E side.
Land rolling
Soil 2nd rate rocky
Timber scrub cedars.

BOOK-A-216

Resurvey Tract. Subdivision 10 T. 6 R.

Chain		Timber.
	North on resurvey line bet. secs. 11 & 12. Var. 18½° E.	
17.00	Divide between NE, NW & SW. Thence along E slope.	
27.50	Gulch draining NE.	
40.00	In gulch draining NE. Tree of old cor. set a limestone 20×7×6" in the ground for 1/4 sec cor. marked 1/4 on N. face and raised a stone mound alongside.	Check on tree bet. sec Var. 18 On gulch dra On N. side tree of old resurvey se 12×10×6" m Marked 1/ Land rol Soil Ls Timber.
46.50	Gulch draining NE.	
54.00	" " do	
77.00	" " do	
80.00	No Tree of old cor. set limerock 10×10×10" in the ground for cor. to sec 1. 2. 11 & 12 marked with 5 notches on S. and W. edges and raised a mound alongside. Land rolling Soil Ls and gravel	North on r bet. sec Var. 18 Limestone Old cor. Witness d. boundary 17 lks. E. co

T. 10 N. R. 7 West - S. L. M.

Timber, scattering cedars.

Cor. on true survey line
bet. secs. 1 & 12
Var. 18½° E.
Pinch drains N.E.
On W. side of hollow, no
trace of old cor. and of
survey set a limestone rock
12 x 10 x 6" 8" in the ground
marked with 4 cross.
Land rolling
Soil 2nd rate gravelly
Timber scattering cedars.

Cor. on true south survey line
between secs. 1 & 2.
Var. 18½° E.
Set temp. stone cor. to true
point.
Intersect cor. to secs 1 & 2 on
N. boundary of township
17 No. R. E. which is a

BOOK-A-216

Railway Tract. Subdivi... 10 Ch. R...

Chain line stns 14 × 8 × 5" fro...
set in the ground prop...
marked with regulati...
mound of earth p...
ground &. from whence...
run

S. 0° 8' E. on true...
between Sp 2
with same var.

40.19 Ascend no trace of old...
set a line stns 15 × 10 × 7...
10" in the ground for 14...
ever marked 14 on W fac...
and mixed a stns mu...
alongside.

54.50 Dwellebeen E of W.

71.70 Wide hollow drains E...

80.09 Three cr. trees. 1. 2. 11. f...
Legal rolling
Soil 2nd to Rocky
Timber scattering c...
Marked...

Gener...

Refunds o...
this Contra...
of rolling ...
with Ca...
underground...
cedars, ...
grass, the...
suitable ...
posts.

Edwa...
M. S...

BOOK-A-216

T. 10 N. R. 7 W. S. L. M.

General Descript.

The lands surveyed under this Contract chiefly of rolling hills, covered with scattering tamarack underbrush, scrub cedars and fine bunch grass, they are only suitable for grazing purposes.

Edward W. Kibbey
U. S. dep. surv.

BOOK-A-216

S. SURVEYOR GEN

Salt Lake City, U

The foregoing field

Incl. Subd

nship No. 10 N

ected by Edwa

der Contract No. 1

of

March 18

amined, the necessary

ns made, the said fi

y describe are hereby

Willia

U. S

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888

The foregoing field notes of the survey of the

Incl. Subdivisions

Township No. 10 S *Range No.* 7 W

Executed by Edward W Roebin

Under Contract No. 143 *of the* 24th

day of June 1886, *in the month of*

March 1887, *having been critically*

examined, the necessary corrections and explana-

tions made, the said field notes, and the surveys

they describe are hereby approved.

William G Fireman

U. S. Surveyor General for Utah.

BOOK A-2

ORT:

ined by

scribed by

ared by

FIELD

OF THE SUR

nship No.

ge No,

OF

SALT LAKE

UTAH TE

AS SURV

U. S. Dep

Under his Contract

ted

rvey commenced

rvey completed

2m - 70 - 8

BOOK A-216

PORT:

Rec'd on June 20th 1887

ained by John H. Crumpe

scribed by Jennie V. Bowman

ared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

OF THE SURVEY OF THE

Upper Indian Creek

OF

nship No. 10 S

ge No. 7 W

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Kerbey

U. S. Deputy Surveyor.

Under his Contract No. 144

ted June 24th 1886

rvey commenced March 2 1887

rvey completed " 4 1887

2m - 70 chs - 89 chs

8.9

NAMES AND DUTIES OF ASSISTANT

Cyrus L. Johnson	Compass
William Carr	Chainman
J. T. Smith	Chainman
Fred Olsen	Chainman
H. M. Crowell	Chainman
A. J. James	Axeman
J. C. Lovell	Axeman
	Flagman

BOOK-A-216 ·

Instruments and
executing the fi
Contract No I44-
For running exte
Solar Mountain T
ley make, with So
on telescope, adj
& tripod head 4
inch plate with
verticle Semicir
attachment Stadi
gradienter, No r
For running Subd
a Solar Compass
W & L E Gurley m
Both instruments
U.S. Surveyor Ge
in Salt Lake Ci
commencing the
frequently teste
the field by obs
Polaris, The Cha
33 feet brazed
No 18 gauge, wh
every morning b
work by a metal
compared in the
al's Office -

Instruments and Chains used in executing the field work of Contract No I44-

For running exteriors I used a Solar Mountain Transit W & L E Gurley make, with Solar attachments on telescope, adjustable tripod & tripod head 4 inch needle 5 ¾ inch plate with double vernier verticle Semicircle level attachment Stadia wires and gradienter, No number.

For running Subdivisions I used a Solar Compass with open sights W & L E Gurley make, No number.

Both instruments were tested in U.S. Surveyor General's Office in Salt Lake City, before commencing the work, and also were frequently tested afterwards in the field by observation on Polaris, The Chains used were 33 feet brazed links steel Chains No 18 gauge, which were tested every morning before commencing work by a metallic tape which was compared in the U.S. Surveyor General's Office -

BOOK-A-216

II.—PRELIMINARY OA

I, Cyrus L

solemnly swear th
form the duties of
instructions given
ll and ability, in the
ndard lines T.
nship, T.
T.
bdivisions T.
T.

he Salt Lake base a
ory of Utah.

Cyrus L

bscribed and sworn
y of Febr

[SEAL.]

BOOK-A-216

[PRELIMINARY OATH OF COMPASSMAN.]

I, Cyrus L Johnson

solemnly swear that I will well and truly
form the duties of Compassman, according
instructions given me, and to the best of my
ll and ability, in the survey of the

udard lines T. 12 S. R 6 W.

nship " T. 12 & 13 S. R 6 W.

T. 13 S. R 7 W.

bdivisions T. 12. 13 S. R 6 W.

T. 10. 13 S. R 7 W.

the Salt Lake base and meridian in the Ter-
ory of Utah.

Cyrus L Johnson Compassman.

bscribed and sworn to before me, this 3d
y of Febr 1887

Henry W. Atkinson
Notary Public

[SEAL.]

[2.—PRELIMINARY O

We, William Cla
Fred Olsen,
olemnly swear that
y execute the duties
will level the chain
und and plum the to
or dropping the sa
true distance to all
length of all lines t
to the best of our s
ordance with instru
vey of the Meridia
nd. T. 12, 13, S
d. T. 12 S. 13
T. 10, 13 S
e Salt Lake base an
of Utah.

William
J. W. Sm
Fred O
W. M. C

scribed and sworn to
day of Feby
Deu

[2.—PRELIMINARY OATH OF CHAINMEN.]

We, William Carr, J. W. Smith,
Fred Olsen, Hall. Conner
solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plum the tally pins, either by sticking or dropping the same; that we will report true distance to all notable objects, and the true length of all lines that we assist in measuring to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Standard. T. 12 S. R 6 W.
South. T. 12, 13, S. R 6 W. T. 13 S. R 7 W.
West. T. 12 S. 13 S. R 6 W.
T. 10, 13 S. R 7 W
the Salt Lake base and meridian in the Territory of Utah.

William Carr, Chainman.
J. W. Smith, Chainman.
Fred Olsen, Chainman.
H. M. Conner, Chainman.

Subscribed and sworn to before me this 3rd day of Feby 1884

Henry W. O'Riordan
Notary Public

[3.—PRELIMINARY O

We,

d

solemnly swear that

rform the duties of ax

ent of corners and oth

structions given us, an

d ability, in the surve

Meridian lines

Township lines

Subdivisions

the Salt Lake base and

ry of Utah.

A J

C C Lea

bscribed and sworn to

day of Feb

Lew

[3.—PRELIMINARY OATH OF AXEMEN.]

We, A. J. Tam

and C. C. Leavitt

do solemnly swear that we will well and truly perform the duties of axemen, in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of

Standard lines T. 12 S. R 6 W.

Township lines T. 12 & 13 N. R 6 W.

T. 13 S. R 7 W.

Subdivisions T. 12. 13. S. R 6 W.

T. 10. 13 S. R 7 W.

the Salt Lake base and meridian in the Territory of Utah.

A. J. Tam, Axeman.

C. C. Leavitt, Axeman.

Subscribed and sworn to before me this 3d day of Feby 1887

Lewis M. Watkins

Notary Public

BOOK-A-216

Subdivisions

Survey com

From the en
a point
which is, 3
Secs. 25. 26. 3
reestablish
Contract f
East on
bdry
End of rese
bet Cmp 1/4
Intersect
on E. bou
which is a
firmly set
properly m
mound al
which In
S 7°34
bdry
with sa
set a lime st
the ground
1/4 on N face
mound a

Subdivisions Tp. 10 N. R 7 W

Survey commenced March 3' 1887

From the end of the old survey
a point
which is, 38.00 chs. E of cor. to
secs. 25. 26. 35 & 36 & which was
reestablished by me under
Contract #2 1883. I run
East on random line.
Bet. secs 25 & 36.
Var. 17° 45' E.
80 End of survey
80 Set Camp 1/4 Sec. cor.
80 Planted cor. to secs. 25 & 36
on E. bound. of Tp. Thence S.
which is a lime stone 14 x 9 x 8"
firmly set in the ground
properly marked with stone
mound alongside. from
which I run
S 7° 34' W on true line
bet. secs. 25 & 36
with same var.
40 Set a lime stone 12 x 7 x 6" 8" in
the ground for 1/4 sec. marked
1/4 on N face and raised a stone
mound alongside.

Part of Subdivisions

Chains
~~37.47~~
~~34.27~~ The end of new survey

Beginning of old survey.

Land rolling

Soil 2nd rate Grazing

No timber.

March 3 1887

From the end of the old sur
which is a point 22 chs. E.
cor. to secs. 23. 24. 25 & 26 which was
reestablished by me under
Contract No 143 Thence
East on random line
betwn. secs 24 & 25
Var 17° 45' E.

22.00 End of resurvey

40.00 Set temp 1/4 Sec cor.

73.30 Intersect cor. to secs. 24 & 25 on
E. boundary of township 11
~~Chs~~ S. which is a post prop
marked firmly set with
ground with Excavation
of earth & pits around it
from which
S 77° ~~37~~ 44' W. on true

betwn
with
Set line
ground for
1/4 on N fac
mound
Road bea
Old Grad
Road bear
Telegraph
Fence be
C. P. Rail
Telegrap
Fence
End of re
of resurv
Land
Soil 2n
No timb
Descri

T. 11 N. R. 7 West. S. L. M.

between secs. 24 & 25.

with base line.

1.00 Set limestone 12 x 10 x 8" in the ground for 1/4 sec. Cor. marked 1/4 on N face and mixed stone mound alongside.

.00 Road bears NE & SW.

.00 Old Grade bears do

.00 Road bears do

.00 Telegraph line bears do

.10 Fence bears do

.40 C. P. Railroad " do

.66 Telegraph " do

.90 Fence " do

.52

.00 End of new survey beginning of resurvey.

Land rolling

Soil 2nd rate

No timber

Sagebrush

Bunchgrass

Tract of Subdivisions Tp 4 N R 7 E

Chain From the cor. of the old survey which is a point 29 chs E. of cor. to secs. 13. 14. 23 & 24 which was ~~re~~established by me under Contract of 1873

East on random line betw. secs. 13 & 24. Var. 10° 45' E.

29.00 End of survey

40.00 Set temp 1/4 sec cor.

74.85 Intersect cor to secs. 13 & 24 on E. boundary of Tp - 10.19 chs S. which is a ~~pine~~ stone 14 x 8 x 6" ~~pine~~ firmly set in the ground properly marked with stone mound alongside from which a ~~pine~~ 29 link W. on true line betw. secs. 13 & 24 with same cor.

15.00 Ender valley

32.19 Road bears NW & E.

36.02 Set a pine cor 10 x 10 x 7' 6" in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

The end of ... gining of ... Laid ... Soil ... No trees

East on ... betw. ... Var ...

End of ...

Set temp ...

Intersect ...

S. which ... 5" firmly ... properly ... mounda ... when ...

S 77 ... bet ... Va ...

Quick ... Set a line ... ground for 1/4 ... N face and ...

Tp 4 North R 7 West S. L. M.

The end of new survey, Beginning of survey. Land rolling Soil 2nd rate. Gravel. No timber.

Cor on run dom line betw secs 12 & 13 Var 17° 45' E.

End of old survey

Set iron pipe 1/4 sec cor & bound Intermediate. betw secs 12 & 13. 10.91 chs

S. which is a conglom. 16 x 14 x 5" firmly set in the ground properly marked with stone mound alongside. from which

Trees

S 77° 30' W. on true line betw. secs 12 & 13. Var. 17° 45' E.

Gulch stream S. E.

Set a blue stone 14 x 10 x 7" g. in the ground for 1/4 sec cor marked 1/4 on N face and mound of stones around it

Tract Subdivision of T. [illegible] R. 7 [illegible]

Chains
50.67
46.50 Ridge bears N.W. & E.
The end of new survey by
Running of old survey
Land Mountainous
Soil Rocky
Timber Scrub Cedars.

From the cor. of the old survey
which is 32.00 chs E. of cor
to secs. 1. 2. 11. 12 and which
was set by me under
Contract No 143 Town
Cedar mountain
betwn. secs. 1 & 12
Var 17° 45' E.

32.00 End of resurvey
40.00 Set temp 1/4 Sec cor
78.00 Intersect cor to secs. 1 & 12 on
E. bound. of tp 1.80 lks S.
of corner which is a line
14 x 10 x 8 firmly set in
the ground properly mark
with stone mound alongs

From whi
I &
being
300 Ridge be
247 Set line
in the gr
marked
mixed o
pine.
Station
16.27 The end
comme
Land
Soil 2
Timber

Gener

The lands
this Cont
ton roll
with sc
cedar,
growth

T. 11 N. R. 7 West – S. L. M.

Chain from which I run
S 87° 46' W on true line
being sec. 18 & 19 T. 11 N. R. 7 W.
3.00 Ridge bears N E & W
32.7 Set limestone 17×10×7" 12"
in the ground for 1/4 sec. cor.
Marked 1/4 on N face and
mixed stone mound alongside.
Slotton drains N W.
6.27 The end of new survey
commencing of old survey
Land rolling
Soil 2nd rate
Timber scattering Cedar.
March 4th 1887

General Description

The lands surveyed under this Contract are mostly low rolling hills, covered with scattering scrub cedars, artemisia and grease wood & bunch grass

384 Subdivisions

Tp 10 N. R 7 West

There is no living water in the hills. And the land are only suitable for Grazing purposes. The Central Pacific Rail road runs through sec. 24 & 25.

E. Dwight Kost
U.S. Dep Surv.

BOOK-A-21

U.S. SURVEYOR G

Salt Lake City,

The foregoing fie

Survey

Township No. 10

Executed by Ed

Under Contract No.

day of June

March

examined, the necess

plans made, the said

they describe are her

Willi

BOOK-A-216

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888

The foregoing field notes of the survey of the

Fruit Insts.

Township No. 10 S *Range No.* 7 W.

Executed by Edward W. Norber

Under Contract No. 144 *of the* 24th

day of June 1886, *in the month of*

March 1887, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Bowman

U. S. Surveyor General for Utah.

BOOK

REPORT:

Filed Paul M

Examined by John

Transcribed by H. C

Compared by Jennie

FIEL

OF THE SU

Sub

Township No. 10

Range No. 8

SALT LA

UTAH

AS

Edwa

U. S.

Under his Contr

Dated Jun

Survey commenced

Survey completed

35 en

BOOK-A-216

REPORT:

Filed 9th May 20th 1889

Examined by John H Campbell

Transcribed by H. Atkinson

Compared by Jennie V. Bowman & Lot. Bowman

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 10 North

Range No. 8 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W Kerby

U. S. Deputy Surveyor,

Under his Contract No. 145

Dated June 24th 1886

Survey commenced March 5th 1884

Survey completed March 9 1887

35 m 77 ch 63 lks

9.25

BOOK-A-216

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. W. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
V. J. Jamme	Axeman
C. K. Leavitt	Axeman
	Flagman

ubdivision

Survey co

approved

Preliminc

This surv

Western

on the W

of Sec 36

found th

at 80 ch

Thence on

Commence

extension

& the ch

From

& Sec 3

South bo

which

20" x 1" x 9"

and fi

with, S

along th

North

Subdivision T10 N. R 8 W. 2d Pm

Survey commenced March 5th 87
with an
improved Gurley Solar Transit
Preliminary to commencing
this survey I run
West on a blank line
on the South Boundary
of Sec 36 & at 40 chains
found the 1/4 sec cor &
at 80 ch the sec cor
My compass will
not keep run the
correct line on the
extern boundaries
& the chaining agrees

From the corner
to secs 35 & 36 on the
South boundary of Sec
which is a limestone
20" x 12" x 9" firmly set
and properly marked
with mound of stone
alongside, I run
North between secs 35 & 36

Subdivision

T 10 N R 1

Chain
12.50
4000

Var 17° 30' E
Ridge bears N 6° E S W
Set a chamfered post
3 ft long 3" square
2" nail ground for
1/4 Sec Cor, marked
on N face thus
18 x 18 & 12 Dist S ft post
5 1/2 ft dist and bears
a mound of earth
1 1/2 ft high 3 1/2 ft base
along ridge
Enter lower bench

8000

Set chamfered post 4
4" square 12" nail ground
for cor to Secs 25 & 26. 35
& 36, marked
T 10 N S 25 in N E
R 8 W S 36 in S E
S 35 in S W &
S 26 in N W forks
with notch on S & E
edges thus on post, 18 x 18
x 12 nail each direction
5 1/2 ft dist and bears
each a mound

Line of earth
ft base
Land
Soil
Loam
Stem
Angle

Eastern
limb
Set temp
Section
ft 4 ft 17
Latitude
which
15 x 12 x
mound
with
of earth
Thence
N 89°
line

T 10 S. R 8 W. S. L. M.

Pile of earth 2 ft high 4 ft base around post
Sand rolling bench
Soil 1 to 3 ft sandy
Loam & rocky
Timber
Sagebrush underbrush

Station a pronged
limestone 25 & 36
Bears S 30° E
Set 4 in post 4 ft in ground
Scribed S. & E. boundary
of Tp 17 S. R 8 W.
Letters 25. 30. 31 & 36
which is a limestone
15 x 12 x 8 firmly set
and surrounded
with pile of stone
Thence
N 89° 53' W on line
between
25 & 36

BOOK-A-216

Subdivisions

Chain

26.00 Ran with course to
South summit of ridge
39.92 Top of rocky knoll
Set chained post
3ft long 3' equare 12
ins ground for 1/4 Sec
Cor on ridge 1/4 S on
N face, along ridge 18
x 18 x 12" Set Pr. post
3 1/2 ft dist 4 notched
on ground south 1 1/2
links high 3 1/2 ft bear
ing ground post

79.85 Thence to Sec 23, 24
35 & 36

Sand rolling
Soil 2nd rate grass
No timber
Sagebrush undergrowth

Ran
Soil
Sou

T 10 R 1 E & W. S.L.M.

North between 25 & 26
Van 17°30' E
Set chamfered post 3 ft
long 3" square
12 in ground for
4 lecken marked
T 10 S R 1 E, dug
pit 18" x 18" x 12" in &
of post 5 1/2 ft dist & naild
a mound of earth 1 1/2 ft
high 3 1/2 ft base around
post
Set limestone 10" x 10" x 8"
7" in ground for cor
ners 23, 24, 25 & 26
marked 2 notches on S
& E sides & edges, dug pits
18" x 18" x 12" in each
section 5 1/2 ft dist &
naild a mound
of earth 2 ft high 4 1/2
ft base alongside
Land like
soil 1st rate, sandy
loam

BOOK-A-216

Subdivisions T 10 N R

Chain | Notations

Diagetrush undergrowth.

East on a random line between 24 & 25 Var 17° 30' E

4000 Set temp 1/4 sec cor

7979 Intersect E Boundary T 9 N R 21 W Ck 21 links N of ch between secs 19, 24, 25 & 30 which is a limestone 13 x 8 firmly set in the ground, properly marked with regulation Mon & pits. Thence

N 89° 51' W on true line between 24 & 25 with same Var

3989 Set chained post 3 ft long 3" square 12" in ground for 1/4 sec cor marked 1/4 S on N face drag pits - 18 x 18 x 12

E & W on Jn
Raised d
feet to
base aro
Thence on bo
426
Land
Sec 2
Notin
Pence

North b
Var
Set cha
3" square
for 1/4 sec
1/4 S on W
pits - 18 x 18
foot 5 1/2
Raised a
earth 1 1/2 f
base aro
Set cha
long 4" s

BOOK-A-216

T. 10 N. R. 8 W. S. L. M.

E & W of post 3/2 ft dist. N.
& raised a mound
of earth 1½ ft high 3½ ft
base around post
Trees cut 22. 24. 25 —
& 26
Land level
Soil 2nd rate gravel
Vegetation
Pinus sagebrush

North between 23 & 24
Var 17° 30' E
Set channel post 3 ft long
3" square 12" in ground
for ¼ sec cor, mounted
1/4 S on W face, dug
pits 18"x18"x12" N & S of
post 3½ ft distant and
raised a mound of
earth 1½ ft high 3½ ft
base around post
Set channel post 4 ft
long 4" square 12" in

Subdivisions

Chain ground for co. ... secs 13, 14, 23 & 24 ... marked ... T10 N S13 m 4 C ... R8 W, S 24 m S C ... S 23 m S W & ... S.14 m 4 W ... Notches m S and on ... m E edges, drg pits 18"x18"x12" in each ... 5½ ft dist & raised a ... mound ... 2 ft ... high 4½ ft base ... post ... Sand beach ... Soil 2nd rate sandy ... Timber ... Scrub ... agricult

Easton ... line between secs 13 & 24 ... Van 17° 30' E ... 4.00 Set ... 14 ... 1994 Intersect ... Bdy

Chain ... secs 13, 14 ... marked ... T10 N ... S 89° 5[illegible] ... set ... 1997 Set ... long 3 ... ground ... marked ... drg pits ... of post 5 ... raised ... earth ... base ... 1994 The ... Sand ... Soil ... Timber ... Scrub

T 10 N. R 8 W. 2d P.M.

said Sp 14 lks N from cor to
Secs 13, 18, 19 & 24 which
is a limestone 15"x6"x5"
firmly set in the
ground property
marked & earth mound
& pit - Thence
N 89° 54' W on true line
between Secs 13 & 24
with course ea
397 Set charred post 3 ft
long 3" square 12" in
ground for 1/4 sec cor
marked 1/4 S on N face
deg pit - 18"x18"x12" & W
of post 5 1/2 ft distant and
mound of
earth 1 1/2 ft high 3 1/2 ft
base around post
394 The cor to secs 13, 14, 23 & 24
Sand beach level
Grd 2d rate sandy
Quarter
Sagebrush

BOOK-A-21

Subdivisions

T 10 N. R

Chain North between Secs 12 & 13
Var 17° 30' E

4.00 Set hand spike 3 ft long 3" square 12" in ground for Sec cor Marked 1/4 Sec N 4.00 dug pit 18" x 18" x 18" deep & 8 feet 6 1/2 ft dist & raised a mound earth 3 ft high 3 1/2 ft base around hub

50.00 Enter gently slope trees N & E

10.00 In side line trees N & E

81.00 Set hand spike 4 ft long 4" square 12" in ground for Sec cor between 11. 12. 13 & 14 marked with T 10 N S 12 on N & E R 8 W. S 13 on S & E S 14 on S & W Sec S 11 on N & W from each corner 4 notches on sides 1 on E edges dug pit 18" x 18" x 18" in each

East

Set ten

Intersec
Blk N
12 & 13

Set

Mark
regul
Pit
N 89
Iron

Vio N. 88 W. S. & M.

Laid the 5th post and mound
Post 2ft high 4 ft
Iron around post
Valley
Vol 2nd Nat Grand
Timber
Segebrush Undergrowth

Cor on range line between
Sec 12 & 13
Var 17° 30' E

Set stone 14 x 6 x 24 in mound
Witness Cor Bears S
6 lks W of cor to Sec
12 & 13. 7 & 18 which is
a limestone 10 x 9 x 8
Pencil set in the
ground & properly
marked with
regulation Mound
Spike - Brass
N 89° 57' W on a
true line
Iron 12 & 13

Subdivisions

Chain with same as
40.05 Set channel post
3"x3"x3" square
2" round for 1/4
sec cor marked 1/4 S
on N face dug pit
18"x18"x12" & D.S. post
5'x5' ditch & raised a
mound of earth 1'x5'
high 3'x3' base alon
N&S

80.11 The cor to secs 12, 11,
& 14
Found beech
Set 1" nail
No tree
Pits dug bear
Mound of stones

N 89° 30' W 11.12
Var 17° 30' E
4.00 Set channel post
3"x3"x3" square
2" round for
1/4 sec cor marked
1/4 S on W" mound

BOOK-A-216

10 A.

Chain
Set 18"x
post 5'x5'
raised
earth
5'x5' base
Excavate
base 1
Raised
Set bur
7" x 7"
sec 11,
with 5
Edges
1/2 Mi
ditch &
earth
base al
Found
Set
No t
Sage

BOOK-A-216

T 10 N R 8 W. S. M.

Sec 1 Put 18"x18"x12" 11 & 8 ft
post 5½ ft distant
Placed around
Heart 1½ ft high 5 ft
ft base around post
Put lower bench
base 11 8 & 6
Rail bar 6 & 11
Set runners 10x8x7
7" in ground Inch w
base 11, 2 11 & 12, marked
with Scratches on 8x1 in
6 edges Augusts-18x18
x12 in each 5½ ft
dist & placed around
Heart 2 ft high 4½ ft
base alongside

Wheel Stone
Veil 2 Nuts
Rotunda
Sagebrush undergrowth

BOOK-A-21

Subdivisions

Chain Easterly along said line
between 1972
East 17.30 Chs
4.00 Set Iron Pipe on
19.80 Intersect E Boundary
of Sec 14 also N of Sec
between 1.6. 1972 which
is a limestone 24
x12"x7" firmly set
in the ground &
properly marked
with Letters mm
along said Thence
N. 89°52' W. m
Quarter between 1972
with bearing
3.90 Set Iron Pipe
3 ft long 3" square 12'
in ground for 4 ft
Cr. Marked 4 Sm
Set Iron Pipe
18x18x12 Chs Set Iron
5 1/2 ft distant Iron
a mound of earth
1 1/2 ft high 3 1/2 ft base

BOOK-A-216

S 10 W 8 N. S. Ch

Line agreed upon
80 The courses are
1, 2, 11 & 12
Found rolling bush
Post 2 ins dia
Ch trees
Notches & Pegged bush

Ant. on random
line bet secs 1 & 2
Var 17° 30' E
00 Set iron pipe &
80 Inclosed in Mound
Pits 2, 30 ch W. of Cor
secs 1, 2, 35 & 36 which
is a sandstone 14 x 12
x 10" sunk flat in the
ground & properly
marked
Thence
S 1° 30' W. on line
bet secs 1 & 2
with same va
80 Set charred post 3 ft

BOOK-A-21

Subdivision

Chain
64.10
89.30

Long 3" square 12"
ground for 1/4 tee
On Bracket 1/4 Sou
Wface dwg first 18x1
x12 D/ & Sof first 5-1/2
dist & record a mon
rear 1/2 pt high 1/2
Base ground for
Lully dwg NBr
Helen Estes 1.2,11
0.12.

Sand valley
Sec 2 Rita Ranch
Hy Lumber
Sagebrush on deg

Same the corner
Estes 34 & 35 on
& Bdy of Sp cabin
is on Canyon Creek 19
12'x5' firmly set
the ground, prope
marked with
Regulation Bronze spi

Land Mean
North
On W
Willow
rock 16
ground
Marked
Record
along
90 Set Ban
15" in g
tree 16.
Marked
on W & S
& Record
along
Sand
Sec 2
Ritan
Sagebr

T 10 N. R 8 W. 2d Th

Land Mound
North Line 34 & 35
Var 17° 30' E
On 21 Witness mound
Stone Set & Lava
Rock 15 x 12 x 10" 12" in
ground 1/4 Lk Cor
Marked 1/4 on N face
Pt accord a stone mound
alongside
Set Lava Rock 20 x 20 x 12
15" in ground for cor
Lk Cor L. 27. 34 & 35
Marked one notch
on W & 2 on E edge
Pt accord a stone mound
alongside
Cloudy valley
Arc 3 Rut Creek
Distance
Sagebrush undergrowth

Subdivisions

BOOK-A-216

Chain	
	East on said line between 24 & 25 Var 17° 30' E
4.00	Set stone for 1/4 cor
80.14	Intersect N. & Pluvi
	20 lks N of cor to co
	25. 26. 35 & 36. Thence
	N 89° 52' W on true
	line between 35 & 26
	with same as
	before noted
40.07	Set charred post 3 ft
	long 3" square 12" in
	ground for 1/4 cor.
	Mound 1/4 Sec N 2 links
	distant 18 x 18 x 12" &
	& B ft post 5 1/2 ft dist
	N 60 E a stone
	scribed 1/2 by 3 ft
	base around post
80.14	The cor to secs 24. 25
	25 & 36

Land rolling
Soil 2nd rate Rocky
Intermixed

Chain	
	Sagehen
	North
0.27	Var
0.70	Set Sand
	15" in pos
	Cr. Mark
	Sand pos
	Mound a
0.80	Ridge be
0.80	Gully a
1.00	Set Sand
	12" in pos
	Secs 25
	Marked
	42 in Ce
	a stone
	Sand s
	Soil 2nd
	Intermi
	Sagehen

Sh 10 of R. W. & L. Co.

Sagebrush undergrowth

Intersects Co. 26
at 27 Van 17° 30' E.
Set Lava Rock 20"x16"x12"
15" in ground from stake
Cr. Mark at 4.00 ft. W. from
Sand raised a little
Mound above ground
30 Ridge bears N. W. & S. E.
30 Gully dry S. E.
Set Lava rock 16"x10"x
12" in ground for cor.
Intersects 22. 23. 26. 27
Mark. 2 notches S
42 in. Edges raised
a little mound above ground
Sand rolling
Soil 2nd rate rocky
Mountains
Sagebrush undergrowth

BOOK-A-216

Subdivision

Chain East between 23
426 m/ random line
Von 17°30' E
4000 Set 1/4 sec cor
80.11 Intersect S'ly + S'ly
24 lks W. of cor to
23 24 25 & 26 Thence
N. 89°50' W. m
line between 23 & 26
with Barnes Ca
40.07 Set Lava rock 16" x 10
12" in ground for 1/4
sec cor Marked 1/4 cor
Place Mound
Stone Mound alongside
6000 Finish accent
80.11 Pine cor to secs 22
26 & 27
Road valley bench
Soil 2 ft rich, rocky
Sandy loam
Nothing
Sagebrush and dry grass

North
Von
along E
Place
lava
in ground
Marked
Mound.
along
Set lava
10" in
Toledo
Marked
1/4 cor
Stone
Land
Soil
Nothing
Sagebrush

East
between
23
Von

T10N. R8W. 2d Pm

North between 22 & 23
Van 17.30 E
along E side of gentle
slope
10 lava rock 10"x10"x10" 7"
in ground for 1/4 sec cor
Marked 1/4 on W face
Record. stone mound
alongside
10 Scl lava rock 14x9x8"
10" in ground for cor
to sec 14, 15, 22 & 23
on which 3 notches on
W & N edges & mound
stone mound alongside
Land rolling
Soil gravelly loam
Timber
Sagebrush undergrowth

Between sections
sections 14 &
23
Van 17.30 E

Subdivisions

Chain
4000 Set 1/4 sec cor
80.24 Intersect N & Shore
19 lks W of cor to tree
B.14.23 & 24 Sheeu
N. 89° 52' W on
true line between
14 & 23
with Roanne va
40.12 Set chand. post 3 ft
long 3" square 12"
mound for 1/4 sec
Ch marked 1/4 S on
N face dug pits 18 x 18
1 1/2" deep Ref pits
5 1/2 ft dist & course
to round beech 1 1/2 ft
high 3 1/2 ft bears round
post
42.00 Gentle ascent
80.24 Tree en to 4000 14, 15, 23
& 23

Landscallop
Set 2nd Nite Schedule
Autumn
Sagebrush undergrowth

410 14 &

10 N. R 8 W. S.L.Br

Northbetween 14 & 15.
Var 17° 30' E
Set charred post 3 ft long
3" square 12" in ground
for 1/4 sec cor Marked 1/4 S
in W face deep pit 15 x 8 x 8"
N, & S of post and raised
a mound of earth
1½ ft high 3 ft base
around post
Ridge bears N E & S W
Set 2 arrowheads 18 x 12
x 10" 13" in ground for
Cor to sec. 10. 11. 14 & 15
Marked 4 notches N S
& E W Edges and
raised mound of
Stone & boulders
Land rolling
Soil 3rd rate clay
Timber
Age and improvements

March 4, 1887

Subdivisions

Chain

East and West lines
Var 17° 30' E

40.00 Set Iron 1/4 Cor
80.18 Intersect N & S line
Set ten Links
& 1/4 from which
N 89° 58 W ten
links
Set Cor
8.00 Fully dug N
40.00 Set Charred post
Cor 3" square
ground
Marked 1/4 Sec
August 1898 x 12
West 5 1/2 links
Traced
East 11 1/2 links
ground post

60.00 Ascend
7.50 Intersect
80.18 Stake
14 & 15

Land rolling

Set 2
Witness
Seattle

North
Var
Along
Set Corner
3" iron
Marked 1/4
Traced
along
At edge
Set a
iron
Chain
10 & 11
Traced
along
Land
Set 2
Witness
Sagebrush

¼ 10 T. 1 S. R. 8 W. S. L. M.

Soil 2nd rate gravel
No timber
Scattering sagebrush

North between 10 & 11
Var 17° 30' E°
Along brow of gentle slope
70 Set Lava rock 10"x9"x8"
8" in ground for ¼ sec cor
Marked ¼ on W face dug
raised a stone mound
alongside
50 At edge of Great Salt Lake
Set a boulder 15"x10"x10" 11"
in ground for Meander
Corner & fractional secs
10 & 11 marked M. C. &
raised a stone mound
alongside
Land rolling & bench
Soil 2nd rate sandy
No timber
Sagebrush and greasewood

BOOK-A-216

T 10 N. R

Claim The West end of the
line between 2 & 11, follo
with the Lake miles than
80 ch. Therefore
From the corner to
Secs 1, 2 11 & 12 & from
West true line
between 2 & 11
Var 17° 30' E

36.00 Gulley drains E
40.00 Set charcoal post 3 ft
long 3" square 12" in
ground for Pit dug on
marked 4" on N face
dug pit 18" x 18" x 12" d
& Set post 5 1/2 ft dist
& raised a mound
about 1 1/2 ft high 3 ft
for base around post

58.00 descend

76.00 Ridge line 2 & 5

79.00 Set lava rock 14 x 9 x
10" in ground (about
of Great Salt Lake) fr
Meander corner

Claim Set a stone
2 & 11, on
Raised a
Angle on
Land s
Set 2"
N. true
Pageler

The cor
3 10 & 11,
Lake 3
from the
between
is one ch
true cor
on West
to a point
1 chain
true N
on the
2 & 3. S
Intersec
2.47 cha

BOOK-A-216

T10 N. R 8 W. 2d M.

Initial Section
2+11, on Mich Di C.
Maison de Stone Mound
Aliquote
Land rolling
Soil 2nd rate sandy
Timber
Vegetation Undergrowth

The connecting secs 2,
3 10 & 11, falling in the
Lake. Shutfore run
from the Meander Corner
between secs 2 & 11, which
is one chain East of
true corner, North
on offset line 80 2
to point, thence West
1 chain to the
true 1/4 sec corner
on the line between
2 & 3. Thence North
Interior N Body of 1/4
2.47 chs W of corner

BOOK-A-216

Chain To Secs 23. 33 & 34 on the ...
is a limestone 12"x10"x...
firmly set in the ground ...
properly marked & with ...
regulation mound of ...
Thence
S 10 46' W on the ...
line between Secs 2 & 3 ...
Var 17° 30' E°
Recorded
1880 Entered
13.40 Sandstone 20"x14"x10" ...
in ground from ¼ Sec cor ...
on bank of ¼ on W face ...
drag pits 18"x18"x12" ...
from 5½ ft distant and ...
raised a mound of ...
earth 1½ ft high 3½ ft base ...
alongside
83.40 on Edge of Great Salt ...
Lake Set a chamfered ...
iron 4 ft long 4" square ...
12" in ground for ...
Meander Corner ...
fractional section ...

2 & 3, on ...
T 10 N ...
R 8 W S ...
S 3 on ...
pits 3 ft ...
stone ...
raised ...
earth 2 ...
base ...
Var ...
Vol ...
Surv ...
Sagebr ...

From ...
Secs 33 & ...
of Sp ...
rock 18 ...
set and ...
Iron ...
Mound ...
Earth ...
Set ...
Set Corn ...

T 10 N. R 8 W. S L Mer

2 & 3, marked
T 10 N on N
R 8 W S 2 on E and
S 3 on W sides, dug
pits 3 ft square 1 ft deep
8 lks N of post and
raised a mound of
earth 2 ft high & 2 ft
base around post
Sand valley & flat
Soil 2d rate
Vegetation
Sagebrush rendegrass

From the corner to
secs 33 & 34 on S Boly
of Sp which is a lava
rock 18 x 9 x 5 firmly
set and properly marked
Mound with regulation
Mound & pits. From
North between secs 33 & 34
Var 17° 30' E
Set lava rock 24 x 12 x 12

Subdivision

Claim 18' ni ground fro
1/4 Sec on marked 1/4
S on W face raised
a stone mound
alongside
$800 Rolling due S.W.
$3,00 Ridge runs N.E. & S.W.
$600 Enter lower slope
$800 Set a lava rock 16 x 12 x
12" 12' ni ground fro
Corners 27, 28, 33 & 34
marked 1 notch on S
& on E edges raised
stone mound alongs
Sand rolling
Soil 2" to 4" deep
Scattering
Sagebrush undergrowth

T 10 N.

Line East on
between
Vol
00 Septem
14 Inlet
31 Lks So
26, 27, E
S 89
Line bet
cor
00 Gulley d
07 Set a la
x 10" 12"
1/4 Sec co
on W face
stone mo
00 Ridge ru
00 Enter l
14 The cor E
Sand
Soil 2"
Scatt
Sagebr

T. 10 N. R. 8 W. of 6th P.M.

Line East on random line between secs 27 & 34 Var 17° 30' E

100 Set temp 1/4 sec cor

1114 Intersect 1/4 & S line

Blk Spruce to secs 26, 27, 34 & 35 Thence S 89° 47' W on line between secs 27 & 34

Set temporary

100 Gulley dips NE

Set a lava rock 18"x12"x10" 12" in ground for 1/4 sec cor, marked 1/4 on N face & mound of stone around alongside

100 Ridge trees N & S

100 Open brushland

1/4 Sec cor & trees 27, 28, 33 & 34

Sand valley

Set 2 rock gravelly

No timber

Sagebrush undergrowth

Subdivisions

Chain

Sect Sec 27 & 28
Van 17° 30' E

35.00 Gulley dis N W

40.00 Set Lavarock 10"x10"x8"
9" in ground for ¼
Sec Marked ¼
on W face, raised a
stone mound alongs

38.00 Gulley dis S W

80.00 Set Lavarock 12"x10"x
8" in ground for co
Sec Sec 21, 22, 27 & 28
marked 2 notches on
N & E on E edge of Nat
stone mound alongside

Land adjoins
Sec 33 Nat Forest
Mountain

Easterly random line Sec Sec 22 & 27
Van 17° 30' E

40.00 Set temp ¼ Sec cor

T. 10 N. R. 8 W. of 4th M.

Jan
995 Intersect N. & S. line
27 chs N. of cor to secs
22. 23. 26 & 27. Thence
N. 85° E. 48 lks to a tree
for witness cor 22 & 27
Var 17° E. 1860
00 gulley drains N. & S.
50 Ridge runs N. W. & S. E.
00 gulley drains N. & S.
50 Ridge runs N. W. & S. E.
97 Set Sandstone 15 x 11 x 10"
q" in ground for ¼
sec cor marked ¼ on
N. face of mound a stone
in mound alongside
330 W. cor
00 gulley drains N. W.
00 Ridge runs N. W. & S. E.
00 Enter brow of bench
995 Thence N. to cor to secs 21, 22, 27
& 28

Sand valley
Soil Brown Sandy
Timber

BOOK-A-216

Subdivisions

Chain

8.00 Ascend
18.00 Ridge bears N 88 ½ E
40.00 Set Lava rock 11" x 10" x 10" in ground 4 in ¼ sec cor marked ¼ m Trees & Stone mound alongside
41.50 Gulley drains N W
80.00 Set Lava rock 14" x 12" x 8" 10" in ground for Cor to Secs 15. 16. 21 & 22 marked Scratches N & S on Edges Stone mound alongside
Land rolling
Soil 3d rate Rocky
Untimbered
March 8th

East on random line between Secs 15 & 22
Var 17° 30' E
40.00 Set Lava rock 14" x 12" x 8" 10" in ground for ¼ sec cor

Chain

24 Intersect
Ridge N & S
22 & 23
N 89
Lava bed
with
00 Ridge b
12 Set Lava
10" in gr
Cor on a
Trees & R
mound
60 Enter L
24 The cor
Land
Soil 2
Untim

Set Lava
7" in gr
Cor. Stan

Vic N. 88 W. 2 Ch

June
24 Intersect N & S line 19
lks N of cor to sec 14, 15
22 & 23. Thence
N 89° E 21 Wn to
limestone 15 x 22
witness cor
Ridge bears N & S
12 Set lava rock 14 x 9 x 8
10" mi grnd fr 1/4 sec
Cr marked 1/4 on N
face & raised stone
mound alongside
60 Entire mound bench
24 The cor to sec 15, 14, 21 & 22
Sand valley
Set 2nd nail
In tamarack

Intt limestone 18 x 16
Var 17° 30' E
60 Set limerock 10" x 10" x 8"
7" mi grnd fr 1/4 sec
Cr. marked 1/4 on W

Subdivisions

T10 N.

Chain.	
67.50	Set & raised a stone mound alongside At edge of Great Salt Lake Set a boulder 18"x17"x9" 12" in ground In Meander Corner to fractional Sections 15 & 16. Marked M.C. & raised stone mound alongside Land sloping Soil 2" Sandy Loam Timber Sagebrush & dry grass

As the West end of the line between Secs 10 & 15 falls in the Lake 11 Links Chain 80 chains Return to the corner to Secs 10. 11. 14 & 15 - Run West on true line

Chain.	
	Set & raised a stone mound alongside
1.00	Set ch long 3" ground marked dug pit of post raised earth base
1.60	Entire
2.10	Set Ch long & ground Corner Section M. C. T10 R8 dug pit deep & raised earth & base

T 10 N. R 8 W. S L M

Between secs 10 & 15
Va 17° 30' E

4.00 Set Chained post 3 ft long 3" square 12" in ground for 1/4 sec cor Marked 1/4 S on N face dug pit - 18" x 18" x 12" & W of post 5 1/2 ft dist and raised mound of earth 1 1/2 ft high 3 1/2 ft base around post

4.60 Enter sagebrush flat

9.10 Set Chained post 4 ft long 4" square 12" in ground for Meander Corner & fractional Sections 10 & 15, Marked M. C with T 10 N. R 8 W. S 10 on N R 8 W. S 15 on S faces dug pit - 3 ft square 12" deep S 45° E 1 foot & raised a mound of earth 2 ft high 4 1/2 ft base around post

Subdivision

Chain	
	Sand valley Soil 2nd rate sandy No timber Sagebrush undergrowth
	The line between secs 16 & 21 [illegible] valley w/ the Lake w/ less than 80 chains. Thence from the Corner to secs 16, 16, 21 & 22 from West w/ true line between secs 16 & 21 Var 17° 30' E
34.25	At edge of Great Salt Lake a set a boulder 11 x 10 x 7" w/ ground for Meand Corner to fractional secs 16 & 21, Marked M. C. & raised a stone mound alongside Sand level Soil 1st rate loam No timber Sagebrush undergrowth

Chain	
	From [illegible] 32 & 33 [illegible] creek rock 16 x set w/ g marked mound with Va
0.00	Set ch long 3" ground Mark deg. [illegible] of pro & raised feet Flow
0.00	Set la 10", 18" w to secs marked Hon Co stone m Land

T 10 N. R 8 W. S. L. Mer.

From the corner to sec 32 & 33 on S. Bdy of Tp selected is a rock 16 x 10 x 5 firmly set in ground properly marked & with regulation mound & pits. From North to sec 32 & 33 Var 17° 30' E

100 Set chained post 3 ft long 3" square 12" in ground in 1/4 sec on Mark'd 1/4 Sec N face dug pits 18" x 18" x 12" Dist 5 rds to post 5 1/2 ft dist & scribed a mound 1 foot high 3 1/2 ft base around post

100 Set lava rock 23 x 12 x 10". 18" in ground for corner to secs 28. 29. 32 & 33 Marked 10 with on S & W Edges & raised a stone mound along each Land level

Subdivisions

Vol 2nd Patented
Ormsby
Sagebrush Landyards

East on random line
set Secs 28 & 33
Var 17°30' E

40.00 Set Stone 1/4 Sec Cor
79.90 Intersect H.W. & S line
17 Lks S of Cor to Secs
28 & 33. 27 & 34. Thence
S 89°53' W on line
said Secs 28 & 33
with same va

39.95 Set Chained post 3" dia
long 3" square 12" in
ground for 1/4 Sec Cor
Marked 1/4 Sec N from
Hazy pile 18 x 18 x 2" Ent
W.F. spoot 5-1/2 ft dist
Raised a mound
of earth 9" x 3 ft high 3 ft
base around post

43.00 Enter lower flat
79.90 The Cor to Secs 28, 29, 32 & 33

T 10 N.

Round
Vol 2
Ormsby
Sageb

The line
Valley
than 80
West
lin
V
.00 Post dri
.00 Ridge
.00 Set Mar
18" in
Cor. Pi
face
alum
.70 in ebo
Lake Sc
7 x 12 x 8
for Mea
fractio
Marked
stone

T 10 S. R 8 W. S. L. M.

Boundage flat
Soil 2nd flat sandy
Bottoms
Sagebrush undergrowth

The meanders 29.32
Valley in Lake miles
than 80 chs. From
Westerly true line
meanders 29.32
Var 17° 30' E.

.00 Mast dis S 87
.00 Ridge N E & S W
.00 Set Marsh ck 24 1/2 x 12
18" in ground for 1/4 sec
Cor. Scribed 1/4 on N.
face of said stone mound
alongside
.70 in edge of great Salt
Lake Scribed boulder
7" x 12" x 8" 12" in ground
for meander corner
fractional secs 29.32
Marked M. C. of said
stone mound alongside

Subdivisions

T 10 R.

Chain		Chain	
	Soundsterling Soil 2nd rate sandy Timber Sagebrush undergrowth		Sand Soil Timb Sage
	North between Secs 28 & 29 Var 17° 30' E		East bet V
18.00	Wash chains W & W	00	Set lim
40.00	Set lava rock 18" x 12" x 10" in ground for 1/4 Sec Cor, marked 1/4 on W face, raised stone mound alongside	11	Interse 20 lks 21, 22,
49.00	Ridge bears N 10 E & S W		21 & 28
8.00	Set lava rock 10" x 10" x 7" in ground for Cor Secs 20, 21, 28 & 29 marked 2 notches S & W on edges deeply cut 18" x 18" x 12" in each face 5" B.T. cut & raised a mound four feet high 4" B.T. side alongside	05 00 00 11	lava 12" in g Cor, S face & mou Hollo Ridge The Cor

BOOK-A-216

T. 10 N. R. 18 W. S. L. Mer.

Sandrolling
Sec 2 Ruth Sandy
Ns timber
Sagebrush undergrowth

Eastman and mine
Lots 1 & 2 Sec 2
Var 17° 30' E
Set limestone corner
Intersect N & S line
20 lks S of cor to Secs
21, 22, 27 & 28 thence
S 89° 05' W on a
true line to Secs
2, 11 & 28
with same cor
Lava rock 18" x 16 x 10
12" in ground in 1/4 sec
Cor, Bracket 1/4 on N
face Basical stone
Ground elevation
Hollow dia 6 ft
Ridge runs N & S
Hill on Secs 21, 28 & 29

Subdivision

Chain Sand Valley
Soil 2nd rate sand
Timber
Sagebrush undergrowth

The line between Sections 20 & 29 Valley in part timberless than 80 chs. from Western true line between Sections 20 & 29 Var 17° 30' E

11.13 at edge of Great Salt Lake set Lava rock 18"x10"x8" 12" in ground for Meander Corner of fractional Sections 20 & 29, Marked M.C. Traced ground about 1 ft. along north

Sand Valley
Soil 2nd rate Sandy
Timber
Sagebrush undergrow

Chain Anth
Ve
along
Set Cor
7" in
Cor, Sh
deg. 15'
Stone
Traced
1½ ft. hig
along
Ridge
Descend
25 At edg
Set Sh
4" in
Corner
20 & 21,
Traced
along

Sa
Soil
Ye
No

T 10 S. R 18 W. S.L.M.

Chain

Meanders 20 & 21

Var 17° 30' E

along sagebrush flat

Set Corner Rock 10"x10"x7"

7" in ground for 1/4 Sec

Cor. Marked 1/4 on W face

deg. pits - 18"x18"x12" N & S

of stone 5-1/2 ft. dist &

raised Mound of earth

1/2 ft high 3 1/2 ft base

along ridge

.00 Ridge bears E & W

.00 descend

.25 At edge of Great Salt Lake

Set Sandstone 12"x10"x10

8" in ground for Meander

Corner & fractional Secs

20 & 21, marked M.C.

raised Stone Mound

along shore

Land rolling

Soil 2nd rate sandy & clay

Vegetation

Notes by

March 9th 1882

General Descript

The lands surveyed in th
township consist mo
of flats covered with
dense sagebrush under
growth and scatter
grass; part of it are
rolling hills. The boun
dary of this township
is Great Salt Lake, t
shore of which is mos
low rocky and in some
parts sandy.
There is no fresh water
in this part and the
lands are only suited
for grazing purposes.
The Central Pacific R
crosses each.

Edward M. Kord
Deputy surv

U. S. SURVEYOR

Salt Lake City

The foregoing

Township No.

Executed by

Under Contract No.

day of

Marsh

examined, the neces

tions made, the sa

they describe are h

BOOK-A-216

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *1888.*

The foregoing field notes of the survey of the

Subdiv

Township No. 10 N *Range No.* 8 W.;

Executed by Edward Norbon

Under Contract No. 145 *of the* 24th

day of June *1886, in the month of*

March *1887, having been critically*

examined, the necessary corrections and explana-

tions made, the said field notes, and the surveys

they describe are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK

REPORT:

Filed [illegible]

Examined by [illegible]

Transcribed by [illegible]

Compared by [illegible]

FIEL

OF THE SU

[illegible]

Township No. 10

Range No, 8

SALT LA

UTAH

AS

[illegible]

U. S.

Under his Contr

Dated [illegible]

Survey commenced

Survey completed

8 m 03

BOOK A-216

437

REPORT:

Filed May 20 188 7

Examined by John H Crawford

Transcribed by H Atkinson

Compared by Jennie V. Bowman & Kate Bowman.

FIELD NOTES

OF THE SURVEY OF THE

Mercedes

through

Township No. 10 North

Range No. 8 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Kober

U. S. Deputy Surveyor,

Under his Contract No. 145

Dated June 24th 1886

Survey commenced March 10th 1887

Survey completed March 10th 1887

8 m 03 chs 10 lks

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Crowe	Chainman
A. J. Jaime	Axeman
C. Leavitt	Axeman
	Flagman

BOOK-A-216

Meanders through

Township 10 N. R 8 W.

Survy commenced March 10 87

From Meander cor. to secs. 33 & 34. on N. boundary of township 9 nrn north Meanders through secs. 3. ~~4 33.~~

Var. 17° 30' E.

South 10.00 chs.
S. 26 1/4° W. 15.00 chs.
S. 54 3/4° E. 16.00 "
S. 6° ~~W~~ E 18.00 "
S. 20° E. 37.00 : to the Meander cor. to fract. secs. 2 & 3. rel by meander this Cont. rel.

Land. level.
Soil. Loam. alluvial
No timber.
Some sagebrush
Undergrowth

BOOK-A-2

Meanders Thro

Thence through sec 2.
Var. 16° 35' E.
S 13° E. 6.00 chs. to Mea
cor. to fracl Secs. 2 & 11 set by m
under this Control.
Land. level.
Soil 1st rate alluvial
No timber.
Thence sagebrush
on diagonal.

Thence through sec. 11.
Var. 16° 35' E.
S. 28° W. 20.00 chs. to Meander
cor. to fracl Secs. 10 & 11. set by m
under this Control.
Land rolling
Soil 2nd rate gravel.
No timber.

Town

Thence
Var.
S. 17 3/4° W
S. 27 1/2° W
S. 65° W.
S. 66° W.
S. 41° W
Meande
set by m
Land.
Soil
No tim
sage

Thence
T
S. 34° W
Meande
15 & 16. se
Land
Soil
No tim
sa

Towns. 10 & R 8 W.

Thence through sec. 10.
Var. 17° 30' E.
S. 17 3/4° W. 20.00 chs.
S. 27 1/2° W. 27.00 "
S. 65° W. 19.00 "
S. 66° W. 21.00 "
S. 41° W. 26.50 " to the
Meander cor. to fract. secs. 10 & 15.
set by me under this Contract.
Land. W. side of slope
Soil Brule gravel.
No timber.
Bayelsmakmeandersmith.

Thence through sec. 15.
Var 17° 30' E.
S. 34° W. 15.00 chs. to the
Meander Cor. to fract. secs.
15 & 16. set by me under this Contr
Land level.
Soil Brule.
No timber.
Bayelsmak
meandersmith.

BOOK-A-2

Meanders through

Thence through sec. 16.
S. 25° W. Var. 17° 30' E. 26.00 chs
S. 4 1/4° W. 29.00 "
S. 55° W 26.00 " to
the Meander cor. to frac
secs. 16 & 21. set by me
this Contract.
Land level.
Soil Sandy. grav
No timber.
Swamp meanders

Thence through sec
Var. 17° 30' E.
S. 73 1/2° W. 21.00
S. 82 1/2° W 27.00 to
Meander cor. to frac. se
20 & 21. set by me under
Contract.
Land rolling & slop
Soil Sandy gravel
No timber.

Swamp meanders

Town.

Thence
S. 34° W.
S. 72 1/2° W.
S. 63 1/2° E.
S. 4 1/2° W.
S. 4 1/4° E.
Meander
20 & 29. set
contract
Land
Soil
No tim

Thence th
Var
S. 17 1/2° W.
S. 18 1/2° W.
S. 31 1/2° W.
S. 30 1/2° W
Meander
29 & 32.
This Co
Land.

Towns. 10 N. R 8 W.

Thence through sec. 20.
Var. 17° 35' E.

S. 34° W. 15.00 chs.
S. 7 1/2° W. 19.00.
S. 63 1/2° E. 18.00
S. 7 1/2° W. 16.00
S. 41/4° E. 28.00 to the
Meander cor. to fract. sect.
28 & 29, set by meander this
contract.
Land. Slope of ridge
Soil. 2nd & 3rd Good.
No timber.
Hazelbrush undergr.

Thence through sec. 29.
Var. 17° 35' E.

S. 17 1/2° W. 21.00 chs
S. 18 1/2° W. 14.00.
S. 31 1/2° W. 26.00
S. 30 1/2° W 29.00. to the
Meander cor. to fract. sects.
28 & 32. set by meander
this Contract
Land. Level & rolling.

BOOK-A-21

Meanders Tp. 10 N. R 8

Soil 2nd to gravel.
No timber
Bayebrush under

Thence through sec 32
Var. 17° 30' E.
S. 15° E. 13.00 chs
S. 25 1/2° E. 22.00 "
S. 60° E. 26.00 "
S. 78 3/4° E. 14.00 "
S. 12 1/4° W. 21.00 chs
to the Meander Cor. to fr
sec. 5 & 32. on S. boun
of timber.
Land level & rolling
Soil 2nd to
No timber
Bayebrush
undergrowth

March 10th 1887

BOOK-A-216

General Descript.

For general Descript.
del subs. of this
township

Edward W. Vosburgh
U. S. Deputy.

BOOK-A-

S. SURVEYOR

Salt Lake City

The foregoing p

Marc

ownship No. 10

xecuted by Ex

nder Contract No.

y of June

March

amined, the neces

ns made, the sai

ey describe are he

Wil

BOOK-A-216

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *188 8.*

The foregoing field notes of the survey of the

Meanders through

ownship No. 16 N *Range No.* 8 W

executed by Edward W Kolber

nder Contract No. 145 *of the* 24th

ay of June *188 6, in the month of*

March *1887, having been critically*

amined, the necessary corrections and explana-

ons made, the said field notes, and the surveys

ey describe are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK-

PORT:

d 9th and Ju

mined by John A.

nscribed by Jenni

pared by Jennie V.

FIELD

RE

OF THE SU

orth and

bound

wnship No. 11

nge No. 7

SALT LAK

UTAH

AS S

Edward M.

U. S. D

Under his Contra

ated June

urvey commenced

urvey completed

H B. 5-79

6-"

Total 11-79

BOOK-A-216

REPORT:

Filed 9th day June 20th 1887

Examined by John A. Campbell.

Transcribed by Jennie V. Bowman.

Compared by Jennie V. Bowman & Lute Bowman

FIELD NOTES

RE

OF THE SURVEY OF THE

North and West

boundaries

OF

Township No. 11 North

Range No. 7 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward M. Bober

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 24 1886

Survey commenced February 12 1887

Survey completed February 15 1887

H. B. 5-79/66 ✓ 1

6 - " - "

Total 11-79-66 11. 15

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassm
William Carr	Chainman
J. T. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Lane	Axeman
C. Leavitt	Axeman
	Flagman

BOOK-A-21

Instruments
the field w
For running
Solar Mount
make, with S
telescope, a
tripod head
plate with
Semicircle
wires and g
For running
Solar Compa
W & L.E. Ger
Both instru
Surveyor Ge
Salt Lake C
work and al
tested afte
by observat
The Chains
brazed link
gauge, whic
morning by
was compare
in U.S. Surv

Instruments and Chains in executing the field work of Contract No I43-
For running exteriors I used a Solar Mountain Transit W&LE Gurley make, with Solar attachment on telescope, adjustable tripod & tripod head 4 inch needle 5¾ inch plate with double vernier verticle Semicircle level attachment Stadia wires and gradienter, No number.
For running Subdivisions I used Solar Compass with open sights W & L.E. Gerley make, No number.
Both instruments were tested in U.S. Surveyor General's Office in Salt Lake City before commencing work and also were frequently tested afterwards in the field by observation on Polaris,
The Chains used were 33 feet brazed links steel Chains, No 18 gauge, which were tested every morning by a metallic tape which was compared with Standard tape in U.S.Surveyor General's Office-

[I.—PRELIMINAR

I, Cyrus L
solemnly swear
form the duties o
instructions give
ll and ability, in
ian T. 11 N. R 8 W.,
T. 12. 13. 14. N. R 6 W.
13. 14. N. R 6 W.,
2. 13. 14. 15 N. R 8

the Salt Lake bas
ory of Utah.

Cyrus L

bscribed and swo
y of Feby

Not

[SEAL.]

BOOK-A-216

[1.—PRELIMINARY OATH OF COMPASSMAN.] 453

I, Cyrus L. Johnson

solemnly swear that I will well and truly form the duties of Compassman, according instructions given me, and to the best of my ill and ability, in the survey of the

ian T. 11 N. R 8 W., Standard 12 N. 6 & 7 W. Townships T. 12. 13. 14 N. R 6 W; 9. 11. 13. 14 N R 7 W. Subdivis. 13. 14 N. R 6 W., 9. 10. 11. 12. 13 14. 15 N. R 7 W 2. 13. 14. 15 N R 8 W. 11. 13. N R 9 W.

the Salt Lake base and meridian in the Territory of Utah.

Cyrus L Johnson, Compassman.

bscribed and sworn to before me, this 3d

ay of Feby 1887

Henry R. M. Atkinson

Notary Public

[SEAL.]

BOOK-A

[2.—PRELIMINAR

We, William C
d Fred Olse
solemnly swear th
ly execute the duti
will level the cha
und and plum the
or dropping the
true distance to a
e length of all line
, to the best of our
ordance with inst
vey of the Meridian
mk. T. 12. 13. 14 N. R
2.13.14 N. R 6 W.; 9. 10
12.13.14.15 N. R 8 W
he Salt Lake base
y of Utah.

William
J. K. L
Fred
H. M. L

scribed and sworn
day of Feb
Le

[2.—PRELIMINARY OATH OF CHAINMEN.]

We, William Carr, J. V. Smith

and Fred Olsen, H. M. Cronar.

solemnly swear that we will well and faithly execute the duties of chain carriers; that will level the chain upon even and uneven ound and plum the tally pins, either by stick- or dropping the same; that we will report true distance to all notable objects, and the e length of all lines that we assist in measur-, to the best of our skill and ability, and in ordance with instructions given us, in the rvey of the Meridian T. 11 N. R 8 W. Standard 12 N. R 6 & 7 W. or 11 & 13 N. R 8 & 7 W. Tubelivis mb. T. 12. 13. 14 N. R 6 W.; 9. 11. 13. 14 N. R 7 W.; 12. 13. 14 N. R 6 W.; 9. 10. 11. 12. 13. 14. 15 N. R 7 W. 12. 13. 14. 15 N. R 8 W. 11. 13 N. R 9 W.

he Salt Lake base and meridian in the Terriy of Utah.

William Carr, Chainman.

J. V. Smith, Chainman.

Fred Olsen, Chainman.

H. M. Cronar, Chainman.

scribed and sworn to before me this 3d day of Feby 1887

Henry R. McKinnon

Notary Public

[3.—PRELIMIN

We, [illegible]

d [illegible]

solemnly swear t
form the duties o
nt of corners and
structions given us
d ability, in the su
[illegible] Tsnwh. 2
[illegible]
[illegible] subdivisions
[illegible] R7W.
[illegible] R9W.

the Salt Lake base
y of Utah.

[illegible]

[illegible]

bscribed and swor
day of [illegible]

[illegible]

[3.—PRELIMINARY OATH OF AXEMEN.]

We, A. J. Tayne

and C. L. Leavitt

solemnly swear that we will well and truly perform the duties of axemen, in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of Meridian T. 11 N. R 8 W. Standard to 6 & 7 W. Tonnah T. 12. 13. 14 N. R 6 W. 9. 11. 13. 14 N. 118/39 & R 8 W. subdivisions T. 12. 13. 14 N R 6 W. 9. 10. 11. 12. 14 N. 15 N. R 7 W. 11. 12. 13. 14. 15 & R 8 W. 11. 13. & R 9 W.

the Salt Lake base and meridian in the Territory of Utah.

A J Tayne Axeman.

C. L. Leavitt, Axeman.

Subscribed and sworn to before me this 3d day of Feby 1887

Seven Th. Peterson
Notary Public

Rem

ed bou

Survey
February
Note. I
cor. to th
and also
Surveyor
old Surv
to Tps. T
retrace
cor. to
This corn
20×18×8
granite
with an
mound
From this
bttw. sec
8.00 chs.
line run
on either
both bttw
13 & 18. 78
place a
3 ft long
bears S

BOOK-A-216

Resurvey

...d Boundary Sp. 11 S. R 7 W.

Survey commenced
February 12th 1887

Note. In order to find the cor. to tps 10 & 11 S. R 7 & 8 W. and also to test my chain & instrument with the old survey I go the corner to tps. 10 & 11 S. R 6 & 7 W. and thence West 6 miles to the cor. to tps. 10 & 11 S R 7 & 8 W. This corner is a limestone 20 x 18 x 8" firmly set in the ground properly marked with an old post and a mound of stones alongside. From this corner I run South between secs. 31 & 36. 40.00 and 80.00 chs. I find a pile of limerocks but no marks on either of them. thence South betw. secs. 25 & 30. 19 & 24. 13 & 18. 7 & 12 & 1 & 6. from which place an old post 4" square 3 ft long without any marks bears S 47½° W. 96 lks

BOOK-A-2

Returning ~~Town~~ West Line. Tp

the same shows that it has been in the water. This p[lace] hen is the bottom of an old slough which is covered with water dur[ing] the winter.

From this point I run East bet[ween] sec. 6 & 31. & 5 & 3[2] at which place I find a old mound of earth well preserved and a[bout] minutes of pits. thence bet[ween] 4 & 33, 3 & 34, at this p[lace] I find a stake laying [in] in the angle mark abou[t] 27 lks North. thence bet[ween] 2 & 35 & 1 & 36. when I find the corner to Tps. 1 & 2 S. R. 6 & 7 W. 105 lks South and 150 lks. short.

I therefore adjust my d[istance] and instrument to [the] course and distance [to] found and return[ed] to the corner to Tps. 1 & 2

Find a p[ost] no mark[s] a limeston[e] ground fo[und] 1/4 on W[est] mound a[nd] Find a [post] and a mo[und] side, bu[t] I set a bi[g] in the gro[und] 25. 30. 31 & 3[6] on Land and raised a [mound] Land. W[est] Soil 2[0] No timb[er]

Surveyed

BOOK-A-216

West line. Sp 11 N. R 7 West -

R 7 & 8 W. and run
North on resurvey line
Detected. 31 & 36
Var 18° 30' E.

.00 Find a pile of broken limerocks
no marks visible, when I set
a limestone 14 x 11 x 5" 9" in the
ground for 1/4 sec. cor. marked
1/4 on W face and raised a stone
mound alongside.

.00 Find a rock in the ground
and a mound of stones along-
side, but can see no marks.
I set a limestone 17 x 8 x 6" 11"
in the ground for cor. to secs.
25. 30. 31 & 36 marked with 1 notch
on E and 5 on N edges and
raised a stone mound alongside.
Land. W. slope of ridge.
Soil 2 rate. gravelly
No timber.

Bears angle brs handing north.

BOOK-A-216

Reserve West Boundary

Chains

North on reserve line
bitw. secs. 25 & 30
Var 18° 30' E.

40.00 Notrace of old corner set a two stone 12×8×6" 8" in the ground for 1/4 sec. cor. marked 1/4 on ... fair and raised a stone mound alongside.

49.60 Road bears NE & W.

69.50 Same " NW & SE.

77.50 Same " NE & W.

80.00 No trace of old cor. set a stone 20×20×8" 20" in the ground for cor. to secs. 19.24.25 & 30 marked with 2 notches on S and 4 on E edges and raised a stone mound alongside.

Land W. slope of ridge
Soil 2nd rate gravely
No timber.

Dense eagle bush undergrowth

North

North on
bitw. sec
Var 1

No trace of
15×10×7" 10
1/4 sec. cor. m
and raised
alongside.

Gully dra
" "
Old roadon

Notrace of
Conglome
12×12" 20" i
Cor to secs.
with 2 notch
and raise
alongside
Land W.
Soil 2nd
No timbe
Dense eag

11 North - R 7 West. S.L.M.

North on meanders line bike sec. 19 & 24
Var 18° 30' E.
No trace of old cor. set a limestone 15 x 10 x 7" 10" in the ground for 1/4 sec. cor. marked 1/4 on W. face and mixed a stone mound alongside.
Gully draws W.
" " W.
Old wagon trail bears NE & SW.
No trace of old cor. set a Corylancer. sandstone 30 x 12 x 12" 20" in the ground for Cor to secs. 13. 18. 19 & 24. marked with 3 notches on E & W edges and mixed a stone mound alongside.
Land W. slope of ridge
Soil 2 rate Grovely
No timber.
Deer sage brush undergrowth.

BOOK-A-216

Resurvey West Boundary

Chain

Forth on survey line
betw. secs. 13 & 18.
Var. 18° 30' E.

1.70. Road bears S.E. & W.
8.50 " to Lake Station bears S.
10.00 Gulch drains S.W.
36.00 Descend
40.00 In gulch drains S.W. set
a limestone 14×10×6" 9" in the ground
for 1/4 sec. cor. marked 1/4 on
W. face and raised a stone
mound alongside.
47.50 Enter valley drains W. & S.
80.00 No trace of old corner set a
limestone 16×7×6" 12" in the
ground for cor. to secs. 7 &
13 & 18 marked with 4 notches
on S. and 2 on E edges and
raised a stone mound
alongside.
Land W. slope of ridge good
Soil 1" sandy loam 2" silt, rock
No timber
Dense sagebrush undergrowth

North
betw. sec
Var
20 Road be
10 Old road
30 Road
00 Set a pos
square
1/4 sec. cor.
dug pits
Rock 5
9 mound
3 1/2 ft bas
00 Enter
00 No trace
limeston
ground
& 1/2 mark
S. and
raised
alongs
Land.
Soil 2
No timb
Scatte

11 N. R. 7 W. S. L. M.

North on resurvey line
betw. secs. 7 & 12
Var 18° 30' E.
20 Road bears SW & NE
10 Old road " do
30 Road " do
00 Set a post charred 3 ft long 3"
square 12" in the ground for
¼ sec. cor. marked 1/4 S on W face
dug pits 18 x 18 x 12" N. & L of
post 5½ ft dist. and raised
a mound of earth 1½ ft high
3½ ft base around post.
00 Enter dry Stony ½
No trace of old cor. set a
limestone 14 x 10 x 8" g. in the
ground for cor to secs. 1. 6. 7
& 12 marked with 5 notches on
S. and on edges and
raised a mound of stone
alongside.
Level. valley
Soil 2nd rate alkali.
No timber
scattering sagebrush underbrush.

Resurvey West Boundary T. 11 N. R.

Chain

Post on resurvey line between secs. 5 & 6
Var 18° 30' E.

5.15 Leave dry slough

38.00 Water standing 2 lks. wide, deep bears W & NE.

40.00 Notice & old cor. set a limestone 12 x 8 x 6" 8" in the ground for W 1/4 sec. cor. marked 1/4 on E face dug pits 18 x 18 x 12" N of stone 5 1/2 ft dist. and mound of earth 1 1/2 ft 3 1/2 ft base alongside.

80.00 Where I find another trace as the old post already described I set a volcanic rock 40 x 30 x 30" 25" in ground for cor. to Tps. 11 12 N R 7 & 8 W. marked with 6 notches on N. & E. edges and raised a stone mound alongside I also set the old post alongside the rock 12" in the ground

Land
Soil
By th
Little

T 11 N. R 7 West. S.L.M.

Land. Valley
Soil Loam & alkali
Ty timber
Little grease wood
undergrowth.

February 12th 1887

BOOK

Resurvey

Township

Survey c
February
Calling
before th
this tow
cor. to T
after a
bund in
the fact
Wes
bet

Old roo
No trac
charred,
12" in the g
x 12" E & W
post 1/4 S
cor. and
of earth
aroun
Cedar
1/4 E & 1/4 W
No trac
vulcan

Resurvey of W. boundary

Township 11 N. R 7 W.

Survey commenced.
February 14th 1887
Calling attention to my "Note"
before the Westboundary of
this township I go to the
cor. to Tps 11 & 12 N. R 6 & 7 and
after adjusted my Transit
and instrument also to
the facts found I run
Weston ~~West~~ ~~boundary~~ this
betw. secs. 1 & 36
Var. 18° 40' E.

0.00 Old road bears N W & E.

0.00 No trace of old corner set a
charred post 3 ft long 3" square
12" in the ground thus pits 18 x 18
x 12" E & W. of post marked
post 1/4 S. on N face for 1/4 sec
cor. and raised a mound
of earth 1 1/2 ft high & 3 1/2 ft base
around post.

2.00 Cedar rolling valley brush
N E & W.

3.00 No trace of old cor. set a
volcanic rock 20 x 6 x 6"

Resurvey of North bound

Chain 15" in the ground for corner secs. 1. 2. 35 & 36. Marked 1 notch on E and 5 on W edges and raised a stone mound alongside.
Land. rolling valley
Soil 2nd rate gravely
No timber.
Scattering sagebrush & underbrush on 2nd half mile.

West on true resurvey line between secs. 2 & 35.
Var 18° 40' E.

40.00 No trace of old corner set a post charred 3 ft long 3" square 12" in the ground for 1/4 sec cor. marked 1/4 S on N face pits 18X18X12' E & W of post 5 ft dist end raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

11 N. R

75 Road be
00 No trace o
Volcanic
16" in the g
to secs. 2
with 2 no
on W edg
a mound
side.
Land.
Soil
No timb
Scatter

West
betw

50 Mark a
00
40
10 Road
00 No trace
set a s

T 11 N. R 7 West.

Jan 1840 E.

75 Road bears N.W. & S.E.
00 No trace of old cor. set a
volcanic rock 20x0x7"
16" in the ground for cor.
to secs. 2.3.34&35 marked
with 2 notches on E and W
on W edges and raised
a mound of stones along-
side.
Land valley
Soil Inter. sandy loam
No timber
Scattering sagebrush
Undergrowth

Meander line commencing
at cor. secs. 3 & 34
Jan 1840 E.
50 Wash bears N.
00 " N.
40 " N.W.
00 Road bears N.W. & S.E.
00 No trace of old corner
set a sandstone 12x8x6"

Resurvey of North Boundary

Plain 8" in the ground for 1/4 sec. Cor. marked 1/4 on N face drg pits 8X8X E & W of Stone 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside.

7.50 Wash drains S. W.

8.00 Find part of an old square post 17" long about 16" S. of here. There have been marks on the stake but it is impossible to make out now what they are. Set a limestone 14X8X7" 9" in the ground for cor to sec. 3. & 33.34 marked cor with 3 notches on E & W edges pits 18X18X12" in each 5 1/2 ft of post and raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside.

Land. Valley

Plain Soil [illegible]
No timber
Level
[illegible]

West [illegible]
bet
Va

62 Road be
00 No trace
a line
the gro
Marke
pits 18X
5 1/2 ft d
a mou
ft high
00 Find co
mound
& set a
9" in the
Sec. 5. 4
4 notche
edges,

T 11 N. R 7 West - S. L. M.

Soil rich alluvial
No timber.
Scattering sagebrush
undergrowth.

West on true meridian line
betw. secs. 4 & 33
Var 18° 40' E.

62 Road bears N W & S E.

00 No trace of old corner set
a limestone 10 x 8 x 4" 6" in
the ground for 1/4 sec cor.
marked 1/4 on N face drill
pits 18 x 18 x 12" S & W of stone
5 1/2 ft distant and raised
a mound of earth 1 1/2
ft high 3 1/2 ft base alongside.

00 Found remains of an old
mound of earth & pits, where
I set a limestone 14 x 8 x 8"
9" in the ground for cor to
secs. 5. 4. 32 & 33. marked with
4 notches on E and 2 on W.
edges, drill pits 18 x 18 x 12"

Returning of North-bound

Chaining each sec. 5½ ft disk.
raised & mound of ear
2½ ft high and 4 ft ba
alongside.
Ludd. Valley
Soil brite alluvial
No timber.

Scattering grey woo
underbrush.

Tied on true course
below. Secs. 5 & 32
Var 18° 40' E.

2.25 Wash drains N.W.

4.00 No trace of old cor. set a
stone 12x8x6' 8" in the gro
for 1/4 sec cor marked 1/4 on
face, dug pits 18x18x12"
E & W. of stone 5½ ft dis
and raised a mound
of earth 1½ ft high 2½
ft base alongside.

16.90 Road bears NE & SW.

Road be
No trace o
12x8x8" 8
cor. to secs.
with 5 no
Wedges
in each s
raised a
2½ ft hig
side.
Land
Soil
No tim
Scatte
un

Tied on
below. S
Var

.50 Euler dr
.00 No trace
a lime st
the groun
1/4 on N

T. 11 N. R. 7 West, S. L. M.

Road bears NE & W.
No trace of older. set a limestone
12x8x8" 8" in the ground for
cor. to secs. 6, 5, 31 & 32 marked
with 5 notches on E and on
W edges dug pits 18x18x12"
in each sec. 5 1/2 ft dist and
raised a mound of earth
2 1/2 ft high 4 ft base along
side.
Land Valley
Soil not alluvial
No timber.
Scattering sagebrush
no undergrowth.

West on true survey line
Bets. secs. 6 & 31
Var 18° 40' E.
Enter dry bed of slough
No trace of old corner set
a limestone 14x8x6" 9 in
the ground for 1/4 sec cor marked
1/4 on N face, dug pits. 8x8x2

476

Survey of North boun

Tp 11 N. R 7 West. S. L

Chain Eqs. No of stone 5/2 Fk dist.
and raised a mou
of earth 1 1/2 Fk high 3 1/2 Fk b
alongside.

79.66 Intersect cor. to Tps.
11 & 12 N. R 7 & 8 W. wh
were reestablished by
me under this Contra
Lynd. Valley
Soil Rate alk
November
February 14, 18

Second Descripti

For General Descrip
of Subdivisions of
this township.

Edward H. Ho
W. Lyn

BOOK-A-21

S. SURVEYOR G

Salt Lake City,

The foregoing fie

Ver[illegible]

ownship No. 11

Executed by Ed

Under Contract No.

day of

February

examined, the necess

ions made, the said

they describe are her

Will

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888

The foregoing field notes of the Resurvey of the

West & North boundaries

Township No. 11 N Range No. 7 W

Executed by Edward W Roberts

Under Contract No. 143 of the 24

day of June 1886, in the month of

February 1887, having been critically

examined, the necessary corrections and explana-

tions made, the said field notes, and the surveys

they describe are hereby approved.

William G. Bromley

U. S. Surveyor General for Utah.

REPORT:

Filed 9th Au

Examined by Joh

Transcribed by Jun

Compared by Jun

FIEL

OF THE Re S

Jack Th

Township No. 71

Range No. 7

SALT LA

UTA

A

Edward

U. S.

Under his Cont

Dated Jun

Survey commence

Survey completed

16 m

BOOK-A-216

479

REPORT:

Filed 9th Oct June 20th 1887

Examined by John H Caulfe

Transcribed by Jennie V. Bowman.

Compared by Jennie V. Bowman & Kate Bowman.

FIELD NOTES

OF THE Re SURVEY OF THE

Tract Subdivisions

OF

Township No. 11 North

Range No. 7 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward M Kreber

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 24th 188[illegible]

Survey commenced February 15 1887

Survey completed " 16 1887

16 m 29 ch 01 lks

12

12

480 NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Barr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Jamme	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A

Reserv

Townsh

Survey o
Johnson
From the
36 on S. bo
is a lime
stone
Iron pipe
regulat
of south
Co
b

7.50 Wash dra
7.50 Road be
4.50 "
0.00 No trac
post 3 f
in the gr
marked
pits 8 X
& 5 1/2 f d
mound
.00 Road be
9.00 Enter o
7.00 Road

BOOK-A-216

Resurvey of Subdivision

Township 11 N. R 7 W.

Survey commenced February 15 1887

From the corner to secs. 35 & 36 on S. boundary of Tp. which is a limestone 14 x 8 x 5" firmly set in the ground properly marked with regulation pits & mound of earth along side 1 rod north of resurvey line between secs. 35 & 36.

Var 18° 40' E.

7.50 Wash drains N. W.

7.50 Road bears E & W.

4.50 " " NE & SW.

0.00 No trace of old cor. set a stone post 3 ft long 3" square 12" deep in the ground for 1/4 sec. cor. marked 1/4 S on W face, dug pits 18 x 18 x 12" N & S of post & 5 1/2 ft distant and raised a mound of earth around post.

6.00 Road bears NE & SW.

6.00 Enter cedar hills

7.00 Road bears N & S.

BOOK-A-

Resurvey Tract. Subdivision

Chain
12.00 No trace of old cor. set a limestone 16×10×7" 10" in the ground marked with a cross (+). End of resurveyed. Rolling.
Soil 2nd rate gravelly
Timber scattering Cedar
Bluegrass and sage
brush-mulberry rosebush

From the cor. to secs. 25 & 36 on E boundary of Tp. - which is a limestone 18×12×8" firmly set in the ground properly marked on stone mound about 4 inches high

West on true line
Between secs. 25 & 36
Var. 18° 40' E.

5.00 Low ridge bears NW & SE.
11.00 Wash draws SE.
18.00 Low ridge bears NW & SE.
40.00 No trace of old cor. set Sandstone 12×10×6" 6" in the ground for 1/4 sec cor marked 1/4 on N face and

5.00 Low ridge
.00 End of re
cor. set lim
marked
Land.
Soil 2nd
Timber.

From the cor
of Tp. which
set in the grou
stone mounded a

West on
betw
Va

00 Wash dr
00 End of re
Cor. set a
the ground
Land.
Soil 2
Timber.

11 N. R 7 W. S. L. M.

Law raised a stone mound alongside.
5.00 Low ridge bears NE & W.
5.00 End of survey no trace of old
Cor. set a limestone 10×10×8" in the ground
marked with a cross +
Land rolling.
Soil 2nd rate Gravelly
Timber scattering Cedars

From the cor to secs. 24 & 25. on E. boundary
of ½. which is a limestone 15×12×5" firmly
set in the ground properly marked with
stone mound alongside I run
West on true survey line
between Secs 24 & 25
Var 18° 40' E.
1.00 Rock bears SE.
2.00 End of survey no trace of old
Cor. set a limestone 14×10×5" g" in
the ground marked with cross +
Land rolling.
Soil 2nd rate Gravelly
Timber scattering Cedars

Resurvey Tract. Subdivision 11 T. R.

Chain North on resurvey line
between secs. 3 4 & 35.
Var 18° 40' E.

18.70 Gully dr. W.

33.25 Road to Cedar Spring bears W.

40.00 Find an old square stake
nearly decayed laying on ne
of mound of earth where I
set a charred post 3 ft long 3"
12" in the ground for 1/4 sec. cor.
marked 1/4 on W face dug pi
18 x 18 x 12" N & W of post 5 1/2
dist. and raised a mound
of earth 1 1/2 ft high 3 1/2 ft base
around post.

79.50 Wash drains W.

80.00 Find the old corner stake
properly marked firmly
set in the ground for cor. t
sec. 27. 26. 34 & 35. where I dug
pits 18 x 18 x 12" in each sec.
5 1/2 ft dist. of post and rai
a mound of earth 2 1/2 ft hi
4 ft base around post.
Land rolling.

East on t
betw.
Var.

8.00 No trace
set a lim
in the gr
a cross. s
Land
Soil 2
No timber

North o
betw.
Var.

.50 Wash a
.80 "
.40 "
.20 Old ro

11 N. R. 7 W. S. L. M.

Soil. 2 rate gravely
No timber.

East on true resurvey line
betw. secs. 26 & 35.
Var. 18° 40' E.

8.00 No trace of old cor. when I
set a line stk 18x10x7 : 12"
in the ground marked + with
2 cr's. end of resurvey.
Land rolling
Soil 2nd rate gravely
No timber.

North on resurvey line
betw. secs. 26 & 27
Var. 18° 40' E.

.50 Wash draws W.
.80 " " W.
.40 " " W.
7.20 Old road bears NE & SW.

Resurvey Tract. Subdivi[sion] 11 N. R

Chain	
40.00	Find the old corner post lying down marks decay[ed] when I set a charred post 3 ft long 3" square 12" in the ground for 1/4 sec. cor. mar[ked] 1/4 cor. W. Dug pits 18X18X1[2] No. of post and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.
58.50	Wash draw W.
65.00	L side of hollow
67.50	Wash draw W.
70.80	R side of hollow.
80.00	Intersect the old post cor. firmly set in the ground properly marked for cor. to secs. 22.23.26.27, where I dug pits 18X18X12" in each sec. 5 ft dist. of post and raised a mound of earth 2 1/2 ft high 4 ft base around post. Land rolling. Soil Gravelly Not timber.

Chain	
	Each co[rner] betw[een] Tar[gets]
around.	
.00	No trees a raised ie the g[round] cor, stone dug pi[t] alongsi[de]
5.00	End of Gold c[reek] 12X10X4 marked Land. Soil L[oam] & Cobbl[es]
	North co betw[een] Tar[gets]
.00	No trees Cobble 20 drain[s] d[own] for 1/4 sec c[or]

11 N. R 7 West. S. L. Mi.

Line

East on true survey line
betw. secs. 25 & 26.
Var 18° 40' E.

5.00 around. No trace of old corner set a sandstone 16×10×6" 12" in the ground for 1/4 sec cor marked 1/4 on N face and raised a stone mound alongside.

5.00 End of survey, no trace of old cor. set Sandstone 12×10×4" 8" in the ground marked + cut.

Land rolling
Soil 2nd gravelly
Timber Cedar & Pine

North on survey line
betw. secs. 22 & 23
Var 18° 40' E.

5.00 No trace of old corner set a Cobble 20×10×6" in mound of stones 15" in the ground for 1/4 sec cor. marked 1/4 on N.

Resurvey Tract Subdivision [illegible] T. N. R.

Chain Face and raised a stone
mound alongside.
43.50 Wash drain S. W.
55.00 Descend bears NE & W.
Cedar & 2 cedars.
68.50 Step descend
73.00 Wash in gulch drain W.
77.50 Cedar Valley bears NE &
leave 2 cedars.
80.00 Find a mound of earth
with 6" of the old stake m
decayed, the rest of the st
lying 2 lks W of the mou
Set a charred post 4 ft lo
4" square, 12" in the ground f
Cor. to Secs. 14.15.22 & 23. mark
T. 11 N. S 14 on NE.
R. 7 W. S 23 " SE.
S. 22 " SW.
S 15 " 12 W. faces an
with 3 notches on S. & W. edg
dug pits 18 X 18 X 2" in each Sec.
& dist. and raised a mound o
earth 2½ ft high 4 ft base and
post.

Land.
Soil. 2
Timber.

East o
betw

00 Accum
scatter
00 Leave
00 Witnes
hinge th
the gro
knuck
and
mou
00 End of
Sold
14 x 10 x
mark
Land
Soil.
Timber.

T. 11 N. R. 7 West, S. L. M.

Land rolling.
Soil. 2nd rate. Gravelly
Timber. Scatt. cedars.
February 15th 1887

East on true resurvey line
Bdies. secs. 14 & 23.
Var. 18° 46' E.

40 Accumbens NE & Iron
scattering cedars.
400 Leave Lance.
200 Witness of Soldier. set a
large stone 16 x 10 x 6" 12" in
the ground for 1/4 sec cor
marked 1/4 on N face
and raised a stone
mound alongside.
200 End of resurvey. Witness
Soldiers mound Boundstone
14 x 10 x 7" 9" in the ground
marked with cross +
Land rolling.
Soil. 2nd rate Gravelly
Timber. Scatt. cedars.

Resurvey Tract Subdivisi[on] 11 N. R.

Chain North on resurvey line
bet[w]. secs. 14 & 15
Var. 18° 40' E.

12.70 Road bears NE & SW.

40.00 Find an old mound w[ith]
& set a Cubble stone 9×9×6
6" in the ground for 1/4 sec.
cor. marked 1/4 on W face
and raised a stone mou[nd]
alongside.

80.00 Notice of old corner
a sandstone 20×10×8"
15" in the ground for cor to
secs. 11. 10. 14 & 15. marked
with 4 notches on Land
on E edges and raised a
stone mound alongside
Land rolling valley
Soil Mixt sandy loam
Timber.

East on
bet[w].
Var.

00 Notice
sandsto
grou
Marke
and r
alongs

00 Euler

00 Notice
stone 14
grou
13, 14 gr
on Lan
raise
along
Land.
Soil
Timber.

11 N. R 7 W. 8 L M

East on true meridian line between secs. 11 & 14
Var 18° 40' E.

9.00 Notice of old cor. set a sandstone 10×8×7° 6" in the ground for 1/4 sec cor marked 1/4 on N face and raised a stone mound alongside.

2.00 Enter rolling hills bear N & S.

9.00 No trace of cor. set a limestone 14×10×7° 9" in the ground for cor to secs. 11.12. 13 & 14 marked with 4 notches on L and 1 on Edges & raised a stone mound alongside.

Land rolling
Soil 2nd rate gravely
Timber scattering cedars in hills.

Resurvey Tract Subdivi

Chains	
	North resurvey line bet. secs. 13 & 14. Var. 18° 40' E.
25.00	Gulch runs S.W.
40.00	No trace of old corner set a lim 15" x 11" x 7" 10" in the ground for 1/4 sec corner marked 1/4 N face, and raised a stone mound alongs
64.00	No trace of old cor. set a lime Stone 16" x 10" x 10" 12" the ground marked + c
	End of resurvey. Level rolling Soil 2nd rate. Grovely Timber: Scattering Doug cedars.

W. M. R

East bet Var

00 No trace lime no the gro 2 cross. Soil 2 Timber

North bet. Var

50 Wash 50 Rollin 00 Wash 00 " 00 No trace a lime the gro marke raised alongs

T. 11 N. R. 7 West S. L. Md.

		East on true meridian line between secs. 12 & 13 Var. 18° 40' E.
1.00		No trace of old corner set Limestone 12×10×7" 8" in the ground marked with a cross S.T. end of survey Piled. rolling Soil 2" rute Gravely Timber-scrub Cedars
		North on meridian line between secs. 11 & 12. Var 18° 40' E.
.50		Wash drains N.W.
5.50		Rollin drains N.W.
5.00		Wash drains N.W.
2.50		" do.
1.00		No trace of old corner set a lime stone 12×10×8" 8" in the ground for 1/4 sec cor. marked 1/4 on W face and mixed a stone mound alongside.

Reservoir Tract-Subdivision 11 N. R

Chain
47.00 Walk dries of W.
40.00 Enter brush
80.00 No trace of old cor. set a
lime stone 20×20×6" in
the ground for cor. to secs.
1.2.11.&12 marked with 5
notches on S. and 1 on E.
edges and mound of stones along
Land. rolling.
Soil. Grate gravelly
Timber. scrub cedar.

East on Reservoir line
betw. secs. 1 & 12
Var 18° 40' E.

1.00 Road bears NW & SE.
4.00 No trace of old cor. set
a lime stone 16×10×7" in
in the ground for 1/4
sec. cor. marked 1/4 cor.
N fence and mound of
stone mound along side
43.00 Road road bears N & S.
56.00 Gentle ascent

End of
of old
11×10×7
marked
Land.
Soil
Timber
Scr

North
be

Set mo
of old
Inter
from
Iron
be
Gentle
Set a
10' in the
cor. ma
and
along
Road

11 N. R 7 West. S.L.M.

Jun 2.00 End of survey, no trace of old post set a limestone 11×10×7½ 7½ in the ground marked with a + cut's. Land rolling Soil 2nd rate Gravelly Timber scattering Sand cedars.

North on meridian survey line betw. secs. 1 & 2. Var 18° 48' E.

4.00 Set stone, 1/4 sec. cor. no trace of old corner. on N. bound. set 60 yds. W. under the Cedar.

9.95 Intersect cor. to secs. 1 & 2 in from which 3 rods North on true line betw. secs. 1 & 2.

9.00 Gentle ascend

9.95 Set a limestone 15×12×10 10" in the ground for 1/4 sec cor. marked 1/4 on W face and raised a stone mound alongside.

7.95 Road bears NW & SE.

BOOK-A-2

Adjoining tract Subdivisi[on] 11 N. R.

Chain
79.95 The cor to secs. 1. 2. 11. & 12
Land. rolling
Soil [illegible] gravely
No timber.

From cor. to secs. 10. 11. 14 & 15
From Northern survey
betw. secs. 10 & 11.
Var. 18° 40' E.

4.00 No trace of old cor. set a
marked post 3 ft long 3" sq
12" in the ground for 1/4 sec.
corner marked 1/4 S on W f
dug pits to 18 x 18 x 2" No D.
post 5 1/2 ft dist. and
a mound of earth 1 1/2 ft
high 3 1/2 ft base around
post.

80.00 No trace of old cor. set a
Cobble 14 x 9 x 6" 9" in the
ground for cor to secs
2. 3. 10 & 11. Marked with
notches on S. and E.
edges, and raised a

Land
Stone
Land.
Soil
No timb

East
line
T.

4.00 No trace
1/4 sec cor
3.08 Distance
to secs. 1.
W
bi

6.60 Euler
Set a
6" in the
Cor mk
and r
mound
3.08 Pacific
Land
Soil

11 N. R 7 W. 3. L. Ill.

Lin Stone mound alongside.
Lynn. Valley
Soil White, sandyloam
No timber.

East on random survey
line betw. secs. 2 & 11
Var 18° 40' E.
.00 No trace of older set temp
1/4 cor.
.08 Intersect N° 1 line at cor
to sec. 1. 2. 11 & 12 from which I run
West on true line
betw secs. 2 & 11
Var 18° 40' E.
.60 Enter valley bears N 15° E.
.04 Set a limestone 10 x 10 x 6"
6" in the ground for 1/4 sec
Cor marked 1/4 on N face
and buried a stone
mound alongside
.08 Reference to sec. 2. 3. 10 & 11.
Limestone rolling & hilly
Soil 1' sandy loam

Reclamation Tract Subdivision No 11 T. [illegible]

Chain No timber.

North meander line
between secs. 2 & 3.
Var 18° 40' E.

40.00 No brick or stone mon. at 1/4 sec. cor.
79.98 Intersect cor. to secs. 2 & 3
on N. boundary run by me
from where I run
South on true line
between secs. 2 & 3.
With same var.

3.98 Set a cobble 8 x 8 x 8" 5' in
the ground for 1/4 sec. cor.
marked 1/4 on W. face
and raised a stone
mound alongside

79.98 The cor. to secs. 2-3-10 & 11
Land. Valley
Soil brn sandy loam
No timber
Scattering grease wood
and sagebrush

February 16. 189[illegible]

Recei

The land
this Cor
bounded
The soil
brown
a good
was a
reach
is ver
they ar
A few
and
There
water
The la
good
pump

BOOK-A-216

Tp 11 N. R 7 West S. L. M.

General Description

The lands surveyed under this Contract consist of low benches and valley. The soil in the valley is brute and would produce a good crop if there was any water within reach. The bench soil is very gravely, and they are covered with a few scrub cedars, and bunch grass. There is no living water in this part. The lands are only good for grazing purposes.

Edward F. Farber
U. S. deputy

BOOK-A

S. SURVEYOR

Salt Lake City

The foregoing

Buck C

Township No.

Executed by

Under Contract No

day of

February

examined, the neces

ions made, the sa

they describe are h

BOOK-A-216

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the survey of the

Duck Lake.

Township No. 11 N Range No. 7 W

Executed by Edw N. Koeber

Under Contract No. 143 of the 24

day of June 1886, in the month of

February 1887, having been critically

examined, the necessary corrections and explana-

tions made, the said field notes, and the surveys

they describe are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

REPORT:

Filed 9th Aug

Examined by John

Transcribed by Jesse

Compared by Jennie

FIEL

OF THE SU

Subdivi

Township No. 11

Range No. 7

SALT LA

UTA

AS

Edward

U. S.

Under his Contr

Dated Jun

Survey commenced

Survey completed

5 m

BOOK A-216 503

REPORT:

Filed 9th day June 20th 1887

Examined by John A Campbell.

Transcribed by Jennie V. Borman

Compared by Jennie V. Borman & Kate Borman.

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 11 N

Range No. 7 W

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W Kelsey

U. S. Deputy Surveyor,

Under his Contract No. 145

Dated June 24 1886

Survey commenced February 17 1887.

Survey completed " 28 1887

5 sm 18 ch 25 lks

13.13

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. H. Cromer	Chainman
A. J. Laure	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-21

Instruments
executing t
Contract No
For running
Solar Mount
Gurley make
ment on te
tripod & t
needle 5½
double ver
Semicircle
Stadia wir
No number.
For runnin
a Solar Co
W & L E Gu
Both instr
the U.S.Su
in Salt La
cing the w
tested aft
the field
Polaris,
The chain
brazed li
gauge, wh
morning b
by a meta
with Stan
Surveyor

Instruments and Chains used in executing the field work of Contract No 145-

For running exteriors I used a Solar Mountain Transit W & L E Gurley make, with Solar attachment on telescope, adjustable tripod & tripod head 4 inch needle 5½ inch plate with double vernier verticle Semicircle level attachment Stadia wires and gradienter, No number.

For running Subdivisions I used a Solar Compass with open sights W & L E Gurley make, No number-

Both instruments were tested in the U.S.Surveyor General's Office in Salt Lake City, before commencing the work, and also were tested afterwards frequently in the field by observation on Polaris,

The chains used were 33 feet brazed links steel chains No 18 gauge, which were tested every morning before commencing work by a metallic tape which compared with Standard tape in U.S. Surveyor General's Office -

[1.—PRELIMINAR

I, Cyrus

o solemnly swear

erform the duties

instructions give

ill and ability, in

Standard T. 12 S. R.

Township T. 14 S. R.

ubdivis. T. 14 S. R.

9 E. 10 E. 11

11 & 13

Counties. T. 9 S. R.

T.

f the Salt Lake be

itory of Utah.

Cyrus L

ubscribed and su

day of Febru

[SEAL.]

[1.—PRELIMINARY OATH OF COMPASSMAN.]

I, Cyrus L. Johnson

o solemnly swear that I will well and truly erform the duties of Compassman, according o instructions given me, and to the best of my ill and ability, in the survey of the

Standard T. 12 S. R 7 W.

Township T. 14 S. R 6 W. 14 & 15 S. R 7 W. 13 S. R 8 W.

Subdivis. T. 14 S. 6 W. 9. 11. 12. 14. 15 S. R 7 W.

9. 10. 11. 12. 13. 14. 15 S. R 8 W.

11 & 13 S. R 9 W.

Boundaries. T. 9 S. R 7 W. 9. 10. 11 S. R 8 W.

T. 11 S. R 9 W.

f the Salt Lake base and meridian in the Ter- itory of Utah.

Cyrus L. Johnson, *Compassman.*

Subscribed and sworn to before me, this 3d *day of* February *1887*

Henry H. McAllister

Notary Public

[SEAL.]

BOOK-A-

[2.—PRELIMIN

We, Willi'am

nd Ford Mar

o solemnly swear t

lly execute the du

e will level the ch

round and plum t

g or dropping th

e true distance to

ue length of all lin

g, to the best of ou

ccordance with in

urvey of the Stat

14 R6W. 14 & 15

14 R6W. 9, 11, 12, 14 & 15
11. & 13 T. R
unders. T. 9 S. R

f the Salt Lake bas

ry of Utah.

Willi

J. K.

Free

H. M

ubscribed and swo

day of Feb

[2.—PRELIMINARY OATH OF CHAINMEN.]

We, William Carr J. V. Smith
and Fred Olsen, N. M. Conner
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plum the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Standard T. 12 S. R 7 W. Towns. 14 S. R 6 W. 14 & 15 S. R 7 W. 13 S. R 8 W. Subs. 14 S. 6 W. 9. 11. 12. 14. 15 S. R 7 W. 9. 10. 11. 12. 13. 14. 15 S. R 8 W. 11. & 13 S. R 9 W. Founders T. 9 S. R 7 W. 9. 10. 11 S. R 8 W. T. 11 S. R 9 W. of the Salt Lake base and meridian in the Territory of Utah.

William Carr, Chainman.

J. V. Smith, Chainman.

Fred Olsen, Chainman.

N. M. Conner, Chainman.

Subscribed and sworn to before me this 3d day of February 1887

Henry R. McAllister
Notary Public

[3.—PRELIMINA

We, [illegible]

nd [illegible]

solemnly swear t
rform the duties o
ent of corners and
structions given us
nd ability, in the su
andard T. 12 N
ownship T. 14 N
ubdiv. T. 14 N R
9. 10. 11.
11 & 13 N
eanders T. 9
T. 11
the Salt Lake base
ry of Utah.

[illegible]

[illegible]

ubscribed and swor
day of Feb

[3.—PRELIMINARY OATH OF AXEMEN.]

We, A. J. Tams

and C. C. Leavitt

do solemnly swear that we will well and truly perform the duties of axemen, in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of

Standard T. 12 N. R 7 W.

Township T. 14 N R 6 W. 14 & 15 N. R 7 W. 13 N R 8 W.

Subdiv. T. 14 N R 6 W. 9. 11. 12. 14. 15. N. R 7 W.

9. 10. 11. 12 13. 14. 15 N R 8 W.

11 & 13 N R 9 W.

Boundaries T. 9 N R 7 W. 9. 10. 11. N R 8 W

T. 11 N R 9 W.

of the Salt Lake base and meridian in the Territory of Utah.

A J Tams, Axeman.

C C Leavitt, Axeman.

Subscribed and sworn to before me this 3d day of February 1887

Henry R McKeuzie
Notary Public

Subdivis

Survey cor

Fifth
officer. Co
boundar
was rest
Contract
for

2.00 End of
0.00 Set a sa
cic the g
25. 26. 35
noted on
raised
always
Land.
Soil
Timber.

Subdivisions Tp. 11 N R 7 W.

Survey commenced Febr. 17. 1887

From a pk. 72.00 chs. North of cor. to secs. 35 & 36 on South boundary of Township. which was reestablished by me under Contract No 143. I run North betw. secs. 35 & 36 Var. 17° 45' E.

72.00 End of resurvey

0.00 Set a sandstone 12 x 10 x 8" 8" in the ground for cor. to secs. 25. 26. 35 & 36. Marked with 1 notch on E & W edges and raised a stone mound alongside.

Land rolling hills.
Soil 2nd rate rocky
Timber. scattering Cedars.

Subdivisions T. 11 N. R. West.

Chain

East on meridian line
betw. secs. 25 & 36.
Var. 17° 45' E.

10.20 Iron rock set by me at end of resurvey under Contract No. 143. from which Iron

West on true line
betw. secs. 25 & 36
Var. 17° 45' E.

70.00 End of resurvey

80.20 The corner to secs. 25. 26. 35 & 36
Land rolling hills
Soil 2nd rate rocky
Timber scrub. Cedars.

West on meridian line
betw secs. 26 & 35.
Var 17° 45' E.

40.00 Set Trap 1/4 sec. corner.

41.95 Iron rock set by me at end of resurvey under Contract No. 143. from which Iron

East on
betw.
Var.

.00 End of re

.97 Set a Iron
in the g
cor. no
and no
above si

.00 Rock d

.00 Ridge

.95 The cor t
Land.
Soil
Timber.

North b
Var

.00 Ridge be

.00 Rock

.00 Ridge b

.75 Rock d

.00 Set a sta
10" in the

N. Mex. S. L. M.

East bdtwn line
betw. secs. 26 & 35
Var. 17° 45' E.

.00 End of resurvey.
.97 Set a limestone 16 x 10 x 4" 12"
in the ground for 1/4 sec.
cor. marked 1/4 on N face
and raised a stone mound
alongside.
.00 Wash drains E.
.00 Ridge bears NE & W
.95 Rec cor to secs. 25, 26, 35 & 36
Land rolling hills
Soil 2nd rate gravelly
Timber Scrub Cedars.

North betw. secs. 25 & 26
Var 17° 45' E.
.00 Ridge bears NE & W.
.00 Wash drains E. & W.
.00 Ridge bears NE & W.
.75 Wash drains E. & W.
.00 Set a sandstone 15 x 7 x 4"
10" in the ground for 1/4 sec.

Subdivisions Sp 11 Nor 7 Mz 1

Chain cor. marked 1/4 on W. face a
raised a stone mound ab
side from which
a cedar 10" diam. bears S. 5° W. 31
" " 10" " " S. 8° E. 23
marked 1/4 S. B. T.

53.00 Top of ridge bears N. E.

63.50 Gulch drains S. W.

78.00 Top of ridge bears N. W.

80.00 Set a sandstone 15" x 11"
7" 10" in the ground for
to secs. 23. 26 23. 24. mark
with 3 notches on S. and
on E. edges and raised
a stone mound above
No suitable trees within
limits.

Land Mountainous
Soil 3 rate rocky
Timber Cedars.

East
belo
Tar
Set stone
Intersec
set by me
which
West
betw
with
End of
Set a lim
in the gr
marked
raised
above
Ridge
"
The cor
Land
Soil 2
Timber

7 West S. L. M.

East on random line between secs. 24 & 25.
Var 17° 45' E.
Set temp. 1/4 sec. cor.
Inserted rock at end of survey set by me under Contr. 143. from which I saw
West on true line between secs. 24. 25. with same var.
End of survey
Set a lime stone 14 x 10 x 7 in the ground for 1/4 sec cor. marked 1/4 on N face and incised a stone mound alongside.
Ridge bears N 70 E.
" NE & W.
Tree cor to secs. 23. 24. 25 & 26.
Land: Mountains
Soil 2nd rate rocky
Timber - Cedars.

Subdivisions of Sec 11 No R 7 We

Chain

Meas on random line
betw. secs. 23 & 26
Var 17° 45' E.
rock at

35.30 Intersect East of survey
by me under Contract
No 143. from which a
East on true line
betw secs. 23 & 26.
Var. 17° 45' E.

45.00 End of survey

58.00 Ascend

62.00 Ridge bears N E & W.

71.00 Wash draws S W.

80.30 Theor. to secs. 23. 24. 25 & 26
Land. Mountain
Soil Lmte. rocky
Timber Cedars.

North betw. secs. 23 & 24
Var. 17° 45' E.

1.25 Gully draws S W.

9.00 Ridge bears N E & W.

15.25 Gulch draws S W.

21.50 Ridge bears N E & W.

Chain

5.00 Gulch d

00 "

00 Set a line

the gro

14 on W fa

mound

0.00 Along E

0.00 Gulch d

00 Set a lin

the grou

& 24. mar

on S and

varied

along

trees co

Land.

Soil

Timbe

R 7 West - S. L. M.

5.00 Gulch drains S.W.

6.00 " " S.W.

7.00 Set a limerock 15x12x8"10" in the ground for 1/4 sec. cor. mound 14 on W face. and raised stone mound alongside.

8.00 Along E slope of ridge

9.00 Gulch drains S.E.

10.00 Set a limestone 15x12x8"10" in the ground for cor to secs. 13. 14. 23. & 24. marked with 3 notches on S and W on E. Edges and raised a stone mound alongside. no suitable trees within limits.

Land. Mountainous

Soil 2nd rate. rocky

Timber. Oak. Cottonwood.

Feb. 17. 1887

Subdivisions of Sec 11 Town 7 North

Chain East on meridian line between secs. 13 & 24 Var 17° 45' E.

40.00 Set stone 1/4 sec cor.

79.10 Intersect cor. to sec. 13 & 24. with is a limestone 16 x 12 x 7 in. firmly set in the ground properly marked with stone mound alongside from which I run S 89° 54' W on true line between secs. 13 & 24 With pine var.

11.00 Wash drains N.W.

17.00 Ridge bears N & S

36.00 Wash drains N.W.

39.55 Set a limestone 14 x 10 x 6 in. in the ground for 1/4 sec cor marked 1/4 on N face and raised a stone mound alongside.

42.00 Wash drains S.E.

74.00 Ridge bears NW & SE.

79.10 The cor to secs. 13. 14. 23 & 24 Land Mound raised.

Chain Soil 2nd Timber.

West on true line between secs. 13 & 24

80. Intersect cor to sec. 13 & 24 Centre of creek which runs Ea

8.00 End of

13.00 Ridge

80. The cor Land Soil Timber

7 West — S. L. M.

Soil 2 rate. rocky
Timber few cedars.

West on meander line
betw secs. 14 & 23
Var. 17° 45' E.

Intersect rock at end of
survey set by me under
Contract No 143. from
which I run.

East on true line
betw. secs. 14 & 23
with same var.

8.00 End of survey
23.00 Ridge N & S

2.80. The corner to secs. 13. 14. 23 & 24
Land Boundary
Soil 2 rate rocky
Timber scrub. cedars.

BOOK-A-21

Subdivisions Tp 11 North Range 7

Chain

Note. The line betw. secs. 13 & 14. being run from the North to Spk 64 lks. E. of corner to secs. 11. 12. 13 & 14. run from the cor. to secs. 13. 14. 23 & 24

North on random line betw secs. 13 & 14 Var. 17° 45' E

16.00 Intersect rock at end of resurvey set by me under Contract No 14 B. 1.10 lbs E. from which I run S 3° 55' E. on the line betw. secs. 13 & 14 with same var.

64.00 End of resurvey

69.00 Ridge bears NE & SW

80.00 The cor to secs. 13. 14. 23 & 24

Land Mountainous Soil Drift rocky Timber fir cedar.

Chain

Note. The line betw. secs. a rock to secs. 1 run

East

be

T

9.00 End of

9.00 Set ste

8.40 Inter

on E. bo

is a bu

pine

Prop

Stone

from

S. 8

be

W

24.00 Gulch

9.40 Set a

8 lic the

cor thence

Range 7 West. S.L.M.

Note. From the end of survey
betw. secs. 12 & 13. which is
a rock 38.00 chs. E. of cor.
to secs. 11.12.13. & 14. set by
me under Contract No 143.

From
East connecting line
betw. secs. 12 & 13
Var 17° 40' E.

8.00 End of survey
Set temp 1/4 sec cor.
8.40 Intersect 27 lks E. cor to sec. 12 & 13
on E. boundary of Tp. which
is a limestone 16 x 12 x 6"
firmly set in the ground
properly marked with
stone mound alongside
from which
S. 89° 48' W. on true line
betw secs. 12 & 13
with same Var.
24.00 Gypsite around
24.48 Set a limerock 12 x 10 x 8"
8" in the ground for 1/4 sec.
cor. Marked 1/4 on N face.

Subdivision of Sec 11 Township

Chain acced raised a stone mound
alongside.
40.00 End of survey
78.00 The corner to secs 11 & 12. 13 & 14.
Land rolling hills.
Soil 2nd rate rocky
Timber. few cedars.

Note From the end of survey
between secs 1 & 12. which is a
76. chs. E. of corner to secs.
1. 2. 11 & 12. set by me under
Contract No 143. I can
see the corner to secs 1 & 12
on E. boundary of Tp. and
its bearing is N 89° 50' E.
& therefore from
N 89° 50' E. between lines
between secs 1 & 12.
Var. 17° 45' E.

76.00 End of survey
78.80 Intersect cor. to secs. 1 & 12 on
E. boundary of township
which is a hickory 16 x 24

Land

finely
proper
three m
Land.
Soil.
Timber.

The land
this Cor
& chain
Mound
Covered
scrub
land o
made
NW⁴ of
home
is also
formerly
The la
for yo

Range 7 West S.L.M.

firmly set in the ground properly marked with three notches and along side Land. Rolling
Soil. Dried Gravelly
Timber. Pine & Cedars.

July 18 1887

General Description

The lands surveyed under this Contract consist of a chain of low rolling Mountains, which are covered with scattering scrub cedars fine grass and other underbrush. In the W½ of W½ Sec. 36. is the house of Caufield, there is also a spring on this [illegible].

The lands are very good for grazing purposes

Edward M. Koeber
Deputy Surv.

BOOK-A-

. S. SURVEYOR G

Salt Lake City

The foregoing f

Township No. 11

Executed by Ed

Under Contract No.

day of Jan

February

examined, the neces

tions made, the sa

they describe are h

Will

BOOK-A-216

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the survey of the

Jack Dubs,

Township No. 11 N Range No. 7 W

Executed by Edward W Kerby

Under Contract No. 645 of the 2d

day of June 1886 in the month of

February 1887, having been critically

examined, the necessary corrections and explana-

tions made, the said field notes, and the surveys

they describe are hereby approved.

William G Bowman

U. S. Surveyor General for Utah.

BOOK

EPORT:

led 12th June

camined by J.H.

anscribed by Jun

mpared by Jun

FIELD

OF THE SU

Guide

ownship No. 11

anges No. 4 &

SALT LA

UTAH

AS

Edward

U. S.

Under his Co

Dated Jun

Survey commenced

Survey Completed

"In

BOOK A 216

529

REPORT:

Filed 12th June 20th 1887.

Examined by J. H. Cairnes

Transcribed by Jennie V. Bowman

Compared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

OF THE SURVEY OF THE

Guide Meridian

OF

Township No. 11 N

Ranges No. 1 & 2 W

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY.

AS SURVEYED BY

Edward A. Raeber

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 24 1886

Survey commenced Feby 22d 1887

Survey Completed " 22nd 1887

" on 51 Chs 50 Lks

143

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassm
William Carr	Chainman
J. F. Smith	Chainman.
Fred Olsen	Chainman.
H. M. Crowan	Chainman.
A. J. Lane	Axeman.
E. C. Leavitt	Axeman.
	Flagman.

Resurvey Ende Meridian

Westboundary Tp. 11 N R 8 W.

Survey commenced
Feb. 22, 1887
From the cor. to tps. 11 & 12 N.
R 8 & 9 W. where I find a
lime rock 16 x 10 x 6" firmly
set in the ground properly
marked with remains of
mound of earth & pits along-
side. From
South on resurvey line
betw. secs. 1 & 6.
Var 17 1/2° E.
along fence.

.25 Road bears S. W & N. E.
2.50 Fence bears E & W.
2.70 Telegraph line bears E & W.
3.40 Railroad C. T. " do
3.80 Old railroad grade " do
4.10 Telegraph line " do
10.00 No trace of old cor. marked a stone
3 ft long 3" square, 12" in
the ground for 1/4 sec. cor.
with 1/4 S on W face dug
pits 18 x 18 x 12" N & S. of post
5 1/2 ft distant and mound

Resurvey Guide Meridian

532

West Boundary Tp 11 N. R 8 W.

Chain	a mound of earth 1½ ft high 3½ ft base about post.
37.50	No tree of old post, set a limestone 10x8x8" 6" in the ground for the end of survey marked with a + cross.
	Level
	Soil Brule. alkali
	No timber.
	Feb. 22, 1887

General Descript

For general Descripti
see Subs. of this town
ship

Edward W. Robb
Dep Surv

BOOK-A-2

S. SURVEYOR GEN

Salt Lake Cit

The foregoing fiel

Guide

Township No. 11 N

of the Salt Lake Mer

Edward

Under Contract No.

day of June

February

examined, the neces

made, the said field

are hereby approved

BOOK-A-216

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the re survey of the Guinda Meridian

Township No. 11 N 6th *Range Nos* 8 & 9 W.

of the Salt Lake Meridian. Executed by Edward W. Kerbow

Under Contract No. 143 *of the* 24

day of June *1886, in the month of* February *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Brennan

U. S. Surveyor General for Utah.

BOOK-A-216

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the re survey of the Guinda Meridian

Township No. 11 N 6th *Range Nos* 8 & 9 W.

of the Salt Lake Meridian. Executed by Edward W. Kerbow

Under Contract No. 143 *of the* 24

day of June *1886, in the month of* February *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Brennan

U. S. Surveyor General for Utah.

BOOK A-246

535

REPORT:

Filed 12 m June 20 1887.

Examined by John W. Campbell

Transcribed by Jennie V. Bowman.

Compared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

OF THE SURVEY OF THE

Guide Meridian

e. e.

Westboundary

OF

Township No. 11 N.

Range No. 8 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Kreber

U. S. Deputy Surveyor,

Under his Contract No. 145

Dated June 1st 1886

Survey commenced Feb. 22. 188 7

Survey completed " 22 188 7

" 20 lks 50 lks

153

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
N. M. Cronan	Chainman
D. J. Jance	Axeman
C. H. Leavitt	Axeman
	Flagman

Ute Meridian.

BOOK-A-216

West boundary T. 11 S. R 8 W.

Survey commenced Feb. 22 '87

Found the cor. to end of
survey betw. secs. 1 & 6 which
is 57.56 chs. S. of cor. to tps.
11 & 12 S. R 8 & 9 W. Mm
South betw. secs. 1 & 6
Var. 17 1/2° E.

57.56 End of survey

3.00 Shore of great Salt Lake
where I set a live rock
10 x 10 x 10 "6" in the ground
for meander cor. to prop.
secs. 1 & 6 marked M.C.
dug pit 3 ft square 1 ft
deep & lks N of stone and
raised a mound of earth
2 1/2 ft high 4 ft base
adjoyning.
Lake level
Soil very alkali
No timber.

Feb. 22 1887

538

Salt Lake Meridian

West Boundary Range 1 W. T. 11 N. R. 8 W.

General Descrip

Original Descrip
the Lines of this Town

Edward H. Fo
W. Deputy Sur

BOOK A-

U. S. SURVEYOR GE

Salt Lake C

The foregoing f
Guide M
West-bou
Township No. 11 N
of the Salt Lake Me
Edward
Under Contract No
day of Jun
February
examined, the nece
made, the said field
are hereby approve

BOOK A-216

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the ....*survey of the* Guide Meridian i.e. West-boundary ....

Township No. 11 North *Range No.* 8 West *of the Salt Lake Meridian. Executed by* .... Edward W. Kerbs, ...

Under Contract No. 145 *of the* 24th *day of* June *1886 in the month of* February *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Bowman

U. S. Surveyor General for Utah.

BOO

REPORT:

Filed 12 M

Examined by John

Transcribed by

Compared by

FIE

OF THE, S

Township No.

Range No.

SALT L

UT

Edward

U.

Under his Co

Dated

Survey commen

Survey complet

26 B 4

9 " 2

Book 25
BOOK-A-216

REPORT:

Filed 12 M June 20th 1887

Examined by John H. Campbell

Transcribed by Jennie T. Bowman

Compared by Jennie T. Bowman & Kate Bowman

FIELD NOTES

OF THE SURVEY OF THE

Fract. ~~West~~ North

and South boundaries

OF

Township No. 11 N.

Range No. 8 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Barber

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 2d 1886

Survey commenced February 19th 1887

Survey completed " 21 1887

2 B 4 rds - 6 pds - 50 lks } 7-03-95

2 " 2 - 14 - 45 }

Offsets " - 19 - 50 6.10

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
D. J. Jaure	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-2

Resurvey

Survey c

Note.

Sur

11 R 7

reestablu

Contract

on a tri

I can re

do not

with th

cho. Sin

80.00 cho

hunting

with C

4 on W

in the

bears

9.10 cho.

East.

marks

corner

bound

from th

my no

Resurvey of South boundary T. 11 N. R 8 W.

Survey commenced. February 19, 1887

Note.

From the cor. to tps. 10 & 11 N R 7 & 8 W., which was reestablished by me under Contract No 143. From West on a trial line betw. secs. 1 & 36 I can see from here that I do not fully the last survey with the old notes. At 40.00 chs. I find no corner, and at 80.00 chs. I find after long hunting a rock marked with 2 notches on E. and 4 on W edges. firmly set in the ground. which bears from my 80.00 chs. 9.10 chs. North and 2.10 chs. East. According to the marks found this is the corner to secs. 34 & 35 on S. boundary. and corrs- pon this now also with my notes as found on the

Dist. Resurvey of South

ground.
To investigate this further I run West along South boundary of sec. 34, find no corner at 40.00 chs. but at 80.15 chs. I intersect a rock 8 lks N. marked with 3 notches on E. & W. edges.
I then return to the cor to secs. 34 & 35 and run North bet. secs. 34 & 35, 27 & 28 & 22 & 23, finding all the corners well marked firmly set in the ground. I also re- trace part of the N. bdry. wher I find several sec. cor. well marked which all correspond with the cor. to secs. 34 & 35 and with the notes of the old survey.
According to all this fac I can see that the boun

BOOK-A-

11 N R
find
E. & W.
report
the fi
made
As the
of lost
corners
Land
publi
sey. on
1st. tha
the
acc
dis
Go
wh
su
acc
ne
Eu
and
As
u

...uthward ...day Tp 11 N. R 8 West—
11 N. R 8 W. is at the present
time one mile shorter
E. & W. than it has been
reported at the time
the first survey was
made.
As the rules for the restoration
of lost and obliterated
corners from the General
Land Office, Washington
published March 13. 1883.
say. on page 6".
" 1st. That the boundaries of
the public lands established
and returned by the
duly appointed
Government surveyors,
when approved by the
surveyor generals and
accepted by the Govern-
ment, are unchange-
able
and on page 8".
As has been observed
no existing or "grand

Tract. Resurvey of South boun[dary] 11 N. R

corner can be disturb[ed] township
and it will be obtain[ed] the W. bo[undary]
any excess or deficien[cy] of R 7 W.
in measurement be[tween] establish[ed]
known existing corner[s] this Co[rner]
cannot in any degr[ee]
affect the distances be[-]
yond said existing
corners, but must be
added or subtracted
proportionally to or
from the intervals em-
braced between the
corners which are
standing."
I therefore consider the
corner to secs. 34 on S.
boundary of Tp. 11 N R 7
my correct and legal
starting point for the
execution of resurvey
S. W & N. boundaries and
subdivisions throwing
the difference toward
the East boundary of

From th[e]
on S. bou[n]
is a stake
firmly
marked
E. and
Lobey
each se[c]
and ma[r]
of earth
base alo[n]
East or
bet[ween]
To
No trac[e]
a line
the gra[n]
me Ru[n]
pairs

T 11 N. R 8 West. S. L. M.

township, which is also the W. boundary of Tp. 11 N R 7 W. and which was established by me under this Contract.

February 19th 1881

From the cor. to secs. 34 & 35 on S. boundary of Tp. which is a limestone 14 x 12 x 10" firmly set in the ground marked with 2 notches on E. and 4 on W. edges adjoining pits 18 x 18 x 12" in each sec. 5 1/2 ft distant and raised a mound of earth 2 1/2 ft high 4 ft base alongside & run East on the survey line between secs. 2 & 35

Var 17° 55' E.

No trace of old corner set a limestone 12 x 10 x 7" 8" in the ground for 1/4 sec cor. marked 1/4 on N face and raised a stone mound

BOOK-A-2

Tract Resurvey of South bdy

Chain	
	~~survey~~ alongside.
48.00	Road bears NW & SE.
59.00	Old railroad Grade bears NW & SE.
63.70	Spruce, NW & SE enter brush
63.78	Telegraph line bears NW & SE
64.50	Cent. Pacific RR " do
65.44	Telegraph line " do
65.50	Spruce " do
73.00	Road & ascend " do
78.00	Intersect E. boundary of Tp. 9 & 10 S. R. 7 & 8 W. when set a quartz 16×10×10 12" in the ground for cor. to ~~Tps~~ 10 & 11 S. R. 7 & 8 W. ~~when~~ marked with 4 notches on E and S on W. edges and mound of stone alongside. Land rolling Soil poor & gravelly No timber Trees ~~ra~~ redbrush underbrush

Chain

Chain	
	From c
	L. bou
	We
	be
4.00	No trees
	line of
	the gra
	marke
	varied
	alongs
8.00	ascen
9.00	Intersec
	10×7"
	Grave
	Broken
	for corn
	when
	mound
	Land
	Soil
	No
	dens

Sp 11 N. R 8 West. S. L. M.

Chain From cor. to secs. 34 & 35 on
S. boundary of
Wilson Tps resurvey line
between secs. 34 & 35
Var 17° 55' E.

0.00 No trace of old cor. set a
lime stone 16 x 10 x 5" 12" in
the ground for 1/4 sec cor.
marked 1/4 on N face and
raised a stone mound
alongside.

8.00 ascend.

0.00 Reversed a hickory 12 x
10 x 7" firmly set in the
ground marked with
3 notches on E & W edges
for corner to secs. 33 & 34
where I raised a stone
mound alongside.
Land level & rolling
Soil Quite Good
No timber
Down as shown
in diagram.

From 1st Resurvey South boundary of

Sp 11 N. R 8 West - S. L. M.

Chain

1655

West on the resurvey line
betw. secs. 33 & 34
Var. 17° 55' E.
Gentle descent
No trace of old cor. set line
rock 10 x 8 x 8" 6" in the ground
mark + cross End of
resurvey
Land rolling
Soil Stony rocky
No timber.

General Descript

For general Desc
see Subs of this Tp.

Edward W
U. S. Dep Surv.

Resurvey

BOOK-A-2

Boundary

Survey

Meas

Same

W. Same

East

bet

Var

0.00 Leave

7.80 Road

0.00 at a

the

mark

and

along

3.00 Enter

0.25 Road

2.50

0.00 Find

down

with

E. Edges.

also a

x 7" 6"

cor. to

with

Boundary T. 11 N R 8 W

Survey commenced.
February 21st 1887.
Com. cor. to Sps. 11 & 12 N R 8 W
9 W. Com
East on true resurvey line
bet. secs. 6 & 31
Var. 17½° E.

0.00 Leave sagebrush
7.80 Road bears SW & NE.
0.00 Set a quartzite 12×10×7" 8" in the ground for 1/4 sec cor. marked with 1/4 on N face and buried a stone mound alongside. Notice of old cor.
13.00 Enter lower flat
0.25 Road bears NW & SE.
2.50 " " do
0.00 Find the old stake laying down which is marked with 1 notch on W and 5 on E. edges. Buried same and also a volcanic rock 10×0×7" 6" in the ground for cor. to secs. 6 & 5. 31 & 32. marked with 1 notch on W & 5 on E edges

Resurvey N. boundary
Tract. Tp 11 N. R 8 W.

Chain and ranged a stone mound
along side.
Level land.
Soil Brute sandy
No timber.

East on true line
between secs. 5 & 32
Var 17½° E.

1.00 Enter alkali flat
40.00 No trace of boundary, set a charred post
3 ft long 3" square 12" in the
ground for ¼ sec cor mound
1/4 on N face dug pits 18x
18x12" E & W of post 5½ ft
dist. and ranged a mound
of earth 1½ ft high 2½ ft
base against post
77.50 Leave alkali flat
Road bears N W & S E.
80.00 Find the old cor stake
laying down along side
a mound of earth
base is marked with

Resurvey
BOOK-A-21
Tp 11 N. R

Chain 2 notches on
where I
x10x7" 9"
cor to sec
with 2
4 on 6 ed
stone mo
Level
Soil
No tim

East
betw
Var
12.00 Boundary
40.00 No trace o
post 3 ft
the grou
marked
18x18x12
dist a
of earth
base a
60.00 Enter
80.00 In sa

BOOK-A-216

Meridian Reservoir N. boundary

T. 11 N. R. 8 W. S. L. M.

Dec. 2 notches on W and N on E edges. Set a lime rock 14 x 10 x 7" 9" in the ground for cor to secs. 4, 5, 32 & 33 marked with 2 notches on W and N on E edges and raised a stone mound alongside. Level land. Soil 2nd rate. All Bull Pine timber.

East on true lines between secs. 4 & 33

Var. 17½° E. 12.00 Reference tree 8" dia. Pine bears N. 8° E. 40.00 N. twice of old cor. Set a cherry post 3 ft. long 2" square 12" in the ground for ¼ sec. cor. marked ¼ on N face dug pits 18 x 18 x 12" E & W of post 5½ ft. dist. and raised a mound of earth 1½ ft. high 3½ ft. base around post. 60.00 Enter marsh. Ground. 80.00 In open set a lime rock

1st Recovery North boundary

Chain 14 x 10 x 7" 9" in the ground for cor. to secs. 3. 4. 33 & 34 marked with 3 notches on E. and W edges and mound of stone mound alongside Land level. Soil Brule marshy No timber.

East on true survey line bet. secs. 3 & 34 Var. 17½° E.

17.50 Leave marshy ground

40.00 No trace of old corner set a post (Orig 3" square 12") mound 3 ft. in the ground for 1/4 sec. cor. marked 1/4 on N. face dug pits 18 x 18 x 12" E. & W. of post and raised a mound of earth 1½ ft. high 3 ft base alongside

80.00 Intersected an old stake standing in mound of earth marked with 2

Chain notches when 12 x 6" 19 cor. to se with 2 4 on W. ea a mound side Land Soil. Nothin

East on bet

40.00 No trac a charc square 1/4 sec. c N. face E & W. o and m earth 1½ a mound

T 6 11 N R 8 West

Claim | woteks on E and N on W edges when I set a limestone 26 x 12 x 6" 19" in the ground for cor. to secs. 23. 24 & 35 marked with 2 woteks on E and N on W. edges and raised a mound of stones along side.
Level land.
Soil. Gritty alkali.
No timber.

East on true survey line between secs. 24 & 35.
Var. 17 1/2° E.

1000 | No trace of old corner set a charred post 3 ft long 8" square 12" in the ground for 1/4 sec. cor. marked 1/4 on N. face dug pits 18 x 18 x 12" E & W. of post 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

Tract Resurvey of North

Chain
46.00 Salt Creek dry drains S.
69.50 Intersect E. boundary of
Tp. 10.40 dist of cor. to
Tps. 11 & 12 N. R 7 & 8 W. which
was reestablished by
me, when I set a white
rock 16×10×8" 12" in the
ground for cor. to Tp. 11 & 12
N. R 7 & 8 W.

Note.

For explanation of
this Section Refer
to my explanation
before commencing
resurvey of Southern
N. this township see
this book.

Level land.
Soil Sandy alkali
No timber.

February 21. 1887

Boundary of T. 11 N. R. 8 W. S.L.M.

Second Descript.

For general Descript
see Subs. of this township

Edward W. Loeber
U.S. Dep. Surv.

BOOK-A-

U. S. SURVEYOR

Salt Lake Cit

The foregoing

Sect. [illegible]

Township No. [illegible]

Executed by [illegible]

Under Contract N

day of [illegible]

February [illegible]

examined, the nec

tions made, the s

they describe are

[illegible]

BOOK-A-216

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *1888.*

The foregoing field notes of the survey of the

Back. North & South Boundaries

Township No. 11 N *Range No.* 8 W

Executed by Edward M Rosborough

Under Contract No. 143 *of the* 24th

day of June *1886, in the month of*

February *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Brannan

U. S. Surveyor General for Utah.

Bo

BOO

REPORT:

Filed 12 nu Jun

Examined by John

Transcribed by Jun

Compared by Jennie

FIE

OF THE S

Vau

Township No.

Range No.

SALT L

UT

Edwar

U.

Under his Co

Dated

Survey commen

Survey complete

"

Book 26

BOOK-A-216

561

REPORT:

Filed 12th June 20th 1887

Examined by John H. Caruthers.

Transcribed by Jennie V. Borman

Compared by Jennie V. Borman & Kate Borman

FIELD NOTES

OF THE SURVEY OF THE

Southboundary

OF

Township No. 11 S.

Range No. 8 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward M. Lowber

U. S. Deputy Surveyor,

Under his Contract No. 145

Dated June 24th 1886

Survey commenced July 21 1887

Survey completed " 21st 1887

11 — 1 ch 45 lks

17.3

562

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
N. M. Cronan	Chainman
D. J. Lane	Axeman
C. A. Leavitt	Axeman
	Flagman

BOOK-A-

Southbo

Surveye

From t

which i

to secs. 3

of Tp. se

Contrac

We

bet

Beginn

6.55 End of

8.00 Shore o

where

×8" 12'

Meand

4.33 m

varied

alongs

Caped.

Soil

Votin

STANTS.
npassman
ainmun
ainman
ainman
ainman
eman
man
gman

South boundary T. 11 N R 8 W

Land Survey commenced Feb. 21. 1887
From the cor. to end of resurvey
which is 16.55 chs. W. of cor.
to secs. 33 & 34 on S. boundary
of tp. set by meander
Contract No 143. From
West on true line
between secs. 4 & 33
Var 17½° E.
Descending slope
16.55 End of resurvey
8.00 Shore of Great Salt Lake
where I set a limestone 8 x 10
x 8" 12" in the ground for
Meander cor. to Sect. secs
4 & 33 marked M. C. and
raised a stone mound
alongside.
Level. rolling
Soil sandy gravely
No timber.

February 21st 1887

564

South Boundary

T. 6 N., R. 8 W., S. L. M.

General Descrip

For general Descriptn
of this township see
Subs. under Contract
No. 143.

Edward M. Fox
U. S. Dep. Surv

BOOK-A-2

U. S. SURVEYOR GE

Salt Lake Ci

The foregoing fie

South-bo

Township No. 11

of the Salt Lake Mer

Edward M.

Under Contract No.

day of June

February

examined, the neces

made, the said field

are hereby approved

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the ..... survey of the South boundary .....

....

Township No. 11 N. Range No. 8 W.

of the Salt Lake Meridian. Executed by .....

Edward W. Kerbur .....

Under Contract No. 145 of the 24th

day of June 1886, in the month of

February 1887, having been critically

examined, the necessary corrections and explanations

made, the said field notes, and the surveys they describe

are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

Book the

REPORT:

Filed

Examined by

Transcribed by

Compared by

FIEL

OF THE SU

Township No.

Range No.

SALT LA

UTAH

AS

U. S.

Under his Contra

Dated

Survey commenced

Survey completed

Chains

Book 21 BOOK-A-216 A

~~Note the line between 367~~

~~Corrected to J.S.C.~~

REPORT:

Filed 9th day June 29th 1887

Examined by John A Quinke.

Transcribed by Jennie V. Bowman.

Compared by Jennie V. Bowman & Kate Bowman.

FIELD NOTES

OF THE SURVEY OF THE

First Subs.

OF

Township No. 44 N

Range No. 8 W

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W Kerbur

U. S. Deputy Surveyor,

Under his Contract No. 43

Dated June 24th 1886

Survey commenced Feb. 22nd 1887

Survey completed " 25th 1887

Bearings 18 min 58 deg 55 links 17-62-65

" 45 18 29 18

568

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainmun
J. W. Smith	Chainman
Fred Olsen	Chainman
H. M. Cronan	Chainman
A. J. Jaime	Axeman
C. H. Leavitt	Axeman
	Flagman

BOOK-A

Subdivi

Chain Survey

February

From

establis

Contrac

for

b

2.50 Old

40.00 Finish

a sec

Section

14 sec.

face.

of S.

and

of se

Sur

800 Inte

bein

x 8

& Sp

to sec

Spits

STANTS.
mpassman
ainman
ainman
ainman
ainman
eman
eman
gman

Resurvey

BOOK-A-216

569

Subdivisions T. 11 N. R 8 E.

Chain Survey commenced
February 22. 1887
on S. bdy of Tp
from the cor. to secs. 34 & 35 re-
established by me under
Contract No. 143 I. mm
North on resurvey line
between secs. 34 & 35
Var. 17° 20' E.

26.70 Old road bears N E & S W.
40.00 Found the old corner it being
a sandstone 18 x 10 x 6" firmly
set in the ground for
1/4 sec. cor. marked 1/4 on W.
face. Dug pits 18 x 18 x 12"
N & S. of stone 5 1/2 ft. distant
and raised a mound
of earth 1 1/2 ft high 3 1/2 ft
long alongside.
80.00 Intended this old cor. it
being a sandstone 14 x 12
x 8 firmly set in the ground
& properly marked for cor.
to secs. 26. 27. 34 & 35. Dug
pits 18 x 18 x 12" ie Each

Sec. 5 1/2 ft. distant and ... raised a mound of earth ... 2 ft high 4 1/2 ft base along ... side.
Level. level.
Soil Sand
Timber.
Some Rayelnock cedar

Note Owing to the difference between the Eastern boundary of this township and the Subdivision of same as found by me running the Exterior under this Contract. From the line between secs. 26 & 35. on the course given in the notes of the original survey and re-commenced at the point of intersection with the E. boundary

26.00	Cedar
33.05	Road
10.19	Find of earth line the gr mark and
	E & W
	dead
	Of Gra
	and
48.00	Old gr
6.48	Fence
6.54	Telegr
7.02	C.P.R.
8.13	Telegr
8.29	Fence
8.40	Road
6.03	"
35.00	Creek
7.40	Undul

Sec. 11 T 8 N R 8 W.

N 89° 39' E. on true line
bilco. secs. 26 & 35.
Var. 17° 20' E

26.00 Ender higher beech bears No 1.
13.08 Road bears No 1.
10.19 Find remains of mound of earth where I set a lime stone 14×6×6" 9" in the ground for 1/4 sec. cor. Marked 1/4 on 4 faces and dug pits 18×18×12" E & W of stone 5 1/2 ft dist. dug mound of earth 4 1/2 ft high and 21 1/2 ft base diameter.
18.00 Old grade bears No 1
56.48 Fence bears No 1
56.54 Telegraph line " "
57.02 C. P. Railroad " "
58.13 Telegraph line " "
58.29 Fence " "
58.40 Road " "
66.03 " " " N & S.
75.00 Ancient bears No 1
77.40 Intersect East boundary

Sec. 11 T 8 N R 8 W.

N 89° 39' E. on true line
bilco. secs. 26 & 35.
Var. 17° 20' E

26.00 Ender higher beech bears No 1.
13.08 Road bears No 1.
10.19 Find remains of mound of earth where I set a lime stone 14×6×6" 9" in the ground for 1/4 sec. cor. Marked 1/4 on 4 faces and dug pits 18×18×12" E & W of stone 5 1/2 ft dist. dug mound of earth 4 1/2 ft high and 21 1/2 ft base diameter.
18.00 Old grade bears No 1
56.48 Fence bears No 1
56.54 Telegraph line " "
57.02 C. P. Railroad " "
58.13 Telegraph line " "
58.29 Fence " "
58.40 Road " "
66.03 " " " N & S.
75.00 Ancient bears No 1
77.40 Intersect East boundary

Tp. 11. R 8 W

Claim for 1/4 sec. cor. marked 1/4 S. on N face.

64.00 Witness cor. set at edge of Great Salt Lake a lime stone 24 x 15 x 10" 18" in the ground for Meander cor to fract. sec. 27 & 34. marked M.C. dug pit 3 ft. square 1 ft. deep S & W. of stone and raised a mound of earth 2 ft high 4 1/2 ft. base along side.

Level. Level.

Soil. Sand & clay

loam & gravel

No timber.

Some sagebrush

underg rowth.

Reserve Tract. Subdivision

Chain North on reserve line
bet. secs. 26 & 27
Var 17° 20' E.

40.00 The old corner A being a lime
12x10x8" properly marked
firmly set in the ground
for 1/4 sec. cor. when I dig
pits 18x18x12" N & S. of stone
5 1/2 ft dist. and raised
a mound of earth 1 1/2 ft
high 3 1/2 ft base alongside

80.00 Observed the old corner,
a lime stone 15x8x6" firmly
set in the ground properly
marked for cor. to sec.
22: 23. 26 & 27 when I dug
pits 18x18x12" in each sec.
5 1/2 ft dist. and raised
a mound of earth 2 ft
high 4 1/2 ft base alongside

Land level.
Soil brûle loam.
No timber
Across ridge brush
underwood

February 22. 18

Chain Referring
the begin
S 8
rec
bet
W

9.90 No trace
found
12" in the
cor mo
dug pit
of pro
lime
1 1/2 ft he
post

46.00 Road
60.00 Old gr
63.20 fence
63.50 Teleg
63.80 C. P. R
64.20 Telegr
64.60 fence
66.00 Road
75.90 Intersec
9.23 chs

Tp 11 N. R 8 W. S. L. M.

Clair Referring to my note in the beginning I run S 89° 55' E on true resurvey line betw. secs. 23 & 26. Var. 17° 20' E.

9.90 No trace of old corner set a planed post 3 ft. long 3" square 12" in the ground for 1/4 sec. cor marked 1/4 S. on N face dug pits 18 x 18 x 12" E & W. of post 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

46.00 Road bears N & S.
60.00 Old grade " do
63.20 fence " do
63.50 Telegraph line " do
63.80 C. B. & Q. R. R. " do
64.20 Telegraph lines " do
64.60 fence " do
66.00 Road " N & E. asc
73.90 Intersect E and boundary of Tp. 9.23 chs N. of cor. to secs. 19, 30

Resurvey Tract Subdivision W. H. [illegible]

Chain where I set a limestone 17 [illegible] ... × 8" 12" in the ground for cor... to secs. 23 & 26. marked with 2 notches on S. and 4 on N... and raised a stone mound alongside. I find here an old... & an iron stake, but can not make out the... & raised rolling mark as they are stripped by rock...
Soil 1 rate. loam
No timber
Some sagebrush undergr... 24.50

Weldon Draw runs N.W... below secs. 22 & 27.
Var. 17° 20' E.

4.00 Enter mud flat 80 lks
18.00 Leave same
40.00 No trace of old cor. set a... volcanic rock 26×10×8"... in the ground for 1/4 sec... 44.50
marked 1/4 on W. face dug... 49.50
pits 18×18×12" E & W. of stone... 57.80
5 1/2 ft dist. and raised a... 60.00
mound of rock 1 1/2 ft... 80.00
high 3 1/2 ft base alongside...

End of... Lake... Soil... No tim...

North... b...

Enter... Leave... Inters... being a... set in... marke... Sidney... of Stone... Faisin... 1 1/2 high... Enter... Leave... Wire f... Enter... Outs... set a...

Y. & N. R. & West. S. L. Co.

End of survey.
Land. level.
Soil. 2 mile alkali.
No timber.

North on survey line
bdry. sec. 24 & 23
Var 17° 20' E.

24.50 Enter E. pt of mud flat
31.50 Leave same
40.00 Intersect the old corner it
being a limestone 7 x 9 x 7' firmly
set in the ground properly
marked for 1/4 sec. cor. notches
3 dug pits 18 x 18 x 12" bg S.
of stone 5 1/2 ft distant and
faced a mound of earth
1 1/2' high 3 1/2 ft box alongside
44.50 Enter mud flat bears W & E.
49.50 Leave same
57.80 Wire fence bears E & W.
60.00 Enter mud flat bears N & S.
80.00 No trace of old corner
fd a volcanic rock

Kearney Tract Subdivision

Sp 11 N.

Chain 5×10×8 for cor. secs. 14 & 23 marked with 3 notches on Sand 1 on E edges. dug pits 18×18×12" in each sec. 5 1/2 ft dist. & set round a mound of earth 2 ft high 4 1/2 ft base alongside Sand level. Soil Sp & Enc alkali No timber.

Chain N. on ce
3 1/2 ft b
6.00 Old Gra
0.10 Road
3.40
4.85 Telegr
5.25 C. P. R.
6.00 Telegr
6.10 Wire fe
4.40 Intersec
of Sp. 9
secs. 18
line
in the g
sec. 14
3 notch
corner
along
Sand
Soil
In th
sca

Referring to my notes at the beginning I run S. 89° 45' E. on true meridian line betw. secs. 14 & 23. Var 17° 20' E.

39.60 Leave mud flat bear N & S.
40.19 N & trace of old cor. set a charred post 3 ft long 3 sq. mounds marked 1/4 S. on N face for 1/4 sec. cor. dug pits 18×18×12: E & W. & post 5 1/2 ft distant, mound a

Tp 11 N. R 8 W. I. L. M.

		Mound of earth 1½ ft. high 3½ ft base around post
	6.00	Old Grade bears N 44° E 16
	0.10	Road " N E & S W.
	3.40	" " N W & S E.
	4.85	Telegraph line " do
	8.25	C. P. Railroad " do
	6.00	Telegraph line " do
	6.10	Wire fence " do
	14.40	Intersect E & W boundary of Tp. 9 N. R 8 W. 5th P.M. & sec. 18 & 19. where I set a limestone 16 x 10 x 5" 12" in the ground for cor. to sec. 14 & 23 marked with 3 notches on S & E edges & raised a stone mound alongside. Also found a stake here in stone and Land rolling as described before. Soil rocky gravel. No timber. Scattering hazelbrush underbrush.

Resurvey First Subdivision T. 11 N. R.

Chain From cor. to secs. 14. 15. 22 run
Thence running
West on true line
betw. secs. 15 & 22
Var 17° 20' E.

2.70 South 10 lks wide beam
40.00 Notice of Officer. set a
limestone 12 x 12 x 6" 8"
in the ground for 1/4 sec
marked 1/4 on N face di
pits 18 x 18 x 12" ins. E & W.
of stone 5 1/2 ft dist. an
raised a mound of ear
1 1/2 ft high 3 1/2 ft base al
side.

66.00 Shore of Great Salt Lake
when I set a limestone 6" x 10" x 10
8" 6" in the ground mar
M. C. for Meander cor to
prod secs. 15 & 22 dug a pit
3 ft square 1 ft deep & the
of stone and raised a
mound of earth 2 ft hig
4 1/2 ft base along side
Lines level.

Soil. C
Notice

South
be

Stone
a
Notice
a chan
12" ins
mark
pits 18
ft dis
a mou
3 1/2 ft
surface
On S.
a lim
the gr
10. 11. 14
4 sides
edges,
ins an
raised

T. 11 N. R 8 West S. L. M.

Soil, Grade alkali
No timber.

South on meander line
bet. secs. 14 & 15.
Var. 17° 20' E.

10.70 Slough 5 lks wide bears N 44 E.
19.50 " 20 " " do.
4.00 Notice of old corner set
a charred post 3 ft long 3" square
12" in the ground for 1/4 sec cor
marked 1/4 S on W face dug
pits 18 x 18 x 12" in N & S 1/2
ft dist. of post and raised
a mound of earth 1 1/2 ft high
3 1/2 ft base around post.
Witness corner of old corner
10.00 On S. side of old grade set
a lime rock 14 x 9 x 6' 9" in
the ground for cor. to secs.
10. 11. 14 & 15. marked with
4 notches on S and 1 on E.
edges, dug pits 18 x 18 x 12"
in each sec 6 1/2 ft dist. and
raised a mound of earth

Kearney Tract Subdivision

T 5 S R 11 W.

Chain 2 ft high 4 1/2 ft bar along line
Level level.
Soil 2 rate alkali
No timber.

Referring to my note
the beginning I
S 89° 45' E.
on the survey line
betw. sec. 11 & 14
Var 17° 20' E.

1.00	Old grade	
28.70	Dry bed of Creek runs	S
28.90	Telegraph line bears	S 1/2 E
29.47	C. P. Railroad "	do
30.00	Telegraph line "	do
30.46	Fence "	do
30.56	Road "	do
40.31	No trace of old corner set	
	Cobble rock 10 x 10 x 8"	
	the ground for 1/4 sec cor.	
	1/4 on N. side slag pits 18 x 8	
	12" E & W. of stone 5 1/2 ft d	
	and raised a mound	

dril 1 1/2
above
the Ra
bears
7.00 Road
1.10 "
1.90 Intersec
of Up. 9
secs. 7 &
this Cent
line th
the gro
11 & 14
on Sai
pits 18
5 1/2 ft.
mound
4 1/2 ft b
Level
Soil.
No ti
scal

Tp 11 N. R. 8 W. 3 P. M.

dist 1½ ft high 3½ ft base
alongside from here.
the Railroad sec. house
bears S 21½° E. 25.05 chs.
9.00 Road bears ± E & ± W.
1.10 " " do.
0.90 Intersect East boundary
of Tp. 9.00 chs N. of cor to
secs. 7 & 18 set by me under
this Contract when I set a
lime stone 14 × 10 × 7 in. 9 in
the ground for cor to secs.
11 & 14 marked with 4 notches
on said 2 on 4 edges. dug
pits 18 × 18 × 12 in each sec.
5½ ft. dist and raised a
mound of earth 2 ft high
4½ ft base along side
Level land.
Soil 1st 2 ft sandy loam
No timber.
Rolling grassy wood.

Resurvey Tract Subdivision

Chain Lake. The notes of the old
Call for the corner to secs. 9,
15 & 16. Since the time when
survey was made the
Salt Lake has changed
shore, and consequently
the corner of those secs.
not be reached to-day.
therefore run on the com
the notes of the old survey
give

S. 89° 51' W.

on true survey line
betw. secs. 10 & 15.
Var 17° 20' E.

4030 No trace of old corner rec
planed post 3 ft long 3" sq
12" in the ground for 1/4
cor. marked 1/4 S. on it fac
dug pits 18 x 18 x 12" E & W of
post 5 1/2 ft dist. and
a mound of earth 1 1/2 ft
high 3 1/2 ft bus around po
55.00 Shore of Great Salt Lake
where I set a limerock

12 x 10 x
meander
marked
square
of post
of earth
about
Laid
Soil
Natur

North
bet

1.25 Old gr
14.70 Telegra
3.50 Switch o
3.90 Main tra
3.80 Telegra
3.20 fence
3.52 Road
4.00 Intersec
of earth
I set

T 11 N. R 8 West. S.L.M.

12×10×4ft 8in the ground for
meander corner. Brs. 10 & 15.
marked M C. dug a pit 3 ft.
square 1 ft. deep 8 lks. dist. E.
of post and raised a mound
of earth 2 ft high 4½ ft base
alongside.
Laid. level. Rev
Soil Grate. alkali
No timber.

North on reservoir line
betw. secs. 10 & 11
Var. 17° 20' E.

r set	1.25	Old grade brass	N 11° E.
3" ep	14.70	Telegraph line	do
er ¼ p	35.50	Fence of C. P. Railroad	do
fence	35.90	Main track of	do
of	36.80	Telegraph line brass	do
d fence	37.20	fence	do
1½ ft	37.52	Road	do
e dpo	40.00	Intersect the old stake in mound of earth nearly decayed where I set a Limestone 20×6×6. 5' in the

↑

Reservoir Tract Subdivision No 11 M.

Chain ground for 4 lks. cor. in a 3/4 cir. W. face [illegible] stone mound alongside

61.30 Small stone 2 lks wide deep mon. S. W.

80.00 No trace of old corner set a slate 24x6x6" 18" in the ground for cor to secs. 2, 10 & 11. marked with 5 notches on S and 1 on E. edges and raised a stone mound alongside.

Level ground.

Soil. 2 mile. marshy

No timber.

scattering pickgrass.

Surv. 23rd 87

Referring to my notes of this beginning S mon S 89° 51' E on true reservoy line betw secs 2 & 11. Var 17° 20' E.

31.10 Creek 4 lks wide 4' deep mon. S.

Intersec
being a b
firmly s
properly
cor. wher
x 12" E & W
and mar
with 1 1/2
alongsi
Intersec
typ. 8.90 ch
6.5 I.T. se
Centre
sandst
the grou
2 & 11. mo
on st
pits 18
S 1/2 ft. d
mound
1/2 ft b
Level.
Soil.
No tim
Scatt

Sp. 11 N. R 8 W. S. L. M.

1869 Intersect the old corner it being a lime stone 18×10×8" firmly set in the ground properly marked for 1/4 sec. cor. when I dug pits 18×18×12" & 11 of stone 5 1/2 ft dist. and raised a mound of earth 1 1/2 high 3 1/2 ft base alongside.

1869 Intersect E. boundary of Tp. 8.90 chs N. of cor to Secs. 6.5 W. set by me under this Contract when I set a excavation 12×10×7" 8" in the ground for cor to secs. 2 & 11. marked with 1 notch on N end 5 on S edges dug pits 18×18×12" in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft high 4 1/2 ft base along side.

Level land.

Soil. Loam. marshy

No timber

Scattering Red Grass

Returning Tract Subdivisions

Chain North on random record
lines between secs. 2 & 3
Var. 17° 20' E.

40.00 No trace of old corner set
temp 1/4 sec. cor.

79.30 Intersect E. boundary
of Sp. 40 lks. W. of corner betw
2 & 3. reestablished by m
under this Contract
from where S mm
S 00 1/2 17' W. on true line
between secs. 2 & 3
with same var.

28.00 Slough bears W. 150 lks.

~~35.00 Spring " West 4 lks.~~

39.30 Set limestone 18 x 10 x 6" 12
in the ground for 1/4 sec. cor
marked 1/4 on W face and
raised a stone mound 0
high.

47.00 Slough bears W. 44 lks.

55.00 " " East 15 lks.

79.30 Tree cor to secs. 2. 3. 10 & 11.
Land level.
Soil Drab. marshy
No timber
scattering willow Grass.

Chain North on random record
lines between secs. 2 & 3
Var. 17° 20' E.

40.00 No trace of old corner set
temp 1/4 sec. cor.

79.30 Intersect E. boundary
of Sp. 40 lks. W. of corner betw
2 & 3. reestablished by m
under this Contract
from where S mm
S 00 1/2 17' W. on true line
between secs. 2 & 3
with same var.

28.00 Slough bears W. 150 lks.

~~35.00 Spring " West 4 lks.~~

39.30 Set limestone 18 x 10 x 6" 12
in the ground for 1/4 sec. cor
marked 1/4 on W face and
raised a stone mound 0
high.

47.00 Slough bears W. 44 lks.

55.00 " " East 15 lks.

79.30 Tree cor to secs. 2. 3. 10 & 11.
Land level.
Soil Drab. marshy
No timber
scattering willow Grass.

T. 11 N. R. 8 W. S.L.M.

Main Corth on recovery line
bites secs. 33 & 34
Var. 17° 30' E.

4.00 Enter flat

4.00 N. twice of oldcor. set a
vulcanic rock 18 x 10 x 7"
13" in the ground for 1/4 sec.
cor marked 1/4 on W face and
raised a stone mound
alongside.

4.35 N. twice of oldcor. E. edge of
Great Salt Lake where
Orel a vulcanic rock
20 x 10 x 7" 15" in the ground
for meander cor. to Sec.
secs. 33 & 34 marked M.C.
and raised a stone mound
alongside.

Fixed rolling
Soil Sandy
On timber

Scattering pinebrush
underbrush

Reserve
BOOK-A-2

Sp 11 N. R

~~Beginning~~
~~Proceed~~

From the
Iron Wo
be

4000 Set temp
old cor.
70.54 Find o
42 lks. S.
difference
and the
per adj
from

Set
o

4624 Set a ch
Spruce
sec. cor.
and d
of post
4 more

Resurvey Tract Subdivision

BOOK-A-216 591

Tp 11 N. R 8 W. S. L. M.

~~Meander Line~~

~~Recording Tract Traverse~~

From the cor. to secs. 2. & 10 T 11 N
Run West on a resurvey meander line
betw. secs. 3 & 10.
Var 17° 20' E.

40.00 Set temp. 1/4 sec. cor. witness cor.
old cor. (where set a limestone 14"x10"x7" q. with the words "1/4 sec. cor." to sec. 3, 4, 9, 10. marked with 5 notches on E. and 2 on E. edges and mound of stones around)

70.54 Find old mound of earth
42 lks. S. of line. there is a slight
difference between this distance
and the original one. I then
ran adjusted my chain pin to run
from

N 89° 42' E. on true line
betw. secs. 3 & 10.
Var 17° 20' E.

48.27 Set a chained post 3 ft long 3"
square 12" in the ground for 1/4
sec. cor. marked 1/4 on N face
and ~~dug pits~~ 18"x8"x12" deep
of post 5 1/2 ft dist. and raised
a mound of earth 1 1/2 ft high

BOOK-A-2

Resurvey Tract Subdivision

Chain 3½ f. brs. at mound post
40.80 Road brs. NW & E.
42.30 Telegraph line. do
42.80 C. P. Railroad. do
43.00 Telegraph line. do
43.10 Fence. do
45.00 Road. do
80.54 Rec'r to secs. 2, 3, 10 & 11.
Land level
Soil 2nd rate. alkali
No timber.

Commences
South, betw. secs 9 & 10
Var 17° 20' E.
20.00 Shore of Great Salt Lake
when Post a volcanic
rock 10 x 10 x 10" 6" in the
ground for meander cor
to frac secs. 9 & 10. mkd
M.C. dug a pit 3 ft sq
1 ft deep 8 lks N of stone
and raised a mound
of earth 2 ft high 4½ ft
bas alongside.

Land
Soil
Notice

North
rem
belo

9.00 Set tem
of old
9.20 Intern
35 lks
by me
from

Road
9.80 fence
9.20 Telegr
10.80 C. P. R
12.80 Teleg
9.20 Set ch
3rd sq

T. 9 N., R. 8 West, S. L. M.

Ground level.
Soil 3rd rate swampy
Timbered.

North on a random
range line
between secs. 3 & 4.
Var 17° 20' E.

Set temp 1/4 sec. cor. witness
old cor.

Entered cor. to secs. 3 & 4
35 lks W. which was marked
by me under this Contract,
from which I saw
S 0° 15' W. antenna
between secs. 3 & 4
with same var.

Road bears E & W.
" " "
Telegraph line "
C. P. Railroad "
Telegraph line "

Set charred post 3 ft long
3" square 12" in the ground

Resurvey Tract. Subdivision

Claim for 1/4 sec. cor. marked 1/4
on W face dug pits 18"
x 12" N & S of post 5 1/2 ft
dist and raised a
mound of earth 1 1/2
high 3 1/2 ft base about
post.

5500 Watch by drainage
19.20 Thence to secs. 3. 4. 9 & 10.
Lapped level.
Soil Quite marsh
No timber.

Bearings true meridian
between secs. 4 & 9.
Var 17° 20' E.

4000 No trace of old cor. set a
charred post 3 ft long 3"
square 12" in the ground
for 1/4 sec cor. marked 1/4
on N face dug pits 18"
x 12" E & W of post 5 1/2 ft
dist. and raised a
mound of earth 1 1/2

Up 11 26. 1

High 3 1/2 ft
Short of G
No trace
Vulcan
12" in the
Secs. 4. 5
5 notch
Ecelyn
also m
secs. 5 &
rock
alway
Land
Soil
No t

North
line

4000 No tra
1/4 sec c
19.16 Distan
Ft. 28
rock
this Cor

T. 11 N., R. 8 W., S. L. M.

1000 Right 3 1/2 ft. bears N. 3 E. from pool
Line 3 E. of Gun Spec. Lake.
No trace of old cor. set a
Volcanic rock 18 x 10 x 7
12" in the ground for cor. to
Secs. 4. 5. 8 & 9 marked with
5 notches on S. and 3 on
E edges & 1 C. this cor. is
also meander cor. to past
secs. 5 & 9 & sec. 4. and
mixed & stamped
aluminide.
Land level.
Soil Drift, alkali.
No timber.

North meanders resumed
on lines between secs. 4 & 5.
Var 17° 20' E.

1000 No trace of old cor. set temp
1/4 sec cor.
Intersect of boundary of
Ft. 28 lks N of cor. to secs. 4 & 5.
re-established by mc under
this Contract from which I saw

Kearney Tract Subdivision

Chain

S 0° 12' W. astron bea
betw secs. 4 & 5
Var 17° 20' E.

4.50 Road bears N 75° E.
12.10 " " E & W.
12.66 Telegraph line " "
13.00 S. P. Railroad " "
13.60 Telegraph line " "
39.16 Sec & chained post 2 ft
long 3" x 12" x 12" sunk
sec cor marked 1/4 S
pits dug pits 18 x 18 x 12"
N & S. of post 5 1/2 ft
and mound
of earth 1 1/2 ft high
3 1/2 ft box around
79.16 The cor to secs 4. 5. 8 9.
Legal land.
Soil Loam alkali
No timber.

Jan. 24. 1887.

Repor
in the
50
re
be
f
4.20 Road
4.50 Fence
4.70 Telegr
5.00 Center C
5.40 Telegr
8.50 Old Gr
15.00 Sher
when
rock
Iron
cor. t
mark
3 ft sq
ft of p
9 mou
4 1/2 ft
Legal
Land
No ti

T. 11 North - R. 8 West.

Reporting to my note in the beginning I run S 0° 06' W on the meander line bet. secs. 5 & 6. Var. 17° 20' E.

.20 Road bears E & W
.60 Fence " do
.70 Telegraph line " do
.00 Cedar R. Railroad bears E & W
.40 Telegraph line bears E & W
.50 Old Grade bears do
5.00 Shore of Cross Field Lake

Where I set a volcanic rock 18 x 12 x 7" 12" in the ground for meander cor. & from sec. 5 & 6. marked M C. dug pits 3 ft square 1 ft deep & filled pit of stone and mixed a mound of earth 2 ft high 4 1/2 ft base along side. Legal load Said 2 roads through timber.

Feb. 25, 1887

BOOK-A

Returns Tract Subdivision

General Descripti

The lands embraced in this township consis mostly of alkali flat Then are a few sec. of good agricultural land, but there is no living water for irrig purposes.

The Central Pacific Rail road traverses secs. 6.5. 3, 10.11.14.23.26 & 35.

In sec. 14 is Lake Station situated it consists of a section house & water cistern.

The bed of Great Salt Lake is sandy in sec. 22.27 & 34. while the rem of the bed is mostly muddy and swampy Part of the lands are covered with an undergrowth of

sagebru
scat
salt

P. U. R. S. Dist. S. L. M.

Lagebuck, greenwood
& scattering brush
& sall grits.

Edgard W. Kobbs
W. Delgreen.

BOOK

S. SURVEYOR

Salt Lake City

The foregoing

Tract

Township No. 1

Executed by E

Under Contract No

day of June

February

examined, the nec

tions made, the s

they describe are

Ma

BOOK-A-216

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *1888.*

The foregoing field notes of the survey of the

Incl. Subs.

Township No. 11 S *Range No.* 8 W

Executed by Edward M Kimber

Under Contract No. 143 *of the* 2d

day of June *1886 in the month of*

February *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William S. Bowman

U. S. Surveyor General for Utah.

Book-A

EPORT:

ed 9th Aug Jun

amined by John

anscribed by Jun

mpared by Jennie V.

FIELD

OF THE SU

Jack

Township No. 1

Range No. 8

SALT LAK

UTAH

AS

Edwar

U. S. S

Under his Contr

Dated Jun

Survey commenced

Survey completed

" " 10

Book 28

BOOK-A-216

603

EPORT:

ed 9th day June 20th 188 7

amined by John A Campbell.

anscribed by Jennie V. Bowman.

mpared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

OF THE SURVEY OF THE

Intd Subdivisions

OF

Township No. 11 N.

Range No. 8 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward M. Taylor

U. S. Deputy Surveyor,

Under his Contract No. 145

Dated June 24th 1886

Survey commenced Feb. 23rd 188 7

Survey completed " 23rd 188 7

" 10 chs 50 lks ✓

19.3

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Dane	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Croman	Chainman
D. J. Jaure	Axeman
L. L. Leavitt	Axeman
	Flagman

BOOK-A-216

Subdivisions Sec. 11 T. 8 N. R. 8 W.

Survey commenced.
Feb. 23rd 1887.
From the end of resurvey
40 chs. W. of cor. to secs. 22.23.
27 & 28. set by me under
Contract No 143. Some
Meanders true line
betw. secs. 22 & 27.
Var 17° 30' E.

40.00 1/4 sec. cor. end of old survey
47.50 Edge of great Salt Lake
where I set a limestone
10 x 10 x 7' 6" in the ground
for meander cor. to secs.
secs. 22 & 27 marked M.C.
and raised a stone mound
alongside.
Land level
Soil rocky
No timber
sagebrush underbrush

Feb. 23. 1887

606

Tract of Subdivision

Sp 11 N R 8 W. S.L.M.

General Descr

For General Descrip
ter Subs. of this town
executed under Cont
No 143.

Edward W. Kirb
U. S. Deputy

BOOK

S. SURVEYOR G

Salt Lake City

The foregoing D

tract

Township No. 11

Executed by Ed

Under Contract No

day of Dec

February

examined, the nece

tions made, the sa

they describe are t

Sur

BOOK-A-216

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the survey of the

Grad Lines

Township No. 11 N Range No. 8 W

Executed by Edward W Kerber

Under Contract No. 145 of the 24th

day of June 1886, in the month of

February 1887, having been critically

examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

Book

BOO

REPORT:

Filed 9th Jul

Examined by John

Transcribed by Jas

Compared by Jame

FIEL

OF THE S

Meande

Township No. 1

Range No. 8

SALT LA

UTA

Edwa

U. S

Under his Cor

Dated J

Survey commenc

Survey complete

8m

Book 29.

BOOK-A-216

REPORT:

Filed 9th day June 20th 1887

Examined by John A. Caruthers.

Transcribed by Jennie V. Bowman.

Compared by Jennie V. Bowman & Kate Bowman.

FIELD NOTES

OF THE SURVEY OF THE

Meanders

OF

Township No. 11 N.

Range No. 8 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Kerby

U. S. Deputy Surveyor,

Under his Contract No. 145

Dated June 24 1886

Survey commenced Feb 25 1887

Survey completed " 26 1887

8 m 37 chs 00 lks

20.5

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Croman	Chainman
D. J. Jamie	Axeman
C. C. Leavitt	Axeman
	Flagman

STANTS.
mpassman
ainman
ainman
ainman
ainman
eman
eman
gman

Meanders through Township 11 N. R 8 W.

Survey commenced Feb. 20 1887 K.C.
From the cor. to secs. 6 on W. boundary of township set by me under Contract No 145. Trim with Meanders through sec. 6.
Var. 17° 29' E.
N. 72° E. 27.00 chs.
N 78° E. 27.00.
N 83¼° E. 28.00. to Meander cor. to fract. secs. 5 & 6. set by me under Contract No 143.
Land. level.
Soil. Sandy. alkali.
No timber.

Thence through sec. 5.
Var. 17° 29' E.
N. 61¾° E. 27.00 chs.
N. 57¼° E. 30.00.
N. 63¾° E. 34.00. to Meander cor. to fract. secs 5 & 8 sec. 4 set by me under Contract No 143

Meanders thro' Tonnah

Land. level
Soil 2 mls. alkali
No timber.

Thence through sec. 9.
Var. 17° 29' E.
S. 74 3/4° E. 34.00 chs
S. 79 1/2° E. 25.00 "
S. 74 1/2° E. 24.00 " to the
Meander cor. to fract. secs.
9 & 10 set by me under Contr
Pg. 143.
Land. level.
Soil 3 mls. alkali
No timber.

Thence through sec. 10.
Var. 17° 29' E.
S. 8 3/4° E. 16.00
S. 3 1/2° E. 26.00
S. 22 1/2° E. 23.00 to the Mean
cor. to fract. secs. 10 & 15. set
by me under Contract
Pg. 143.

Township 11 N R 8 W.

Land level.
Soil. 2nd rate alkali.
No timber. "

---

thence through sec. 15.
Var 17° 29' E.
S. 11 1/2° W. 26.00 chs.
S. 7° E. 28.00 "
S. 9 3/4° W. 18.00
S. 37 1/2° W. 12.00 chs to
the Meander cor. to final secs.
15 & 22. set by me under
Contract No 143.
Land level.
Soil 2nd rate alkali.
No timber.

---

thence through sec. 22.
Var. 17° 29' E.
S. 34 1/2° W. 17.00 chs.
S 9° E. 23.00 " at 18.00
fine beam E.
S. 30 1/4° E. 18.00 "
S. 62 3/4° E. 19.00 "

Meanders through Township

S. 31 1/2° E. 9.00 chs.
S. 36 1/4° W. 14.00 chs. to the
Meander cor. to fracs. Secs.
27, set by sme under Corr
No. 143.
Land. level.
Soil 1st rate loam.
No timber.

Feb. 25th 18

Thence through sec. 27.
Var 17° 29' E
S. 32 1/2° W. 19.00 chs.
S. 15 1/2° W. 20.00 "
S. 10 E. 25.00 "
S. 12° E. 15.00 chs. to
Meander cor. to fracs. secs.
34, set by sme under Corr
No. 143.
Land. level.
Soil 1st rate loam.
No timber.

Thence th
Var
S. 36 3/4°
S. 20 1/2°
Meander
33 set b
No. 143.
Land.
Soil
No tim

Thence
(
S. 42°
S. 5 1/2°
S. 16°
Meande
S. bou
set by
No. 143.
Land
Soil
No tr

Township 11 N R 8 W

thence through sec. 34.
Var 17° 29' E.
S. 30 3/4° W. 21.00 chs.
S. 20 1/2° W. 14.00 " to the
Meander cor. to fract. secs. 34 &
33 set by me under Contract
No 143.
Land level
Soil rich loam.
Timber.

---

thence through sec. 33
Var. 17° 29' E.
S. 4 2° W. 17.00 chs.
S. 5 1/2° E. 10.00 "
S. 16° W. 26.00 " to the
Meander Cor. to sec. 33. on
S. boundary of township
set by me under Contract
No 143.
Land level
Soil 2 rocky
Timber.

Feb. 26 - 1887

616

Meanders. Unsurv

Tp 11 N. R 8 W. S. L.

General Descr

For general descriptio
and subs. of this town
ship. Edward W. K
W. Lebyrau

BO

. S. SURVEYOR

Salt Lake C

The foregoing

Meand

Township No.

Executed by

Under Contract N

day of Jan

February

examined, the nec

ions made, the s

they describe are

Ha

BOOK-A-216

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *1888.*

The foregoing field notes of the survey of the

Meander

Township No. 11 S *Range No.* 8 W

Executed by Edward W. Robin

Under Contract No. 145 *of the* 29th

day of June *1886, in the month of*

February *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Bowman

U. S. Surveyor General for Utah.