Trout

BOOK-A

p 11 North Range 9

31 5 28 4 22

29 26 24

27 25

34 8 9

46

34

36 17 16

20 21

29 28

32 33

Meanders, pa

(Trout)

#1

217

3

BOOK-A-217

p 11 North Range 9 West

					20		19	
31	5	28	4	22	3	2		1
							45	
	29		26	24				
		27		25				
34	8		9		10	11		12
				46				
	34							
36	17		16		15	14		13
	20		21		22	23		24
	29		28		27	26		25
	32		33		34	35		36

Meanders, pages 51 to 56

2

BOOK-A-2

ship 12 North Range 6

6 155 5 139 4 128

~~154~~ 153 138

7 152 8 137 9 126

~~151~~ 150 136

8 149 17 135 16 124

~~148~~ 147 134 ~~123~~

146 20 133 21 122

~~145~~ 144 132 ~~121~~

143 29 131 28 120 27

~~142~~ 141 130 ~~119~~

140 32 129 33 118 34

192

BOOK-A-217

ship 12 North Range 6 West

6	155	5	139	4	128	3	117	2	90	1
154	153	138	127	116	91	89			
7	152	8	137	9	126	10	115	11	87	12
151	150	136	125	114	91	86			
8	149	17	135	16	124	15	113	14	85	13
148	147	134	123.	100	99	84			
9	146	20	133	21	122	22	98	23	83	24
145	144	132	121.	97	96	82			
10	143	29	131	28	120	27	95	26	81	25
142	141	130	119.	95	94	80			
11	140	32	129	33	118	34	93	35	79	36
					102					

4

BOOK-A

ship 12 North Range

6 5 4

7 8 9

8 17 16

9 20 21

29 28

32 33

BOOK-A-217

ship 12 North Range 7 West

6	5	4	3	2	172	1
					171, 179	
7	8	9	10	11	170	12
					169	
8	17	16	15	14	168	13
					166	
9	20	21	22	23	165	24
					164	
0	29	28	27	26	163	25
					162	
1	32	33	34	35	161	36

BOOK-A-21

hip 12 North Range 8

217 5 214 4 194

19 216 213

215

233 8 9 193

229

232 231 228. 192

230 17 227 16 190

229 226. 190

225

209 20 21 189

200

207 199

206 29 197 28 188

205 203

201 32 196 33 188

BOOK-A-217

hip 12 North Range 8 West

217 5	214 4	194 3	2	1
9 216	213 215			
233 8	9	193 10	11	12
232 231	229 228.	192		
230 17	227 16	190 15	14	13
229	226. 190 225			
209 20	21	189 22	23	24
208 207	200 199			
206 29	197 28	188 27	26	25
205 203				
201 32	196 33	188 34	35	36

BOOK-A

ship 13 North Rang

65 266 268

6 354 5 346 4

318

16 317 353 345

7 315 8 344 9

14 315 352 343

8 313 17 342 16

11 312 351 341

9 310 20 340 21

07 309 350 339

308

0 29 338 28

350

49 348 337

347 32 336 33

7 248 249

BOOK-A-217

ship 13 North Range 6 West

35		266		268		269	259		258		257
6	354	5	346	4	335	3	306	2		1	
16	318 317		313		345		334 305				
7	315	8	344	9	333	10	304	11		12	
14	315		312		343		303				
8	313	17	342	16	331	15	302	14		13	
11	312		311		341		330 301				
9	310	20	340	21	329	22	300	23		24	
07	309		310		339		328 299				
0	308	29	338	28	327	27	298	26		25	
49	350		348		337		326 297		295		
1	347	32	336	33	325	34	296	35	295		36
7		248		249		250	251	240		239	

BOOK-

ship 13 North Range

	~~387~~	~~388~~		
6	5	439	4	
	~~438~~	~~437~~		
	8	436	9	
	~~435~~	~~434~~. ~~412~~		
	17	433	16	40
	~~432~~	~~431~~. ~~413~~		
	20	430	21	40
	~~429~~, ~~420~~	418	~~417~~	
	29	416	28	40
	~~419~~	~~415~~		
	32	414	33	40
	~~367~~	~~366~~		

West Boundary

BOOK-A-217

ship 13 North Range 7 West

West Boundary

387	388	389 381	380	379			
5 439	4 428	3 400	2	1			
438	437	427 411					
8 436	9 427	10 399	11	12			
435	434 412 410	409					
17 433	16 408	15 398	14	13			
432	431 413	407					
20 430	21 406	22 397	23	24			
429 420 418	417	405					
29 416	28 404	27 396	26	25			
419	415	403					
32 414	33 402	34 395	35	36			
367	366	365	363	364 373			

BOOK-A

ship 13 North Rang

~~453~~ ~~454~~ ~~455~~

6 491 5 494 4

~~489~~ ~~492~~ ~~547~~

7 488 8 546 9

~~487~~ ~~538~~ ~~545~~

8 538 17 544 16

~~536~~ ~~535~~ ~~543~~

9 534 20 542 21

~~533~~ ~~532~~ ~~541~~

0 531 29 540 28

~~530~~ ~~549~~ ~~539~~

548 32 537 33

BOOK-A-217

ship 13 North Range 8 West

53	454	455	457	464	463

6	491	5	494	4	495	3	525	2	513	1	476 5
89	492	547	537	536	524	511					
7	488	8	546	9	534	10	523	11	510	12	475 8
87	538	545	534	522	509						
8	538	17	544	16	533	15	521	14	507	13	474 17
556	535	543	531	519	506						
0	534	20	542	21	531	22	518	23	505	24	473 20
553	532	541	529	517	504						
0	551	29	540	28	528	27	516	26	503	25	472 29
0	549	539	527	515	502						
	548	32	537	33	526	34	514	35	501	36	471 32

BOOK-A

ship 13 North Range

6 5 4 5

590

7 8 583 9 58

587

8 17 583 16 60

599

9 20 582 21 59

58

0 29 580 28 59

579

32 578 33 57

BOOK-A-217

ship 13 North Range 9 West

6		5		4	591	3	571	2		1	
				590		589					
7		8	583	9	588	10	570	11		12	
				587		586					
8		17	583	16	600	15	569	14		13	
				599		598					
9		20	582	21	597	22	568	23		24	
				58[illegible]		576					
0		29	580	28	595	27	567	26		25	
				579		574					
		32	578	33	593	34	565	35		36	

Book

BOOK-A

ORT:

9 am Ma

ined by John (

cribed by H. Alke

ured by Jennie V. Bo

FIELD

re

F THE SUR

Tract. Sub

OF

ship No. 11 N

e No. 9 N

OF T

SALT LAKE

IN

UTAH TER

AS SURVE

Edward

U. S. Deput

der his Contract No

d June

y commenced

y completed

12m 25 dys

21

Book 1

BOOK-A-217

17

ORT:

9 am May 20 1887

ined by John H Campbell

cribed by H Atkinson

ured by Jennie V Bonman & Kate Bonman

FIELD NOTES

F THE re SURVEY OF THE

Tract. Subs.

OF

ship No. 11 N.

e No. 9 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W Koeber

U. S. Deputy Surveyor,

der his Contract No. 143.

d June 24 1886.

y commenced Feb 26 1887

y completed " 28 1887

12 m 25 chs 49 lks

21/13

NAMES AND DUTIES OF ASSISTANT

Cyrus L. Johnson	Compass
William Carr	Chainm
J. V. Smith	Chainm
Fred Olsen	Chainm
H. M. Cromer	Chainm
H. J. Tame	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-217

rvey of Subs.

Survey com

From the cor.
N. boundar
is a post fi
the ground,
with regulat
of earth arom
South on
betw. s
Var.
Road beax
Telegraph
C. P. Rail Ro
Telegraph
No trace of
harred pos
square 12" i
for 1/4 sec. cor.
W. face dug p
~~in the gro~~
ft dist. of po
a mound of
3 1/2 ft base ar
No trace of ol

BOOK-A-217

SSISTANT
Compass
Chainm
Chainm
Chainm
Chainm
Axeman
Axeman
Flagman

rvey of Subs. Tp. 11 N. R 9 W.

Survey commenced Febr 26 '87

From the cor. to secs. 1 & 2 on N. boundary of tp. which is a post firmly set in the ground, properly marked with regulation pits & mound of earth around post Trm South on resurvey line betw. secs. 1 & 2

Var. 17½° E.

Road bears N E & S. W.
Telegraph line do
C. P. Rail Road do
Telegraph line do
No trace of old cor. set
harred post 3 ft. long 3" square 12" in the ground for 1/4 sec. cor. marked 1/4 S on W. face dug pits 18 × 18 × 12" ~~in the ground~~ N & S. 5½ ft dist. of post and raised a mound of earth 1½ ft high 3½ ft base around post
No trace of old cor. to be found

Resurvey of Subd

this being the end of the
old survey I set a cobble
9 x 9 x 8" 6" in the ground
marked with a cross
this line is continued
the, Lake Shore by me in
Contract No 144 & 145.
Land level
Soil 1 rate.
No timber
Dense sagebrush
undergrowth on 1 1/2

From cor. to secs. 2 & 3. on N.
boundary of tp. which is
post properly marked
set in the ground with
stone mound around
I run
South on resurvey line
betw. secs. 2 & 3
Var. 17 1/2 ° E.
descend.

Tp. 1

00 Enter v
00 Find tr
of earth
a sandst
in the gr
marked
pits 18 x 18
N & S. of
and ra
earth 1 1/2
alongsi
20 Road b
00 Telegra
70 C. P. R
00 Telegra
30 Shore of
where I
7" 10" in
cor. to fr
M. C. an
along si
Land.
Soil
No tim
Sage

C Tp. 1 N R 9 W.

W 00 Enter valley
00 Find trace of old mound of earth & pits where I set a sandstone 21×18×12"·15" in the ground for 1/4 sec cor. marked 1/4 on W face dug pits 18×18×12" 12" in the ground N & S. of stone 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft base alongside.
20 Road bears E & W.
00 Telegraph line bears E & W.
70 C. P. Railroad " do
00 Telegraph line " do
30 Shore of Great Salt Lake where I set a boulder 15×10×7" 10" in the ground for meander cor. to frac secs. 2 & 3 marked M.C. and raised a stone mound along side.
Land level
Soil white sandy
No timber.
Sagebrush and greasewood

Resurvey of fract

Chain	From the cor. to secs. 3.4.9 & 10 in which was shown to me by party living within a few rods of same, which is a p properly marked with r gulation pits & mound of earth around it. From North on random resurvey line betw. secs. 3 and 4. Var. 17½° E.
	This cor. is identical with P. 1. L. 37.
	P. 1 L. 38. two placer mine claims surveyed for patt but disapproved by the Gen Land Office.
40.00	No trace of old cor. set temp 1/4 sec. cor.
80.20	Intersect N. bound. of tp 32 E. of cor. to secs. 3 & 4. which is limestone 14×8×8 properly marked firmly set in the ground and where I raise a stone mound along sid

BOOK-A-2

Subs. Ap

in	from wh
	S O
	betw.
	Var
00	Enter ro
20	Set a cha 12" in 3' square 1/4 S on W. 12' in the post 5 and ra earth 1 base ab
50	Road bear
90	Telegra
40	C. P. R
00	Telegr
00	Road
.62	U. S. M.
.20	The cor. Land l Soil t No tri Scale

Subs. Tp. 11 N. & 9 W.

from where I run
S 0° 14' E.
betw. secs. 3 & 4
Var. 17° 30' E.

00 Enter valley
20 Set a charred post 3 ft long
3" square 12" in ground for 1/4 sec. cor marked
1/4 S on W. face dug pits 18×18×12
12" in the ground N & S. of
post 5 1/2 ft dist of post.
and raised a mound of
earth 1 1/2 ft high 3 1/2 ft
base around post.
50 Road bears N W & S E.
90 Telegraph line bears N W & S E.
40 C. P. Railroad " do
00 Telegraph line " do
00 Road bears E & W.
.62 U. S. M. M. No 1. on line
.20 The cor. to secs. 2. 3. 10 & 11.
Land level.
Soil Grate. Sandy
No timber.
Scattering sagebrush
undergrowth

Resurvey of fract. S

Chain	
	From the cor. to secs. 3. 4. 9 & 1
	From East on true resurvey lines
	betw. secs. 3 & 10
	Var. 17½° E.
10.00	Side track of C. P. Railroad
	bears S W & N E.
15.00	Road bears S. W. & N E.
40.00	No trace of old corner se
	a post charred 3 ft lon
	3" square 12" in the ground
	for 1/4 sec. cor. marked 1/4
	N. face and ~~dug pits 18~~
	12" in the ground E & W
	of post 5½ ft dist. an
	raised a mound of ear
	1½ ft high 3½ ft base
	around post
72.50	Shore of great Salt L
	where I set a boulder 17
	x 12" 12" in the ground for
	Meander Cor to fract. secs. 3
	dug a pitt 3 ft square 1
	deep 8 lks W of stone and
	raised a mound of earth
	2 ft high 4½ ft base alongs

BOOK-A-2

Township

Chain	
	Land
	Soil
	No tim
	sagel
	From c
	run So
50	across m
00	Lidetr
.30	End of
	I do n
	of old c
	with (+
	contin
	Lake
	Contra
	Land
	Soil
	No tr

Township 11 N. R. 9 W.

Land level.
Soil 2 rate sandy
No timber.
sagebrush undergrowth.

From cor. to secs. 3. 4. 9 & 10. T
run South bet. to secs 9 & 10
Var. 17½° E.
50 across mud flat
00 Little track of C. P. Railroad
bears E & W.
30 End of old survey, where
I do not find any trace
of old cor. set a stake marked
with (+) cross, this line is
continued South to the
Lake Shore by me under
Contracts 144 & 145.
Land level
Soil 2 rate sandy
No timber.

Resurvey of fractubs.

Chain	West on resurvey line betw. secs. 4 and 9 Var. 17½° E	Chain
	along N. side of muddy ft	00
40.00	No trace of old cor. set a	80
	charred post 3 ft long 3" sq	00
	12" in the ground for ¼ sec	00
	cor. marked ¼ S on N face	00
	dug pits 18×18×12" ~~[illegible]~~ ground E & W. of post	
	ft distant and raised	
	a mound of earth 1½ ft	
	high 3½ ft base around	
	post.	
47.00	Road bears N W & S E.	
80.00	Intersect the old post	
	which is firmly set in	50
	the ground, I remark	00
	same and renew the	
	pits & mound of earth	
	land level	
	Soil Quite alkali	
	No timber.	

BOOK-A

South
betw
Var
Enter m
Leave se
Ditch ru
Enter
No trace
charred
12" in the
cor. mar
dug pit
of post
raised
1½ ft hi
around
Leave f
Shore of
where I
4 ft long
ground
on N
on W. fa
1 ft deep
raised

Tubs. Tp. 11 N. R 9 W.

South on resurvey line
betw. secs. 8 & 9
Var. 17½° E.

Enter muddy flat bears E & W.
Leave same, road " E & W.
Ditch runs E.
Enter muddy flat
No trace of old cor. set a post
charred 3 ft long 3" square
12" in the ground for 1/4 sec.
cor. marked 1/4 S on W face,
dug pits 18×18×12" Neg S
of post 5½ ft dist. and
raised a mound of earth
1½ ft high 3½ ft. base
around post.
Leave flat
Shore of great Salt Lake
where I set a charred post
4 ft long 4" square 12" in the
ground marked T. 11. N.
on N, R. 9. W. S 9. on E, S 8.
on W. faces, dug a pit 3 ft square
1 ft deep 8 lks N of post and
raised a mound of earth

BOOK-A-21

Resurvey of Subs.

Chain 2 ft. high & 4½ ft. base around post.
Land level.
Soil 3 rate alkali & sa
No timber.

February 28 16

North on random resurvey line
betw. secs. 4 & 5.
Var. 17½° E.

4000 No trace of old cor. set temp
1/4 sec cor.

49.80 Intersect the cor. to secs. 4 &
on N. boundary 16 lks W.
~~which is a post~~ properly
marked firmly set in
the ground with regul
pits & mound of earth
around post, from whe
I run
S. 0° 07' W. on true line
betw. secs. 4 & 5.
with same var.

39.80 Set a charred post 3 ft lo
3" square 12" in the ground for 1/4 sec. cor.

marked
pits 18 x
5½ ft
mound
high 3½
post
4.80 Road
.80 The cor to
Land.
Soil 2
No tim

The cor.
establis
survey
Wes
b
000 No trac
temp
30 Inters
N. of cor.
a post
ground
with r

Subs. Tp. 11 N R 9 W

marked 1/4 S on W face, dug pit 18 x 18 x 12" N & S. of post 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

4.80 Road bears N W & S.E.

.80 The cor to secs. 4. 5. 8 & 9.

Land. level.

Soil 2 rate: sandy.

No timber.

The cor. to secs. 5. 6. 7 & 8. being established under the old survey Trim

West on random meeting line

betw. secs. 5 & 8.

Var 17 1/2° E

.00 No trace of old cor. set temp 1/4 sec cor.

.30 Intersect N & S. line 38 lks N. of cor. to secs. 5. 6. 7 & 8 it being a post firmly set in the ground properly marked with regulation pits &

Resurvey of fra

Chain mound of earth arou
it from where I am
N 89° 44' E. on true l
betw. secs. 5 & 8
Var. 17° 30' E.

25.50 Salt Creek 4 lks wide 6
runs S.W.

40.15 Set charred post 3 ft
3" square 12" in ground for 1/4 sec. cor m
1/4 S on N face dug pits 18
x 12" E & W of post 5 1/2 ft
and raised a mound of
earth 1 1/2 ft high 3 1/2 ft
around post

80.30 The cor. to secs. 4. 5. 8 & 9.
Land level.
Soil 1 & 2 rate, alluvi
& sand
No timber.
Good grass along

Subs. C

North or
betw.
Var.

00 No trace o
1/4 sec. cor
42 Intersec
on N. bo
E. it be
marked
ground
pits & u
arou
mm
So
betw
wi
00 Road
42 Set a ch
long 3"
ground
1/4 S on W
18 x 18 x
5 1/2 ft
a mou
ft high 3 1/2

Subs. Tp. 11 N R 9 W.

North on meadow survey line
betw. secs. 5 & 6.
Var. 17° 30' E.

00 No trace of old cor. set a temp.
1/4 sec. cor.

42 Intersect cor. to secs. 5 & 6.
on N. boundary of tp. 28 lks
E. it being a post properly
marked firmly set in the
ground with regulation
pits & mound of earth
around it, from where I
run

S 0° 12' E. on true line
betw. secs. 5 & 6
with same var.

00 Road bears NW & SE.

42 Set a charred post 3 ft
long 3" square 12" in the
ground for 1/4 sec cor. marked
1/4 S on W face, dug pits
18 x 18 x 12" N & S. of post
5 1/2 ft dist and raised
a mound of earth 1 1/2
ft high 3 1/2 ft base around
post.

Resurvey of fr

Chain
80.42 The cor. to secs. 5 & 6. 7 & 8
land level
Soil 2 rate alkali
No timber.

West on random
resurvey line
betw. secs. 6 & 7
Var. 17° 30' E.

4000 No trace of old cor. set tem
1/4 sec. cor.

8048. Intersect old post cor. to
secs. 6 & 7. 12 lks. N. same
firmly set in the ground
properly marked with re
lation pits & mound of
earth around it from
which Town
N 89° 55' E. on true lin
betw. secs. 6 & 7
with same var.

25.40 Creek 4 lks wide 8" deep ru
S.W. Spring bears N. 3 d's

4048 Set a charred post 3 ft

BOOK-A-

Subs

Chain 3" square
for 1/4 se
N. face
E. & W.
raised
1 1/2 ft h
post.
.30 Road bears
48 The cor
land
Soil
No ti
fe

Sou
b
No trace o
00 Set cha
3" squ
for 1/4
Son W f
x 12" 1
dist. a
mon
high 3"

Subs. Tp. 11 N. R. 9 W.

Lain 3" square 12" in the ground for 1/4 sec. cor marked 1/4 S on N. face dug pits 18×18×12" E. & W. 5 1/2 ft dist. of post & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

9.30 Road bears N.E. & S.W.
48 The cor. to secs. 5.6.7 & 8
land flat.
Soil Grate sandy
No timber.
few sagebrush

South on resurvey line
betw. secs. 7 & 8
Var. 17 1/2° E.

No trace of old cor
000 Set charred post 3 ft long 3" square 12" in the ground for 1/4 sec cor. marked 1/4 S on W face dug pits 18×18×12" N & S of post 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post

Resurvey of frac

Chain
3000 Find the old post, firm
set in the ground, prop
marked with regulati
pits & mound of earth
around post.
land. level
Soil 2 rate sand
No timber.
Scall. sagebrush

East on true resurvey
betw. secs. 8 & 17
Var. 17° 30' E.

4000 No trace of old cor. set a chan
post 3 ft. long 3" square 12
in the ground for 1/4 sec co
marked 1/4 S on N. face du
pits 18×18×12" E & W. of po
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft h
3 1/2 ft base around post.
65.00 Shore of Great Salt Lake
where I set a post 4 ft lo
4" square 12" in the grou

Subdiv

for Me
8 & 17 ma
T. 11 N. S.
R. 9 W. S
pit 3 ft
W. of pos
mound
4 ft. base
laged.
Soil
No tim

West on
bet
No trac
temp
Intersec
48 lks
tp. wh
marke
ground
pits &
aroun

Subdiv. Tp. 11 N. R. 9 W.

for Meander Cor to secs.
8 & 17 marked
T. 11 N. S. 8. on N.
R. 9 W. S. 17 on S. faces. dug a
pit 3 ft square 1 ft deep 8 lks
W. of post and raised a
mound of earth 2 ft high
4 ft. base around post.
Lazed. flat sandy
Soil Route. sandy
No timber.

West on random meandered
betw. secs. 7 & 18.
Var. 17½° E.
No trace of old cor. set a
temp 1/4 sec. cor. x
Intersect cor. to secs. 7 & 18
48 lks S. on W. boundary of
tp. which is a post properly
marked firmly set in the
ground with regulation
pits & mound of earth
around post

Resurvey of ubs

Chain from where I run
S 89° 39' W on true
betw. secs. 7 & 18
Var. 17½° E.

4019 Set charred post 3 ft long
3" square 12" in the ground
for ¼ sec. cor. marked ¼
N. face dug pits 18 x 18 x
E. & W. of post 5½ ft dist and
a mound of earth 1½ ft
high 3½ ft base around
8019 The cor. to secs. 7. 8. 17 & 18.
Land. level
Soil Grate mixing & swamp
No timber.

South betw. secs. 17 &
on resurveyline
Var 17½° E.

22.00 Shore of Great Salt Lake
where I set a charred
post 4 ft. long 4" square
for Meander Cor to fra
secs. 17 & 18. marked

BOOK-A-2

with 7
R
S
a pit 3 f
8 lks
raised
2 ft hig
post.
Land
Soil.
No t

Gen

T
under
most
are s
which
12 ft. a
Lat
cover
sagebr

of ubs T. 11 N. R 9 W

with T. 11 N. on N.
R 9 W. S 17. on E
S. 18 on W. faces day
a pit 3 ft square 1 ft deep
8 lks N. of post and
raised a mound of earth
2 ft high 4½ ft base around
post.
Land. level.
Soil. Ch vate miry & swampy
No timber.

Febr. 28th 1887

General Descript.

The lands resurveyed
under this Contract ~~consists~~ are
mostly flat & sandy they
are some alkali flats
which are about from 4 to
12 ft. above the level of the
Lake The ground is
covered with scattering
sagebrushes & greasewood

BOOK-A-2

Returning Subs Tp 11 N. R 9 W.

The Centre Pacific R. R
runs through secs. 1.
& 4., same has a side
in secs. 3. 9 & 10. which c
the improvements of
Desert Salt Co with
main line. The impro
of this company are m
situated in sec. 9. a
consist of, 1 Rock Ho
Ice house, 5 tanks, 1½
ditching, stable corals
windmill & waterpu
In secs. 5 & 6 are spring
of fresh water.
The soil itself is sand
and can be used for
agricultural purpo
On the sec. line betw secs.
& 4. is the C. P. R. R. W
located, south of wh
2 placer mining clai
surveyed for pat
but not approved b
the genl. Land Offi

as this
non min
no inde
except
on same

N. 29 W. S.L.M.

as this ground is
non mineral - as there are
no indications of mineral
except what is brought
on same artificial.

Edward W. Koeber
Notary Public

BOOK-A

S. SURVEYOR

Salt Lake Ci

The foregoing

Sprucs

ownship No.

xecuted by

nder Contract N

ay of June

February

xamined, the nec

ons made, the s

ey describe are

Wal

BOOK-A-217

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *1888.*

The foregoing field notes of the Re *survey of the*

Gen'l Subs

ownship No. 11 N *Range No.* 9 W

xecuted by Edward W. Horber

nder Contract No. 143 *of the* 24th

ay of June *1886, in the month of*

February *1887, having been critically*

xamined, the necessary corrections and explana-

ons made, the said field notes, and the surveys

ey describe are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK-A-

REPORT:

Filed 9 Aug

Examined by John

Transcribed by H. C

Compared by Jennie

FIE

OF THE S

Fraction

Township No. 1

Range No, (

SALT LA

UTA

Edwar

U, S

Under his Con

Dated J

Survey commenc

Survey completed

" m 4 d

BOOK-A-217 2

43

REPORT:

Filed 9 Aug May 20 1887

Examined by John H Campe.

Transcribed by H. Atkinson

Compared by Jennie H Boorman & Kate Boorman.

FIELD NOTES

OF THE SURVEY OF THE

Fractional Subdivs.

OF

Township No. 11 North

Range No. 9 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Roeber

U. S. Deputy Surveyor,

Under his Contract No. 145

Dated June 24 1886

Survey commenced February 26 1887

Survey completed " " 1887

" m 4 chs 97 lks V

22 3

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tame	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-2

fr

Subs. T

Survey co
February
From a pt.
cor. to secs.
of towns
by me u
From
Sou
C

End of re
Shore of
where G s
12" in the g
cor. to fra
M. C. du
deep, 8 l
a monu
4 1/2 ft ba
Land. f
Soil. 2
No tim

BOOK-A-217

Fract.

Subs. Township 11 N. R 9 W

Survey commenced
February 26 1887
From a pt. 48.00 chs. South of
cor. to secs. 1 & 2 on N. boundary
of township reestablished
by me under Contract No 143.
Thence
South betw secs. 1 & 2
Var 17° 30' E
00 End of survey
00 Short of Great Salt Lake
where I set a boulder 16 x 12 x 12
12" in the ground for meander
cor. to fract. sec. 1 & 2. marked
M. C. dug a pit 3 ft square 1 ft
deep, & 8 lbs of stone and mixed
a mound of earth 2 ft high
4 1/2 ft base alongside.
Land flat.
Soil. Saline alkali
No timber.

Feb. 26 1887

Fract. Subdivis

Chain From a point 10.30 chs. S. of
cor. to secs. 3.4. 9 & 10. restab
by me under Contract No. 1
Green
South bitto secs. 9 & 1
Var 17° 30 E.

10.30 End of old survey
12.27 Shore of great Salt Lak
where I set a sandstone
18×10×8" 12" in the grou
for Meander Cor. to frac
secs. 9 & 10. and raised a
stone mound along
Land. level
Soil Grate sandy
No timber.

Feb. 26th 18

General Descript

For General Descript
see subdivisions su
of resurvey of this tow
Contract No. 143.
Edward W. Ko
W. Sellp su

BOOK-A-2

S. SURVEYOR G

Salt Lake City

The foregoing fi

Fract. D

wnship No. 4

xecuted by Ed

nder Contract No.

y of June

ebruary

amined, the necess

ons made, the sai

ey describe are he

Wi

BOOK-A-217

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *188*8.

The foregoing field notes of the survey of the

Fract. Subdivis.

ownship No. 4 N *Range No.* 9 W

xecuted by Edward W. Korber

nder Contract No. 1457 *of the* 24th

ay of June *188*6, *in the month of*

February *1887, having been critically*

xamined, the necessary corrections and explana-

ons made, the said field notes, and the surveys

ey describe are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK-A-2

REPORT:

Filed

Examined by John

Transcribed by H. A

Compared by Jennie

FIEL

OF THE S

Mer

Township No.

Range No.

SALT LA

UTA

AS

Edward

U. S.

Under his Contr

Dated Jun

Survey commence

Survey completed

7

BOOK A-217 3

49

REPORT:

Filed 188

Examined by John H Campe

Transcribed by H. Atkinson

Compared by Jennie V. Bonman & Kate Bonman

FIELD NOTES

OF THE SURVEY OF THE

Meanders

Through

OF

Township No. 11 N

Range No. 9 W

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward V. Roeber

U. S. Deputy Surveyor,

Under his Contract No. ~~144~~ g 145

Dated June 24 1886

Survey commenced Mch 1st 1887

Survey completed " 2nd 1887

7 m 10 chs 00 lks ✓

23 5

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. W. Cromer	Chainman
A. J. Tame	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A

Mea

Township

Survey c
1887
From M
13 p 18 on
Township
marked fin
ulation pit
from
Thr
(
N 89° E
N. 42½°
N. 72¼°
N. 53¾°
Me a
set
No
Land l
Soil
No tim

BOOK-A-217

Meanders

Township 11 N. R 9 W.

Survey commenced March 1
1887
From Meander Co to secs.
13 & 18 on W. boundary of
township which is a post properly
marked firmly in the ground with reg-
ulation pits & mound of earth around it
~~from with Meanders~~
Through Sec. 18.
Var. 17 1/2° E.

N 89° E. 22.00 lns.
N. 42 1/2° E. 25.00 "
N. 72 1/4° E. 16.00 "
N. 53 3/4° E. 32.00 to
Meander Cor. to secs. 17 & 18
set by me under Contract
No ~~144 & 145~~ 143.
Land level.
Soil 2 rate sandy
No timber

Meanders

Thence through sec. 17
Var. 17 1/2° E.
N. 71° E. 19.00 chs.
N. 57° E. 26.00 "
S. 86 1/2° E. 15.00 "
N. 81 3/4° E. 11.00 "
to Meander cor. to secs. 8 & 17
established by me under
Contract 143.
Land level.
Soil. 2nd rate sandy
No timber.

Thence through sec. 8
Var. 17 1/2° E.
N. 23° E. 11.00 chs.
N. 23 1/2° E. 12.00 " at 5.00 North of Co
N. 32 1/2° E. 10.00. to meander
cor. to secs. 8 & 9 set by me under
Contract No. 143.
Land Level.
Soil 2nd rate sandy.
No timber.

Town

Thence
N 51° E. 8.
N 19 3/4° E. 2.
N. 47 1/4° E. 8
N 70 3/4° E.
N 56° E.
S. 75° E.
N 11 1/2° E.
N. 56° E.
N 81° E.

Meand
by me u
~~14 & 14~~
Land.
Soil 2
No tim

Township. M.N. R.9W.

Thence through sec. 9.
Var. 17½° E.

N 51° E. 8.00 chs at 2.90. Head of Canal.
N 19¾° E. 2.50 "
N. 47¼° E. 8.00 "
N 70¾° E. 24.50.
N 56° E. 7.00. at. 5.30. Mouth of Canal
S. 75° E. 3.00. " 1.50. " " "
N 11½° E. 3.00
N. 56° E. 6.00
N 81° E. 30.00 at. 6.30. Canal.
" 15.20 fence bears N. 25 lk
" 15.30. Canal heads N.
" 25.80. Mouth of Canal
" 29.25. pipe bears N & S.
" 30.00. to the

Meander cor. to secs. 9 & 10. set by me under this Contract ~~No 144 & 145~~.
Land. level.
Soil 2 rate sandy
No timber.

Meanders through Townsh.

Thence through sec
Var. 17° 30' E.
N 84° E. 20.00 chs. at 2.00 Waterw
50 lks S. in L
N. 89¼° E. 15.00
N. 88¼° E. 25.00
S. 75¾° E. 11.00 at 10.50 extreme
of bank
S. 7¼° E. 2.50 old House bears E.
S. 37¼° W. 4.50
S. 37½° E. 4.00
N. 65° E. 5.00
N 15° W. 3.00
N. 61° W. 3.00
N 6¼° E. 14.00 to Meander
to secs. 3 & 10. set by me
Contract No 143.
Land. level & rocky
Soil 2 & 3 rate; sandy & rocky
No timber

BOOK-A-21

Thence th
Var
N. 66° E.
Meander
set by m
No 143.
land. le
Soil 2
No tim

Thence
Var
N 70½° E.
N. 77¼° E.
N. 65° E.
N 78° E. to
Meander
this Cont
land. le
Soil 3
No tim

Townsh. 11 N. R 9 W.

Thence through sec. 3.
Var 17 1/2° E.
N. 66° E. 8.50 lks to the
Meander cor. to secs. 2 & 3.
set by me under Contr.
No 143.
land. level.
Soil 2 rate sandy
No timber.
March 1st 1887

Thence through sec. 2.
Var. 17 1/2° E.
N 70 1/2° E. 21.00 lks.
N. 77 1/4° E. 20.00 "
N. 65° E. 21.00 "
N 78° E. 22.00 " to the
Meander Cor. to fract secs. 1 & 2 set by me under
this Contract
land. level.
Soil 3 rate. alkali
No timber.

Meanders through

Township No. 11 N R 9

thence through sec 1.
Var. 17° 30' E
N 85 1/4° E. 37.00 lis.
S. 85 3/4° E. 29.00 "
S. 77° E. 14.50 " to
the Meander cor. to se
1 & 6 on E bdy of Township set by me under
this Contract
land. level
soil Grate alkali
No timber.

March 2d 18

General Descript

For general Descr
see Subs. of this to
Contracts No 143, ~~[illegible]~~ 14

Edward W. Kor
U. S. dep surv

BOOK-A-21

S. SURVEYOR (

Salt Lake City

The foregoing fi

Meander

ownship No. 11

xecuted by Ed

nder Contract No.

ay of June

March

amined, the neces

ons made, the sai

ey describe are he

Will

BOOK-A-217

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888

The foregoing field notes of the survey of the Meanders Through

Township No. 14 S Range No. 9 W.

Executed by Edward W. Hosbr

Under Contract No. 145 of the 24

day of June 1886, in the month of March 1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK-

REPORT:

Filed

Examined by John

Transcribed by Jem

Compared by Jennie V.

FIEL

OF THE S

West bor

Township No. 12

Range No. 6

SALT LA

UTA

A

Edwar

U. S.

Under his Contr

Dated Jun

Survey commence

Survey completed

4 m 76

BOOK-A-217

59

REPORT:

Filed: 188

Examined by John H. Campbe.

Transcribed by Jennie V. Bowman.

Compared by Jennie V. Bowman & Kate Bowman.

FIELD NOTES

OF THE SURVEY OF THE

West boundary

OF

Township No. 12 N.

Range No. 6 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Kreber

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 24 1886

Survey commenced March 24 1887

Survey completed March 24 1887

4 m 76 chs 96 lks
24
5

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Lane	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-217

Resurvey

est boundary Tp. 12 N R 6 W

Chain Survey commenced.
March 24th 1887
From the cor. to tps. 11 & 12 N.
R 6 & 7 W. which is the original
post and a lime stone 12×
12×10" firmly set in the
ground and properly marked
From
North on resurvey line
betw. secs. 31 & 36
Var. 17°45' E.

1.80 Wash drains W.
1.50 " " W.
0.00 No trace of old cor. set a sand-
stone 14×10×6" 9" in the ground
for 1/4 sec. cor. marked 1/4 on
W. face and raised a stone
mound alongside.
4.50 Wash drains W.
7.50 " " W.
3.00 Gulch " W.
0.00 No trace of the old cor. set a
sandstone 20×10×6" 15" in the
ground for cor. to secs. 25. 30.
31 & 36 marked with 1 notch

Resurvey West Boundary

Tp 12 N. R 6 W. S.L.

Chain on S and 5 on N edges and raised a stone mound alongside.
Land rolling
Soil 2" rate gravelly
Timber. a few scatt cedar

North on resurvey line
betw. secs. 25 & 30
Var 17° 55' E.

8.30 Mouth of canon drains W.
24.00 Gulch drains W. ascend along W face of bench.
39.50 Gulch drains W.
40.00 No trace of old cor. set a sandstone 20×10×6" 15" in the ground for 1/4 sec. cor. marked 1/4 on W face and ra a stone mound alongside
49.75 Gulch drains W.
53.50 Top of W. pt. of bench desc.
60.25 Gulch drains W.
75.00 Enter valley sloping north
80.00 No trace of old cor. set a

Resurve
BOOK-A-2
Tp 12 N. R

Chain sandsto
ground
25 & 30 m
on S and
raised
alongs
Land.
Soil.
Timber

North o
betw
Va

00 No trace
stone 10
for 1/4 se
W face
in the g
Stone 5
a mor
high 3
00 No tra
a sand
the gro

sandstone 12×10×8" 8" in the ground for cor. to secs. 19. 24. 25 & 30 marked with 2 notches on S and 4 on N faces and raised a stone mound alongside.
Land. rolling
Soil. 2nd rate. gravelly
Timber. few cedar.

North on resurvey line betw. secs. 19 & 24
Var. 17° 35' E.

00 No trace of old cor. set a sand stone 10×10×8" 6" in the ground for 1/4 sec. cor. marked 1/4 on W face dug pits 18×18×12" in the ground N & S of stone 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside.

00 No trace of old corner set a sandstone 15×10×6" 10" in the ground for cor. to sec.

Resurvey West bound

Chain 13. 18. 19 & 24 marked with
3 notches on N & S. edges and
dug pits 18×18×12" on each
sec. 5½ ft dist. and raised
a mound of earth 2½ ft
high 4 ft base alongside
Land. rolling valley
Soil 2 rate Gravel.
No timber.
Dense sagebrush underg

North on resurvey line
betw. secs. 13 & 18.
Var. 17° 55' E.

26.80 Wash drains W.
40.00 No trace of old corner set
a sandstone 12×10×7" 8" in
the ground for ¼ sec. cor
marked ¼ on W face, dug
pits 18×18×12" N & S. of sta
5½ ft dist. and raised a
mound of earth 1½ ft high
3½ ft base alongside.
80.00 No trace of old cor. set a

BOOK-A-2

12 N. R

Chain sandst
the grou
7. 12. 13 & 1
4 notche
notche
dug pi
sec. and
of earth
alongs
Land.
Soil
No tr
Dense an

North
bet
Va
1.52 ascend
N 54¼ W
00.00 No trace
harrow
12" in the ground
square
¼ S on
18×12"

12 N. R 6 W. S. L. M.

Sandstone 14×9×9" 9" in the ground for cor. to secs. 7. 12. 13 & 18. marked with 4 notches on S. and with 2 notches on N Edges and dug pits 18×18×12" in each sec. and raised a mound of earth 2½ ft high 4 ft base alongside.
Land. rolling valley
Soil 2 rate gravel.
No timber.
Dense artemisia undergrowth.

North on resurvey line
betw. secs. 7 & 12.
Var. 17° 52' E.

1.52 ascend, face post bear N 54¼ W. Ng S 54¼ E.
1000 No trace of old cor. set a charred post 3 ft long 3" square 12" in the ground for ¼ sec. cor. marked ¼ S on W. face dug pits 18×18×12" Ng S. 5½ ft of post

Resurvey West Bound

Tp 12 N. R 6 W. S.L.

Chain and raised a ~~mound~~ of
earth 1½ ft high 3½ ft ba
around post
76.00 End of resurvey where
I find no old cor. and
set a shalerock 18×6×6"
12" in the ground marked
with a + cross.
Land rolling
Soil 2 rate gravely
No timber.
Dense sagebrush underg
March 24

General Descript

For general Descri
See Subs of this town
Edward W. Ro
W. S. dep Su

BOOK-A-

S. SURVEYOR

Salt Lake Cit

The foregoing

Westbor

wnship No. 12

xecuted by Ed

nder Contract No

y of June

March

amined, the neces

ons made, the sa

ey describe are h

Will

BOOK-A-217

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888

The foregoing field notes of the survey of the

Westbound

Township No. 12 N Range No. 6 W.

executed by Edward W. Korber

under Contract No. 148 of the 24

day of June 9 1886, in the month of

March 1887, having been critically

examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

William G. Bonneau

U. S. Surveyor General for Utah.

BOOK A

REPORT:

Filed

Examined by John

Transcribed by Jen

Compared by Jennie

FIEL

OF THE S

Westbor

Township No. 1

Range No. 6

SALT LA

UTA

AS

Edward T

U. S.

Under his Contr

Dated June

Survey commenced

Survey completed

1 m 03 chs

Closing: 1 -

BOOK A-217 5 69

REPORT:

Filed 188

Examined by John H. Campe

Transcribed by Jennie V. Bonman

Compared by Jennie V. Bonman & Kate Bonman

FIELD NOTES

OF THE SURVEY OF THE

Westbound

OF

Township No. 12 N.

Range No. 6 W

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Koeber

U. S. Deputy Surveyor,

Under his Contract No. 144

Dated June 24th 1886

Survey commenced March 24th 1887

Survey completed March 24th 1887

1 m 03 chs 10 lks

closing: 1 - 10 " 25 L

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
H. J. Tanne	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-21

West bonn

Survey c

From the
betw. sect.
76 ch's N.
7.12.13 g 1
establish
Contract
North,
Var

.00 End of
.50 Gulch dr
00 On little
12 x 8 x 6"
for cor. to
with 5 no
Nedges a
monum
Land.
Soil
Timber

West boundary Tp. 12 N R 6 W.

Survey commenced March 24 '89

From the end of resurvey betw. secs. 7 & 12. which is 76 chs N. of corner to secs. 7. 12. 13 & 18. which was re-established by me under Contract No 143 I mm

North betw. secs. 7 & 12.
Var. 17° 45' E.

.00 End of resurvey
.50 Gulch drains W.
.00 On little ridge set a sandstone 12 x 8 x 6" 8" in the ground for cor. to secs. 1. 6. 7 & 12. marked with 5 notches on S and on N edges and mound a stone mound alongside.

Land. Hills
Soil Brute rocky
Timber scat. cedars.

West boundary

Chain	
	North betw. secs. 5 & 6 Var 17° 45' E.
12.50	Gulch draines W.
15.00	Top of ridge bears SE &
28.50	Gulch draines W.
32.50	Ridge bears SE & NW.
40.00	on S. side of ridge set a sandrock 10×10×6" 6" in the ground for 1/4 sec. cor. mark 1/4 on W face and raised a stone mound alongside
42.50	Gulch draines NW.
62.50	Divide bears NW & SE.
79.10	Intersect 3rd Standard Parallel N. 1.10 lks W of Standard Cor. to tps 13 N. R. 6 & 7 W. set by me under this Contract. where I set a sandstone 20×10×15" in the ground mark C.C. with 6 notches on SE edges and raised a stone mound alongside

Land. Mountain
Soil Grate.

N. R. 6 W. S. L. M.

Timber. scrub cedars
fine Grass on Mountains.
March 24 1887

General Descript

For general Description
see Subs. of this Township.

Edward W. Korber
U. S. Dep Surv.

BOOK-

S. SURVEYOR

Salt Lake Cit

The foregoing

West bo

ownship No. 1

xecuted by Ed

nder Contract No

y of Jun

March

amined, the nece

ons made, the sa

ey describe are h

Wil

BOOK-A-217

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888

The foregoing field notes of the survey of the

Westbound

ownship No. 12 N *Range No.* 6 W

xecuted by Edward W. Koeber

nder Contract No. 144 *of the* 24

ay of June 1886, *in the month of*

March 1887, *having been critically*

amined, the necessary corrections and explana-

ons made, the said field notes, and the surveys

ey describe are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

Boo

REPORT:

Filed "Fe

Examined by John

Transcribed by Jen

Compared by Jennie

FIEL

OF THE The S

Subdi

Township No. 12

Range No. 6

SALT LA

UTAH

AS

Edward

U. S.

Under his Contr

Dated Jan

Survey commenced

Survey completed

24th 5

Book 6

77

REPORT:

Filed "September 3rd 1887.

Examined by John H Campe. Sept 13, 87.

Transcribed by Jennie V. Bonman,

Compared by Jennie V. Bonman & Kate Bonman

FIELD NOTES

OF THE The SURVEY OF THE

Subdivisions

OF

Township No. 12 North

Range No. 6 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Koeber

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 24th 1886

Survey commenced March 25th 1887

Survey completed " 26 1887

24 m 59 chs 54 lks ✓

26 17

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. T. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
H. J. Lance	Axeman
C. R. Leavitt	Axeman
	Flagman

Resurvey

Subs. T. 12 N. R. 6 W.

Survey commenced March 25. 87
From the cor. to secs. 35 & 36 on S.
boundary which is a lime-
stone 16×12×8' firmly set in
the ground with regulation
pits & mound of earth alongside
S mm

North on resurvey line
betw. secs. 35 & 36
Var. 17°40' E.

Road bears NE & SW.

Enter rolling valley bears NE & SW.

Find remains of the old
corner where I set a limestone
12×12×5' 8" in the ground for
1/4 sec. cor. marked 1/4 on W. face
and raised a stone mound
alongside.

Gully drains SW.

No trace of old corner set a
sandstone 14×12×6' 9" in the
ground for cor. to secs. 25. 26. 35 &
36. marked with 1 notch on Land
E edges and raised a stone
mound alongside in hollow

Resurvey Subs Tp 12 N

Chain drains S.W.
Land. rolling
Soil. 2 rate gravely
No timber.

East on random line
betw. secs. 25 & 36
Var. 17°40' E.

4000 No trace of old cor. set a temp
1/4 sec. cor.

80.02. Intersect E. boundary of tw
at cor. to secs. 25 & 36 which is a
post firmly set in the ground prop
marked with pits & mound of earth
from where I run
West on true line
betw. secs. 25 & 36
with same var.

4001 Set a lime stone 20×10×7" 18
in the ground for 1/4 sec cor.
marked 1/4 on N face and
raised a stone mound
alongside.

80.02 In hollow drains S.W. the

BOOK-A

W.

cor to secs.
Land
Soil
No tr
Dense s

North
on
Var
Wash dr
Wash dr
Wash dr
Find o
where S
×8" 8" in
sec. cor.
and rais
alongsi
No trace o
stone 18×
for cor. to
with 2
Edges an

W. S. L. M.

Cor to secs. 25. 26 35 & 36
Land rolling valley
Soil 1 rate alluvial
No timber.
Dense sagebrush
undergrowth.

North bitw. secs. 25 & 26
on resurvey line
Var. 17° 40' E.

Wash drains N.E.
Wash drains S.E.
Wash drains S.E.
Find old mound of earth
where I set a sandstone 12×10
×8" 8" in the ground for 1/4
sec. cor. marked 1/4 on W. face
and raised a stone mound
alongside.
No trace of old corner set a sand-
stone 18×11×3" 12" in the ground
for cor. to secs. 23. 24. 25 & 26 marked
with 2 notches on S and 1 on E.
Edges and raised a stone mound

Resurvey Subs Tp 12 N 6 W.

Chain	Alongside.
	Land. Rolling Valley
	Soil Drate. Alluvial.
	No timber.
	Scattering sagebrush undergrowth.
	East on random resurvey
	betw. secs. 24 & 25.
	Var. 17°40' E.
40.00	Find the old mound of ea
	and remains of pits wh
	I set a temp. 1/4 sec. cor.
80.04	Intersect Boundary of tp. at
	cor. to secs. 24 & 25 which is a p
	firmly set in the ground pr
	marked mound of earth &
	pits destroyed which I re
	build and run
	West on true line
	betw. secs. 24 & 25.
3.50	Wash drains S.E.
12.40	Wash drains S.E.
40.02	Set a sandstone 27×12×10' 2

in the grou
1/4 on N fac
mound a
The cor. to s
Land. R
Soil Dra
No timb
Scatter

North on
betw. se
Var 1
No trace of
stone 16×10
for 1/4 sec. c
face and
alongside
Wash dra
No trace o
stone 20×
for Cor. to
with 3 no
Edges and
alongsid

6 W. S.L.M.

in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

The cor. to secs. 23.24.25 & 26.

Land. Rolling valley

Soil & rate. sandy loam

No timber.

Scattering sagebrush undergrowth

North on resurvey line
betw. secs. 23 & 24
Var 17°40' E.

No trace of old cor. set a sandstone 16×10×4" 12" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.

Wash drains S.E.

No trace of old cor. set a sandstone 20×11×4" 15" in the ground for Cor. to secs. 13. 14. 23 & 24 marked with 3 notches on S and 1 on E. Edges and raised a stone mound alongside.

Resurvey Subs Sp 12 [illegible]6 Ves

Chain Land rolling valley
Soil Irate. sandy loam
No timber.
Scattering artemisia
undergrowth.

East on random resurv
betw. secs. 13 & 24
Var 17° 40' E.

40.00 No trace of old cor. set a tem
1/4 sec. cor.

79.96 Intersect E. boundary at
cor. to secs. 13 & 24 which is
a post properly marked
laying down which Tr
and renew the pits and
mound of earth from w
Trim

West on true line
betw. secs. 13 & 24
with same var.

39.98. Set a sandstone 14 x 8 x 4 " 9
in the ground for 1/4 sec
marked 1/4 on N face and

BOOK-A-

[illegible] raised a [illegible]
side.
5.00 Wash [illegible]
4.60 "
.50 "
.96 The cor. [illegible]
Land. [illegible]
Soil [illegible]
No tim[illegible]
Scatter[illegible]
[illegible]

North [illegible]
on rec[illegible]
Var. [illegible]
50 Wash [illegible]
75 "
25 "
00 No trace [illegible]
sandstone [illegible]
in the gr[illegible]
cor. mar[illegible]
and ra[illegible]
along [illegible]

12 26 West. S.L.M.

raised a stone mound along-side.

5.00 Wash drains S.E.

4.60 " " S.E.

.50 " " S.E.

.96 The cor. to secs. 13. 14. 23 & 24

Land. rolling Valley

Soil Irate alluvial

No timber.

Scattering artemisia

undergrowth

North bdco. secs. 13 & 14

on resurvey line

Var. 17° 40' E.

.50 Wash drains S.E.

.75 " " S.E.

.25 " " S.E.

.00 No trace of old cor. set a sandstone 15×10×8" 10" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound along side.

Resurvey Subs Tp 12 6 W.

Chain	
45.50	Wash drains S.E.
68.00	Low ridge bears N.W. & S.E.
80.00	No trace of old cor. set a Co 12×10×4" 8" in the ground for cor. to secs. 11. 12. 13 & 14 marked with 4 notches S. and 1 on E. edges and raised a stone mound alongside. Laid. Rolling valley Soil. 1 rate. Sandy lo No timber.
	Scattering asterns on Stergrowth.
	East on random resur betw. secs. 12 & 13 Var. 17° 40' E.
40.00	No trace of old cor. set 1/4 sec cor.
80.10	Intersect E boundary cor. to secs. 12 & 13 which a post properly mark

BOOK-A-

regulati
of earth a
where T
West
betw.
with
80 Wash. d
05 Set sa
12" in the
cor. mar
and rai
alongsi
00 Wash dr
10 The cor. to
Laid.
Soil
No tim
Scat

North on
bet

00 Wash dr
00 No trace

6 W. S.L.M.

regulation pits and mound of earth alongside from where Town

West on true line
betw. secs. 12 & 13
with same var.

80 Wash. drains S.E.

05 Set sandstone 18 X 11 X 9"
12" in the ground for 1/4 sec.
Cor. marked 1/4 on N face
and raised a stone mound
alongside.

00 Wash drs S.E.

10 The cor. to secs. 11. 12. 13 & 14.
Land. rolling valley
Soil 2 rate sandy
No timber.
Scattering artemisia
underground.

North on reservoy line
betw. secs. 11 & 12
Var. 17° 40' E.

00 Wash drains S.E.

00 No trace of old cor set a

Resurvey Subs. Tp 12

Chain	sandstone 18×10×6" 12"
	the ground for 1/4 sec. cor
	marked 1/4 on W. face
	raised a stone mound
	alongside.
40.10	Wash drains S.E.
45.10	Wash drains S.E.
80.00	No trace of old cor. set
	a sandstone 22×10×7"
	in the ground for cor. to
	1.2.11 & 12 marked with
	5 notches on S. and 1 on
	edges and raised a sto
	mound alongside.
	Laid. Rolling & all
	Soil. 1 rate Sandy lo
	No timber.
	Scattering sagebrush
	undergrow

BOOK-A-

6 Wes

Chain	Cast
	bit
	Va
00	No trac
	temp. 1/4
06	Intersu
	at cor. to
	is a post
	firmly
	with re
	of earth
	from wo
	West
	su
	with
	S.W. cor. o
03	Set a sa
	12" in the
	cor. mark
	and rai
	alongsi
06	The cor.
	Laid.
	Soil.
	No tim

6 West. S.L.M.

Cast on random resurvey line
betw. secs. 1 & 12.
Var. 17° 40' E.

000 No trace of old cor. set a
temp. 1/4 sec. cor.

06 Intersect E. boundary
at cor. to secs. 1 & 12. which
is a post properly marked
firmly set in the ground
with regulation mound
of earth and pits alongside.
from where I run
West on true line betw.
secs. 1 & 12.
with same var.
S.W. cor. of fence

03 Set a sandstone 18×18×8"
12" in the ground for 1/4 sec.
cor. marked 1/4 on N face
and raised a stone mound
alongside.

06 The cor. to secs. 1. 2. 11 & 12.
Lacad. rolling valley
Soil. 1 rate. alluvial.
No timber.

Resurvey Subs Lp 12

Chain	
	North on random resurvey betw. secs. 1 & 2 Var. 17°40' E.
40.00	No trace of old cor. set temp 1/4 sec. cor.
80.07	Intersect N. boundary of township at stand cor. to 35 & 36 reestablished by me under this Contract from where I run South on true line betw. secs. 1 & 2. with same var.
31.00	Enter rolling valley
40.07	Set a sandstone 18 x 18 12" in the ground for 1/4 sec. cor. marked 1/4 on face and raised a stone mound alongside
80.07	The cor. to secs. 1. 2. 11 & 12 Land. rolling valley Soil 1 rate. allubi No timber. Scattering sagebrush undergrowth.

6 W.

Chain	
	From th 14. S n We b
2.00	End of no trac a sand 15" in th with a Laced. Soil No tr Scat
	From th 12. S n We bi
00	No trace sands

6 W. S.L.M.

From the cor. to secs. 11.12.13 & 14. Sum
West on true resurvey line
betw. secs. 11 & 14
Var. 17° 40' E.

2.00 End of resurvey,
no trace of old cor. set
a sandstone 22 x 10 x 7"
15" in the ground marked
with a cross (+)
Laced. rolling
Soil Trate. gravely
No timber.
Scattering artemisia
undergrowth

March 25th 1887

From the cor. to secs. 1.2.11 & 12. Sum
West on true resurvey line
betw. secs. 2 & 11
Var. 17° 40' E.

00 No trace of old cor. set a
sandstone 20 x 10 x 10" 15"

Resurvey Subs Tp 12

Chain	in the ground for 1/4 cor. marked 1/4 on N fa and raised a stone m alongside.
46.00	Wash drains S.E.
69.00	Ascend gentle
77.00	End of resurvey no trace of old cor. wh Set a sandstone 10×7" 12" in the grou marked with a cross (+)
	Land. Rolling
	Soil. Qrate, gravely
	No timber.
	Scattering artemis underground

6 W.

From the c
boundary
a limest
set in the
marked
of earth a
North
bet
Road be
Gentle a
No trace o
sandstone
the groun
1/4 on N. fa
stone mo
Hollow
No trace
sandstone
the groun
26.27.34
1 notch on
and rai
alongsi
Land.

6 W. S.L.M.

From the cor. to secs. 34 & 35 on S. boundary of township which is a limestone 16 x 12 x 8" firmly set in the ground properly marked with pits & mound of earth alongside S. run

North on survey line betw. secs. 34 & 35
Var. 17° 40' E.

Road bears E & W.

Gentle second bears N E & S W.

No trace of old cor. set a sandstone 20 x 14 x 8" 18" in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound alongside.

Hollow drains S.E.

No trace of old cor. set a sandstone 20 x 11 x 9" 15" in the ground for cor. to secs. 26. 27. 34 & 35 marked with 1 notch on S. and 2 on E edges and raised a stone mound alongside.

Land. Rolling

Resurvey Subs Tp

Chain	Soil Q rate gravely No timber.
	East on random resurvey betw. secs. 26 & 35 Var. 17°40' E.
40.00	Set temp 1/4 sec. cor. No trace of old cor.
80.09	Intersect N & S. line a cor. to secs. 25, 26, 35 & 36 from where S run West on true line betw. secs. 26 & 35 with same var.
16.00	Wash drains N.E.
40.05	Set sandstone 18×12×9 12" in the ground for 1/4 cor. marked 1/4 on N fa and raised a stone mor alongside.
65.00	Enter bench bears N & S
80.09	The cor. to secs. 26. 27. 34 & Laced. rolling Soil Q rate gravely

BOOK-A-

R 6

Chain	No trim
	West on betw Va
00	End of of the old 20×10×5" marked Laced. Soil Q No tim
	North o bet &
00	No trace sandsto in the gro marked raised alongs
2.50	Wash o

R 6 W. S. L. M.

No timber.

West on true resurvey line
betw. secs. 27 & 34
Var. 17° 40' E.

00 End of resurvey no trace of the old cor. set a sandstone 20×10×5" 15" in the ground marked with (+) cross.
Laced. Rolling
Soil Quite gravelly
No timber.

North on resurvey line
betw. secs. 26 & 27
Var. 17° 40' E.

00 No trace of old cor. set a sandstone 22×17×15" 16" in the ground for 1/4 sec cor. marked 1/4 on W face and raised a stone mound alongside.

250 Wash drains S.E.

Resurvey Subs Tp 12 R 6 W.

Chain	
47.50	Wash drains E
80.00	No trace of old cor. set a sandstone 15×12×10" 10" the ground for cor to se 22.23.26 & 27 marked with 2 notches on S. and Eadges and raised a stone mound alongsi Land. Rolling Soil. Quite. gravely No timber.
	East on random resurvey betw. secs. 23 & 26. Var. 17° 40' E.
40.00	No trace of old cor. set temp 1/4 sec. cor.
80.12	Intersect N & S. line at to secs. 23.24.25 & 26. from which Town West on true line betw secs. 23 & 26 with same var.
34.00	Wash drains SE.

BOOK-A-

06	Set a sa 12" in the cor. mark and ra alongsi
12	The cor. to Land Soil. 2 No tim
	West o betw V
00	End of of old cor 10×10×5" marke Land. Soil. 2 No tim

6 W. S. L. M.

Set a sandstone 16 x 12 x 10" 12" in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound alongside.
The cor. to secs. 22.23. 26 & 27.
Land rolling
Soil. 2 rate gravely
No timber.

Weld on true resurvey line
betw. secs. 22 & 27
Var. 17° 40' E.
End of resurvey no trace of old cor. set a sandstone 10 x 10 x 5" 6" in the ground marked with a cross (+)
Land. rolling
Soil. 2 rate gravely
No timber.

Reservoy Subs Tp

Chain	
	North on reservoy line betw. secs. 22 & 23 Var. 17° 4.0' E.
40.00	Find an old mound earth a pieces of the old post in same where set a sandstone 12 x 11" 8" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound along side.
47.00	Hollow wash trains
52.00	Ridge bears N W & H
80.00	No trace of old cor. set a sandstone 14 x 12 x 8" 9" in the ground for cor. to secs. 14. 15. 22 & 23 m with 3 notches on S. and 2 on E edges and raised a stone mound along Laced Rolling. Soil. Quite gravelly No timber.

BOOK-A-21

R 6 W

Chain	
	East on re betw. Var
00	Set temp of old cor
08	Intersec to secs. 13 when S
	Wes betw with
00	Wash
00	Wash
14	Set a sa 15" in the sec. cor. face and mound
08	The cor. Laced Soil No tim

R. G. W. S. L. M.

East on random reservoir line
betw. secs. 14 & 23
Var 17°40' E.
00 Set temp 1/4 sec. cor. no trace
of old cor.
08 Intersect N & S. line at cor.
to secs. 13. 14. 23 & 24. from
where I run
West on true line
betw. secs. 14 & 23
with same var.
00 Wash drains S.E.
00 Wash drains S.E.
14 Set a sandstone 20×10×6.
15" in the ground for 1/4
sec. cor. marked 1/4 on N
face and raised a stone
mound alongside.
08 The cor. to secs. 14. 15. 22 & 23
Laced Rolling
Soil Drate gravely
No timber.

Resurvey Subs Tp 1

Chain	
	West on true resurvey line betw. secs. 15 & 22 Var. 17° 40' E.
6.00	Ridge bears N & S.
14.00	Wash drains S.E. end of resurvey no trace of old cor. where S set a sandstone 10×10×10 6" in the ground marked with a cross (+) Land Rolling Soil Quite Gravely No timber.
	North on resurvey line betw. secs. 14 & 15. Var 17° 40' E.
40.00	No trace of old cor. set sandstone 20×10×7" in the ground for 1/4 cor. marked 1/4 on W face and raised a mound alongside
48.00	No trace of old cor. en

BOOK-A-

R 6 W

of resur
a sands
in the gr
with a
Land.
Soil
No tim

From the c
S. bound
is a lim
set in the
marked
North
bet

Wash
No trac
sandst
the grou
marke
raised
alongs
No trac

R 6 W. S.L.M.

of resurvey where I set a sandstone 12×10×7" 8" in the ground marked with a cross (+).
Laid. Rolling
Soil Quite gravely
No timber.

From the cor. to secs. 33 & 34 on S. boundary of township which is a lime stone 12×8×6' firmly set in the ground properly marked Town
North on resurvey line
betw. secs. 33 & 34
Var 17°40' E.
Wash Trains S.E.
No trace of old cor. set a sandstone 16×10×7" 12" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.
No trace of old cor. end of

Resurvey Subs Tp 1 R 6 W.

Chain resurvey where I set a sand stone 14×10×7' 9" in the ground marked with a cross (+).
Land. Rolling
Soil Rate: Gravely
No timber.

From the corner to secs. 31 & 32 on S. boundary of tp. which is a limestone 16×14×8 firmly in the ground properly marked with mound stones alongside I m
North on resurvey line betw. secs. 31 & 32
Var 17°40' E.

20.00 Enter hollow drains W.
26.00 Leave same
40.00 No trace of old cor. set a sandstone 20×10×5 in the ground for 1/4 sec. cor. marked with 1/4 N face and raised a stone mound alongside

Ridge
In ra
of old c
survey
sandst
in the gr
with a
Land.
Soil.
No tim

From t
on W. bo
unstable
under
Tom
Ear
be
Gulch
Gulch
Find
old mon

R 6 W. S. L. M.

Ridge bears N E & S W.
In ravine no trace of old cor. end of resurvey where I set a sandstone 16×10×5" 12" in the ground marked with a cross (+).
Laced. Rolling.
Soil. 2 rate. rolling
No timber.

From the cor. to secs. 30 & 31 on W. boundary of township reestablished by me under this Contract
Town
East on true resurvey line betw. secs. 30 & 31
Var 17° 40' E.
Gulch draines N. W.
Gulch draines S. W.
Find remains of an old mound where I set

Resurvey Subs Tp 1

Chain	sandstone 12 x 8 x 4" 8" in the ground for 1/4 sec cor marked 1/4 on N face raised a stone mound alongside.
64.00	Ridge bears N & S.
69.00	End of resurvey, no trace of old cor. set a sandstone 16 x 10 x 7" in the ground marked with a cross (+)
	Land. Rolling bea
	Soil. Quite rocky.
	Timber few cedars.
	From the cor. to secs. 19 & 30 on W. boundary of tp. re-established by me under Contract 143. Town East on true resurvey betw. secs. 19 & 30. Var. 17° 40' E.
8.00	Ascend
30.00	Ridge bears NE & SW

BOOK-

R 6 W

00	No trace sandst the grou marked and ra mound
00	End of trace of lime st in the gr with a
	Laged.
	Soil
	No tr
	From th on W. bou which by me un from n East betw. Var.
00	Find r

R 6 W. S.L.M.

No trace of old cor. set a sandstone 12×10×8" 8" in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

End of resurvey no trace of old cor. set a limestone 14×9×6" 9" in the ground marked with a cross (+)

Laced. Rolling bench.

Soil Quite gravely

No timber.

From the cor. to secs. 18 & 19 on W. boundary of township which was reestablished by me under this Contract from where I run

East on true resurvey line bet. to secs. 18 & 19

Var. 17° 40' E.

Find remains of the old

Resurvey Subs Tp 1

Chain stake with 1/4. S. marked
where I set a sandstone
16×10×7" 12" in the ground
for 1/4 sec cor marked 1/4
on N. face and raised
a stone mound alongside
73.00 End of resurvey, no trace
of old cor. set a sandstone
14×10×7" 9" in the ground
marked with a cross
Land. rolling valley
Soil 1 rate. alluvial
No timber.
Scattering artemisia
underground.

From the cor. to secs. 7/8
on W. boundary of town
reestablished by me
under Contract No 14
Town
East on true resurvey
betw secs. 7/8 1-8
Var 17°40' E

BOOK-A-2

R 6 W.

Chain
.00 Wash a
.00 Set a sa
9" in the
Cor. mel
and rai
along s
old Cor.
.70 fence
.00 Trail
.00 Wash
.00 End of
of old c
16×10×7
marked
Land
Soil.
No tr

General

The lan
this Cor
of gra
Soil be

R 6 W. S. L. M.

Chain
[illegible],00 Wash draines S.W.
[illegible]00 Set a sandstone 14x10x10"
9" in the ground for 1/4 sec.
Cor. marked 1/4 on N face.
and raised a stone mound
along side. no trace of
old Cor.
[illegible]5.70 fence bears N W & S E.
[illegible]2.00 Trail bears N E & S W.
[illegible]4.00 Wash draines S W.
[illegible]00 End of resurvey no trace
of old cor. set a sandstone
16x10x7" 12" in the ground
marked with a cross (+)
Land. rolling valley
Soil. 1 rate. alluvial
No timber.

March 26. 1887

General Description

The lands resurveyed under
this Contract consist
of grazing lands, the
soil being 1 & 2 rate.

Resurvey Subs

Sp 12 N. R 6 W. S.L.

and the lands are mostly covered with an artemisia under[illegible] There is no living wat[illegible] in those parts

Edward W. Ko[illegible]
U.S. dep su[illegible]

BOOK-A-2

S. SURVEYOR GEN

Salt Lake Cit

The foregoing fiel

Subdivisi

ownship No. 12 N

the Salt Lake Meri

Edward W

nder Contract No. 1

ay of June

March

amined, the necessa

ade, the said field n

re hereby approved.

Will

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *1888.*

The foregoing field notes of the Re *survey of the* Subdivisions

Township No. 12 North *Range No.* 6 West

of the Salt Lake Meridian. Executed by Edward W. Kouber

Under Contract No. 143. *of the* 24th

day of June *1886, in the month of* March *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Bowman

U. S. Surveyor General for Utah.

BOO

REPORT:

iled Septem

xamined by John

ranscribed by Jem

ompared by Jennie

mman,

FIEL

OF THE SU

Subdi

ownship No. 12

ange No. 6

SALT LAK

UTAH

AS S

Edwar

U. S. D

Under his Contra

ated June

urvey commenced

urvey completed

35m

closings " -

BOOK-A-217

111

REPORT:

Filed September 3rd 1887.

Examined by John H. Campe, Sept 14. 87.

Transcribed by Jennie V. Bowman.

Compared by Jennie V. Bowman & Kate Bowman.

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 12 N.

Range No. 6 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Koeber

U. S. Deputy Surveyor,

Under his Contract No. 144

Dated June 24 1886

Survey commenced March 28 1887

Survey completed March 31st 1887

35m 11chs 84lks

closings " - 27.93 - 27.24

NAMES AND DUTIES OF ASSISTANT

Cyrus L. Johnson	Compassm
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tanie	Axeman
C. A. Leavitt	Axeman
	Flagman

BOOK-A-2

Subdivi

Survey con
From the c
betw. secs.
N of corner
which wa
me under
Town
North
Va
End of re
Set a sam
15" in the g
secs. 10. 11.
4 notches o
edges and
mound
Layed.
Soil. 2
No time

Subdivisions Tp. 12 N. R 6 W.

Survey commenced March 28 '87
From the cor. at the end of resurvey
betw. secs. 14 & 15 which is 48 ch's.
N of corner to secs. 14.15.22 & 23 and
which was reestablished by
me under Contract No 143
Tom

North betw. secs. 14 & 15
Var. 17° 40' E.

End of resurvey
Set a sandstone 20 × 14 × 12"
15" in the ground for cor. to
secs. 10.11.14 & 15 marked with
4 notches on S. and 2 on E.
edges and raised a stone
mound alongside.
Laid. Rolling
Soil. 2 rate, gravely
No timber.

Sub divisions Tp 12

Chain	
	East on random line betw. secs. 11 & 14 Var. 17° 40' E.
40.00	Set temp. 1/4 sec. cor.
48.40	Intersect end of resurvey 04 lks N. of cor. recstablished by me which is 32.00 chs W. of cor. to secs. 11. 12. 13 & 14 from where S run
	N. 89° 57' W on true line betw. secs. 11 & 14 with same var.
32.00	End of resurvey
40.20	Set a sandstone 20 × 10 × 7' in the ground for 1/4 sec. cor. m 1/4 on N face and raised a stone mound alongside
41.00	Ascend
65.50	Enter higher bench
80.40	The cor. to secs. 10. 11. 14 & 15
	Land rolling
	Soil 2nd rate, sandy loam
	No timber.

BOOK-A-2

6 W.

Chain	
	North
.00	Wash dra
.00	along E
.00	In ravin
	a Cabb
	ground
	1/4 on W. f
	stone mor
.00	Ridge b
.00	Set a sand
	in the gr
	secs. 2. 3.
	5 notches
	edges and
	mound
	Land.
	Soil 2
	No tim

6 N. S.L.M.

North betw. secs. 10 & 11.
Var. 17° 40' E.

.00 Wash draws N.E.

.00 along East slope of Mt.

.00 In ravine draws S.E. set
a Cabble 12×10×4' 8" in the
ground for 1/4 sec. cor. marked
1/4 on W. face and raised a
stone mound alongside.

.00 Ridge bears NW & S.E.

.00 Set a sandstone 16×14×8' 12"
in the ground for cor. to
secs. 2. 3. 10 & 11. marked with
5 notches on S. and 2 on E.
edges and raised a stone
mound alongside.
Land. East slope
Soil 2 rate. Gravely
No timber.

Subdivisions Tp 12 N

Chain	
	Note. The corner at the end of resurvey which was reestablished by me under Contract No. 14 and which is 77 chs. W. of cor. to secs. 1. 2. 11 & 12. bears due East from the cor. to 2. 3. 10 & 11 I therefore run East on true line betw. secs. 2 & 11 Var. 17°40' E.
3.40	End of new survey, beginning of old survey corner 77 chs. W of cor. to 1. 2. 11 & 12. Land. rolling Soil. Quite gravely No timber.

BOOK-A-2

26 W.

Chain	
	North on Va
00	Low ridge
00	Wash in
00	Let a sa the grou marked raised alongsi
00	Wash dr
00	Ridge
00	Wash dr
21	Intersec parallel of cor. to s me un where I 16×10×7 for closi 3. marke on Wand and ma alongs Land. Soil. 2

26 W. S.L.M.

North on true line betw. secs. 2 and 3
Var. 17°40' E.

00 Low ridge bears N.W. S.E.
00 Wash in hollow drains S.E.
00 Set a sandstone 20×11×6" 15" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.
00 Wash drains S.E.
00 Ridge bears N.W. S.E.
00 Wash drains S.E.
21 Intersect 3" Standard parallel North ~~19~~ 19 lks ~~W.~~ E of cor. to secs. 34 and 35 set by me under this Contract where I set a sandstone 16×10×7" 12" in the ground for closing cor. to secs. 2 and 3. marked C.C. with 4 notches on W and 2 on E edges and raised a stone mound alongside.
Land. rolling.
Soil. 2 rate. Gravel

Subdivisions Tp 12 N

Chain	No timber.
	From the cor. to the end of re-survey betw. secs. 33 and 34 which is 73 chs N. of cor. to secs. 33 & 34 S. boundary of towns and was reestablished by me in Contr. No 143. Town
	North betw. secs. 33 and 34
	Var 17°40' E.
73.00	End of resurvey
80.00	Set sandstone 16 x 12 x 8 12" in the ground for cor. secs. 27. 28. 33 & 34 marked with 1 notch on S and 3 E edges and raised Stone mound along Land. Rolling Soil. Quite. rocky No timber.

6 W S. L. M.

East on random line
betw. secs. 27 & 34
Var. 17° 40' E.

00 Set temp 1/4 sec. cor.

19 Intersect end of resurvey at
cor. reestablished by me
which is 18 chs. W. of cor. to
secs. 26. 27. 34 & 35 from where
I am

West on true line
betw. secs. 27 & 34
with same var.

00 End of resurvey

00 Ascend

00 Enter higher bench bears
N E & W.

19 Set a sandstone 20×12×6" 15"
in the ground for 1/4 sec cor.
marked 1/4 on N face and
raised a stone mound along
side.

00 Enter gulch heads W.

00 Leave same

17 To cor. to secs. 27. 28. 33 & 34
Land. Rolling bench

Subdivisions Tp 12 N 26 W

Chain	
	Soil. Quite Gravely. No timber.
	North betw. secs. 27 & 28 Var. 17° 40' E. along bench sloping gulch East.
40.00	Set a sandstone 16×10×7" 12 in the ground for 1/4 sec cor marked 1/4 on W. face and raised a stone mound alongside.
60.00	Ascend West slope of Mt.
80.00	Set sandstone 22×12×6" 16" in the ground for Cor. to 21. 22. 27 & 28 marked with 2 notches on S. and 3 on edges and raised a stone mound alongside. Land. Rolling Hopes. Soil. Quite rocky. No timber.

BOOK-A-

Chain	
	East on betw. s Var.
00	Set temp
10	Intersect resurvey under Cont me and W of cor. from wh West betw. Var.
00	End of re
00	Ascend
05	Set Cabb ground 1/4 on N f stone mo
00	Gulch d
10	The cor. t Land. Soil. No tim

12 N 26 W. S. L. M.

East on random line
betw. secs. 22 & 27
Var. 17° 40' E.

00 Set temp 1/4 sec. cor.
10 Intersect cor. at the end of
resurvey reestablished by
under Contr. No 143
me and which is 24 Chs.
W of cor. to secs. 22. 23. 26 & 27
from where I run
West on true line
betw. secs. 22 & 27
Var. 17° 40' E.

00 End of resurvey
00 Ascend bears N & S.
05 Set Cobble 12 x 9 x 8" 8" in the
ground for 1/4 sec. cor. marked
1/4 on N face and raised a
stone mound alongside
00 Gulch drains S.E.
10 The cor. to secs. 21. 22. 27 & 28
Land. Rolling
Soil. Fruit gravely
No timber.

Subdivisions Sp 12 [illegible]

Chain	
	North betw secs. 21 & 22
	Var. 17°40' E.
	Ascend
40.00	Set a sandstone 16×12×10" in the ground for 1/4 sec cor. marked 1/4 on W. face and raised a stone mound alongside.
50.00	Ridge bears NE & SW.
80.00	Set a Cobble 20×10×7" 15" in the ground for cor. to secs. 15. 16. 21 & 22. marked with 3 notches on S and E edges and raised a stone mound alongside.
	Land. Mountains.
	Soil. Quite, rocky
	No timber.

BOOK-A-21

[illegible] W.

[illegible]	East on [illegible]
	betw. [illegible]
	Var [illegible]
[illegible]00	Set temp [illegible]
[illegible].29	Intersect [illegible]
	established [illegible]
	14 ch's W. of [illegible]
	23 from w[illegible]
	N 8[illegible]
	betw [illegible]
	No [illegible]
[illegible]00	End of resu[illegible]
[illegible]00	Ascend [illegible]
[illegible]14	Set a sands[illegible]
	in the gro[illegible]
	marked [illegible]
	raised a [illegible]
	alongside [illegible]
[illegible]00	Ridge be[illegible]
[illegible]29	The cor. to [illegible]
	Land. [illegible]
	Soil 2[illegible]
	No timb[illegible]
	M[illegible]

W. S.L.M.

East in random line
betw. secs. 15 & 22
Var 17°40' E.

Set temp 1/4 sec cor.

Intersect end of resurvey 07 lks N re-
established by me which is
14 ch's W. of cor. to secs. 14. 15. 22 &
23 from where Town
N 89°42' W on true line
betw. secs. 15 & 22
North same var.

End of resurvey

Ascend bears N & S

Set a sandstone 20×10×5" 15"
in the ground for 1/4 sec cor.
marked 1/4 on N. face and
raised a stone mound
alongside.

Ridge bears NE & SW.

The cor. to secs. 15. 16. 21 & 22
Laced. Mountains.
Soil 2 rate rocky
No timber.

March 28 87

Subdivisions Tp 12

Chain	North betw. secs. 15 & 16 Var. 17°40' E.
10.00	Gulch drains S.W.
40.00	Set sandstone 20×10×7"×14" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.
49.00	Enter gulch drains S.W.
73.00	Junction of two gulches heads N.E. & N.W.
80.00	Set sandstone 14×12×9" in the ground for cor. to sec. 9. 10. 15 & 16. marked 4 notches on S and 3 on E edges and raised a stone mound alongside. Land. Mountain. Soil. 2 rate rock & No timber!

BOOK-A-2

6 W.

Chain	East on betw Va
00	Set temp
24	Intersect N. of cor. from wh N 8 bet wi
50	Wash dr
00	Samp Wash dr
12	Ascend 20×10×7" for 1/4 sec. 1/4 on N a stone
00	Ridge b
24	Hollow dra The cor. to Land Soil 2 No tim

6 12 26 W. S. L. M.

15 g 16 Laid East on random line
betw. secs. 10 g 15
Var 17°40' E.
W.
0 × 7 × 14 00 Set temp 1/4 sec. cor.
1/4 sec cor 24 Intersect N g S line 15 lks.
ce and N. of cor to secs. 10. 11. 14 g 15
mid from where S run
N 89°53' W. on true line
betw. secs. 10 g 15
with same var.
S.N. 50 Wash drains N.E.
lches 00 Same Wash drains S.E.
4 × 12 × 12 Accord, Set a sandstone
for cor. to 20 × 10 × 7 × 15 in the ground
rked w for 1/4 sec. cor marked
3 on E 1/4 on N face and raised
stone a stone mound alongside.
side. 00 Ridge bears N W g S E.
tains 00 Hollow drains S.
ck g 24 The cor. to secs. 9. 10. 15 g 16.
Laid Mountains g valley
Soil 2nd rate rocky g gravelly
No timber.

Subdivisions Tp 12 N

Chain	North betw. secs. 9 & 10 Var 17 1/2° E.
	Ascend
24.00	Top of Ridge bears N W
40.00	Set a sandstone 16×10×7 1/2 in the ground for 1/4 sec. marked 1/4 on W face and raised a stone mound alongside.
59.00	Gulch drains N E.
80.00	Set a sandstone 26×20×19 in the ground for cor. to secs. 3 4. 9 & 10. marked with 5 notches on S and B on E edges and raised a stone mound along side
	Laid. Mountains
	Soil. 2 rate rocky
	No timber.

BOOK-A-21

6 W.

Chain	East on betw. Var.
00	Set temp
19	Intersect cor. to secs. Town
	N 89 betw with
50	Ridge b
09	In gulch sandstone the ground 1/4 on N fa stone m
19	The cor. t Land. Soil. 2 No timb

26 W. S. L. M.

East on random line
betw. secs. 3 & 10
Var. 17° 40' E.

Set temp 1/4 sec. cor.
Intersect N & S. line 21 lks. N of
cor. to secs. 2. 3. 10 & 11. from where
I run
N 89° 51' W. on true line
betw. secs. 3 & 10
with same var.

Ridge bears N E & S W.
In gulch drains N E. set a
sandstone 27 x 10 x 6' 18" in
the ground for 1/4 sec. cor. marked
1/4 on N face and raised a
stone mound alongside
The cor. to secs. 3. 4. 9 & 10.
Land. Mountains
Soil. Mate. gravely
No timber.

Sub-divisions Sp 12

Chain	
	North on true line betw. secs. 3 & 4
	Var. 17°40' E.
22.00	Gulch drains N.E.
40.00	Set sandstone 24×10×7' in the ground for 1/4 sec. cor. ma 1/4 on W face and raised a stone mound alongside.
80.30.	Intersect 3 Standard Par North 14 lks E. of cor. to secs. 33 & 4 set by me under Contract 144 where I set a Cobble 16× 8" 12" in the ground ~~12" in the ground~~ for closing cor. to secs. 3 & 4 marked with C.C. and 3 notch on E & W edges and raised stone mound alongside. Land rolling slope. Soil Grate gravely No timber.

BOOK-A-

6 W.

From the co
S. bounda
a line sto
set in the
marked
pits & mo
alongsid
North
Var
Descend
00 Gulch
00 Set sand
in the grou
marked
raised
alongsi
00 Ascend
00 Set a sa
18" in the
secs. 28.
South 1 m
4 on E ed
Stone mo
Land.
Soil 2

6 W. S. L. M.

From the cor. to secs. 32 & 33 on S. boundary of tp. which is a limestone 16×10×6" firmly set in the ground properly marked with regulation pits & mound of earth alongside Same

North betw. secs. 32 & 33

Var. 17° 40' E.

Descend

00 Gulch drains N.W.

00 Set sandstone 10×10×7" 6" in the ground for 1/4 sec cor. marked 1/4 on W face and raised a stone mound alongside.

00 Ascend bears NE & W.

00 Set a sandstone 27×12×6" 18" in the ground for cor. to secs. 28. 29. 32 & 33 marked Soith 1 notch on S and 4 on E edges and raised a stone mound alongside Land. Mountainous Soil 2 rate gravely

Subdivisions Lp 12 N 6 W.

Chain	No timber.
	East on random line betw. secs. 28 & 33 Var. 17°40' E.
40.00	Set temp 1/4 sec. cor.
80.14	Intersect N & S line 16 S. of cor. to secs. 27. 28. 33 & 3 from where Town S. 89°53' W on true li betw. secs. 28 & 33 with same var.
40.07	Set sandstone 20×10×5" in the ground for 1/4 sec marked 1/4 on W face and raised a stone mound alongside.
62.00	Ascend
80.14	The cor. to secs. 28. 29. 32. Land. Mountainous Soil. 2 rate, rocky No timber.

BOOK-A-2

North

Ridge be
Set sand
in the gro
marked
raised
alongs
Set a C
in the grou
20. 21. 28 &
2 notches
E edges a
stone mo
Land.
Soil. 2
No tim

12 1 6 W. S. L. M.

North betw. sect. 28 & 29
Var 17°40' E
2.00 Ridge bears NE & SW.
.00 Set sandstone 20×10×6" 15" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
.00 Set a Cubble 29×15×10" 20" in the ground for cor. to sect. 20. 21. 28 & 29 marked with 2 notches on Sand 4 on E edges and raised a stone mound alongside.
Land. Mountains
Soil. 2 rate. rocky
No timber.

Subdivisions Lp 12

Chain	
	East on random line betw. secs. 21 & 28 Var, 17°40' E
40.00	Set temp. 1/4 sec. cor.
79.90	Intersect N & S line 20 l. N. of cor. to secs. 21. 22. 27 28 from where Sown N 89°51' W on true line betw. secs. 21 & 28 with same var.
20.00	Hollow draines S.E.
39.95	Set a sandstone 14×10×7 9" in the ground for 1/4 sec. cor. marked 1/4 on N. f and raised a stone mo alongside.
66.00	Ridge bears NE & S.
79.90	The cor. to secs. 20. 21. 28 Land. Mountain Soil Quite rocky No timber.

BOOK-A-2

6 W.

North

Var.

Gulch dr

Ridge be

Set vulc

6' 15" in th

sec. cor. m

and rais

Along sid

Gulch dr

of two gu

Set sand

16" in the g

secs. 16. 17

with 3 m

4 on E ea

a stone

side.

Land.

Soil. Q

No tim

26 W. S. L. M.

North betw. secs. 20 & 21
Var. 17°40' E.

Gulch drains S.W.
Ridge bears E & S.W.
Set vulcanic rock 20×10×6" 15" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound along side.
Gulch drains W. Junction of two gulches 16 ch's East.
Set sandstone 22×12×6" 16" in the ground for cor. to secs. 16. 17. 20 & 21 marked with 3 notches on S and 4 on E edges and raised a stone mound along side.
Land. Mountainous
Soil. Quartz rocky
No timber.

March 29 '87

Subdivisions Tp 12

Chain	
	East on random line betw: secs. 16 & 21 Var. 17°40' E.
40.00	Set temp. 1/4 sec. cor.
80.30	Intersect N & S line 2 lks S. of cor. to secs. 15, 16, 2 & 22 from where Tow S. 89°48' W on true line betw. secs. 16 & 21 with same var.
18.00	Gulch drains S.W.
39.00	Ridge bears N E & S.W.
40.15	Set a sandstone 20x12x 15" in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound along side.
46.00	Gulch drains N.W.
60.00	Ridge bears N W & S
80.30	The cor. to secs. 16. 17. 21
	Land. Mountains Soil. Quite. rocky No timber.

BOOK-A-2

6 W.

Chain	
	North ... Var.
00	Ridge be...
00	Set a sa... in the gro... marked ... raised a ... side.
00	Enter lo...
00	Gulch ...
00	Set a sa... 9" in the ... secs. 8. 9. ... with 4 ... 4 on E edg... stone ... Land. Soil 2... No ti...

6 W. S. L. M.

North betw. secs. 16 & 17
Var. 17°40' E.
00 Ridge bears N W & E.
00 Set a sandstone 20×10×7 & 15" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
00 Enters lower bench
00 Gulch draines N. W.
00 Set a sandstone 14×10×7 & 9" in the ground for Cor. to secs. 8. 9. 16 & 17 marked with 4 notches on S and 4 on E edges and raised a stone mound alongside.
Level. Mountainous
Soil Crude, rocky & gravelly
No timber.

Subdivisions Tp 12 N

Chain	
	East on random bu[illegible] betw. secs. 9 & 16 Var. 17°40' E.
40.00	Set temp. 1/4 sec. cor.
80.37	Intersect N & S. line 21[illegible] N. of cor. to secs. 9. 10. 15 & 16 from where Town N. 89°51' W on true bu[illegible] betw. secs. 9 & 16 with same var.
3.00	Gulch draines S.E.
16.00	Ridge bears N & S.
40.18	Set sandstone 20×10×5 [illegible] in the ground for 1/4 sec[illegible] marked 1/4 on N face [illegible] raised a stone mound alongside.
54.00	Gulch draines S.W.
63.00	Ridge bears N.E. & S.
70.00	Gulch draines S.W.
80.37	The cor. to secs. 8. 9. 16 & 1[illegible] Land. Mountains Soil. 2 rate. rocky No timber.

BOOK-A-21

6 Wy 2[illegible]

[illegible]	North [illegible] Var. [illegible]
00	Ridge be[illegible]
00	Set Cabb[illegible] the groun[illegible] marked [illegible] raised a s[illegible] alongsi[illegible]
00	Gulch [illegible]
00	Gulch [illegible]
00	Set sand[illegible] in the gro[illegible] secs. 4. 5. [illegible] with 5 [illegible] 4 on E [illegible] a stone [illegible] side.
	Land. [illegible] Soil 2[illegible] No tim[illegible]

6 West - S. L. M.

North betw. secs. 8 & 9
Var. 17° 40' E.

00 Ridge bears NE & SW.

00 Set Cobble 16 x 12 x 8" 12" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.

00 Gulch drains N.W.

00 Gulch drains S.W.

00 Set sandstone 18 x 10 x 6" 12" in the ground for cor. to secs. 4, 5, 8 & 9 marked with 5 notches on S and 4 on E edges and raised a stone mound along-side.

Land. Mountains
Soil 2 rate. rocky
No timber.

Subdivisions Tp 12

Chain	
	East on random line betw. secs. 4 & 9 Var. 17°40' E.
40.00	Set temp. 1/4 sec. cor.
80.31	Intersect the N & S. line 28 lks. N. of cor. to secs. 3. 4. 9 & 10 from which Sn N. 89°48' W on true line betw. secs. 4 & 9 with same var.
40.16	Set a sandstone 10 x 1[illegible] 5" 6" in the ground for 1/4 sec. cor. marked 1/4 on face and raised a st[illegible] mound alongside
58.00	Ridge bears N W & S.
80.31	The cor. to secs. 4. 5. 8 & 9 Land Mountain Soil 2 rate rocky No timber.

BOOK-A-21

6 W.

Chain	
	North on [illegible] betw. [illegible] Var. [illegible]
00	Ridge bea[illegible]
00	Gulch dr[illegible]
00	Gulch dr[illegible]
00	Set a sa[illegible] 6" in the g[illegible] cor. marke[illegible] raised a[illegible] alongside
00	Ridge bea[illegible]
00	Gulch dr[illegible]
29	Intersect [illegible] parallel [illegible] cor. to sec[illegible] under Co[illegible] where Sse[illegible] 12" in the g[illegible] cor. to secs. [illegible] with 4 not[illegible] notches on [illegible] a stone m[illegible] Land. [illegible] Soil. 2[illegible]

26 W. S.L.M.

North on true line
betw. secs. 4 and 5
Var. 17° 40' E.

00 Ridge bears E & W.

00 Gulch draines N. W.

00 Gulch draines S. W.

00 Set a sandstone 10×10×10"
6" in the ground for 1/4 sec.
cor. marked 1/4 on W. face and
raised a stone mound
alongside.

00 Ridge bears N & S W.

00 Gulch draines S W.

24 Intersect 3rd Standard
parallel north 24 lks. E of
cor. to secs. 32 and 33 set by me
under Contract No 144.
when I set a cubble 18×10×6
12" in the ground for closing
cor. to secs. 4 and 5 marked C.C.
with 4 notches on E and 2
notches on Wedges and raised
a stone mound alongside.
Land Mountainous
Soil. 2nd rate rocky

Sub divisions Sp 12

Chain No timber.

From the end of resurvey b
secs. 31 and 32 which cor. was
reestablished by me under
Contract No 143. and
which is 55 chs. N of
cor. to secs. 31 and 32. Tom
North betw. secs. 31 and 3
Var. 17°40' E.

55.00 End of resurvey
67.00 Ridge bears N W & E.
80.00 Set sandstone 10×10×8
6' in the ground for cor. t
secs. 29. 30. 31 and 32. marked
with 1 notch on S and 5
E edges and raised a
stone mound alongsi
Land. Rolling foothi
Soil. 2 rate gravelly
Timber. Scattering ce

BOOK-A-21

26 W.

Chain East on
betw. s
Var
00 Set temp
90 Intersect
S. of cor. to
from wh
S. 89° 5
betw
Var
00 Gulch dr
95 Set sands
in the gro
marked
raised a
alongsi
00 Ridge b
00 Gulch dr
00 Ridge b
90 The cor. to
Land. M
Soil. 2
Timber

26 W. S.L.M.

East on random line
betw. secs. 29 & 32
Var 17° 40' E.
00 Set temp 1/4 sec cor.
90 Intersect N & S. line 17 lks
S. of cor. to secs. 28, 29, 32 & 33
from which Sun
S. 89° 53' W on true line
betw. secs. 29 & 32
Var 17° 40' E.
00 Gulch drains S.
95 Set sandstone 24 x 18 x 16" 18"
in the ground for 1/4 sec cor.
marked 1/4 on N face and
raised a stone mound
alongside.
00 Ridge bears N & S.W.
00 Gulch drains S.W.
00 Ridge bears N E & S.E.
90 The cor. to secs. 29, 30, 31 & 32
Land. Mountainous
Soil. Quite rocky.
Timber few cedars.

Subdivisions Lp 12 W

Chain	West on random line betw. secs. 30 & 31 Var 17°40' E.
11.50	Intersect cor. at the end of resurvey re established by me under Contr. 143 10 lks S. which is 69 chs. E. of cor. to secs. 30 & 31 from where I run S. 89°27' E. on true line betw. secs. 30 & 31 with same var.
69.00	End of resurvey
75.00	Gulch drains N.W.
80.50	The cor. to secs. 29. 30. 31 Land. Mountainous Soil. Grate. rocky Timber. few scrub ced March 30 87

BOOK-A-21

R 6 We

...ain	North bet... Var. ...
...00	Ridge bear...
...00	Gulch dra...
...00	Ridge bea...
...50	Gulch dra...
...00	Ridge bea...
...00	Ridge bea...
...00	Gulch dra...
...00	Set a sand... in the grou... 20. 29 & 30. ... on Sand ... raised a ... side. Land. ... Soil. Gr... Timber. ...
...00	Set a sand... ground f... 1/4 on W. f... a stone m...

R 6 West. S. L. M.

	North betw. secs. 29 & 30
	Var. 17°40' E.
00	Ridge bears N E & S W.
00	Gulch drains S W.
00	Ridge bears N W & S E.
50	Gulch drains W.
00	Ridge bears S W & N E.
00	Ridge bears E & W.
00	Gulch drains S W.
00	Set a sandstone 27×10×7" 19" in the ground for cor. to secs. 19. 20. 29 & 30. marked with 2 notches on S and 5 on E edges and raised a stone mound along side.
	Land. rolling foothills
	Soil. 2 rate rocky.
	Timber. scattering cedars.
00	Set a sandstone 14×9×6" 9" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside

BOOK-A-2

Subdivisions Tp 12 No 6 West

Chain	
	East on random line betw. secs. 20 & 29 Var. 17° 40' E.
40.00	Set temp. 1/4 sec cor.
80.20	Intersect N & S line 24 [illegible] S. of cor. to secs. 20. 21. 28 & 29 from where I run S. 89° 49' W. on true line betw. secs. 20 & 29 with same var.
9.00	Gulch drains S.W.
40.10	Set a Cobble 20 × 10 × 7' 15" [illegible] the ground for 1/4 sec cor. marked 1/4 on N face and raised a stone mound alongside.
49.00	Ridge bears NE & SW.
78.00	Gulch drains S.W.
80.20	The cor. to secs. 19. 20. 29 & [illegible] Laved. rolling foothills Soil. Quartz gravely Timber. Scrub cedars.

	Note. From [illegible] 29. 30. the co[illegible] survey [illegible] of cor. to sec[illegible] reestablish [illegible] Contract [illegible] sight and [illegible] Therefore [illegible] S 89° [illegible] betw. [illegible] Var. [illegible]
00	Enter vol[illegible]
10	End of ne[illegible] Gunning o[illegible] Laved roll[illegible] Soil. Q[illegible] No trim[illegible]

6 West S.L.M.

Note. From the cor. to secs. 19.20. 29.30. the cor. at the end of re-survey ~~which~~ is 58.00 ch's E. of cor. to secs. 19 & 30. and was established by me under Contract No 143, is in open sight and bears S 89° 53' W.
Therefore run
S 89° 53' W. on true line betw. secs. 19 & 30
Var 17° 40' E.

Enter valley bears N & S W.

End of new survey, beginning of old survey.
Land rolling foothills
Soil. Prairie gravely
No timber.

Subdivisions Tp 12 N

Chain	North betw secs. 19 & 20 Var. 17°40' E.
12.00	Enter rolling valley
18.00	Wash drains S.W.
24.00	Wash drains S.W.
38.00	Wash drains S.W.
40.00	Set Cobble 20 x 14 x 8" 18" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
40.50	Wash drains N.W.
49.00	Wash " S.W.
56.00	Wash " S.W.
80.00	Set sandstone 29 x 10 x 20" in the ground for cor. to secs. 17. 18. 19. 20. marked with 3 notches on Sand 5 on E edges and raised a stone mound along side.

Land Valley
Soil Drift gravelly
No timber.
Scattering artemisia

BOOK-A-21

6 W.

Chain	East on... betw... Var. ...
00	Set temp ...
24	Intersect ... of cor. to secs ... where S... S. 89... bo... wo...
75	Gulch dr...
12	Set a sand... the ground... marked 1/4... raised a... alongsi...
00	Gulch dr...
00	Enter wh...
24	The cor. to ... Land. R... fo...

Soil Dr...
No trim...

6 W. S.L.M.

[illegible] East on random line
bet. co. secs. 17 & 20
Var. 17° 40' E.
00 Set temp 1/4 sec. cor.
24 Intersect N & S. line 27 lks S.
of cor. to secs. 16. 17. 20 & 21 from
where S. run
S. 89° 48' W on true line
bet. co. secs. 17 & 20
with same var.
75 Gulch draines N.W.
12 Set a sandstone 14 x 8 x 6" in 16"
the ground for 1/4 sec cor.
marked 1/4 on N face and
raised a stone mound
alongside.
00 Gulch draines N.W.
00 Enter rolling valley
24 The cor. to secs. 17. 18. 19 & 20.
Land. Rolling valley and
foothills
Soil 2 rate gravely
No timber

Subdivisions Sp 12 N. W.

Chain	From the cor. to secs. 17. 18. 19 20. Gmm S. 89°59' W on true line betw. secs. 18 & 19 Var. 17°40' E.
7.20	End of new survey begun of old survey the cor. which is 73.00 chs. E. of cor. to secs. 18 & 19 reestablished by me under Contract No. 143 Land. Rolling valley Soil Quite gravely No timber.

BOOK-A-2

North
Var
Set sand
6" in the gr
Cor. mark
and ra
along si
fence be
Set sand
15" in the
to secs. 7. 8
with 4 no
on E edge
Stone mo
Sand. ro
Soil 2
No tim

W. S.L.M.

North betw. secs. 17 & 18
Var 17° 40' E.

00 Set sandstone 10x10x16"
6" in the ground for 1/4 sec.
Cor. marked 1/4 on W. face
and raised a stone mound
alongside.

260 Fence bears N.W. & S.E.

00. Set sandstone 20x10x7.
15" in the ground for Cor.
to secs. 7, 8, 17 & 18 marked
with 4 notches on S. and 5
on E edges and raised a
Stone mound alongside.

Lay'd. rolling valley
Soil 2nd, goodly
No timber.

Subdivisions Lp 12 [illegible]6 W.

Chain	
	Eastern random line betw. secs. 8 & 17 Var. 17° 40' E
40.00	Set temp. 1/4 sec cor.
80.18	Intersect N & S line 29 lks N. of cor. to secs. 8, 9, 16 & 17 from which Sown N. 89° 48' W on true line betw. secs. 8 & 17 with same var.
9.00	Gulch drains N.W.
12.00	Gulch drains S.W.
15.00	Gulch drains N.W.
21.00	Trail in gulch drains S.W.
26.00	Enter rolling valley
36.00	Wash drains N.W.
40.09	Set a sandstone 16×10×7 in the ground for 1/4 sec cor. marked 1/4 on N face and raised a stone mound alongside. Enter foothills bears N W & E.
68.00	Enter rolling valley [illegible] N E & S W.

BOOK-A-21

18	The cor. to [illegible] Land. ro[illegible] Soil [illegible] No tim[illegible]
	From the c[illegible] 18. Sown S. 89° [illegible] betw[illegible] Var[illegible]
10	End of [illegible] gunning cor. [illegible] which is [illegible] to secs. 7 & [illegible] establis[illegible] Contrac[illegible] Land, ro[illegible] Soil. [illegible] No tim[illegible]

6 W. S. L. M.

18 The cor. to secs. 7. 8. 17 & 18
Land rolling valley
Soil loam, gravelly
No timber.

From the cor. to secs. 7. 8. 17 &
18. Run
S. 89°. 58' W on true line
betw. secs. 7 & 18.
Var 17°04' E.
10 End of new survey, be-
ginning of old survey the
cor. to corn secs. 7 & 18
which is 7800 chs. E of cor.
to secs. 7 & 18 and was re-
established by me under
Contract No 143.
Land, rolling valley
Soil. loam gravelly
No timber.

Subdivisions Tp 12 N. 26 W.

Chain	
	North betw. secs. 7 & 8
	Var 17° 40' E.
9.00	Wash. drains S.W.
16.70	Trail bears N.E. & S.W.
19.50	Wash. drains S.W.
26.00	Ascend
40.00	Ingulch set Cobble 12 x 8 x 6" 8" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside
43.00	Ridge point.
59.00	Gulch drains S.E.
80.00	Set sandstone 16 x 10 x 12" in the ground for cor. to 5.6.7 & 8 marked with notches on S and E edges and raised a stone mound alongside.
	Land Mountainous
	Soil. 2 rate rocky
	No timber.

BOOK-A-

	East on
	betw
	Var
00	Set temp
24	Intersect
	N. of Cor.
	from
	be
	w
00	Enter
12	Set sand
	6" in the
	sec cor.
	N face
	stone m
00	Trail in
00	Ridge
24	The Cor.
	Land.
	Soil. 2
	No tim

2 N. 26 W. S.L.M.

East on random line
betw. secs. 5 & 8.
Var. 17°40' E.
.00 Set temp 1/4 sec. cor.
.24 Intersect N & S line 24 lks
N. of cor. to secs. 4. 5. 8 & 9
from which Gorm
~~[illegible]~~ 89°50' W. 1 W on true line
betw. secs. 5 & 8
with same var.
.00 Enter wide flat
.12 Set sandstone 10 x 8 x 8"
6" in the ground for 1/4
sec cor. marked 1/4 on
N face and raised a
stone mound alongside
.00 Trail in gulch drains S. E.
.00 Ridge bears N W & S E.
.24 The cor. to secs. 5. 6. 7 & 8
Land. Mountainous
Soil. Quartz rocky
No timber.

Subdivisions Lp 12

Chain	
	West on random line betw. secs. 6 & 7 Var. 17° 50' E.
40.00	Set temp 1/4 sec. cor.
79.80	Intersect W. boundary 2 lks. S. of cor. to secs. 6 & 7 set by me under this Cont from where I run S. 89° 48' E on true line betw. secs. 6 & 7 with same var.
11.00	Enter lower bench bears NE & SW.
26.00	Enter hollow drains S.
39.80	Set a sandstone 24 x 10 x 6 18" in the ground for 1/4 sec cor. marked 1/4 on N face and raised a stone mound alongside.
42.00	Leave hollow ascend
58.00	Ridge bears N & S.
74.00	Gulch drains S.
79.80	The cor. to secs. 5. 6. 7 & 8 Land. Mountainous Soil. Grate, gravely

BOOK-A-21

6 Wes

Chain	No timbe
	North o betw. se Var. 17
00	Ridge be
00	Gulch dr
00	Ridge be
00	Set same in the grou marked raised alongsi
5.00	Enter
17	Intersec Parallel of cor. to by me un where I 14 x 10 x 6" closing with 5 1 on Wed stone m Land

6 West — S. L. M.

No timber.

North on true line
betw. secs. 5 and 6
Var. 17° 40' E.

Ridge bears N W & S E.

Gulch draines E.

Ridge bears E & W.

Set sandstone 34 x 10 x 10' 20" in the ground for 1/4 sec cor. marked 1/4 on W face and raised a stone mound alongside.

Enter valley

Intersect B Standard Parallel North 26 lks. E. of cor. to secs. 31 and 32. Set by me under Contract No 144 where I set a sandstone 14 x 10 x 6" 9" in the ground for closing cor. to secs 5 & 6 marked C.C. with 5 notches on E and 1 on W edges and raised a stone mound alongside.

Land Mountainous.

Subdivisions

156

Tp 12 N. R 6 W. S. L. M

Soil. Quite rocky
No timber.

March 31

General Description

The parts of this township
surveyed under this Cont
consist mostly of rolli
foothills and high gr
ridges. covered with a
sparse artemisia und
growth and a few scr
cedars and are only suit
for grazing purposes
There is no living wa
on same.

Edward W. Korb
W. S. dep Sur

BOOK-A-2

. S. SURVEYOR GENE

Salt Lake City

The foregoing field
Subdivis

Township No. 12 Nor

f the Salt Lake Meridi
Edward W

Under Contract No. 1

ay of June
March

xamined, the necessar
nade, the said field not
re hereby approved.

Wi
U

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the survey of the Subdivision

Township No. 12 North Range No. 6 West

of the Salt Lake Meridian. Executed by Edward W. Coulter

Under Contract No. 144 of the 24th

day of June 1886, in the month of March 1887, having been critically

examined, the necessary corrections and explanations

made, the said field notes, and the surveys they describe

are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

158

BOOK-A

EPORT:

led

amined by John (

anscribed by Jenn

mpared by Jennie U

FIELD

OF THE SU

Subd

ownship No. 12 S

ange No, 7 W

SALT LAK

UTAH

AS SU

Edward

U. S. D

Under his Contrac

ated Jenn

urvey commenced

urvey completed

10th 53

BOOK A-217

EPORT:

led 188

amined by John H. Crumpe.

anscribed by Jennie V. Bowman.

mpared by Jennie V. Bowman & Kate Bowman.

FIELD NOTES

OF THE RE SURVEY OF THE

Subdivisions

OF

ownship No. 12 North

ange No, 9 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward Roeder

U. S. Deputy Surveyor,

Under his Contract No. 143

ated June 24th 1886

urvey commenced April 1 1887

urvey completed April 1 1887

10 m 53 chs 92 lks ✓

28 9

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassman
William Lane	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
H. J. Lane	Axeman
C. C. Leadillo	Axeman
	Flagman

SISTANTS
Compassman
Chainman
Chainman
Chainman
Chainman
Axeman
Axeman
Flagman

BOOK-A-217

Resurvey Subdivisions
T12 N. R7 W. S.L.M.

Survey commenced April 1 '87

From the corner to secs 35 & 36 on S Bdy of Tp re established by me under this contract I run
North on resurvey line
bet secs 35 & 36
Va 18° 00 E
00 find traces of an old mound where I set a limestone 10"x10"x7" 6' in ground for 1/4 sec cor. Marked 1/4 on W face and raised a stone mound along side
50 Gulley drains S.W.
00 No trace of old corner
Set a limestone 14"x9"x6" 9' in the ground for re established cor to secs 25 26 35 & 36 marked 1 notch on S & 1 on E edges

Resurvey Subdivisi

Chain	Raised Stone mound alongside Land rolling Soil 2nd rate grav No timber Dense sagebrush underyrouth
	East on random resurvey line bet secs 25 & 36 Va 18° E
40.00	Set temp 1/4 sec cor
80.02	Intersect E Bdy of Lp at cor to secs 25. 30. 31 & Set by me under this Contract. Thence West on true line bet secs 25 & 36 with same va
35.00	Descend bench
40.01	Set chained post 3 ft long 3" square 12" in ground for re established 1/4 sec cor, marked 1/4 S on N

BOOK-A-217

/12 N. R

Chain	face, du E & W off Raised earth 1/2 base ar No trace
00	Gully
02	The corn 35 & 36. Land Soil 2 Dense
	North line b V
00	Road N W
00	No trace post 3 ft l ground 1/4 sec cor W face N & S of p raised 1/2 ft high post

12 N. R 7 W. S.L.M.

lin face, dug pits 18x18x12
E & W of post 5½ ft dist
Raised mound of
earth 1½ ft high 3½ ft
base around post.
No trace of old corner
00 Gully dis S W
02 The corner Tooree 25, 26
35 & 36.
Land rolling
Soil 2d rate gravel
Dense sagebrush

North on resurvey
line bet secs 26 & 25
Va 18° E
00 Road N W & S E
00 No trace old corner, set chanal
post 3 ft long 3" square 12" in
ground for re established
¼ sec cor, marked ¼ S on
W face, dug pits 18x18x12"
N & S of post 5½ ft dist &
raised mound of earth
1½ ft high 3½ ft base around
post

Resurvey Subdivision

Chain
51.00 Gulley dis S.W.
80.00 No trace old corner, set
Sandstone 16"x12"x8", 12"
in ground for re establish
Corner to secs 23, 24, 25 &
26, marked 2 notches
on S & 1 on E edges, dug
pits 18"x18"x12 in each sec
5½ ft dist & raised mound
of earth 2 ft high 4½ ft base
alongside
Land rolling
Soil 2nd rate gravel
Dense sagebrush

East on random resurv
line bet secs 24 & 25
Va 18° E
40.00 Set temp ¼ sec cor
79.96 Intersect E Bdy of Sp 7 lk
N of cor to secs 19, 24, 25
& 30, reestablished by
me under this contract
thence
N. 89° 57' W on true

BOOK-A-21

12 N. R

Chain
line
wit
00 Descend b
98 No trace
chanc
3" square
for ¼ sec
on N fac
x12" E
dist & r
of earth
base a
96 The cor
& 26.
Lan
Soil
Dens

North
on res
A
gulley
00 No trace
a chan
3" squar

12 N. R 7 W. S L M.

line bet secs 24 & 25
with same va
Descend bench
No trace of old corner set a
chained post 3 ft long
3" square 12" in ground
for 1/4 sec cor marked 1/4 S
on N four slug pits 18 x 18
x 12" E & W of post 5 1/2 ft
dist & raised a mound
of earth 1 1/2 ft high 3 1/2 ft
base around post.
The cor to secs 23. 24. 25
& 26.
Land rolling
Soil 2nd rate gravel
Dense sagebrush

North bet secs 23 & 24
on resurvey line
Va 18° E
gulley drs S W
No trace of old corner set
a chained post 3 ft long
3" square 12" in ground

Resurvey Sub division

Chain for re established 1/4 sec cor
Marked 1/4 S on W face
dug pit 18"x18"x12" N & S of
post 5 1/2 ft dist & raised
mound of earth 1 1/2 ft high
3 1/2 ft base around post

8,00 No trace old corner set
a cobble stone 12"x10"x8"
8" in ground for re establish
Corner to secs 13. 14. 23 & 2
Marked 3 notches on S & 1
on E edges, dug pits 18
x18"x12" in each sec 5 1/2 ft
dist & raised a mound
of earth 2 ft high 4 1/2 ft
base alongside
Land rolling
Soil 2nd rate gravelly
Dense sagebrush

East on random
resurvey line between
13 & 24
Va 18° E

40,00 Set temp 1/4 sec cor

BOOK-A-2

1/12 N R

Chain
1004 Intersect
N of cor
re establis
this cor
N 89
line
w
1.02 No trace
Set chai
3" squa
for 1/4 s
1/4 S on W
18x18x12
dist & r
of earth
base a
1004 The cor
& 24
Lan
Soil
Dens

T 12 N R 7 W. S.L.M.

Claim 1004 Intersect E Bdy of Tp 14 lks
N of cor to secs 13. 18. 19. & 24
Re established by me under
this contract thence
N 89° 54' W on true
line bet secs 13 & 24
with same Va

1002 No trace of old corner.
Set chained post 3 ft long
3" square 12" in ground
for 1/4 sec cor, marked
1/4 S on N face, dug pits
18x18x12 E & W of post 5 1/2 ft
dist & raised a mound
of earth 1 1/2 ft high 3 1/2 ft
base around post

1004 The cor to secs 13. 14. 23
& 24.
Land rolling
Soil 2nd rate sandy
Dense sagebrush

Resurvey Subdivision

Chain North on resurvey line
bet secs 13 & 14
Var 18° E

4000 No trace old corner
Set charred post 3 ft long
3" square 12" in ground
for re established 1/4 sec cor
Marked 1/4 S on W face
dug pits 18"x18"x12" N & S
of post 5 1/2 ft dist & raised
mound of earth 1 1/2 ft high
3 1/2 ft base around post

8000 No trace of old corner
Set a Slate 18"x9"x7" 12"
in ground for re established
Cor to secs 11, 12, 13 & 14,
Marked 4 notches on S
& on E. edges & raised
stone mound along pits
Land rolling
Soil 2d rate gravelly
Dense sagebrush

BOOK-A-2

12 N. R

Chain East
resurv

000 Set ten
990 Intersec
Cor to se
by me
thence
bet
e
995 No trace
a Cha
3" squa
for re esta
Marked 1/4
pits 18"x1
5 1/2 ft dis
of earth
990 The cor
Lan
Soil
Dens

BOOK-A-217

T 12 N R 7 W S L M

Chain East on random
resurvey line bet secs
12 & 13
Va 18° E

1.00 Set temp 1/4 sec cor
1.90 Intersect E Bdy of Tp at
Cor to secs 7. 12. 13 & 18, re set
by me under this contract
thence West on true line
bet secs 12 & 13
with same va

1.95 No trace of old corner, set
a charred post 3 ft long
3" square 12" in ground
for re established 1/4 sec cor
Marked 1/4 on N face, dug
pits 18" x 18" x 12 E & W of post
5 1/2 ft dist & raised a mound
of earth 1 1/2 ft high 3 1/2 ft base around post
1.90 The cor to secs 11. 12. 13 & 14
Land rolling
Soil 2d rate, gravelly
Dense sagebrush

Resurvey Subdivisions

Chain	Notes
	North on resurvey line bet sec 11 & 12 Va 18° E
25.00	Ascend bench E & W
40.00	No trace of old corner Set chained post 3 ft long 3" square 12" in ground for 1/4 sec cor, marked 1/4 S on W face dug pits 18 x 10 x 12" in & S of post 5 1/2 ft dist & raised mound of earth 1 1/2 ft high 3 1/2 ft base around post
80.00	No trace old corner, Set Cobble stone, 18 x 10 x 9 12" in ground for reestablished Corner to secs 1, 2, 11 & 12 marked 5 notches on S & 1 on E edges & raised Stone mound alongside
	Land rolling Soil 2nd rate gravel Dense sagebrush

BOOK-A-2

Tp. 12 N

Chain	Notes
	East on bites se Var
4.00	Set temp of old co
54.00	End of of old co with (+) Wet bite wi
14.00	No trace bench a Cobble the gro marked raised along
11.74	Wash
43.00	fence
54.00	The cor. Lag Soil No

Tp. 12 N R 7 W.

Chain East on resurvey random line
betw secs. 1 and 12
Var. 18° E

4.00 Set temp 1/4 sec. cor. no trace of old cor.

54.00 End of resurvey no trace of old cor. set post marked with (+) cross thence
West on true line
betw. secs. 1 and 12
with same var.

14.00 No trace of old cor. on edge of bench bears NE & SW set a Cable 16 × 16 × 8" 12" in the ground for 1/4 sec cor. marked 1/4 on N face and raised a stone mound alongside

31.74 Wash drains S.W.

43.00 fence NW & SE.

54.00 The cor. to secs. 1. 2. 11 & 12
Laged rolling
Soil Grate, gravel
No timber
Dense sagebrush

Resurvey Subdivision

Chain North on resurvey line bet secs 1 & 2
Va 18° E

3.50 Fence N W & S E

40.00 No trace of old corner
Set post 3 ft long 3" square
12" in ground for 1/4 sec
Cor. marked 1/4 S on
W face. Dug pits 18" x 18" x 12"
N & S of post 5 1/2 ft dist &
raised a mound of
earth 1 1/2 ft high 3 1/2 ft
base ~~along~~ around
post

80.00 ~~Intersect~~ 3rd ~~Standard~~
Parallel North at
Cor to secs 1 & 2 which
was re established by
me under this Contract
Land Level
Soil 2nd rate sandy
No timber
Dense sagebrush
April 1st 1887

BOOK-A-2

T 12 N

Gen

The la
this re
and
as 2nd
most
Sagebr
C
U.S.

BOOK-A-217

T 12 N R 7 W. S L M

General Description

The land embraced in this reservoir is partly and may be classed as 2nd rate and is mostly covered with sagebrush

Edward W. Kroeber
U.S. Dep Surveyor

BOOK-A

S. SURVEYOR GE

Salt Lake C

The foregoing fi

Town'ship No. 12

of the Salt Lake Me

Under Contract No

day of Jan

April

examined, the nece

made, the said field

are hereby approved

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *188*8

The foregoing field notes of the Re *survey of the* Subdivisions

Township No. 12 N *Range No.* 7 W

of the Salt Lake Meridian. Executed by Edward W Roeber

Under Contract No. 143 *of the* 24

day of June *188*6, *in the month of* April *188*7, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Bowman

U. S. Surveyor General for Utah.

BOOK

REPORT:

Filed

Examined by John

Transcribed by Jess

Compared by Jennie V.

FIEL

OF THE SU

Sub

Township No. 12

Range No. 7 W

SALT LA

UTAH

AS

Edwa

U. S.

Under his Contr

Dated Jan

Survey commenced

Survey completed

" on 2

REPORT:

Filed 188

Examined by John H. Kempe.

Transcribed by Jennie V. Bowman

Compared by Jennie V. Bowman & Lale Bowman.

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 12 North

Range No. 7 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward M. Koeber

U. S. Deputy Surveyor,

Under his Contract No. ~~144~~ 145

Dated June 24 1884

Survey commenced April 1 1887

Survey completed April 1 1887

" on 26 chs " lks

29.3

NAMES AND DUTIES OF ASSISTANT

Cyrus L. Johnson	Compass
William Carr	Chainma
J. V. Smith	Chainma
Fred Olsen	Chainma
H. M. Cromer	Chainma
A. J. Tanie	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-21

Surve

divisions

Survey co

From a

East of th

1, 2, 11 & 12

postma

+ and s

under C

Trees

random

sec

V

00 End of

00 Intersect

Cor to Sec

by me

thence

West

be

u

00 Descend

00 Postma

end of

Lan

Soil

Survey

Subdivisions T12 N. R7 W. S.L.M.

Survey commenced Apr. 1897

From a point 54 chs East of the cor to secs 1, 2, 11 & 12 which is a post marked with a + and set by me under Contract No 143

Trun. East on a random line bet secs 1 & 12

Va 18°

00 End of resurvey

00 Intersect E Bdy of Tp at Cor to secs 1. 6. 7 & 12, established by me under this contract thence

West on true line bet secs 1 & 12 with same va

00 Descend

00 Post marked with + end of survey

Land rolling

Soil rocky 3d rate

180

Survey Subdivisions
Tp 12 N. R 7 W. S. L. M

No timber
April 1st 87

General Description

For General Description
see end of resurvey
notes
Edward W. Koeber
W. L. dep Surv

BOOK-A

S. SURVEYOR G

Salt Lake

The foregoing

Sub

Township No. 12

of the Salt Lake M

Edwa

Under Contract N

day of Jun

April

examined, the nec

made, the said fiel

are hereby approve

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the ..... *survey of the* Subdivisions

Township No. 12 N *Range No.* 7 West

of the Salt Lake Meridian. Executed by Edward W Roeber

Under Contract No. ~~144~~ 145 *of the* 24th

day of June *1886, in the month of* April *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Bowman

U. S. Surveyor General for Utah.

BOO

REPORT:

Filed 10 55 am

Examined by Joh

Transcribed by H C

Compared by Jun

FIE

OF THE S

Sc

Township No. 1

Range No. 8

SALT LA

UTA

Edu

U. S

Under his Con

Dated Jun

Survey commenc

Survey complete

22

closing

REPORT:

Filed 10 55 AM. May 4 1887

Examined by John H. Campbe

Transcribed by H. Atkinson

Compared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 12 N

Range No. 8 W

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward H. Roeber

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 24th 1886

Survey commenced April 2 1887

Survey completed April 5 1887

22 m 36 chs 30 lks

closings 2 30 60 20

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. T. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Paine	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-217

Subs of T. 12 N. R. 8 W.

Resurvey

Subdivisions of fractional Tp. 12 N. R 8 W.

Before commencing the resurvey of Subdivisions in Townsh. 12 N R. 8 W. I retrace the West boundary of the townsh. I find that same boundary has been run on a Var. 16° 55' E. instead as the Notes call for on a Var. of 17° 55' E. and the chaining is very short. The distance betw. cor. to tps. 11 & 12 N. R. 8 & 9 W. and the closing cor. to Tp. 12 N. R. 8 & 9 W. being 5 miles 69 chs. instead 5 miles 79, 20 chs. In resurving the W. boundary of tp. 13 N. R. 8 W. I find it to be run on the same variation as the original notes call for, but the chaining is also short. It is evident that the old surveys either have been made with a very short chain or that same have been systematically moved. In the resurvey of Subs. T. 13 N. R 9 W. I find this township

Resurvey Subdivision

to be 6 Miles North and South
as I find the corners on the
N. boundary of this towns
to be 12 chs. farther north
than the corners on N. bonn
of tps. 13 N. R 8 W
Referring also to my ex-
planation in the beginning
I state again that the old
surveys in this part are in
a fearful condition and
make it exceedingly
difficult and partly impossible to execute the resu
in conformity with the orig
notes on file in U. S. Surv. G
Office of Salt Lake City, Utah.
Consequently in working
resurveys in tps. 12 & 13 N. R
W. I have to adjust my d
to the ~~old~~ distances found
on the ground throwing a
differences towards the
new survey

BOOK-A-2

Tp. 12 N

As I do n
find the
21 & 22, n
for this r
cor. to se
South b
Township
by me
Contrac
Nor
be

Findi
40. or 8 0
North
secs. 21 a
find the
15 and 16.
secs. 9. 10.
I inters
I then ret
to secs. 33
boundary
and ru
Nor

Tp. 12 N. R 8 W. S.L.M.

As I do not know where to find the cor. to secs. 27 and 28 21 & 22, my starting point for this resurvey, I go to the cor. to secs. 33 and 34 on the South boundary of Township reestablished by me under this Contract I run

North on resurvey line btwn. secs. 34 and 33
Var. 17° 50' E.

Finding no corner at 40. or 80 chains I continue North btwn. secs. 27 and 28 secs. 21 and 22, 15 and 16 and find the 1/4 sec. cor. btwn. secs. 15 and 16. and also the cor. to secs. 9. 10. 15 and 16. which I intersect at 80.05 chs I then return to the corner to secs. 33 and 34 on South boundary of township and run

North on resurvey line

Recurvey Subdivisi

Chain	
	betw secs. 33 & 34
	Var. 17° 55' E.
40.00	No trace of old corner.
80.00	" " " " "
	Thence North on recurvey line betw secs. 27 & 28
	Var. 17° 55' E.
40.00	No trace of old corner.
80.00	" " " " " Set a limestone 10"×9"×7" in the ground for restab corner to secs. 21. 22. 27 & 28 marked 2 notches on S. and 3 on E edges dug pits 18"×18"×12" in each sec. 5½ ft dist. and raised a mound of earth 2 ft high 4½ ft base along side.
	Survey commenced April 2" 1887.

BOOK-A-2

Tp 12 N

Chain	
	North
	be
00	No trace of
	limestone
	ground
	marked
	pit 18×18
	5½ ft dis
	mound
	high 3½
00	No trace
	Set a s
	×6" 15"
	re estab
	secs 15.
	3 Notche
	dug pi
	each s
	raised
	earth
	base al
	Lan
	Soil

Tp 12 N. R 8 W. S.L.M.

North on reservoir line
bet secs 21 & 22
Va 17° 55' E

00 No trace of old corner, set a limestone 10"x10"x7' 6" in ground for reestablished 1/4 sec cor marked 1/4 on W face, dug pits 18x18x12" N & S of stone 5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside

00 No trace of old corner set a sandstone 20"x9"x6" 15" in ground for re established corner to secs 15, 16, 21 & 22 marked 3 Notches on S & E edges dug pits 18x18x12 in each sec 5 1/2 ft dist & raised a mound of earth 2 ft high 4 1/2 ft base alongside

Land rolling bench
Soil 2nd rate, sandy

Resurvey Subdivision

Chain	
	No timber
	Dense sagebrush
	West on true resurvey line bet secs 16 & 21
	Var 17° 55' E
3075	Gulley drs SW
4000	No trace of old corner
	Set limerock 10" x 10" x 5
	6" in ground for re-established 1/4 sec cor
	marked 1/4 on N face
	& raised a stone mound
	alongside
	End of resurvey
	Land rolling bench
	Soil 2d rate sandy
	No timber
	Sagebrush underground
	North on resurvey line bet secs 15 & 16
	Var 17° 55' E
4000	Find old corner a limestone 14" x 8" x 6"

BOOK-A

Tp 12 N

eaheck
the grou
1/4 sec c
1/4 on W f
x 18" x 12"
ft dist &
of earth
base a
Road
The old
being
limes
in gro
Corner
marke
on S &
raised
alongs
Lan
Soil
No t
Sage

Tp 12 N R 8 W. S L M

[illegible] which I reset 10" in the ground for re established 1/4 sec corner, remark 1/4 on W face, deg pits 18" x 18" x 12" N & S of stone 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside

[illegible]00 Road bears N E & S W.

[illegible]00 " " E & W.

[illegible]00 The old corner stone being broken I set a limestone 14" x 9" x 6" 11" in ground for re established Corner to secs 9. 10. 15 & 16 marked with 4 notches on S & 3 on E edges & raised a stone mound alongside

Land level

Soil 2nd rate sandy

No timber

Sagebrush undergrowth

Reservoir Subdivisions

Chain West on true reservoir line bet secs 9 & 16

Var 17°55' E

4,00 No trace of old corner
Set a charred cedar post 3 ft long 3" square 12" in ground for re established 1/4 sec cor marked 1/4 S on N face dug pits 18 x 18 x 12" E & W of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post
End of reservoir
Land rolling bench
Soil 2nd rate sandy
No timber
Sagebrush undergrowth

BOOK-A-2

12 N

Chain North
bet

00 Leave
& S E

00 No trace
Set sam
6" in g
establis
marked
pits 18 x
stone 5
raised
earth 1
base al

00 No trace
Set a l
x 6. 11" m
re estab
to secs
5 notches
dug pi
each s
dist &
of earth

12 N R 8 W S L M

Chain North on reservoir line
bet secs 9 & 10
Var 17° 55' E

500 Leave bench bears N W
& S E

1,000 No trace of old corner
Set sandstone 10 x 10 x 5
6" in ground for re-
established 1/4 sec cor
marked 1/4 on W face dug
pits 18 x 18 x 12 N & S of
stone 5 1/2 ft dist and
raised a mound of
earth 1 1/2 ft high 3 1/2 ft
base alongside

2,000 No trace of old corner
Set a limestone 14 x 9
x 6. 11" in ground for
re established corner
to secs 3. 4. 9 & 10 marked
5 notches on S & 3 on E edge
dug pits 18" x 18 x 12 in
each section 5 1/2 ft
dist & raised a mound
of earth 2 ft high 4 1/2 ft

Resurvey Subdivision

Chain base along side
Sand bench & flat
Soil 1st & 2d rate sandy
loam & gravelly
No timber
Scattering sagebrush
underbrush.

North on true resurvey
line lot ones 3 & 4
Va 17° 53' E

40.00 Found old mound of
earth & pits, Set a
limestone 10"x10"x2½
6" in ground for
re-established 1/4 sec
corner marked 1/4 on
W face, dug pits 18
x 18 x 12" N & S of stone
5½ ft dist and raised
a mound of earth
1½ ft high & 3½ ft base
along side

52.00 Arrived

T 12 N. R 8 W. S L M

Jan 19 18 Intersect Standard corner to secs 33 & 34 on 3d Standard Paul North 40 lks East which is a limestone 10"x8"x7" properly marked & firmly set in the ground dug pits 18"x18"x12 S. E & W of stone 5 1/2 ft dist & raised a mound of earth 2 ft high 4 1/2 ft base

Land flat & beech
Soil 1st & 2d rate, sandy loam & gravelly
Timber fee scrub
Cedars
Sagebrush undergrowth

Resurvey Subdivisions

Chain	From the corner to secs 32 & 33 on the S Bdy of Tp, reset by me under this contract I run
	North on resurvey line bet secs 32 & 33
	Var 17°55' E
24.00	Low hill NE & SW
33.50	Leave alkali flat
40.00	Find old post remark same 1/4 S on W face for re established 1/4 sec cor dug pits 18" x 18" x 12" N & S of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post
51.00	Gentle ascent
60.60	Road E & W
69.00	Old road NE & SW
80.00	No trace of old corner set a charred cedar post 4 ft long 4" square 12" in ground for

BOOK-A-

12 N.

Chain	re estab
	to secs
	mark
	R8W
	S 32
	29 on
	1 notch
	edges,
	x 12"
	ft dist
	mom
	high
	along
	Lar
	Soil
	Sand
	No tr
	Sage
	North
	in
5.00	Asce
0.00	No tr

T 12 N. R 8 W. S.L.M.

Claim re established corner to secs 28. 29. 32 & 33 marked T 12 N. S 28 on N E R 8 W, S 33 on S E S 32 on S W and S 29 on N. W faces with 1 notch on S & 4 on E edges, dug pits 18 x 18 x 12" in each sec 5½ ft dist & raised a mound of earth 2 ft high 4½ ft base alongside

Land flat & bench

Soil 1st & 2d rate

Sandy loam & gravelly

No timber

Sagebrush underneath

April 8. 87

North bet secs 28 & 29 on resurvey line

Var 17° 53' E

5.00 Ascend

0.00 No trace of old corner

Resurvey Subdivision

Chain	Set a charred cedar post 3 ft long 3" square 12" in ground for re established 1/4 sec cor marked 1/4 S on W face dug pits 18" x 18" x 12" N & S of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post
45.00	Wash dro S E.
47.00	Enter higher bench
80.00	Find old mound of earth & remains of pits. Set a charred Cedar post 4 ft long 4" square 12" in ground for re established corner to secs 20. 21. 2[illegible] & 29. marked T 12 N S 21 on N E R 8 W S 28 on S E S 29 on S W and S 20 on N W faces with 2 notches on

BOOK-A-2

T 12 N

Chain	S & 4 pits 18 sec 5 raised earth base Lau Soil Not Sag
	East resu
40.00	Old co Set tim
79.62	Inters 13 lks 21.22. N n with
89.81	Resit

T 12 N R 8 W. S L M

Chain S & 4 on E edges, dig
pits 18 x 18 x 12" in each
sec. 5 1/2 ft dist and
raised a mound of
earth 2 ft. high 4 1/2 ft
base around post
Land rolling bench
Soil 2nd rate sandy
No timber
Sagebrush undergrowth

East on random
resurvey line bet
secs 21 & 28
Var 17° 55' E
4000 Old corner lying down
Set temp 1/4 sec cor
7962 Intersect N & S line
13 lks N of corner to secs
21. 22. 27 & 28 Thence
N 89° 55' W
on true line
with same Var
9981 Reset old corner a

Resurvey Subdivision

Chain	lava rock 16" x 10" x 6" 11" in ground remark same 1/4 on N face for re established 1/4 sec cor, deep pits 18 x 18" x 12" E & W of stone 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base along mt
5000	Wash dis S E
7962	The corner to secs 20 21, 28 & 29
	Land rolling beach
	Soil 2nd rate
	No timber
	Scattering sagebrush
	North on resurvey line bet secs 20 & 21
	Var 17° 55' E
3200	Ascend
4000	No trace of old corner
	Set a charred cedar post 3 ft long 3" square 12" in ground for re established 1/4 sec cor

T 12 N.

Chain	Main
	face,
	x 12"
	ft dist
	of earth
	base
	end
	Lar
	Soil
	No t
	Sag
	From
	secs
	S. Ba
	lyme
	Cont
	N
	li
4.10	Road
940	

T 12 N. R 8 W. S L M

Chain marked 1/4 S on W face, dug pits 18" x 18" x 12" N & S of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post end of resurvey
Land bench
Soil 2nd rate sandy
No timber
Sagebrush underyrowth

From the corner to secs 31 & 32 on the S. Bdy of Tp re-established by me under this contract I run
North on resurvey line bet secs 31 & 32
Var 17° 55' E
4.10 Road bears N E & S W
9.40 " " " "

Resurvey Subdivisions

Chain
40.00 No trace of old corner
Set charred cedar
post 3 ft long 3" square
12" in ground for re-
established 1/4 sec
Cor Marked 1/4 S on
W face, dug pits 18
x 18 x 12" N & S of stone
5 1/2 ft dist and raised
a mound of earth
1 1/2 ft high 3 1/2 ft base
around post
80.00 No trace of old corner
Set a charred cedar
post 4 ft long 4" square
12" in ground for
re-established cor
to secs 29. 30. 31 & 32
marked
T 12 N S 29 on N E
R 8 W S 32 on S E
S 31 on S W and
S 30 on N W faces
with 1 notch on S &
5 on E edges, dug

Tp 12

Chain
pits
sec 5
raised
earth
base
Soil
Sage
grease

East
line

40.00 No tra
Set
80.00 Inlin
Sol
28.29
S
on
Road
Set c

Tp 12 N R 8 W. S L M

Chain pits 18"x18"x12" in each sec 5½ ft dist and raised a mound of earth 2 ft high 4½ ft base around post
Land flat
Soil 2nd rate, sandy
Sagebrush and greasewood underground

East on a random line bet secs 29 & 32
Var 17°55' E
4.00 No trace of old corner
Set temp ¼ sec cor
8.00 Intersect N & S line
20 lks S of cor to secs 28.29.32 & 33 Thence
S 89°51' W
on true line bet secs 29 & 32
with same Var
8.70 Road bears N & S
10.00 Set charred cedar

Resurvey Subdivision

Chain	
	post 3 ft long 3" square 12" in ground for re established 1/4 sec cor marked 1/4 S on N face raised a stone mound around post
42.90	Road bears N E & S W
51.00	N & S
80.00	The cor to secs 29. 30. 31 & 32.
	Land flat
	Soil 2nd rate sandy
	No timber
	Sagebrush underground
	West on a random resurvey line bet secs 30 & 31
	Var 17° 55' E
40.00	No trace of old corner
	Set temp 1/4 sec cor
79.56	Intersect West Bdy of Tp 30 lks N of cor to secs 25. 30 31 & 36 which is a post

BOOK-A-

T 12 N.

Chain	
	firmly
	propel
	mound
	N
	true
23.00	Wash di
79.56	Set a
	3 ft long
	ground
	1/4 sec c
	on N fa
	x 12" E &
	raised
	1/2 ft. hi
	arou
51.00	Leave
79.56	the cor
	Land
	Soil
	No ti
	Sage

T 12 N. R 8 W. S L M

Chain firmly set in the ground properly marked with mound & pits. Thence
N 89° 47' E on a
true line bet secs 30 & 31
with same Va

93.00 Wash dis S E

79.56 Set a charred cedar post 3 ft long 3" square 12" in ground for re established 1/4 sec corner, marked 1/4 S on N face Aug pits 18 x 18 x 12" E & W of post 5 1/2 ft dist. & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

51.00 Leave beech bears N E & S W

79.56 the cor to secs 29. 30. 31 & 32
Land beech & flat
Soil 2nd rate sandy
No timber
Sage brush undergrowth

Resurvey Subdivisions

Chain	North on resurvey line bet secs 29 & 30 Var 17° 53' E
16.00	Gentle ascent bears E & W
40.00	Find old corner lying down, reset same a limestone 13"x10"x7 8' in ground for re-established 1/4 sec cor, marked 1/4 on on W face & raised a stone mound alongside
52.50	Road & Wash in Gully dis S E
80.00	Find old corner broken set a limestone 16"x10"x8 12" in ground for re established corner to secs 19, 20, 29 & 30 marked 2 notches on S & 5' on E edges & dug pits 18"x18"x12" in each section 5 1/2 ft dist & raised a mound of earth 2 ft high 4 1/2 ft base alongside
	Sand rolling beach
	Soil 2nd rate sandy

BOOK-A-2

Tp 12 N. -

Chain	no tim... Sage...
	East ... line ...
40.00	Intrace ... temp ...
80.38	Inters... S of cor... 29. the... S... true ... wi...
40.19	Set lim... in gro... 1/4 sec c... face di... of stone... a mou... 3 1/2 ft ba...
16.00	Wash ...
80.38	The co... & 30

Tp 12 N. R 8 W. S.L.M.

Fair	No timber Sagebrush undergrowth
	East on random resurvey line bet secs 20 & 29 Var 17°55' E
40.00	No trace of old corner, Set temp 1/4 sec cor
80.38	Intersect N & S line 35' lk S of corner to secs 20, 21, 28 & 29, thence S 89°45' W on a true line bet secs 20 & 29 with same va
40.19	Set limestone 18"x8"x7, 15" in ground for re established 1/4 sec cor, marked 1/4 on N face dug pits 18"x18"x12 E & W of stone 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside
46.00	Wash in gully dis S.E.
80.38	The corner to secs 19, 20, 29 & 30

Reservoir Subdivisions

Chain	
	Land rolling beach
	Soil 2nd rate
	No timber
	Sagebrush underground
	West on random reservoir line lat secs 19 & 30
	Var 17° 55' E
40.00	Find old corner lying down 5' lks W of line. Set temp 1/4 sec cor
79.24	Intersect West Boundary of Tp at cor to secs 19, 24, 25 & 30, which is a post firmly set & properly marked with mound & pits. Thence Trim
	East on true line lat secs 19 & 30
	with same va
21.00	Wash dis S E
39.24	Reset old corner, a cobble 14 x 8 x 8" 10" in ground for re established 1/4 sec cor, marked 1/4 on N face

BOOK-A

T 12 N.

Chain	
	Raised
	along
00	Gulch d
00	Road be
24	The cor
	Land
	Soil 2
	No tim
	Sagebr
	North
	line
	(
00	Gulch d
50	Road b
00	No trace
	Cedar pos
	12" in gr
	cor, m
	deep pits
	post 5 1/2 f
	mound
	3 1/2 ft ba
00	Ascend
00	Find o

T 12 N. R 8 W. S L M

Chain	Raised a stone mound alongside
00	Gulch drs S E
00	Road bears N & S
24	The cor to secs 19. 20. 29 & 30
	Land rolling beech
	Soil 2nd rate
	No timber
	Sagebrush underwrath

North on resurvey line bet secs 19 & 20
Var 17° 55' E

00	Gulch drs S E
50	Road bears N E & S W
00	No trace of old corner, set a Cedar post 3 ft long 3' square 12" in ground for 1/4 sec cor, marked 1/4 S on W four deep pits 18 x 18 x 12 N & S of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post
00	Ascend
00	Find old corner a line

Reservoir Subdivision

Chain rock 18x12x7 12' in ground for re established Cor to secs 17.18.19 & 20. remark same with 3 Notches on S & 5 on E edges & raised a stone mound alongside

Land rolling bench
Soil 2nd rate sandy
No timber
Sagebrush undergrowth
April 4. 87

West on random reservoir line bet secs 18 & 19
Var 17°55' E

40.00 No trace of old corner, at temp 1/4 sec cor

79.50 Intersect W boundary of Tp 40 lks N of corner to secs 13.18.19 & 24 which is a post firmly set & properly marked

Thence
N 89°43' E on a

BOOK-A-21

12 N.

Chain true line

with

00 Road be
side of ho
50 Set limes
ground fo
sec cor m
& raised
alongside
00 Gulch d
50 Road b
50 Leave b
N.W
50 The cor
Land
Soil
No tim
Sage

From
of & 18 12
of Tp
proper

T 12 N. R 8 W. S L M

Main true line bet secs
18 & 19
with same Va
00 Road bears N & S on W
side of hollow dis S.
50 Set limestone 15"x10"x6, 11" in
ground for re established 1/4
sec cor marked 1/4 on N face
& raised stone mound
alongside
00 Gulch dis S.E.
50 Road bears N E & S W
50 Leave lower bench sloping
N.W
50 The cor to secs 17.18.19 & 20
Land rolling bench
Soil 2nd rate
No timber
Sagebrush undergrowth

From the corner to secs
7 & 18 12 & 13 on West Bdy
of Tp which is a post
properly marked, lying

Reservoir Subdivisions

Chain	on the ground & which I reset & renew mound & pits. I run
	East on true reservoir line between 7 & 18
	Var 17° 33' E
5.00	Road leaves S W & N E
28.00	Enter hollow dis N
32.00	Leave same, ascend
40.00	No trace of old corner, In little Wash dis S set a limestone 18 x 10 x 4 12" in ground for re established 1/4 sec cor, marked 1/4 on N face & raised a stone mound alongside
	Land rolling beach
	Soil 2nd rate
	timber scat cedars
	Sagebrush underground
	End of reservoir

BOOK-A-217

12 N

Chain	From co
	Set by m
	Survey
	on true
	between
	Va
00	No trace
	Chained
	3" square
	for re estab
	marked
	raised a
	alongside
00	Ascend
00	No trace
	Chained
	4" square
	re establis
	8 & 9, ma
	S & 4 on E
	18 x 18 x 1
	5 1/2 ft dis
	of earth
	around
	Land

T 12 N R 8 W S.L.M

From cor to secs 3 4, 9 & 10
set by me during this
survey I run West
on true resurvey line
between 4 & 9
Var 17°53' E

No trace of old corner set a
charred cedar post 3 ft long
3" square 12" in ground
for re established 1/4 sec cor
marked 1/4 S on N face &
raised a stone mound
alongside

Ascend

No trace of old corner set
charred cedar post 4 ft long
4" square 12" in ground for
re established cor to secs 4, 5,
8 & 9, marked 5 notches on
S & 4 on E edges & dug pits
18" x 18" x 12" in each sec
5 1/2 ft dist & raised a mound
of earth 2 ft high 4 1/2 ft base
around post

Land rolling & flat

Reservoir Subdivision

Chain	
	Soil 1st & 2nd rate No timber Sagebrush undergrowth
	North on true reservoir line bet secs 4 & 5 Var 17°55' E
20.00	Enter bench bears N E & S W
38.00	Leave " " N W & S E
40.00	No trace of old corner set charred cedar post 3 ft long 3" square 12" in ground for re established 1/4 sec cor marked 1/4 S on W face dug pit 18"x18"x12" N & S of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft bu[illegible] around post
65.00	Ascend
79.40	Intersect 3d Standard Parl North 70 lks E of cor to secs ~~4.5~~ 32 & 33 which is a limestone 12"x10"x8" firmly set & properly marked, & where I fm[illegible]

BOOK-A-2

T 12 W. [illegible]

Chain	
	The old [illegible] 14"x8"x6" [illegible] same [illegible] re establ[illegible] to secs 4[illegible] C.C. [illegible] & 4 on E[illegible] stone [illegible] Lau[illegible] Soil [illegible] Tim[illegible] Sage[illegible]
	From [illegible] 4, 5, 8 & [illegible] on [illegible]
12.80	Wash d[illegible]
39.50	Asce[illegible]
40.00	No trace [illegible] a lim[illegible] in gro[illegible] 1/4 sec c[illegible]

T 12 W. R 8 W. S.L.M.

Chain The old corner a limestone 14"x8"x6 lying down, reset same 10" in ground for re established closing cor to secs 4 & 5, remark same C.C. with 2 notches on W & 4 on E edges & raised a stone mound alongside

Land flat & beech
Soil 2nd rate sandy
Timber scattering cedars
Sagebrush underwith

From the cor to secs 4, 5, 8 & 9 I run South on resurvey line bet secs 8 & 9
Var 17°55' E

12.80 Wash des S.E.
39.50 Ascend
40.00 No trace of old corner, Set a limestone 12"x10"x8, 8" in ground for re established 1/4 sec cor marked 1/4 on

Resurvey Subdivision

Chain	on W face & raised a mound of stone alongside End of resurvey Land rolling Soil 2d rate Timber, scattering Scrub cedar Sagebrush underground
	From the corner to secs 4, 5, 8 & 9 Trun West on true resurvey line bet secs 5 & 8 Va 17° 55' E
15.00	Ascend
40.00	No trace of old corner Set a limestone 15" x 10" x 8" 10" in ground for re established 1/4 sec cor, marked 1/4 on N face & raised a mound of stone alongside
50.00	Top of low ridge NE & SW
64.00	" " " "
80.00	The old corner lying

T 12 N. 1

Chain	down I move same a 12" in corner marked Edges Mound Pa Soil Sca
	North a
	Descen
15.00	Enter
38.00	Enter
40.00	No tra Set ch 3 ft lon grou 1/4 on x 12"

T 12 N. R 8 W. S L M

chain down 10 lks N, which I move to this point & reset same a limestone 16 x 12 x 8 12" in ground for re established corner to secs 5, 6, 7 & 8 marked 5 notches on S & 5 on E edges & raised a stone mound alongside

Land rolling
Soil 3d rate rocky
Scattering Cedar

North bet secs 5 & 6 on a resurvey line
Var 17° 55' E

Descend

15.00 Enter beech bears E & W
38.00 Enter Valley N E & S W.
40.00 No trace of old corner
Set charred cedar post 3 ft long 3" square 12" in ground for re established 1/4 sec cor, marked 1/4 S on W face, dug pits 18 x 18 x 12" N & S of post 5 1/2 ft dist

Resurvey Subdivisions

Chain	Raised a mound of earth 1½ ft high 3½ ft base around post
79.60	Intersect 3rd Standard Parl. North 150 lks E of Stand. Cor to secs 31 & 32 which is a post firmly set and properly marked & where I find old corner lying down reset same a post properly marked for re established Cor to secs 5 & 6 dug pits 18 x 18 x 12 in each sec 5½ ft dist & raised a mound of earth 2 ft high 4½ ft base around post
	Land rolling
	Soil 2 Rate gravelly
	Scattering cedars on 1st ½ Mile
	Sagebrush on 2nd ½ Mile

BOOK-A-21

T 12 N.

Chain	West ... line
40.00	No trace ... temp ¼ ...
79.32	Intersec ... of Tp 2 ... secs 1 & 6 ... post fi ... marke ... S ... line ...
38.00	As ...
39.32	Set lin ... in grou ... ¼ Sec c ... N face ... done ... along ...
58.00	Steep ...
79.32	The co ... Lan ... Soil ... Scat ... Sage ...

T 12 N. R 8 W. S.L.M.

Chain West on random resurvey line betw secs 6 & 7
Var 17°55' E

40.00 No trace of old corner, set temp 1/4 sec cor

79.32 Intersect the West Bdy of Tp 20 lks S of cor to secs 1, 6, 7 & 12 which is a post firmly set & properly marked Thence
S 89°51' E on true line bet secs 6 & 7
with same va

38.00 Ascend

39.32 Set limestone 16"x10"x8, 12" in ground for re established 1/4 sec cor, marked 1/4 on N face & raised a mound stone alongside

58.00 Steep ascend

79.32 The cor to secs 5, 6, 7 & 8
Land rolling
Soil 2nd rate sandy
Scattering Cedars
Sagebrush underwrath
Apr. 5. 87

Resurvey Subdivision

Tp 12 N. R 8 W. S.L. M

General Description

The lands resurveyed under this Contract are mostly covered with dense sagebrush undergrowth. Most of it is good for agricult. purposes

Edward W. Korber
W. S dep Surv

BOOK-A-2

U. S. SURVEYOR GE

Salt Lake C

The foregoing fi

Sub

Township No. 12 N

of the Salt Lake Me

Edward

Under Contract No

day of June

April

examined, the nece

made, the said field

are hereby approve

We

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *1888*

The foregoing field notes of the Re *survey of the*

Subdivisions

Township No. 12 N. *Range No.* 8 W.

of the Salt Lake Meridian. Executed by

Edward W. Kowber

Under Contract No. 143 *of the* 24th

day of June *1886, in the month of*

April *1887, having been critically*

examined, the necessary corrections and explanations

made, the said field notes, and the surveys they describe

are hereby approved.

William G. Brownson

U. S. Surveyor General for Utah.

REPORT:

Filed 10 55 A

Examined by John

Transcribed by H. C

Compared by Jennie

FIEL

OF THE S

Frac

Township No. 1

Range No. 8

SALT LA

UTA

AS

Edward

U. S.

Under his Contr

Dated Jun

Survey commenced

Survey completed

7 ne 4

BOOK A-217

223

REPORT:

Filed 10 55 AM May 4th 1887

Examined by John H Campe.

Transcribed by H. A. Skinson

Compared by Jennie F. Bowman & Kate Bowman.

FIELD NOTES

OF THE SURVEY OF THE

Fract Subs

OF

Township No. 12 N

Range No. 8 W

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Korber

U. S. Deputy Surveyor,

Under his Contract No. ~~144~~ 145

Dated June 24th 1886

Survey commenced April 5 1887

Survey completed April 6 1887

7 mi 41 chs 60 lks ✓

31.7

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tanne	Axeman
C. C. Leavitt	Axeman
	Flagman

Subs. Tr

Chain Survey
1887.
From th
which
by me
143. S
rand o
cor. to se
by me
143, w
at 2 m
Therefo
sec. cor. to s
b
4000 End of
63.00 Gully
72.50 Road
80.00 Set a
10" in
to sec.
with
on E
stone

Subs. Tp. 12 N. R. 8 W.

Survey commenced. April 5. 1887.

From the 1/4 sec. cor. to secs. 20 & 21. which was reestablished by me under Contract No. 143. I run North on a random line to the 1/4 sec. cor. to secs. 8 & 9. also reest by me under Contract No. 143, which I intersect at 2 miles 5 lks, 32 lks E. Therefore run from the 1/4 sec. cor. to secs. 20 & 21.

N. 0° 7' W.

bites. secs. 20 & 21.

Var. 17 1/2° E.

40.00	End of resurvey. 1/4 sec. cor.
63.00	Gully dr. S E.
72.50	Road bears N E & S W.
80.00	Set a lime stone 18 x 10 x 7' 10" in ground for cor. to secs. 16. 17. 20 & 21. marked with 3 notches on S. and 4 on E edges and raised a stone mound alongside

Tract Book

Chain Land rolling bunch
soil. 1 rate Sandy loam
No timber.
Dense sagebrush under
Survey 40 chs

East on randomline
betw. secs. 16 & 21.
Var 17 1/2° E.

40.20 Intersect 1/4 sec. cor. to secs. 16
21. 25 lks. N. this being the
the end of resurvey which
cor. was established by me
under Contr. No 143. from
where I run
N. 89° 38' W on true line
betw. secs. 16 & 21
with same var.

40.00 End of resurvey
44.00 Gulch second
44.00 Road bears N & S.W.
70.20 The cor. to secs. 16. 17. 20 & 21
Land. Rolling bunch
Soil 2 rate
No timber.

Sp 12 N. R 8 W

Dense sagebrush
undergrowth
Survey 40.20 chs
April 5.87

N. 0° 7' W.
betw. secs. 16 & 17
Var. 17 1/2° E.

2.00 Gulch drains S.E.
6.00 E. pt of ridge
0.00 Wash in wide hollow dr. S.E.
set lime stone 12×12×4' 8"
in the ground for 1/4 sec.
cor. marked 1/4 on W face
and raised a stone mound
alongside.
2.50 Road bears E & W.
3.00 Steep ascend
00 Set lime stone 24×18×12' 18"
in the ground for cor. to
secs. 8.9.16 & 17 marked
with 4 notches on S. and
4 on E. edges and raised
a stone mound alongside
Land. Rolling
Soil 3 rate. rocky
No timber.

Fract. Subs.

Chain	
	East on random line
	betw. secs. 9 & 16
	Var 17° 30' E.
40.30	Intersect 1/4 sec. cor. to secs.
	the end of resurvey
	9 & 16. 27 lks S. cor. was
	established by me under C
	143. from where S rim
	S. 89° 37' Won true li
	betw. secs. 9 & 16
	with same var.
40.00	End of resurvey
72.40	Road bears NE & SW.
73.50	Steep ascend.
80.30	The cor. to secs. 16. 17. 20 & 21
	Land. Rolling
	Soil 2nd rate. gravel
	No timber
	Scattering sagebrush
	underg rowth.
	Survey 40.30 ch.

BOOK-A-2

Tp 1

Chain	
	N O
	betw.
	Var.
17.00	Low m
32.00	Gentle
40.59	The 1/4 se
	End of
	by me u
	Land.
	Soil
	No tim
	Sc
	From cor to s
	Corp to ad Co
	East on a an
40.00	Set temp 1/4
80.45	Intersect No. S
	Thence We
1.00	Ridge N W
5.00	Leave be
40.23	Set limest
	for 1/4 sec co
	stone mon
80.45	Cor to secs
	Lan
	Soil
	den

Tp. 12 N. R 8 W.

Chain	N 0° 7' W
	bitw. secs. 8 & 9.
	Var. 17° 30' E.
17.00	Low ridge bears NE & SW.
32.00	Gentle descent
40.59	The 1/4 sec. cor. to secs. 8 & 9. the End of the resurvey reset by me under Contract No 143
	Land. Rolling
	Soil 2 rate
	No timber.
	Scattering sagebrush underygrowth
	From cor to secs 17.18.19 & 20 established by me under Contract No 143. Trees
	East on random line bet secs 17 & 20. V 17.30 E
40.00	Set temp 1/4 sec cor
80.45	Intersect Mn S line at cor to secs 16.17.20 & 21
	Thence West on true line bet 17 & 20 with same Va.
1.00	Ridge NW & SE
5.00	Leave bench
40.23	Set limestone 14"x10"x8", 8" in ground for 1/4 sec cor marked 1/4 on N face & raised stone mound along ground
80.45	Cor to secs 17.18.19 & 20
	Land rolling & mountains
	Soil 2d rate gravel
	dense sagebrush

Subdivis.

Chain From the cor. to secs. 17. 18. 19 & 20. reestablished by me under Contract No 143 I run North on random line to the cor. to secs. 5. 6. reset by me under Contr. No 143. which I intersect at 2 miles 69 lks. 42 lks. E.

I return therefore to the cor. to the secs. 17. 18. 19. & 20 the end of the resurvey and run

N. 0° 9' W

betw. secs. 17 & 18

Var. 17° 30' E.

Step second

37.00 High ridge bears W. E.

40.00 Set lime stone 18"X12X8" in the ground for 1/4 secc. marked 1/4 on W face and raised a stone mound alongside.

55.00 Gulch bears E.

74.00 " " E.

80.00 Set lava rock 18X12X5" 12" in the ground for cor. to secs.

12 N R 8 W.

Line 7.8.17 and 18 marked with 4 notches on S and 5 on E. edges and raised a stone mound alongside
Land Mountains
Soil Grate rocky
Timber. few scrub cedars scattering sagebrush and grass.

East on random line
betw. secs. 8 and 17
Var. 17.12 E.

000 Set temp 1/4 sec cor.
027 Intersect N & S line 29 lks N. of cor. to secs. 8.9.16 and 17 from where S run N 89°48' W. on true line
betw. secs. 8 and 17
with same var.

013 Set line rock 12 x 12 x 8" 8" in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside
6.00 Enter hollow
8.00 Wash drains S.E.
7.00 Ascend
027 The cor to secs. 7.8.17 & 18.
Land: Rolling
Soil. Grate rocky.

Tract Subdiv

Chain	Timber few scrub cedars scattering sagebrush undergr. West on random line betw. secs. 7 and 18 Var 17½° E.
39.10	Intersect ¼ sec. cor. to secs. 7 & 18. 26 lks N. this being the End of the resurvey which co was reestablished by me under Contract No 143. from where Town N 89° 37' E. on true line betw secs. 7 and 18 as the same var.
40.00	End of resurvey
48.00	Ridge bears NE & SW.
56.00	Gulch drains SW.
62.00	Ridge bears NE & SW.
79.10	The cor. to secs. 7. 8. 17 & 18 Laved Mountains Soil. Grate rocky Timber few cedars.

Survey 39.10 Chs.

Tp. 13

Chain	N. O betw. Var Along E. scatter
5.00	Wash g
0.00	Set a m long. E Gronn marke dig pe the grou 5½ ft d mound 3½ ft b
7.00	Wash g
3.00	"
6.00	Top of
0.69	The cor. End of Land Soil Timbe

Tp. 12 N. R 8 W.

N. 0° 9 W
betw. secs. 7 & 8
Var. 17° 50' E.
Along E. slope of ridge
scattering cedars along line
15.00 Wash gulch drains S.E.
20.00 Set a charred post 3 ft
long. 3" square 12" in the
ground for 1/4 sec. cor.
marked 1/4 s on W. face
dug pits 18 x 18 x 12" in
the ground, N & S. of post
5 1/2 ft dist and raised a
mound of earth 2 1/2 ft high
3 1/2 ft base around post
47.00 Wash Gulch drains S.E.
53.00 " " "
56.00 Top of ridge bears N.E. & S.W.
60.69 The cor. to secs. 5. 6. 7. 8. 8.
End of New Survey
Land. Mountains
Soil Trate
Timber. scatt. cedars.

April 6th 1887

Fract Subdiv

234

Sp 12 N. R 8 W. S. L. M

General Descript.

The lands surveyed u
the Contracts No 144 & 14
consist mostly of bun
& ridges, covered partly
with sagebrush under
& bunch grass, part
of them especially th
mountains are bare
& rocky.
There is no living wat
in this mountains
and it is only fit for
grazing purposes.

Edward W. Korb
W. S. dep Surv

BOOK-A-21

S. SURVEYOR (

Salt Lake City

The foregoing f

Frac

Township No. 6

Executed by Ed

Under Contract No

day of June

April

examined, the nece

tions made, the sa

they describe are h

Wa

BOOK-A-217

235

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the survey of the Fract Subs

Township No. 12 N *Range No.* 8 W

Executed by Edward W Korber

Under Contract No. ~~144/45~~ 145 *of the* 24th

day of June *1886, in the month of* April *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Bowman

U. S. Surveyor General for Utah.

BO

REPORT:

Filed Septem

Examined by John

Transcribed by Jen

Compared by Jennie

FIE

OF THE S

3rd. Sta

Township No.

Range No.

SALT LA

UTA

Edward

U. S.

Under his Cont

Dated Jun

Survey commence

Survey completed

Jun

REPORT:

Filed September 3rd 1887.

Examined by John H. Campe. Sept 13th, 1887.

Transcribed by Jennie V. Bowman.

Compared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

OF THE RE SURVEY OF THE

3rd Standard Parallel North

OF

Township No. ~~120~~ 13 N.

Range No. 6 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Korber

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 24 1886

Survey commenced March 23 1887

Survey completed March 23 1887

1 mi 74 chs 00 lks

32/4

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Lane	Axeman
C. C. Lovitt	Axeman
	Flagman

BOOK-A-217

Resurvey
Rd. Standard Parallel North

through T. 12 & 13 N. R 6 West.

Date Survey commenced March 23 '87
From the corner to tps. 12 & 13 N.
R 5 & 6 W. which is a limestone
5"x8"x7" above ground
properly marked with
mound of stone alongside
Run
West on the resurvey line
betw. secs. 1 & 36
Var. 17° 30' E.

9.45 Trail bears N W & S E.

10.00 Find remains of old stake
with pits where I set a sand-
stone 12x12x10" 8' in the ground
for 1/4 sec. cor. marked S.C. 1/4 on N face
and raised a stone mound
alongside.

11.00 Gentle ascend bears N W & S E.

15.20 Wash drains S E.

20.00 No trace of old corner set a sand-
stone 14x12x10" 9' in the ground
for cor. to secs. 1. 2. 35 & 36 marked
with S. C. 1 notch on E and 5 on
W edges and raised a stone mound
alongside.

Resurvey
3rd Stand[illegible]
through [illegible] 13 N. R[illegible]

Chain	Land. bend land Soil. 1st alluvial No timber
	West on true resurvey line betw. secs. 2 & 35. Var. 17°30' E
1.50	Wash draines N.E.
4.00	The same draines S.E.
8.00	The same draines N.
9.90	The same draines S.
11.00	The same draines N.
~~12.50~~	~~The same draines N.E.~~
25.15	Wash draines S.
29.75	Wash draines S.E.
40.00	Find remains of an old mound with pits alongside where I set a sandstone 12×10 × 8' 8" in the ground for 1/4 sec. cor. marked 1/4 S.C. on N. face and raised a stone mound along side.
74.00	End of resurvey no trace of the old corner where I set a sandstone 14×10×10' 9" in

BOOK-A[illegible]

the grou[illegible]
(+) cross.
Land. [illegible]
Soil. [illegible]
No timb[illegible]
Scale [illegible]

General [illegible]

For ge[illegible]
see Su[illegible]
towns[illegible]

Parallel North
13 N. R 6 W.

the ground marked with a (+) cross.
Land. rolling bench.
Soil. 1st rate.
No timber.
Scattering artemisia
undergrowth
March 23rd 1887

General Description

For general Description see Subdivisions of this township.

Edward W. Koeber
U. S. dep. surv.

BOOK-A-21

S. SURVEYOR GENE

Salt Lake City,

The foregoing field
3rd Standa
North
wnship No. 20 13
the Salt Lake Merid
Edward H
der Contract No. 1
y of June
March
amined, the necessa
ade, the said field no
e hereby approved.

Ne

BOOK-A-217

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the re *survey of the* 3rd Standard Paralell North

wnship No. 12 & 13 N. *Range No.* 6 West

the Salt Lake Meridian. Executed by Edward W. Korber

der Contract No. 143 *of the* 24th

y of June 1886, *in the month of* March 1887, *having been critically amined, the necessary corrections and explanations ade, the said field notes, and the surveys they describe e hereby approved.*

William G. Bowman

U. S. Surveyor General for Utah.

BOOK-A-2

EPORT:

ed September

amined by John

anscribed by Jen

mpared by Jennie V.

FIELD

OF THE SU

3 Stac

ownship No. 13

ange No.

SALT LAK

UTAH

AS

Edwan

U. S. I

Under his Contr

Dated June

Survey commenced

Survey completed

Jun

BOOK-A-217

245

EPORT:

ed September 3rd 1887.

amined by John H Campe Sept 13. 87.

anscribed by Jennie V. Bowman.

mpared by Jennie V. Bowman & Kate Bowman.

FIELD NOTES

OF THE SURVEY OF THE

3 Standard Parallel

ownship No. 13 N.

ange No. 6 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Koeber

U. S. Deputy Surveyor,

Under his Contract No. 144

Dated June 24th 1886

Survey commenced March 23 1887

Survey completed March 28 1887

4m 06 ch 57 lks

33

5

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassm
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tame	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-

3rd Stan

~~between~~ between R

Surveycomm

From the co

R 6 & 7 W. whi

under Cont

East on a

tps 12 & 13.

At 4 Miles

cor. at the

is 74.00 ch.

12. 35 & 36 se

No 143. 4

therefore

to tps 12 &

rem

S 89°

betw

Va

00 Hollow

50 Ridge b

00 On W. side

a line s

the grom

1/4 SC on N.

stone m

75 Hollow

BOOK-A-217

3rd Standard Parallel

Between Townsh. 12 & 13 N. R 6 W.

Survey commenced March 23 '87

From the corner to Tps. 12 & 13 N. R 6 & 7 W. which was set by me under Contract No 144. Run East on a random line betw. Tps 12 & 13. North.

At 4 Miles 6.57 chs I intersect cor. at the end of resurvey which is 74.00 chs. West of corner to secs. 1. 2. 35 & 36 set by me under Contr. No 143. 47 lks. North.

I therefore return to the corner to Tps 12 & 13 N. R 6 & 7 W. and run

S 89° 55' E. on true line betw. secs. 6 & 31
Var. 17 1/2° E.

00 Hollow draws N. E.
50 Ridge bears N E & S W.
00 On W. side of hollow draw N. set a lime stone 24 x 10 x 6' 18" in the ground for 1/4 sec. cor. marked 1/4 S C on N. face and raised a stone mound alongside.
5.75 Hollow draws N.

3rd Standard Parallel N[illegible] Tps 12[illegible]

Chain	
55.00	Enter rolling valley
71.50	Trail bears N W & S E.
75.00	Wash drains N. W.
76.75	Trail bears N W & S E.
80.00	Set a sandstone 21×9×6' in the ground for cor. to sec 5.6.31 & 32 marked with SC 5 notches on E and 1 on Wedge and raised a stone mound alongside.
	Land rolling.
	Soil 2 rate gravely
	No timber.

S 89°55' E. on true line betw. sec. 5 & 32.
Var. 17½° E.

40.00	Set sandstone 12×8×7' 8' in the ground for ¼ sec. cor. marked ¼ SC on N face ~~for ¼ [illegible]~~ and raised a stone mound alongside.
57.00	Ascend bears N & S E.
80.00	On Slope set a sandstone

BOOK-A-2[illegible]

[illegible]ain	22×10×7' [illegible] cor to secs 4[illegible] with 4 no[illegible] Wedges a[illegible] mound [illegible] Land ro[illegible] M[illegible]
	Soil 2[illegible]
	No timb[illegible]

S 8[illegible] bete[illegible] 7[illegible]

[illegible].50	Gulch [illegible]
[illegible].00	Gulch [illegible]
[illegible]5.50	Top of [illegible]
[illegible]00	On W side [illegible] stone 20 [illegible] for ¼ SC sec. c[illegible] face and [illegible] alongside
[illegible]4.00	Gulch [illegible]
[illegible]4.00	Ridge b[illegible]
[illegible]00	Set a [illegible]

Tps 12 & 13 N. R 6 W.

Rain 22 × 10 × 7" 15" in the ground for cor to secs 4 & 5. 32 & 33 marked S.C. with 4 notches on E and 2 on W edges and raised a stone mound alongside.
Land rolling valley and Mountains.
Soil. Quite gravely
No timber

S 89° 55' E on true line betw secs. 4 & 33
Var 17 1/2° E.

.50 Gulch drains S. W.
.00 Gulch drains N. W.
5.50 Top of Divide bears N & S.
.00 On W side of gulch set a sandstone 20 × 10 × 5" 15" in the ground for 1/4 S.C. sec. cor. marked 1/4 on N. face and raised a stone mound alongside.
4.00 Gulch drains N. E.
4.00 Ridge bears N & S W.
.000 Set a Cubble 18 × 8 × 6" 12" in

3 Standard Parallel Nor

Chain the ground for cor. to secs. 3.4.33 & 34 marked S.C. w 3 notches on E & W. edges and raised a stone mom alongside.
Land. Mountains.
Soil. 2 rate. gravely
No timber.

S. 89° 55' E. on true line
bitco secs. 3 & 34
Var. 17½° E.

23.00 Gulch drain 8.2.
40.00 Set a sandstone 14×6×6" 9" the ground for 1/4 sec. cor. mark 1/4 on N. face and raised a stone mound alongside.
53.00 Ridge bears N W & S E.
80.00 Set a limestone 20×10×10" in the ground for cor. to sec 2.3.34 & 35. marked with 2 notches on E and 4 on W ed and raised a stone mom alongside.
Land. Rolling

BOOK-A-2

Ips 12

Soil 2
No. timb

S. 89°
bitco
Var.
Enter ro
N W & S E.
The cor. t
which is
to secs. 1.
Land.
Soil 2
No tim

Gen

For ge
see Subd
towns

Tps 12 & 13 N. R 6 W.

Soil Quite gravely
No timber.

S. 89°55' E on true line
betw secs. 2 & 35
Var. 17½° E.

00 Enter rolling valley bears
N W & S E.

07 The cor. to the end of resurvey
which is 74 ch's W. of cor.
to secs. 1. 2. 35 & 36.
Land Rolling
Soil Quite gravely
No timber.

March 23. 87

General Description

For general Description
see Subdivision of this
township.

Edward W. Koeber
U. S. dep. surv.

BOOK-A-217

S. SURVEYOR GENER

Salt Lake City, U

The foregoing field n

3rd Standard

between

wnship No. 12-13

the Salt Lake Meridi

Edward W

nder Contract No. 1

ay of June

March

xamined, the necessa

nade, the said field no

re hereby approved.

Will

BOOK-A-217

253

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888

The foregoing field notes of the ..... *survey of the*

3rd Standard Paralell North between

wnship No. 12 & 13 N. *Range No.* 6 W.

the Salt Lake Meridian. Executed by .....

Edward W. Koeber

nder Contract No. 144 *of the* 24

ay of June 1886, *in the month of*

March 1887, *having been critically*

xamined, the necessary corrections and explanations

nade, the said field notes, and the surveys they describe

re hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK-

PORT:

d September

mined by John

nscribed by Jen

npared by Jennie

FIELD

Re

F THE SU

Northbo

wnship No. 1

nge No.

SALT LA

UTAH

AS

Edwar

U. S.

Under his Co

ated Jan

urvey commenced

urvey Completed

2

BOOK-A-217

255

PORT:

d September 10th 1887

mined by John H. Campe, Sept 14, 87

nscribed by Jennie V. Bonman,

npared by Jennie V. Bonman & Kate Bonman.

FIELD NOTES

F THE Re SURVEY OF THE

Northboundary

OF

wnship No. 13 North

nge No. 6 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY.

AS SURVEYED BY

Edward W. Koeber

U. S. Deputy Surveyor,

Under his Contract No. 143

ated June 24th 1886

urvey commenced April 11th 1887

urvey Completed April 11th 1887

2nd 70 lbs 60 lbs
3 4
4

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassm
William Carr	Chainman.
J. V. Smith	Chainman.
Fred Olsen	Chainman.
H. M. Cromer	Chainman.
A. J. Tame	Axeman.
E. C. Leavitt	Axeman.
	Flagman.

BOOK-A-

Resu

Northbound

Survey co

From the

5 and 6 W. w

firmly

properly

mound

West

bete

Va

Low ridg

Find the

side mo

I set a

25" in th

Cor. ma

raised

side.

Wash

Wash

No trac

vulcan

in the g

1. 2. 35 g

on E a

raised

BOOK-A-217

Resurvey

Northboundary T. 13 N. R 6 W.

Lane Survey commenced. April 11. 87
From the cor. to tps 13 and 14 N. R.
5 and 6 W. which is a limestone
firmly set in the ground
properly marked with stone
mound alongside. Trun
West on true resurvey line
betw. secs. 1 and 36
Var. 18° 15' E.

.00 Low ridge bears N W & S.E.
.00 Find the old post decayed along
side mound of earth where
I set a sandstone 40×30×10"
25" in the ground for 1/4 sec.
cor. marked 1/4 on N face and
raised a stone mound along
side.
.00 Wash drains S.E.
.50 Wash drains S.E.
.00 No trace of old corner set a
vulcanic rock 20×10×8" 15"
in the ground for cor. to secs.
1. 2. 35 & 36 marked with notch
on E and 5 on W edges and
raised a stone mound

Resurvey North boundary

Chain alongside.
Land rolling valley
Soil. Quite gravely
No timber.

West on true resurvey
betw. secs. 2 & 35.
Var. 17°15' E.

40.00 No trace of old cor. set a fa
stone 16×10×8" 12" in the grou
for 1/4 sec. cor. marked 1/4 o
N. face and raised a stone
mound alongside.
47.50 Wash drains S.E.
55.00 Wash drains S.E.
80.00 No trace of old cor. set a
sandstone 16×10×7" 12" i
the ground for cor. to sec
2. 3. 35 & 34 marked with
notches on E and 4 on W
edges and raised a stone
mound alongside.
Land rolling valley
Soil. Quite gravel.

BOOK-A-217

3 N. R 6

Chain No timb

West on
betw
Var

00 No trace o
rock 10×
for 1/4 sec
N. face a
stone mo
7.50 Wash dr
8.00 Wash d
10.00 End of
of old co
rock 1
groun
a (+) cro
Land.
Soil.
No tr

3 N. R 6 W. S.L.M.

No timber.

West on true resurvey line
betw. secs. 3 & 34
Var 18° 18' E.

No trace of old cor. set a vulc. rock 10×8×8" 6" in the ground for 1/4 sec cor. marked 1/4 on N. face and raised a stone mound alongside.

Wash drains S.E.

Wash drains N.E.

End of resurvey no trace of old cor. set a vulcanic rock 10×9×8" 6" in the ground marked with a (+) cross.

Laid. rolling valley
Soil. Quite rocky
No timber.

April 11 87

Survey North-bound

Tp 13 N. R 6 W. S. L.

General Descript

For general Descrip
see Subs. of this township

Edward W. Ko
W. S. dep sur

BOOK-A-2

S. SURVEYOR GENE

Salt Lake City,

The foregoing field
Northb

ownship No. 13 N

the Salt Lake Merid
Edward

Under Contract No.

ay of June
April

xamined, the necess

nade, the said field n

re hereby approved.

Ke

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *188 8.*

The foregoing field notes of the Re *survey of the* North boundary

ownship No. 13 N *Range No.* 6 W.

f the Salt Lake Meridian. Executed by Edward W. Roeber

Under Contract No. 143 *of the* 24th

day of June *1886, in the month of* April *1887, having been critically*

examined, the necessary corrections and explanations

made, the said field notes, and the surveys they describe

are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK

PORT:

ed Septem

amined by John

anscribed by Jer

mpared by Jennie

FIELD

F THE SU

Northbo

ownship No. N

ange No.

SALT LA

UTAH

AS

Edwar

U. S.

Under his C

Dated Jan

Survey commence

Survey Complete

3

BOOK-A-217

263

PORT:

ed September 10th, 1887.

amined by John C. Campe, Sept 14, 87.

nscribed by Jennie V. Bowman

mpared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

F THE SURVEY OF THE

Northboundary

OF

ownship No. 13 North

ange No. 6 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY.

AS SURVEYED BY

Edward W. Koeber

U. S. Deputy Surveyor,

Under his Contract No. 144

Dated June 24 1886

Survey commenced April 11 1887

Survey Completed " 11 1887

3 m Nchs 10 chs

35

5

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compass
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tame	Axeman.
C. C. Leavitt	Axeman.
	Flagman.

BOOK-A-217

Northbonna

Survey com
From the co
R. 6 and 7 W.
me unde
Gnm Ea
line to th
betw. secs
N. bonna
70 ch's. Wes
34 and 35 a
establis
Contract
this cor. a
the fallin
If there fo
cor. to tp
and m
A S
be

.00 Enter rok
.00 Wash d
.00 Set sa
in the gr
marke

North boundary T. 13 N R 6 W

Survey commenced Apr. 11 '87
From the cor. to tps. 13 & 14 N.
R. 6 & 7 W. reestablished by
me under Contract No. 143
Trim East on a random
line to the end of resurvey
betw. secs. 3 & 34 on the
N. boundary which is
70 chs. West of cor. to secs. 2. 3.
34 & 35 and which was re-
established by me under
Contract No. 143. I intersect
this cor. at 3 Miles 11,10 chs
the falling is 78 lks. North.
I therefore return to the
cor. to tps 13 & 14 N. R 6 & 7 W.
and run

S 89° 47' E. on true line
betw. secs. 6 & 31
Var. 17° 45' E.

.00 Enter rolling valley bears N E & S W.
.00 Wash drains S W.
.00 Set sandstone 12×10×8" 8"
in the ground for 1/4 sec. cor.
marked 1/4 on N face and

North-boundary Tp 13 6 W.

Chain raised a stone mound along side.

69.00 Ascend bears N E & S.W.

80.00 Set a sandstone 36 x 24 x 2 27" in the ground for cor. secs. 5. 6. 31 and 32 marked with 1 notch on W and 5 on E edges and raised a stone mound alongside

Laxed. rolling

Soil. 2 oats. rolling

No timber.

S 89° 47' E on true l[illegible] between secs. 5 and 32

Var. 17° 45' E

4.00 Ridge bears N & S.

9.00 fence posts bear S E & N.W. enter valley bear S E & N.

10.00 Road bears N.W. & S.E.

21.00 Road bears N.W. & S.E.

40.00 In hollow drains S.E. set trachyte 12 x 8 x 6" 8" in the ground for 1/4 sec cor.

BOOK-A-217

marked 1/4 o[illegible]
raised a[illegible]
alongside
Deep gul[illegible]
Road bea[illegible]
Hollow [illegible]
Ascend
At foot o[illegible]
set vulca[illegible]
8" 15" in th[illegible]
cor. to [illegible]
marked [illegible]
W and 4[illegible]
raised a[illegible]
alongs[illegible]
Laxed.
Soil. 1[illegible]
2[illegible]
No tim[illegible]
Dense [illegible]

6 W. S.L.M.

marked 1/4 on N face and raised a stone mound alongside.

75 Deep gully drains S.W.

02 Road bears N E & S.W.

00 Hollow drains S.

00 Ascend

00 At foot of vulcanic ledge set vulcanic rock 20 x 10 x 8" 15" in the ground for ~~...~~ cor. ~~to~~ secs. 4. 5. 32 and 33 marked with 2 notches on W and 4 on E edges and raised a stone mound alongside.

Lapsed. Rolling

Soil. 1st rate. Sandy loam

2nd rate gravel.

No timber.

Dense sagebrush

underground

BOOK-A-217

North-boundary Tp 13 N W

Chain	
	S 89° 47' E on true l[illegible] betw. secs. 4 & 33 Var 17° 45' E.
8.50	Top of volcanic ridge bears SE & NW. enter[illegible] Mountain top.
40.00	Sandstone cropping b[illegible] N & S. 2 ft above ground where I set a sandstone 20×6×6" 15" in the ground for 1/4 sec cor marked 1/4 on N face and raised a stone mound alon[illegible]
48.00	Watershed on Mount[illegible] top.
54.00	Gully drains N.
68.50	Road in pass bears NW & [illegible]
80.00	Set a burnt sandstone 10×10×8" 6" in the ground for cor to secs. 3. 4. 33 & 34 marked with 3 notches on E & W edges and raised a stone mound along. Layed. Mountainous Soil. Crate gravel

Notimber.

S 89° [illegible]
betw[illegible]
Va[illegible]
Enter vol[illegible]
bears N[illegible]
Intersec[illegible]
resurvey.
Land. [illegible]
Soil. [illegible]
Notimb[illegible]

General

For. ge[illegible]
see [illegible]
this tow[illegible]
Ea[illegible]

13 N.W. S.L.M.

Notimber.

S 89°47' E on true line
betw. secs. 3 and 34
Var. 17°45' E.
Enter rolling valley
bears N & S.W.
Intersect the Cor. of
resurvey.
Land. rolling
Soil Quat. gravel
Notimber.
April 11 87.

General Description

For general Description
see Subdivisions of
this township.

Edward W. Korber
U. S. dep sur.

BOOK-A-217

S. SURVEYOR GENER

Salt Lake City,

The foregoing field

Northb

wnship No. 13

the Salt Lake Meridi

Edwar

der Contract No.

y of

April

amined, the necessa

ade, the said field n

e hereby approved.

Th

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the — survey of the

Northboundary

wnship No. 13 N Range No. 6 W.

the Salt Lake Meridian. Executed by

Edward W. Roeber

nder Contract No. 144 of the 24

y of June 1886 in the month of

April 1887, having been critically

amined, the necessary corrections and explanations

ade, the said field notes, and the surveys they describe

re hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK A-2

PORT:

d September

mined by John H

nscribed by Jennie

pared by Jennie V. Bo

FIELD

OF THE SUR

Westbo

wnship No. 13

nge No. 6

SALT LAK

UTAH

AS S

Edwar

U. S. D

Under his Contra

ated

rvey commenced

rvey completed

BOOK A-2176

273

PORT:

d September 10th 1887.

mined by John H. Campe - Sept 14, 87.

nscribed by Jennie V. Bowman,

pared by Jennie V. Bowman & Kate Bowman.

FIELD NOTES

OF THE re SURVEY OF THE

Westboundary

OF

wnship No. 13 North

nge No. 6 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Roeber

U. S. Deputy Surveyor,

Under his Contract No. 143

ated June 24th 1886

rvey commenced April 9th 1887

rvey completed " 9th 1887

4 m 73 ch 00 lks

36.6

NAMES AND DUTIES OF ASSISTANT

Cyrus L. Johnson	Compass
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tame	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-217

Re Survey

Westboundary C

Surveycomm

From the com

R. 6 & 7 W. wh

by me used

From

South on

betw. sec

Var. 17

Enter rolling

Find traces

where I set a

13" in the grou

marked 1/4

dug pits 18

post 5 1/2

raised a m

1 1/2 ft high

post

Find rem

14" long. c

of some m

a sandstone

the grou

16.7 and 12

on N and

BOOK-A-217

Resurvey

Westboundary Tp. 13 N. R. 6 W.

Survey commenced April 9. 87 from the corner to tp. 13 & 14 N. R. 6 & 7 W. which was reestablished by me under this Contract & run

South on resurvey line betw. secs. 1 & 6
Var. 17° 45' E.

0 Enter rolling valley bears N & S.

0 Find traces of the old mound where I set a sandstone 19 x 12 x 8" 13" in the ground for 1/4 sec cor. marked 1/4 on W. face and dug pits 18 x 18 x 12" N & S. of post 5 1/2 ft diel. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

0 Find remains of the old post 14" long with slight traces of some marks when I set a sandstone 18 x 12 x 9" 12" in the ground for cor. to secs. 1. 6. 7 & 12 marked with 1 notch on N. and 5 on S. edges and

Resurvey

West Boundary Tp 13 6 W.

Chain raised a stone mound
alongside.
Land. rolling valley
Soil. 2 rate. gravely
No timber.

South on resurvey line
betw. secs. 7 & 12
Var 17°45' E
40.00 No trace of old cor. set a
limestone 18 x 12 x 10" 12
in the ground for 1/4 sec
marked 1/4 on W face a
pits 18 x 18 x 12" N & S. of
stone 5 1/2 ft dist and r
a mound of earth 1 1/2
high 3 1/2 ft base along
45.00 Wash brains S.W.
80.00 No trace of old corner.
Set a charred pine post
4 ft long 4" square 12" in
ground for cor. to secs.
13 & 18 marked with
T. 13. N. S. 7 on NE
R 6 W. S. 18 on SE
T. 13 N. S. 13 on SW.

BOOK-A-21

R. 7 W. S. 1
with 2 not
Edges di
in each se
raised a
2 ft high
around
Land.
Soil
No tr

South
betw
Var.
Find
1/4 S. lo
Trees
for 1/4 sec
x 12" N & S
and ra
earth 1
around
.00 Trail
.00 No tra

6 W. S.L.M.

R. 7 W. S. 12 on N W faces & with 2 notches on N and 4 on S edges dug pits 18 X 18 X 12" in each sec. 5½ ft dist. and raised a mound of earth 2 ft high 4½ ft base around post.
Land. rolling valley
Soil Trail gravely
No timber.

South on resurvey line
betw. secs. 13 and 18
Var. 17°45' E.

.00 Find the old post marked 1/4 S. laying down which I reset 12" in the ground for 1/4 sec. cor. dug pits 18 X 18 X 12" N & S. of post 5½ ft dist and raised a mound of earth 1½ ft high 3½ ft base around post.
.00 Trail bears N W & S E.
.00 No trace of old cor. set

Resurvey

West boundary Lp 1[illegible]6 W.

a charred post 4 ft long 4[illegible]
12" in the ground for cor. to
sect. 13. 18. 19 & 24 marked
T. 13 N. S 18 on N E.
R 6 W. S 19 " S E.
R 7 W. S 24 " S W
S. 13 " N. W. fa[illegible]
and with 3 notches on N[illegible]
edges, dug pits 18 x 18 x 12" [illegible]
Each sec. 5 1/2 ft dist. and
raised a mound of eart[illegible]
2 ft high 4 1/2 ft base around
post.
Land. Valley
Soil. Prate sandy l[illegible]
No timber.
Scattering sagebrush
undergrow[illegible]

BOOK-A-217

South on
betw. s
Var.
No trace of
post char
square 1
for 1/4 sec. c
W. face du
N & S. of post 5 1/2
raised a
1 1/2 ft hig
post.
No trace
pine po
12" in the
19. 24. 25
T. 13 N S
R 6 W S
R 7 W. S
S. 24 on
with H
2 on S.
x 18 x 12"
dist. an
of eart

6 N. S.L.M.

South on survey line
betw. secs. 19 & 24
Var. 10° 45' E.

At trace of old cor. set a pine post charred 3 ft long 3" square 12" in the ground for 1/4 sec. cor. marked 1/4 S on W. face dug pits 18 x 18 x 12" N & S. of post 5 1/2 ft. dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

At trace of old cor set a charred pine post 4 ft long 4" square 12" in the ground for cor. to secs 19. 24. 25 & 30 marked with
T. 13 N S 19 on NE
R 6 W S 30 " SE
R 7 W. S 25 " SW
S. 24 on N.W. faces and with Hy notches on N and W on S. edges dug pits 18 x 18 x 12" in each sec. 5 1/2 ft dist. and raised a mound of earth 2 ft high 4 1/2 ft

Survey.

West boundary Tp 13

Chain Case around post.
Land. Valley
Soil. 1 rate sandy lo
No timber.
Scattering sagebru
undergro

South on resurvey bi
betw. secs. 25 and 30
Var. 17° 45' E.

21.00 Wash drains S.E.
37.00 Wash drains S.W.
40.00 No trace of old cor. set a sandst
14 x 10 x 7' 9" in the grou
for 1/4 sec. cor. marked
on W face and raised
a stone mound alongs
73.00 End of resurvey no
trace of old cor. set a
post charred 3 ft long
3" square 12" in the grou
marked with a cross
Land. valley
Soil 1 rate sandy lo

BOOK-A-217

6 W.

No timb
Scatter
und

Genera

For gen
see Subs.

Ec

6 N. S.L.M.

No timber.
Scattering sagebrush
underwrowth
April 9. 87

General Description

For general Description
see Subs. of this township

Edward W. Korber
U. S. dep surv.

BOOK-A-217

SURVEYOR GENERAL

Salt Lake City, Uta

The foregoing field note

Veelbon

nship No. 13 N

he Salt Lake Meridian

N. Ro

der Contract No. 1

y of June

April

amined, the necessary

ade, the said field notes

e hereby approved.

Willia

U.

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the R4 survey of the

Westboundary

wnship No. 13 N Range No. 6 W.

he Salt Lake Meridian. Executed by Edward

W. Roeber

der Contract No. 143 of the 24th

y of June 1886 in the month of

April 1887, having been critically

amined, the necessary corrections and explanations

ade, the said field notes, and the surveys they describe

e hereby approved.

William G. Brunson

U. S. Surveyor General for Utah.

BOOK A-

ORT:

September

mined by John

scribed by Jem

pared by Jennie

FIELD

THE SUR

Westbom

nship No. 13

nge No. 6

SALT LAK

UTAH

AS S

Edward

U. S. De

Under his Con

ated Jm

rvey commenced

rvey Completed

Jm

BOOK A-217

285

ORT:

September 10th 1887

mined by John H. Campe Sept 14, 87.

nscribed by Jennie V. Bowman

pared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

T THE SURVEY OF THE

Westboundary

OF

wnship No. 13 North

nge No. 6 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY.

AS SURVEYED BY

Edward W. Koeber

U. S. Deputy Surveyor,

Under his Contract No. 144

ated June 24 1886

rvey commenced April 9 1887

rvey Completed April 9 1887

1 m 0 7 chs 96 lks

374

NAMES AND DUTIES OF ASSISTANT

Cyrus L. Johnson	Compass
William Carr	Chainma
J. V. Smith	Chainma
Fred Olsen	Chainma
H. M. Cromer	Chainma
A. J. Lane	Axeman.
C. C. Leavitt	Axeman.
	Flagman.

BOOK-A-217

Westbound

Survey com
From the end
secs. 25 and 30
of tp. which
tablished
Contract
which is
to secs. 19. 2
South on
betw. secs.
At 1 mile
sect. the c
~~A.~~ R 6 & 7
under th
from whe
N 0° 1
betw.
Var.
00 Gulch dra
00 Gulch dra
00 Set a sau
12" in the
cor, mar
and ra
mom

West boundary Tp. 13 N R 6 W.

Survey commenced Apr. 9 87
From the end of resurvey betw
secs. 25 and 30 on W. boundary
of tp. which cor. was rees-
tablished by me under
Contract No 143 and
which is 73. chs. S. of cor.
to secs. 19. 24. 25 & 30. Town
South on a random line
betw. secs. 25 & 30 and 31 & 36.
At 1 mile 7.96 chs. I inter-
sect the cor. ~~to secs. 12 & 13~~ ~~A.~~ R 6 & 7 W. 37 chs. East set by me
under this Contract,
from where Town A
N 0°15' E on true line
betw secs. 31 & 36
Var. 17°45' E.

00 Gulch draines N. W.
00 Gulch draines N E.
00 Set a sandstone 18 x 18 x 10
12 in the ground for 1/4 sec.
cor. marked 1/4 on W face
and raised a stone
mound alongside

BOOK-A-217

West Boundary Tp 1[illegible]6 W.

Chain
48.50 Top of ridge bears NE
80.00 Set a sandstone 24x1[illegible]
18" in the ground for
to secs. 25. 30. 31 & 36 ma[illegible]
with 5 notches on N & 1[illegible]
Sedges and raised [illegible]
stone mound alon[illegible]
Land. Rolling hills
Soil Quite rocky
No timber.

N 0° 15' E. on true bi[illegible]
betw. secs. 25 & 30
Var. 17° 45' E.

4.00 Enter valley
7.96 End of new survey b[illegible]
Ginning of old Surv[illegible]
Land valley
Soil. Quite. grav[illegible]
No timber.
April 9th 87

General

For ge[illegible]
See Subs of [illegible]

Ed[illegible]

W[illegible]

6 W. S.L.M.

General Descript.

For general Description see Subs of this township

Edward W. Koeber

W.S. dep surv.

. SURVEYOR GENERAL

Salt Lake City, Ut

The foregoing field no

Westbor

wnship No. 13 N

the Salt Lake Meridian

W. Ro

nder Contract No. 1

y of June

April

xamined, the necessary

ade, the said field not

re hereby approved.

Wil

, SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *188* 8.

The foregoing field notes of the ..... *survey of the*

Westboundary

wnship No. 13 N *Range No.* 5 W

the Salt Lake Meridian. Executed by Edward

W. Roeber.

nder Contract No. 144 *of the* 24th

y of June *188*6 *in the month of*

April *188*7, *having been critically*

xamined, the necessary corrections and explanations

ade, the said field notes, and the surveys they describe

re hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK-A-21

PORT:

d September

mined by John

nscribed by Jerr

pared by Emmet

FIELD

F THE Re SUR

Subdi

wnship No. 13

nge No. 6

SALT LAK

UTAH

AS

Edward

U. S.

Under his Co

Dated

urvey commenced

Survey Completed

20

BOOK-A-217 293

PORT;

d September 8th 1887.

mined by John H. Campe Sept 14, 87.

nscribed by Jennie V. Bowman

npared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

F THE Re SURVEY OF THE

Subdivisions

OF

wnship No. 13 North

nge No. 6 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY.

AS SURVEYED BY

Edward W. Koeber

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 24th 1886

Survey commenced April 13th 1887

Survey Completed April 16th 1887

20 m 05 hs 04 lks

38 15

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassm
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Lane	Axeman.
E. C. Leavitt	Axeman.
	Flagman.

BOOK-A-21

Resurv

ubdivisions

Survey commi
Not Knowin
the cor. to secs.
from the cor
on S. bonna
tablished
Contract
North be
Var.

000 Find remai
traces of mo
regulation

000 Find the
traces of
From ke
West
beteo
Va

4000 No trace
000 No trace
set a sa
12" in the
marked with
secs. 26.
a stone
In order

BOOK-A-217

Resurvey

Subdivisions Tp. 13 N. R 6 W.

Survey commenced April 13, 87
Not knowing where to look for the cor. to secs. 26. 27. 35 & 36 Trm from the cor. to secs. 35 and 36 on S. boundary of tp. rees-tablished by me under this Contract

North beteo. secs. 35 and 36
Var. 18° E.

000 Find remains of old post with traces of mound of earth and regulation pits.

000 Find the old mound and traces of pits.

From here Trm
West on true line
beteo. secs. 26 and 35
Var 18° E.

000 No trace of old cor.

000 No trace of old cor. where I set a sandstone 16 × 12 × 8" 12" in the ground for cor. to secs. 26. 27. 34 & 35 marked with 1 notch on S and 2 on E edges and raised a stone mound alongside. In order to satisfy myself

BOOK-A-217

Resurvey Subdivisions Tp. R 6 W.

Chs as to the correctness of this p
from North 5 miles to the c
to secs. 2 & 3 on the northbound
of tp. reestablished by me
under this Contract, whi
intersect at 5 Miles 22 lks
27 lks West. The differenc
being so small I adjust m
chain and instrument
to course and distance fo
and return to the cor. to sec
26. 27. 34 & 35 and run
South on survey line
betw. secs. 34 and 35
Var. 18° E.

Descend

9.00 Ravine drains S.E.
20.00 Ridge bears N.W. & S.E.
24.00 Gulch drains S.E.
31.00 Ridge bears N.W. & S.E.
40.00 On N. side of gulch set a
sandstone 16×10×6' 6" in
the ground for 1/4 sec cor.
marked 1/4 on W. face and
raised a stone mound

alongside
cor.
4.00 Gulch dr
7.00 Ridge b
8.00 Gulch dr
8.00 Ridge p
13.00 On N. sid
no trace
resurvey
Sandston
the grou
a cross (
Land
Soil.
No tr

From c
35 S
W E
b

Descend
12.00 Gulch
17.00 End

R C W. S L M.

alongside. No trace of old cor.

14.00 Gulch drains S.E.

17.00 Ridge bears N W & S.E.

18.00 Gulch drains S.E.

18.00 Ridge pt. N W & S.E.

13.00 On N. side of gulch dr. N.E. no trace of old cor. End of resurvey where I set a sandstone 26 x 12 x 10" 30" in the ground marked with a cross (+)

Land Rolling foothills

Soil. Quite gravely

No timber.

April 13th 87

From cor. to secs. 26. 27. 34 and 35 Town

West on true resurvey line betw. secs. 27 & 34

Var. 18° E.

Descend

12.00 Gulch drains S.E.

17.00 End of resurvey no trace

Resurvey Subdivision

Chain	of old cor. where I set a ca[illegible] 12×8×6" 8" in the ground marked with a (+) cross. Land rolling foothill. Soil 2" rate gravel. No timber.

North on resurvey line
betw. secs. 26 & 27
Var. 18° E.

	Descend
12.00	Enter rolling hollow heads N[illegible]
40.00	No trace of old cor. set a rub[illegible] rock 18×8×6" 12" in the grou[illegible] for 1/4 sec. cor. marked 1/4 on W[illegible] face and raised a stone mound alongside.
57.50	Wash drains S.E.
60.45	Wash drains S.E.
69.75	Wash drains S.E.
79.93	Wash drains S.E.
80.00	No trace of old cor. set a sandstone 12×7×7" 7" in the ground for cor. to secs. 22 2[illegible]

BOOK-A-217

13 N. R[illegible]

[illegible]	26 and 27 ma[illegible] on S and E[illegible] a stone mo[illegible] Land ro[illegible] Soil 2 [illegible] No tim[illegible]

West on t[illegible]
betw. [illegible]
Va[illegible]

[illegible].00	Wash dr[illegible]
[illegible].00	Wash d[illegible]
[illegible].00	Gully [illegible]
[illegible].00	No trac[illegible] resurvey [illegible] stone 1/4 [illegible] marke[illegible] Land [illegible] Soil 2[illegible] No tr[illegible]

13 N. R 6 W. S.L.M.

26 and 27 marked with 2 notches on S and E. Edges and raised 9 stone mound alongside
Land rolling
Soil 2nd rate Gravely
No timber.

West on true resurvey line
betw. secs. 22 and 27
Var. 18° E.
Wash drains S.E.
Wash drains S.E.
Gully drains S.E.
No trace of old Cor. End of resurvey where I set a sand stone 14×9×6' 9" in the ground marked with a cross (+)
Land rolling
Soil 2nd rate Gravely
No timber.

Resurvey Subdivision

Chain	North on resurvey line betw. secs. 22 & 23 Var. 18° E.
2.00	Ascend
8.50	Ridge bears N W & S E
22.00	Gulch drains E.
29.00	Ridge bears E & W.
40.00	No trace of old cor. set a sand stone 20×15×6" 15" in the ground for 1/4 sec. cor. marked 1/4 on [illegible] face and raised a stone mound along side.
52.00	Enter rolling valley
72.50	Wash drains S E.
80.00	No trace of old cor. set a limestone 20×12×6" 15" in the ground for cor to secs. 14 15 22 & 23 marked with 3 notches on S. and 2 on E edges and raised a stone mound along side.
	Laid valley and foothills
	Soil. 2 rate gravely
	No timber.

BOOK-A-21

B. H. R[illegible]

Chain	West on tru[illegible] betw. se[illegible] Var. [illegible]
[illegible]0	Wash dra[illegible]
[illegible].00	No trace [illegible] sandstone [illegible] the ground [illegible] marked [illegible] raised [illegible] along s[illegible]
[illegible]8.00	Leave r[illegible]
[illegible]3.00	No trac[illegible] resurvey [illegible] 14×9×6" [illegible] marked [illegible]
	Laid [illegible]
	Soil. [illegible]
	No t[illegible]

B. N. R. 6 W. S. L. M.

West on true resurvey line
betw. secs. 15 & 22
Var. 18° E.

Wash drains S.E.

No trace of old cor. set a
sandstone 10×10×8" 6" in
the ground for 1/4 sec. cor.
marked 1/4 on N face and
raised a stone mound
along side.

Leave rolling valley

No trace of old cor. End of
resurvey set a sandstone
14×9×9" 9" in the ground
marked with a cross (+).

Land. Rolling
Soil. Quite. Gravely
No timber.

Resurvey Subdivision

Chain	North on resurvey line betw. secs. 14 and 15 Var. 18° E.
40.00	Find an old mound of ea with traces of two pits N & S of same where I set a Cabb 12 × 8 × 5' 8" in the ground for 1/4 sec cor. marked 1/4 on W f dug pits 18 × 18 × 12" N & S. of st 5 1/2 ft distant and raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside.
80.00	Find a pieces of an old p 14 ins. long laying on a mo of earth, no marks visib on the post. where I set a vulcanic rock 8 × 8 × 8" 6" in the ground for cor to sec 10. 11. 14 and 15 marked with 4 notches on S and 2 on E ea dug pit 18 × 18 × 12" in each sec. 5 1/2 ft dist. and raised a mound of earth 2 1/2 ft high 4 ft base alongside. Land. rolling valley

BOOK-A-217

13 N. R

	Soil. 2nd
	No timber
	West on th betw. Var
0.00	No trace sandstone in the gro marked raised a alongs
8.00	End of of old cor 10 × 10 × 8 marked Land. Soil. No trim

T. 13 N. R. 6 W. S.L.M.

Soil. 2nd rate, gravely
No timber.

West on true survey line
betw. secs. 10 and 15.
Var. 18° E.

.00 No trace of old cor. set a
sandstone 16×10×10" 12"
in the ground for 1/4 sec. cor.
marked 1/4 on N. face and
raised a stone mound
alongside.

8.00 End of old survey no trace
of old cor. set a sandstone
10×10×8" 6" in the ground
marked with a cross (+) and
Land. Rolling Valley
Soil. 2 rate gravelly
No timber.

Resurvey Subdivisi

Chain North on resurvey line
betw. secs. 10 and 11
Var 18° E.

40.00 No trace of old cor. set a
vulcanic rock 10×10×6"
in the ground for 1/4 sec
marked 1/4 on W. face and
dug pits 18×18×12 N & S
of stone 5 1/2 ft dist. and
raised a mound of ea
1 1/2 ft high 3 1/2 ft base
alongside.

80.00 No trace of old cor. set a
Cobble 10×8×7"6" in the
ground for cor to secs. 2.3.
10 and 11 marked with 5
notches on S and 2 on
edges and raised a stone
mound alongside.
Land. Rolling valley
Soil 2 rate Gravelly
No timber.

BOOK-A-217.

B.M. 1

West on tr
betw
Var

00 On foot of
SW no tr
a sandsto
the grou
marked
raised
alongs

00 No trac
of resu
9×9×7
marke
Land
Soil
No tr

B. N. R. 6 W. S. L. M.

Rect on true resurvey line
betw. secs. 3 & 10
Var 18° E.

.00 On foot of hill bears N W & S W no trace of old cor. Set a sandstone 12 x 10 x 6" 8" in the ground for 1/4 sec cor. marked 1/4 on N face and raised a stone mound alongside

.00 No trace of old cor. End of resurvey set a Cobble 9 x 9 x 7" 6" in the ground marked with a cross (+)

Land. Rolling
Soil Grate, Gravely
No timber.

Re Survey Sub division

Chain North on reservoy random line
betw. secs. 2 & 3
Var 18° E.

40.00 Set temp 1/4 sec Cor. No tr
of old cor.

79.90 Intersect cor. to secs. 2 & 3
N. boundary of the township
re established by me under
this Contract from where
am

South on true line
betw. secs. 2 & 3
with same var.

26.00 Road bears NW & SE.

39.90 Set Cubble 10 x 8 x 7" 6" in
Ground for 1/4 sec cor. mar
1/4 on W. face and dug pits
18 x 18 x 12" N & S. of stone 5
ft. dist. and raised a mou
of earth 1 1/2 ft high 3 1/2 ft base
alongside.

67.10 Road bears NW & SE.

79.90 The cor to secs. 2. 3. 10 & 11.
Land. Rolling Valley
Soil Grate gravely. April 14
no timber.

13 N. R

From the cor. to
boundary of
by me under
East
betw.
Va

No trace of o
post 3 ft lon
ground fo
on N. face
W. of post
a mound
3 1/2 ft. base

No trace of
4 ft long 4"
for cor. to sec
with 5 not
with T. 13
R 6
S. 30
S 19
pits 18 x
and rais
high 4 1/2
Land.

13 N. R 6 W. S. L. M.

From the cor. to secs. 19 & 30 on West boundary of township reestablished by me under this Contract Town

East on true resurvey line
betw. secs. 19 and 30
Var 17° 45' E

No trace of old cor. set a charred post 3 ft long 3" square 12" in the ground for 1/4 sec cor. marked 1/4 S. on N. face dug pits 18 x 18 x 12" E & W. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high and 3 1/2 ft. base around post

No trace of old cor. set a charred post 4 ft long 4" square 12" in the ground for cor. to secs. 19. 20. 29 and 30 marked with 5 notches on E. and 2 on S. edges with T. 13 N. S. 20 on N.E.
R 6 W. S. 29 on S.E.
S. 30 on S.W.
S 19 on N.W. faces dug pits 18 x 18 x 12 in each sec. 5 1/2 ft dist. and raised a mound of earth 2 ft. high 4 1/2 ft base around post.
Land rolling valley.

Resurvey Sub divisi

Chain Soil 1 rate sandy loam
No timber.
Scattering artemisia
undergrowth

South on resurvey line
betw. secs. 29 & 30
Var 17° 45' E.

40.00 No trace of old cor. set a charred post 3 ft long 3" square 12" in the ground for 1/4 sec. cor. marked 1/4 S on W. face and dug pits 18×18×12" N & S. of post 5 1/2 ft dis and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post

65.00 End of old resurvey no trace of old cor. set a charred stake 3 ft long 3" square 12" in the ground marked with a cross (+)
Land. Rolling valley
Soil 1 rate sandy loam
No timber.
Scattering artemisia
undergrowth

13 N. R 6

BOOK-A-21

From cor te

East on
betw.
Var.
gentle ac
No trace of
stone 12×
for 1/4 sec. co
face and
mound
End of ol
of the old c
16×12×7" 12"
with a cro
Land. ro
Soil. 2 r
No timb

13 N. R 6 W. S. L. M. 309

BOOK-A-217

From cor to secs 19, 20, 29 & 30 I run

East on true resurvey line
betw. secs. 20 and 29
Var. 17° 45' E.

gentle ascend

No trace of old cor. set a sand-stone 12×10×8" 8" in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside -

End of old survey, no trace of the old cor. set a limestone 16×12×7" 12" in the ground marked with a cross (+).

Land. rolling valley

Soil. 2 rate gravelly

No timber.

Resurvey Subdivision

Chain	
	North on resurvey line betw. secs. 19 & 20 Var. 17°45' E.
38.00	Wash drains N.W.
40.00	No trace of old cor. set a charred p[illegible] 3 ft long 3" square 12" in the grou[illegible] for 1/4 sec. cor. marked 1/4 S on W fa[illegible] dug pits 18×18×12" N & S. of post [illegible] ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base arou[illegible] post.
80.00	Set a charred post 4 ft long 4" sq[illegible] 12" in the ground for cor. to secs. 1[illegible] 19 & 20 marked with T. 13 N S. 17 on N.E. R. 6 W. S 20 on S.E. S 19 on S.W. S 18 on N.W. faces and with 3 [illegible] on S and 5 on E edges, dug pits 18×18×12" in each sec. 5 1/2 ft dis[illegible] and raised a mound of earth 2 ft high 4 1/2 ft base around post. Land rolling Valley Soil Grate gravely

BOOK-A-21

13 N. R

No timber

West on [illegible]
betw
Var

00 No trace of o[illegible]
cor.
09 Intersect [illegible]
at cor. to se[illegible]
by mean[illegible]
from whe[illegible]
East o[illegible]
betw. [illegible]
00 Trail N.W. with
09 Set a line
the ground
1/4 on N fa[illegible]
mound
00 Wash dr[illegible]
09 The cor. [illegible]
Land. [illegible]
Soil. [illegible]
No tim[illegible]
Scattering

13 N. R 6 W. S.L.M.

No timber.

West on random resurvey line
betw. secs. 18 and 19
Var. 17° 45' E.

00 No trace of old cor. set temp 1/4 sec. cor.

09 Intersect W. boundary of tp. at cor. to secs. 18 and 19 reestablished by me under this Contract from where Town
East on true line
betw. secs. 18 and 19
with same var.

00 Trail N.W. + S.E.

09 Set a limestone 24×10×6" 18" in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

00 Wash drains N.W.

09 The cor. to secs. 17. 18. 19 and 20.
Land, rolling valley
Soil. Wrate. sandy loam
No timber.
Scattering sagebrush undergrowth

Resurvey Subdivision

Chain	
	East on true resurvey line betw. secs. 17 and 20. Var. 17° 45' E.
40.00	No trace of old cor. set a sa[illegible] 18×12×6" 12" in the ground f[illegible] 1/4 sec. cor. marked 1/4 on N. fa[illegible] and raised a stone mom[illegible] alongside.
64.00	End of old survey no tra[illegible] of cor. set a lime stone 16×1[illegible] 8×10" 12" in the ground mark[illegible] with a cross (+). Land. rolling Valley Soil Rate sandy loam No timber.

BOOK-A-217

B. N. R[illegible]

	North on [illegible] betw. s[illegible] Var. [illegible]
[illegible]0	No trace of [illegible] 22×18×6" [illegible] 1/4 sec. cor. ma[illegible] and raised [illegible] alongside [illegible]
[illegible]0	No trace [illegible] stone 14×1[illegible] for cor to se[illegible] with 4 not[illegible] Edges and [illegible] alongside [illegible] Land. r[illegible] Soil [illegible] No tim[illegible] Scatter[illegible] [illegible]

13 N. R 6 W. S.L.M.

North on resurvey line
betw. secs. 17 & 18
Var. 17° 45' E.

No trace of old cor. set a limestone
22×18×6" 18" in the ground for
1/4 sec. cor. marked 1/4 on W face
and raised a stone mound
alongside

No trace of old cor. set a lime=
stone 14×12×6" 9" in the ground
for cor to secs. 7. 8. 17 & 18 marked
with 4 notches on S and 5 on E.
Edges and raised a stone mound
alongside.

Land. rolling valley
Soil loam. sandy loam
No timber.
Scattering artemisia
undergrowth.

Resurvey Sub division

Chain	
	West on resurvey random line betw. secs. 7 and 18 Var. 17°45' E.
40.00	Set temp 1/4 sec. cor. no trace of old cor.
80.00	Intersect W. boundary of [illegible] at cor. to secs. 7 and 18 reestablished by me under this Contract from where I run
	East on true line betw. secs. 7 and 18 with same var.
40.00	Set a sandstone 19×12×7" [illegible] in the ground for 1/4 sec cor marked 1/4 on W face and raised a stone mound along side.
80.00	The cor. to secs. 7. 8. 17 and 18 Land. Rolling valley Soil 1 mile sandy loam No timber. Scattering sagebrush Undergrowth

13 N. R

	East on true [illegible] betw. secs. [illegible] Var 17[illegible]
[illegible]	No trace of o[illegible] 20×10×7" 15" [illegible] 1/4 sec cor. m[illegible] and raised [illegible] alongside [illegible]
[illegible]	End of old [illegible] of old cor. [illegible] 16×10×7" 12 [illegible] marked w[illegible] Land. R[illegible] Soil. Lo[illegible] No timbe[illegible]
	North on [illegible] betw. s[illegible] Var. 1[illegible]
[illegible]	Wash dra[illegible]
[illegible]	Wash dra[illegible]
[illegible]	No trace of [illegible] 16×10×8" 12 [illegible] sec. cor. m[illegible]

T. 13 N. R. 6 W. S.L.M.

East on true survey line
betw. secs. 8 & 17
Var. 17° 45' E.

00 Notice of old cor. set a sandstone
20×10×7'/5" in the ground for
1/4 sec cor. marked 1/4 on N face
and mined a stone mound
alongside.

00 End of old survey notice
of old cor. set a sandstone
16×10×7'/12" in the ground &
marked with a cross (+)
Lay'd. Rolling Valley
Soil. Loam & gravel.
No timber.

North on survey line
betw. secs. 7 & 8
Var. 17° 45' E.

00 Wash drains S.W.

00 Wash drains S.E.

00 Notice of old cor. set a sandstone
16×10×8'/12" in the ground for 1/4
sec. cor. marked 1/4 on W. face

Resurvey Subdivisio

Chain and raised a stone mound
alongside.
80.00 No trace of old cor. set a sa
stone 16×12×10" 12" in the gro
for cor. to secs. 5.6.7 and 8 m
with 5 notches on S and E edg
and raised a stone mound
alongside.
Land rolling valley
Soil 1 rate. sandy loam
No timber.
Scattering sagebrush
undergrowth.

West on resurvey random li
betw. secs. 6 and 7
Var 17° 45' E.
40.00 No trace of old cor. set temp
1/4 sec. cor.
80.05 Intersect W. boundary a
cor. to secs. 6 and 7 re-established
by me under this Contract
from where S run
East on true line

13 N. R

betw. secs.
with sam
set a limes
in the grou
marked
raised a st
side.
The cor. to s
land. Rol
Soil 1 rate
No timbe
Scattering
m

East on t
betw. se
Var 1
No trace
stone 29×
for 1/4 sec.
N face a
mound
End of
trace of ol

13 N. R 6 W. S L. M.

betw. secs. 6 & 7
with same var.
Set a limestone 14×10×9" 9"
in the ground for 1/4 sec cor.
marked 1/4 on N face and
raised a stone mound along
side.
The cor. to secs. 5. 6. 7 & 8.
Land. Rolling valley
Soil 1 rate. Sandy loam
No timber.
Scattering sagebrush
undergrowth.
April. 15 87

Cast on true recurvey line
betw. secs. 5 and 8
Var 17° 45' E.
No trace of old cor set a sand-
stone 29×10×10' 20" in the ground
for 1/4 sec. cor. marked 1/4 on
N face and raised a stone
mound alongside.
End of old recurvey, No
trace of old cor. set a sandstone

Resurvey Sub division

Chain 12 x 9 x 6½ 7" in the ground
marked with a cross (+)
Land, rolling valley
Soil 2 rate. Gravelly
No timber!

North on true resurvey
betw. secs. 5 and 6.
Var 17° 45' E.

34.00 End of resurvey no trace
of old cor. set a sandstone
18 x 12 x 6" 12" in the ground
marked with a cross (+)
Land. Rolling valley
Soil 2 rate. Gravelly
No timber!

Scattering artemisia
undergrowth
April 16. 87

BOOK-A-217

3 N. R 6

Genera

The land
this Contra
of rolling
with Sca
undergro
no livi
same. O

T. 3 N. R. 6 W. G. & S. L. M.

General Description

The lands resurveyed under this Contract consist mostly of rolling valleys covered with scattering artemisia undergrowth. There is no living water on same.

Edward W. Korber
U. S. Dep. Surv.

BOOK-A-217

S. SURVEYOR GENERA

Salt Lake City, Ut

The foregoing field no

Subdivi

ownship No. 13 *S.*

the Salt Lake Meridian

Edward W.

Under Contract No. 14

ay of June

April

xamined, the necessary

nade, the said field notes

re hereby approved.

Ch

U.

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the Re survey of the Subdivisions

Township No. 13 N. Range No. 6 W.

of the Salt Lake Meridian. Executed by Edward W. Roeber

under Contract No. 143 of the 24 day of June 1886 in the month of April 1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

William G. Bowman
U. S. Surveyor General for Utah.

BOOK-A

EPORT:

iled Septemb

xamined by John

ranscribed by Jen

ompared by Jennie

FIEL

OF THE SU

Sub

ownship No. 1

ange No. 6

SALT LA

UTA

AS

Edwa

U. S.

Under his Contr

Dated Jan

Survey commence

Survey completed

23rd

BOOK-A-2179

REPORT:

Filed September 8th 1887.

Examined by John H. Campe. Sept 16th 87.

Transcribed by Jennie T. Bowman.

Compared by Jennie T. Bowman & Lola Bowman

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 13 North

Range No. 6 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Forbes

U. S. Deputy Surveyor,

Under his Contract No. 144

Dated June 24th 1886

Survey commenced April 16th 1887

Survey completed April 21st 1887

23 ch 7 lks 35 lks

39.18

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassm
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tance	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-21

Subdivision

Survey comm
From the cor.
boundary
under the
North
Va

Ascend
Top of ridg
Set a sand
the ground
1/4 on W fac
stone mon
Gulch dr
Set a lim
15" in the
secs 27. 28.
with 1 not
edges an
mound
Land.
Soil.
Timber

STANTS
mpassm
ainman
ainman
ainman
ainman
eman
eman
gman

Subdivisions Tp. 13 N. R 6 W.

Survey commenced April 16th 87
From the cor. to secs. 33 & 34 on the S.
boundary of tp. set by me
under this Contract Form
North betw. secs. 33 and 34
Var. 17° 40' E.

Ascend
Top of ridge bears N E & S.W.
Set a sandstone 20×10×7" 15" in
the ground for 1/4 sec. cor. marked
1/4 on W face and raised a
stone mound alongside.
Gulch drains S.E.
Set a limestone 20×11×9"
15" in the ground for cor. to
secs. 27. 28. 33 & 34 marked
with 1 notch on S. and 3 on E.
Edges and raised a stone
mound alongside
Land. Mountains
Soil. 2 rate gravely
Timber. scell. cedars.

Subdivisions Tp 13

Chain	
	East on random line betw. secs. 27 and 34 Var. 17° 40' E.
40.00	Set temp 1/4 sec. cor.
63.20	Intersect End of resurvey lks. S. to the cor. reestablish by me under Contract do from which Sorm S 89° 50' W on true line betw. secs. 27 and 34 with same var.
17.00	End of resurvey, beginning of new.
40.10	On ridge bears N W & S.E. a sandstone 12×9×6" 8' in the ground for 1/4 sec cor. marked 1/4 on N face raised a stone mound alongside.
58.00	Gulch drains S.E.
76.00	Ridge bears N W & S.E.
80.20	The cor. to secs. 27. 28. 33 & Land. Mountains Soil. Drate gravely No timber.

R 6 W

Chain	
	North be Var
00	Ridge be
00	Gulch dr
00	Gulch d
00	Ridge b
00	Set a sa 12" in the g cor. mar and ra alongs
00	Gulch d
00	Ridge
00	Set sa 12" in the to secs. 2 with 2 n 3 on E. a stone Land. Soil. Timber.

R 6 West. S.L.M.

North betw. secs. 27 and 28
Var. 17° 40' E.
00 Ridge bears E & W.
00 Gulch drains S.E.
00 Gulch drains S.E.
00 Ridge bears NW & S.E.
00 Set a sandstone 17×10×6"
12" in the ground for 1/4 sec.
cor. marked 1/4 on W. face
and raised a stone mound
alongside.
8.00 Gulch drains S.E.
.00 Ridge bears NW & S.E.
.00 Set sandstone 16×10×5"
12" in the ground for cor.
to secs. 21. 22. 27 & 28. marked
with 2 notches on S. and
3 on E. edges and raised
a stone mound alongside.
Land. Mountains
Soil. 2 rate gravely
Timber. few scrub cedars

Subdivisions Sp 13 No 6 W.

Chain	
	East on random line betw. secs. 22 & 27 Var. 17° 40' E.
40.00	Set temp 1/4 sec cor.
45.20	Intersect end of resurvey lks S. of cor. reestablished by me under Contract No 1 from where Town S. 89° 51' W on true b betw. secs. 22 & 27 with same var.
35.00	End of resurvey, beginning new survey
40.10	Set sandstone 12×10×10" 8 in the ground for 1/4 sec marked 1/4 on N face and raised a stone mound alongside.
60.00	Ridge pt. bears N.W.
78.00	Gulch drains S.E.
80.20	The cor. to secs. 21. 22. 27 & 28 Land. Mountains Soil. 2nd rate. gravely No timber.

BOOK-A-21

North
Va
Gulch dra
Ridge bea
Gulch dra
Set sands
the ground
1/4 on W fac
Stone mo
Ridge be
Gulch dr
Ridge be
where I set
8" in the g
15. 16. 21 &
notches o
raised a
alongsi
Land.
Soil. 2n
No trim

6 W. S.L.M.

North bet. sec. 21 & 22
Var. 17° 40' E.

00 Gulch drains S.E.
00 Ridge bears E & W.
00 Gulch drains E.
00 Set sandstone 15 x 8 x 7" 10" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside
00 Ridge bears E & W.
00 Gulch ~~dra~~ E
00 Ridge bears NE & S.W.
where I set a sandstone 12 x 12 x 5" 8" in the ground for cor. to sec. 15. 16. 21 & 22 marked with 3 notches on S and E edges and raised a stone mound alongside.
Rugged Mountains
Soil. Rocky. Gravelly
No timber.

Sub-divisions T 13 N R 6 Ms

Chain	
	East on random line betw. secs. 15 and 22 Var. 17° 40' E.
17.14	Intersect end of resurvey 7 lks S. of cor. reestablished by me under Contract No 143 from where I ran S. 89° 36' W on true line betw. secs. 15 and 22 with same var.
63.00	End of resurvey, beginning of new survey
80.14	The cor. to secs. 15. 16. 21 & 22 Land. Mountains Soil. Quite gravely No timber.

Chain	
	North ... Var ...
75	Wash in ...
00	Set a ... in the gro... marked ... raised ...
00	Gulch ...
00	Ridge ...
00	Ridge ...
	I set a ... 9" in the ... to secs. ... with 4 ... 3 on E ... a stone ... Land. ... Soil. ... No tim...

13 N R 6 West. S. L. M.

North betw. secs. 15 & 16
Var. 17° 40' E.

.75 Wash in hollow chains E.
.00 set a sandstone 15 x 8 x 7" 10"
in the ground for 1/4 sec cor.
marked 1/4 on W face and
raised a stone mound alongside
.00 Gulch chains S.E.
.00 Ridge brass N.E. & N.W.
.00 Ridge brass S.W. & S.E. where
I set a sandstone 14 x 10 x 6"
9" in the ground for cor.
to secs. 9, 10, 15 & 16. marked
with 4 notches on S and
3 on E edges and raised
a stone mound alongside.
Legend. Mountains
Soil. Rocky. Gravely
No timber.

Subdivisions Tp 13

Chain	
	East on random line betw. secs. 10 & 15 Var. 17°40' E.
32.19	Intersect the end of resurv 10 lks N. of cor. reestablished by me under Contract from where Town N 89°49' W on true line betw. secs. 10 & 15 with same var.
48.00	End of resurvey begin of new survey
54.00	Leave rolling valley
80.19	Ridge bears N W & S E. the cor. to secs. 9. 10. 15 & 16. Land. rolling Soil. 2 rate. gravely No timber. April 16

6 West

	North b Var
00	Gully d
00	Low ridge
00	Set a sand in the gro marked raised alongs
2.00	Head of
00	Hollow d
00	Ridge be
00	Hollow d
00	Set a sa 12" in the to secs. 3 with 5 notch edges and mound Land. Soil. No tim

Mdl. S.L.M.

North betw. secs. 9 and 10
Var. 17°40' E

00 Gully draines E.
00 Low ridge bears NE & SW.
00 Set a sandstone 16×10×6"×12"
in the ground for 1/4 sec cor.
marked 1/4 on W. face and
raised a stone mound
alongside.
.00 Head of hollow draines N.E.
.00 Hollow draines E.
.00 Ridge bears E & W.
.00 Hollow draines E.
.00 Set a sandstone 18×10×6"×
12" in the ground for cor.
to secs. 3. 4. 9 and 10. marked
with 5 notches on S. and 3 on E.
edges and raised a stone
mound alongside.
Land. Rolling foothills
Soil. Loam. Gravely
No timber.

Subdivisions Tp 131

Chain	
	East on random line betw. secs. 3 & 10. Var. 17°40' E.
25.10	Intersect end of resurvey [illegible] N of cor. to established by [illegible] under Contract No 143. from where Town
	N 89°51' W on true [illegible] betw. secs. 3 & 10 with same var.
55.00	End of resurvey beginning of new survey
80.10	The cor. to secs. 3. 4. 9 & 10. Land. Rolling foothills Soil. Quite. Gravely No timber.

BOOK-A-217

R 6 Wes

	North [illegible] betw. [illegible] Var.
00	Set temp
36	Intersec [illegible] lks W of [illegible] set by me [illegible] No 144 [illegible] S. 0° [illegible] betw. [illegible] with
00	Gulch d[illegible]
36	Sets sa[illegible] 12" in the [illegible] raised [illegible] alongs[illegible]
36	The cor. to [illegible] Land. [illegible] Soil. [illegible] No tim[illegible]

R 6 West — S. L. M.

North on random line
betw. secs. 3 and 4
Var. 17° 40' E.

00 Set temp 1/4 sec. cor.

36 Intersect N. boundary 21
lks W of cor. to secs. 3 and 4
set by me under Contract
No 144 from where Town
S. 0° 9' W. on true line
betw. secs. 3 and 4
with same var.

00 Gulch drains W. Road in same.

36 Set a sandstone 16×10×6"
12" in the ground for 1/4 sec. cor.
marked 1/4 on W. face and
raised a stone mound
alongside.

36 The cor. to secs. 3. 4. 9 and 10.
Land. rolling hills
Soil. Drate gravely
No timber.

Subdivisions Tp 13 No

Chain From the cor. to secs. 32 & 33
on S. boundary of town
set by me under this Co
Town
North betw. secs. 32 & 33
Var. 17° 40' E.
20.00 S.W. pt. of ridge
40.00 In gulch set a sandstone
14×10×8' 9" in the ground
1/4 sec. cor. marked 1/4 on
face and raised a stone
mound alongside.
68.00 Ridge bears SW & NE.
80.00 Set a sandstone 14×10×7
in the ground for cor. to
secs. 28. 29. 32 & 33 mark
with 1 notch on S and 4 on
edges and raised a stone
mound alongside.
Land. Rolling foot
Soil 2 rate rocky
Timber. scattering
scrub cedar

BOOK-A-21

6 West

East on
betw. s
Va
Set temp 1/4
Intersect
of cor. to secs.
which Tow
N. 8
betw.
with
Gulch dr
On ridge b
a sandsto
ground
1/4 on N fa
stone mor
Gulch dr
Ridge b
Gulch d
The cor. to
Land.
Soil. 2
Timber.

6 West — S.L.M.

East on random line
betw. secs. 28 and 33
Var. 17°40' E.

00 Set temp 1/4 sec. cor.
24 Intersect N & S. line 21 lks N.
of cor. to secs. 27. 28. 33 & 34 from
which Town
N. 89° 51' W. on true line
betw. secs. 28 and 33
with same var.
00 Gulch drains S.E.
12 On ridge bears N.E. & S.W. set
a sandstone 12×10×8" 8" in the
ground for 1/4 sec cor. marked
1/4 on N face and raised a
stone mound alongside.
00 Gulch drains N.
00 Ridge bears N & S.
00 Gulch drains N.W.
24 The cor. to secs. 28. 29. 32 & 33
Land. Mountains
Soil. Trute. gravely
Timber. scattering cedars

Sub-divisions Tp 13 [illegible] 6 West.

Claim North betw. secs. 28 & 29
Var. 17° 40' E.

7.00 Gulch drains S.W.

31.00 Ridge bears N.W. S.W. & S.

40.00 Set a sandstone 14 x 9 x 6"
in the ground for 1/4 sec.
marked 1/4 on W. face and
raised a stone mound
alongside.

57.00 Gulch drains N.W.

80.00 Set a limestone 14 x 10 x 10
in the ground for cor. to
secs. 20. 21. 28 & 29 marked
with 2 notches on S and
E edges and raised a st
mound alongside.

Land Mountains

Soil. 2 rate. rocky.

Timber. scattering ced

April 18 8

BOOK-A-217

Claim East on [illegible]
betw. s[illegible]
Var. [illegible]

[illegible]00 Set temp[illegible]

[illegible]95 Intersect[illegible]
N. of cor. to
28. from [illegible]
N 89°
betw[illegible]
W[illegible]

[illegible]00 Ridge bear[illegible]

[illegible]00 Gulch dr[illegible]

[illegible]98 Set sand[illegible]
the ground
marked [illegible]
raised a s[illegible]

[illegible]00 Ridge bea[illegible]

[illegible]00 Gulch dr[illegible]

[illegible]00 Ridge bears

[illegible]95 The cor. to
Land. [illegible]
Soil. [illegible]
Timber

6 Mrst. S.L.M.

Each on random line
betw. secs. 21 & 28
Var. 17° 40' E.

00 Set temp 1/4 sec cor.
95 Intersect N & S. line 27 lks
N. of cor. to secs. 21. 22. 27 and
28. from where I run
N 89° 48' W on true line
betw. secs. 21 & 28
with same var.

00 Ridge bears N. W & S E.
00 Gulch drains S.E.
98 Set sandstone 16×10×8" 12" in
the ground for 1/4 sec cor.
marked 1/4 on N face and
raised a stone mound alongside
00 Ridge bears N, S & N E.
00 Gulch drains N.W.
00 Ridge bears N W & S E
95 The cor. to secs. 21. 20. 29 & 28 ✓
Land. Mountains
Soil. Irate. Gravely
Timber. scattering cedars.

Subdivisions Lp 13 N

Chain	
	North betw. secs. 20 & 2
	Var. 17°40' E.
4.00	Ridge bears N W & S E.
22.00	Gulch drains N. W.
40.00	Set sandstone 20×10×6" 1 in the ground for 1/4 sec. cor. marked 1/4 on W fac and raised a stone mou alongside.
42.00	Enter valley bears N E &
58.00	Ascend along W. slope of ridge.
80.00	Set limestone 18×12×7 12" in the ground for cor to secs. 16. 17. 20 & 21 marked with 3 notches on S and 4 on E edges and raised a stone mound alongs Land. Rolling W. Slop Soil. 3 rate rocky No timber.

6 West.

	East on betw. Var
00	Set temp
40	Intersec N. of cor. to from wh N 89° bete with
20	Set a bur 24×12×10 for 1/4 sec. on N fac Stone m side
00	Gulch
00	Ridge descend.
40	The cor. t Land. Soil. Timber

6 West. S. L. M.

East on run down line
betw. secs. 16 & 21.
Var 17° 40' E.

00 Set temp 1/4 sec cor.
40 Intersect N & S. line 29 lks
N. of cor. to secs. 15. 16. 21 and 22
from which I run
N 89° 48' W on true line
betw. secs. 16 and 21
with same var.
20 Set a burnt sandstone
24 x 12 x 10' 18" in the ground
for 1/4 sec. cor. marked 1/4
on N face and raised a
stone mound along
side
00 Gulch drains N. E.
00 Ridge bears N & S. steep
descend.
40 The cor. to secs. 16. 17. 20 and 21
Land. Mountains
Soil. Mate gravely & rocky
Timber. few c.c dars.

Sub divisions Tp 18 [illegible] R 6

Chain	North betw secs. 16 and 17 Var. 17° 40' E.
	Along steep W. slope of ridge
40.00	Set sandstone 22×10×10" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside
70.00	Enter valley
73.00	Leave same
80.00	Set sandstone 20×10×5 15" in the ground for cor to secs. 8. 9. 16 and 17 marked with 4 notches on S and 4 E edges and raised a stone mound alongside
	Land. W. slope.
	Soil. Quite rocky.
	Timber. few scrub ceda

BOOK-A-2

Chain	East
	bi
	[illegible]
0.00	Set ter
0.27	Intersec
	lks N. of
	and 16 fr
	N.
	bi
	w
8.00	Gulch
0.14	Set a s
	13" in the
	Cor. m
	and r
	mound
4.00	Ridge
	Steep
0.27	The cor
	Land
	Soil.
	No

18 th. R 6 West. S.L.M.

laid	East on random line between secs. 9 & 16. Var. 17° 40' E.
0.00	Set temp 1/4 sec cor.
0.27	Intersect N & S. line 25 lks N. of cor. to secs. 9. 10. 15 and 16 from where Town N. 89° 49' W on true line betw. secs. 9 and 16 with same var.
8.00	Gulch draines S.E.
0.14	Set a sandstone 19 x 10 x 7" 13" in the ground for 1/4 sec. Cor. marked 1/4 on N face and raised a stone mound alongside
4.00	Ridge bears N & S. Steep descend
0.27	The cor. to secs. 8. 9. 16 & 17 Land. Mountains Soil. Trate gravely No timber.

Subdivisions Tp 13 Nor

Chain	North betw. secs. 8 & 9 Var. 17° 40' E.
	Along steep W slope of ri
36.00	Enter valley
40.00	Set sandstone 12×10×4" 8" in the ground for 1/4 sec. cor. marked 1/4 on W fa and raised a stone mound alongside
74.00	Leave valley
80.00	Set a limestone 14×14×1 9" in the ground for cor to secs. 4. 5. 8 & 9 marked with 5 notches on S and 4 on E edges and raised a stone mound along side.
	Land. W. slope & valley
	Soil Quite gravely & roc
	No timber.

BOOK-A-2

6 Wsl

Chain	East betw. Var
60.00	Set temp
0.30	Intersec N. of cor. from w N 8 be wi
2.00	Along
1.00	Leave
0.15	Set lim 6" in the sec. cor. and r along s
4.00	Gulch
6.00	Ridge
0.30	The cor
	Land
	Soil.
	No tr

6 Mrs — S. L. M.

laid	East on random line
	betw. secs. 4 and 9
	Var 17° 40' E
0.00	Set temp 1/4 sec cor.
0.30	Intersect N & S. line 28 lks
	N. of cor. to secs. 3. 4. 9 and 10
	from where Sown
	N 89° 48' W on true line
	betw secs. 4 and 9
	with same var.
2.00	Along ridge
1.00	L gave same bears N.W.
0.15	Set lime stone 8 x 8 x 8"
	6" in the ground for 1/4
	sec. cor, marked 1/4 on N. face
	and raised a stone mound
	alongside.
4.00	Gulch drains S.E.
0.00	Ridge bears N & S.
0.30	The cor. to secs. 4. 5. 8 & 9
	Land. Mountains
	Soil. Trate. rocky
	No timber.
	April 19th 87

Subdivisions Tp 13 N. R 6 W.

Chain	
	North on random line betw. secs. 4 and 5 Var. 17°40' E.
40.00	Set temp 1/4 sec cor.
80.21	Intersect N boundary 24 lks W. of cor. to secs. 4 & 5. set by me under this Contract from wh Town
	S 0° 11' W on true line betw. secs. 4 and 5 with same var.
40.21	Set limestone 24 x 12 x 8" 18 in the ground for 1/4 sec cor marked 1/4 on W face and raised a stone mon alongside.
48.00	Enter Mouth of Canon
58.00	Leave same ascend.
80.21	The cor. to secs. 4. 5. 8 and 9 Level. Mountain slop Soil. Trate gravely into timber.

Chain	
	From the Southbou by me u Town North
00	Set a char 12" in the gro square f 1/4 on W x 12 N & a mon high 3"
00	Set a char square cor. to sec marke Sand T. 13. N. S R 6 W. S 31 o S 30 o pits 18 5 1/2 ft de mon 4 1/2 ft.

R 6 West - S.L.M.

laid From the cor. to secs. 31 & 32 on Southbound dary of tp. set by me under this Contract Town

North betw. secs. 31 & 32
Var. 17° 40' E.

000 Set a charred post 3 ft long 3" square 12" in the ground for 1/4 sec. cor. marked 1/4 S on W face. dug pits 18 x 18 x 12 N & S. of post 5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base around post.

000 Set a charred post 4 ft long 4" square 12" in the ground for Cor. to secs. 29. 30. 31 & 32. marked with 1 notch on S and 5 on E edges and with T. 13. N. S 29 on N.E.
R 6 W. S 32 on S E.
S 31 on S W.
S 30 on N W faces dug pits 18 x 18 x 12 in each sec. 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft. base around post

Subdivisions Tp 13 Nor

Claim	Land. rolling valley Soil. 2 rate. gravelly No timber.
	Eastern random line betw. secs. 29 and 32 Var. 17°40' E.
40.00	Set temp 1/4 sec cor.
80.30	Intersect N & S. line 15 S. of cor. to secs. 28. 29. 32 & 33 from which Town S. 89° 53' W on true line betw. secs. 29 and 32 with same var.
7.50	Gulch drains SW.
40.15	Set a sandstone 14×14 8" 9" in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside
43.00	Enter rolling valley
80.30	The cor. to secs. 29. 30. 31 & 32 Land. Rolling valley Soil 2nd rate gravelly No timber and foothills

BOOK-A-2

26 West

Claim	Western betw. s Var
00.00	Set temp
9.80	Intersect 14 lks. N. of set by m from w N. 8 bet w
8.00	Enter v
9.80	Set a s 9" in the cor. mar and ra alongs
9.80	The cor. t Land. Soil No tim

26 West. — S.L.M.

Land West on random line
betw. secs. 30 and 31
Var. 17°40' E.

.000 Set temp. 1/4 sec. cor.

9.80 Intersect W. boundary of tp.
14 lks. N. of cor. to secs. 30 & 31
set by me under this Contract
from where I run
N. 89°54' E. on true line
betw. secs. 30 and 31
with same var.

8.00 Enter valley bears N & S.

9.80 Set a sandstone 14×9×7
9 in the ground for 1/4 sec.
cor. marked 1/4 on N face
and raised a stone mound
alongside.

9.80 The cor. to secs. 29. 30. 31 & 32.
Land. Mountainous &
valley
Soil Grate gravely.
No timber.

Subdivisions Tp 13 N. R 6 W

Chain	North on random line betw. secs. 29 and 30 Var. 17° 40' E.
15.10	Intersect end of resurvey 7 lks E. of cor. reestablished by me under Contract No. 143 which is 65 chs. S of cor. to secs. 19. 20. 29 & 30 from where Town S. 0° 15' E on true line betw. secs. 29 and 30 with same var.
65.00	End of resurvey, beginning of new survey
80.10	The cor. to secs. 29. 30. 31 and Land. rolling valley Soil. Trail. gravely No timber.
	From the cor. to secs. 20. 21. 28 and 29 Town West on random line betw. secs. 20 and 29 Var. 17° 40' E.
31.90	Intersect end of resurvey 10 lks N. of cor. reestablished

BOOK-A-21

Chain	by me u 143. whi cor. to secs. which T N 89 bet with
48.00	End of r of new s
63.00	Ascen
79.90	The cor. Land. Soil No tr
	From the Town West bet Var
16.15	Interse 4 lks S. of me under is 64. chs

13 N. R 6 West. S.L.M.

Said by me under Contract No. 143. which is 4800 lks. E of cor. to secs. 19. 20. 29 and 30 from which I run

N 89° 52' E on true line betw. secs. 20 and 29 with same var.

48.00 End of resurvey beginning of new survey

63.00 Ascend

79.90 The cor. to secs. 20. 21. 28 and 29 Land. rolling. Soil Quite gravely No timber.

From the cor. to secs. 16. 17. 20 & 21 I run

West on random line betw. secs. 20 and 17 Var 17° 40' E.

16.15 Intersect end of resurvey 4 lks S. of cor. reestablished by me under Contract No 143, which is 64. lks E of cor. to secs. 17. 18. 19 & 20

Subdivisions Tp 13 Nor

Chain from where Town
S. 89°52' E on true line
betw secs. 17 and 20
with same var.
64.00 End of resurvey, beginning
of new survey
78.00 Ascend
80.15 The cor. to secs. 16. 17. 20 & 21.
Land. rolling
Soil. Drift gravely
No timber.
April 20. 89

From the cor. to secs. 8. 9. 16
17. the cor. at the end of re-
survey between secs. 8 & 17
which was reestablished
by me under Contr. No 143
and which is 69. chs E of
cor. to secs. 7. 8. 17 & 18. bears
N. 89°56' W. & therefore run
N 89°56' W on true line
betw. secs. 8 and 17
Var. 17°40' E.
1.00 Enter valley
11.21. Intersect cor. of resurvey

BOOK-A-217

uge 6 We

Land. r
Soil. 2
No tim

From the
the cor. a
between
reestabl
Contract
is 74. chs
7 & 8, bea
therefore
N 8
be
2.00 Enter vall
13. Interpre
Land.
Soil.
No tim

From th
of resu
secs. 5

Range 6 West. S.L.M.

Land rolling valley
Soil 2nd rate Gravely
No timber

From the cor. to secs. 8. 9. 5 & 4
the cor. at the end of survey
between secs. 5 & 8 which was
reestablished by mounder
Contract at 0.143 and which
is 74 chs. E. of cor. to secs. 5. 6.
7 & 8, bears N 89° 59' W. &
therefore run
N 89° 59' W on true line
betw. secs. 5 and 8
Var. 17° 40' E.
2.00 Enter valley
13 Intersect cor. of survey
Land rolling valley
Soil 2nd rate gravely
No timber.

From the cor. at the end
of survey between
secs. 5 & 6 I run

BOOK-A-217

Subdivisions Tp 13 Nor[illegible] Range 6

Chain	
	North on random line betw. secs. 5 and 6 Var. 17° 40' E.
34.00	End of resurvey, cor. establ. by me under Contract No. 143, which is 34.00 chs. N. of cor. to secs. 5, 6, 7 & 8.
40.00	Set temp 1/4 sec cor.
80.20	Intersect N. boundary of tp. 26 lks W. of cor. to secs. 5 & 6, set by me under this Contract from where I run
	S. 0° 19' W on true line betw. secs. 5 and 6 with same var.
30.00	Enter rolling valley
40.20	Set sandstone 14 x 9 x 8 9" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside
46.20	End of new survey, beginning of old survey. Land Rolling

Soil [illegible]
No tr[illegible]

Gener[illegible]

The la[illegible]
this Con[illegible]
high ri[illegible]
a scatte[illegible]
and fe[illegible]
parts [illegible]
with [illegible]
grass[illegible]
for gr[illegible]
There [illegible]

Range 6 West. S.L.M.

Soil Grate. gravely
No timber.
April 21 '87

General Description.

The lands surveyed under this Contract consist of high ridges covered with a scattering artemisia undergrowth and few scrub cedars. parts of same are covered with a nice growth of grass and are suitable for grazing purposes. There is no living water.

Edward W. Koeber
U.S. dep. Surv.

BOOK-A-21

S. SURVEYOR GENE

Salt Lake City,

The foregoing field

Subdi

ownship No. 13

f the Salt Lake Merid

W R

Under Contract No.

ay of June

April

xamined, the necess

nade, the said field n

re hereby approved.

W

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 9th *1888.*

The foregoing field notes of the " *survey of the* Subdivisions *Township No.* 13 N *Range No.* 6 W *of the Salt Lake Meridian. Executed by* Edwood W. Korber *Under Contract No.* 1444 *of the* 24 *day of* June *188*6 *in the month of* April *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Bowman
U. S. Surveyor General for Utah.

BOO

REPORT:

Filed

Examined by John

Transcribed by Jen

Compared by Jennie

FIEL

OF THE SU

Re

3rd Stan

N

Township No.

Range No. 7

SALT LA

UTAH

AS

Edward

U. S.

Under his Contr

Dated Jun

Survey commenced

Survey completed

4th

BOOK A 227

359

REPORT:

Filed 188

Examined by John H. Campe.

Transcribed by Jennie V. Bowman.

Compared by Jennie V. Bowman & Hale Bowman

FIELD NOTES

OF THE Re SURVEY OF THE

3rd Standard Parallel North through

Township No.

Range No. 7 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Roeber

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 24 1886

Survey commenced March 22 1887

Survey completed March 22 1887

4 m 38 chs & lks

40

6

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tame	Axeman
C. C. Leavitt	Axeman
	Flagman

Resurvey
Standar
BOOK-A-21
throu

Survey co

Note. No
to find th
the Third
North Tr
betw. T. 12
At 2 mi
a post ve
marked
34 & 35 an
here. the
dim. a
Intersec
cor. to tps
57 lks. N
granite
set in th
marked
Connection
that there
here tha
From he
the first
34 & 35 a

BOOK-A-217

Resurvey of Third Standard Parallel North through R. 7 W.

Survey commenced March 22 '87

Note. Not knowing where to find the old corners of the Third Standard parallel North I run a random line betw. T. 12 & 13 N.

At 2 miles 87 lks. I find a post very old which is marked with numbers 34 & 35 and lies 21 lks. South of here. the marks are very dim. at 5 miles 140 lks. I intersect the Standard cor. to Tps. 12 & 13 N. R 7 & 8 W. 57 lks. of this corner is a granite 16 x 2 x 6' firmly set in the ground properly marked. Through this connection I can see again that there is one mile lies here than it ought to be. From here I go back to the first found cor. to secs. 34 & 35 and run North

Resurvey 3rd Standard Pa

on a trial line betw. secs.
34 & 35. I find no corner
at 40.00 ch's. but at 80.10
I intersect an old stake
laying alongside a mound
of earth, on which I can
make out the sec. very
plainly. This post is
marked 26, 27. 34 & 35.
Finding this corner
makes me certain now
that the first found cor.
is the Standard Cor. to secs. 34 & 35
and agree my notes
with the notes of the old
survey. I therefore run
from this corner where
I set a sandstone 22 x 9
16" in the ground for Stand
cor. to secs. 34 & 35. marked
with S.C. 2 notches on
E and 4 on W edges due
pits 18 x 18 x 12" ~~in each~~ N.E. & W. of
~~sec.~~ 5 1/2 ft dist. and
raised a mound of

North-th

Earth 2
alongsi
East
alon
of
Va
2.50 Wash. dr
00 No trace o
limeston
the groun
marke
S.C. and
mound
4.60 Wash dr
00 No trace
set sand
12" in the
and sec.
with 1
5 on Wed
Stone mo
Land
Soil
No tim
Dense sag

North through 7 West.

Land Earth 2 ft high 4½ ft base alongside.

East on true resurvey line along S. boundary of sec. 35

Var. 17° 50' E

2.50 Wash. drains L.W.

.00 No trace of old cor. set a limestone 15 × 13 × 5" 10" in the ground for 1/4 sec. cor. marked 1/4 on N face & S.C. and raised a stone mound alongside.

4.60 Wash drains L.W.

.00 No trace of old corner set sandstone 16 × 10 × 8" 12" in the ground for Stand and sec. cor. to Secs 35 & 36 marked S.C. with 1 notch on E and 5 on W edges and raised a stone mound alongside

Land valley

Soil 2 rate, gravel

No timber.

Dense sagebrush under growth

Resurvey 3rd Standard Po

Chain	
	East on true resurvey along S. boundary of sec. 36. Var. 17° 50' E.
38.00	No trace of old cor. enter scatt. cedars, foot of Mountains where I set a sandstone 14×10×[illegible] 9" in the ground marked with a + cross. End of resurvey. Land rolling Soil Grate rocky No timber.

[illegible] through

[illegible]	From the [illegible] to secs. 34 [illegible] West on [illegible] along [illegible] Se[illegible] Var[illegible]
[illegible].00	Fence bea[illegible]
[illegible].00	No trace o[illegible] sandstone [illegible] the ground [illegible] Nface dug pits [illegible] of stone 5 [illegible] raised [illegible] 1½ ft hig[illegible]
[illegible].00	Wash dr[illegible]
[illegible].00	"
[illegible].00	No trace [illegible] a sand[illegible] 9" in the [illegible] cor. to [illegible] S.C. wit[illegible] Wedges [illegible] mound [illegible] Land [illegible] Soil [illegible]

...th through 7 West.

...ine From the Standard cor. to secs. 34 & 35 Trim
West on true resurvey line along S. boundary of Sec. 34.
Var. 17° 55' E.

...00 Fence bears N W & S E.
...00 No trace of old cor. set a sandstone 16 × 10 × 6" 12" in the ground for Stand 1/4 sec. cor. marked 1/4 S.C. on N face dug pits 18 × 18 × 12" E & W. of stone 5 1/2 ft distant and raised a mound of earth 1 1/2 ft high 3 1/2 ft base alongside
...00 Wash drains S. ascend
...00 " " S.W.
...00 No trace of old corner set a sandstone 14 × 12 × 10" 9" in the ground for Standard cor. to secs. 33 & 34 marked S.C. with 3 notches on E & W edges and raised a stone mound alongside.
Land rolling
Soil 2 rate gravel

Resurvey 3rd Standard [illegible] North

Chain	
	No timber. Dense sagebrush undergr[illegible]
	West on true resurvey li[illegible] along S. boundary Sec. 33. Var. 17° 50' E.
15.00	Ascend gentle
23.25	Road bears N W & S E.
32.50	Top of ridge bears N & S
40.00	No trace of old cor. set a limestone 12×12×5" 8" in the ground for 1/4 sec cor. marked 1/4 SC on N face dug raised a stone mound alongside
42.00	Descend
80.00	No trace of old cor. set a limestone 16×10×8" 12" in the ground for Standard Cor. to secs. 32 & 33 marked with S.C. and 4 notches on E and 2 on W edges and raised a stone mound

BOOK-A-21

Chain	
	alongsi[illegible] Land. [illegible] Soil 2 [illegible] No timb[illegible] dense s[illegible] [illegible]
	West on t[illegible] along [illegible] of sec[illegible] Var.
5.00	Top of [illegible] bears N [illegible]
[illegible].00	No trace [illegible] limestone [illegible] the grou[illegible] marked [illegible] raised [illegible] along[illegible]
5.75	Wash [illegible]
[illegible].00	Enter [illegible]
[illegible].00	Interv[illegible] to tp. 1[illegible]

...el North through 7 West

...lam alongside
Land rolling valley
Soil Quite
No timber
dense sagebrush
undergrowth.

West on true resurvey line
along S. boundary
of sec. 32.
Var. 17°50' E.

5.00 Top of low rocky ridge
bears N & S.

.00 No trace of old cor. set a
lime stone 36×20×4 - 22" in
the ground for 1/4 sec. cor.
marked 1/4 sec. on N face, and
raised a stone mound
alongside.

5.75 Wash drains S.

.00 Enter scattering cedars.

.00 Intersect Standard cor.
to tp. 12 N R 7 & 8 W the

Resurvey 3rd Standard Para

North through 7 West

Land. Mountained
Soil 3 rate rocky
Timber. scattering
cedars.
March 22nd 188

General Description

For general Descript.
see Subdivis. of this
township
Edward W. Roe
W.L. dep. surv.

BOOK-A-2

S. SURVEYOR GE

Salt Lake City,

The foregoing fie

Standard

~~ownship No.~~

xecuted by Edu

Under Contract No.

ay of Jun

March

xamined, the neces

ions made, the sa

hey describe are he

Will

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888

The foregoing field notes of the survey of the

Standard Parallel North

~~Township No.~~ 1 *Range No.* 7 W

Executed by Edward W. Roberts

Under Contract No. 143 *of the* 24

day of June 1886, *in the month of*

March 1887, *having been critically*

examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK

EPORT:

ed

amined by John (

anscribed by Jem

mpared by Jennie O.

FIEL

OF THE SU

3d Standard

ownship No.

ange No. 7 We

SALT LA

UTAH

AS

Edward

U. S.

Under his Contr

ated June

urvey commenced

urvey completed

" m 4

BOOK-A-217

371

EPORT:

ed 188

amined by John H. Campe

anscribed by Jennie V. Bowman

mpared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

OF THE SURVEY OF THE

3d Standard Parl North

OF

ownship No.

ange No. 7 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Roeler

U. S. Deputy Surveyor,

Under his Contract No. ~~144~~ 145

ated June 24th 1886

urvey commenced March 22 1887

urvey completed March 22 1887

" m 42 chs 100 lks

3

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassm
William Cavo	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tame	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-2

Survey

Stand Pail

Survey con

From a p
of the Stan
to secs.
3d Stand
and iohe
14x10x8" m
cross t. a
under c
I run
line
of se
V

00 End of re
00 On mo
sandsta
in grou
marked
traised
along n
00 Hollow d
00 Top ridge
00 Gulch d
00 Ridge li

Survey
Stand Parl. N. R 7 W. S L M

Survey commenced March 22. 87

From a point 38 chs E of the Standard Corner to Secs. 1. 35 & 36 on the 3d Stand Parl North R 7 W and which is a sandstone 14x10x8" marked with a cross +. and set by me under contract No 143

Trees East on true line along S Bdy of Sec 36

Var 17°50' E

00 End of resurvey, ascend
00 On mountain set sandstone 18"x10"x6. 12" in ground for 1/4 sec cor marked 1/4 S.C. on N face & raised stone mound alongside
00 Hollow drs S W
00 Top ridge
00 Gulch drs S W.
00 Ridge leaves N W & S E

Survey 3rd Standard Par
374
North 7 West. S.L. U

Chain	
73.00	Wash dis NW
76.00	Ridge leans NW & SE
80.00	Intersect the standard Cor to Tps 12 ~~[illegible]~~ N. Rs 6 & 7 W. set by one under this contract

Land Mountain
Soil rocky 4th rate
~~[illegible]~~ Scattering Cedars
March 22 '87

General Description

For General Description see Subdivision notes of T12 N R 7 W.
Edward W. Korb
U.S. Dep. Surveyor

BOOK-A-217

S. SURVEYOR GENER

Salt Lake City,

The foregoing field
3rd Standar
T

wnship No.

the Salt Lake Meridi
Edward

nder Contract No.

ay of June
March

xamined, the necessa
nade, the said field n
re hereby approved.

N

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the ..... survey of the 3rd Standard Paul Smith

wnship No. ..... Range No. 7 West

the Salt Lake Meridian. Executed by .....

Edward W. Roeder

nder Contract No. ~~144~~ 145 of the 24th

ay of June 1886, in the month of

March 1887, having been critically

xamined, the necessary corrections and explanations

nade, the said field notes, and the surveys they describe

re hereby approved.

William G. Brunson

U. S. Surveyor General for Utah.

BOOK-

EPORT:

led August

camined by John (

anscribed by Jennie

ompared by Jennie

FIELD

OF THE Re SU

North Con

ownship No. 13

Range No. 7

SALT LAK

UTAH

AS

Edward

U. S.

Under his Contr

Dated June

Survey commenced

Survey completed

2nd

BOOK-A-27

377

REPORT:

Filed August 29th 1887

Examined by John H. Campe.

Transcribed by Jennie E. Bowman.

Compared by Jennie E. Bowman & Kate Bowman

FIELD NOTES

OF THE RE SURVEY OF THE

North Boundary

OF

Township No. 13 N.

Range No. 7 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward F. Koeber

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 24th 1886

Survey commenced April 8 1887

Survey completed April 8 1887

2 mi 52 chs 00 lks ✓

42.4

NAMES AND DUTIES OF ASSISTANT

Cyrus L. Johnson	Compass
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tarne	Axeman
C. C. Leavitt	Axeman
	Flagman

Resur

BOOK-A-217 of

North boundary

Survey comm
from the cor. t
7 W. reestablis
Contract No 1
West on
bdro. s
Var.
Enter rollin
No trace of
sandstone
the ground
1/4 on N face
mound al
Find rema
cor. where T
14 x 7 13 in the
secs. 1. 2. 35 & 3
notch on E
and raised
alongside
Land.
Soil tr
No timb

BOOK-A-217

Resurvey of North boundary T. 13 N R 7 W.

Survey commenced April 8 "87 from the cor. to Tps. 13 & 14 N. R 6 & 7 W. restablished by me under Contract No 143 from West on true resurvey line betw. secs. 1 & 36 Var. 17½° E.

Enter rolling valley

No trace of old cor. set a burnt sandstone 16×10×5" 12" in the ground for 1/4 sec cor. marked 1/4 on N face and raised a stone mound alongside.

Find remains of the original cor. where I set a sandstone 19×14×7" 13" in the ground for cor. to secs. 1. 2. 35 & 36 marked with 1 notch on E and 5 on W. Edges and raised a stone mound alongside.

Land. Rolling valley
Soil Inter. alluvial
No timber

Resurvey of North Boundary

Chain West on the resurvey line
bitw secs. 2 & 35
Var 17½° E.

40.00 No trace of the old corner set a sandstone 20×10×7" 14" in the ground for ¼ sec. cor. marked ¼ on N face and raised a stone mound alongside.

79.00 Road bears N & S.

80.00 No trace of old cor. set a limestone 30×25×10" 20" in the ground for cor. to secs. 2. 3. 34 & 35 marked with 2 notches on E and 4 on W. Edges & dug pits 18×18×12" in each sec. 5½ ft of post and raised a mound of Earth 2½ ft high 4½ ft base around post.

Land rolling valley
Soil 1 rate. Alluvial
No timber.

13 N. R

Chain West o
bitw
Va
a sandstone
00 No trace
stone 16×
for ¼ sec.
face and
mound
2.00 End of
of old
Stone m
(+) cross
Survey
Land
Soil
No tr
General
For ge
See S

13 N. R 7 West. S.L.M.

Chain West on true resurvey line
betw. secs 3 & 34.
Var 17½° E.

0000 No trace of old cor. set a sand stone 16×10×7" 12" in the ground for 4 sec. cor marked 4 on N face and raised a stone mound alongside.

2000 End of resurvey no trace of old cor. Set a sand-stone marked with a (+) cross for the end of resurvey.

Land rolling
Soil 2 rate.
No timber.

April 8" 89

General Description
For general description see Subs. of this township
Edward W Koeber
U.S. Dep Surv.

BOOK-A-21

S. SURVEYOR GENE

Salt Lake City,

The foregoing field

North

ownship No. 13 Nor

the Salt Lake Merid

Edward

nder Contract No.

ay of June

April

xamined, the necess

nade, the said field

re hereby approved.

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *1888.*

The foregoing field notes of the Re *survey of the* North boundary.

wnship No. 13 North *Range No.* 7 West

the Salt Lake Meridian. Executed by Edward W. Kouhn

nder Contract No. 143 *of the* 24th

ay of June *1886, in the month of* April *1887, having been critically*

xamined, the necessary corrections and explanations

nade, the said field notes, and the surveys they describe

re hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK-A-2

PORT:

d August 2

mined by John H.

nscribed by Jennie

pared by Jennie V. Bor

FIELD

OF THE SUR

rach. North

wnship No. 13 N.

nge No. 7 W.

O

SALT LAK

UTAH T

AS SU

Edward

U. S. De

Under his Contrac

ated Jun

urvey commenced

urvey completed

2nd 26

BOOK A 213

385

PORT:

d August 29th 1887.

mined by John H. Campe

nscribed by Jennie V. Bonman

pared by Jennie V. Bonman & Kate Bonman

FIELD NOTES

OF THE SURVEY OF THE

ract. Northboundary

OF

wnship No. 13 N.

nge No. 7 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Koeber

U. S. Deputy Surveyor,

Under his Contract No. ~~145~~ 144.

ated June 24 1886

urvey commenced April 8 1887

urvey completed " 8 1887

2 m 26 chs 00 lks ✓

43.4

NAMES AND DUTIES OF ASSISTANT

Cyrus L. Johnson	Compass
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. O. Tame	Axeman
C. C. Leavitt	Axeman
	Flagman

~~Note~~ Refer to in what notes explanation will be found as to this line being 5 miles 78 chs

John H. Campe
chief draughtsman

BOOK-A-217

rth boundary
Survey comm
From the end
corner which
by me unde
And which
corner to sec
West on a r
the cor. to tp
which was
this Contra
intersect
hs. and th
S. of sam
I therefore
to tps. 13 & 14
& 89
bet
Va
50 Ridge bears
00 Gulch dr
00 Ridge be
00 Gulch dr
00 " d
00 Enter Mo
& S.W. w

th boundary T. 13 N. R 7 W.

Survey commenced April 8th 87
From the end of resurvey, a corner which was reestablished by me under Contract No 143 and which is 52.00 chs. W. of corner to secs. 2. 3. 34 & 35 I run West on a random line to the cor. to tps. 13 & 14 N. R 7 & 8 W. which was set by me under this Contract and which I intersect at 2 Miles 26.00 chs. and the falling is 94 lks S. of same.

I therefore run from the cor. to tps. 13 & 14 N. R. 7 & 8 W.

S 89° 42' E on true line
betw. secs. 5 & 31.
Var. 17½° E.

50 Ridge bears N W & S E.
00 Gulch drains N. W.
00 Ridge bears N W & S E.
00 Gulch drains N.
00 " drains N.
00 Enter Mountain top bears N E & S W. where I set a sand=

Tract North boundary

Chain stone 26×20×10" 18" in the gro
for 1/4 sec. cor. marked 1/4 on
face and raised a stone
mound alongside
55.00 Gully drains N.E.
80.00 Set a sandstone 14×7×
9" in the ground for Cor
secs. 4, 5, 31 & 32. marked
1 notch on N and 5 on E
and raised a stone mound
alongside.
Land. Mountains
Soil Quite rocky
Timber. few scrub cedars

S 89°42' E on true li
betw secs. 4 & 32
Var. 17½° E.

11.50 Trail in hollow drains S.
18.00 Spurridge bears N & S.
20.00 Gulch drains S.
27.00 Gulch drains S.E.
34.00 Ridge bears N.W. & S.E.
40.00 Set a limestone 13×12×7" 9

BOOK-A-2

13 North

in the grou
marked 1/4
raised a
alongsid
00 Ridge be
00 Gulch
00 Set a sa
in the gro
3, 4, 32 & 34
3 notches
and rai
alongsi
Land.
Soil Q
No timb

S 89°
bete
Va
00 Ridge b
00 Enter
00 Intersi
of the o
is 52 d

13 North R 7 West.

in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.

00 Ridge bears N E & S W.

00 Gulch draws S W.

00 Set a sandstone 12×12×6" 8" in the ground for cor. to secs. 3, 4, 33 & 34 marked with 3 notches on E & W. edges and raised a stone mound alongside.

Land. Mountains.

Soil Quite gravelly

No timber.

S 89° 42' E on true line betw secs. 3 & 34

Var 17 1/2° E.

00 Ridge bears N E & S W.

000 Enter lower beach bears S W & N E.

00 Intersect cor. at the end of the old survey which is 52 lks W. of the cor. pt.

[illegible] North boundary

Tp 13 N. R 7 West

to secs. 2.3. 34 & 35.
Land. Rolling mount[illegible]
Slope
Soil 2 rate.
No timber
April 8th 87

General Descripti[illegible]

For general descript[illegible]
see Subs of this town[illegible]

Edward W. T[illegible]
U.S. Sup. [illegible]

Note
For explanation as to the
Township being short 1
mile in measurement
see. Sub. notes resurvey
12 N R 8 W. S L M Contract
No 143.

E. W. K.

BOOK-A-21

S. SURVEYOR GENERA[illegible]

Salt Lake City, U[illegible]

The foregoing field n[illegible]
Tract No[illegible]

[illegible]wnship No. 13 N.

the Salt Lake Meridia[illegible]
Edward [illegible]

[illegible]nder Contract No. 14[illegible]

[illegible]ay of June
April

[illegible]xamined, the necessary
[illegible]ade, the said field not
[illegible]re hereby approved.

Wall[illegible]
U[illegible]

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *188*8.

The foregoing field notes of the ..... *survey of the*

Tract North Boundary

wnship No. 13 N. *Range No.* 7 West

the Salt Lake Meridian. Executed by .....

Edward W. Koeber

nder Contract No. ~~145~~ 144 *of the* 24th

ay of June *188*6, *in the month of*

April *188*7, *having been critically*

xamined, the necessary corrections and explanations

nade, the said field notes, and the surveys they describe

re hereby approved.

William G. Bruman

U. S. Surveyor General for Utah.

BOOK

EPORT:

ed August

amined by John

anscribed by Jenn

mpared by Jennie T.

FIELD

OF THE Re-SU

Fract

ownship No. 13

ange No. 7

SALT LAK

UTAH

AS

Edward

U. S. I

Under his Contra

Dated Jun

urvey commenced

urvey completed

23rd

BOOK-A-217

REPORT:

Filed August 29th, 1887.

Examined by John H. Campbell.

Transcribed by Jennie T. Bowman.

Compared by Jennie T. Bowman & Kate Bowman

FIELD NOTES

OF THE RE-SURVEY OF THE

Tract Subdivisions

OF

Township No. 13 S.

Range No. 7 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Roeber

U. S. Deputy Surveyor,

Under his Contract No. ~~144~~ 143.

Dated June 24 1886

Survey commenced April 21st 1887.

Survey completed April 26th 1887

23 m. 52 chs 97 lks

44.16

NAMES AND DUTIES OF ASSISTANT

Cyrus L. Johnson	Compass
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tame	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-217

Resu

bdivisions

Survey commen
From the cor.
boundary of
blished by
North on
betw.
Var
No trace of
stone 28×8
for 1/4 sec. cor.
face and
mound
Find pa
post lagi
where G se
16×14×4"
for cor. to
marked w
2 on E. edges
stone mon
Land. Va
Soil 1 sa
No timber
Sagebru

Subdivisions Tp. 13 N. R 7 W.

Survey commenced. April 21st 87
From the cor. to secs. 34 & 35 on S.
boundary of this township reesta
blished by me I run
North on resurvey line
betw. secs. 34 & 35
Var 17 1/2° E.

No trace of old cor. set a sand
stone 28 × 8 × 6" 20" in the ground
for 1/4 sec. cor. marked 1/4 on W.
face and raised a stone
mound alongside.

Find part of the old corner
post laying on the ground
where I set a sandstone
16 × 14 × 4" 12" in the ground
for cor. to secs. 26. 27. 34 & 35
marked with 1 notch on S and
2 on E. edges and raised a
stone mound alongside.
Land. Valley
Soil 1 rate sandy loam
No timber
Sagebrush underground

Resurvey Frat Subdivisi

Chain	North on resurvey line betw. secs. 26 & 27 Var 17½° E.
40.00	No trace of old cor. set a sand 18×8×6" 12" in the ground f 1/4 sec. cor. marked 1/4 on W f and raised a stone mound alongside.
80.00	No trace of old cor. set a s stone 14×6×6" 9" in the grou for Cor. to secs. 22. 23. 26 & 27 m with 2 notches on S and E e dug pits 18×18×12" in each se 5½ ft dist. and raised a mound of earth 2 ft high ft base along side.
	Land. Valley rolling
	Soil 1 rate sandy loa
	No timber.
	Sagebrush underg rot

BOOK-A-2

13 N. R

Chain	North on betw. se Var
00	No trace of ol post 3 ft lo the ground 1/4 S on W fac 2 & S. of pos raised a 1½ ft high g
00	No trace post 4 ft lo the ground 22 & 23. ma Land 2 on
	T. 13 N. S 1
	R. 7 W. S 2
	S 22
	S 15
	pits 18×18 and raised 4½ ft base a
	Land. S
	Soil 1 rat
	No tim

13 N. R. 7 West

North on resurvey line
betw. secs. 22 & 23
Var 17½° E.

No trace of old cor. set a charred post 3 ft long 3" square 12" in the ground for ¼ sec. cor. marked ¼ S on W face. dug pits 18 X 18 X 12" N & S. of post 5½ ft dist. and raised a mound of earth 1½ ft high & 3½ ft base around it.

No trace of old cor. set a charred post 4 ft long 4" square 12" ins. in the ground for cor. to secs. 14. 15. 22 & 23. marked with 3 notches on S and 2 on E. edges and with

T. 13 N. S 14 on N E.
R. 7 W. S 23 on S E.
S 22 on S. W.
S 15 on N. W. faces. dug pits 18 X 18 X 12" in each sec. 5½ ft dist. and raised a mound of earth 2 ft high 4½ ft base around post

Land. Sagebrush valley
Soil 1 rate sandy loam
No timber.

Resurvey Tract Subdivisi

Chain	North on resurvey line betw. secs. 14 & 15. Var. 17½° E.
40.00	No trace of old cor. set a ch post 3 ft long 3" square 12" the ground for ¼ sec. cor. m ¼ S. on W. face dug pits 18×12" N & S. of post 5½ f dist. and raised a mo of earth 1½ ft high 3½ f base around post.
69.00	Spring branch 2 lks. wide 2" deep runs S.E.
80.00	No trace of old cor. set a post charred 4 ft long 4" square in the ground for cor. to sec 10.11.14 & 15. marked T. 13 N. S 11. on N E. R 7 W. S 14. on S E S 15 on S W. S 10 on N W faces with notches on S and 2 on E ed dug pits 18×18×12" in each sec 5½ ft dist. and raised a mound of earth 2 ft high 4½ ft base around

13 N. R

Land. Va
Soil 1 rac
No timber
scattering
Tr

North on
betw
Var
No trace of
charred po
12" in the gro
marked
pits 18×18
5½ ft dis
mound
3½ ft base
No trace of
post 4 ft.
the ground
10 & 11 ma
on S and
T. 13 N S 2
R 7 W S 11

13 N. R 7 West

Land. Valley
Soil 1 rate. sandy loam
No timber.
Scattering sagebrush
undergrowth

North on resurvey line
betw secs. 10 & 11
Var 17½° E.

No trace of old cor. set a charred post 3 ft long 3" square 12" in the ground for ¼ sec. cor. marked ¼ S. on W face, dug pits 18×18×12" N & S. of post 5½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base around post.

No trace of old cor. set a charred post 4 ft. long 4" square 12" in the ground for cor. to secs. 2. 3. 10 & 11 marked with 5 notches on S and 2 on E edges and T. 13 N S 2 on N.E.
R 7 W S 11 on S.E.

Resurvey Tract Subdivisi

Chain S 10 on S W
S 3 on N. W. faces dug p
18x18x12" in each sec. 5½
dist. and raised a mon
of earth 2 ft high 4½ ft b
around post.
Land. Valley
Soil. 1 rate. sandy loa
No timber.
Scattering artemisia
undergrowth.
April 21. 8

North on resurvey random line
betw. secs. 2 & 3
Var 17½° E.

4000 No trace of old cor. set ter
¼ sec cor.

8016 Intersect N. boundary of tp
7 lks W. of cor. to secs. 2 & 3. set
by me under this Contract. A
this connection differs a
from the original I adju
my instrument and cha
to the old measurement

13 W. R

and run
South
betw.
Var

00 Spring bra
deep run
16 Set a cham
3" square
for ¼ sec. c
on W face.
Ng S. of p
and rai
earth 1'
around
16 The cor.
Land.
Soil
No time
Scatte
m

From the
the S. bo
set by
Contrac

13 N. R 7 W. S.L.M.

and run

South on true line
betw. secs. 2 & 3
Var. 17 1/2° E.

00 Spring branch 4 lks wide 3" deep runs SE in Wash

16 Set a charred post 3 ft long 3" square 12" in the ground for 1/4 sec. cor. marked 1/4 S. on W face. dug pits 18 x 18 x 12 N & S. of post 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

16 The cor. to secs. 2.3.10 & 11
Land. Valley
Soil brate alluvial
No timber.
Scattering artemisia
undergrowth.

From the cor. to secs 33 & 34 on the S. boundary of this tp set by me under this Contract I run

Resurvey Tract Subdivision ... 13 N.

Chain	
	North on resurvey line bitw secs. 33 & 34 Var. 17½° E.
33.53	Fence bears N.W. & S.E.
40.00	No trace of old cor. set a cha[illegible] post 3 ft long 3" square 12" [illegible] the ground for ¼ sec. cor. m[illegible] ¼s on W face dug pits 18 x 1[illegible] N & S. of post 5½ ft distant and raised mound of earth 1½ ft hi[illegible] 3½ ft base around post
80.00	Set a limestone 16 x 8 x 6" 12" [illegible] the ground for cor. to secs. 2[illegible] 33 & 34 marked with 1 not[illegible] on S and 3 on E edges an[illegible] dug pits 18 x 18 x 12" in each [illegible] 5½ ft dist. and raised a mound of earth 2 ft high 4½ ft base alongside
	Land. Valley rolling
	Soil. 1 rate sandy lo[illegible]
	No timber.
	Scattering
	artemisia undergrowth

	East on rau[illegible] bitw. [illegible] Var. 17[illegible]
[illegible]0	Set temp [illegible] old corner
[illegible]0	Intersec[illegible] S. of cor. to [illegible] I adjust [illegible] to the orig[illegible]
	[illegible] West [illegible] bite[illegible] To[illegible]
[illegible]00	Set a cha[illegible] 3" square [illegible] ¼ sec. cor. [illegible] face dug [illegible] of post [illegible] raised [illegible] 1½ ft hig[illegible] post
[illegible]00	Gentle [illegible]
[illegible]00	The cor. t[illegible]
	Land. [illegible]
	Soil [illegible]

T 13 N. R 7 W. S.L.M.

East on random survey line
betw. secs. 27 & 34
Var. 17 1/2° E.

Set temp 1/4 sec. cor. no trace of the old corner.

Intersect N & S. line 3 lks S. of cor. to secs. 26.27.34 & 35.

I adjust my instrument to the original course and run

West on true line
betw. secs. 27 & 34
With same var.

Set a cherred post 3 ft long 3" square 12" in the ground for 1/4 sec. cor. marked 1/4 S on N. face dug pits 18 x 18 x 12" E & W. of post 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post

Gentle ascent bears N & S.

The cor. to secs. 27.28.33 & 34

Land. Rolling valley

Soil 1 rate sandy loam

Resurvey Fract Subdiv

Chain No timber.

North on resurvey line
betw. secs. 27 & 28
Var 17½° E.

40.00 No trace of old cor. set a charred
3 ft long 3" square 12" in the grou
for 1/4 sec. cor. marked 1/4 S on W
dug pits 18×18×12" N & S. of po
5½ ft dist. and raised a m
of earth 1½ ft high 3½ ft ba
around post

80.00 No trace of old cor. set a sa
12×12×5 8" in the ground for
to secs. 21. 22. 27 & 28 marked
2 notches on S and 3 on E elge
and dug pits 18×18×12" in
sec. 5½ ft dist. and raised
a mound of earth 2 ft high 4
ft base alongside.
Land. Rolling valley
Soil 1 rate, sandy loam
No timber.

BOOK-A-21

13 N.

East on
betw.
Var
No trace of
1/4 sec. cor.
88 Intersect
to secs. 22.
Sum
West on
betw.
with
.63 Lone Cedar
North 6 ch
00 Wash dr
50 Wash dr
.94 Set a char
3" square 12" in g
1/4 S. on N
×12" E & W
raised a m
high 3½
post.
3.00 Gentle
.88 The cor. to
Land

p 13 N. R 7 West.

East on random resurvey line
betw. secs. 22 & 27.
Var 17 1/2° E.

No trace of old cor. set a temp.
1/4 sec. cor. marked [illegible]

88 Intersect N & S. line at cor.
to secs. 22. 23. 26 & 27 from which
S run

West on true resurvey line
betw secs. 22 & 27
with same var.

.63 Lone Cedar 10" diam. bears
North 6 lks.

00 Wash drains N. W.

.50 Wash drains N. E.

.94 Set a charred post 3 ft long
3" square 12" in ground for 1/4 sec. cor. marked
1/4 S. on N face dug pits 18 x 18
x 12" E & W of post 5 1/2 ft dist and
raised a mound of earth 1 1/2 ft.
high 3 1/2 ft base around
post.

3.00 Gentle ascend

.88 The cor. to secs. 21. 22. 27 & 28.
Land Rolling valley

BOOK-A-217

Resurvey Fract Subdiv

Chain	Soil 1 rate sandy loam
	No timber.
	North on resurvey line
	betw. secs. 21 & 22
	Var 17½° E.
11.50	Road bears NE & SW.
22.00	Enter higher bench
40.00	No trace of old cor. set a lim
	stone 20×14×4" 15" in the
	ground for ¼ sec cor. mark
	¼ on W face and raised a
	stone mound alongside
43.00	Along E. slope of bench
80.00	No trace of old cor. set a lime
	stone 12×10×8" 8" in the gro
	for cor. to secs. 15.16.21 & 22 mark
	with 3 notches on S & E edge
	and raised a stone mound
	alongside.
	Land. Rolling
	Soil 2 rate gravely
	No timber.
	April 2

13 N. R

	East on rand
	betw secs.
	Var 17
0	No trace of
	¼ sec cor.
96	Intersect
	to secs. 14.15.
	Town
	West on
	betw. s
	Var.
00	Low short
98	Set a charr
	3" square 12" in grou for
	with ¼ on 5
	18×18×12"
	ft dist. an
	of earth 1
	base aro
80	Road be
00	Gentle a
96	The cor. to
	Land.
	Soil 2
	No timber

13 N. R 7 West

East on random resurvey line
bitw secs. 15 & 22
Var 17½° E.

00 No trace of old cor. set temp
¼ sec cor.

96 Intersect N & S. line at cor.
to secs. 14.15.22 & 23 from which
Town

West on true line
bitw. secs. 15 & 22
Var. 17½° E.

00 Low short ridge bears N & S.

98 Set a charred post 3 ft long
3" square 12" in ground for ¼ sec. cor. marked
with ¼ 5 on N face dug pits
18 X 18 X 12" E & W of post 5½
ft dist. and raised a mound
of earth 1½ ft high 3½ ft
base around post.

80 Road bears N & S.

00 Gentle ascend

96 The cor. to secs. 15.16.21 & 22
Land. Rolling valley
Soil Loam. gravelly
No timber.

Resurvey Tract Subdiv

Chain	North on resurvey line betw. secs. 15 & 16 Var 17½° E.
7.00	Enter higher bench bears M
16.25	Gully drains E.
24.60	Wash drains E.
40.00	No trace of old cor. Set limestone 24×16×5" 18 the ground for ¼ sec. cor. m ¼ on W. face and raised a stone mound alongside
45.35	Gully drains E.
68.50	Gulch drains E.
72.00	Gulch drains E.
80.00	No trace of old cor. set a limestone 16×10×8" 12" in the ground for cor. to secs. 10. 15 & 16. marked with 4 notches on S and 3 on E edge and raised a stone mound alongside.

Land East slope of Mount

Soil. 1st rate sandy loam on the level, 3rd rate rocky in gulches.

No timber.

13, M. R

Chain	East on rave betw. se Var 17
00	No trace of ¼ sec. cor.
99	Intersect S. of cor. to measure slightly my chain to the orig
	West on betw se with
00	Spring bra 2' deep r
95	Set a charr square 12 ¼ sec. cor face dug of post raised 1½ ft hig post
5.00	Road N
00	Ascend

13 M. R 7 West

Cast on random resurvey line
betw. secs. 10 & 15
Var 17½° E.

00 No trace of old cor. set a temp
¼ sec. cor.

99 Intersect N & S. line 11 lks —
S. of cor. to secs. 10. 11. 14 & 15 which
measurements differs
slightly with the old I adjust
my chain & instrument
to the original and run
West on true line
betw secs. 10 & 15
with same var.

00 Spring branch 2 lks wide
2' deep runs S.E

95 Set a charred post 3 ft long 3"
square 12" in the ground for
¼ sec. cor marked ¼ in N
face dug pits 18 x 18 x 12 E & W
of post 5½ ft dist. and
raised a mound of earth
1½ ft high 3½ ft base around
post

5.00 Road N & S
000 Ascend bears N & S.

Resurvey Tract Subdivis

Chain	
79.90	The cor to secs. 9.10.15 & 16. Land. Rolling valley Soil 1 rate alluvial & 2 rate rocky No timber.

North on resurvey line betw. secs. 9 & 10. Var 17½° E.

0.50	Gulch drains N.E.
7.63	Wash drains S.E.
27.50	Wash drains E.
33.65	Wash drains E.
40.00	No trace of old cor. Set a limestone 20×18×6" 15" ins in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
53.00	Spring branch in Gulch 2 lks wide 6" deep runs E.
65.00	No trace of old cor. the end of resurvey where I set a sandstone 20×10×7" 15" in the ground marked with

BOOK-A-

13 N. R

Chain	
	+) cross. Land. Soil 2 No timb

From the
Trim
West
bet
V

9.40	Road b
7.10	"
0.00	No trace sandsto the gro 1/4 on N f stone m from her bears c
2.15	Spring deep ru
3.00	Ascen
2.00	Foot of
3.00	No trace

Ph 13 N. R 7 West.

Chain (+) cross.
Land. Eastslope
Soil 2 rate gravely
No timber.

From the cor. to secs. 2. 3. 10 & 11
Trim
West on true resurvey line
betw. secs. 3 & 10
Var 17½° E.

9.40 Road bears N W & S E.
7.10 " " N W & S E.
0.00 No trace of old cor. set a
sandstone 12×10×6" 8" in
the ground for ¼ sec. cor. marked
¼ on N face and raised a
stone mound alongside
from here Cabin & corrall
bears N 37° W.
2.15 Spring branch 4 lks wide 3"
deep runs S E.
3.00 Ascend
2.00 Foot of Mountains bears N E & S.
3.00 No trace of old cor. End of

Resurvey Fract Subdiv

Chain resurvey where I set a sandstone 16×16×4" 12" in the ground marked w across (+)
Land. Rolling
Soil 1st rate sandy loam
2 rate rocky
No timber.

From the cor. to secs. 9.10.15 g
Trim
West on true line
betw. secs. 9 g 16
Var. 17½° E.
7.00 Gully drains N.E.
22.00 Ridge bears N.W. & S.E.
33.00 Gulch drains S.E.
40.00 No trace of old corner set a limestone 17×10×6" 12" in the ground for ¼ sec. cor. mar ¼ on N face and raised a stone mound alongsi
48.00 No trace of old cor. End of resurvey set a sandstone

BOOK-A-21

Sp 13 N.

Chain 20×15×7
marked
Land
Soil 2r
No timb

From the
22 Trim
West on
betw
Var
4.00 Leave be
0.00 No trace
stone 17
for ¼ sec c
and ra
alongs
6.00 Gulch
8.00 Ridge
3.00 On Es
no trace
of resu
a sands
ground

Sp 13 N. R 7 W. S.L.M.

Plain 20×15×7" 15" in the ground
marked with a cross (+).
Land Rolling
Soil Quite Gravely
No timber.

April 23. 87

From the cor. to secs. 15. 16. 21 &
22 Tom
West on true resurvey line
betw. secs. 16 & 21
Var 17½° E.

4.00 Leave beach ascend
0.00 No trace of old cor. set a lime-
stone 17×15×4" 12" in the ground
for ¼ sec cor. marked ¼ on N face
and raised a stone mound
alongside.
6.00 Gulch drains NE.
8.00 Ridge bears N E & S.W.
3.00 On E side of gulch drains S.E.
no trace of the old cor. end
of resurvey. where I set
a sandstone 16×10×10" 12" in the
ground marked with cross (+)

Resurvey Tract Subdivision

Chain Land. Beech & Mountain
Soil 1 rate sandy loam
2 rate rocky
No timber.

From the cor. to secs. 32 & 33
reestablished by me on
the Southboundary of the
township ~~[illegible]~~ this
Contract Town
North on resurvey line
betw. secs. 32 & 33.
Var 17 1/2° E.
Along East slope of Mount
40.00 No trace of old cor. set a sand
16×12×8' 12" in the ground for
1/4 sec. cor. marked 1/4 on W.
face and raised a stone
mound alongside.
80.00 No trace of old cor. set a Cu
17×12×7' 12" in the ground
for cor to secs. 28. 29. 32 & 33
marked with 1 notch on

BOOK-A-

Chain Land 4 o
raised a
side.
Land. C
Soil. 2
No tim
Dense s

East on
betw
Va
40.00 No trace
1/4 sec. co
80.04 Intersec
corner t
from wo
West
bet
0.00 Accend
8.50 Road b
No trace of
40.02 Set a sa
in the gr
marked
raised a

Tp 13 N. R 7 W. S.L.M.

Sand 4 on E edges and raised a stone mound along side.
Lazed. East slope of Mountains
Soil. Quite gravely
No timber.
Dense sagebrush undergrowth.

East on random resurvey line
betw secs. 28 & 33
Var 17 1/2° E.

40.00 No trace of old cor. set temp. 1/4 sec. cor.

70.04 Intersect N & S. line at corner to secs. 27. 28. 33 & 34 from where I run
West on true line
betw. secs. 28 & 33.

0.00 Ascend

18.50 Road bears N W & S.

40.02 No trace of old cor. Set a sandstone 24 X 18 X 3" 18" in the ground for 1/4 sec cor. marked 1/4 on N face and raised a mound of stones alongside

Resurvey Tract Subdivis

Chain	
47.00	Enter higher bench bears N L.E.
60.00	Fence bears N & W & L.E.
80.04	The cor. to secs. 28. 29. 32 & 3 Land. Mountainslopes Soil 2 rate gravely No timber.

North on resurvey line
betw. secs. 28 & 29
Var 17° 30' E.

14.16	Fence bears N W & S.E.
32.00	Wash drains E.
40.00	No trace of the old cor. set a sandstone 12×10×6" 8" in the ground for 1/4 sec. cor. mark 1/4 on W face and raised a stone mound alongside
48.00	Enters cattering scrub cedar
76.50	Ravine drains W.
80.00.	No trace of old cor. set a lime stone 18×12×8" 12" in the ground for cor. to secs. 20. 21. 28 & 29 [illegible] with 2 notches on S and 4

BOOK-A-

13 N.

Chain	
	E. edges and alongside distance. Land. Soil 2 Timber.

East on
betw
Va

40.00	No trace 1/4 sec. cor.
80.09	Intersec secs. 21. 2 Trim West betw wi
3.10	Road
13.50	Ascend
	Enter sc
40.05	Set a [illegible] in the g mark

Ps 13 N. R 7 West.

E. edges and raised a stone mound alongside No suitable tree within distance.
Land Rolling slopes
Soil Quite Gravely
Timber. Scrub Cedars.

East on random resurvey line
betw. secs. 21 & 28
Var 17 1/2° E.

4000 No trace of old cor. set temp. 1/4 sec. cor.

8009 Intersect N & S. line at cor. to secs. 21. 22. 27 & 28 from which Trees

West on true line
betw. secs. 21 & 28
with same var.

3.10 Road bears N E & S W.

13.50 Ascend bears N W & S.
Enter scattering cedars

40.05 Set a limestone 28 x 14 x 10" 20" in the ground for 1/4 sec. cor. marked 1/4 on N face and

Resurvey Fract Subdivis

Chain raised a stone mound alongside.
6000 Ascend Spurridge.
8009 The cor. to secs. 20. 21. 28 & 29
Land. Rolling Slopes
Soil 2 rate gravely
Timber. Scattering cedars.

North on resurvey line
betw. secs. 20 & 21
Var 17 1/2° E.

14.00 Gulch drains E.
24.00 " " E.
40.00 No trace of corner set a limestone 24×24×12" 18" in the ground for 1/4 sec cor. marked 1/4 on W. face and raised a stone mound alongside.
58.00 Gulch drains E.
59.00 No trace of old cor. End of resurvey when I set a sandstone 20×15×10" 15" in the ground marked with a cross.

13 N. R

Land. C
Soil 2
Timber.

From the c
From Wes
betw.
Var

00 Set temp
corner.
94 Intersec
at cor. to
under
where I
East
bete
Va

8.00 Gulch dr
.00 Gulch
9.94 Set a li
in the gro
marked
raised
.00 Ridge

6 13 N. R 7 West

Land. Rolling foothills
Soil 2 rate Gravely
Timber. scattering cedars.
April 25' 87

From the cor. to secs. 28. 29. 32 & 33
From West on random resurvey line
betw. secs. 29 & 32.
Var. 17 1/2° E.

.00 Set temp 1/4 sec. cor. no trace of old corner

.94 Intersect W. boundary of tp. at cor. to secs. 29 & 32. set by me under Contract No 145. from where I run
East on true line.
betw. secs. 29 & 32
Var. 17 1/2° E.

8.00 Gulch drains S.
6.00 Gulch drains S.
9.94 Set a lime stone 18 x 2 x 7" 12" in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound alongside
49.00 Ridge bears N.W. & S.E.

Reservoir Tract Subs

Chain	
76.00	Enter lower bench
79.94	The cor. to secs. 28 & 29 32 & 3
	Land. Rolling Mountain
	Soil Quartz, rocky
	Timber. scatt. cedars.

From the cor. to secs. 20. 21. 2
29 Trim
West on true line
reservoir
betw. secs. 20 & 29
Var. 17½° E

40.00	No trace of old cor. set lime
	stone 20×14×9" 15" in the gro
	for 1/4 sec. cor. marked 1/4 on
	N face and raised a stone
	mound alongside
46.00	Ridge bears N E & S W.
65.00	No trace of old cor. set
	a sandstone 14×10×7" 9" in
	the ground marked with
	+ cross. end of reservoir
	Land. Rolling Mountain
	Soil Quartz rocky

Tp 13 N.

Chain Timber. p

Gener

The land
this Cont
of level s
and the
on the W. s
There are
same.
3 is an o
corrall
There are
of water
secs. 3.
they be
purpos

Tp 13 N. R 7 West

Plain Timber. fuoscatt. cedars.
April 26 '87

General Descript.

The lands resurveyed under this Contract consists mostly of level sagebrush valley and the adjoining foothills on the W. side of same. There are no settlers on same. In the S.W. 4 of sec. 3 is an old log cabin and corrall uninhabited. There are two small stream of water running through sect. 3. 10 & 15. and could they be used for irrigation purposes.

Edward W. Koeber
U.S. dep Surv.

BOOK-A-

. S. SURVEYOR GENE

Salt Lake City

The foregoing field

fract. C

Township No. 13

f the Salt Lake Meri

W. Koe

Under Contract No. 7

day of June

April

examined, the necess

made, the said field n

are hereby approved.

W

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the Re survey of the Fract. Subs.

Township No. 18 S Range No. 7 W.

of the Salt Lake Meridian. Executed by Edward W. Roeber.

Under Contract No. ~~144~~ 143 of the 24th day of June 1886, in the month of April 1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

William G. Bowman
U. S. Surveyor General for Utah.

BOOK

REPORT:

Filed August

Examined by John

Transcribed by Jerr

Compared by Jennie

FIEL

OF THE SU

fractional

Township No. 13

Range No. 1

SALT LA

UTAH

AS

Edward

U. S.

Under his Contr

Dated Jun

Survey commenced

Survey completed

9th 38

BOOK-A-217

425

REPORT.

Filed August 29th 1887.

Examined by John H. Campe.

Transcribed by Jennie V. Bowman.

Compared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

OF THE SURVEY OF THE

Fractional Subdivisions

OF

Township No. 13 North

Range No. 4 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward F. Koeber

U. S. Deputy Surveyor,

Under his Contract No. 144.

Dated June 24 1886

Survey commenced April 26 1887

Survey completed April 28 1887

9 m 38 chs 23 lks

45.13

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. W. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tame	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-2

Subdivis

Land Survey comme
From the co
reestablishe
No 143 which
to secs. 9.10.
Nor

500 End of re
new surv
000 Let lim
in the gro
3.4. 9.10.
on Land
raised
side.
Land.
Soil.
No timb

East
be
V

7.20 Insuric
of resur

Subdivisions Tp. 13 N. R 7 W.

Land Survey commenced April 26. 87
From the cor. at the end of resurvey
restablished by me under Contr.
of 143. which is 65 lks. N. of cor.
to secs. 9.10. 15 & 16. Thence
North betw. secs. 9 & 10
Var 17 1/2° E.

5.00 End of resurvey beginning of
new survey

0.00 Set limestone 22 x 10 x 7' 16"
in the ground for cor. to secs.
3. 4. 9 & 10. marked with 5 notches
on S and 3 on E edges and
raised a stone mound along
side.
Land. Rolling hills.
Soil. White gravelly
No timber.

East on random line
betw. secs. 3 & 10.
Var 17 1/2° E.

7.20 Inserted corner at the end
of resurvey restablished

Tract Subdivisions

Chain	
	by me under Contract No 143. from where Town West on true line betw. secs. 3 & 10 with same var.
73.00	End of resurvey beginning of new survey
76.00	Ridge bears N W & S E.
80.20	The cor. to secs. 3. 4. 9 & 10. Land Rolling Soil. Quite gravelly No timber.
	North on random line betw. secs. 3 & 4 Var 17½° E.
40.00	Set temp. ¼ sec cor.
80.21	Intersect N. boundary 1 lks W of cor. to secs. 3 & 4. set by me under this Contract from where Town S 0° 8' W. on true line betw. secs. 3 & 4 with same var.

13 N. 1

Chain	
.00	Ridge be
.00	Gulch
.21	Set on E
	stone 16 x 16
	for ¼ sec.
	W face a
	mound
.00	Gulch
.00	Spring
	3' deep
5.00	Gulch
.00	Ridge
.00	Head
.21	The cor.
	Land
	Soil
	No tim
	From the
	boundary
	Town
	East
	bi

6 13 N. R 7 W 2 1

[illegible]	Ridge bears N E & S W.
[illegible].00	Gulch draines S E.
[illegible]21	Set on E slope of ridge a sand stone 16 x 16 x 4" 12" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.
[illegible].00	Gulch draines S E.
[illegible].00	Spring branch 3 lbs wide 3" deep runs S E in gulch
[illegible].00	Gulch draines N E.
[illegible].00	Ridge bears E & W.
[illegible].00	Head of gulch draines S W.
[illegible]21	The cor. to secs. 3. 4. 9 & 10.
	Land. Rolling foothills
	Soil Quite rocky
	No timber.

From the cor. to secs. 20 & 29 on W. boundary of township set by me from

East on random line
bet. secs. 20 & 29

Fract Subdivisions

Chain	
	Var. 17½° E
15.19	Intersect end of resurvey 11 lks N of cor. reestablished by me under Contract No 143 and which is 65 chs W of cor. to secs 20. 21. 28 & 29 from where Trn N 89° 35' W on true line betw. secs. 20 & 29 with same var.
65.00	End of resurvey beginning of new survey
80.19	The cor. to secs. 20 & 29 Land. Mountainous Soil Quite rocky No timber

North betw. secs. 20 & 21
Var 17½° E.

From the end of resurvey betw. secs. 20 & 21 which was reestablished by me under Contract No 143 and which is 59 chs. N. of cor. to secs. 20 21. 28 & 29.

N. R 7

Chain	
4.00	End of re... new surv...
0.00	Ridge be...
0.00	Set a lim... in the gro... 16. 17. 20 & 2... notches on... and rais... along si... Land. ... Soil Q... Timber

East on... betw. ...
Var. 1...

17.20	Intersec... 4 lks. N... by me... from wo... N 8... bet... wo...
63.00	End of...

N. R 7 W. S.L.M.

Chain
7.00 End of resurvey, beginning of new survey.
.00 Ridge bears E & W.
.00 Set a lime rock 18x10x10" 12" in the ground for cor. to secs. 16.17.20 & 21 marked with 3 notches on S and 4 on E edges and raised a stone mound alongside.
Land. Mountainous
Soil Quite rocky
Timber scat. cedars.
April 26. 87

East on random line
betw. secs. 16 & 21.
Var. 17½° E.
17.20 Intersect the end of resurvey 4 lks. N of cor. reestablished by me under Contract No 143 from where Town
N 89° 55' W on true line
betw secs. 16 & 21
with same var.
63.00 End of resurvey, beginning of

Fract Subdivisions.

Chain	new survey
63.50	W side of gulch drains S.
80.20	The cor. to secs. 16 17. 20 & 21
	Land. Mountainous.
	Soil Fruit rocky
	Timber. scatt. cedars.

West on random line
betw. secs. 17 & 20
Var. 17½° E.

40.00	Set temp. ¼ sec. cor.
80.21	Intersect W. boundary 19 ch
	S. of cor. to secs. 17 & 20 set by
	me under this Contract from
	where I now
	S 89° 52' E on true line
	betw. secs. 17 & 20
	with same var.
11.50	S. bend of Hollow
36.00	Gully drains S.W.
40.21	Set lime rock 20×10×10 15
	in the ground for ¼ sec cor
	marked ¼ on W face and
	raised a stone mound along

BOOK-A-

13 N.

2.00	Ridge be
.21	The cor. to
	Land
	Soil Fr
	Timber.

North
Var

.00	Along
000	Leave
	17×12×7
	for ¼ sec
	W. face
	mound
7.00	Head
0.00	Ridge
7.00	Gulch
000	Set a li
	in the gr
	8.9.16 &
	notches
	and ra
	along
	Land

6 13 N. R 7 W. S.L.M.

Land
2.00 Ridge bears N E & S W.
.21 The cor. to secs. 16.17.20 & 21.
Land Mountains
Soil Quite rocky
Timber. few cedars.

North betw. secs. 16 & 17
Var 17 1/2° E.
.00 Along top of ridge
.000 Leave same set a sandstone
17 x 12 x 7" 11" in the ground
for 1/4 sec. cor. marked 1/4 on
W. face and raised a stone
mound alongside
7.00 Head of gulch dr. S.W.
0.00 Ridge bears N E & S W.
7.00 Gulch drains S.W.
.000 Set a lime stone 20 x 18 x 7" 15"
in the ground for cor. to secs.
8.9.16 & 17 marked with 4
notches on S and E edges
and raised a stone mound
alongside
Land Mountains.

Fract Subdivisions Lp

Chain	
	Soil. Quite rocky
	Timber. Scrub. Cedars.
	East on random line
	betw. secs. 9 & 16.
	Var. 17½° E.
32.29	Intersect cor. at the end of
	resurvey 9 lks N of same, wh
	was reestablished by me
	under Contract No 143 from
	where I run
[illegible]	S 89° 51' W on true line
	betw. secs. 9 & 16
	with same var.
48.00	End of resurvey beginning
	of new survey
62.00	Ridge bears NE & SW
76.00	Ridge bears NW & SE.
80.29	The cor. to secs. 8 9. 16 & 17
	Land. Mountains
	Soil Quite rocky
	Timber scrub Cedars.

BOOK-A-2

R 7 W

Chain	
	West on
	betw. s
	Var
0.00	Set temp
0.23	Intersect
	of cor. to s
	under
	where I
	N. 8
	be
	with
9.00	Ridge b
16.00	Enter h
38.00	Wash dr
49.23	Set a lim
	in the gro
	marked
	raised
	alongs
49.00	Leave h
80.23	The cor.
	Land.
	Soil
	Timber

R 7 West. S.L.M.

Chain West on random line
betw. secs. 8 & 17
Var 17½° E.

000 Set temp ¼ sec. cor.

023 Intersect W boundary 21 lks N
of cor. to secs. 17 & 8 set by me
under this Contract from
where I now

N. 89° 57' E on true line
betw. secs. 8 & 17
with same var.

9.00 Ridge bears N W & S E.

16.00 Enter hollow

38.00 Wash drains N E.

49.23 Set a line stone 16 x 10 x 5 ½"
in the ground for ¼ sec cor.
marked ¼ on N face and
raised a stone mound
alongside.

49.00 Leave hollow, ascend

8023 The cor. to secs. 8. 9. 16 & 17
Laid. Mountains
Soil Grate rocky
Timber. scatt. cedars.

Fract. Subdivisions

Chain	North betw secs. 8 & 9 Var. 17 1/2° E.
16.00	Ridge Bears N W & S E.
37.00	Enter hollow
40.00	Set lime stone 18×10×6" 12 in the ground for 1/4 sec cor marked 1/4 on W face and raised a stone mound alongside.
54.00	Wash drains E.
68.00	Ascend
80.00	In gulch drains S.W. set a sandstone 22×12×4" 16" in the ground for cor. to secs. 4.5. 8 & 9. marked with 5 notches on Land 4 on E edges and raised a stone mound alongside Land. Mountains Sail Grate rocky Timber. scatt cedars.

3 N. R

Chain	East on betw. Var
00	Set tem
24	Intersec of cor. to where S
50	Gulch dr
00	Ridge
2.00	Gulch
00	Ridge
3.00	Gulch
012	Set a sa in the g cor. ma raised alongs
3.00	Gulch
7.00	Enter
4.00	Leave
0.24	In gul cor to se

3 N. R. 7 W. S. L. M.

hain	East on a random line
	betw. secs. 4 & 9
	Var. 17½° E.
00	Set temp ¼ sec. cor.
24	Intersect N & S. line 27 lks S.
	of cor. to secs. 3. 4. 9 & 10. from
	where I run
	S. 89° 48' W on true line
	betw secs. 4 & 9
	with same var.
50	Gulch drains S.W.
00	Ridge bears N E & S.W.
2.00	Gulch drains S.W.
00	Ridge bears N E & S.W.
3.00	Gulch drains S.W.
012	Set a sandstone 16×10×7" 12"
	in the ground for ¼ sec.
	cor. marked ¼ on N face and
	raised a stone mound
	alongside.
3.00	Gulch drains S.W.
7.00	Enter hollow drains S.
4.00	Leave same
0.24	In gulch drains S.W. the
	cor to secs. 4. 5. 9 & 8.

Tract Sub division

Chain Land. Mountains
Soil Quite rocky
Timber. scattering
scrub cedars.
April 27. 188

West on random line
betw. secs. 5 & 8
Var. 17½° E.

40.00 Set temp ¼ sec cor.
79.90 Intersect the W. boundary
of township 21 lks S. of cor
to secs. 5 & 8 set by me under
Contract No. 145. from wh
S. run
S 89° 51' E on true line
betw. secs. 5 & 8
with same var.

6.00 Gulch drains S.
11.00 Gulch drains S.
20.00 Gulch drains S.
34.00 Gulch drains S.
37.00 Gulch drains S.
39.90 Set a lime stone 16 x 14 x 10
12" in the ground for ¼ sec

13 N.

Chain cor. marke
raised a
alongside
6.00 Gulch dr
4.00 "
7.00 "
0.00 Ridge be
9.90 In gulch
cor. to sec
Land
Soil
No lie
few s

North
bete
Var
0.00 Set temp
0.10 Intersec
of tp. 17
secs. 4 &
Contract
when S
S 0
bete

13 N. R 7 West.

[illegible]	cor. marked 1/4 on N. face and raised a stone mound alongside
[illegible].00	Gulch drains S.
[illegible].00	" " S.
[illegible].00	" " S.
[illegible].00	Ridge bears N.E. S.W.
[illegible].90	In gulch drains S.W. the cor. to secs. 4. 5. 8 and 9.
	Land Mountains Soil Quite rocky No timber except a few scrub cedars.

Northonwardonline
betw secs. 4 and 5.
Var 17 1/2° E.

[illegible]0.00	Set temp 1/4 sec cor.
[illegible]0.10	Intersect N. boundary of tp. 17 lks E. of cor to secs. 4 & 5 set by meander Contract No 145 from rohen Sonn

S 0° 7' E on true line
betw secs. 4 and 5.

Fract Subdivision

Chain	
	with same var.
19.00	Enter hollow drains E.
26.00	Leave same
40.10	Set a limestone 14×10×8 9" in the ground for 1/4 sec. Cor. marked 1/4 on W. fa and raised a stone mo alongside.
50.00	Along E. side of ridge.
70.00	Leave same
80.10	In gulch drains SW. th cor. to secs. 4.5.8 & 9 Land Mountain Soil 2 rate rocky Timber. few scrub cedars.

From the cor. to secs. 25 & 36 set by me under this Contract I own
Well on random line
betw secs. 25 & 36
Var. 17 1/2° E.

9.46	Intersect End of resu 24 lks N. of cor. reesta

13 N. R

by me un
which is
secs 25. 26
from u
N 88
betw
with
End of
The cor. to
Land.
Soil 2
Timber

Gener

The add.
in this
the Hau
and the
hills,
with f
cedars
under

13 N. R 7 West.

by me under Contr. 143.
which is 71 ch's E. of cor to
secs 25. 26. 35 and 36 and
from where. Form
N 88°. 39' E
betw secs. 25 and 36
with same cor.
End of survey
The Cor. to secs. 25 and 36.
Land. Rolling
Soil Quite rocky
Timber few scrub cedars.
April 28. 1887.

General Description

The add. lands surveyed
in this township embrace
the Hansen Mountains
and the adjoining foot-
hills, which are covered
with fine grass, scrub
cedars and other artemisia
underwrowth. Secs. 4. 9.

Act Subdivisions

Tp 13 N. R 7 W.

10. are watered by two sm
spring branches which c
most of the water in
spring and are nearly
dry in summer an
fall. In sec. 9. on the N
side of canon are few
indications of coal
but it is very doubtfu
as to the existence of
any coalbeds easy
access. The lands are
only suitable for
grazing purposes
and there is quite a
number of stock on
the lands at prese

Edward W. Ko
U. S. dep. Sur.

4

BOOK-A-2

[4—L

A list of the na
loyed by Edwa
United States deputy
ing, measuring, a
orners described in
he survey of T12
W. T13 N.
7 W

f the Salt Lake bas
ory of Utah, showin
which they acted.

Cyrus L
William
J V Sm
Fred
H M C
A. J. Ta
C. C. L

[4—LIST OF NAMES.]

A list of the names of the individuals employed by Edward W Roeler *United States deputy surveyor, to assist in running, measuring, and marking the lines and corners described in the following field notes of the survey of* T12 N R6 W T13 N R 6 W. T13 N R7 W & T10 N R 7 W

of the Salt Lake base and meridian in the Territory of Utah, showing the respective capacities in which they acted.

Cyrus L Johnson, *Compassman*
William Carr, *Chainman*
J V Smith, *Chainman*
Fred Olsen, *Chainman*
H M Cromar, *Chainman*
A. J. Tame, *Axeman*
C C Leavitt, *Axeman*
, *Flagman.*

[5,—FINAL C

We hereby certif
W. Roeber
urveyor, in surveyi
f the
Standard line. T.1
T. 12 & 13 N R 6 W.
ubs. T. 10. 13 N R 7
f the Salt Lake base
ory of Utah, as are
eld notes as havin
nder his direction
een in all respects,
nd belief, well and
orner monuments
nstructions furnis
urveyor-general fo

Cyrus L
William
J. V
Fre
H M
A G
C. C. L

ubscribed and swo
day of Ju

[5.—FINAL OATHS OF ASSISTANTS.]

We hereby certify that we assisted Edward W. Rover United States deputy surveyor, in surveying all those parts or portions of the Standard line. T. 12 N. R 6 W. Township line T. 12 & 13 N R 6 W. T. 13 N R 7 W. Sub. T. 10. 13 N R 7 W, 12. 13. N R 6 W.

of the Salt Lake base and meridian in the Territory of Utah, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States surveyor-general for Utah.

Cyrus L. Johnson, Compassman.

William Carr, Chainman.

J. V. Smith, Chainman.

Fred Olsen, Chainman.

H. M. Brown, Chainman.

A. J. Tame, Axeman.

C. C. Leavitt, Axeman.

, Flagman.

Subscribed and sworn to before me this 11th day of June 1887

Henry R. M. Atkinson
Notary Public

(6.—FINAL OATH OF UNI

I, Edward

ted States depu

ar that in pursua

n Richmo

ted States survey

date of the 2

, I have well, fo

proper person, an

instructions furn

eyor-general for

and the laws of th

hose parts or porti

W. T. 13 N.,

meridian in the

esented in the foreg

surveyed by me a

I do further solem

of said survey h

etuated in strict

g manual, printe

en instructions o

-general for Utah

(6.—FINAL OATH OF UNITED STATES DEPUTY SURVEYOR.)

I, Edward D. Roeber

ted States deputy surveyor, do solemnly
ar that in pursuance of instructions received
n Richmond S. Dennett

ted States surveyor-general for Utah, bear-
date of the 24th day of June
, I have well, faithfully, and truly, in my
proper person, and in strict conformity with
instructions furnished by the United States
eyor-general for Utah, the surveying man-
and the laws of the United States, surveyed
hose parts or portions of T 12 & 13 N
W T 13 N, R 7 W & T 10 N
7 W

of Salt Lake base
meridian in the Territory of Utah, as are
esented in the foregoing field notes as having
surveyed by me and under my directions;
I do further solemnly swear, that all the cor-
of said survey have been established and
etuated in strict accordance with the sur-
ng manual, printed instructions, the special
ten instructions of the United States sur-
r-general for Utah, and in the specific man-

ner described in the field notes, and that the fo
going are the **TRUE** field notes of such surve
and, should any fraud be detected, I will suff
the penalty of perjury, under the provisions
an act of Congress, approved August 8, 1846.

Edward W. Koebr

United States Deputy Survey

Subscribed and sworn to before me this 11
day of June 1887

Henry R. M. Atkinson
Notary Public

BOOK-A-

U. S. SURVEYOR GE

Salt Lake Ci

The foregoing fie

Township No. 1

of the Salt Lake Me

W. R. O

Under Contract No

day of Ju

examined, the nece

made, the said field

are hereby approve

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888

The foregoing field notes of the new survey of the Grace Subs.

Township No. 13 N Range No. 7 W

of the Salt Lake Meridian. Executed by Edward W. Roeber

Under Contract No. 144 of the 24th

day of June 1886 in the month of April 1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK

REPORT:

Filed

Examined by Joh

Transcribed by A

Compared by Jun

FIEL

re

OF THE ST

Fractional

Township No. 13

Range No. 8 W

SALT LA

UTAH

Edwa

U. S.

Under his C

Dated Jun

Survey commence

Survey Completed

7 m 00

BOOK A-215

REPORT:

Filed 188

Examined by John H Lampe

Transcribed by H. Atkinson

Compared by Jennie V. Bowman & Kate Bowman.

FIELD NOTES

OF THE SURVEY OF THE

Fractional North Boundary

OF

Township No. 13 N

Range No. 8 W

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY.

AS SURVEYED BY

Edward H Koeber

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 24th 1886

Survey commenced Apl 12th 1887

Survey Completed " 12th 1887

7 m 00 chs 00 lks

46.5

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainman.
J. V. Smith	Chainman.
Fred Olsen	Chainman.
H. M. Cromer	Chainman.
A. J. Lane	Axeman.
C. C. Leavitt	Axeman.
	Flagman.

BOOK-A-2

Northborn

Chain Survey

From th
R. 8 g 9.
firmly
proper
regul
of eart
E

4000 Find
earth
a port
square
for 1/4
N face
the gr
5 1/2 ft
rais
1 1/2 ft

8000 No tr
hines
grom
3 1/8 32
W. a

BOOK-A-217

Resurvey of fract

Northbound. Tp. 13 N R 8 W.

Chain Survey commenced April 12 '87

From the corner to Tp. 13 & 14 N. R. 8 & 9 W. which is a post firmly set in the ground properly marked with regulation pits & mound of earth I run

East on true resurvey line.
bits. secs. 31 & 6.
Var. 17° 40' E.

4000 Find traces of mound of earth and pits where I set a post charred 3 ft long 3" square 12" in the ground for 1/4 sec. cor. marked 1/4 S on N face dug pits 18 x 18 x 12" in the ground E & W of line 5 1/2 ft. dist. of post and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around it.

8000 No trace of old cor. set a limestone 15 x 9 x 7" 9" in the ground for cor. to secs. 5 & 6. 31 & 32 marked with 1 notch on W. and 5 on E edges, dug

Resurvey of fractions

Claim pits 18×18×12" in the ground in each secs. 5½ ft. dist from stone and raised a mound of earth 2 ft high 4½ ft base along side.
Land. Valley
Soil 1 rate sandy loam
No timber
Dense sagebrush undergr

East on true resurvey line betw. secs 5 and 32
Var 17°40'6

4000 No trace of old cor. set a post charred 3 ft long 3" square 12" in the ground for ¼ cor. marked ¼ S on N face, dug pits 18×18×12" in the ground E & W of post 5½ ft dist. and raised a mound of earth 1½ ft high 3½ ft base. around post.

8000 No trace of old cor. set a limestone 14×7×6 9"

BOOK-A-21

North bound

Claim in the gr
to secs. 4
with 2 m
4 on E c
18×12" in
of stone
raised
2 ft high
along si
Land.
Soil
No tim
Dense

East
bete
V

4000 Find
mound
charred
12" in the
marked
pits 18×

Northbound. Tp 13 N R 8W

Land in the ground for cor. to secs. 4. 5. 32 & 33 marked with 2 notches on W. and 4 on E edges dug pits 18 x 18 x 12" in the ground 5½ ft. of stone in each sec. and raised a mound of earth 2 ft high 4½ ft. base alongside.

Land. Valley

Soil 1 & 2 Hate sandy & grooved loam

No timber.

Dense sagebrush undergrowth

East on true resurvey line betw. secs. 4 & 33

Var 17° 40' E.

40.00 Find remains of an old mound of earth where I set charred post 3 ft. long 3" square 12" in the ground for 1/4 sec. cor. marked 1/4 S on N face dug pits 18 x 18 x 12" in the ground

Resurvey of fract

Chain E & W. of post 5 1/2 ft di
and raised a mound of
earth 1 1/2 ft high 3 1/2 ft
around post.
60.75 Road bears N E & S W.
80.00 No trace of old corner set a lime sto
20 x 6 x 6" 15" in the ground
for cor. to secs. 3. 4. 33 & 3
marked with 3 notches
on E & W. edges dug pit
18 x 18 x 12" in the ground
in each sec. 5 1/2 ft. distan
and raised a mound of
earth 2 ft high 4 1/2 ft
bags alongside.
Land. bench
Soil 1 rate sandy loam
No timber.
Dense sagebrush undergr

BOOK-A-2

Northborn

Chain East
bet

2.10 Road
40.00 No trace
lime stor
ground
1/4 on N
a stone
71.00 Road
80.00 No trac
lime st
the gro
2. 3. 34
2 note
Wedg
a stor
End o
Lan
Soil
No t
Dun

Northbound. Tp. 13 N R 8 W.

Chain East on true resurvey line
betw. secs. 3 & 34.
Var 17° 40' E.

2.10 Road bears N & S.

40.00 No trace of old corner set
lime stone 16 x 10 x 4' 10" in the
ground for 1/4 sec. cor. marked
1/4 on N face and raised
a stone mound alongside.

71.00 Road bears N E & S W.

80.00 No trace of old corner set
lime stone 14 x 11 x 7' 9" in
the ground for cor. to secs.
2. 3. 34 & 35 marked with
2 notches on E. and 4 on
Wedges and raised
a stone mound alongside
End of resurvey.

Land. Beach
Soil 1 & 3 rate sandy loam & rocky
No timber
Dense sagebrush undergrowth
April 12' 87

Resurvey Tract North bou

Tp 13 N. R 8 W. S L. M

General Descrip

For General Description
see sub divis. of this town

Edward W. Ko
U. S. dep surv.

BOOK-A-21

. S. SURVEYOR GEN

Salt Lake Cit

The foregoing fie
Fractiona

Township No. 13

of the Salt Lake Mer

Under Contract No.

day of June
April

examined, the neces

made, the said field

are hereby approved

W

BOOK-A-217

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *188* 8.

The foregoing field notes of the 2d *survey of the* Fractional North Boundary.

Township No. 13 N *Range No.* 8 W.

of the Salt Lake Meridian. Executed by

Under Contract No. 143 *of the* 24

day of June *188*7, *in the month of* April *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Brownson

U. S. Surveyor General for Utah.

BOO

PORT:

ed

amined by Joh

anscribed by A

mpared by Jun

FIELD

F THE SU

Fractiona

ownship No. 13

ange No. 8

SALT LA

UTAH

A

Edwar

U. S.

Under his C

Dated Jun

Survey commence

Survey Complete

Jun

BOOK-A-217

461

PORT:

ed 188

amined by John H Campe

anscribed by H. Atkinson

mpared by Jennie V Bowman & Kate Bowman

FIELD NOTES

F THE SURVEY OF THE

Fractional North Boundary

OF

ownship No. 13 N

ange No. 8 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY.

AS SURVEYED BY

Edward W. Koeber

U. S. Deputy Surveyor,

Under his Contract No. 145

Dated June 24th 1886

Survey commenced April 12th 1887

Survey Completed " 12th 1887

1m 78 chs 60 lks ✓

47.4

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassm
William Carr	Chainman.
J. V. Smith	Chainman.
Fred Olsen	Chainman.
H. M. Cromer	Chainman.
A. J. Tame	Axeman.
C. C. Leavitt	Axeman.
	Flagman.

BOOK-A-

Fractional

Survey

From co
R 7 8 W.
under this C
West on
the cor. t
bound
the end
which
under
I inter
North
I there
cor. to
7 8 W.
S.
b

3.00 Gulch
9.00 Ridge
40.00 Set
the gro
1/4 on N.
Stone

ISTANTS.
Compassm
hainman.
hainman.
hainman.
hainman.
xeman.
xeman.
agman.

Fractional N. boundary T. 13 N R 8 W.

Said Survey commenced Apr. 12. 8

From cor. to Tps. 13 & 14 N. R 7 & 8 W. established by me under this Contract I run West on random line to the cor. to secs. 34 & 35. on N. boundary of tp. this being the end of the old survey which I re-established under Contract 143.
I intersect same 11.79 chs. North at 1 mile 78.05 chs.
Therefore return to the cor. to township 13 & 14 N. R 7 & 8 W. and run
S. 85° 42' W. on true line betw. secs. 1 & 36
Var 17° 30' E.

3.00 Gulch draws S.E.
2.00 Ridge bears N & S.E.
40.00 Set limestone 12 x 10 x 6" 8" in the ground for 1/4 sec. cor. marked 1/4 on N. face. and raised a stone mound alongside.

Fractional

Chain
62.00 Gulch draines S.W.
71.00 Ridge bears W. & S.W.
80.00 Set limestone 14x10x8"
9" in the ground for cor to
secs. 35. 36. 1 & 2. marked
with 1 notch on E and
5 on W. edges and raised
a stone mound alongside
land. Mountainous
Soil & rocky
Timber. few cedars.

S. 85° 42' W. on true line
betw. secs. 2 & 35
Var. 17° 40' E.

Descend.
40.00 Enter lower bench set
a Cobble 18x9x6" 12" in the
ground for 1/4 sec. cor. marked
1/4 on N. face and raised
a mound of stones
alongside.
72.00 Enter low bench bearing
78.60 The cor. to secs 34. 35. 2 & 3.

Thboundary T. 13 N R 8 W.

Land: Mountains and
bunchland
Soil. 1 g 2 rate sandy loam
8 g gravel.
Timber. few cedars.
April 12th 87

General Descript.

For General Descript.
see Subs. of this towsh.

Edward W. Korber

BOOK-A-

S. SURVEYOR GEN

Salt Lake Cit

The foregoing fie

Fractiona

Bound

Township No. 13

f the Salt Lake Mer

Edward

Under Contract No.

day of June

April

examined, the nece

made, the said field

are hereby approve

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *1888.*

The foregoing field notes of the ..... *survey of the* Fractional North Boundary

Township No. 13 N. *Range No.* 8 W.

of the Salt Lake Meridian. Executed by Edward W. Korber

Under Contract No. 145 *of the* 24th *day of* June *1886, in the month of* April *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Bowman

U. S. Surveyor General for Utah.

BOOK

REPORT:

Filed

Examined by John (

Transcribed by Jenn

Compared by Jennie E.

FIEL

OF THE SU

Eastbo

Township No. 13

Range No. 8

SALT LA

UTAH

AS

Edward

U. S.

Under his Contr

Dated Jan

Survey commence

Survey completed

6.m 00

BOOK-A-218

REPORT:

Filed 188

Examined by John H. Campbe, Sept 16th 1887.

Transcribed by Jennie U. Bowman,

Compared by Jennie U. Bowman & Hale Bowman.

FIELD NOTES

OF THE SURVEY OF THE

Eastbound day

OF

Township No. 13 S.

Range No. 8 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward F. Koeber

U. S. Deputy Surveyor,

Under his Contract No. 145.

Dated June 24 *188*6

Survey commenced April 7th *1887*

Survey completed April 7th *1887*

6 m. 00 chs. 00 lks.

486

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassm
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tarne	Axeman
C. C. Leavitt	Axeman
	Flagman

BOOK-A-

East boundary

Survey comm
From the corne
which is a g
set in the g
with stone
2 bearing tre
North
Var.
00 ascend N.E
00 Set a lime
the ground
1/4 on W. fac
mound
00 Set a lime
the ground
32 & 36 ma
on Sand
raised a
alongsi
Land.
Soil. Qu
Timber.

STANTS
ompassm
ainman
ainman
ainman
ainman
eman
man
gman

East boundary T. 13 N R 8 W.

Survey commenced April 7. 87
From the corner on 3d Stand Parl North bet R 7 & 8 W.
which is a granite 16×12×6" firmly
set in the ground properly marked
with stone mound alongside. and
2 bearing trees. Trim
North betw. secs. 36 & 32
Var. 17° 50' E.
00 Ascend N E & S W.
00 Set a limestone 12×12×7" 7" in
the ground for 1/4 sec. cor. marked
1/4 on W. face and raised a stone
mound alongside.
00 Set a limestone 13×11×3" 7" in
the ground for cor. to secs 25. 29
32 & 36 marked with 1 notch
on S and 5 on N edges and
raised a stone mound
alongside.
Land. East slope of Mountain
Soil. 2nd rate rocky
Timber. Scall. Cedars.

Eastboundary To

Chain	North betw. secs. 25 & 29 Var. 17°50' E.
11.50	Top of ridge bears NE & S.
40.00	Set a sandstone 20×15×7 15" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.
58.00	Gulch drains S.W.
80.00	Set vulcanic rock 25×1 ×6' 18" in the ground for cor. to secs. 20. 24. 25 & 29. marked with 2 notches on S. and 4 on N. edge and raised a stone mound alongside.
	Land. West slope of Mount Soil. Route. rocky No timber.

BOOK-A-2

13 North

Chain	North Va
5.00	Ridge bears
9.00	Enter lon
.00	Set vulc 13" in the cor. mark and rais alongsi
.00	Road NE & S.
.00	Ascend
.00	On top set a s 18" in the to secs. with 3 Edges a stone m
	Land Soil.
	Timbe

13 North R. 8 W.

North betw. secs. 20 & 24
Var. 17° 50' E.

5.00 Ridge bears NE & SW.
9.00 Enter lower slope
.00 Set vulcanic rock 19×14×7"
13" in the ground for 1/4 sec.
Cor. marked 1/4 on W. face
and raised a stone mound
alongside.
.00 Road in hollow bears
NE & S.W.
.00 Ascend bears NW & SE.
.00 On top of ~~Low~~ Mountain
set a sandstone 24×20×12"
18" in the ground for cor.
to secs. 13, 17, 20 & 24 marked
with 3 notches on N. & S.
Edges and raised a
stone mound alongside.
Land. Mountains & rolling
Soil. 2 rate rocky
1 rate sandy loam
Timber. scattering
scrub cedars.

BOOK-A-21

East boundary Township

Chain	North bet. sec. 13 & 17 Var. 17° 50' E.
	Descend
8.00	Enter hollow sloping gentle N. E.
20.00	Ascend bears E & W.
40.00	Set a sandstone 16 x 10 x 12" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside
47.00	Ravine drains N.E.
80.00	Set sandstone 21 x 14 x 7" in the ground for cor. to 8 12. 13 & 17 marked with 4 notches on S and 2 notches on N edges and raised a stone mound alongside
	Land. Mountainous
	Soil Quartz rocky
	Timber. few scrub ce

Chain	North b... Va...
00	Top of ri...
00	Gulch dr...
00	Set sa... 16" in the ... cor. mark... and rai... alongsi...
00	Ridge be...
00	Gulch ...
00	on top of ridge Set sa... 12" in the ... to secs. 1... with 5 n... 1 on N edg... a stone ...
	Land.
	Soil.
	Timb...

Township 13 N. R 8 W.

North betw. secs. 8 & 12
Var. 17°50' E.

Top of ridge bears N E & S W.
Gulch drains E.
Set sandstone 22 x 10 x 7"
16" in the ground for 1/4 sec.
cor. marked 1/4 on W. face
and raised a stone mound
alongside.
Ridge bears N E & S W.
Gulch drains E.
on top of ridge bears N W & S E.
Set sandstone 16 x 10 x 7"
12" in the ground for cor.
to secs. 1. 5. 8 & 12. marked
with 5 notches on S. and
1 on N edges and raised
a stone mound alongside.
Land. Mountainous.
Soil. Quite rocky
Timber. scrub cedars

Eastbound dary Tp. 13 N.

Chain	North betw. secs. 1 & 5
	Var. 17° 50' E.
20.00	Gulch drains E.
27.00	Ridge bears N E & S W.
40.00	Set sandstone 27 × 10 × 6" 20 in the ground for 1/4 sec. c marked 1/4 on W. face and raised a stone mound alo side.
45.00	Enter low dr bench bears N E & S W.
78.00	Low bench ridge bears N W &
80.00	Set sandstone 16 × 10 × 10" 1 in the ground for cor. to tp 13 & 14 N. R 8 & 7 West mark with 6 notches on N. S. E & W. edges and raised a stone mound alongside.
	Land. Mountainous
	Soil. 2 rate rocky
	Timber. few cedars.

April 7. 1887

BOOK-A-2

Genera

For gen
see Sub.

E

Tp. 13 N. R 8 W.

General Descript.

For general Description see Subs. of this township.

Edward W. Koeber
W. S. dep. Surv.

BOOK-A-2

S. SURVEYOR GENE

Salt Lake City

The foregoing field

East bo

Township No. 13 Nor

of the Salt Lake Merid

Edward

Under Contract No.

day of June

April

examined, the necess

made, the said field n

are hereby approved.

Ma

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the ..... *survey of the* East boundary

Township No. 13 North *Range No.* 8 West

of the Salt Lake Meridian. Executed by .....

Edward W. Kowber

Under Contract No. 145 *of the* 24th

day of June 1886 *in the month of*

April 1887 *having been critically*

examined, the necessary corrections and explanations

made, the said field notes, and the surveys they describe

are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.

BOOK A

REPORT:

Filed

Examined by John (

Transcribed by Jenn

Compared by Jenn

FIEL

OF THE SU

Full

Township No. 13

Range No. 8 W

SALT LA

UTA

A

Edwa

U. S.

Under his Cont

Dated Jun

Survey commenc

Survey completed

7th

BOOK A 2179

481

REPORT:

Filed 188

Examined by John H. Crumpe.

Transcribed by Jennie T. Bowman

Compared by Jennie T. Bowman & Hale Bowman

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 13 N

Range No. 8 W

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward D. Roeber

U. S. Deputy Surveyor,

Under his Contract No. ~~145~~ 143.

Dated June 24th 1886

Survey commenced April 28 1887

Survey completed April 29 1887

7 m 40 chs 45 lks

Lg. 9

NAMES AND DUTIES OF ASSISTANTS

Ignus L. Johnson	Compassman
William Carr	Chainmun
J. W. Smith	Chainman
Fred Olsen	Chainman
H. U. Cromer	Chainman
A. J. Lane	Axeman
C. C. Leavitt	Axeman
	Flagman

ISTANTS.
ompassma
hainman
hainman
hainman
hainman
eman
eman
gman

Resurvey

Subs. Tp. 13 N R 8 W.

Note

Referring to my Meandered Lines at Resurvey of Subs. T. 12 N. R. 8 W. about the shortness of the W. boundary of this township I make this resurvey in accordance.

Re

Subdivisi

Surrey
April 2

From
Secs 19.
West B
which
firmly
grou
mark
regula
frits
East
line

End
trace
Set
long
grou
mark
deg
E & W
& raise
earth

Resurvey

Subdivisions T13N R8W. SLM

Main Survey commenced April 28th 87

From the corner to Secs 19, 24, 25 & 30 on the West Boundary of Tp which is a post firmly set in the ground & properly marked with regulation mound & pits I run

East on true resurvey line bet secs 19 & 30

Va 17°40' E

000 End of resurvey. No trace of old corner Set charred post 3 ft long 3" ⊙ square 12" in ground for 1/4 sec cor marked 1/4 S on N face deep pits 18" x 18" x 12" r. E & W of post 5 1/2 ft dist & raised mound of earth 1 1/2 ft high 3 1/2 ft

Resurvey Subdivision

Chain base around post
Land sage flat
Soil 1st rate loam
No timber
Dense sagebrush

From corner to
secs 13.18.19 & 24 on N
Bdy of Tp which is a
post firmly set and
properly marked
with mound & pits
Iron
East on true resurvey
line bet secs 18 & 19
Va 17° 40' E

40.00 find traces of old
mound. Set charred
post 3 ft long 3' square
12" in ground for 1/4
sec cor marked 1/4 S
on N face dug pits
18" x 18" x 12" in E & W of post
5 1/2 ft dist & raised a
mound of earth

BOOK-A-21

13 N. R

1/2 ft high
around
End of
Land
Soil 2
No tim
Dense

From
secs 7
the We
which
firmly
prope
with
mound
East
line
No true
40.00 Set ch
long 3'
ground
1/4 sec c
N face

T 13 N. R 8 W. S L M

1½ ft high 3½ ft. base
around post
End of reservoir
Land sagebrush flat
Soil 2 to 4 sandy
No timber
Dense sagebrush

From the corner to
secs 7. 12. 13 & 18 on
the West Bdy of Tp
which is a post
firmly set and
properly marked
with regulation
mound & pits. From
East on ~~true~~ reservoir
line bet secs 7 & 18
Var 17°30' E
No trace of old cor.
4000 Set chained post 3 ft
long 3" square 12" in
ground for reestablished
¼ dec cor marked ¼ S on
N face, deep pits 18" x 18" x 12

Resurvey Subdivision

Chain | E & W of post 5½ ft dist
& raised a mound of
earth 3½ ft high 3½ ft
base around post
No trace of old cor.
80.00 Set limestone 12" x 9" x
8" in ground for re-established corner
to secs 7, 8, 17 & 18 marked
4 notches on S & 5 on E edge
dug pits 18" x 18" x 12" in
Each section 5½ ft dist
& raised mound of earth
2 ft high 4½ ft base
alongside
Land sagebrush
flat
Soil 2nd rate, sandy
No timber
Dense sagebrush

North on resurvey line
bet secs 7 & 8
Va 17° 40' E
40.00 No trace of old corner
Set charred post 3 ft
long 3" square 12"

BOOK-A-2

13 N. R

in gro
cor. ma
W face
12" W & S
& raised
earth 1
around
No trace
Set lim
10" in g
established
to secti
marked
E edge
Mound
Lan
Soil
No ti
Dens
unc

West
resu

T 13 N R 8 W. S L M

in ground for 1/4 sec
Cor. marked 1/4 S on
W face & leg pits 18" x 18" x
12" W & S of post 5 1/2 ft dist
& raised a mound of
earth 1 1/2 ft high 3 1/2 ft base
around post
To true of old cor.
Set limestone 15" x 10" x 5"
10" in ground for re-
established corner
to sections 5. 6. 7 & 8
Marked 5 notches on S &
E edges & raised stone
Mound alongside
Laced sagebrush flat
Soil 2nd rate gravelly
No timber
Dense sagebrush
underprouth

West on random
resurvey line bet
Secs 6 & 7
Va 17° 40' E

Reservoir Subdivision

Chain	
40.00	No trace of old corner
	Set temp 1/4 sec cor
79.82	Intersect W Bdy of Tp
	7 lks S of cor to secs
	1.6.7 & 12 which is a
	post firmly set and
	properly marked,
	with regulation mound
	& pit. Thence
	S 89° 57' E on trail
	line bet secs 6 & 7
	with same va
25.00	Old trail bears NE & SW
39.82	Set charred post 3 ft
	long 3" square 12" in
	ground for 1/4 sec cor (re-established)
	marked 1/4 S on N face
	Dug pit 18" x 18" x 12 in
	E & W of post 5 1/2 ft dist
	& raised a mound
	of earth 1 1/2 ft high 3 1/2
	ft loose around post
79.82	The corner to secs
	5.6.7 & 8
	Land sagebrush flat

BOOK-A-21

T 13 N. -

	Soil 2
	No tr
	Dinoc
	North
	Resu
	sec
40.00	No trac
0.09	Intersec
	14 lks
	5.6 31 x
	by me
	No 143
	S
	on tr
	Sec
	ev
40.09	Set c
	3 ft lon
	12" in
	re-esta
	Cor m
	W fa

T 13 N. R 8 W. S L M

Soil 2nd rate gravelly
No timber
Dense sagebrush
April. 28' 87

North on random
Resurvey line bet
Secs 5 & 6
Va 17°40' E
40.00 No trace of old corner
2.09 Intersect N Bdy of Lp
14 lks E of cor to secs
5, 6 31 & 32 re established
by me under contract
No 143. Thence
S 0°6' E
on true line bet
Secs 5 & 6
with same va
40.09 Set chained post
3 ft long 3" square
12" in ground for
re established 1/4 sec
Cor marked 1/4 S on
W face, dug pits 18

Resurvey Subdivision

Chain	x 18" x 12" N & S of post 5½ ft dist and raised mound of earth 2 ft high 3½ ft base around post
80.09	The corner to secs 5.6.7 & 8
	Laced sagebrush flat Soil 2nd rate gravel. No timber Dense sagebrush underground.
	From corner to secs 5.6.7 & 8 Trun East on true resurvey line bet secs 5 & 8 Var 17°40' E
40.00	No trace of old corner Set chained post 3 ft long 3" square 12" in ground for 4 estates 1/4 sec cor, marked 1/4 S on N. face, deep pits

BOOK-A-21

T 13 N.

Chain	18" x 18" x 12 5½ ft dis a mou 1½ ft hig around
9.50	Road
10.00	No trac Set lin 9' in gr Cor to se marked & 4 no pits-18 sec 5½ raised earth base Lan Soil No tr Dens und

T 13 N. R 8 W. S L M.

18"x18"x12 E & W of post
5½ ft dist and raised
a mound of earth
1½ ft high 3½ ft base
around post
950 Road N E & S W
000 No trace of old corner
Set limestone 13"x10"x5"
9" in ground for restablished
Cor to secs 4, 5, 8 & 9
marked 5 notches S
& 4 notches on E edges dug
pits 18"x18"x12" in each
sec 5½ ft distant &
raised a mound of
earth 4 ft high 4½ ft
base alongside
Land sagebrush flat
Soil 2nd rate, gravelly
No timber
Dense sagebrush
underneath

Resurvey Subdivision

Chain	
	North on random resurvey line bet Secs 4 & 5 Var 17°40' E
40.00	No trace old cor, set temp 1/4 sec cor
80.24	Intersect N. Bdy of Tp 21 lks E of cor to secs 4.5.32 & 33, reestablished by me under this Contract thence S 0° 9' E on new line bet secs 4 & 5 Va 17°40' E
40.24	Set charred post 3 ft long 3" square 12" in ground for re establish 1/4 sec cor, marked 1/4 S on W face, dug pits 18" x 18" x 12" N & S of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post
70.00	Old road N E & S W

BOOK-A-217

T 13 N. 6

24	The cor Land Soil 2 No tim Dense grou
	From & 34 on reestabl under N From South on
00	End of old c post 3 12" in g 1/4 sec c W face N & S of raised 1 1/2 ft h arou

T 13 N. R 8 W. S L M

Jun 24 The cor to secs 4, 5, 8 & 9
Land sagebrush flat
Soil 2d rate gravelly
No timber
Dense sagebrush under-
-growth

From cor to secs 3, 4, 33
& 34 on N Bdy of Tp
re established by me
under this contract
Trim
South bet secs 3 & 4
on true resurvey line
Va 17° 40' E
4000 End of resurvey, No trace
of old corner, Set chanel
post 3 ft long 3' square
12" in ground for re established
1/4 sec cor, marked 1/4 S on
W face, drug pits 18" x 18" x 12
N & S of post 6 1/2 ft dist &
raised mound of earth
1 1/2 ft high 3 1/2 ft base
around post

Resurvey

Subdivisions T13N R8W. S.L.

Land sagebrush flat
Soil 2 Prate gravelly
No timber
Sagebrush underneath

C April 29 1880

General Description

The lands embraced in this resurvey are sagebrush flats, and affording excellent pasturage. There is no timber or water in this portion

Edward W. Koeber
U.S. Dep Surveyor

BOOK-A-217

S. SURVEYOR GENER

Salt Lake City,

The foregoing field

Sub

Township No. 13 N

of the Salt Lake Meridi

Edwa

Under Contract No.

day of June

April

examined, the necessa

made, the said field n

are hereby approved.

W

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *188*8

The foregoing field notes of the re *survey of the*

Subdivisions

Township No. 13 N. *Range No.* 8 W

of the Salt Lake Meridian. Executed by

Edward W. Kreber

Under Contract No. ~~140~~ 143 *of the* 24th

day of June *1886, in the month of*

April *1887, having been critically*

examined, the necessary corrections and explanations

made, the said field notes, and the surveys they describe

are hereby approved.

William G. Brunson

U. S. Surveyor General for Utah.

BOOK

REPORT:

Filed

Examined by John

Transcribed by Jeni

Compared by Jenni

FIEL

OF THE S

Subdivi

Township No. 1

Range No. 4

SALT LA

UTA

Edwe

U. S

Under his Con

Dated Ju

Survey commenc

Survey complete

51

BOOK A-217

REPORT:

Filed 188

Examined by John H. Caupe.

Transcribed by Jennie V. Bowman.

Compared by Jennie V. Bowman & Kate Bowman

FIELD NOTES

OF THE SURVEY OF THE

Subdivisions

OF

Township No. 13 N.

Range No. 8 W.

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward N. Korber

U. S. Deputy Surveyor,

Under his Contract No. 145

Dated June 24 1886.

Survey commenced April 30 1887

Survey completed May 9th 1887.

51 m 72 ch 38 lks

50 32

NAMES AND DUTIES OF ASSISTANTS

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tame	Axeman
C. C. Leavitt	Axeman
	Flagman

ubdivisions

Survey co
1887

From the
35 & 36 o
Parallel
which
x 5" firm
properly
North

00 Wash di
00 Set Lin
8" in g
Cor, Ma
and ra
Mouu
Along
00 Wash d
50
00 Lemie
in gro
to secs
mark
on E

ISTANTS.
ompassma
ainman
ainman
ainman
ainman
eman
eman
gman

Subdivisions T13 N. R8 W. S L M

Survey commenced April 30 1887

From the corner to secs 35 & 36 on the 3d Standard Parallel North, and which is a stone 12x10 x5" firmly set and properly marked Trun North bet secs 35 & 36
Var 17°35' E

00 Wash dis S W
00 Set Limestone 12"x12"x8" 8" in ground for 1/4 sec Cor, marked 1/4 on W face and raised a stone mound alongside along W slope of beech
00 Wash dis S W.
50 " S W.
00 Limestone 15"x9"x3" 10" in ground for corner to secs 25, 26, 35 & 36 marked 1 Notch on S & 1 on E edges and raised

Subdivisions

Chain stone mound alongside
Land W slope of beech
Soil 3d rate rocky
Timber few scrub
Cedars

East on pandon line bet secs 25 & 36
Var 17°35' E

40.00 Set temp 1/4 sec cor
80.17 Intersect East Bdy of Tp 21 lks N of cor to Secs 25.29 32 & 36, set by me under this Contract, Thence N 89°51' W on true line bet secs 25 & 36 with same va
8.00 Top of Hansen Mountain (Watershed)
40.08 Set limestone 10"x10"x8 7' in ground for 1/4 sec corner marked

T 13 N. R 8 W. S L M

Land 1/4 on N face & raised.
Stone mound alongside
00 Enter Lower slope
00 Wash drains SW
00
17 The cor to secs 25, 26, 35 & 36
Land Mountains & beach
Soil 3d rate rocky
Timber fur cedar on Mountains

North bet secs 25 & 26
Var 17°35' E
40. Old Road NE & SW
50 Enter flat bears NE & SW
50 Road SW & NE
00 Leave flat ascend
00 Set limestone 18 x 10 x 6
12" in ground for 1/4 sec
Cor. marked 1/4 on W face & raised stone mound alongside

Subdivisions

Chain along E slope of ridge
80.00 Set limestone 18" x 1
x 8" 12" in ground
for Cor to secs 23.24
25 & 26, marked with
2 Notches on S & 1 on E
edges & raised stone
mound alongside
Land beech
Soil 3d rate rock
Timber fever & sweet
Cedars

East on random
line bet secs 24 & 25
Var 17° 40' E
40.00 Set temp 1/4 sec cor
80.24 Intersect East B deg
of Tp 19 ek S of corner
to secs 20, 24, 25 & 29,
set by me under this
Contract. Thence
S 89° 52' W on
true line bet secs 24 & 25

BOOK-A-21

13 N.

with
Descend
00 Enter
NE & SW
12 Set lim
12" in g
Cor. Ma
& raised
along
5.00 Road
24 The cor
25 & 26
Land
Soil
Not

North
V
00 Set lim
9" in
sec co
W fac
Stone
5.00 Ascen
6.50 Head

T 13 N. R 8 W. S.L.M.

	with same va
	Descend
00	Enter lower bench NE & SW
12	Set limestone 16"x11"x7" 12" in ground for 1/4 sec Cor. marked 1/4 on W face & raised stone mound alongside
5.00	Road in hollow dro S.W.
24	The corner to secs 23.24, 25 & 26
	Land bench rolling Soil 3d rate rocky No timber
	North bet secs 23 & 24 Var 17°25' E
0.00	Set limestone 13"x12"x7" 9" in ground for 1/4 sec cor. marked 1/4 on W face & raised a stone mound alongside
5.00	Ascend
6.50	Head of Canyon dro S.E.

BOOK-A-217

Subdivisions

Chain	
72.00	Ridge bears S.W. & N.E.
80.00	Head of hollow dis N.
	Set sandstone 20"x10"x
	15" in ground for cor
	to secs 13, 14, 23 & 24
	marked 3 notches on S
	& on E edges & raised
	stone mound alongside
	Land Mountains
	Soil 3d rate rocky
	Timber few scrub
	Cedars
	East on random
	line bet secs 13 & 24
	Va 17°35' E
40.00	Set temp 1/4 sec cor
80.29	Intersect East Bdy of
	Tp 24 lks N of cor to secs
	13, 17, 20 & 24. Set by one
	under this contract
	Thence N 89°50' W on
	true line bet secs
	13 & 24
	with same va

Chain	
50	Ridge N
.00	Enter f
9.00	As cen
2.00	Ridge be
00	Enter H
15	Set sa
	8" in gro
	Cor. ma
	face & ra
	mound
3.00	Ascend
5.00	Ridge b
.29	The co
	23 & 24
	Land
	Soil
	& rock
	Timb
	Scrub
	North
	1
	Asce
5.00	Ridge b

T 13 N. R 8 W. S L M

50	Ridge N W & S E
.00	Enter flat
9.00	Ascend
2.00	Ridge bears N E & S W
00	Enter Hollow drs S W
15	Set sandstone 12" x 8" x 6" 8" in ground for 1/4 sec Cor. marked 1/4 on N face & raised stone mound alongside
3.00	Ascend
5.00	Ridge bears N E & S W
29	The corner to secs 13.14 23 & 24
	Land rolling & Mts Soil 3rd & 1st rate, sandy & rocky
	Timber, scattering
	Scrub cedars
	April 30 '87
	North between secs 13 & 14
	Var 17°35' E
	Ascend
5.00	Ridge bears N E & S W.

Subdivisions

Chain	
40.00	Set limestone 12"x12" 8" in ground for 1/4 sec Cor. marked 1/4 on W face & raised stone mound alongside
44.50	Spur Ridge bears N.W. & S.E.
48.50	Head of Gulch drs E
65.00	Ravine drains N.W.
68.00	Ridge bears N.W. & S.E.
69.00	Ravine drs N.W.
80.00	Set limestone 13"x11"x3 8" in ground for cor to secs 11, 12, 13 & 14 marked 4 notches on S & 1 on E edges & raised stone mound alongside

Land mountain
Soil rocky 3d rate
Timber scattering
Scrub cedars

BOOK-A-21

13 N. R. S

Chain	
	East ... line ... Va...
00	Set ...
34	Intersec... 21 lks ... 8 12, 13 ... under ... Thence ...
50	Hollow...
50	Ridge ...
17	Set lim... 7" in ... Cor. m... face & ... along ...
400	Enter...
34	In ra... to secs ... Land ... Soil ... Tim...

13 N. R 8 W. S L M

Chain East on random
line bet secs 12 & 13
Var 17° 35' E
.00 Set temp 1/4 sec cor
.34 Intersect E Bdy of Tp
21 lks N of corner to secs
8 12, 13 & 17 Set by me
under this contract
Thence N 89° 51' W on
true line bet secs
12 & 13
with same va
.50 Hollow dr S E
.50 Ridge N E & S W
.17 Set limestone 10" x 8" x 7"
7" in ground for 1/4 sec
Cor, marked 1/4 on N
face & raised stone mound
alongside
4.00 Enter lower bench
0.34 In ravine, the corner
to secs 11, 12, 13 & 14
Land Mountains
Soil 3d rate rocky
Timber scattering cedars

Subdivisions

Chain	
	North bet secs 11 & 12
	Va 17° 25' E
9.50	Ridge bears S W & N E
12.00	Gulch dis S W
17.60	Limestone Ledge E & W
30.60	Junction of two ravines
	heads N E & S E
40.00	Set limestone 16 x 14 x
	12" in ground for 1/4 sec
	Cor. marked 1/4 on W
	face & raised a stone
	mound alongside
47.50	Ravine drains N W
63.00	Wash drains N W
70.00	Descend
80.00	On S side of hollow
	set sandstone 20" x 8 x
	15" in ground for cor
	to secs 1, 2, 11 & 12 mark
	5 notches on S & 1 on E edge
	& raised stone mound
	alongside
	Laced mountains
	Soil 2d & 3d rate gravel &
	Timber scattering cedars

BOOK-A-2

13 N.

Chain	
	East
	line
	V
0.00	Set ter
0.41	Intersec
	of Tp 2
	to secs
	by me
	Contra
	N 89
	lin
2.50	Gulch
7.50	Ridge
0.20	Set a
	6" 12" in th
	sec. co
	N face
	stone
	along
6.00	Ente
7.00	Enter
0.41	The co
	Laced
	Soil

T 13 N. R 8 W. S.L.M.

chain East on random line bet secs 1 & 12
Va 17°35' E
000 Set temp 1/4 sec cor
1.41 Intersect E boundary of Tp 27 lks N. of cor to secs 1. 5 8 & 12 set by me under this contract. Thence
N 89°48' W on true line bet secs 1 & 12
with same va
2.50 Gulch trains SE.
7.50 Ridge bears N E & S W
10.20 Set a sandstone 18 x 10 x 6 12 in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.
66.00 Enter lower slope
77.00 Enter hollow
0.41 The cor. to secs. 1. 2. 11. & 12.
Land. mountain
Soil 3 rate. gravely

Seel divisions

No timber.
scattering sagebrush
undergrowth

T 13 N.

[illegible]	North [illegible]
	line [illegible]
	[illegible]
000	Set [illegible]
4.10	[illegible]
	180 lk. [illegible]
	12,35 [illegible]
	under [illegible]
	Thence [illegible]
	S [illegible]
	line be[illegible]
	So[illegible]
30	Gulch [illegible]
30	Ridge [illegible]
30	Gulch [illegible]
4.13	on Ri[illegible]
	quartz [illegible]
	in [illegible]
	cr. m[illegible]
	face & [illegible]
	[illegible]
3.80	Gulch [illegible]
5.30	Ridge [illegible]
5.30	Gulch [illegible]
4.30	Ridge [illegible]

T 13 N. R 8 W. S.L.M.

Chain North on random line bet ses 1 & 2
Var 17°35' E
000 Set temp 1/4 sec cor
4.10 Intersect N Bdy of Tp 180 lks W of cor to secs 12, 35 & 36 set by one under this contract
Thence
S 1° ~~36'~~ 23' W on true line bet ses 1 & 2
Same va
4.30 Gulch dis W
4.30 Ridge N E & S W
4.30 Gulch dis W
4.13 on Ridge N E & S W, set quartzite 18" x 10" x 7, 12" in ground for 1/4 sec cor, marked 1/4 on W face & raised stone mound alongside
3.80 Gulch dis S W
5.30 Ridge N E & S W
5.30 Gulch dis S W
4.30 Ridge N E & S W

Subdivisions

Chain	
65.30	Enter hollow
74.13	The corner to secs 1
	11 & 12
	Land Mountains
	Soil 2d rate
	Scattering Cedar
	From the Standard Corner to secs 34 & 35 on the 3d Standard Parallel North which is a post firmly set and properly marked Trees
	North bet secs 34 & 35
	Var 17° 35' E
4000	Set charred post 3 ft long 3" x 3" square 12" in the ground for 1/4 sec cor marked 1/4 on W face deep pits 18" x 18" x 12" N & S of post 5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft

BOOK-A-21

13 N.

base ce
Set a co
8" in gr
to secs 2
marked
2 on E e
18" x 18" x 12
5 1/2 ft dis
mound
high 3
Lan
Soi
Den

East
line

Set ten
Intersec
S of co
& 3 C.
S
line
Enter

T 13 N. R 8 W. S.L.M.

base around post
Set a cobble 12"x10"x8"
8" in ground for cor
to secs 26.27.34 & 35
marked 1 Notch on S &
2 on E edges. deep pits
18"x18"x12" in each sec
5½ ft dist & raised a
mound of earth 2 ft
high 3½ ft base alongside
Land rolling
Soil 2nd rate
Dense sagebrush

East on random
line bet secs 26 & 35
Var 17°35' E
Set temp ¼ sec cor
Intersect N & S line 16 ch
S of cor to secs 25.26.35
& 36. Thence
S 89°53' W on true
line bet secs 26 & 35
with same va
Enter lower bench

Subdivisions

Chain	
40.00	Set charred post 3 ft long 3"x3" square 12" in the ground for 1/4 sec cor marked 1/4 on N face dug pit 18"x18"x E & W of post 5/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post
80.00	The corner to secs 26, 27, 34 & 35
	Land rolling
	Soil 2nd rate
	Dense sagebrush
	May 2 1887
	North bet secs 26 & 27
	Var 17° 35' E
40.00	Set charred post 3 ft long 3" square 12" in ground for 1/4 sec cor marked 1/4 on W face dug pit 18"x18"x12" N & S of post 5/2 dist and raised a mound of earth

BOOK-A-21

13 N R

	1 1/2 ft high
	~~along~~
00	As cen
00	Set sa
	12" in g
	to sec
	marke
	S & E e
	18"x18"x
	sec 5/2
	raised
	of earth
	2 ft high
	Lan
	Soil
	Den
	East
	be
00	Set te
20	Intersec
	16 lks
	23.24.

13 N R 8 W. S.L.M

1½ ft high 3½ ft base
~~alongside~~ around post
.00 Ascend
.00 Set sandstone 18"×10"×6
12" in ground for cor
to secs 22. 23. 26 & 27
marked 2 notches on
S & E edges dug pits
18"×18"×12 in each
sec 5½ ft dist and
raised a mound
of earth alongside
2 ft high 4½ ft base alongs
Land rolling
Soil 1st rate
Dense sagebrush

East on random line
bet secs 23 & 26
Var 17° 35' E
.00 Set temp ¼ sec cor
.20 Intersect N & S line
16 lks S of cor to secs
23. 24. 25 & 26. thence

Subdivision

BOOK-A-217

Chain	
	S 89° 53' W on true line bet secs 23 & 2 with same va
19.00	Ascend
40.00	Set sandstone 20"x10"x 15" in ground for 1/4 cor, marked 1/4 on N face & raised stone mound alongside
44.00	Ridge N E & S W
80.20	The Corner to secs 22, 23 26 & 27
	Land rolling
	Soil 2d rate
	Scattering Cedars
	Dense Sage
	North bet secs 22 & 2
	Var 17° 35' E
40.00	Set a sandstone 18"x 10"x7" 12" in ground for 1/4 sec cor marked 1/4 on W face, dig pits 18"x18"x12" N & S of stone 5 1/2 ft dist & raised a mound

Chain	
	of earth
	3 1/2 ft l
.00	Enter
.00	Set sa
	x9" 8"
	Cor to
	23, ma
	notches
	edges &
	Mound
	Lan
	Soil
	Sca
	Den
	East
	line
.000	Set te
.32	Intersec
	15 lks
	13, 14, 2
	N 89
	line b

T 13 N R 8 W S.L.M.

Pair of earth 1½ ft high
3½ ft base alongside
1.00 Enter higher beach
1.00 Set sandstone 14"x10"
x9" 8" in ground for
Cor to secs 14, 15, 22 &
23, marked with 3
notches on S & 2 on E
edges & raised stone
mound alongside
Land rolling
Soil 2nd rate
Scattering cedars
Dense sagebrush

East on random
line bet secs 14 & 23
Va 17°35' E
1.00 Set temp ¼ sec cor
1.32 Intersect N & S line
15 lks N of cor to secs
13, 14, 23 & 24 thence
N 89°54' W on true
line bet secs 14 & 23

Subdivisions

Chain	
	with same va
2000	Ridge bears N E & S W
3800	Gulch dis N
40.16	Set charred post 3 ft long 3" square 12" in ground for 1/4 sec Cor. marked 1/4 S on N fa deg pits 18 x 18 x 12 E & W of post 5 1/2 ft dist. & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.
51.00	Ridge bears N W & S E
80.32	The corner to secs 14. 16. 22 & 23
	Land rolling
	Soil 2d rate
	Scattering cedars
	Dense sagebrush

BOOK-A-217

T 13 N.

North

Wash di

Enter l

Set sam

12" in g

Cor. ma

& raised

along

Set sam

8" in g

to secs

marked

S and

& raised

along

Lan

Soil

Den

T 13 N. R 8 W. S.L.M.

North bet secs 14 & 15
Var 17° 35' E
Wash drains W
Enter lower bench
Set sandstone 18" x 10" x 7"
12" in ground for 1/4 sec
Cor marked 1/4 on W face
& raised stone mound
alongside
Set sandstone 12" x 8" x 6"
8" in ground for cor
to secs 10. 11. 14 & 15
marked 4 notches on
S and 2 on E edges
& raised stone mound
alongside
Sand rolling
Soil 2d rate
Dense sagebrush

Subdivisions

Chain	
	East on random line bet secs 11 & 14 Var 17° 35' E
40.00	Set temp 1/4 sec cor
80.15	Intersect N & S line 16 lks N of cor to secs 11.12 13 & 14, thence N. 89° 53' W on true line bet secs 11 & 14 with same va
4.50	Gulch dis N.W.
11.60	" " S.W.
40.07	on ridge, set a sandstone 18" x 10" x 7" 12" in ground for 1/4 sec cor, marked 1/4 on N face & raised a stone mound alongside
64.00	Enter lower bench
80.15	The cor to secs 10.11.14 & 15

Land rolling
Soil 2d rate
Dense sagebush

T 13 N

Chain	
	North ... Var
40	Road be
50	
00	Set ch ... 3" square ... for 1/4 ... 1/4 Son ... Stone ...
00	Set san ... 7" in ... 8 ... sec ... 5" notch ... edges ... in ea ... ft dist ... mound ... 4 1/2 ft la ... Lan ... Soil ... Dens ...

T 13 N. R 8 W. S L M.

Chain North bet secs 10 & 11.
Var 17° 35' E
0.40 Road bears NE & SW
0.50 " " NW & SE.
0.00 Set chained post 3 ft long
3" square 12' in ground
for 1/4 sec cor. marked
1/4 S on W face & raised
stone mound alongside
0.00 Set sandstone 10" x 10" x 8"
7' in ground for cor to
secs 2. 3. 10 & 11. marked
5' notches on S & 2 on E
edges. Dug pits 18" x 18" x 12"
in each section 5 1/2
ft dist & raised a
mound of earth 2 ft high
4 1/2 ft base alongside
Land level
Soil 2d rate
Dense sagebrush
May 3. 87

Subdivisions

Chain East on random line bet sec 2 & 11
Var 17° 35' E
40.00 Set temp 1/4 sec cor
80.20 Intersect N & S line 29 lk N of cor to sec 1, 2, 11 & 12. Thence N 89° 48' W on true line bet secs. 2 & 11
with same va
5.00 Leave hollow
40.10 Set chained cedar post 3 ft long 3' square 12" in ground for 1/4 sec cor, marked 1/4 S on N face & dug pits 18 x 18 x 12' E & W of post 5 1/2 ft dist & raised a mound of earth 2 1/2 ft high 3 1/2 ft base around post
76.00 Enter lower bench
80.20 The cor to secs 2, 3, 10 & 11
Land level
Soil 1st rate

13 N.

Chain Dec
North
line
Va
4000 Set ter
8.25 Intersec
20 lks
2, 3, 34 &
undu
Thence
S
line l
wit
8.25 Set ch
long 3
ground
Mark
dug pi
of post
a mo
1 1/2 ft h
arou
68.25 The co
2, 3, 1

T 13 N. R 8 W. S.L.M.

Claim Deer sage brush

North on random line bet secs 2 & 3
Var 17° 35' E

1000 Set temp 1/4 sec cor
8.25 Intersect N Bdy of Lf 209 lks W of cor to secs 2, 3, 34 & 35 set by me under this contract thence
S 1° 42' W on true line bet secs 2 & 3
with same va

8.25 Set charred post 3 ft long 3" square 12" in ground for 1/4 sec cor marked 1/4 S on W face dug pits 18" x 18" x 12" N & S of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post

68.25 The corner to sections 2, 3, 10 & 11

Subdivisions

Chain	
	Land Sloping Soil 1st rate Dense sagebrush
	From the Standard Corner to secs 33 & 34 on the S Bdy of Tp & which is a limestone 3"x8" above ground, properly marked & mound of stone alongside Trun North bet secs 33 & 34 Var 17°35' E
40.00	Set charred post 3 ft long 3" square 12" in ground for 1/4 sec cor marked 1/4 S on W face deg pits 18"x18"x12" N & S of post 5 1/2 ft dist & raised mound of earth 1 1/2 ft high 5 1/2 ft base around post.
80.00	Set sandstone 10"x10"x8" 7" in ground for Cor

BOOK-A-21

T 13 N

Chain	
	to secs marked & 3 on E pits 18"x section raised of earth ft base Lan Soil Div
	East line V
40.00	Set ten
80.00	Intersec Corner & 35 S West bet se with
40.00	Ridge
40.00	Set ch

T 13 N. R 8 W. S L M.

Chain to secs 27 28 33 & 34
Marked 1 Notch on S
& 3 on E edges, dug
pits 18" x 18" x 12" in each
section 5½ ft dist &
raised a mound
of earth 2 ft high 4½
ft base alongside
Land level
Soil 1st rate
Dense sagebrush

East on random
line bet secs 27 & 34
Var 17° 25' 6"
4000 Set temp ¼ sec cor
4000 Intersect N & S line at
Corner to secs 26 27 34
& 35 Thence
West on true line
bet secs 27 & 34
with same va
400 Ridge bears N & S
4000 Set charred post

Subdivisions

Chain 3 ft long 3" square 12" in ground for 1/4 sec cor. marked 1/4 S on N face, dug pits 18 x 18 x 12" E & W of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post

68.50 Wash dis N E

80.00 The corner to secs 27.28.33 & 34

Land level & rolling

Soil 1st rate

Dense sagebrush

North bet secs 27 & 28

Var 17° 35' E

17.10 Road bears N E & S W

29.00 Leave bench

29.50 Road bears E & W

40.00 Set chained post 3 ft long 3" square 12" in ground for 1/4 sec cor. marked 1/4 S on W face, dug

T 13 N

Chain pits 18"

post 5 1/2

raised

earth 1

around

80.00 Set sa

12" in

Cor to s

marked

& 3 on

pits 18

each

& raise

of earth

base

Land

Soil

Den

East

line

40.00 Set ten

79.90 Intersec

S of cor

T 13 N R 8 W S.L.M.

chain pit 18"×18"×12" N & S of
post 5½ ft dist and
raised a mound of
earth 1½ ft high 3½ ft base
around post
80.00 Set sandstone 18"×7"×7"
12" in ground for
Cor to secs 21, 22, 27 & 28
marked 2 notches on S
& 3 on E edges, dug
pit 18"×18"×12" in
each section 5½ ft dist
& raised a mound
of earth 2 ft high 4½ ft
base alongside
Land rolling
Soil 1st rate
Dense sagebrush

East on random
line bet secs 22 & 27
Var 17°35' E
40.00 Set temp ¼ sec cor
79.90 Intersect N & S line 14 lks
S of cor to secs 22, 23, 26 & 27

Subdivisions

Chain	Thence
	S 89° 54' W on true line bet secs 22 & 27 with same va
11.90	Leave beech
19.90	Ridge bears N W & S E
39.95	Set chained post 3 ft long 3" square 12" in the ground for 1/4 sec Cor, marked 1/4 S on N face deep pits 18"x18"x12" E & W of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post
43.40	Wash drs S
68.40	Leave beech
70.00	Road bears N & S
79.90	The cor to secs 21, 22, 27 & 28
	Land rolling
	Soil 2nd rate
	Dense sagebrush
	May 4 87

T 13 N.

Chain	North b
	Var
10.00	Set chan
	3" square
	for 1/4 sec
	on W fa
	x 18" x 12"
	ft dist
	of earth
	base
80.00	Set sam
	7" in gr
	secs 15,
	3 notch
	& raised
	Stone
	Lan
	Soil
	Dens
	East
	line
40.00	Set tr
80.24	Intersec

T13 N. R8 W. S.L.M.

Nath bet secs 21 & 22
Var 17°35' E

10.00 Set chained post 3 ft long
3" square 12" in ground
for 1/4 sec cor, marked 1/4 S
on W face dug pits 18
x 18 x 12 N & S of post 5 1/2
ft dist & raised a mound
of earth 1 1/2 ft high 3 1/2 ft
base ~~around post~~

10.00 Set sandstone 10 x 10 x 10
7" in ground for cor to
secs 15, 16, 21 & 22, marked
3 notches on S & E edges
& raised a mound of
stone alongside
Sand level
Soil 1st rate
Dense sagebrush.

East on random
line bet secs 15 & 22
Va 17°35' E

4.00 Set temp 1/4 sec cor
0.24 Intersect N & S line

Chain	
	7 lks S of cor to secs 14, 15, 22 & 23 thence S 89° 57' W on a true line bet secs 15 & 22 with same va
9.00	Descend higher bench
28.84	" lower "
40.12	Set charred post 3 ft long 3" square 12" in the ground for 1/4 sec cor, marked 1/4 S on N face deep pit 18" x 18" x 12" ¼ & W of post 5½ ft dist & raised a mound of earth 1½ ft high 3½ ft base around post
41.34	Descend Lower bench
41.84	Road N & S
80.24	The cor to secs 15, 16, 21 & 22
	Land rolling
	Soil 2nd rate
	Dense sagebrush

T 13 N

Chain	
	North
	Va
4.00	Set cha
	3" square
	for 1/4 s
	1/4 S on
	18" x 18" x
	5½ ft de
	mound
	high 3
	around
8.00	The cor
	16, set c marked
	Lan
	Soil
	Dec
	East
	line
4.00	Set ter
80.10	Intersec
	7 lks
	11, 14 &

T 13 N. R 8 W. S. L. M.

Chain North bet secs 15 & 16
Var 17° 35' E
4.00 Set chained post 3 ft long
3" square 12' in ground
for 1/4 sec cor marked
1/4 S on W face drag pits
18" x 18" x 12' N & S of post
5 1/2 ft dist & raised a
mound of earth 1 1/2 ft
high 3 1/2 ft base
around post
8.00 The cor to secs 9, 10, 15 &
16, Set cobble 20 x 16 x 8" 15' in ground
marked 4 notches on S & 3 on E edges
Raised stone mound alongside
Land level
Soil 1st rate
Decrease sagebrush

East on random
line bet secs 10 & 15
Var 17° 35' E
4.00 Set temp 1/4 sec cor
80.10 Intersect N & S line
7 lks S of cor to secs 10,
11, 14 & 15 Thence

Subdivisions

Chain	
	S 89° 57' W on true line bet secs 10 & 15 with same va
2.10	Road bears N E & S W
22.10	Wash dis S W
40.05	Set charred post 3 ft long 3" square 12" in ground for 1/4 sec cor. marked 1/4 S on N face dug pits 18"x18"x12" E & W of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.
59.10	Descend bench
80.10	The cor to secs 9, 10, 15 & 16
	Land rolling
	Soil 2d rate
	Dense sagebrush

North bet secs 9 & 10
Vac 17° 35' E

21.00	Wash dis S W
38.50	Descend bench bears N E & S W
40.00	Set charred post 3 ft

T 13 ...

Chain	
	Long 3 ... ground ... marked ... dug ... in ground ... 5 1/2 ft dis... mound ... 3 1/2 ft ba...
80.00	Set ... 7" in ... sec 3 ... 5 notch... edges. ... 12" in ... ft dist ... of earth ... base ...
	Lan... Soil ... Dens...

East ... line ...

T 13 N. R. 8 W. S.L.M.

Plain long 3" square 12" in ground for 1/4 sec cor marked 1/4 S on W face deg pits 18 x 18 x 12 12" in ground. N & S of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

Set sandstone 18" x 10" x 9" 7" in ground for cor to sec 3, 4, 9 & 10, marked 5 notches on S & 3 on E edges. deg pits 18" x 18 x 12" in each sections 5 1/2 ft dist & raised a mound of earth 2 ft high 4 1/2 ft base along side

Land rolling
Soil 2d rate
Dense sagebrush

East bn a random line bet secs 3 & 10
Var 17° 35' E

Subdivision

Chain
40.00 Set limestone 1/4 sec cor
80.00 Intersect N & S line at
Corner to secs 2, 3, 10 & 11
Thence West on true
line between 3 & 10
with same va
3.50 Road bears N & S
29.00 Second Bench bears N & S
39.00 Wash dis S
40.00 Set chained post 3 ft long
3" square 12" in ground
for 1/4 sec cor, marked
1/4 on N face deep pits
18"x18"x12 E & W of post 5 1/2 ft
dist & raised mound
of earth 1 1/2 ft high 3 1/2 ft
base around post
51.00 Second lower bench
bears N & S
80.00 The corner to secs 3, 4, 9 & 10
Land rolling
Soil 2nd rate
Venus sagebrush

T 13 N R 8 W. S L M

Chain North on random line bet secs 3 & 4
Var 17° 35' E

8.35 Intersect 1/4 sec cor bet secs 3 & 4, reset by me under Contract No ~~143~~ 143
175 lks W of Corner thence
S 3° 32' W on true
8.40 line bet secs 3 & 4
~~8.35~~ The cor to secs 3, 4, 9 & 10
Land Level
Soil 1st rate
Dense undergrowth
sagebrush
May 5. 87.

From the Standard Cor to secs 32 & 33 on the S. Bdy of Tp which is a limestone 7" x 10" x 8" above ground, & properly marked. From N bet secs 32 & 33
Var 17° 35' E
6.00 Ridge bears N E & S W

Subdivisions

Chain	
40.00	Set Chained post 3 ft long 3" square 12" in ground for 1/4. Sec cor marked 1/4 S on W face deg pits 18"x18"x12. N & S of post 5 1/2 ft. dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post
58.00	Descend brush beam E & W
80.00	Set Volcanic Rock 14"x9"x7" 8" in ground for cor to secs 28. 29. 32 & 33 marked with 1 notch on S & 4 on E edges & raised a mound of stone alongside
	Land rolling
	Soil 2d rate
	Dense sagebrush

BOOK-A

T 13 N

Chain	
	East
	line
	Va
4.000	Set ter
7.995	Intersec
	20 lks
	27.28.3
	S 8
	line
	...
6.05	Road
15.45	Desc
	N E &
9.97	Set ch
	long
	grou
	Mark
	deg
	& Hoff
	& raise
	of earth
	base
79.95	The c
	32 & 3
	La

T 13 N. R 8 W. S.L.M.

Chain East on random line bet secs 28 & 33
Var 17°35' E
4.000 Set temp 1/4 sec cor
19.95 Intersect N & S line 20 lks S of cor to secs 27.28.33 & 34. Thence S 89°51' W on true line bet secs 28 & 33 with same va
6.05 Road N E & S W
15.45 Descend beach bears N E & S W
19.97 Set charred post 3 ft long 3" square 12" in ground for 1/4 sec cor Marked 1/4 S on W face dug pits 18"x18"x12 E & W of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post
19.95 The cor to secs 28.29.32 & 33
Land rolling

Subdivision

Chain	
	Soil 2nd rate
	Dense cagebrush
	North bet secs 28 & 29
	Var 17° 35' E
38.00	Road bears N W & S E
40.00	Set chained post 3 ft long
	3" square 12" in ground
	for 1/4 sec cor. marked
	1/4 S on W face dug pits
	18"x18"x12" N & S of post
	5 1/2 ft dist & raised a
	mound of earth 1 1/2 ft high
	3 1/2 ft base around post
80.00	Set volcanic rock 20"x10"x
	15" in ground for corner
	to secs 20. 21. 28 & 29
	marked 2 notches on
	S & 4 on E edges & raised
	stone mound alongside
	Land level
	Soil 1st rate
	Dense cagebrush

BOOK-A-21

13 N. R

	East on
	line bet
	Va
00	Set ten
10	Intersect
	29 lks
	secs 21
	thence
	S 89
	line bet
	earth
05	Set chai
	3" square
	for 1/4 se
	1/4 S on
	pits 18"x
	post 5
	mound
	3 1/2 ft ba
0.10	The co
	& 29.
	La
	Soil
	Dens

§13 N. R 8 W. S L M.

East on random
line bet secs 21 & 28
Var 17° 35' E
00 Set temp 1/4 sec cor
10 Intersect N & S line
29 lks S of corner to
secs 21. 22. 27 & 28
thence
S 89° 48' W on true
line bet secs 21 & 28
with same va
05 Set charred post 3 ft long
3" square 12" in ground
for 1/4 sec cor, marked
1/4 S on N face, dug
pits 18" x 18" x 12" E & W of
post 5 1/2 ft dist & raised
mound of earth 1 1/2 ft high
3 1/2 ft base around post
0.10 The cor to secs 20. 21. 28
& 29.
Land level
Soil 1st rate
Dense sagebrush

Subdivisions

Chain North between 20 & 21
Var 17°35' E

20.00 Foot of ascent NW & S
40.00 On Slope, Set a Sandstone 12×10×6" 8" in ground for sec cor marked 1/4 on W fo and raised a stone mound alongside.
49.00 Ridge NW & SE
56.00 Foot of Slope NW & SE
59.00 Wash dis S.E.
69.00 " " S.E.
74.00 " " S.E.
80.00 Set Volcanic rock 18 × 10 × 7 12" in ground for Cor to secs 16. 17. 20 & 21 Marked 3 notches on S & 4 on E edges, & raised stone mound alongside
Land rolling
Soil 2d rate
Dense sagebrush

13 N.

Chain East
line
Va
00 Set tem
14 Interst
19 lks N
16. 16. 21
N 89
line b
sa
14 Ascend
14 Top Rea
14 Foot of
07 Set cha
12" in ground
S on W fac
ft dist. E
of earth
post
14 Ascen
14 The cor
La
So
Den

T 13 N. R 8 W. S. L. M.

Land Easton random line bet secs 16 & 21.
Var 17° 35' E
000 Set temp 1/4 sec cor
014 Intersect N & S line 19 lks N of cor to secs 15. 16. 21 & 22 Thence N 89° 52' W on true line bet secs 16 & 21
same var
14 Ascend
14 Top Ridge N. E & S W
14 Foot of Ridge
007 Set charred post 3 ft long 3" square 12" in ground for 1/4 sec cor. Marked 1/4 S on N face dug pits 18"x18"x12". 5 1/2 ft dist. E & W of post & raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post
14 Ascent bears N & S
14 The corner to secs 16. 17. 20 & 21.
Land rolling
Soil 2d rate
Dense sagebrush

Subdivisions

Chain	
	North bet secs 16 & 17
	Var 17° 35' E
6.50	Ridge N.E. & S.W.
26.50	Foot of Descent bears E & W
39.00	Wash dis S.W.
40.00	Set a sandstone 20 x 10 x 8" 1[illegible] in the ground for 1/4 sec c[illegible] marked 1/4 on W face and raised a stone mound alongside
71.00	Descend lower bench bears N.E. & S.W.
80.00	Set volcanic rock 18 x 10 x 9. 12 in ground for co[illegible] to secs 8. 9. 16 & 17 marked 4 notches on S & E edges & raised stone mound alongside
	Land rolling
	Soil 2d rate
	Dense sagebrush
	May 6. 87

BOOK-A-21

/13 N. R[illegible]

Chain	
	East on[illegible] line be[illegible]
	Var
[illegible]00	Set tem[illegible]
[illegible]30	Intersect[illegible] 24 lks S[illegible] 9. 10. 15 & [illegible] S 89° [illegible] line be[illegible] with
[illegible]30	Wash di[illegible]
[illegible]15	Set cha[illegible] 3" square [illegible] for 1/4 se[illegible] 1/4 on N[illegible] 18" x 18" x 12" [illegible] 5 1/2 ft dis[illegible] mound [illegible] 3 1/2 ft bas[illegible]
[illegible]30	Descend [illegible] N.E. & S[illegible]
[illegible]30	The com[illegible]
	Lan[illegible]
	Soil [illegible]
	Dens[illegible]

T 13 N. R 8 W. S.L.M.

Chain East on random
line bet secs 9 & 16
Var 17° 35' E
1500 Set temp 1/4 sec cor
1130 Intersect N & S line
24 lks S of cor to secs
9. 10. 15 & 16. thence
S 89° 50' W on true
line bet secs 9 & 16
with same va
1130 Wash dis S W
1115 Set charred post 3 ft long
3" square 12" in ground
for 1/4 sec cor marked
1/4 S on N face deep pits
18" x 18" x 12" E & W of post
5 1/2 ft dist & raised a
mound of earth 1 1/2 ft high
3 1/2 ft base around post
1130 Descend bench leads
N E & S W
1130 The corner to secs 8. 9. 17 & 18
Land rolling
Soil 2nd rate
Dense sagebrush

Subdivisions

Chain	
	North on random line bet secs 8 & 9 Var 17°35' E
4000	Set ten 1/4 sec cor
70.10	Intersect the cor to secs 4, 5, 8 & 9 Se established by me under contract N 143 190 W of cor ~~140~~ thence S 1°33' W on true line bet secs 8 & 9 with same var
17.94	Ascend bench bears NE & SW
24.94	Road NE & SW
30.24 ~~30.10~~	Set charred post 3 ft long 3" square 12" in ground for 1/4 sec cor, marked 1/4 S on W face dug pits 18 x 18 x 12" N & S of post 5 1/2 ft dist & raised mound of earth 1 1/2 ft high 3 1/2 ft base around post
66.94	Descend bench bears NW & SE
70.24 ~~70.10~~	The cor to secs 8, 9, 16 & 17

BOOK-A-2

T 13 N

Chain	
	Land r... Soil 2... Dense...
	From th... 4, 5, 8 & 9 on ran... bet sec... Var...
4000	Set temp...
	Intersect...
882	S of cor to... Thence... S 83... line b... ev...
0.00	Set a C... in the g... cor. m... face a... stone

T 13 N R 8 W. L.L.M

Land rolling
Soil 2d rate
Dense sagebrush

From the corner to sec
4, 5, 8 & 9 Trun East
on random line
bet secs 4 & 9
Var 17° 35' E
Set temp 1/4 sec cor
Intersect N & S line 9.59 lks
S of cor to sec 3, 4, 9 & 10
Thence
S 83° 3' W on true
line bet secs 4 & 9
with same va
Set a Cobble 10 x 8 x 8" 6"
in the ground for 1/4 sec
cor. marked 1/4 on N
face and raised a
stone mound alongside

Subdivisions

Chain	
44.82	Ridge N.W. & S.E.
61.82	Road N.E. & S.W. descend bench
~~70.82~~	The cor to secs 4, 5, 8 & 9.
~~79.41~~ 79.29	Land rolling
	Soil 2nd rate gravelly
	Dense sagebrush

From the Standard Cor to secs 31 & 32 on the S. Bdy of Tp which is a post firmly set & properly marked Frum

North bet secs 31 & 32

Var 17° 35' E

40.00 on edge of bench bears N.W. & S.E. set a chained post 3 ft long 3" square 12" in ground for 1/4 sec cor marked 1/4 S in W face, drug pits 18" x 18" x 12" N & S of post 5 1/2 ft dist & raised a mound

T 13 N. R

Chain	of earth 1
	base aro
00	Set vol o
	10" x 8" x 8
	for cor to
	& 32. m
	Notch
	E edges
	mound
	Land
	Soil
	Dens
	East
	line
	Va
000	Set ten
998	Intern
	at cor
	& 33
	on tu
	with
999	Edge of

T 13 N. R 8 W. S. L. M.

[illegible]	of earth 1½ ft high 3½ ft
	base around post
1000	Set volcanic rock
	10" x 8" x 8" 7" in ground
	for cor to secs 29. 30. 31
	& 32. marked with
	1 notch on S & S on
	E edges & raised stone
	mound alongside
	Land rolling
	Soil 2nd rate
	Dense sagebrush
	East on random
	line bet secs 29 & 32
	Var 17° 35' E
1000	Set temp ¼ sec cor
998	Intersect N & S line
	at cor to secs 28. 29. 32
	& 33 Thence, West
	on true line bet
	secs 29 & 32
	with same va
999	Edge of ascent

Subdivisions

Chain	Set a sandstone 20×10×6 15" in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.
69.00	Descend
79.98	The cor to secs 29.30.31 & 32.
	Land rolling
	Soil 2nd rate
	Dense sagebrush

West on random line bet secs 30 & 31

Var 17° 35' E

40.00	Set temp 1/4 sec cor
79.~~20~~ 24	Intersect W Bdy of Lf 1.93 chs N of cor to secs 25.30.31 & 36 which is a ~~Cedar~~ post firmly set & properly marked with mound of earth & stones. Hence
	N 88° 39' E on true

13 N

Chain	line
24	Ascend
	N W &
31 ~~26~~	Set post
	12" in g
	cor,
	N face
	E & W of
	& raised
	earth 1
31 ~~26~~ ~~24~~	ground
	The co
	& 32.
	La
	So
	De

North

1.50	Ascen
4.00	Set po
	12" in
	sec co
	W face

T 13 N. R 8 W. S.L.M.

Plain line bet secs 30 & 31
with same variation
8.24 Ascend bench bears
N W & S E
31 ~~26~~ Set post 3 ft long 3" square
12" in ground for 1/4 sec
cor, marked 1/4 S on
N face, dug pits - 18"x18"x12
E & W of post 5 1/2 ft dist
& raised mound of
earth 1 1/2 ft high 3 1/2 ft base
around post
31 ~~26~~ ~~24~~ The cor to secs 29 30 31
& 32
Land rolling
Soil 2d rate
Dense sagebrush

North bet secs 29 & 30
Var 17°35'E
1.50 Ascend
0.00 Set post 3 ft long 3" square
12" in ground for 1/4
sec cor, marked 1/4 S on
W face, dug pits - 18"x18"x12

Subdivisions

Chain	
	N & S of post 5½ ft dist and raised a mound of earth 1½ ft high 3½ ft base around post
58.50	Descend
80.00	Set sandstone 12" x 10" x 7" 8" in ground for cor to secs 19, 20, 29 & 30, mark 2 notches on S & S on E edges & raised a stone mound along side
	Land rolling
	Soil 2d rate
	Dense sagebrush
	East on random line bet secs 20 & 29
	Var 17° 35' E
40.00	Set temp ¼ sec cor
79.80	Intersect N & S line at cor to secs 20, 21, 28 & 29, thence
	West on true line bet secs 20 & 29

BOOK-

T 13 N

Chain	
90	with
	set a ca
	the gro
	cor m
	face a
	stone
	alon
30	Road
80	The co
	Lan
	Soi
	Den
	West
	line
	V
9.00	Intersec
	secs 19
	by m
	N 14
	Conne
	N.
	line

T 13 N R 8 W S L M

Chain with same va
990 set a cobble 12 x 10 x 5 8" in
the ground for 1/4 sec.
cor marked 1/4 on N
face and raised a
stone mound
alongside

30 Road bears NW & SE
80 The cor to secs 19. 20. 29 & 30
Land level
Soil 2d rate
Dense sagebrush
May 7. 87

West on random
line bet secs 19 & 30
Var 17° 35' E
900 Intersect 1/4 sec cor bet
secs 19 & 30 re established
by one under contract
No 143, 3.98 chs N of
Corner. Thence
N. 84° 10' E on true
line bet secs 19 & 30

Subdivisions

Chain	with same va
60.00	Ascend bench NE & SW
79.10	The cor to secs 19, 20, 29 & 30.
	Land rolling
	Soil 2nd rate
	Dense sagebrush.
	Extent of survey 39 chs
	North bet secs 19 & 20
	Var 17°35'E
2.90	Road bears NW & SE
40.00	Set chained post 3 ft long 3" square 12" in ground for 1/4 sec cor marked 1/4 S on W face deep pits 18"x18"x12" N & S of post 5 1/2 ft dist & raised mound of earth 1 1/2 ft high 3 1/2 ft base around post.
49.00	Ascend
80.00	Set sandstone 10"x8"x6" 7" in ground for cor to secs 17, 18, 19 & 20, marked

BOOK A-2

T 13 N

Chain	3 notch
	on E edg
	stone
	Sand
	Soil
	Dens
	East
	line
4.00	Set ten
0.20	Intersec
	Cor to s
	Thence
	line
	evi
8.00	Ridge
0.10	Set a
	6" 15
	1/4 sec
	N fa
	9 sto
	side

T 13 N R 8 W S L M

Chain 3 notches on S & 5 notches on E edges & raised a stone mound alongside
Sand rolling
Soil 2d rate
Dense sagebrush

East on random line bet secs 17 & 20
Var 17° 35' E
4,000 Set temp 1/4 sec cor
0,20 Intersect N & S line at Cor to secs 16, 17, 20 & 21
Thence West on true line bet secs 17 & 20
with same Va
8,00 Ridge NE & SW
0,10 Set a sandstone 20 x 10 x 6 - 15" in the ground for 1/4 sec cor. marked 1/4 on N face and raised a stone mound alongside

Subdivisions

Chain	
50.00	Ridge N W & S E
62.00	Hollow dis N W
70.00	Ridge N W & S E
80.20	The cor to secs 17. 18. 19 & 20
	Land Mountain
	Soil 2d rate
	Dense sagebrush

Weston random line
bet secs 18 & 19
Var 17° 35' E

38.90	Intersect 1/4 sec cor bet
	secs 18 & 19 re established
	by me under contract
	No 134. 5, 87 chs N of
	Cor thence
	N. ~~81° 16'~~ 81° 25' E on true
	line bet secs 18 & 19
	with same va
46.00	Road N E & S W
65.00	Ascend bench N E & S W
79.34	The cor to secs 17. 18. 19
	& 20
	Land level

/13 N. ...

Chain	
	Soil ...
	Dense ...
	North ...
	line ...
	Va...
000	Set ten...
210	Intersect ...
	7. 8. 17 & ...
	by me ...
	No 143 ...
	thence ...
	true ...
	17 & ...
	with ...
714	Ascend ...
2.14	Road ...
2.37	Set ch...
	3" square ...
	for 1/4 ...
	Sw W ...
	18" x 18" x ...
	ft dist ...
	of earth ...
	first ...

T 13 N R 8 W S L M

Soil 2d rate
Dense sagebrush

North on random
line bet secs 17 & 18
Var 17° 35' E
000 Set temp 1/4 sec cor
210 Intersect the cor to secs
7, 8, 17 & 18, re established
by me in dec contract
No 143, 185 lk W of cor
thence S 1° 28' W in
true line bet secs
17 & 18
with same va
714 Ascend bench N E & S W
214 Road N E & S W
237 Set charred post 3 ft long
3" square 12" in ground
for 1/4 sec cor, marked 1/4
S on W face deep pits
18" x 18" x 12" N & S of post 5 1/2
ft dist & raised mound
of earth 1 1/2 ft high around
post

Subdivisions

Chain	
45.14	Road NE & SW
46.14	Mouth of hollow heads SE
62.00	Ridge NW & SE
72.27	The cor to secs 17.18.19 & 20
	Land Rolling & Mts
	Soil 2nd rate
	Dense sagebrush

From the cor to secs. 7.8.17 & 18. Trim East on random line bet secs 8 & 17

Var 17° 35' E

40.00	Set temp 1/4 sec cor
~~[illegible]~~	Intersect N & S line. 7.83
78.60	Chs S of cor to secs 8.9.16 & 17. Thence
	~~[illegible]~~ with same var
	S 84° 19' W
40.00	Set chained post 3 ft long 3" square 12" in ground for 1/4 sec cor, marked 1/4 S on N face. dug pits 18" x 18" x 12" E & W of post 5 1/2 ft dist & raised a mound of earth 1 1/2 ft

this 1/4 sec. cor should have been set equal distant

BOOK-A-21

T 13 N R

Chain	high 3
	post.
4.00	Descend
5.00	Road N
~~[illegible]~~	The cor
~~[illegible]~~	Lan
9.06	Soil
	Dens

~~Gener~~

The a
used
in thi
mors
hills
scrub
lower
with
growth
only
purpo

T 13 N R 8 W S L M

Chain high 3½ ft base around post.
4.00 Descend bench N E & S W
5.00 Road N E & S W
The cor to secs 7, 8, 17 & 18
Land rolling
9.06 Soil 2nd rate
Dense sagebrush

May 9. 87

General Descript

The add. lands surveyed under this contract in this township consist mostly of low rolling hills with a few scrub cedars and the lower benches are covered with artemisia under growth. The lands are only suited for grazing purposes.

Edward W. Koeber
M. S. dep. Surv.

BOOK-A-2

S. SURVEYOR G

Salt Lake City

The foregoing fi

Subdivi

Township No. 13

Executed by Edm

Under Contract No

day of June

April & May

examined, the nece

tions made, the sa

they describe are h

Wil

BOOK-A-217

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *188*8.

The foregoing field notes of the survey of the Subdivisions *Township No.* 13 N. *Range No.* 8 W. *Executed by* Edward W. Kowber *Under Contract No.* 145 *of the* 24th *day of* June *1886, in the months of* April to May *1887, having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Bowman

U. S. Surveyor General for Utah.

BOOK

REPORT:

Filed 10 55 AM

Examined by John

Transcribed by H. C

Compared by G.P.

FIEL

OF THE S

Township No.

Range No.

SALT LA

UTA

Edward

U. S

Under his Co

Dated

Survey commen

Survey complete

24

BOOK A-217 GPN 563

REPORT:

Filed 10 55 AM May 4 1887

Examined by John H. Campe

Transcribed by H. Atkinson

Compared by G P Norton & H. Atkinson

FIELD NOTES

OF THE Ro. SURVEY OF THE

fract. Subdiv

OF

Township No. 13 N

Range No. 9 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward W. Koeber

U. S. Deputy Surveyor,

Under his Contract No. 143

Dated June 24th 1886

Survey commenced May 10th 1887

Survey completed May 12th 1887

24m 02 chs 21 lks

57.16

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Carr	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
A. J. Tame	Axeman
C. C. Leavitt	Axeman
	Flagman

Resur

BOOK-A-2

ad. Subd.

fair Survey

In order
to secs. 34
of towns
[redacted]
of Tp. 13
secs. 1 & 36
the origi
broken
a lime st
the grou
34 & 35. n
on E an
pits 18 x 1
in each
raised
along s
From
N

1000 Find
down

Subd. Township 13 N. R 9 W.

Survey commenced May 10 '87

In order to find the corner to secs. 34 & 35 on S. boundary of township I had to retrace [redacted] the South bound. of Tp. 13 N R 9 W. between secs. 1 & 36, 2 & 35. I found the original corner rock earth broken into and set a this place a lime stone 14×10×10" 6" in the ground for cor. to secs. 34 & 35. marked SC with 2 notches on E and 4 on West Edges dug pits 18×18×12" in the ground in each sec. 5½ ft. dist. and raised a mound of earth alongside.

From here I run

North on resurvey line betw. sec. 34 & 35.

Var. 17° 50' E.

Find the old cor. post laying down which I remark with

Resurvey of fract ...dives.

Chain 1/4 S facing W. it being a po... 3 ft. long 3" square and set 12" in the ground for 1/4 sec. cor. dug pits 18×18×12" in the ground N & S. of post 5 ft. dist and raised a mo... of earth 1 1/2 ft high 3 1/2 ft b... alongside.

80.00 No trace of old corner set a line 10×10×10 "6" in the ground for cor. to secs. 26. 27 34 & 35. marked with 1 notch on S. and 2 on E. edges du... pits 18×18×12" in the ground in each sec. 5 1/2 ft. dist. an... raised a mound of earth 2 ... high 4 1/2 ft base alongside.

Land. Bench.

Soil 1 rate sandy loam

No timber.

Dense sagebrush underg...

Chain

26.50

40.00

80.00

North ...
bet...

Old roa...
Gulle...
of old c...
9×9×8...
1/4 sec. co...
face du...
mound...
Find ...
of earth...
stone ...
ground...
26 & 27 ...
on S a...
18×18×1...
each se...
raised ...
2 ft hig...
Land...
Soil
No tri...
Dens...

Tp. 13 N. R 9 W.

North on resurvey line
betw. secs. 26 & 27
Var. 17° 50' E.

26.50 Old road bears N E & S W.

10.00 Gentle ascend no trace of old cor. set a sandstone 9×9×8" 6" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside.

10.00 Find remains of mound of earth where I set a limestone 17×10×5" 12" in the ground for cor. to secs. 22. 23. 26 & 27 marked with 2 notches on S and E. edges dug pits 18×18×12" in the ground in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft high and 4 1/2 base alongside Land. Bench.

Soil 1 rate sandy loam
No timber.

Dense sagebrush
undergrowth

Resurvey of fract.

Chain	
	North on resurvey line betw. secs. 22 & 23 Var. 17° 50' E.
40.00	Find old post nearly decay where I set a lime rock 14 9×6" 9" in the ground for 1/4 sec. cor. marked 1/4 on W face dug pits 18×18×12" in the ground N & S. of ~~[illegible]~~ stone 5 1/2 ft. distant and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base ~~[illegible]~~ along
51.00	Enter wide hollow dr. W.
53.20	Road bears E & W.
60.79	" " do.
68.00	leave hollow
80.00	No trace of old corner I set a lime stone 20×8×6" 15" in the ground for corner to secs. 14. 15. 22 & 23. marked with 3 notches on L and 2 on E edge dug pits 18×18×12" in the ground in each sec. 5 1/2 ft. distant and raised a mound of earth 2 ft. high 4 1/2 ft. base along side Land. Bench.

BOOK-A-2

Subdivis

Chain	
	Soil 1 r No time Dense s
	North betw. Var
0.00	Find th Lavarock I remark for 1/4 sec. in the gro 5 1/2 ft. di mound 3 1/2 ft.
0.00	No trac sandsto ground & 15. ma on S. a pits 18 in each raised 2 ft. p side.

Subdivis. Tp. 13 N R 9 W

Soil 1 rate. sandy loam
No timber.
Dense sagebrush and ergoroth

North on resurvey line
betw. secs. 14 & 15.
Var 17° 50' E.

Find the old cor. it being a
Lavarock 18×16×3 firmly set in the ground which
I remark with 1/4 on W. face
for 1/4 sec. cor. dug pits 18×18×12
in the ground N & S. of stone
5 1/2 ft. dist. and raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. base alongside.
No trace of old cor. set a
sandstone 18×12×6" 12" in the
ground for Cor to secs. 10. 11. 14
& 15. marked with 4 notches
on S. and 2 on E. edges dug
pits 18×18×12" in the ground
in each sec. 5 1/2 ft. dist. and
raised a mound of earth
2 ft. high 4 1/2 ft base along-
side.

Resurvey of fract.

Chain Land. Bench
Soil 1 rate sandy loam
No timber.
Dense sag brush
undergrowth

North on resurvey line
bites sec. 10 & 11
Var 17° 50' E.

5.00 Descend bears N 10 x S E
4000 No trace of old cor. set line
stone 10 x 9 x 8" 6" in the ground
for 1/4 sec. cor. marked 1/4 on
W. face and dug pits 18 x 18
12" in the ground N & S of
stone 5 1/2 ft dist. and raised
a mound of earth 1 1/2 ft
high 3 1/2 ft base along side
6700 Enter lower bench
8000 No trace of old cor. set line
14 x 10 x 7" 9" in the ground
for cor. to secs. 2. 3. 10 & 11
marked with 5 notches on
S and 2 on E edges. dug pits
18 x 18 x 12 in the ground

Chain in each
and ra
earth 2
along
Land.
Soil
No tr
Dense

North
bit
N
4000 No tra
1103 Inters
on N b
there b
ence in
and a
my ch
to the
b

Subdivisions Tp. 13 N R 9 W.

Chain in each sec. 5½ ft. dist. and raised a mound of earth 2 ft high 4½ ft base alongside.
Land. Bench
Soil 1 rate sandy loam
No timber.
Dense sagebrush undergrowth.

North on random resurvey line betw. sec. 2 & 3
Var. 17° 30' E.
40.00 No trace of old Cor.
40.03 Intersect the cor. to secs. 2 & 3 on N boundary of tp. 28 lks. E. there being a slight difference in measurement and alignment I adjust my chain & instrument to the facts found and run
S 0° 12' E on true line betw. secs. 2 & 3
with same var.

BOOK-A-21

Resurvey of Frac

Claim 3
4068 Set a post charred 3 ft. long
3" square 12" in the ground
for 1/4 sec. cor. marked 1/4
on W. face and dug pits 18
18 x 12" in the ground, N
of post 5 1/2 ft dist. and
raised a mound of earth
1 1/2 ft high & 3 1/2 ft. base ~~along~~
~~side~~ around post
8063 The cor. to secs. 2. 3. 10 & 11
Land. Bench
Soil 1 rate sandy loam
No timber.

Dense sagebrush undergro

Subdivisi

Claim From the
on S. bonn
is a lime
set in the
marked
pits and
S run
North
betw.
Va
8.50 Road
0.00 No trace
lime sto
ground
1/4 on W.
x 12" lim
stone 5 1/2
raised a
ft high
50.00 as seen
5000 No trace
stone 14
for cor.
marked
3 on E. E
in the g

Subdivisions Tp. 13 N. R 9 W.

From the cor. to secs. 33 & 34 on S. boundary of township which is a limestone 12×10×6" firmly set in the ground, properly marked with regulation pits and mound of earth S vm

North on resurvey line
bitw. sec. 33 & 34
Var 17° 50' E.

18.50 Road bears NE & SW.

40.00 No trace of old cor. set a lime stone 12×10×4" 8" in the ground for 1/4 sec. cor. marked 1/4 on W. face dug pits 18×18×12" in the ground N & S. of stone 5 1/2 ft. distant, and raised a mound of earth 1 1/2 ft high 3 1/2 ft. base along side.

50.00 Ascend bears SW & NE

50.00 No trace of old cor. set a sand=stone 14×10×8" 9" in the ground for cor. to secs. 27. 28. 33 & 34 marked with 1 notch on S and 3 on E. edges. dug pits 18×18×12 in the ground, in each sec.

Resurvey of Fract. Divisions

Chain 5½ ft. dist. and raised a mound of earth 2 ft high 4½ ft. base alongside.
Land. rolling bench
Soil. 1 & 3 rate sandy loam & rocky dense sagebrush
undergrowth on first half mile.

East on random resurvey line
betw. secs. 27 & 34
Var 17° 50' E.

40.00 No trace of old cor. set temp 1/4 sec. cor.

80.60 Internal N & S. line 46 lks of corner to secs. 26. 27. 34 & 35 from where Trm
S 89° 40' W on true line
betw. secs. 27 & 34
with same var.

19.40 Road bears N & S W.

40.30 Find an old mound of earth with part of a stake in it where I set a lime stone 17×10×6" 12" in the ground for 1/4 sec cor

Chain

marked
pits 18
E & W of
and ra
earth
base a
40.60 The cor.
Land
Soil
No tr
Dense

North
be

26.50 Enter
40.00 No tra
trachy
8" in
cor. m
and
along
80.00 Find

Divisions Tp. 13 N. R 9 W.

Claim marked 1/4 on N face, dug pits 18 X 18 X 12" in the ground E & W of stone 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base along side

40.60 The cor. to secs. 27. 28. 33 & 34. Land rolling bench. Soil 2 & 3 rate gravel & rocky No timber Dense sagebrush undergrowth

---

North on resurvey line betw. secs. 27 & 28 Var. 17° 50' E.

26.50 Enter higher bench

40.00 No trace of old cor. set a trachyte rock 12 X 13 X 5" 8" in the ground for 1/4 sec cor. marked 1/4 on W. face and raised a stone mound along side

80.00 Find the original cor.

BOOK-A-2

Resurvey of Fract Sub divisi

Chain	a lavarock 26 x 13 x 5 firmly set in the ground for cor. to secs. 21. 22. 27 & 28 I remark same with 2 n on S and 3 on E. edges d raised a stone mound alongside End of resurv Land. Rocky bunch sloping East Soil 3 rate rocky No timber. Scattering sagebrush underground	Chain 24	with Set a la the grou marked raised alongs
		48	The cor. 28. Land. Soil No tim Scatte
	East on resurvey random bitw. secs. 22 & 27 Var. 17° 50' E.		
40.00	Set temp 1/4 sec. cor. no trace of old cor.		
80 48	Intersect N & S. line 20 lks of cor. to secs. 22. 23. 26 & 27 from where I run N 89° 52' W. on true line bitw. secs. 22 & 27		

Sub divisions Tp. 134 R 1 W

Laid with same var.
024 Set a lavarock 14 x 9 x 6" 9" in the ground for 1/4 sec. cor. marked 1/4 on N. face and raised a stone mound alongside.
048 The cor. to secs. 21. 22. 27 & 28.
Land. rolling bunch
Soil 2 rate. gravel
No timber.
Scattering sagebrush
undergrowth.
May 10th 87

Resu

Fractional Subdiv

Chain From cor. to secs. 32 & 33 on S. boundary of toronsh. w is a lime stone 16×10×6 firmly set in the ground & properly marked O North on resurvey line bitw. sec. 32 & 33.
Var. 17° 50' E.

40.00 No trace of old cor. set a la rock 12×10×6" 8" in the grou for 1/4 sec. cor. marked 1/4 on W face dug pits 18×18×12 in the ground N & S. of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft high 3 1/2 ft base along side

65.00 Gentle ascent.

80.00 No trace of cor. set a lav rock 14×10×7" 9" in the ground for cor. to secs. 28. 29. 32 & 33 marked with 1 notch on S and 4 on E edge and raised a stone mound along side
Lande. rolling bench

BOOK-A-21

Toro

Chain soil. 2
No tim
sayel

East o
bite
V

40.00 No trace
1/4 sec. co
79.70 Interse
of cor. to
from ro
of
be

29.00 Ascen
39.85 Set a lu
the gro
marke
raised
along
79.70 The cor
Land
soil

Township 13 N R 9 W

soil. 2nd rate Gravel.
No timber.
sagebrush undergrowth

East on random resurvey line
betw. secs. 28 & 33
Var 17° 54' E.

40.00 No trace of old cor. set temp.
1/4 sec. cor.

79.70 Intersect. N & S. line 27 lks N.
of cor. to secs. 27. 28. 33 & 34
from where I run
N 89° 48' W on true line
betw. secs. 28 & 33
with same var.

29.00 Ascend

39.85 Set a lime rock 10 x 8 x 8" 6" in
the ground for 1/4 sec. cor.
marked 1/4 on N face and
raised a mound of stones
alongside.

79.70 The corner to secs. 28. 29. 32 & 33.
Land. rolling bench
soil 2nd rate Gravel

Resurvey of fract.

Claim No timber
Scattering sagebrush
undergrowth.

North on resurvey line
betw. secs. 28 & 29
Var. 17° 50' E.

40.00 The old cor. it being a lava rock 16×14×2½" is laying down Inset same 12" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside.

80.00 No trace of old corner set a lava 14×10×7° 9" in the ground for cor. to secs. 20. 21. 28 & 29 marked with 2 notches on S and 4 on E. edges and raised a stone mound alongside.
Land Bench
Soil 2 rate, gravel
No timber

BOOK-A-2

Subs. C

Claim East
line
40.00 No trace o
1/4 sec. c
80.32 Intersec
of cor. t
from n
N 8
be
a
ascend
36.00 Top of l
40.16 Set a la
in the
cor. m
and r
along
53.00 Gent
80.32 The cor
Lan
Soil
No tr
Dens
a

Subs. Tp. 13 N. R 9 W.

Chain East on a random resurvey line betw. secs 21 & 28.
Var 17°50' E.
40.00 No trace of old corner set temp. 1/4 sec. cor.
80.32 Intersect N & S. line 30 lks N. of cor. to secs. 21. 22. 27 & 28. from where S run N 89°47' W. on true line betw. secs. 21 & 28 with same var.
Ascend
36.00 Top of low ridge bears NE & SW.
40.06 Set a lavarock 16 x 6 x 4" 12" in the ground for 1/4 sec. cor. marked 1/4 on N face and raised a stone mound alongside.
53.00 Gentle descend
80.32 The cor. to secs 20. 21. 28 & 29
Land. Rolling bench
Soil 2nd rate gravel
No timber.
Dense sagebrush
underg rowth

Resurvey of fract.

Chain	
	North on resurvey line bet. secs. 20 & 21 Var. 17° 50' E.
39.00	Wash drains N.W.
40.00	Find the old corner rock it 18×16×7" which I reset 12" in the ground remark 1/4 on W. face and raised a stone mound alongside
60.00	Wash drains N.W.
80.00	No trace of old cor. set a lava rock 14×10×10" 9" in the ground for cor. to secs. 16.17.20 & 21. marked with 3 notches on S and 4 on E edges and raised a stone mound alongside land. rolling bench Soil Quite gravel No timber. dense sagebrush undergrowth

BOOK-A-

Subdivision

Chain	
	North on ... Sec...
00	Enter bee... braes W...
00	No trace ... hachyte ... for 1/4 sec c... raised ...
00	No trace ... 20×16×8 ... Cor to secs ... 4 notch... raised ... Land ... Soil ... No tim... Dens...
	Nor... lets...
40.00	Sligh... set la... 6" in g...

Subdivisions T13 N R 9 W S L M

Line North on reservoir line bet Secs 16 & 17
Var 17° 50' E

1.00 Enter beech gently sloping N braces N.E. & S.W.

1.00 No trace of old corner set a tracheyte 17"x11"x6 13" in ground for 1/4 sec cor, marked 1/4 on W face & raised stone mound alongside

1.00 No trace old corner set a tracheyte 20"x16"x8 15" in ground for Cor to secs 8.9.16 & 17, marked 4 notches on S & 4 on E edges & raised stone mound alongside
Laced rolling beech
Soil 2nd rate gravel
No timber
Dense cage brush

North on reservoir line bet secs 8 & 9
Va 17° 50' E

40.00 Slight traces of old corner set lava rock 10"x8"x6 6" in ground for 1/4 sec cor

Reservoir fractions

Chain Marked 1/4 on W face
Raised stone mound
alongside
8000 No trace old corner
Set a trachyte 18"x12"
x6, 12" in ground for
Cor to Secs 4, 5, 8 & 9
marked 5" notches on
S & 4 on E edges
Raised stone mound
alongside
Land rolling
Soil 2nd cat gravel
No timber
Dense sagebrush

North on random
reservoir line bet
Secs 4 & 5
Va 17° 50' E
4800 No trace old cor. Set temp 1/4 sec cor
80.40 Intersect N B dry of Lf
20 lks E of cor to Secs
4 & 5 which is a post
firmly set, properly

BOOK-A-2

Subdivision

Chain marked
mound
I run
S
line b
in
0.40 Set a
3" square
for 1/4 s
on W fa
N & S fo
raised
f high 3
800 Sligh
0.40 The cor
La
So
N
De

I run
Cor to
run
We

Subdivision T13 N R8 W S.L.M.

Chain marked with regulation
mound & pits, Thence
I run
S 0° 9' E on true
line between 4 & 5
with same va
1040 Set a charred post 3 ft long
3" square 12" in ground
for 1/4 sec cor, marked 1/4 S
on W face, dug pits 18" x 18" x 12"
N & S of stone 5 1/2 ft dist &
raised mound of earth 1 1/2
ft high 3 1/2 ft base around post
1800 Slight ascent
1040 The cor to secs 4, 5, 8 & 9
Land rolling
Soil 2nd rate sandy
No timber
Dense sagebrush

I now return to the
Cor to secs 10. 11. 14 & 15 &
run
West on true line

Resurvey fractional

Chain	
	bet secs 10 & 15
	Var 17° 50' E
	along gentle N slope
40.00	No trace old corner
	Set lava rock 16"×12"×4
	12" in ground for 1/4
	Sec cor. marked 1/4 on
	N face & raised stone
	mound alongside
80.00	Find the old corner
	a lava rock 16×12×4
	lying down which
	I reset 12" in ground
	for reestablished cor
	to secs 9. 10. 15 & 16 marked
	4 notches on S & 3 on E
	edges & raised stone
	mound alongside
	Land beech
	Soil 2d rate gravel
	No timber
	Scattering sagebrush
	underground
	May 11. 87

Subs. Sp

Chain	
	From th
	16. I m
	West
	be
40.00	Set tem
79.81	Intersec
	cor. to
	when
	N
	b
39.90	Set a
	3" sq
	for 1/4
	on M
	×12"
	of fast
	and
	earth
	bee a
78.00	ascen
79.81	The cor
	Land
	Soil
	No tim

Subs. Tp. 13 N. R 9 W.

Chain From the cor. to secs. 9. 10. 15 & 16. Tmn.
West on random resurvey line
betw. secs. 9 & 16.
Var. 17°50' E.

4000 Set temp 1/4 sec. cor.
79.81 Intersect N & S lim 29 lks. N of cor. to secs. 8. 9. 16 & 17. from where Tmn
N 89°48' E. on true line
betw. secs. 9 & 16.
with same var.

39.90 Set a charred post 3 ft long 3" square 12" in the ground for 1/4 sec. cor. marked 1/4 S on W face dug pits 18 x 18 x 12" in the ground E & W of ~~post~~ 5 1/2 ft dist. of post and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post.

78.00 ascend beg S 8[illegible] NE
79.81 The cor. to secs. 9. 10. 15 & 16.
Sand. rolling brush
Soil 2 rate gravel
No timber

Resurvey fract Idios

Chain	Sagebrush undergrowth
	North on resurvey line betw. secs. 9 & 10. Var 17° 50' E.
4.00	descend NE to
4000	No trace of old cor. set a lavarock 14×10×7" 9" in the ground for 1/4 sec. cor. marked 1/4 on W face and raised a stone mound alongside
8000	No trace of old cor. set a sandstone 14×9×7" 9" in the ground for cor. to secs. 3. 4. 9 & 10. marked with 5 notches on S. and 3 on E edges and raised a stone mound alongside
	Land level
	Soil brute sandy loam
	No timber
	Dense sagebrush undergrowth

BOOK-A-

Chain	East
	ve
	bet
	V
4000	Set tim
	trace of o
0.16	Intersect
	S of co
	from z
	S
	be
4008	Set a
	long
	corner
	mark
	dug p
	groun
	5 1/2 ft
	a mo
	high
	Post
45.00	Ascend
80.16	Land
	Soil
	No

Indios Tp 13 N R 7 W.

Chain East on random
resurvey line
betw secs. 3 & 10
Var. 17° 50' E.

40.00 Set temp. 1/4 sec. cor. no
trace of old cor. to be found

40.16 Intersect N & S. line 30 lks
S of cor. to secs. 2. 3. 10 & 11.
from which I own
S 89° 47' W. on true line
betw. secs. 3 & 10
with same var

40.08 Set a post hardened 3 ft
long 3" square for 1/4 sec.
corner 12" in the ground
marked 1/4 S on N face
dug pits 18 x 18 x 12" in the
ground E & W of post
5 1/2 ft dist. and raised
a mound of earth 1 1/2 ft
high 3 1/2 ft base around
post

45.00 Ascend [illegible] N & S E
80.16 [illegible] cor. to secs 4. 9. & 10.
Fixed bench
Soil Drate sandy loam
No timber.

Tract. Resurvey

Chain	dense sagebrush under grow
	West on random resurvey line betw. secs. 4 & 9. Var. 17° 50' E.
40.00	No trace of old cor. set temp 1/4 sec. post.
79.69	Intersect N & S. line 42 [illegible] N of cor. to secs. 4, 5, 8 & 9. from which Sorn N 89° 42' ~~W~~ on true line betw. secs. 4 & 9 with same var.
39.85	Set a charred post 3 ft long 3" square 12" in the ground for 1/4 sec. cor. marked 1/4 Sorn N face, dug pits 18"×18"×12 in the ground E & W. of [illegible] 5 1/2 dist. and raised a mound of earth 1 1/2 ft high and 3 1/2 ft ~~[illegible]~~ around post.
79.69	The cor. to secs. 3. 4. 9 & 10. Land. bench

BOOK-A-

Subs.

Chain	Soil [illegible] No timb[illegible] Dense sa[illegible]
	North [illegible] line [illegible]
40.00	Find [illegible] ~~about~~ where [illegible]
80.42	Inter[illegible] cor. to [illegible] a po[illegible] with [illegible] mound [illegible] Sorn [illegible]
40.42	Set [illegible] in [illegible] cor. [illegible] and [illegible] also [illegible]

Subs. Tp. 13 N. R. 9 W.

Chord Soil 1st rate sandy loam.
No timber.
Dense sagebrush undergrowth.

North on random resurvey line betw. secs. 3 & 4
Var. 17° 50' E.

4000 Find the old post lying ~~about~~ 21 lks E. of this pt. where I set temp 1/4 sec. cor.

8042 Intersect N. boundary 42 lks E of cor. to secs. 3 & 4. which is a post properly marked with regulation pits & mound of earth from where I sum.

S 0° 18' E. on true line betw. secs. 3 & 4
with same var.

4042 Set the old stake and a lavarock 10 x 10 x 8 x 6 in the ground, for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound along side.

Resurvey of fra

chain
43.00 Gulle ascend
80.42 Re cor. to secs. 3. 4. 9 & 10
Land. Level & bunch
Soil 1 rate sandy loam
No timber.
Dense sagebrush under gr
May 12th 87

General Description

The lands resurveyed under this Contract consist of the bunch N & S of a high rocky ridge.
The are covered with a dense undergrowth of sagebrush & scattering bunch grass. the soil is mostly 1 rate but there is no water in this part.

Edward W. Korb
U. S. dep surv

BOOK-A

U. S. SURVEYOR G

Salt Lake C

The foregoing

Fra

Sub

Townhsip No. 13

of the Salt Lake Me

Edward

Under Contract No.

day of Ju

May

examined, the nec

made, the said fiel

are hereby approve

U. S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th 1888.

The foregoing field notes of the re *survey of the* fractional Subdivisions *Townhsip No.* 13 North *Range No.* 9 West *of the Salt Lake Meridian. Executed by* Edward W. Koeber *Under Contract No.* 143 *of the* 24th *day of* June 1886, *in the month of* May 1887, *having been critically examined, the necessary corrections and explanations made, the said field notes, and the surveys they describe are hereby approved.*

William G. Bowman
U. S. Surveyor General for Utah.

BOO

REPORT:

Filed 10 55 am

Examined by John

Transcribed by H.A.

Compared by G.P.

FIE

OF THE S

Tract.

Township No.

Range No.

SALT L

UT

Edwar

U.

Under his Co

Dated Ju

Survey commen

Survey complet

BOOK-A-212

595

REPORT:

Filed 10 55 am May 4 1887

Examined by John H Campe

Transcribed by H. Atkinson

Compared by G P Norton and H. R. M. Atkinson

FIELD NOTES

OF THE SURVEY OF THE

Tract. Subdivisions

OF

Township No. 13 N

Range No. 9 West

OF THE

SALT LAKE MERIDIAN

IN

UTAH TERRITORY,

AS SURVEYED BY

Edward H. Weber

U. S. Deputy Surveyor,

Under his Contract No. ~~144~~ 145

Dated June 24 1886

Survey commenced May 12 1887

Survey completed May 12 1887

4 m of chs 26 lks

52.5

NAMES AND DUTIES OF ASSISTANTS.

Cyrus L. Johnson	Compassman
William Cain	Chainman
J. V. Smith	Chainman
Fred Olsen	Chainman
H. M. Cromer	Chainman
D. J. Jaime	Axeman
C. C. Leavitt	Axeman
	Flagman

ISTANTS.
ompassma
ainman
ainman
ainman
ainman
eman
eman
gman

Tract. Subs. Tp. 13 N. R 9 W.

Said Survey commenced May 12 '87

From the cor. to secs. 21. 22. 27 & 28 reestablished by me under Contract No 143 I run North on a random line to the cor. to secs. 9. 10. 15. 16, reestablished by me under Contract No 143. I find the distance to be 2 miles 057 lks. and the falling to be 0,89 lks. E. of cor. to secs. 9. 10. 15. 16. I therefore return to the cor. to secs. 21. 22. 27 & 28 and run N 0° 19' W.

betw. secs. 21 & 22
Var. 17° 30' E.

38.50 Shallow gully drains N.E.
40.00 Set Trachyte 14×8×6", 9" in the ground for 1/4 sec. cor. marked 1/4 on W. face and raised a stone mound alongside
67.00 Top of High ridge bears N.E. & S.W. about 15 lks. N.E. - high bears

Tract. Subdi

Chain on same.

8.00 Set a lavarock 16 x 12 x 6
12' in the ground for cor. to
secs. 15. 16. 21 & 22 marked
with 3 notches on S. & E.
Edges and raised a stone
mound alongside
Land. Mountains.
Soil. Grate. rocky
Timber. few scatt. cedar

East on random line
betw. secs. 15 & 22
Var. 7° 30' E.

40.00 Set temp 1/4 sec. cor.

80.30 Intersect N & S. line 37 lks
N. of cor. to secs. 14. 15. 22 & 23 mel
by me under Contract No. 143
from where I run
N. 89° 44' W on true line
betw. secs. 15 & 22.
with same var.

Ascend

40.15 Set a lavarock 15 x 11 x 7'

BOOK-

Tr.

10' in the g
corner m
and rais
along s
Steep
of ridge
On ridg
22.
Land
Soil
Timber

The corn
was re
under
I therefo
cor. to s
W

40.00 In S
80.39 Foster
& 20.

Tp. 13 N. R 9 W.

10" in the ground for 1/4 sec. corner marked 1/4 on N face and raised a stone mound along side.

Steep ascent bears NE & SW

" " of N.E. pt. of ridge

On ridge the cor. to secs. 15.16.21 & 22.

Land. Mountains
Soil Grate rocky
Timber. few scrub cedars

The corner to secs. 16.17.21 & 20 was reestablished by me under Contract No 143. I therefore run from the cor. to secs. 15.16.21 & 22

West on random line
betw. secs. 16 & 21.
Var. 17 1/2° E.

In Sec. temp 1/4 sec. cor.
Intersect cor. to secs. 16.17.21 & 20. 41 lks. S, from where

Fract. Subs.

Chain Gross

S. 89° 43' E. on true lin
betw. secs. 16 & 21
with same var.

40.19 Set a lavarock 10×10×8" 6"
the ground for 1/4 sec co
marked 1/4 on N face &
raised a stone mound
alongside.

63.00 Steep ascend bears NE & S

80.39 On Ridge the cor. to secs.
15. 16. 21. & 22.
Land. Mountain
Soil 2 rate rocky
No timber.

N 0° 19' W.
betw. secs. 25 & 26
Var. 17° 30' E.

10.00 Steep descend

11.50 Rocky ledge bears NE & SW. desc
on slope.

40.00 Set lava rock 17×11×8" 11" w
the ground for 1/4 sec cor.

Tp. 13

Chain marked
raised
alongs

40.57 On top of
corr. to
set by
Land.
Soil
No tr

Gene

She a
town
und
sists
shed
There
few
bun
brus

Tp. 13 N. R 9 W.

Cont. marked 1/4 on W face and raised a stone mound alongside

N.57 On top of Main Bench ~~Ridge~~ Wal com. to secs. 9. 10. 15 & 16. set by me under Contr. No 143.

Land. Mountains.

Soil 3 rate

No timber.

May 12th 87

General Descript.

The add. part of this township surveyed under this Contract consists of bunchland and Mountains. There is no water, very few scrub cedars, scatt. bunchgrass and sage-brush undergrowth.

Edward W. Koeber
U. S. ~~Dep. Surv.~~

S. SURVEYOR G

Salt Lake City

The foregoing f

Tract

wnship No. 13

ecuted by Eul

nder Contract No

y of June

May

amined, the nece

ns made, the sa

ey describe are h

W

BOOK-A-217

S. SURVEYOR GENERAL'S OFFICE,

Salt Lake City, Utah, May 19th *1888.*

The foregoing field notes of the survey of the

Tract Subdivis.

wnship No. 13 N *Range No.* 9 W

xecuted by Edward W. Koeber

nder Contract No 445 *of the* 24

y of June *1886, in the month of*

May *1887, having been critically*

amined, the necessary corrections and explana-

ons made, the said field notes, and the surveys

ey describe are hereby approved.

William G. Bowman

U. S. Surveyor General for Utah.