Volume

#

R0266

A-266

Account sent to Indian office Sept. 11. 1883.

RECEIVED WITH SUR.-GENL'S LETTER OF JUL. 30 1883

Examined by

Compared by

7

Original

FIELD NOTES

OF THE SURVEY OF THE

Exterior Boundaries Sections Subdivisional and Meander Lines

OF

Township No. 9 South

Range No. 19 East (Fractional)

OF THE

SALT LAKE MERIDIAN

IN

Utah Territory,

AS SURVEYED BY

DANIEL G. MAJOR,

U. S. Surveyor,

Under his Contract,

Dated December 20th, 1880.

Survey Commenced, July 25th *1882.*

Survey Completed, August 3d *1882.*

7

COPY OF PRELIMINARY OATHS OF ASSISTANTS.

We, the undersigned, do solemnly swear that we will well and truly perform the duties of transit and compass men according to the instructions given us, and to the best of our skill and ability, in the survey of the lands for allotment to the Uncompahgre and White River Ute Indians in the Territory of Utah.

[Signed]

RUSSELL J. MERSHON, *Transit.*
J. D. BRADFORD, *Transit.*
HARRY M. CROCKER, *Transit.*
WILLIAM J. PETERS, *Compass-man.*
CYRIL WILLIAMS, *Compass-man.*

Subscribed and sworn to before me this 19th day of June, 1882.

[Signed]

E. H. BROWNE.
2d Lieut., 4th Inf'y,
Post Adjutant.

Fort Bridger, Wyoming Ter'y.

We, the undersigned, do solemnly swear that we will well and faithfully execute the duties of chain-carriers; that we will level the chain upon even and uneven ground, and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the lands for allotment to the Uncompahgre and White River Ute Indians in the Territory of Utah.

[Signed]

EUGENE HEALY,
JOHN GLICK,
THOMAS TYRER,
R. H. JONES,
JOHN JOHNSTON,
CLARK E. McLEAN,
H. C. CARL HUIZE,
FRANK E. WHORTON,
G. A. ERIKSON,
C. W. BAKER,
PETER STEWART,
NAT. K. SEAMANS,
C. W. BOWNE,
JOSEPH H. SMITH,
W. HOWARD HAY,
JOHN DONOVAN,
W. H. HOGLE,
C. H. RAYMOND.
CHAS. C. MATTEN,
J. V. RICHARDSON,
E. S. BARNITZ,
CHARLES M. WEGSTEIN,
N. T. ANDERSON.

Sworn to and subscribed before me this 19th day of June, 1882.

[Signed]

E. H. BROWNE,
2d Lieut., 4th Inf'y,
Post Adjutant.

Fort Bridger, Wyo. Terr.

COPY OF PRELIMINARY OATHS OF ASSISTANTS.

We, the undersigned, do solemnly swear that we will well and truly perform the duties of flag-men, axe-men, and mound-men in the establishment of the corners and the erection of posts, mounds, and other duties, according to the instructions given us and to the best of our skill and ability, in the survey of the lands for allotment to the Uncompahgre and White River Ute Indians in the Territory of Utah.

[Signed]

EUGENE HEALY,
JOHN GLICK,
THOMAS TYRER,
ROBERT H. JONES,
JOHN JOHNSTON,
CLARK E. McLEAN,
H. C. C. HUIZE,
FRANK E. WHORTON,
G. A. ERIKSON,
CHAS. W. BAKER,
PETER STEWART,
NAT. K. SEAMANS,
C. W. BOWNE,
JOSEPH H. SMITH,
W. H. HAY,
JOHN DONOVAN,
W. H. HOGLE,
C. H. RAYMOND,
CHAS. C. MATTEN,
J. V. RICHARDSON,
EDWARD S. BARNITZ,
CHAS. M. WEGSTEIN,
N. T. ANDERSON.

Sworn to and subscribed before me this 19th day of June, 1882.

[Signed]

E. H. BROWNE,
2d Lieut., 4th Inf'y,
Post Adjutant.

Fort Bridger, Wyo. Ter.

NOTE.—For preliminary oaths of other assistants see Field Notes of Uintah Special Base, 1st Standard Parallel and 1st Guide Meridian West.

Examined by .....

Compared by .....

FIELD NOTES

OF THE SURVEY OF THE

North, South and West Boundaries.

OF

Township No. 9 South.
Range No. 19 East (Fractional)

OF THE

SALT LAKE MERIDIAN

IN

Utah Territory,

AS SURVEYED BY

DANIEL G. MAJOR,

U. S. Surveyor,

Under his Contract,

Dated December 20th, 1880.

Survey Commenced, July 25th *1882.*
Survey Completed, July 27th *1882.*

BOOK-A-

BLANK

PAGE

Exterior T 9 S R 19 E

West S Boundary

Survey commenced July 25th 1882 with Gurley
Transit in good adjustment for level, azimuth
collimation, Chain compared with & corrected
to Stackpole's Standard Steel Tape.
Commence at the cor to Tps 8 & 9 South Rs 18 & 19
which is a sandstone 18x8x8 ins marked with
6 notches on N. S. E. & W. faces & placed in a
mound of stone. This cor becoming obli-
terated I rebuilt it. Thence I run
Chain
South on a random line bet secs 1 & 6
Var 16° 15' E.
20.00 Set temporary 1/16 sec cor. Land rough & broken. Soil 3d rate
26.00 Sandstone ridge. Course N E & S W.
28.00 To a large sandstone boulder
7.20 Cross ridge. Course N E & S W.
0.12 To a point 3 lks E of the 1/4 sec cor on line bet secs
1 & 6 which is a sandstone 22x10x2 ins marked
1/4" on N face placed in a mound of stone
From this cor I run
00° 03' E on a true line bet secs 1 & 6
with the same var.
20.01 Set a sandstone 12x12x6 ins marked on N face
1/16" in a mound of earth & stone 30 ins diam
base & 18 ins high for 1/16 sec. cor
10.12 To the cor to Tps 8 & 9 S Rs 18 & 19 E.
Land broken & mountainous ridges
Soil sandy. 2d rate. Good grazing
From the 1/4 sec cor on line bet secs 1 & 6 I run
South on a random line bet secs 1 & 6
Var 16° 15' E.
16.00 Enter small valley
19.50 Leave valley
20.00 Set temporary 1/16 sec cor. Land broken. Soil 2d & 3d rate
6.00 ry creek. Course E
0.08 To a point 4 lks E of the cor to secs 1, 6, 7 & 12
which is a sandstone 22x10x10 ins marked
notch on N face & 5 notches on S face placed

Exteriors T. 9 S. R. 19 E.

Chains	
	in a mound of stone. From this cor. I run N 00° 03' E on a true line bet. secs. 1 & 6 with the same var.
20.04	Set a sandstone 24x10x3 ins. marked on N. fa 1/16 in a mound of earth & stone 30 ins. di at base & 18 ins. high for 1/16 sec. cor.
40.08	To the 1/4 sec. cor. on line bet. secs. 1 & 6 Land mountainous & broken ridges Soil sandy, 3d rate. Good grazing for upland
	From the cor. to secs. 1, 6, 7 & 12 I run South on a random line bet. secs. 7 & 12 Var. 16° 15' E.
6.00	Enter small valley
15.00	Leave valley.
20.00	Set temporary 1/16 sec. cor. Land rough & broken Soil 3 rate
40.04	To a point 5 lks. W of the 1/4 sec. cor. on line bet. 7 & 12 which is a sandstone 24x12x4 ins. marked "1/4" & placed in a mound of stone. From this cor. I run N 00° 04' W on a true line bet. secs. 7 & 12 with the same var.
20.02	Set a sandstone 16x8x6 ins. marked on N. face "1" in a mound of earth 30 ins. diam. at base & 12 ins. high for 1/16 sec. cor.
40.04	To the cor. to secs. 1, 6, 7 & 12. Land mountainous & broken. Good grazing Soil 2d & 3d rate — Sandy.
	From the 1/4 sec. cor. on line bet. secs. 7 & 12 I run South on a random line bet. secs. 7 & 12 Var. 16° 15' E
20.00	Set temporary 1/16 sec. cor. Land broken Soil 2d & 3d rate
40.12	To a point 7 lks. E of the cor. to secs. 7, 12, 13 & 18 which is a sandstone 24x12x3 ins. marked with 2 notches on N. face & 4 notches on S. face placed in mound of stone which I rebuilt. From this cor. I run N 00° 08' E on a true line bet. secs. 7 & 12 with the same var.
20.06	Set a sandstone 16x12x4 ins. marked "1/16" on N. face

Exteriors T 9 S R 19 E

Chains	
	face in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor
40.12	To the 1/4 sec cor on line bet secs 7 & 12 Land broken & mountainous. Good grazing for uplands. Soil sandy. 2d & 3d rate
	From the cor to secs 7, 12, 13 & 18 I run South on a random line bet secs 13 & 18 Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land very broken. Soil 3d rate
22.00	Dry creek. Course N E.
26.00	Dry creek. Course N E.
39.98	To a point 1 lk W of the 1/4 sec cor on line bet secs 13 & 18 which is a sandstone 14x12x4 ins marked "1/4" & placed in a mound of earth & stone From this cor I run N 00° 01' W on a true line bet secs 13 & 18 with the same var.
19.99	Set a sandstone 24x10x3 ins marked on N face "1/16" in a mound of earth 30 ins diam at base & 18 ins high for 1/16 sec cor.
39.98	To the cor to secs 7, 12, 13 & 18 Land broken & mountainous Good grazing Soil sandy. 3d rate
	From the 1/4 sec cor on line bet secs 13 & 18 I run South on a random line bet secs 13 & 18 Var 16° 15' E.
6.00	Dry creek. Course E N E.
20.00	Set temporary 1/16 sec cor. Land broken & rough. Soil 3d rate
40.06	To a point 10 lks E of the cor to secs 13, 18, 19 & 24 which is a sandstone 16x14x3 ins marked with 3 notches on N & S faces & placed in a mound of stones which coming to pieces I rebuilt. From this cor I run N 00° 09' E on a true line bet secs 13 & 18 with the same var.
20.03	Set a sandstone 20x8x8 ins marked on N face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor.
40.06	To the 1/4 sec cor on line bet secs 13 & 18

Exteriors T. 9 S. R. 19 E.

Land

and broken & mountainous. Grazing good
Soil 3d rate Sandy

From the cor to secs 13, 18, 19 & 24. I run
south on a random line bet secs 19 & 24
Var 16° 15' E.

0.00 At temporary 1/16 sec cor. Land broken & rough. Soil 3d ra
40.18 To a point 6 lks W of the 1/4 sec cor. on line bet sec
19 & 24 which is a sandstone 20x8x8 ins marked
placed in a mound of stone. From this cor I run
N 00° 05' W on a true line bet secs 19 & 24 with
the same var.
0.09 At a sandstone 30x8x4 ins marked on N face 1/16
in a mound of earth & stone 30 ins diam at
base & 12 ins high.
40.18 To the cor to secs 13, 18, 19 & 24
Land broken & mountainous. Good grazing
Soil Sandy - 3d rate

From the 1/4 sec cor on line bet secs 19 & 24 I run
south on a random line bet secs 19 & 24
Var 16° 15' E.

14.00 Dry creek. Course S. E.
20.00 Set temporary 1/16 sec cor. Land broken & rough. Soil 3d ra
0.17 To a point 7 lks E of the cor to secs 19, 24, 25 &
which is a mark on a sandstone ledge
From this cor I run
N 00° 06' E on a true line bet secs 19 & 24
with the same var.
20.06 At a sandstone 15x10x6 ins marked on N face 1/16
in a mound of earth 30 ins diam at base
2 ins high for 1/16 sec cor.
40.12 To the 1/4 sec cor. on line bet secs 19 & 24
Land very broken & mountainous
Soil rocky - 3d rate

From the cor to secs 19, 24, 25 & 30 I run
south bet secs 25 & 30 on a random line
Var 16° 15' E.

6.5 Ledge of sandstone. Course E & W
16.00 High sandstone ledge

Exteriors T. 9 S. R. 19 E.

20.00	Sec 30 being too mountainous & unfit to subdivide, I do not set 1/16 sec cor.
40.00	The 1/4 sec cor not being found I set temporary 1/4 sec cor & continue S. on line
55.00	Dry creek. Course S. E.
80.04	Dry creek. Course S. E.
80.76	To a point 21 lks E of the cor to secs 25. 30. 31 & 36. which is a sandstone 36x8x5 ins marked with 5 notches on N face & 1 notch on S face placed in a mound of stone which I rebuilt & made larger. From this cor I run N 00° 09' E on a true line bet secs 25 & 30 with the same var.
40.38	Set a sandstone 18x14x3 ins marked "1/4" in a mound of earth & stone 36 ins diam at base & 18 ins high for 1/4 sec. cor.
80.76	To the cor to secs 19. 24. 25 & 30
	Land very rough broken & mountainous
	Soil rocky — 3d rate
	From the cor to secs 25. 30, 31 & 36 I run South bet secs 31 & 36.
	Var 16° 15' E.
15.00	Dry creek. Course N. E.
23.00	Dry creek. Course N. E.
37.00	Dry creek. Course N. E.
39.90	To the 1/4 sec cor on line bet secs 31 & 36 which is a sandstone 16x8x6 ins marked "1/4" & placed in a mound of stone which I made larger.
74.00	Dry creek. Course N. E. near source
76.00	Deep rocky creek. Course E.
80.00	The cor to Tps 9 & 10 S. Rs 18 & 19 E not being found after thorough search & falling on steep side of ravine, I set a witness cor. 3.38 chains west of true corner point, a sandstone 30x8x6 ins marked "111111" on 4 sides & "W. C." in a large mound of stones
	Land very rough broken & mountainous
	Soil 3d rate — rocky & sandy
	July 25. 1882

Exterior T 9 S R 19 E

Chains

South Boundary

Survey commenced July 26th 1882 with Gurley's Transit in good adjustment for level, collimation & azimuth. Chain compared with & corrected by Stackpole's Standard Steel Tape. I commence at the true cor point to Tps 9 & 10 Rs 18 & 19 E which is 3.38 chs E of the witness cor. It being impracticable to chain bet this point & the river, I send a flag over to bluffs on E side of river & set it on the random line. I then run west 16.70 chs in order to obtain a base for triangulation. Thence I run a base line N 40 chs a point whence flag on E side of river bears S 79° 26' 45" E which gives for distance by comp 214.70 chs. The whole distance from the cor Tps 9 & 10 S Rs 18 & 19 E will therefore be 16.70 + 214.70 chs or from the cor to secs 4, 5, 32 & 33, 38.00 chains. Thence continuing E on random line bet Tps 9 & 10 the var of my needle being 16° 15' E, I set temporary quarter N half mile, three quarter mile & mile cors at 20, 40, 60 & 80 chs & find the Tp line to be 6 m & 140 lks long and the falling to be 109 lks N of the cor to Tps 9 & 10 S Rs 19 & 20. The correction for the true line will therefore 18 lks S and 140 lks W per mile and its course will be N 89° 52' W.

From the cor to Tps 9 & 10 S Rs 19 & 20 E which is a Sandstone 24 x 8 x 6 ins, properly marked & placed in a stone mound standing on level ground seen for some distance off in any direction I run

N 89° 52' W on a true line bet secs 1 & 36
Var 16° 15' E

20.00 I set a Sandstone 24 x 6 x 5 ins marked on E face 1/16 in a mound of stone 30 ins diam at base & 12 ins high for 1/16 sec cor, Land rolling & rocky. Soil 2d rate

40.00 Set a Sandstone 30 x 8 x 8 ins marked on E face 1/1

Exteriors T. 9 S. R. 19 E.

in a mound of earth 30 ins. diam at base + 12 ins high for 1/4 sec cor. Land rolling + rocky. Soil 2d rate

60.00 Set a Candstone 36x10x4 ins marked on E face "1/16" in a mound of stone + earth 30 ins diam at base + 18 ins high for 1/16 sec. cor. Land rolling. Soil 2d rate

80.00 Set a Candstone 30x10x2 ins marked on N face "IIIIII" + on E face "I" in a mound of earth + stone 36 ins diam at base + 18 ins high for cor to secs 1.2.35 + 36. Land rolling + rocky. Bunch grass on hills. Soil sandy. Grazing good for upland

N 89° 52' W on a true line bet secs 2 + 35
Var 16° 15' E.

20.00 Set a Candstone 24x14x10 ins marked on E face "1/16" in a mound of earth + stone 30 ins diam at base + 12 ins high for 1/16 sec cor. Land rolling + rocky. Soil 2d rate

40.00 Set a Candstone 30x10x8 ins marked on E face "1/4" in a mound of earth + stone 30 ins diam at base + 18 ins high for 1/4 sec. cor. Land rolling + rocky. Soil 2d rate

60.00 Set a Candstone 36x10x4 ins marked on E face "1/16" in a mound of earth + stone 30 ins diam at base + 18 ins high for 1/16 sec cor. Land rolling + rocky. Soil 2d rate

80.00 Set a Candstone 30x8x6 ins marked on N face "IIIIII" + on E face "II" in a mound of earth + stone 36 ins diam at base + 18 ins high for cor to secs 2.3.34 + 35. Land rolling + rocky. Good grazing for upland. Soil 2d rate ~ Sandy.

N 89° 52' W on a true line bet secs 3 + 34
Var 16° 15' E.

20.00 Set a Candstone 12x10x8 ins marked on E face "1/16" in a mound of earth + stone 30 ins diam at base + 12 ins high for 1/16 sec cor. Land rolling. Soil 2d rate

40.00 Set a Candstone 24x8x3 ins marked on E face "1/4" in a mound of earth + stone 36 ins diam at base + 18 ins high for 1/4 sec cor. Land rolling. Soil 2d rate

60.00 Set a Candstone 30x8x8 ins marked on E face "1/16" in a mound of earth + stone 30 ins diam at base + 18 ins high for 1/16 sec cor. Land rolling. Soil 2d rate

80.00 Set a Candstone 30x8x4 ins marked on N face "IIIIII" + on E face "III" in a mound of earth + stone 36 ins diam

Exteriors T. 9 S. R. 19 E.

[illegible] base + 18 ins high for cor to secs 3, 4, 33 + 34
land rolling + rocky. Good grazing for upland
2d rate — Sandy

N 89° 52' W on a true line bet secs 4 + 33
Var 16° 15' E

20.00 r a sandstone 12x10x5 ins marked on E face 1/16"
mound of earth + stone 30 ins diam at base + 8
ins high for 1/16 sec cor. Land rolling. Soil 2d + 3d

0.00 r a sandstone 22x14x3 ins marked on E face 1/4" in
mound of earth + stone 36 ins diam at base +
high for 1/4 sec cor. Land rolling. Soil 2d or

42.00 To bluffs 400 ft above river.
r a sandstone marked "M C" in a large mound
stones for meander cor to fractional secs 4 + 33
line touches S. shore of small island in river.

X .00 Falling in triangulation was not set.
42 chs. Land rolling. soil 2d rate — Sand
+ 38 chs Land very mountainous — 3d rate
good grazing.

N 89° 52' W on a true line bet secs 5 + 32
Var 16° 15' E

0.00 Falling in triangulation was not set.
0.00 Falling in triangulation was not set.
Land high mountainous bluffs — broken
Soil 3d rate — Grazing

N 89° 52' W on a true line bet secs 6 + 31
Var 16° 15' E

40.00 Falling in triangulation was not set.
81.40 To true cor point to Tps 9 + 10 S. Rs 18 + 19 E
84.78 To witness cor to Tp cor above
Land very broken + mountainous
Soil 3d rate
Grazing good for upland
July 26th 1882

Exterior T. 9 S. R. 19 E.

Chains

North Boundary

Survey commenced July 27, 1882 with Gurley's Transit in good adjustment for level azimuth & collimation. Chain compared with & corrected by Stackpoles Standard Steel Tape.

The East portion of this North boundary falling in the Green River I commence at the cor to Tps 8 & 9 S. R. 18 & 19 E which is a Sandstone 18x8x8 ins marked with 6 notches on N. E. S. & W faces & placed in a large stone mound. Thence I run

Chains

East on a true line bet secs 6 & 31

Var 16° 15' E.

20.00 Set a sandstone 18x16x3 ins marked 1/16" on E face in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor. Land rough & broken. Soil 3 rate

40.00 Set a sandstone 20x12x4 ins marked on E face 1/4 in a mound of earth & stone 36 ins diam at base & 18 ins high for 1/4 sec cor. Land rough & broken. Soil 3 rate

60.00 Set a sandstone 26x10x10 ins marked on E face 1/16 in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor. Land rough & broken. Soil 3 rate

80.00 Set a sandstone 30x8x4 ins marked on E face "IIII" & on N face "IIII" in a mound of earth & stone 36 ins diam at base & 18 ins high for cor to secs 5, 6, 31 & 32. Land rough broken & mountainous. Soil sandy. 3d rate

East on a true line bet secs 5 & 32

Var 16° 15' E.

20.00 Set a sandstone 20x10x10 ins marked on E face 1/16" in a mound of earth & stone 30 ins diam at base & 12 ins high for 1/16 sec cor. Land broken. Soil 3 rate

40.00 Set a sandstone 30x12x10 ins marked on E face 1/4" in a mound of earth & stone 36 ins diam at base & 18 ins high for 1/4 sec cor. Land broken & rough. Soil 2 rate

60.00 Set a sandstone 20x10x6 ins marked on E face 1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor. Land broken. Soil 2 & 3 rate

Explorers N. G. S. R. 19 E.

Mans 80.00	Set a candle tree 24x12x3 ins marked on S "IIIIII" & face "III" in a mound of earth & stone 36 ins diam at base & 18 ins high for cor to secs 4 & 5-32 & 33. land broken & mountainous. Soil 2d & 3d rate
	East on a true line bet secs 4 & 33. Var 16° 15' E.
70.00	Set a candle tree 20x8x6 ins marked on E face "I" in a mound of earth 30 ins diam at base & 12 ins high for 1/16 sec cor. land broken & mountainous. Soil 3d rate
0.00	Set a candle tree 16x10x10 ins marked on E face "1/4" in a mound of earth 36 ins diam at base & 18 ins high for 1/4 sec cor. land broken & rough. Soil 3d rate
60.00	Set a candle tree 15x8x8 ins marked on E face "1/16" in a mound of earth 30 ins diam at base & 18 ins high for 1/16 sec cor. land rough & broken. Soil 3d rate
80.00	Set a candle tree 18x10x10 ins marked on E face "III" & on N face "IIIIII" in a mound of earth & stone 36 ins diam at base & 18 ins high for cor to secs 3.4.33 & 34 land broken & mountainous bluffs. Soil 2d & 3d rate. Good grazing
	East on a true line bet secs 3 & 34. Var 16° 15' E.
20.00	Set a candle tree 16x10x10 ins marked on E face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor. land rough & broken. Soil 3d rate
40.00	Set a candle tree 12x10x8 ins marked on E face "1/4" in a mound of earth & stone 36 ins diam at base & 18 ins high for 1/4 sec cor. land rough & broken. Soil 3d rate
60.00	Set a candle tree 18x10x4 ins marked on E face "1/16" a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor. land rough & broken. Soil 3d rate
0.00	Set a candle tree 20x8x5 ins marked on N face "IIIIII" & E face "II" in a mound of earth & stone 36 ins diam at base & 18 ins high for cor to secs 2.3.34 & 35 land broken & mountainous bluffs. Soil 3d rate. Good grazing.

July 27, 188-

Note. Discontinued line the country being impassable bluff and ravines. The N.E. Township corner falls in

Examined by .....

Compared by .....

FIELD NOTES

OF THE SURVEY OF THE

Section Lines

OF

Township No. 9 South

Range No. 19 East (Fractional)

OF THE

SALT LAKE MERIDIAN

IN

Utah Territory,

AS SURVEYED BY

DANIEL G. MAJOR,

U. S. Surveyor,

Under his Contract,

Dated December 20th, 1880.

Survey Commenced, July 25th *1882.*

Survey Completed, July 31st *1882.*

18

Township 9. South R. 19 E. of Salt Lake Mer.

Terr. of Utah.



Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains North bet. Secs. 35 and 36
Var. 16° 15' East.

20.00 Set a sandstone 20 x 12 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor.
Land rough
Soil 2d. Rate.

40.00 Set a sandstone 20 x 10 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor.
Land rough.
Soil 2d. Rate.

60.00 Set a sandstone 18 x 16 x 2 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor.
Land rough.
Soil 2d. Rate.

80.00 Set a sandstone 24 x 12 x 3 ins. 12 ins. in ground marked "1111" on N. E. face
on S. E. face "1" ~~on S. W. face and~~
~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs.
Land rough and mountainous
Grazing good
Soil 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.d

Chains	
	East on a random line bet. Secs. 25 & 36, Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2d. Rate.
80.44	Intersect the N. and S. line at 28 links N. of the corner to Secs. 25. 30. 31. & 36 Land rough and rocky Soil 2d. Rate.
	From this corner I run N. 89° 48' W. on a true line between Secs. 25 and 36 with the same var.
20.11	Set a sandstone 24 x 14 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.22	Set a sandstone 20 x 10 x 10 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. hig dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.33	Set a sandstone 18 x 17 x 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 from mound for 1/16 Sec. Cor.
80.44	To the Corner to Secs. 25. 26. 35 & 36 Land rough and rocky Grazing good Soil 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Terr.y Con.td

Chains North bet. Secs. 25 and 26
Var. 16° 15' East.

20.00 Set a sandstone 24 x 14 x 10 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor.
Land rough and rocky
Soil 2d Rate.

40.00 Set a sandstone 20 x 10 x 8 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor.
Land rough and rocky
Soil 2d Rate.

60.00 Set a sandstone 16 x 8 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor.
Land rough and rocky
Soil 2d Rate.

80.00 Set a sandstone 16 x 8 x 4 ins. 12 ins. in ground marked "1111" on N. & E. face
on S. & E. face " 1 " ~~on S. W. face and~~
~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs.
Land rough & mountainous
Grazing good
Soil only 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 24 and 25 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2d. Rate.
80.40	Intersect the N. and S. line at 16 links S. of the corner to Secs. 19. 24. 25. 30 Land rough and rocky Soil 2d. Rate.
	From this corner I run S. 89° 53' W. on a true line between Secs. 24 and 25 with the same var.
20.10	Set a sandstone 20 x 10 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.20	Set a sandstone 30 x 8 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.30	Set a sandstone 22 x 10 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.40	To the Corner to Secs. 23. 24. 25 & 26 Land rough and mountainous, Grazing good Soil sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terry Con.td

The line bet secs 23 and 26 being fractional. Run West on a true line between Secs 23 and 26
Var 16° 15' E.

20.00 Set a sandstone 22×8×4 ins 12 ins in ground marked "1/16 on E face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18×12×12 ins E and W. dist 5 ft from mound for 1/16 Sec Corner.

[illegible].00 Narrow Slough.

[illegible]5.00 Enter timber

[illegible]0.00 Set a cottonwood post 36×3×3 ins 12 ins in ground marked 1/4 on E face in a mound of earth 30 ins diam at base and 20 ins high. dug 2 pits 18×12×12 ins E and W. dist 5 ft from mound for 1/4 Sec cor.

50.30 Left bank of Green river Course S.W.
Set a cottonwood post 36×3×3 ins 12 ins in ground marked "M. C" on E face in a mound of earth. 30 ins diam at base and 20 ins high. for meander Corner
Note: The rest of this line is on page 31.

Land rolling. Dense brush

Grazing good.

Soil Sandy 1st Rate.

Scattered timber along river.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	North bet Secs. 23 and 24. Var 16° 15' E
20.00	Set a sandstone 14 x 12 x 8 ins 13 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18 x 12 x 12 ins N & S dist 5 ft from mound for 1/16 Sec Cor. Land rough. Soil 2d Rate
40.00	Set a sandstone 30 x 12 x 8 ins 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base and 20 ins high: dug 2 pits 18 x 12 x 12 ins N and S. dist 5 ft from mound for 1/4 Sec cor Land rough Soil 2d Rate
60.00	Set a sandstone 12 x 12 x 10 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18 x 12 x 12 ins N & S dist 5 ft from mound for 1/16 Sec cor Land rough. Soil 2d Rate
70.00	Left bank of Green River Course S.W. Set a sandstone 18 x 10 x 4 ins 13 ins in ground marked "M.C." on N. face in a mound of earth 36 ins diam at base and 30 ins high. for meander cor. to fractional secs 23 & 24 The rest of the line in river. Land rough & mountainous Grazing good. Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Lines	
	From the cor to secs 13. 18. 19 & 24 Trun West bet secs 13 and 24 the line being fractional. Var 16° 15' East
20.00	Set a sandstone 40 × 8 × 8 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18 × 12 × 12 ins N and S, dist 5 ft from mound for 1/16 sec cor Land level. Soil 1st Rate.
36.00	Willow creek. Enter valley.
40.00	Set a cottonwood post 48 × 3 × 3 ins, 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base and 20 ins high: dug 2 pits 18 × 12 × 12 ins N and S. dist 5 ft from mound for 1/4 sec cor Land level. Soil 1st Rate.
60.00	Set a sandstone 30 × 8 × 8 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base & 18 ins high: dug 2 pits 18 × 12 × 12 ins N and S. dist 5 ft from mound for 1/16 Sec Cor Land level. Soil 1st Rate.
73.00	Green River. Course S. Set a sandstone 10 × 10 × 6 ins. 12 ins in ground marked "M.C" on E face in a mound of earth 36 ins diam at base and 30 ins high for meander Cor to fractional secs 13 and 24. Land level. Dense underbrush. Grazing good. Scattering timber Sandy soil 2d Rate. Note: The remainder of line is in river Line bet. Secs 13. 14 is in Green River.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.ns

Coarse. The line bet secs 12 & 13 from the cor to secs 7. 12. 13 & 18 on E. bdy of Tp. I run West bet secs 12 and 13 on true line.
Var 16° 15' East

20.00 Set a sandstone 24 x 12 x 4 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18 x 12 x 12 ins N and S. dist 5 ft from mound for 1/16 sec cor
Land level
Soil 1st Rate

40.00 Set a sandstone 30 x 12 x 12 ins 12 ins in ground marked 1/4 on N face in a mound of earth 30 ins diam at base and 20 ins high: dug 2 pits 18 x 12 x 12 ins N and S. dist 5 ft from mound for 1/4 sec cor.
Land level
Soil 1st Rate

60.00 Set a sandstone 22 x 12 x 4 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18 x 12 x 12 ins N and S. dist 5 ft from mound for 1/16 sec cor.
Land level
Soil 1st Rate

61.50 Left bank of Green river Course S.S.W.
Set a cottonwood post 48 x 3 x 3 ins 12 in ground marked "M.C." on E. face in mound of earth 36 ins diam at base and ins high: meander cor. to secs 12 & 13.
Land level.
Dense underbrush.
Grazing good. Cottonwood timber.
Sandy soil
1st Rate July 25. 18

The corner to secs 11-12-13-14 falls in

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terry. Con.td

The line bet secs 1 and 12 being fractional from the cor to secs 1.6.7 & 12 I run West bet Secs 1 and 12.

Var 16° 15' East.

20.00 Set a sandstone 22 x 10 x 4 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug a pit 18 x 12 x 12 ins N and S. dist 5 ft from mound for 1/16 sec cor

Land level

Soil 1st Rate.

36.50 Left bank of Green river. Course S.S.W. Set a cottonwood post 48 x 3 x 3 ins 12 ins in ground marked "M.C" on E face in a mound of earth 30 ins diam at base and 20 ins high: dug a pit 18 x 12 x 12 ins E. dist 5 ft from mound for meander cor to fractional secs. 1 and 12: for rest of line see page:

Land level.

Grazing good in valley

Soil 1st Rate.

Scattered Cottonwood timber.

Dense brush For rest of this line see page 39.

Note: for notes of fractional section line bet.n Secs 11 and 12, see page 38.

The section line between 1 and 2 was not run, the country being worthless.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

cains. North bet Secs 34 and 35.
Var 16° 15' East

20.00 Set a sandstone 18×12×4 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18×12×12 ins N and S dist 5 ft from mound for 1/16 Sec cor.
Land rolling
Soil 2d Rate

40.00 Set a sandstone 16×10×10 ins 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base & 20 ins high: dug 2 pits 18×12×12 ins N S. dist 5 ft from mound for 1/4 sec cor.
Land rolling
Soil 2d Rate

60.00 Set a sandstone 20×6×3 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base 18 ins high: dug 2 pits 18×12×12 ins N and S dist 5 ft from mound for 1/16 Sec cor.
Land rolling
Soil 2d Rate

80.00 Set a sandstone 30×10×4 ins. 12 ins in ground marked "11111" on N face and on E face "11" in a mound of earth 36 ins diam at base, and 30 ins high: pits 18×18×12 ins in each section 5 ft dist from mound for cor to secs 26.27.34.35

Land rolling & rocky in places

Grazing good

Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terry. Con^td

Chains.	
	East on a random line bet Secs. 26 & 35. Var 16° 15' East.
20.00	Set a temporary 1/16 Sec Cor. Land rolling. Soil 2^d Rate.
40.00	Set a temporary 1/4 sec cor. Land rolling. Soil 2^d Rate
60.00	Set a temporary 1/16 Sec cor. Land rolling. Soil 2^d Rate.
80.54	Intersect the N and S line at 26 links N of the corner to Secs 25. 26. 35 & 36 Land rolling. Soil 2^d Rate.
	From this corner Drew N 89° 49' W on a true line between Secs 26 and 35 with the same var.
20.13	Set a sandstone 26×12×4 ins. 12 ins in ground marked "1/16" on E face in a mound of earth 30 ins diam at base and 18 ins high deg 2 pits 18×12×12 ins E and W, dist 5 ft from mound for 1/16 Sec cor.
40.27	Set a sandstone 20×10×10 ins 12 ins in ground marked "1/4" on E face in a mound of earth 30 ins diam at base and 20 ins high; deg 2 pits 18×12×12 ins E and W. dist 5 ft from mound for 1/4 sec cor.
60.40	Set a sandstone 18×12×5 ins 12 ins in ground marked "1/16" on E face in a mound of earth 30 ins diam at base and 18 ins high. deg 2 pits 18×12×12 ins E and W, dist 5 ft from mound for 1/16 Sec cor.
80.54	To the corner to Secs 26. 27. 34 and 35.
	Land rolling.
	Grazing for
	Soil 2^d Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

ains. orth bet secs 26 and 27

Var 16° 15' East

20.00 Set a sandstone 18×10×3 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high dug 2 pits 18×12×12 ins N and S. dist 5 ft from mound for 1/16 sec cor

Land rolling

Soil 2d Rate

40.00 Set a sandstone 10×10×8 ins 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base and 20 ins high: dug 2 pits 18×12×12 ins N and S dist 5 ft from mound for 1/4 sec cor

Land rolling. Soil 1st Rate

45.00 Left bank of Green river. Course W.S.W. Set a sandstone marked "M.C" in a stone mo In order to get the dist across river on line I send a flag across to right bank & set it in line bet secs 26 27. I then go across to flag whence I run a base line W 5 chains to a point whence meander cor on left bank bears S 25°28' E which gives for distance across by computation 10.50 chs the whole dist, and from cor to secs 26.27.34 & 35 will therefore be 45.00 + 10.50 making

55.50 To right bank. Set a stone marked "M.C" for meander cor.

60.00 Set a sandstone 12×10×4 ins. 12 ins in ground ed "1/16" on N face in a mound of earth 30 ins diam at base & 18 ins high: dug 2 pits 18×12×1 N and S. dist 5 ft from mound for 1/16 sec cor

Land level. Soil 1st Rate

80.00 Set a cottonwood post 48×4×4 ins 12 ins in ground marked "23" on NE face "26" on S.E. ce "27" on S.W face and 22 on N.W face in a mound of earth 36 ins diam at base & 30 ins high: dug pits 18×18×12 ins in each Section dist from mound for Corner to secs 22.23.26 & 27 and level or rolling. Dense underbrush. Grazing Scattering timber. Soil alluvial 1st Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

A portion of the line bet secs 23 and 26 having been run from the cor to secs 23. 24. 25 & 26 I run
East on a true line bet secs 23 and 26
Var 16° 15' E

19.00 Right bank of Green river
Course S.W.
Set a cottonwood post 36 x 3 x 3 ins 12 ins in ground, marked 'M.C' on E face in a mound of earth 30 ins diam at base and 18 ins high for meander cor to fractional secs. 23 and 26.
In order to obtain the distance across river, I continue E to
19.20 Water edge. Thence I run a base line S 5 chs. to a point whence meander cor on left bank bears S 64° 56' E from which I compute the distance as follows:

log. tan 64° 56'	=	0.33001
log. base 5 chs.	=	0.69897
log. 10.69		1.02898

The whole length of the line bet secs 23 and 26. will be as follows:

East of river	50.30 chs	(See page 23.)
Across river	10.69 "	
West of river	19.20 "	
Total	80.19 "	

80.19

Land level, river bottom.
Dense underbrush & scattered
Cottonwood timber
Soil 1st class alluvial.

Line crosses a low island in river about 30 chs long and 10 chs wide which is subject to overflow.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Coq.s

Chains. North bet secs 22 and 23.
Var 16° East.

18.00 Leave valley

20.00 Set a cottonwood post 36 x 3 x 3 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18 x 12 x 12 ins N and S dist 5 ft from mound for 1/16 sec cor.
Land level
Soil 1st Rate

40.00 ~~Set a cottonwood post 36 x 3 x 3 ins 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18 x 12 x 12 ins N and S dist 5 ft from mound for 1/16 sec cor.~~
~~Land level~~
~~Soil 1st Rate~~

Omit

40.00 Set a cottonwood post 48 x 3 x 3 ins 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base and 30 ins high: dug 2 pits 18 x 12 x 12 ins N and S dist 5 ft from mound for 1/4 sec cor.
Land rolling
Soil 2d Rate

60.00 Set a sandstone 18 x 6 x 4 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18 x 12 x 12 ins N and S dist 5 ft from mound for 1/16 Sec Cor
Land rolling
Soil 2d Rate

80.00 Set a sandstone 12 x 10 x 8 ins 12 ins in ground marked "111" on N. face and on W face "1111" in a mound of earth 36 ins diam at base and 30 ins high: dug pits 18 x 18 x 12 ins in section 5 ft dist from mound for Cor to Secs 14, 15, 22 + 23. Land rolling or level. Grazing good
Soil 1st + 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	The cor to secs 13.14.23 & 24 falling river from East bet secs 14 and 23 on a true line Var 16° 15' East.
20.00	Set a sandstone 24×8×4 ins: 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18×12×12 ins. N. and S dist. 5 ft from mound for 1/16 sec cor Land level. Soil 1st Rate.
25.00	Enter valley of river.
40.00	Set a cottonwood post 36×3×3 ins 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base and 20 ins high: dug 2 pits 18×12×12 ins N and S dist 5 ft from mound for 1/4 sec cor. Land level. Soil 1st Rate.
60.00	Set a cottonwood post 36×3×3 ins 12 ins in ground marked "1/16" on N face in a mound of earth. 30 ins. diam at base and 18 ins high: dug 2 pits 18×12×12 ins N and S. dist 5 ft from mound. for 1/16 sec cor from which an old cabin bears N dist 10 chs Land level. Soil 1st Rate.
70.00	Right bank of Green River. Course S. Set a cottonwood post 48×4×4 ins 12 ins in ground marked "M.C" on E face in a mound of earth 36 ins diam at base and 30 ins high: for meander cor to fractional secs 14 & 23. Land level. Dense underbrush. Grazing good. Soil alluvial. 1st Rate. Scattering cottonwood timber.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.d

Chains.	
	North bet secs 14 and 15. Var 16° 15' East
20.00	Set a sandstone 24×12×6 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18×12×12 ins N and S. dist 5 ft from mound for 1/16 sec cor. Land rolling. Soil 2d Rate
40.00	Set a sandstone 18×8×8 ins 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base and 20 ins high: dug 2 pits 18×12×12 ins N and S. dist 5 ft from mound for 1/4 sec cor. Land rolling Soil 2d Rate
60.00	Set a sandstone 30×12×3 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18×12×12 ins N S. dist 5 ft from mound for 1/16 sec cor. Land rolling. Soil 2d Rate
80.00	Set a cottonwood post 48×4×4 ins. 12 ins in ground marked "11" on N.E face "14" on S.E face "15" on S.W face and "10" on N.W face in a mound of earth 36 ins diam at base and 30 ins high: dug pits 18×18×12 ins in each direction 5 ft dist from mound for corner to Secs 10.11.14.15.
	Land rolling
	Grazing good. Soil sandy 2d Rate. July 26 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains

The cor to secs 11. 12. 13 & 14 falling in river
Trun East bet secs 11 & 14 on a true line
Var 16° 15' E.

20.00 Set a cottonwood post 36 x 3 x 3 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base & 18 ins high: dug 2 pits 18 x 12 x 12 ins N and S. dist 5 ft from mound for 1/16 sec cor.
Land broken.
Soil 1st Rate.

40.00 Set a cottonwood post 36 x 3 x 3 ins 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base and 20 ins high: dug 2 pits 18 x 12 x 12 ins N and S. dist 5 ft from mound for 1/4 sec cor
Land broken.
Soil 1st Rate.

45.00 Enter valley.

60.00 Set a sandstone 24 x 8 x 6 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18 x 12 x 12 ins N and S. dist 5 ft from mound for 1/16 sec cor.
Land broken.
Soil 1st Rate.

77.00 Right bank of Green River. course S.
Set a cottonwood post 36 x 3 x 3 ins 12 ins in ground marked "M. C" on E face in a mound of earth 36 ins diam. at base and 30 ins high for meander Cor to fractional secs 11 & 14.

Land broken & mountainous.
Grazing good.
Soil 1st Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Cont.d

chains	
	North bet Secs 10 and 11. Var 16° 15' East
20.00	Set a sandstone 16 x 10 x 8 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18 x 12 x 12 ins N and S. dist 5 ft from mound for 1/16 sec cor. Land rough mountainous. Soil 2d Rate.
40.00	Set a sandstone 26 x 14 x 3 ins 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base & 20 ins high: dug 2 pits 18 x 12 x 12 ins N & S. dist 5 ft from mound for 1/4 sec cor. Land rough mountainous. Soil 2d Rate.
60.00	Set a sandstone 24 x 8 x 4 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base 18 ins high: dug 2 pits 18 x 12 x 12 ins N and S. dist 5 ft from mound for "1/16" sec cor. Land rough mountainous. Soil 2d Rate.
80.00	Set a sandstone 30 x 10 x 3 ins 12 ins in ground marked "1" on N face and on E face "11" in a mound of earth 36 ins diam at base and 30 ins high: dug pits 18 x 18 x 12 ins in each Section 5 ft dist from mound for Corners to secs 2. & 10 & 11. Land rough mountainous. Grazing good. Soil 2d Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terry. Con.td

Chains	
	The cor to secs 1. 2. 11 & 12 not being established from East bet secs 2 and 11 on a true line Var 16° 15' East.
20.00	Set a sandstone 12 x 12 x 10 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18 x 12 x 12 ins N and S. dist 5 ft from mound for 1/16 sec cor Land rough & mountainous Soil 2d Rate.
40.00	Set a sandstone 22 x 10 x 8 ins 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base and 20 ins high: dug 2 pits 18 x 12 x 12 ins N and S. dist 5 ft from mound for 1/4 sec cor Land rough & mountainous. Soil 2d Rate.
60.00	Set a sandstone 30 x 8 x 8 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18 x 12 x 12 ins N & S. dist 5 ft from mound for 1/16 sec cor. Land rough & mountainous. Soil 2d Rate.
80.00	Set a sandstone 20 x 15 x 8 ins 12 ins in ground marked "1" on North face and on East face "11" in a mound of earth 36 ins diam at base and 30 ins high; dug pits 18 x 18 x 12 ins in each section 5 ft dist from mound for corners to secs 1. 2. 11 & 12. Land rough & mountainous Grazing good Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

cams South bet Secs 11 and 12.
Var 16° 15' East.

20.00 et a sandstone 24×14×3 ins 12 ins in ground marked "1/16" on N face in a of earth 30 ins diam at base and 18 ins high: dug 2 pits 18×12×12 ins N and S dist 5 ft from mound for 1/16 sec cor
Land mountainous
Soil 2d Rate.

40.00 Set a sandstone 14×12×10 ins 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base and 20 ins high: dug 2 pits 18×12×1 ins N and S dist 5 ft from mound for 1/4 sec cor.
Land mountainous
Soil 2d Rate.

58.40 Right bank of Green river
Course S. S. W.

Set a sandstone 10×10×6 ins 12 ins in ground marked "M. C" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug a pit 18×12×12 ins N dist 5 ft from mound for 1/16 Sec Cor.

Land mountainous.

Soil 1st & 2d Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

chains.

A portion of the line bet secs 1 & 12

having been run W from the E Bdy of the township: from the cor to secs 1. 2. 11 & 12 I run:

East on a true line bet secs 1 & 12.

Var 16° 15' E

14.70 To bluffs over Green river. 150 feet high. Set a sandstone 18×10×6 ins marked "M.C" on W face in a mound of earth & stone 30 ins diam at base and 18 ins high for meander Cor to fractional secs 1 and 12.

In order to get the distance across river on line, run a base line N 20 chs to a point whence meander Cor on left bank bears S 55° 30' E, from which I compute the distance as follows:

log. tan	55.30.	0.16286
log.	20.	1.30103
log	29.10	1.46389

The length of the line bet secs 1 & 12 will therefore be as follows. (see page 27).

East of river	36.20 chs
Across river	29.10 chs
West of river	14.70 chs
Total	80.00 chs.

Land mountainous

Soil 2d Rate.

Dense underbrush along river

Scattering timber.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

ains. North on a random line bet secs 2 and 3. Var 16° 15' E.

20.00 Set a temporary 1/16 sec cor. Land rough. Soil 2d Rate.

40.00 Set a temporary 1/4 sec Cor. Land rough. Soil 2d Rate.

60.00 Set a temporary 1/16 sec Cor. Land rough. Soil 2d Rate.

80.10 Intersect the N. Tp line at 12 links W of the corner to Secs 2.3.34 + 35. Land rough. Soil 2d Rate.

From this cor I run S 00° 05' W. on a true line between Secs 2 and 3 with the same var.

20.10 Set a sandstone 26×12×10 ins, 12 in ground marked "1/16" on E face in a mound of earth 30 ins diam at and 18 ins high: dug 2 pits 18×12×1 E and W dist 5 ft from mound for S.E. Cor

40.10 Set a sandstone 23×14.×4 ins 12 ins in ground marked 1/4 on E face in a mound of earth 30 ins diam at base and 20 ins high: dug 2 pits 18×12×1 ins E and W dist 5 ft from mound for 1/4 sec cor.

60.10 Set a sandstone 30×10×3 ins. 12 ins in ground marked "1/16" on E face in mound of earth 30 ins diam at and 18 ins high: dug 2 pits 18×12×1 ins E and W dist 5 ft from mound for 1/16 sec cor.

80.10 To the corner to Secs 2.3.10 & 11.

Land rough + mountainous

Grazing good
Soil Sandy. 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 1 S. R. 1 E. Salt Lake Mer. Utah Terr.y Cont.d

Chains	North bet. Secs. 33 and 34 Var. 16° 15' East.
20.00	Set a sandstone 26 x 14 x 12 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken Soil 2d Rate.
40.00	Set a sandstone 16 x 14 x 12 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken Soil 2d Rate.
60.00	Set a sandstone 14 x 12 x 12 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken Soil 2d Rate.
80.00	Set a sandstone 30 x 8 x 6 ins. 12 ins. in ground marked "IIIII" on N. face and on E. face "III." ~~on S.W. face and on N.W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 27, 28, 33 + 34 Land broken and mountainous Grazing good Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Ch	
	East on a random line bet. Secs. 27 and 34. Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
80.10	Intersect the N. and S. line at 26 links S. of the corner to Secs. 26, 27, 34 & 35. Land broken Soil 2d Rate.
	From this corner I run S. 89° 49' W. on a true line between Secs. 27 and 34 with the same var.
20.02	Set a sandstone 26 X 14 X 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.05	Set a sandstone 20 X 10 X 6 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.07	Set a sandstone 24 X 10 X 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.10	To the Corner to Secs. 27, 28, 34 & 33. Land broken and mountainous. Grazing good. Soil sandy 2d Rate.

July 27. 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Cont.d

Chains	
	The line bet secs 28 & 33 being fractional I run West on a true line bet secs 28 & 33. Var 16° 30' E.
15.00	Enter valley.
20.00	Set a cottonwood post 36 x 3 x 3 ins 12 ins in ground marked "1/16" on E face in a mound of earth 30 ins diam at base and 18 ins high: dig 2 pits 18 x 12 x 12 ins E and W dist 5 ft from mound for 1/16 sec cor.
33.00	Left bank of Green River. Course W. Set a cottonwood post 3 ft long 3 ins square 12 ins in the ground, marked "M.C" on E face in a mound of earth 30 ins diam at base and 18 ins high for meander cor to fractional secs 28 & 33. Land broken mountainous. good grazing. Soil 2d & 3d Rate. Line not extended across the River, the country being worthless.
	I now return to the cor to secs 27, 28, 33 and 34 whence I run North bet secs 27 and 28. Var 16° 15' E.
20.00	Set a sandstone 14 x 12 x 10 ins. 12 ins in ground marked "1/16" on E face in a mound of earth 30 ins diam at base & 18 ins high: dig 2 pits 18 x 12 x 12 ins E & W dist 5 ft from mound for 1/16 sec cor.
36.00	Enter valley & shallow slough.
40.00	Set a cottonwood post 36 x 3 x 3 ins 12 ins in ground marked "1/4" on S face in a mound of earth 30 ins diam at base & 18 ins high: dig 2 pits 18 x 12 x 12 ins E & W dist 5 ft from mound for 1/4 sec cor
52.30	Left bank of Green River. Course W. by N. Set a cottonwood post 36 x 3 x 3 ins marked "M.C" on S face in the ground 12 ins deep; built a mound of earth 36 ins diam at base & 18 ins high around post for meander cor to fractional sec 27, 28

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

chs

In order to get the distance across river I send a flag across and set it on line bet secs 27 and 28. I then run a base line W 5 chs to a point whence flag on right bank bears N 22° 30' E from which I compute the distance as follows:

log cos 22°30' = 0.40483
log 5 = 0.69897
log 12.70 = 1.10380

The whole distance from the cor to secs 27. 28. 33 and 34 will therefore be 52.30 + 12.70 chs. making

65.00 To right bank of Green river. This point I establish by setting a cottonwood post 36 x 3 x 3 ins. marked "M. C" on N face. 18 ins deep in the ground: dug a pit 18 x 12 x 12 ins N of post 5 ft distt, and raised a mound of earth 36 ins diam at base and 18 ins high around post for meander cor. to fractional secs 27 and 28.

Thence continuing North on line through underbrush

80.00 Set a sandstone 20 x 10 x 6 ins. marked on N face "IIII" and on E face "III" in a mound of earth & stone 36 ins diam at base and 18 ins high for cor to secs 21. 22. 27 and 28.

Land level river bottom.

Dense underbrush & scattering cottonwood timber.

Grazing good.

Soil alluvial 1st class

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 22 and 27 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level Soil 2d Rate.
80.54	Intersect the N. and S. line at 12 links N. of the corner to Secs. 22, 23, 26 + 27 Land level. Soil 2d Rate.
	From this corner I run N. 89° 55' W. on a true line between Secs. 22 and 27 with the same var.
20.13	Set a sandstone 20 X 12 X 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.27	Set a sandstone 40 X 12 X 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.40	Set a sandstone 20 X 10 X 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 15 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.54	To the Corner to Secs. 21, 22, 27 + 28. Land level E. 60.40 chs. W. 20.13 chs. mountainous Grazing good Soil sandy 2d Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terry Con.td

Chai North bet. Secs. 21 and 22
Var. 16° 15' East.

20.00 Set a sandstone 24 x 10 x 10 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. and broken & mountainous
Soil 2d Rate.

40.00 Set a sandstone 30 x 10 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken & mountainous.
Soil 2d Rate.

60.00 Set a sandstone 15 x 10 x 10 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken & mountainous
Soil 2d Rate.

80.00 Set a sandstone 26 x 20 x 3 ins. 12 ins. in ground marked "111" on N. & W. face and on W. & E. face "111" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 15, 16, 21 & 22.
Land broken & mountainous
Grazing good
Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 15 and 22 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
80.02	Intersect the N. and S. line at 26 links N. of the corner to Secs. 14, 15, 22 + 23 Land broken and mountainous Soil 2d Rate.
	From this corner I run N. 89° 49' W. on a true line between Secs. 15 and 22 with the same var.
20.00	Set a sandstone 14 X 10 X 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.01	Set a sandstone 15 X 8 X 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.02	Set a sandstone 12 X 12 X 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.02	To the Corner to Secs. 15, 16, 21 + 22 Land broken and mountainous Grazing good Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chai North bet. Secs. 15 and 16
Var. 16° 15' East

20.00 Set a sandstone 14 x 10 x 10 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor.
and broken and mountainous
Soil 2d Rate.

40.00 Set a sandstone 16 x 8 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor.
Land broken and mountainous
Soil 2d Rate.

60.00 Set a sandstone 20 x 10 x 6 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor.
Land broken and mountainous
Soil 2d Rate.

80.00 Set a sandstone 24 x 10 x 6 ins. 12 ins. in ground marked "11" on N.E. face and on S.E. face "111" ~~on S.W. face and on N.W. face~~ in a mound of earth 36 ins. diam. at base and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 9, 10, 15 + 16
Land broken and mountainous
Grazing good
Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 10 and 15 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d. Rate.
80.20	Intersect the N. and S. line at 21 links S. of the corner to Secs. 10, 11, 14 + 15 Land broken Soil 2d. Rate.
	From this corner I run S. 89° 15' W. on a true line between Secs. 10 and 15 with the same var.
20.05	Set a sandstone 26 X 13 X 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.10	Set a sandstone 22 X 12 X 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.15	Set a sandstone 24 X 10 X 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 15 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.20	To the Corner to Secs. 9, 10, 15 + 16 Land broken and mountainous Grazing good Soil sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

C North bet. Secs. 9 and 10
Var. 16° 15' East.

20.00 Set a sandstone 20 x 10 x 6 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S, dist. 5 ft. from mound for 1/16 Sec. Cor.
Land broken and mountainous
Soil 2d Rate.

40.00 Set a sandstone 25 x 14 x 2 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S, dist. 5 ft. from mound for 1/4 Sec. Cor.
Land broken and mountainous.
Soil 2d Rate.

60.00 Set a sandstone 20 x 12 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S, dist. 5 ft. from mound for 1/16 Sec. Cor.
Land broken and mountainous.
Soil 2d Rate.

80.00 Set a sandstone 20 x 12 x 3 ins. 12 ins. in ground marked "1" on N. & W. face and on W. & S. face "11" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 3, 4, 9 & 10
Land broken and mountainous.
Grazing good
Soil sandy 2d Rate

July 28. 1882.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Terr.y Cog.ts

Chains.	
	East on a random line bet. Secs. 3 and 10 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
80.14	Intersect the N. & S. line at 20 links S. of the corner to Secs. 2, 3, 10 & 11 Land broken Soil 2d Rate
	From this corner I run S. 89° 51' W. on a true line between Secs. 3 and 10 with the same var.
20.03	Set a sandstone 18 × 14 × 12 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.07	Set a sandstone 20 × 12 × 6 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.10	Set a sandstone 20 × 10 × 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.14	To the Corner to Secs. 3, 4, 9 & 10. Land broken and mountainous Grazing good Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. North on a random line bet. Secs. 3 and 4 Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.

40.00 Set a temporary 1/4 Sec. Cor. Land Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land bro' Soil 2d Rate.

80.58 Intersect the N. Tp. line at 12 links W. of the corner to Secs. 3, 4, 33 & 34 Land bro' Soil 2d Rate

From this corner I run S. 00° 05' W. on a true line between Secs. 3 and 4 with the same var.

20.58 Set a sandstone 14 X 12 X 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

40.58 Set a sandstone 20 X 15 X 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.

60.58 Set a sandstone 18 X 10 X 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

80.58 To the Corner to Secs. 3, 4, 9 & 10

Land broken and mountainous

Grazing good

Soil sandy 2d Rate

Chains	The land in secs 29. 32. 28 + 33 being unsurveyable, Consisting of high bluffs and deep ravines. I run West bet secs 21 + 28 on a true line.
	Var 16° 15' E
20.00	Set a sandstone 10 + 10 + 6 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base + 18 ins high: dug 2 pits 18 + 12 + 12 ins N + S dist 5 ft from mound for 1/16 sec cor.
	Land rough
	Soil 2d rate
40.00	Set a sandstone 18 + 16 + 4 ins 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base and 20 ins high: dug 2 pits 18 + 12 + 12 ins N + S dist 5 ft from mound for 1/4 sec cor
	Land rough
	Soil 2d rate
60.00	Set a sandstone 16 + 14 + 12 ins. 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18 + 12 + 12 ins N + S dist 5 ft from mound for 1/16 sec cor.
	Land rough
	Soil 2d rate
80.00	Set a sandstone 18 + 14 + 10 ins 12 ins in ground marked "1111" on N face and on E face "1111" in a mound of earth 36 ins diam at base and 30 ins high: dug pits 18 + 18 + 12 ins in each sec 5 ft dist from mound for corto secs 20. 21. 28 & 29.
	Land rough + mountainous
	Grazing good
	Soil sandy 2d rate

Chains.	
	North bet sec 20 and 21. Var 16° 15' E
20.00	Set a sandstone 24+10+4 ins 12 ins in ground marked "1/16" on N face in a mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18+12+12 ins N & S dist 5 ft from mound for 1/16 sec cor. Land broken & mountainous. Soil 2d rate
40.00	Set a sandstone 20+14+3 ins 12 ins in ground marked "1/4" on N face in a mound of earth 30 ins diam at base and 20 ins high: dug 2 pits 18+1 +12 ins N & S dist 5 ft from mound for 1/4 sec cor. Land broken & mountainous. Soil 2d rate
60.00	Set a sandstone 22+14+10 ins 12 ins in ground marked "1/16" on N face in mound of earth 30 ins diam at base and 18 ins high: dug 2 pits 18+12+12 ins N and S dist 5 ft from mound for 1/16 sec cor. Land broken & mountainous. Soil 2d rate
80.00	Set a sandstone 30+14+3 ins 12 ins in ground marked "1/1" on N face and on E face "1/1" in a mound of earth 36 ins diam at base and 30 ins high: dug 2 pits 18+18+12 ins on each section 5 ft dist from mound for Cor to sec 16.17.20 & 21. Land broken & mountainous. Grazing good. Soil sandy 2d rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 16 & 21 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
80.38	Intersect the N. and S. line at 26 links N. of the corner to Secs. 15, 16, 21 & 22 Land broken and mountainous Soil 2d Rate.
	From this corner I run N. 89° 49' W on a true line between Secs. 16 and 21 with the same var.
20.09	Set a sandstone 18 X 12 X 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.19	Set a sandstone 20 X 12 X 10 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.28	Set a sandstone 16 X 10 X 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.38	To the Corner to Secs. 16, 17, 20 & 21 Land broken & mountainous. Grazing good on bluffs Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.ed

Chains	North bet. Secs. 16 and 17 Var. 16° 15' East.
20.00	Set a sandstone 26 x 12 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land mountainous Soil 2d Rate.
40.00	Set a sandstone 12 x 12 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land mountainous Soil 2d Rate.
60.00	Set a sandstone 16 x 12 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land mountainous Soil 2d Rate.
80.00	Set a sandstone 30 x 14 x 5 ins. 12 ins. in ground marked "11" on N. ~~W.~~ face and on ~~W.~~ E. face "1111" ~~on S.W. face and on N.W. face~~ in a mound of earth 36 ins. diam. at base and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 8, 9, 16 + 17 Land broken + mountainous, high hills. Grazing good for upland. Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 9 & 16 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land mountainous Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land mountainous Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2d Rate.
80.40	Intersect the N. and S. line at 27 links S. of the corner to Secs. 9, 10, 15 & 16 Land rough & mountainous Soil 2d Rate.
	From this corner I run S 89° 48' W on a true line between Secs. 9 and 16 with the same var.
20.10	Set a sandstone 16 X 10 X 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.20	Set a sandstone 20 X 14 X 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.30	Set a sandstone 18 X 10 X 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 15 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.40	To the Corner to Secs. 8, 9, 16 & 17 Land rough & mountainous Grazing good Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chai North bet. Secs. 8 and 9
Var. 16° 15' East.

20.00 Set a sandstone 20 X 14 X 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor.
and broken & mountainous
Soil 2d Rate.

40.00 Set a sandstone 26 X 15 X 2 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor.
Land broken & mountainous.
Soil 2d Rate.

60.00 Set a sandstone 16 X 14 X 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor.
Land broken & mountainous
Soil 2d Rate.

80.00 Set a sandstone 24 X 12 X 4 ins. 12 ins. in ground marked "1" on N. & E. face on N. & E. face "1111" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 X 18 X 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 4, 5, 8 & 9
Land broken & mountainous.
Grazing good
Soil 2d Rate

July 29. 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	East on a random line bet. Secs. 4 and 9 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
80.70	Intersect the N. & S. line at 26 links S. of the corner to Secs. 3.4.9 & 10 Land broken and mountainous. Soil 2d Rate
	From this corner I run S. 89° 49' W on a true line between Secs. 4 and 9 with the same var.
20.17	Set a sandstone 14 x 14 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.35	Set a sandstone 14 x 14 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.52	Set a sandstone 20 x 10 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.70	To the Corner to Secs. 4, 5, 8 & 9 Land broken & mountainous Grazing good for upland Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. North on a random line bet. Secs. 4 and 5 Var. 16° 15' East.

20.00 et a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.

40.00 et a temporary 1/4 Sec. Cor. Land broken Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land brot Soil 2d Rate.

80.12 Intersect the N. boundary of the Township ~~line~~ at 20 links W. of the corner to Secs. 4, 5, 32 & 33 Land broken Soil 2d Rate

From this corner I run S. 00° 09' W. on a true line between Secs. 4 and 5 with the same var.

20.12 Set a sandstone 18 x 10 x 7 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

40.12 Set a sandstone 16 x 12 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.

60.12 Set a sandstone 20 x 10 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

80.12 To the Corner to Secs. 4, 5, 8 & 9 Land broken & mountainous Grazing good for upland Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

From the cor. to Secs. 20, 21, 28 & 29 I run

Chains West bet. Secs. 20 and 29
Var. 16° 15' East.

20.00 Set a sandstone 20 X 10 X 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor.
Land mountainous
Soil 2d Rate.

40.00 Set a sandstone 20 X 15 X 5 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor.
Land mountainous
Soil 2d Rate.

60.00 Set a sandstone 18 X 10 X 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor.
Land mountainous
Soil 2d Rate.

80.00 Set a sandstone 18 X 14 X 3 ins. 12 ins. in ground marked "1111" on N. face and on E. face "11111" ~~on S.W. face and on N.W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 X 18 X 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 19. 20. 29 & 30
Land mountainous
Grazing good
Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. West on a random line bet. Secs. 19 and 30
Var. 16° 15' East.

20.00 et a temporary 1/16 Sec. Cor. Land broken
Soil 2d Rate.

40.00 et a temporary 1/4 Sec. Cor. Land rough
Soil 2d Rate.

60.00 et a temporary 1/16 Sec. Cor. Land rough
Soil 2d Rate.

80.70 Intersect the W. Boundary of the township at 36 links S. of the corner to
ecs. 19, 24, 25 & 30 Land very rough
Soil 2d Rate.

From this corner I run S. 89° 45' E. on a true line bet. Secs. 19 and 30 with the same var.

20.70 Set a sandstone 14 x 10 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

40.70 Set a sandstone 14 x 12 x 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.

60.70 Set a sandstone 14 x 10 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

80.70 To the Corner to Secs. 19, 20, 29 & 30
Land very rough, broken & mountain
Grazing good
Soil sandy 2d Rate rocky

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 19 and 20 Var. 16° 15' East.
20.00	Set a sandstone 20 x 8 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken Soil 2d Rate.
40.00	Set a sandstone 16 x 12 x 6 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken Soil 2d Rate.
60.00	Set a sandstone 18 x 10 x 10 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken Soil 2d Rate.
80.00	Set a sandstone 30 x 15 x 4 ins. 12 ins. in ground marked "111" on N. & W. face and on W. & E. face "11111" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 17, 18, 19 & 20. Land broken & mountainous Grazing good Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Ch East on a random line bet. Secs. 17 & 20
Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land broken
Soil 2d Rate.

40.00 Set a temporary 1/4 Sec. Cor. Land broken
Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land broken
Soil 2d Rate.

80.20 Intersect the N. and S. line at 36
links N. of the corner to Secs. 16, 17, 20 & 21
Land broken
Soil 2d Rate.

From this corner I run N. 89° 45' W.
on a true line between Secs. 17 and 20
with the same var.

20.05 Set a sandstone 14 X 12 X 3 ins. 12 ins.
in ground marked "1/16" on E. face in a mound
of earth 30 ins. diam. at base, and 18 ins. high;
dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft.
from mound for 1/16 Sec. Cor.

40.10 Set a sandstone 15 X 10 X 5 ins. 12 ins.
in ground marked "1/4" on E. face in a mound
of earth 30 ins. diam. at base, and 20 ins. high;
dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft.
from mound for 1/4 Sec. Cor.

60.15 Set a sandstone 16 X 12 X 4 ins. 12 ins.
in ground marked "1/16" on E. face in a mound
of earth 30 ins. diam. at base, and 18 ins. high;
dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft.
from mound for 1/16 Sec. Cor.

80.20 To the Corner to Secs. 17, 18, 19 & 20
Land broken & mountainous
Grazing good
Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	West on a random line bet. Secs. 18 and 19 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
80.12	Intersect the W. Boundary of the township at 3 links N. of the corner to Secs. 13, 18, 19 & 24 Land broken Soil 2d Rate.
	From this corner I run N. 89° 58' E. on a true line bet. Secs. 18 and 19 with the same var.
20.12	Set a sandstone 20 × 16 × 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.12	Set a sandstone 16 × 15 × 2 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.12	Set a sandstone 14 × 10 × 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.12	To the Corner to Secs. 17, 18, 19 & 20 Land broken & mountainous Grazing good Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chai North bet. Secs. 17 and 18
Var. 16° 15' East.

20.00 Set a sandstone 18 x 10 x 10 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor.
Land broken
Soil 2d Rate.

40.00 Set a sandstone 14 x 5 x 5 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor.
Land broken
Soil 2d Rate.

60.00 Set a sandstone 16 x 12 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor.
Land broken
Soil 2d Rate.

80.00 Set a sandstone 20 x 12 x 5 ins. 12 ins. in ground marked "11" on N. & S. face and on E. & W. face "1111" ~~on S.W. face and on N.W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dis. from mound for Corner to Secs. 7, 8, 17 & 18.
Land broken mountainous rocky hills
Grazing good for upland
Soil sandy 2d Rate

July 30 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 1 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 8 & 17 and Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
80.60	Intersect the N. & S. line at 32 links S of the corner to Secs. 8, 9, 16 & 17 Land broken Soil 2d Rate
	From this corner I run S. 89° 40' W. on a true line between Secs. 8 and 17 with the same var.
20.15	Set a sandstone 16 x 12 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.30	Set a sandstone 12 x 10 x 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.45	Set a sandstone 15 x 12 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.60	To the Corner to Secs. 7, 8, 17 & 18 Land broken and mountainous Grazing good Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 18 E. Salt Lake Mer. Utah Terr.y Con.ed

Chains. West on a random line bet. Secs. 7 and 18 Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land broken Soil 2d. Rate.

40.00 Set a temporary 1/4 Sec. Cor. Land broken Soil 2d. Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land broken Soil 2d. Rate.

80.78 Intersect the W. boundary of the Township ~~line~~ at 20 links S of the corner to Secs. 7, 12, 13 & 18. Land broken Soil 2d. Rate

From this corner I run S. 89° 57' E. on a true line between Secs. 7 and 18 with the same var.

20.78 Set a sandstone 20 x 10 x 7 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

40.78 Set a sandstone 18 x 6 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.

60.78 Set a sandstone 22 x 10 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

80.78 To the Corner to Secs. 7, 8, 17 & 18
Land broken & mountainous
Grazing good
Soil sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 7 and 8 Var. 16° East.
20.00	Set a sandstone 18 x 20 x 10 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S, dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken & mountainous Soil 2d Rate.
40.00	Set a sandstone 16 x 14 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S, dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken & mountainous Soil 2d Rate.
60.00	Set a sandstone 15 x 12 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S, dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken & mountainous Soil 2d Rate.
80.00	Set a sandstone 24 x 12 x 10 ins. 12 ins. in ground marked "1" on N. E. face and on S. E. face "IIII" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 5, 6, 7 & 8 Land broken & mountainous Grazing good for upland Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	East on a random line bet. Secs. 5 and 8 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
80.48	Intersect the N. and S. line at 18 links N. of the corner to Secs. 4, 5, 8 & 9 Land broken Soil 2d Rate.
	From this corner I run N. 89° 52' W. on a true line between Secs. 5 and 8 with the same var.
20.12	Set a sandstone 20 X 8 X 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.24	Set a sandstone 14 X 10 X 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.36	Set a sandstone 18 X 10 X 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.48	To the Corner to Secs. 5, 6, 7 & 8 Land broken & mountainous Grazing Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	West on a random line bet. Secs. 6 and 7 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
80.56	Intersect the W. T. P. line at 16 links S. of the corner to Secs. 1, 6, 7 & 12 Land broken Soil 2d Rate
	From this corner I run S. 89° 53' E. on a true line between Secs. 6 and 7 with the same var.
20.56	Set a sandstone 20 x 10 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.56	Set a sandstone 12 x 10 x 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.56	Set a sandstone 16 x 12 x 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.56	To the Corner to Secs. 5, 6, 7 & 8 Land broken & mountainous Grazing Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terry. Con.td

Chains. North on a random line bet. Secs. 5 and 6 Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land bro.t Soil 2.d Rate.

40.00 Set a temporary 1/4 Sec. Cor. Land broken Soil 2.d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land bro.t Soil 2.d Rate.

80.76 Intersect the N. Tp. line at 14 links E. of the corner to Secs. 5, 6, 31 + 32 Land broken Soil 2.d Rate

From this corner I run S. 00° 06' E. on a true line between Secs. 5 and 6 with the same var.

20.7 Set a sandstone 10 x 8 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

40.76 Set a sandstone 12 x 12 x 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.

60.76 Set a sandstone 16 x 10 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

80.76 To the Corner to Secs. 5, 6, 7 + 8.
Land broken + mountainous
Grazing good
Soil sandy 2.d Rate

July 31st 1882.

Examined by .....

Compared by .....

FIELD NOTES

OF THE SURVEY OF THE

1/4 and 1/16
Subdivisional and
Meander Lines.

OF

Township No. 9 South
Range No. 19 East. (Fractional)

OF THE

UINTAH SPECIAL MERIDIAN

IN

Utah Territory,

AS SURVEYED BY

DANIEL G. MAJOR,

U. S. Surveyor,

Under his Contract,

Dated February 23d, 1882.

Survey Commenced, July 27th *1882.*
Survey Completed, August 3rd *1882.*

43

[4—590.]

Township No. 9 South of Range No. 19 E of Salt Lake Mer.

Terr. of Utah



[8882—20 M.]

Scale 80 chains to an inch
20 40 60 80

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Field notes of Subdivisions of ¼ and ¼ Section lines

Chains. From the S. 1/16 Sec. Cor. on Sec. line between Sections 35 and 36 I run East on a random line through the middle of the S. half of Sec. 36.

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land rough rocky & mountainous, Bunch grass. Soil 3". Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land rough rocky & mountainous, Bunch grass. Soil 2". Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land rough rocky & mountainous. Bunch grass. Soil 3". Rate.

80.56 Intersect the ~~N. & S. line bet. Secs.~~ East bdy ~~and~~ of Tp. at 32 links S. of the 1/16 Sec. Cor. Land rough & mountainous, Bunch grass. Soil 2". Rate.

From this corner I run S. 89° 46' W. on a true line through the middle of the S. half of Sec. 36 with the same var.

20.14 Set a sandstone 10 x 10 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.28 Set a sandstone 28 x 14 x 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.42 Set a sandstone 26 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.56 To the S 1/16 Sec. Cor. on Sec. line between Secs. 35 and 36

Land rocky rough & mountainous. Rocky & Sandy. Bunch grass. Grazing Soil 2" & 3". Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Terr.y Con.d

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 35 and 36 I run East on a random line through the middle of Sec. 36.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough and mountainous, Bunch grass, Sandy Soil 2.d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough & mountainous, Bunch grass, Sandy Soil 2.d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous, Bunch grass, Soil rocky Rate 3.
80.16	Intersect the N. and S. line bet. Secs. at 4 links S. of the 1/4 Sec. Cor. Land Soil Rate.
	From this corner I run S. 89° 58' W. on a true line through the middle of Sec. 36 with the same var.
20.04	Set a sandstone 20 x 6 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.08	Set a sandstone 16 x 14 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.12	Set a sandstone 20 x 10 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.16	To the 1/4 Sec. Cor. on Sec. line between Secs. 35 and 36. Land mountainous & rocky. Grazing Bunch grass. Soil 2.d & 3.d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. From the N. 1/16 Sec. Cor. on Sec. line between Sections 35 and 36 I run East on a random line through the middle of the N. half of Sec. 36

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land rough & mountainous, Bunch grass. Soil sandy Rate. 2d

40.00 Set a temporary 1/16 Sec. Cor. Land rough & mountainous, Bunch grass. Soil sandy Rate. 2d

60.00 Set a temporary 1/16 Sec. Cor. Land rough & mountainous, Bunch grass Soil sandy Rate. 2d

80.30 Intersect the N. & S. line bet. Secs. 36 and 31 at 20 links S. of the N. 1/16 Sec. Cor. Land rough & mountainous, Soil 2d Rate. From this corner I run S. 89° 57' W. on a true line through the middle of the N. half of Sec. 36 with the same var.

20.07 Set a sandstone 18 x 10 x 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.15 Set a sandstone 20 x 6 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.23 Set a sandstone 18 x 10 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.30 To the N. 1/16 Sec. Cor. on Sec. line between Secs. 35 and 36.
Land rough rocky & mountainous, Grazing Bunch grass, Soil sandy Rate 2d & 3d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Terr.y Con.d

Chains. From the S. 1/16 Sec. Cor. on Sec. line between Sections 25 and 26 I run East on a random line through the middle of the S. half of Sec. 25.

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land rough & mountainous. Soil 3d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land rough & mountainous Soil 3d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land rough & mountainous. Soil 3d Rate.

80.56 Intersect the N. & S. line bet. Secs. 25 and 30 at 20 links N. of the S. 1/16 Sec. Cor. Land rocky & mountainous, Soil 3d Rate. From this corner I run N. 89° 57' W. on a true line through the middle of the S. half of Sec. 25 with the same var.

20.14 Set a sandstone 26 x 14 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.28 Set a sandstone 20 x 10 x 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.42 Set a sandstone 18 x 10 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.5 To the S. 1/16 Sec. Cor. on Sec. line between Secs. 25 and 26.
Land rough and mountainous. - No Grazing
Soil 3d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 25 and 26, I run East on a random line through the middle of Sec. 25.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough rocky & mountainous. Soil 3d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough rocky & mountainous. Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough rocky & mountainous. Soil 3d Rate.
80.82	Intersect the N. and S. line bet. Secs. 25 & 30 at 28 links S. of the 1/4 Sec. Cor. Land rough & mountainous. Soil 3d Rate. From this corner I run S. 89° 48' W. on a true line through the middle of Sec. 25 with the same var.
20.20	Set a sandstone 15 x 10 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.41	Set a sandstone 18 x 10 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.62	Set a sandstone 20 x 12 x 12 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.82	To the 1/4 Sec. Cor. on Sec. line between Secs. 25 and 26. Land rough rocky & mountainous. Grazing. Soil 3d Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Cont..

Chains	
	From the N. 1/16 Sec. Cor. on Sec. line Sections 25 and 26 I run East on a random line through the middle the N. half of Sec. 25. Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 3d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rou Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Soil 3d Rate.
80.60	Intersect the N. & S. line bet. Secs. 25 and 30 at 41 links N. of the N. 1/16 Sec. C Land rough Soil 3d Rate.
	From this corner I run N. 89° 42' W. on a true line through the middle of the N. half of Sec. 25 with the same var.
20.15	Set a sandstone 22 x 10 x 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.30	Set a sandstone 16 x 8 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.45	Set a sandstone 28 x 14 x 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.60	To the N. 1/16 Sec. Cor. on Sec. line Secs. 25 and 26. Land rough rocky & mountainous Grazing Soil 3d Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terry. Con.td

Chains	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 23 and 24 I run East on a random line through the middle of the S half of Sec. 24
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous Soil 3d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough
70.00	Water course. Soil 3d Rate.
80.50	Intersect the N. & S. line bet. Secs. 19 and 24 at 26 links N of the S 1/16 Sec. Cor. Land rough & mountainous Soil 3d Rate.
	From this corner I run N 89° 49' W. on a true line through the middle of the South half of Sec. 24 with the same var.
20.12	Set a sandstone 16 X 8 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.25	Set a sandstone 18 X 7 X 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.38	Set a sandstone 20 X 8 X 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.50	To the S 1/16 Sec. Cor. on Sec. line between Secs. 23 and 24
	Land rough and mountainous
	Grazing
	Soil 3d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. From the 1/4 Sec. Cor. on Sec. line between Sections 23 and 24 I run
ast on a random line through the middle of Sec. 24.

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.

40.00 Set a temporary 1/4 Sec. Cor. Land level and broken Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.

69.00 ater course

80.30 ntersect the N. and S. line bet. Secs. 19 & 24 at 54 links S. of the 1/4 Sec. Cor. and broken Soil 3d Rate.

From this corner I run S. 89° 37' W. on a true line through the middle of Sec. 24.
the same var.

20.07 et a sandstone 16 X 12 X 10 ins. 12 ins. ground marked "1/16" on E. face in a d of earth 30 ins. diam. at base and 8 ins. high; dug 2 pits 18 X 12 X 12 ins. E. d W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.15 et a sandstone 15 X 10 X 10 ins. 12 ins. ground marked "1/4" on E. face in a ound of earth 30 ins. diam. at base and 8 ins. high; dug 2 pits 18 X 12 X 12 ins. E. d W. dist. 5 ft. from mound for 1/4 Sec. Cor.

60.23 et a sandstone 24 X 8 X 8 ins. 12 ins. ground marked "1/16" on E. face in a d of earth 30 ins. diam. at base and 8 ins. high; dug 2 pits 18 X 12 X 12 ins. E. d W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.30 To the 1/4 Sec. Cor. on Sec. line between ecs. 23 and 24
and level and broken
razing
oil 2d Rate July 27th 1882

Chains	
	From the N 1/16 Sec. Cor on Sec line bet Secs 23 & 24 I run East on a random line through the middle of the N half of Sec 24 Var 16° 15' E.
20.00	Set temporary 1/16 Sec Cor Sand level Soil 1st rate
40.00	Set temporary 1/16 Sec. Cor Sand level Soil 1st rate
60.00	Dep Water course Set temporary 1/16 Sec. Cor. Sand level low bushes Soil 1st Rate
80.04	Intersect the East Bdy of the Tp. at the N 1/16 Sec. Cor on mound From this corner I run N 90° 00' W on a true line through the middle of the N. half of Sec 24 with same var.
20.01	Set a sandstone 20 x 6 x 4 ins marked 1/16 on E face in a mound of earth 2 ft diam at base & 12 ins high for 1/16 Sec. Cor.
40.02	Set a sandstone 18 x 10 x 4 ins marked 1/16 on East face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec. Cor
60.03	Set a sandstone 24 x 8 x 4 ins marked 1/16 on E face in mound of earth 2 ft diam at base and 12 ins high for 1/16 Sec. Cor.
80.04	To the N 1/16 Sec. Cor on Sec line bet Secs 23 and 24
	Land level low benches
	Soil 1st Rate

Chains. As the S ¼ line is fractional striking Green River Drew West on a true line through middle of the S half of Sec 13 from the East Bdy line of Tp
Var 16° 15' E.

20.00 Set a sandstone 14 x 12 x 3 ins marked ¼ on E face in mound of earth 2 ft diam at base & 12 ins high for ¼ Sec Cor and low level benches good grass
Soil 1st Rate

40.00 Set a sandstone 22 x 5 x 5 ins marked 11/16 on E face in mound of earth 2 feet diam at base 12 ins high for ¼ Sec Cor Sand low level benches good
Soil 1st Rate

50.00 Enter valley

60.00 Set a sandstone 30 x 10 x 5 marked ¼ on E face in of earth 2 ft diam at base and 12 ins high for 11/16 Sec Enter valley

75.00 "M.C." Set a cottonwood post 3 ft long by 3 ins square marked M C on East face bril around it a mound of earth 2 ft diam at base & 12 ins high for Meander Cor with pits on Green River

Sand low level benches

Grazing good

Soil 1st ate Corner

Chains. As the ¼ Section line is fractional striking Green River I run from the ¼ East Bdy of Township. Sec's 13 and 18 West on a true line through the middle of Secs 13.

Var 16° 15' E.

20.00 Set a sandstone 30 x 12 x 8 ins marked ¼ on E face in mound of earth 2 ft diam at base & 12 ins high for ¼ Sec Cor. Land level benches. Good grass. Soil 1st Rate

40.00 Set a sandstone 36 x 4 x 4 ins marked ¼ on E face in a mound of earth 2 ft diam at base and 12 ins high for ¼ Sec. Cor. Sand level benches Good grass. Soil 1st Rate

60.00 Set a sandstone 40 x 8 x 4 ins marked ¼ on E face in mound of earth 2 ft diam at base & 12 ins high for ¼ Sec. Cor. Enter valley. Land sandy low level benches. Soil 1st Rate

79.00 Green River course S.
Set a Cottonwood post 3 ft long & 3 ins square marked M. C. built around it a mound of earth 2 ft diam and 12 ins high with pits for Meander Cor.
Land sandy low level benches
Grazing good.
Soil sandy 1st Rate. Corner falls in Riv.

As the N ¼ Sec. line is fractional striking Green River I run from ¼ Cor on E. Bdy of Township bet 13 and 18 West on a true line through the middle of the N. half of Sec 13.

Var 16° 15' E.

20.00 Set a sandstone 18 x 12 x 3 ins marked ¼ on E face in a mound of earth 2 ft diam at base & 12 ins high for ¼ Sec Cor. Sand level low benches. Soil sandy 1st Rate

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr'y.

hains.

40.00 Set a sandstone 24 x 6 x 4 ins marked 1/16 on E face in a mound of earth 2 ft diam at base and 12 ins high 1/6 Sec. Cor.

60.00 Set a Cottonwood post 3 ft long and 3 square marked 1/16 on E face built around it a mound of earth 2 ft at base & 12 ins high with pits for 1/16 Sec. Cor. — Enter valley

78.00 Green River Course S.

a Cottonwood post 3 ft long

"M.C." 3 ins square marked M.C. on E face around it a mound of earth

2 in diam at base and 12 ins high 1/16 Sec. Cor. dug pits

Sand level low lenches

Grass good

Soil 1st Rate Corner falls in

As the S 1/16 Sec line is fractional strl Green River I run from the S 1/16 on East Bdy of Township bet Secs 7 and 12 West on a true line through the of the S half of Sec 12

Var. 16° 15' E.

20.00 Set a cottonwood post 3 ft long by 3 ins square marked 1/16 on E face, a mound of earth 2 ft diam at base & 12 ins high with pits for 1/16 Sec. Cor.

40.00 Set a Cottonwood post 3 ft long by 3 ins square marked 1/16 on E face raised a mound of earth 2 ft diam at base & 12 ins high around it with pits for 1/16 Sec. Cor.

52.00 Green River Course S.S.W.

Set a Cottonwood post 3 ft long & 3 ins sqr marked M.C. on E face in m earth 2 ft diam at base 12 ins high meander Cor. dug pits Sand

Good grass Soil 1st rate

crosses bar Corner in B

Chains	
	From the ¼ Sec Cor on Sec line bet Secs 11 and 12 I run East on a random line through the middle of Sec 12 Var. 16° 15' E.
4.20	To right bank of Green River Course S by W line across sandy barren river
37.50	To left bank of Green River
40.00	Set a temporary ¼ Sec Cor Sand river bottom Soil alluvial 1st rate
60.00	Set a temporary ¼ Sec Cor Sand undulating Soil 1st rate
80.12	Intersect the N and S line bet Secs 7 and 12 at 8 links S of the ¼ Sec Cor Land rolling Soil 1st rate
	From this corner I run S. 89° 57' W. on a true line through the middle of Sec. 12 with the same rear.
20.03	Set a cottonwood post 36 x 3 x 3 ins 12 ins in ground marked ¼ on E face in a mound of earth 30 ins diam. at base and 18 ins high Dug 2 pits 18 x 12 x 12 ins E and W dist 5 ft from mound for ¼ Sec. Cor.
40.06	Set a Cottonwood post 40 x 3 x 3 ins 12 ins in ground marked ¼ on E face in a mound of earth 30 ins diam at base and 18 ins high Dug 2 pits 18 x 12 x 12 ins E and W dist 5 ft from mound for ¼ Sec. Cor.
42.50	Set a cottonwood post 36 x 3 x 3 ins 11 ins in the ground marked M.C on E face in a mound of earth 30 ins diam at base and 18 ins high Dug pit 18 x 12 x 12 ins E dist 5 ft from mound for meander Cor.
80.12	To the ¼ Sec Cor on Sec line bet Secs. 11 and 12 Land alluvial & bench Grazing good Soil sandy 1st rate

Uncompahgre te

Subdivisions of T. S. R. 19 E. Salt Lake Mer. Utah Terr'y,

Chains.	
	From the N ¼ Sec Cor on Sec line bet secs 11 and 12 I run East on a random line through the middle of the N half of Secs 12. Var 16° 15' E.
10.00	To right bank of Green River course S W.
38.00	Left Bank of Green River
40.00	Set a temporary ¼ Sec Cor Sand s on Soil 1st rate
60.00	Set a temporary ¼ Sec Cor Sand s good grass Soil 1st
80.36	Intersect the N and S line bet Secs 7 and 12 at 20 links N of the N ¼ Sec Cor Sand sandy good grass Soil 1st rate
	From this corner I run N 89° 51' W on a true line through the middle of the N half of Secs 12 with the same var
20.09	Set a Cottonwood post 36 x 3 x 3 ins 12 ins in ground marked ¼ on E face in a mound of earth 30 ins diam at base and 18 ins high Dug 2 pits 18 x 12 x 12 ins E and W dist 5 ft from mound for 1/16 Sec Cor
40.18	Set a Cottonwood post 36 x 3 x 3 ins 12 ins in ground marked ¼ on E face a mound of earth 30 ins diam at and 18 ins high Dug 2 pits 18 x 12 x 1 in E and W dist 5 ft from mound 1/16 Sec Cor
70.00	Set a Cottonwood post 36 x 3 x 3 ins 15 ins in ground marked "M C" on E face in a mound of earth 30 ins diam at base and 18 ins high Dug pits 18 x 12 x 12 ins E and W dist 5 ft from mound for Meander Cor.
80.36	To the N ¼ Sec Cor on Sec line bet Secs 11 and 12
	Sand rolling
	Grazing good grass
	Soil sand 1st Rate

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	
	At the S. 1/16 Sec line is fractional striking Green River Drum from S 1/16 Cor East Bdy of Township
	West on a true line through the middle of S half of Sec 1.
	Var 16° 15' E
20.00	Set a cottonwood post 3 ft long 3 ins sqr marked 1/16 on E face built around a mound of earth 2 ft diam at base 12 ins high with pits for 1/16 Sec Cor
	Sand level good grass Soil sandy 1st Rate
28.00	Green River Course S by W
M.C.	Set a cottonwood post 3 ft long by 3 ins sqr marked M.C on East face in a mound of earth 2 ft diam at base and 12 ins high with pits for meander Cor.
	Sand level
	Good grass in abundance scattering cottonwood
	Soil sandy 1st rate Rest of line is worthless and impracticable to run
	At the 1/4 Sec line is fractional at striking Green River Drum from 1/4 Cor on East Bdy of Township bet Sec 1 & 6
	West on a true line through the middle of sec 1.
	Var 16° 15' E
20.00	Set a cottonwood post 3 ft long by 3 ins sqr marked 1/16 on E face built a mound of earth 2 ft diam at base & 12 ins high with pits for 1/16 Sec Cor
30.00	Green River Course S
M.C.	Set a cottonwood post 3 ft long by 3 ins sqr marked M.C on E face built mound of earth around it 2 ft diam at base and 12 ins high for Meander Cor with pits Sand level Good grass in abundance & Cottonwood Soil 1st rate The rest of the line west of river passes over worthless rocky sand

Chains. The N 1/16 Sec line is fractional
ing Green River I run from N 1/16
cor on East Bdy of Township
West on a true line the middle of the
N. half of Sec. 1.
Var 16° 15' E.

20.00 Set a Cottonwood post 3 ft long by
3 ins sqr marked 1/16 on E face built
mound of earth around it 2 ft
at base & 12 ins high with pits for 1/16
Sec Cor.

22.80 Green River Course S by W.
Set a Cottonwood post 3 ft long by
"M. C." 3 ins sqr. marked "M. C" on E face in
mound of earth 2 ft diam at base
& 12 ins high with pit for the Me-
ander Cor.
Sand level abundant good grass sandy
cottonwood. West of river the
land is valuless rocky & barren Soil 1st Rate

From the S 1/16 Sec Cor on Sec line bet
Secs 34 and 35 I run
ast on a random line through the
middle of the S half of Sec. 35.
Var 16° 15' E.

20.00 Set temporary 1/16 Sec Cor Sand &
rocky in places good grazing Soil 1st

40.00 Set temporary 1/16 Sec Cor Sand rolling
rocky in places good upland grazing Soil 1st

60.00 Set temporary 1/16 Sec Cor Sand rolling rocky
in places good upland grazing Soil 1st

80.16 Intersect the Cl & S line bet Secs 35
and 36. 36 links S. of the 1/16 Sec C
Sand rolling and rocky good uplan
grazing.
From this corner I
S 89° 45' W on a true line through
the middle of the S half of
Sec 35 with same var

Chains	
	From the corner I run S 89° 45' W on a true line through the middle of the S half of 35 with the same var.
20.04	Set a sandstone 20 x 10 x 3 ins marked 1/16 on East face in mound of earth 2 ft diam at base & 12 ins high for 1/16 Sec Cor.
40.08	Set a sandstone 22 x 6 x 4 ins marked 1/16 on E face in a mound of earth 2 ft diam at base and 12 ins high for 1/16 Sec. Cor.
60.12	Set a sandstone 20 x 10 x 8 ins marked 1/16 on E face in a mound of earth 2 ft diam at base and 12 ins high for 1/16 Sec. Cor.
80.16	To the 1/16 Sec. Cor on Sec line bet Secs 34 and 35. Sand rolling Grazing good upland Soil 1st Rate.
	July 28th 1882
	From the 1/4 Sec Cor on Sec line bet Secs. 34 & 35 I run East on a random line through the middle of Secs. 35. Var. 16° 15' E.
20.00	Set a temporary 1/16 Sec Cor Sand rolling rocky in place good grazing Soil 1st Rate
40.00	Set a temporary 1/4 Sec Cor Sand rolling rocky in places good grazing Soil 1st Rate
60.00	Set a temporary 1/16 Sec Cor Sand rolling rocky in place good grazing Soil 1st Rate
80.46	Intersect the N and S line bet Secs 35 and 36 at 22 link N of the 1/4 Sec Cor. Sand rolling & rocky Soil 1st rate

ncom

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terry.

Ch	
	From this corner I run N 89° 51' W on a true line through the middle of Secs 35 with the same var.
20.11	Set a sandstone 20 x 10 x 10 ins 12 ins in ground marked 1/16 on East face in a mound of earth 30 ins diam at base and 18 ins high. Dug 2 pits 18 x 12 x 12 ins E and W dist 5 ft from mound for 1/16 Sec Cor.
40.23	Set a sandstone 18 x 10 x 4 ins 12 ins in ground marked 1/4 on East face in a mound of earth 30 ins diam at base and 18 inches high Dug two pits 18 x 12 x 12 ins E and W dist 5 ft from mound for 1/4 Sec Cor.
60.35	Set a sandstone 12 ins high by 10 in square 12 inches in ground marked 1/16 on East face in a mound of earth 30 ins diam at base and 18 inches high Dug 2 pits 18 x 12 x 12 ins E and W dist 5 ft from mound for 1/16 Sec Cor.
80.46	To the 1/4 Sec Cor on Sec line between Sections 34 and 35
	Land rolling & rocky.
	Grazing good upland
	Soil 1st Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 34 and 35 I run East on a random line through the middle of the N half of Sec. 35.
	Var. 16° 15 East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling & rocky good grazing Soil 1st Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rolling & rocky good grazing Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling & rocky good grazing Soil 1st Rate.
80.38	Intersect the N. & S. line bet. Secs. 35 and 36 at 18 links N of the S 1/16 Sec. Cor. Land rolling & rocky Soil 1st Rate.
	From this corner Run N 89° 52' W. on a true line through the middle of the North half of Sec. 35 with the same var.
20.09	Set a sandstone 10 X 10 X 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.19	Set a sandstone 18 X 8 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.29	Set a sandstone 24 X 7 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.38	To the N 1/16 Sec. Cor. on Sec. line between Secs. 34 and 35 Land rolling & rocky. Grazing good upland Soil 1st Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. From the S 1/16 Sec. Cor. on Sec. line between Sections 26 and 27 I run East on a random line through the middle of the S half of Sec. 26

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land rough & mountainous Soil 3d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land rough & mountainous Soil 3d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land rough & mountainous Soil 3d Rate.

80.26 Intersect the N. & S. line bet. Secs. 25 and 26 at 14 links N of the S 1/16 Sec. Cor. and rough & mountainous Soil 3d Rate.

From this corner I run N 89° 54' W on a true line through the middle of the South half of Sec. 26 with the same var.

20.06 Set a sandstone 24 X 10 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.13 Set a sandstone 14 X 12 X 12 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.20 Set a sandstone 18 X 14 X 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.26 To the S 1/16 Sec. Cor. on Sec. line between Secs. 26 and 27

and rough and mountainous Grazing

oil 3d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the 1/4 Sec. Cor. on Sec. line between Sections 26 and 27 I run East on a random line through the middle of Sec. 26.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous Soil 3d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough & mountainous Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous Soil 3d Rate.
80.12	Intersect the N. and S. line bet. Secs. 25 & 26 at 38 links S. of the 1/4 Sec. Cor. Land rough & mountainous Soil 3d Rate. From this corner I run S 89° 44' W on a true line through the middle of Sec. 26 with the same var.
20.03	Set a sandstone 16 X 10 X 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.06	Set a sandstone 20 X 14 X 7 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.09	Set a sandstone 16 X 10 X 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.12	To the 1/4 Sec. Cor. on Sec. line between Secs. 26 and 27. Land rough and mountainous Grazing Good Soil 3d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Cont.d

Chains	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 26 and 27 I run East on a random line through the middle the N half of Sec. 26
	Var. 16° 15' East.
8.00	Right bank of Green River Course S.S.W.
19.60	Set a temporary 1/16 Sec. Cor. on left bank Green river Land level Soil alluvial Rate 1.
40.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough and mountainous Soil 2d. Rate.
80.01	Intersect the N. & S. line bet. Secs. 25 — and 26 at 22 links N of the N 1/16 Sec. Cor. Land rolling & mountainous Soil 2d. Rate.
	From this corner I run N 89° 51' W on a true line through the middle of the North half of Sec. 26 with the same var.
20.01	Set a sandstone 22 X 12 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.02	Set a sandstone 20 X 10 X 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.03	Set a cottonwood post 40 X 3 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.04	To the N 1/16 Sec. Cor. on Sec. line between Secs. 26 and 27.
	Land partly river bottom partly rough and mountainous.
	Grazing
	Soil 1st & 2d Rates.

Chains	
	As the ¼ Sec line is fractional striking Green river I run West on a true line through the middle of Sec 27
	Var 16° 15' E.
13.90	Green river course N. & N.
	Set a Cottonwood post 3 ft long by 3 ins square marked "M.C" on East face built a mound of earth 2 ft diam at base and 12 ins high with pits for meander Cor.
	Sand level and broken
	Good grass
	Soil 1st rate
	From the S ¼ Sec Cor on Sec line between Sections 22 and 23 I run East on a random line through the middle of the S half of Sec 23.
	Var 16° 15' E.
6.00	Enter valley.
20.00	Set a temporary 1/16 Sec Cor Sand level good grass
	Soil 1st rate
32.00	Right bank of Green river S. by W.
56.00	Left bank of Green river
60.00	Set a temporary ¼ Sec Cor Sand level with fine grass
	Soil 1st rate
80.15	Intersect the N and S line bet Sections 23 and 24 at 27 links

ncom

Subdivisions of T. 9 S. R. 1 E. Salt Lake Mer. Utah Terry,

Chains	
	South of the South 1/16 Sec Cor Sand level generally with good grass Soil 1st 2d rate
	From this corner I run S.89° 48' W on a true line through the middle of the S half of Sec 23 with the same vdr.
20.00	Set a sandstone 18 x 10 x 4 ins 12 ins in ground marked 1/16 on East face in a mound of earth 30 inches diameter at base and 18 inches high Dug 2 pits 18 x 12 x 12 ins E and W dist 5 ft from mound for 1/16 Sec Cor.
118.00	Set a Cottonwood post 40 x 3 x 3 ins 15 ins in ground marked "M. C" on East face in a mound of earth 30 ins diam at base and 18 inches high Dug 2 pits 18 x 12 x 12 ins E an W dist 5 ft from mound for Meander Cor.
60.12	Set a sandstone 24 x 6 x 4 ins 12 ins in ground marked 1/16 on East face in a mound of earth 30 ins diam at base and 18 inches high. Dug 2 pits 18 x 12 x 12 ins E and W dist 5 ft from mound for 1/16 Sec Cor.
80.15	To the S 1/16 Sec Cor on Sec line bet Secs 22 and 23 Sand generally level with good grass Soil 1st & 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the 1/4 Sec. Cor. on Sec. line between Sections 22 and 23 I run East on a random line through the middle of Sec. 23. Var. 16° 15' East.
19.00	Enter valley
20.00	Set a temporary 1/16 Sec. Cor. Land mountainous Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level Alluvial Soil 1st Rate.
53.00	Right bank of Green River Course S.S.W.
67.50	Left bank of Green river.
79.86	Intersect the N. and S. line bet. Secs. 23 & 24 at 30 links N of the 1/4 Sec. Cor. Land river bottom good grass Soil 1 & 2 Rate. From this corner I run N 89° 47' W on a true line through the middle of Sec. 23. with the same var.
12.00	Set a cottonwood post 40 x 3 x 3 ins. 12 ins. in ground marked "M. C." on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for Meander Cor.
39.93	Set a sandstone 20 x 8 x 6 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
59.90	Set a sandstone 20 x 10 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
79.86	To the 1/4 Sec. Cor. on Sec. line between Secs. 22 and 23. Land generally level Grazing good grass Soil 1, 2 & 3d Rate. July 29th 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Ch . From the N 1/16 Sec. Cor. on Sec. line
Sections 22 and 23 I run
East on a random line through the middle
the N half of Sec. 23.
Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land undul-
ating bench. Soil 1st & 2d Rate.
22.00 Enter valley
40.00 Set a temporary 1/16 Sec. Cor. Land level
river bottom Soil 1st Rate.
60.00 Set a temporary 1/16 Sec. Cor. Land level
61.50 Right bank Green River S.S.W.
77.00 bank Green river set mc post Soil 1st Rate.
80.09 ntersect the N. & S. line bet. Secs. 23
and 24 at 8 links S of the N 1/16 Sec. C
and level river bottom Soil 1st Rate.
From this corner I run S 89° 56' W on
a true line through the middle of the North
half of Sec. 23 with the same var.
20.02 et a Cottonwood post X 36 x 3 X 3 ins. 12 ins.
in the ground, marked "M. C" on E. face in a
mound of earth 30 ins. diam. at base and
8 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W.
dist. 5 ft. from mound for 1/16 Sec. Cor.
40.0 Set a Cottonwood post 36 x 3 X 3 ins. 12 ins.
the ground, marked "1/16" on E. face in a
ound of earth 30 ins. diam. at base and
8 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W.
dist. 5 ft. from mound for 1/16 Sec. Cor.
60.07 Set a sandstone 20 x 10 x 8 ins. 12 ins.
the ground, marked "1/16" on E. face in a
ound of earth 30 ins. diam. at base and
8 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W.
5 ft. from mound for 1/16 Sec. Cor.
80.09 o the N 1/16 Sec. Cor. on Sec. line be-
Secs. 22 and 23.
Land level undulating & broken
Grazing good grass
Soil general Rate 2d.

Chains	
	As the S ¼ Sec line is fractional it striking Green River Drain
	East on a true line through the middle of the S half of Sec 14.
	Var 16° 15' E
20.00	Set a sandstone 20 x 10 x 6 ins marked ¼ on E face in mound of earth 2 ft diam at base and 12 ins high for ¼ Sec Cor.
	Land broken sandy Soil 2d Rate
24.00	Enter valley
40.00	Set a cottonwood post 3 ft long by 3 ins square marked ¼ on East face built mound of earth around it 2 ft diam at base & 12 ins high for ¼ Sec Cor.
	Land level & broken sandy Soil 2d rate
60.00	Set a cottonwood post 3 ft long by 3 ins square marked ¼ on East face with mound of earth around it 2 ft diam at base and 12 ins high for ¼ Sec Cor
63.50 M.C.	Set a Cottonwood post 3 ft long by 3 ins square marked M.C. on E face built mound of earth around it 2 ft diam at base and 12 ins high for meander Cor. on right bank Riv.
	Land level
	Grazing grass
	Soil 1st & 2d Rate
	As the ¼ Sec line is fractional it striking Green River Drain
	East on a true line through the middle of Sec 14.
	Var. 16° 15' E.
20.00	Set a sandstone 28 x 6 x 4 ins marked ¼ on E face in mound of earth 2 ft diam at base and 12 ins high for ¼ Sec Cor.

ncomp gre

Subdivisions of T. S. R. E. Salt Lake Mer. Utah Terr'y, C

Chains. Set a sandstone 18 × 8 × 8 ins marked
40.00 1/4 on E face in a mound of earth 2
ft diam at base and 12 ins high for 1/
Sec. Cor.
Land level Soil 1st Rate.
60.00 Set a cottonwood post 3 ft long by 3 ins
square marked 1/16 on E face built a moun
of earth around it 2 ft diam at base and 1
ins high for 1/16 Sec. Cor.
Land level Soil 1st Rate
65.00 Green river Course S
Set a Cottonwood post 3 ft long by 3 ins
M.C. marked "M.C." on E face built
around it a mound of earth 2 ft
at base and 12 ins high for Meander C
Land level
Soil 1st rate.

As the N 1/16 Sec is fractional it striking
River I run.
ast on a true line through the middle
N half of Sec 14. Var. 16° 15' E.
20.00 Set a cottonwood post 3 ft long by 3 ins
square marked 1/16 on E face in a
of earth 2 ft diam at base and 12 ins
high with pits for 1/16 Sec Cor
Land level Soil 1st Rate
40.00 Set a Cottonwood post 3 ft long by 3 ins
square marked 1/16 on E face in a
ound of earth 2 ft diam at base and 12
ins high with posts for 1/16 Sec Cor.
58.00 Enter valley.
60.00 Set a sandstone 20 × 8 × 6 ins marked
1/16 on E face in a mound of earth 2 ft diam
at base 12 ins high for 1/16 Sec Cor.
68.50 Green River Course S
Set a Cottonwood post 3 ft long by 3 ins
"M.C." marked "M.C." on E face built
it a mound of earth 2 ft diam at base
and 12 ins high for Meander Cor.
Land level
Soil 1st rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 10 and 11 I run East on a random line through the middle of the S. half of Sec. 11
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous good upland Grazing Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous good upland Grazing Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous good upland Grazing Soil 2d Rate.
80.68	Intersect the N. & S. line bet. Secs. 11 and 12 at water edge. Cor. Land rough & mountainous Soil 2d Rate.
	From this corner I run S 90° 00' W. on a true line through the middle of the South half of Sec. 11 with the same var.
20.17	Set a sandstone 30 X 12 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.34	Set a sandstone 20 X 10 X 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.51	Set a sandstone 18 X 10 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.68	To the S 1/16 Sec. Cor. on Sec. line between Secs. 10 and 11. Land rough and mountainous Grazing good upland. Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 10 and 11 I run East on a random line through the middle of Sec. 11.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rou & mountainous Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land & mountainous Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land r & mountainous Soil 2d Rate.
80.36	Intersect the N. and S. line bet. Secs. 11 & 1 at 20 links S of the 1/4 Sec. Cor. Land rough & mountainous Soil 2d Rate. From this corner I run S 89° 51' W. on a true line through the middle of Sec. 11 with the same var.
20.09	Set a sandstone 15 x 7 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.18	Set a sandstone 14 x 10 x 10 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.27	Set a sandstone 16 x 12 x 7 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. C.
80.36	To the 1/4 Sec. Cor. on Sec. line between Secs. 10 and 11. Land rough and mountainous Grazing for Soil 2d Rate

Chains.	
	From the N ¼ Sec Cor. on Sec line bet Secs 10 and 11. I run East on a random line through the middle of the N half of Sec. 11 Var. 16° 15' E.
20.00	Set a temporary ¼ Sec. Cor. Sand rough & mountainous Soil 2d Rate
40.00	Set a temporary ¼ Sec. Cor Sand rough & mountainous Soil 2d Rate
60.00	Set a temporary ¼ Sec. Cor Sand rough & mountainous Soil 2d Rate.
80.50	Intersect the N & S line bet Secs 11 and 12. 20 links S of the ¼ Sec. Cor. From this corner I run S. 89° 51' W on a true line through the middle of the N half of Sec 11 with the same var.
20.12	Set a sandstone 24 x 8 x 8 ins marked 1/16 on E face in a mound of earth 2 ft diam at base and 12 ins high for 1/16 Sec Cor
40.25	Set a sandstone 30 x 14 x 6 ins marked 1/16 on E face in a mound of earth 2 ft diam at base and 12 ins high for 1/16 Sec. Cor.
60.38	Set a sandstone 24 x 12 x 3 ins marked ¼ on E face in mound of earth 2 ft diam at base and 12 ins high for ¼ Sec. Cor
80.50	To the N ¼ Sec Cor on Sec. line bet Secs 10 and 11. Sand rough and mountainous Soil 2d rate
	From the S ¼ Sec. Cor on Sec line bet secs 33 and 34. I run East on a random line through the middle of the S half of Sec 34. Var. 16° 15' E.
20.00	Set a temporary ¼ Sec. Cor. Sand rolling Soil 2d rate.
40.00	Set a temporary ¼ Sec Cor Sand rolling Soil 2d rate

Chains

60.00 Set a temporary 1/16 Sec Cor Land rolling
Soil 2d Rate

80.36 Intersect the N & S line bet Secs 34 & 33
68 links N of the 1/16 Sec Cor
From this corner I run
N 89° 31' W on a true line through
middle of the S half of secs 34
with same var

20.09 Set a sandstone 24 × 7 × 7 ins marked
1/16 on E face in a mound of
earth 2 ft diam at base and 12
ins high for 1/16 Sec Cor

40.1 Set a sandstone 30 × 10 × 4 ins mar-
ked 1/16 on E face in a mound of earth
2 ft diam at base and 12 ins high
for 1/16 Sec Cor

60.2 Set a sandstone 26 × 10 × 3 ins
marked 1/16 on E face in a mound of
earth 2 ft diam at base and 12 ins
high for 1/16 Sec Cor.

80.36 To the S 1/16 Sec Cor on Sec line bet Secs
33 and 34
rolling sandy
Soil 2d rate

The S 1/16 Sec line being fractional in
Sec. 33 I run
Vest on a true line through the
iddle of the S half of Sec 33.
Var. 16° 15' E.

20.00 Set a sandstone 14 × 12 × 12 ins
marked 1/16 on E face in mound of
earth 2 ft diam at base and 12 ins
h. for 1/16 Sec Cor

23.60 'reen River Course S.
Set a Cottonwood post 3 ft long
"M. C" 3 ins squre marked "M. C" on E face
in mound of earth 2 ft diam at base
and 12 ins high for meander Cor dug
Land rough and mountainous
Soil 3d Rate.

Chains	
	The S. 1/16 Sec line in Sec 33 was discontinued owing to the rough mountainous character of country West of Green River
	From the 1/4 Sec Cor on Sec line bet Sec 33 & 34 I run East on a random line through the middle of Sec 34 Var 16° 15' E.
20.00	Set a temporary 1/16 Sec Cor Sand rolling broken & sandy Soil 2d Rate
40.00	Set a temporary 1/4 Sec Cor Sand rolling broken & sandy Soil 2d rate
60.00	Set a temporary 1/16 Sec Cor Sand rolling broken and sandy Soil 2d Rate
80.16	Intersect the N & S line bet Sec 34 & 35. 13 links S of the 1/4 Sec Cor Soil 2d rate
	From this corner I run S 89° 54' W on a true line through the middle of Sec 34 with same var.
20.04	Set a sandstone 24 x 10 x 6 ins in ground marked 1/16 on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 Sec Cor
40.08	Set a sandstone 18 x 12 x 10 ins marked 1/4 on E face in mound of earth 2 ft diam at base & 12 ins high for 1/4 Sec Cor
60.12	Set a sandstone 24 x 12 x 6 ins marked 1/16 on E face in a mound of earth 2 ft diam at base and 12 ins high for 1/16 Sec Cor
80.16	To the 1/4 Sec Cor on Sec line bet Secs 33 & 34 Sand rolling and broken sandy Soil 2d rate July 30. 1882
	The 1/4 Sec line being fractional striking Green River I run West on a true line through

Chains.	
	the middle of Sec 33
	Var 16° 15' E.
20.00	Set a sandstone 16×10×8 ins marked 1/16 on E face in a mound 2 ft diam at & 12 ins high for 1/16 Sec Cor Sand & mountainous Soil 3rd s
24.38	Green River course S. Set a cottonwood post 3 ft long by 3 ins sqr marked "16. C" on E face built a mound of earth around it 3 ft diam at base & 12 ins high for meander Cor Dug pits. Sand rough and mountainous Soil 3rd Rate.

The 1/4 Sec line was discontinued in Sec 33 West of Green River owing to the rough and mountainous character of the country

From the N 1/16 Sec Cor on Sec line bet Secs 33 & 34. Run ast on a random line through the of the N half of Sec 34.
Var 16° 15' E.

20.00	Set a temporary 1/16 Sec Cor Sand rolling & broken Soil 2nd rate
40.00	Set a tempory 1/16 Sec Cor Sand rolling and broken Soil 2nd rate
60.00	Set a temporary 1/16 Sec Cor Sand rolling & broken Soil 2nd Rate
80.28	Intersect the N & S line bet Secs 34 & 35. 24 links S of the N 1/16 Sec Cor Soil 2nd rate

From this corner I run S 89° 50' West on a true line through the middle of the N half of Sec 34 with the same var.

20.07	Set a sandstone 20×10×5 ins marked 1/16 on E face in mound of earth 2 ft diam at base and 12 ins high for 1/16 Sec Cor

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	
40.14	Set a sandstone 24 x 8 x 4 ins marked 1/16 on E face in mound of earth 2 ft diam at base and 12 ins high for 1/4 Sec Cor
60.21	Set a sandstone 16 x 6 x 6 ins marked 1/16 on E face in mound of earth 2 ft diam at base and 12 ins high for 1/16 Sec Cor
80.28	To the N 1/16 Sec Cor on Sec line bet sec 33 and 34
	Land rolling and broken
	Soil 2d rate
	As the N 1/16 Sec line is fractional striking Green River Drum West on a true line through the middle of the N half of Sec 33.
	Var. 16° 15' E.
16.00	Enter valley
20.00	Set a cottonwood post 3 ft long by 3 ins square marked 1/16 on E face, built mound of earth around it 2 ft diam at base and 12 ins high, with pits for 1/16 Sec Cor
	Land rough & mountainous
	Soil 3d Rate
28.30	Green River course S.
"M.C."	Set a cottonwood post 3 ft long by 3 ins square marked "M. C." on E face in a mound of earth 2 ft diam at base and 12 ins high with pits for meander Cor
	Land rough & mountainous
	Grazing grass
	Soil 3d Rate
	The N 1/16 Sec line in Sec 33 was discontinued further West on account of the rough and mountainous character of the country it being worthless for farming or grazing purposes

Chains From the S 1/16 Sec. Cor on Sec line bet
Secs 27 and 28 Drum
at on a random line through the
of the S half of Sec 27.
Var 16° 15' E.

20.00 Set a temporary 1/16 Sec Cor Sand level
& broken Soil 2d rate

40.00 Set a temporary 1/16 Sec Cor Sand level &
broken Soil 2d rate

60.00 Set a temporary 1/16 Sec Cor Sand level
& broken Soil 2d rate

80.24 Intersect the N & S line bet Secs 26 & 27
16 links N of the 1/16 Sec Cor Sand level
and broken. Soil 2d Rate
From this corner I run
N. 89° 53' W on a true line through
the middle of the S half of Sec 27
with the same var.

20.06 Set a sandstone 18 x 12 x 3 ins marked
1/16 on E face in a mound of earth
2 ft diam at base and 12 ins high for
1/16 Sec Cor

40.12 Set a sandstone 16 x 12 x 4 ins marl
1/16 on E face in a mound of earth
2 ft diam at base and 12 ins high
for 1/16 Sec Cor.

60.18 Set a sandstone 20 x 10 x 10 ins
marked 1/16 on E face in mound
of earth 2 ft diam at base and 12
ins high for 1/16 Sec Cor.

80.2 To the S 1/16 Sec Cor on Sec line bet
Secs 27 and 28
Sand level and broken
Soil 2d rate.

To the S. 1/16 Sec line as
striking Green River I run
West on a true line through the
middle of the S half of Sec 28.
Var 16° 15' E.

8.00 Enter wall

Chains	
20.00	Set a cottonwood post 3 ft long by 3 ins square marked 1/16 on E face in mound of earth 2 ft diam at base and 12 ins high with pits for 1/16 Sec Cor
32.00 "M.C."	Set a cottonwood post 3 ft long by 3 ins square marked "M.C." on E face in a mound of earth 2 ft diam at base and 12 ins high for Meander Cor
32.40	Green River course S.
	Land level good grass
	Soil 1st Rate
	40 links to Green river course S.
	This S. 1/16 Sec line was discontinued West of Green River owing to the mountainous rough character of the land.
	From the 1/4 Sec Cor on Sec line between Secs 27 and 28 I run East on a random line through the middle of Sec. 27
	Var. 16° 15' E
5.00	Slough
20.00	Set a temporary 1/16 Sec Cor Sand level river bottom Soil 1st rate
35.08	Green River set a cottonwood post for Meander Cor marked "M.C." made offset 6 Chs S. then East
40.00	Falls in river
60.00	Falls in river
66.00	Offset 6 Chs N to line & Green River thence East
80.07	Intersect the N & S line bet. Secs 26 & 27 at 43 links N of the 1/4 Sec Cor Sand river bottom Soil 1st rate
	From this corner I run N 89° 41' W on a true line through the middle of Sec 27 with same var

Chains.

14.00 Set a Cottonwood post 36 x 3 x 3 ins 12 ins in ground marked M.C on E face in a mound of earth 30 ins at base and 18 ins high Dug 2 pits 18 x 12 x 12 ins E and W dist 5 ft from mound for Meander

45.00 Set a cottonwood post 36 x 3 x 3 ins 12 ins in ground marked "M.C" on E face in a mound of earth 30 ins diam at base and 30 ins high dug 2 pits 18 x 12 x 12 E and W 5 ft from mound for meander

60.06 Set a cottonwood post 38 x 3 x 3 ins 15 ins in ground marked 1/16 on E fa mound of earth 30 ins diam base and 18 ins high. Dug 2 pits 18 x 12 x 12 ins E and W dist 5 ft from mound for 1/16 Sec Cor

80.07 To the 1/4 Sec Cor on Sec line bet Secs 27 and 28

Sand river bottom dense under Grazing good

Soil alluvial 1st Rate

The 1/4 Sec line being fr striking Green River Down est on a true line through the middle of Sec 28.

Var 16° 15' E

20.00 Set a Cottonwood post 3 ft long 3 ins square marked 1/16 on East face in a of earth 2 ft diam at base and 12 ins high for 1/16 Sec Cor dug pits

29.00 Green River Course S.S.W.

Set a cottonwood post 3 ft long

"M.C" 3 ins square marked "M.C" on face built a mound of earth 2 ft diam at base and 12 ins high with pits for Cor

Chains Land level sandy Cottonwood
Grazing good grass
Soil 1st Rate

The N to Sec. Cor line being fractional
striking Green River Drun from
N to bet Sec 26 and 27
West on a true line through the
middle of the N half of Sec 27.
Var. 16° 15' E.

20.00 Set a cottonwood post 3 ft long by 3
ins square marked 1/16 on E face
in a mound of earth 30 ins diam
at base and 12 ins high dug 2 pits
18 x 12 x 12. E and W dist 6 ft from
mound for 1/16 Sec Cor.

40.00 Set a Cottonwood post 3 ft long by
3 ins square marked 1/16 on E face
in a mound of earth 3 ft diam
at base and 12 ins high for 1/16 Sec
Cor.

60.00 Set a sandstone 18 x 10 x 8 ins marked
1/16 on E face in a mound of earth
2 ft diam at base & 12 ins high for
1/16 Sec Cor.
Land level good grass
Soil 1st Rate

73.00 Green River course N. by N
Set a cottonwood post 3 ft long by
"M.C" 3 ins square marked "M. C." on E face
built a mound of earth around
it 2 ft diam at base & 12 ins high
for Meander Cor.
Land level good grass
Soil 1st Rate. Come in River

The N to Sec line in Sec 28 was not
surveyed owing to the rough and
mountainous character of the
country being useless for farming
or grazing purposes.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah T

Chains. From the S 1/16 Sec Cor on Sec
bet Secs 21 and 22 Run
East on a random line
middle of the S half of
22
Var 16° 15'

20.00 Set a temporary 1/16 Sec Cor Sand
broken good grazing on upland
Soil 2d Rate

40.00 Set a temporary 1/16 Sec Cor Sand level
& broken good grazing on uplands
Soil 2d Rate

60.00 Set a temporary 1/16 Sec Cor Sand level
& broken good grazing on upland
Soil 2d Rate

79.86 Intersect the N and S line bet Secs
22 & 23. 10 links S of the 1/16 Sec C
Soil 2d rate
From this corner Run
S. 89° 56' W on a true line through
the middle of S. half of Sec 22
with the same var

19.97 Set a sandstone 14 x 8 x 8 ins
marked 1/16 on E face in mound of
2 ft diam at base and 12
is high for 1/16 Sec Cor

39.93 Set a sandstone 20 x 10 x 7 ins
marked 1/16 on E face in
of earth 2 ft diam at base
12 ins high for 1/16 Sec Cor along
top of bluffs.

59.89 Set a sandstone 12 x 6 x 8 ins
ed 1/16 on E face in mound of
2 ft diam at base and 9 ins
igh for 1/16 Sec Cor

79.8 To the S 1/16 Sec Cor on Sec line bet
Secs 21 an 22
Sand level & broken
Grazing good on upland
Soil sandy 2d rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terry Con.td

Chains	
	From the 1/4 Sec. Cor. on Sec. line between Sections 21 and 22 I run East on a random line through the middle of Sec. 22.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling & broken bluffs trend S.E. Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling & broken bluffs trend S.E. Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling & broken bluffs trend S.E. Soil 2d. Rate.
79.98	Intersect the N. and S. line bet. Secs. 22. & 23 at 16 links N of the 1/4 Sec. Cor. Land rolling & broken Soil 2d Rate. From this corner I run N 89° 53' W on a true line through the middle of Sec. 22. with the same var.
20.00	Set a sandstone 15 X 12 X 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
39.99	Set a sandstone 18 X 10 X 10 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
59.99	Set a sandstone 40 X 20 X 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
79.98	To the 1/4 Sec. Cor. on Sec. line between Secs. 21 and 22. Land level & broken. bluff trend to S.E. Grazing Soil 2d Rate July 31st 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Ch. From the N 1/16 Sec. Cor. on Sec. line between Sections 21 and 22 I run East on a random line through the middle the N half of Sec. 22

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.

80.10 Intersect the N. & S. line bet. Secs. 22 and 23 at the N 1/16 Sec. Cor. on mound.

From this corner I run N 90° 00' W on a true line through the middle of the North half of Sec. 22 with the same var.

20.02 Set a sandstone 16 x 8 x 7 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.05 Set a sandstone 18 x 12 x 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.08 Set a sandstone 21 x 6 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.10 To the N 1/16 Sec. Cor. on Sec. line between Secs. 21 and 22.

Land level and broken.

Grazing

Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S. 1/16 Sec. Cor. on Sec. line between Sections 15 and 16 I run East on a random line through the middle of the S. half of Sec. 15.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level & broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level & broken Soil 2d Rate.
80.18	Intersect the N. & S. line bet. Secs. 14 and 15 at 56 links N. of the S. 1/16 Sec. Cor. Land level & broken Soil 2d Rate.
	From this corner I run N. 89° 36' W. on a true line through the middle of the South half of Sec. 15 with the same var.
20.04	Set a sandstone 20 X 12 X 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.09	Set a sandstone 22 X 7 X 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.14	Set a sandstone 28 X 10 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.18	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 15 and 16.
	Land level and broken. Bluffs trending to S. E.
	Grazing
	Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 15 and 16 I run East on a random line through the middle of Sec. 15. Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level and broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
80.30	Intersect the N. and S. line bet. Secs. 14 & 1 at 26 links S of the 1/4 Sec. Cor. Land Level and broken Soil 2d Rate. From this corner I run S. 89° 49' W on a true line through the middle of Sec. 15. with the same var.
20.07	Set a sandstone 16 X 10 X 7 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.15	Set a sandstone 12 X 8 X 6 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.23	Set a sandstone 12 X 10 X 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.30	To the 1/4 Sec. Cor. on Sec. line between Secs. 15 and 16. Land level and broken bluff Grazing Soil 2d Rate ding to S. E.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N. 1/16 Sec. Cor. on Sec. line between Sections 15 and 16 I run East on a random line through the middle of the N. half of Sec. 15
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
80.24	Intersect the N. & S. line bet. Secs. 14 and 15 at 72 links S. of the N. 1/16 Sec. Cor. Land level & broken. Soil 2d Rate.
	From this corner I run S. 89° 29' W. on a true line through the middle of the North half of Sec. 15. with the same var.
20.06	Set a sandstone 20 X 10 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.12	Set a sandstone 22 X 10 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.18	Set a sandstone 28 X 10 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.24	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 15 and 16
	Land level and broken. Bluffs trending to S. E.
	Grazing
	Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S. 1/16 Sec. Cor. on Sec. line between Sections 9 and 10 I run East on a random line through the middle of the S half of Sec. 10. Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken. upland grazing Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level & broken upland grazing Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level broken upland grazing Soil 2d Rate.
80.18	Intersect the N. & S. line bet. Secs. 10 and 11 at 16 links N of the S 1/16 Sec. Cor. Land level & broken Soil 2d Rate. From this corner I run N 89° 53' W on a true line through the middle of the South half of Sec. 10. with the same var.
20.04	Set a sandstone 12 X 8 X 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
110.09	Set a sandstone 20 X 10 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.14	Set a sandstone 24 X 10 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.18	To the S 1/16 Sec. Cor. on Sec. line between Secs. 9 and 10 Land level and broken. Grazing upland Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the 1/4 Sec. Cor. on Sec. line between Sections 9 and 10 I run East on a random line through the middle of Sec. 10
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken upland grazing Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level & broken upland grazing Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level & broken upland grazing Soil 2d Rate.
80.10	Intersect the N. and S. line bet. Secs. 10 & 11 at 11 links S of the 1/4 Sec. Cor. Land level and broken Soil 2nd Rate. From this corner I run S. 89° 55' W on a true line through the middle of Sec. 10 with the same var.
20.02	Set a sandstone 6 X 12 X 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.05	Set a sandstone 30 X 12 X 7 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.08	Set a sandstone 14 X 12 X 12 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.10	To the 1/4 Sec. Cor. on Sec. line between Secs. 9 and 10 Land level and broken Grazing upland Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.d

Ch. From the N 1/16 Sec. Cor. on Sec. line between Sections 9 and 10 I run East on a random line through the middle the N half of Sec. 10.

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.

80.24 Intersect the N. & S. line bet. Secs. 10 and 11 at 54 links N. of the N 1/16 Sec. Cor. Land level and broken Soil 2d Rate.

From this corner I run N 89° 37' W on a true line through the middle of the North half of Sec. 10 with the same var.

20.06 Set a sandstone 28 X 12 X 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.12 Set a sandstone 16 X 10 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.18 Set a sandstone 30 X 12 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 8 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.24 To the N 1/16 Sec. Cor. on Sec. line between Secs. 9 and 10 and level and broken. razing upland Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the S. 1/16 Sec. Cor. on Sec. line between Sections 3 and 4 I run East on a random line through the middle of the S. half of Sec. 3
	Var. 16° 15 East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous Soil 3d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous Soil 3d Rate.
80.48	Intersect the N. & S. line bet. Secs. 2. and 3. at 2 links N of the S 1/16 Sec. Cor. Land rough & mountainous Soil 3d Rate. From this corner I run N 89° 59' W on a true line through the middle of the South half of Sec. 3. with the same var.
20.12	Set a sandstone 18 X 12 X 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.24	Set a sandstone 20 X 14 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.36	Set a sandstone 16 X 12 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.48	To the S 1/16 Sec. Cor. on Sec. line between Secs. 3 and 4. Land rough and mountainous Grazing good. Soil 2d & 3d Rate Aug. 1st 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. From the 1/4 Sec. Cor. on Sec. line between Sections 3 and 4 I run East on a random line through the middle of Sec. 3

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land rough and mountainous Soil 3d Rate.

40.00 Set a temporary 1/4 Sec. Cor. Land rough and mountainous Soil 3d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land and mountainous Soil 3d R.

80.72 Intersect the N. and S. line bet. Secs. 2 + 3 at 80 links N. of the 1/4 Sec. Cor. Land rough + mountainous Soil 3d Rate. From this corner I run N 89° 25' W. on a true line through the middle of Sec. 3 with the same var.

20.18 Set a sandstone 20 X 16 X 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

40.36 Set a sandstone 15 X 10 X 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.

60.5 Set a sandstone 14 X 14 X 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

80.72 To the 1/4 Sec. Cor. on Sec. line between Secs. 3 and 4
Land rough and mountainous
Grazing good in many places
Soil 3d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 3 and 4 I run East on a random line through the middle of the N half of Sec. 3
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough & rocky Soil 3d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rough & rocky Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough and rocky Soil 3d Rate.
80.90	Intersect the N. & S. line bet. Secs. 2 — and 3 at 60 links S of the N 1/16 Sec. Cor. Land rough & rocky Soil 3d Rate.
	From this corner I run S. 89° 34' W on a true line through the middle of the North half of Sec. 3 with the same var.
20.22	Set a sandstone 24 x 10 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.45	Set a sandstone 16 x 10 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.68	Set a sandstone 18 x 10 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.90	To the N 1/16 Sec. Cor. on Sec. line between Secs. 3. and 4
	Land rough rocky and mountainous Grazing good Soil 3d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Coq.ts

Chains	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 20 and 21 I run East on a random line through the middle the S half of Sec. 21
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken bench grass Soil 3d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level & broken bench grass Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level & broken bench grass Soil 3d Rate.
80.08	Intersect the N. & S. line bet. Secs. 21 and 22 at 16 links N of the S 1/16 Sec. Cor. Land level and broken Soil 3d Rate. From this corner I run N 89° 53' W. on a true line through the middle of the South half of Sec. 21 with the same var.
20.02	Set a sandstone 20 x 10 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.04	Set a sandstone 24 x 10 x 7 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.06	Set a sandstone 12 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.08	To the S 1/16 Sec. Cor. on Sec. line between Secs 20 and 21 Land level and broken in many pl Grazing bench grass. Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the 1/4 Sec. Cor. on Sec. line between Sections 20 and 21 I run East on a random line through the middle of Sec. 21
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken bench grass Soil 3d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level & broken bench grass Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level & broken bench grass Soil 3d Rate.
80.46	Intersect the N. and S. line bet. Secs. 21 & 22 at 12 links N of the 1/4 Sec. Cor. Land Broken. Soil 3d Rate.
	From this corner I run N 89° 55' W on a true line through the middle of Sec. 21 with the same var.
20.11	Set a sandstone 16 X 12 X 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.23	Set a sandstone 14 X 14 X 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.35	Set a sandstone 14 X 14 X 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.46	To the 1/4 Sec. Cor. on Sec. line between Secs. 20 and 21
	Land level and broken
	Grazing bench grass
	Soil 3d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Cont.d

Chains	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 20 and 21 I run East on a random line through the middle the N half of Sec. 21
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken bench grass Soil 3d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level & broken bench grass Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level & broken bench grass Soil 3d Rate.
80.58	Intersect the N. & S. line bet. Secs. 21 and 22 at 28 links N. of the N. 1/16 Sec. C. Land Broken. — Soil 3d Rate.
	From this corner I run N. 89° 48' W. on a true line through the middle of the N. half of Sec. 21 with the same var.
20.14	Set a sandstone 30 X 10 X 11 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.29	Set a sandstone 24 X 10 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.44	Set a sandstone 20 X 11 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.08	To the N. 1/16 Sec. Cor. on Sec. line be Secs. 20 and 21 Land level and broken. Grazing bench grass Soil 3d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 16 and 17 I run East on a random line through the middle of the S half of Sec. 16
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous upland Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous. grazing Soil 2d Rate.
80.52	Intersect the N. & S. line bet. Secs. 15 and 16 at 41 links S of the S 1/16 Sec. Cor. Land rough upland grazing Soil 2d Rate. From this corner I run S 89° 42' W on a true line through the middle of the South half of Sec. 16 with the same var.
20.13	Set a sandstone 18 X 10 X 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.26	Set a sandstone 20 X 14 X 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.39	Set a sandstone 26 X 7 X 7 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.52	To the S 1/16 Sec. Cor. on Sec. line between Secs. 16 and 17. Land rough & mountainous upland Grazing Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 16 and 17 I run East on a random line through the middle of Sec. 16
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous grazing Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough mountainous grazing Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough mountainous grazing Soil 2d Rate.
80.70	Intersect the N. and S. line bet. Secs. 15 & 1 at 2 links N of the 1/4 Sec. Cor. Land rough & mountainous Soil 2d Rate.
	From this corner I run N 89° 59' W on a true line through the middle of Sec. 16 with the same var.
20.17	Set a sandstone 15 x 14 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.35	Set a sandstone 26 x 15 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.53	Set a sandstone 26 x 17 x 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.70	To the 1/4 Sec. Cor. on Sec. line between Secs. 16 & 17
	Land rough and mountainous.
	Grazing upland
	Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N. 1/16 Sec. Cor. on Sec. line between Sections 16 and 17 I run East on a random line through the middle of the N. half of Sec. 16.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous. grazing Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous. grazing Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous grazing Soil 2d Rate.
80.38	Intersect the N. & S. line bet. Secs. 15 and 16 at 1 links E. of the N. 1/16 Sec. Cor. Land rough & mountain Soil 2d Rate. From this corner I run N. 89° 59' W. on a true line through the middle of the North half of Sec. 16 with the same var.
20.09	Set a sandstone 26 X 12 X 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.19	Set a sandstone 22 X 14 X 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec Cor.
60.29	Set a sandstone 15 X 12 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.38	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 16 and 17. — Land rough and mountainous. Grazing upland. Soil 2d Rate. Aug. 2d 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. From the S. 1/16 Sec. Cor. on Sec. line between Sections 8 and 9. I run on a random line through the middle of the S half of Sec. 9.

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land level and broken grazing Soil 2d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land level and broken grazing Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land level and broken grazing Soil 2d Rate.

80.60 Intersect the N. & S. line bet. Secs. 9 and 10 at 48 links S of the S 1/16 Sec. Cor. Land level and broken Soil 2d Rate.

From this corner I run S 89° 39' W on a true line through the middle of the South half of Sec. 9 with the same var.

20.15 Set a sandstone 16 X 10 X 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.30 Set a sandstone 20 X 17 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.4 Set a sandstone 30 X 12 X 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.60 To the S 1/16 Sec. Cor. on Sec. line between Secs. 8 and 9. —

Land level and broken
Grazing upland
Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the 1/4 Sec Cor. on Sec line between Sections 8 and 9 I run East on a random line through the middle of Sec. 9.
	Var 16° 15' East.
20 00	Set a temporary 1/16 Sec Cor. Land level & broken Soil 2d Rate
40 00	Set a temporary 1/4 Sec. Cor Land level & broken Soil 2d Rate
60 00	Set a temporary 1/16 Sec Cor Land level & broken Soil 2d Rate
80.80	Intersect the N and S line bet Secs 9 & 10 at 24 links N of the 1/4 Sec Cor Land level & broken Soil 2d Rate
	From this corner I run N 89° 41' W. on a true line through the middle of Sec 9. with the same var
20.20	Set a sandstone 18 x 12 x 4 ins 12 ins in ground marked "1/16" on E face in a mound of earth 30 ins. diam at base and 18 ins high; dug 2 pits 18 x 12 x 12 ins. E. and W dist 5 ft from mound for 1/16 Sec Cor
40.40	Set a sandstone 14 x 10 x 6 ins 12 ins. in ground marked "1/4" on E face in a mound of earth 30 ins. diam at base and 18 ins high; dug 2 pits 18 x 12 x 12 ins E and W, dist. 5 ft from mound for 1/4 Sec. Cor.
60.60	Set a sandstone 20 x 10 x 6 ins 12 ins. in ground marked "1/16" on E face in a mound of earth 30 ins. diam. at base and 18 ins high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist 5 ft from mound for 1/16 Sec Cor.
80.80	To the 1/4 Sec Cor on Sec line between Secs. 8 and 9. Land level and broken. Grazing upland. Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terry. Con.td

Ch. From the N 1/16 Sec. Cor. on Sec. line between Sections 8 and 9 I run East on a random line through the middle of the N half of Sec. 9.

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land level & broken Soil 2d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land level & broken Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land level broken Soil 2d Rate.

80.54 Intersect the N. & S. line bet. Secs. 9 — and 10 at 22 links N of the N 1/16 Sec. Cor. Land level & broken Soil 2d Rate.

From this corner I run N 89° 51' W on a true line through the middle of the North half of Sec. 9 with the same var.

20.13 Set a sandstone 20 X 10 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.27 Set a sandstone 16 X 15 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.41 Set a sandstone 18 X 14 X 12 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.54 To the N 1/16 Sec. Cor. on Sec. line — ecs. 8 and 9.
and level and broken.
Grazing upland
oil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the S. 1/16 Sec. Cor. on Sec. line between Sections 4 and 5 I run East on a random line through the middle of the S. half of Sec. 4.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken grazing sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level & broken grazing sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level & broken. sandy Soil 2d Rate.
80.54	Intersect the N. & S. line bet. Secs. 3. and 4 at 2 links S of the S 1/16 Sec. Cor. Land level & broken Soil 2d Rate.
	From this corner I run S. 89° 59' W on a true line through the middle of the South half of Sec. 4 with the same var.
20.13	Set a sandstone 18 X 10 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.27	Set a sandstone 16 X 12 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.41	Set a sandstone 18 X 12 X 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.54	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 4 and 5
	Land level and broken.
	Grazing on upland.
	Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 4 and 5 I run East on a random line through the middle of Sec. 4.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken grazing Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level & broken grazing Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level & broken grazing Soil 2d Rate.
80.28	Intersect the N. and S. line bet. Secs. 3. & 4. at 72 links N of the 1/4 Sec. Cor. Land level & broken Soil 2d Rate. From this corner I run N 89° 29' W on a true line through the middle of Sec. 4. with the same var.
20.07	Set a sandstone 24 X 10 X 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist 5 ft. from mound for 1/16 Sec. Cor.
40.14	Set a sandstone 20 X 12 X 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.21	Set a sandstone 16 X 14 X 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.28	To the 1/4 Sec. Cor. on Sec. line between Secs. 4 and 5 Land level and broken Grazing on uplands. Soil 2d Rate

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	
	From the N 1/16 Sec Cor on Sec line bet Secs 4 and 5 I run East on a random line through the middle of the N half of Sec 4. Var 16° 15' E.
20.00	Set a temporary 1/16 Sec Cor Sand level and broken Soil 2d Rate
40.00	Set a temporary 1/16 Sec Cor Sand level and broken Soil 2d Rate
60.00	Set a temporary 1/16 Sec Cor Sand level and broken Soil 2d Rate
80.70	Intersect the N & S line bet Secs 3 & 4 18 links N of the 1/16 Sec Cor Sand level and broken Soil 2d Rate. From this corner I run N 89° 52' W on a true line through the middle of the N half of Sec 4 with the same var
20.17	Set a sandstone 16 x 12 x 10 ins marked 1/16 on E face in mound of earth 2 ft diam at base and 12 ins high for 1/16 Sec Cor.
40.35	Set a sandstone 14 x 12 x 10 ins marked 1/16 on E face in mound of earth 2 ft diam at base and 12 ins high for 1/16 Sec Cor.
60.53	Set a sandstone 24 x 14 x 3 ins marked 1/16 on E face in a mound of earth 2 ft diam at base and 12 ins high for 1/16 Sec Cor.
80.70	To the N 1/16 Sec Cor on Sec line bet secs 4 and 5 Sand level and broken Soil 2d Rate
	The land in Sections 29. 30 31 & 32 was not surveyed owing to its rough and mountainous character being unfit for either farming or grazing purposes: also parts of Sec 28 and 33

Uncompahgre Ute Indian

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr'y, C

Ch. From the S 1/16 Sec Cor on Sec line
secs 19 and 20 Drain
ast on a random line through the
of the S half of Sec 20
Var 16° 15' E.

20.00 Set a temporary 1/16 Sec Cor Land level &
oken bench grass Soil sandy 2S Rate

40.00 Set a temporary 1/16 Sec Cor land level &
oken bench grass Soil sandy

60.00 Set a temporary 1/16 Sec Cor Land level &
oken bench grass Soil sandy 5S

80.16 Intersect the N and S line between
20 and 21 at 12 links S of the
1/16 Sec Cor
From this corner Drain
S 89° 55' W on a true line through
the middle of the S half of Secs
20 with the same var.

20.0 Set a sandstone 18 x 12 x 10 ins on
1/16 on E face in a mound of earth 2
diam at base and 12 ins high for
1/16 Sec Cor

40.0 Set a sandstone 20 x 12 x 10 ins
1/16 on E face in a mound
of earth 2 ft diam at base and 1
high for 1/16 Sec Cor

60.1 Set a sandstone 20 x 14 x 12 ins
ed 1/16 on E face in a mound
earth 2 ft diam at base and
12 ins high for 1/16 Sec Cor

80.16 To the South 1/16 Sec Corner on
Section line between Sections
19 and 20
Land level and broken
Bench grass
Sandy
2S Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terry Con.td

Chains	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 19 and 20 I run West on a random line through the middle of the S half of Sec. 19
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level & broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level & broken Soil 2d Rate.
80.28	Intersect the W. Bdy line bet. Secs. 19 and 24 at 72 links S of the S 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
	From this corner I run S. 89° 29' E. on a true line through the middle of the South half of Sec. 19 with the same var.
20.28	Set a sandstone 14 X 10 X 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.28	Set a sandstone 12 X 12 X 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.28	Set a sandstone 16 X 15 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.28	To the S 1/16 Sec. Cor. on Sec. line between Secs. 19 and 20.
	Land level and broken.
	Grazing pretty good.
	Soil sandy Rate 2d. Aug. 3d 1882.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terry. Cont.d

Chains	
	From the 1/4 Sec. Cor. on Sec. line between Sections 19 and 20 I run East on a random line through the middle of Sec. 20
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken bench grass sandy Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level & broken bench grass sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level & broken bench grass sandy Soil 2d Rate.
80.82	Intersect the N. and S. line bet. Secs. 21 & 22 at 28 links N. of the 1/4 Sec. Cor. Land level and broken Soil 2d Rate. From this corner I run N. 89° 48' W. on a true line through the middle of Sec. 20 with the same var.
20.20	Set a sandstone 20 x 10 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.41	Set a sandstone 24 x 16 x 10 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.62	Set a sandstone 20 x 11 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.82	To the 1/4 Sec. Cor. on Sec. line between Secs. 19 and 20. Land level and broken. Grazing. Bench grass Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terry Cont.d

Chains	
	From the 1/4 Sec. Cor. on Sec. line between Sections 19 and 20 I run West on a random line through the middle of Sec. 19.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken Sandy Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level & broken Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level & broken Sandy Soil 2d Rate.
80.24	Intersect the W. Bdy. line bet. Secs. 19 & 24 at 28 links N. of the 1/4 Sec. Cor. Land level & broken — Soil 2d Rate. From this corner I run N. 89° 48' E. on a true line through the middle of Sec. 19. with the same var.
20.24	Set a sandstone 16 X 10 X 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.24	Set a sandstone 18 X 12 X 6 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.24	Set a sandstone 24 X 14 X 13 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.24	To the 1/4 Sec. Cor. on Sec. line between Secs. 19 and 20. Land level and broken Grazing Bunch grass Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Cor.s

Chains	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 19. and 20 I run East on a random line through the middle the N half of Sec. 20.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken bench grass Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level & broken bench grass Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level & broken bench grass Sandy Soil 2d Rate.
80.62	Intersect the N. & S. line bet. Secs. 20 and 21 at 98 links N of the N 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
	From this corner I run N 89° 18' W on a true line through the middle of the South half of Sec. 20 with the same var.
20.15	Set a sandstone 16 X 12 X 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.31	Set a sandstone 20 X 18 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.47	Set a sandstone 22 X 10 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.62	To the N 1/16 Sec. Cor. on Sec. line bet. Secs. 19 and 20
	Land level and broken
	Grazing bench grass
	Soil sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Cont.d

	From the N 1/16 Sec. Cor. on Sec. line between Sections 19 and 20 I run West on a random line through the middle of the N half of Sec. 19
	Var. 16° 15' East.
0.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
80.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
80.58	Intersect the W. Bdy line bet. Secs. 19 and 24 at 26 links N of the N 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
	From this corner I run N. 89° 49' E. on a true line through the middle of the North half of Sec. 19 with the same var.
80.58	Set a sandstone 18 X 10 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
140.58	Set a sandstone 13 X 12 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
160.58	Set a sandstone 13 X 12 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
180.58	To the N 1/16 Sec. Cor. on Sec. line between Secs. 19 and 20. Land level and broken. Grazing Bunch grass. Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 17 and 18 I run East on a random line through the middle of the S. half of Sec. 17
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rocky and level Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rocky and level Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rocky and level. Soil 2d Rate.
80.86	Intersect the N. & S. line bet. Secs. 16. — and 17 at 28 links N. of the S 1/16 Sec. Cor. Land rocky & level. — Soil 2d Rate.
	From this corner I run N 89° 48' W on a true line through the middle of the South half of Sec. 17. with the same var.
20.21	Set a sandstone 20 x 16 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.43	Set a sandstone 24 x 10 x 7 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.65	Set a sandstone 16 x 15 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.86	To the S 1/16 Sec. Cor. on Sec. line between Secs. 17 and 18.
	Land level and broken. Rocky. Grazing good. Soil sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terry. Con.td

Chains	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 17 and 18 I run West on a random line through the middle of the S half of Sec. 18
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level and broken. Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
80.16	Intersect the N. B'dy line bet. Secs. 18 and 13 at 14 links N. of the S 1/16 Sec. Cor. Land level and broken Soil 2d Rate. From this corner I run N 89° 54' E on a true line through the middle of the South half of Sec. 18. with the same var.
20.16	Set a sandstone 20 X 10 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.16	Set a sandstone 16 X 14 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.16	Set a sandstone 20 X 10 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.16	To the S 1/16 Sec. Cor. on Sec. line between Secs. 17 and 18. Land level and broken. Grazing generally good. Soil sandy Rate 2d.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 17 and 18 I run East on a random line through the middle of Sec. 17.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken rocky ledge Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level & broken rocky ledges Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level & broken rocky ledges Soil 2d Rate.
80.64	Intersect the N. and S. line bet. Secs. 16 & 17 at 21 links S of the 1/4 Sec. Cor. Land level and broken Soil 2d Rate. From this corner I run S 89° 51' W on a true line through the middle of Sec. 17.— with the same var.
20.16	Set a sandstone 30 X 8 X 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.32	Set a sandstone 24 X 12 X 10 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.48	Set a sandstone 20 X 10 X 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.64	To the 1/4 Sec. Cor. on Sec. line between Secs. 17 and 18. Land level & broken rocky ledges Grazing Good Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 17 and 18 I run West on a random line through the middle of Sec. 18. Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec Cor. Land level & broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level & broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level & broken Soil 2d Rate.
80.48	Intersect the W. B'dy. line bet. Secs. 18 & 13 at 16 links N of the 1/4 Sec. Cor. Land level and broken Soil 2d Rate. From this corner I run N 89° 53' E. on a true line through the middle of Sec. 18. with the same var.
20.48	Set a sandstone 20 X 10 X 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist 5 ft. from mound for 1/16 Sec. Cor.
40.48	Set a sandstone 15 X 12 X 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.48	Set a sandstone 15 X 12 X 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.48	To the 1/4 Sec. Cor. on Sec. line between Secs. 17 and 18. Land level and broken Grazing good Soil 2d Rate. Aug. 1st 1882.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Coq.ne

Chains	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 17 and 18 I run East on a random line through the middle of the N half of Sec. 17. — Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level & broken Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
80.26	Intersect the N. & S. line bet. Secs. 16 and 17. at 10 links N of the N 1/16 Sec. Cor. Land level and broken Soil 2d Rate. From this corner I run N. 89° 56' W on a true line through the middle of the North half of Sec. 17. with the same var.
20.06	Set a sandstone 16 X 10 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.13	Set a sandstone 20 X 12 X 12 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.20	Set a sandstone 15 X 15 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.26	To the N 1/16 Sec. Cor. on Sec. line between Secs. 17. and 18. Land level and broken Rocky ledges. Grazing fair Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N. 1/16 Sec. Cor. on Sec. line between Sections 17 and 18 I run West on a random line through the middle of the N. half of Sec. 18.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
80.64	Intersect the N. Bdy. line bet. Secs. 18 and 13 at 42 links S of the N. 1/16 Sec. Cor. Land level and broken Soil 2d Rate. From this corner I run S. 89° 42' E. on a true line through the middle of the N. half of Sec. 18. with the same var.
20.64	Set a sandstone 16 X 10 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.64	Set a sandstone 14 X 12 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.64	Set a sandstone 16 X 10 X 7 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.64	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 17 and 18. Land level and broken. Grazing middling Soil 2d Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. From the S. 1/16 Sec. Cor. on Sec. line between Sections 7 and 8 I run est. on a random line through the middle of the S. half of Sec. 8.

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land level & broken sandy Soil 2d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land level & broken sandy Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land level & broken sandy Soil 2d Rate.

80.64 Intersect the N. & S. line bet. Secs. 8 and 9 at 14 links S of the S 1/16 Sec. Cor. Land level and broken Soil 2d Rate. From this corner I run S. 89° 54' W on a true line through the middle of the South half of Sec. 8. with the same var.

20.16 Set a sandstone 18 X 12 X 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.32 Set a sandstone 20 X 10 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.48 Set a sandstone 24 X 16 X 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.64 To the S. 1/16 Sec. Cor. on Sec. line between Secs. 7. and 8.
Land level and broken
Grazing good on upland
Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 7 and 8 I run West on a random line through the middle of the S half of Sec. 7.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
80.12	Intersect the W. B dyline bet. Secs. 7 and 12 at the mound of the S 1/16 Sec. Cor. Land level & broken Soil 2d Rate.
	From this corner I run S 90° 00' E. on a true line through the middle of the South half of Sec. 7. with the same var.
20.12	Set a sandstone 24 X 10 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.12	Set a sandstone 20 X 10 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.12	Set a sandstone 15 X 14 X 12 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.12	To the S 1/16 Sec. Cor. on Sec. line between Secs. 7 and 8. Land level and broken Grazing upland Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 7. and 8 I run East on a random line through the middle of Sec. 8. Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level broken & sandy. Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level broken & sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level broken & sandy Soil 2d Rate.
80.72	Intersect the N. and S. line bet. Secs. 8. & 9. at 40 links S. of the 1/4 Sec. Cor. Land level & broken Soil 2d Rate. From this corner I run S. 89° 43' W. on a true line through the middle of Sec. 8. with the same var.
20.18	Set a sandstone 10 X 8 X 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.36	Set a sandstone 24 X 6 X 7 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.54	Set a sandstone 14 X 8 X 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.72	To the 1/4 Sec. Cor. on Sec. line between secs. 7 and 8 and level and broken razing good on upland oil sand 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 9 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the 1/4 Sec. Cor. on Sec. line between Sections 7 and 8 I run West on a random line through the middle of Sec. 7
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level and broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
80.16	Intersect the W. Bdy. line bet. Secs. 7 & 12 at 26 links N of the 1/4 Sec. Cor. Land level & broken Soil 2d Rate.
	From this corner I run N 89° 49' E. on a true line through the middle of Sec. 7. — with the same var.
20.16	Set a sandstone 16 X 20 X 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.16	Set a sandstone 20 X 22 X 10 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.16	Set a sandstone 14 X 12 X 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.16	To the 1/4 Sec. Cor. on Sec. line between Secs. 7 and 8. Land level and broken. Grazing good Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. From the N 1/16 Sec. Cor. on Sec. line between Sections 7 and 8 I run
ast on a random line through the middle of the N half of Sec. 8.

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.

80.38 Intersect the N. & S. line bet. Secs. 8. and 9. at 26 links N of the N 1/16 Sec. Cor. and level & broken Soil 2d Rate.
rom this corner I run N 89° 49' W on true line through the middle of the North half of Sec. 8 with the same var.

20.09 et a sandstone 16 X 10 X 4 ins. 12 ins. the ground, marked "1/16" on E. face in a ound of earth 30 ins. diam. at base and 8 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.19 et a sandstone 12 X 10 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a ound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.29 Set a sandstone 14 X 10 X 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.38 To the N 1/16 Sec. Cor. on Sec. line betwee Secs. 7. and 8.
Land level and broken
Grazing on upland
Soil Rate 2d

2d 1882.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 7 S. R. 9 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 7 and 8 I run West on a random line through the middle of the N half of Sec. 7.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
80.24	Intersect the W. Bdy line bet. Secs. 7. and 12 at 38 links N of the N 1/16 Sec. Cor. Land level & broken Soil 2d Rate.
	From this corner I run N 89° 44' E on a true line through the middle of the North half of Sec. 7 with the same var.
20.24	Set a sandstone 22 X 14 X 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.24	Set a sandstone 22 X 10 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.24	Set a sandstone 26 X 15 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.24	To the N 1/16 Sec. Cor. on Sec. line between Secs. 7. and 8.
	Land level and broken.
	Grazing generally fair.
	Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Coq.ne

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 5 and 6 I run East on a random line through the middle of the S. half of Sec. 5. Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level and broken Sand Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level and broken Sand Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level and broken good graz Soil 2d Rate.
80.28	Intersect the N. & S. line bet. Secs. 4. and 5 at 18 links N. of the S 1/16 Sec. Cor. Land level and broken Soil 2d Rate. From this corner I run N 89° 52' W. on a true line through the middle of the South half of Sec. 5. with the same var.
20.07	Set a sandstone 20 X 10 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.14	Set a sandstone 18 X 12 X 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.21	Set a sandstone 14 X 10 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.28	To the S 1/16 Sec. Cor. on Sec. line between Secs. 5 and 6 Land level and broken Grazing good on uplands Soil sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 5 and 6 I run West on a random line through the middle of the S half of Sec. 6.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
80.74	Intersect the W. Bdy line bet. Secs. 6. and 1 at 26 links S of the S 1/16 Sec. Cor. Land level and broken Soil 2d Rate. From this corner I run S. 89° 49' E. on a true line through the middle of the South half of Sec. 6. with the same var.
20.74	Set a sandstone 16 X 10 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.74	Set a sandstone 14 X 12 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.74	Set a sandstone 16 X 10 X 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.74	To the S 1/16 Sec. Cor. on Sec. line between Secs. 5 and 6. Land level and broken. Grazing good Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the 1/4 Sec. Cor. on Sec. line between Sections 5 and 6 I run East on a random line through the middle of Sec. 5.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec Cor. Land level and broken Sandy Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level and broken Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level and broken Sandy Soil 2d Rate.
80.32	Intersect the N. and S. line bet. Secs. 4 & 5 at 27 links N of the 1/4 Sec. Cor. Land level & broken. Soil 2d Rate. From this corner I run N 89° 48' W on a true line through the middle of Sec. 5 with the same var.
20.08	Set a sandstone 15 x 7 x 7 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.16	Set a sandstone 14 x 6 x 6 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.24	Set a sandstone 20 x 10 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.32	To the 1/4 Sec. Cor. on Sec. line between Secs. 5 and 6 Land level and broken. Grazing on uplands Soil sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terry Con.td

Chains	
	From the 1/4 Sec. Cor. on Sec. line between Sections 5 and 6 I run West on a random line through the middle of Sec. 6
	Var. 16° 15 East.
20.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level and broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level and broken Soil 2d Rate.
80.50	Intersect the W. Bdy. line bet. Secs. 6 & 1 at 24 links N of the 1/4 Sec. Cor. Land level and broken Soil 2d Rate. From this corner I run N. 89° 50' E on a true line through the middle of Sec. 6. with the same var.
20.50	Set a sandstone 20 X 12 X 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.50	Set a sandstone 24 X 16 X 14 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.50	Set a sandstone 30 X 15 X 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.50	To the 1/4 Sec. Cor. on Sec. line between Secs. 5 and 6. Land level and broken. Grazing good. Soil 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr.y Con.td

Ch. From the N 1/16 Sec. Cor. on Sec. line between Sections 5 and 6 I run ast on a random line through the middle of the N half of Sec. 5

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land level & broken upland grazing Soil 2d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land level & oken upland grazing Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land level & broken upland grazing Soil 2d Rate.

80.20 Intersect the N. & S. line bet. Secs. 4 and 5 at 1 links N. of the N 1/16 Sec. Cor. Land level & broken Soil 2d Rate.

From this corner I run N 90° 00' W on a true line through the middle of the North half of Sec. 5. with the same var.

20.05 Set a sandstone 8 X 8 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.10 Set a sandstone 15 X 12 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.15 Set a sandstone 14 X 8 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

To the N 1/16 Sec. Cor. on Sec. line be-

80.20 ecs. 5 and 6

and level and broken

Grazing on uplands

oil 2d Rate

Subdivisions of T. 9 S. R. 19 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
	From the N. ¼ Sec Cor on Sec line bet secs 5 & 6 Drum.
	West on a random line through the middle of the N half of Sec 6.
	Var. 16° 15' E.
20.00	Set a temporary 1/16 Sec Cor Sand generally rolling Soil 2d Rate
40.00	Set a temporary ¼ Sec Cor Sand generally rolling Soil 2d Rate
60.00	Set a temporary 1/16 Sec. Cor Sand rolling Soil 2d Rate.
80.28	Intersect the N and S line bet Secs 1 & 6 at 4 links S of the N 1/16 Sec Cor
	From this corner Drum S. 89° 58' E on a true line through the middle of the N. half of Sec. 6 with the same code.
20.28	Set a sandstone 12 x 10 x 9 ins 12 ins in the ground marked 1/16 on E face in a mound of earth 30 ins diam at base and 18 ins high dug 2 pits 18 x 12 x 12 ins E and W dist 5 ft from mound for 1/16 Sec. Cor.
40.28	Set a sandstone 15 x 7 x 4 ins 12 ins in the ground marked 1/16 on E face in a mound of earth 30 ins diam at base and 18 ins high. Dug 2 pits 18 x 12 x 12 ins. E and W dist 5 ft from mound for 1/16 Sec Cor
60.28	Set a sandstone 9 x 8 x 7 ins 12 ins in the ground marked 1/16 on East face in a mound of earth 30 ins diam at base and 18 ins high dug 2 pits 18 x 12 x 12 ins E and W dist 5 ft from mound for 1/16 Sec. Cor.
	Sand rolling
	Grazing good.
	Soil 2d Rate.
	Aug. 3d 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S. R. E. Salt Lake Mer. Utah Terr'y, C

Cha. General Description

This township includes a country much diversified by high rolling bench lands, rich alluvial valleys, precipitous mountain bluffs and deep ravines.

The rapidly flowing Green river course irregularly through it from the N. Easterly corner with a general direction to S. S.W. and in its valley contains here and there many lots of first class farming lands covered with scattered cottonwood of large size; also much dense underbrush.

There is a good ford in river about 5 chains North of corner to sections 11 and 14.

A considerable body of land might be irrigated during ordinary high water with little expense.

There are two log cabins in river bottom as mentioned in notes, which were erected for use of stock men.

The uplands are much cut by steep hills, bluffs and shallow ravines the beds of dry water courses branching in various directions but generally taking a south, south east and easterly course.

Grass in fair quantities is found on the elevated benches and ridges and gives sustenance to many cattle.

A supply of hay might be obtained in the meadows along the river.

The soil in the valleys is rich and productive.

In the uplands light sandy and in many places rocky.

Meanders T. 9 S. R. 19 E. Salt Lake Mer.

Meanders of Left Bank of Green River
Down Stream

Commence at meander Cor on left bank of Green River on E Bdy of Township bet Secs 1 + 6.
Thence S mn with meanders in Sec 1
Var 16° 15' E

N. 60¼° W.	11.5 chs
S. 59° W.	11.6 chs
S. 29¼° W.	5.7 chs
S. 19¾° W	21.2 chs
S. 5¾° W.	20.1 chs
S. 22¼° W.	21.6 chs To meander Cor on line bet Secs 1 and 2.

Land level river bottom
Dense underbrush
Heavy cottonwood timber
Soil alluvial 1st Class

Thence in Sec 12.
Var 16° 15' E

S. 16¼° W.	20.8 chs
S. 1½° W.	20.0 chs
S. 26½° W.	22.3 chs
S. 24½° W.	To meander cor on line bet Secs 12 + 13.

Land level river bottom
Dense underbrush
Heavy cottonwood timber
Soil 1st Rate alluvial

Thence in Sec 13.
Var 16° 15' E

S. 39¼° W	25.9 chs
S. 3° W	20.0 "
S. 11¼° W	20.4 "
S. 5¾° W.	20.1 " To meander cor on line bet Secs 13 + 24.

Land level river bottom
Dense underbrush
Heavy cottonwood timber Soil 1st Rate

Meanders T. 9 S. R. 19 E. of Salt Lake Mer.

Thence in Sec 24
Var 16° 15' E

S. 3.35 W. 12.2 chs to Meander Cor on line Bet Secs 23 + 24.
Land level river bottom
Dense undergrowth
Soil 1st Rate

Thence in Sec 23.
Var 16° 15' E

S. 16 3/4° W. 10.4 chs
S. 25 1/2° W. 22.1 "
S. 30° W. 23.0 "
S. 52 3/4° W. 33.0 " to the Meander Cor on line Bet Secs 23 + 26
Land level river bottom
Dense undergrowth
Heavy cottonwood timber
Soil 1st rate alluvial

Thence in Sec 26
Var 16° 15' E

S. 23 3/4° W 22.2 chs
S. 53.° W. 25.0 " To Meander Cor on Bet Secs 26 + 27.
Land level river bottom
Dense growth
Soil 1st rate

Thence in Sec 27.
Var 16° 15' E

S. 69 3/4° W. 14.4 chs
S. 81 1/4° W. 6.5 "
N. 88 1/2° W. 20.0 "
N. 84 1/4 W. 4.9 "
N. 71 3/4 W. 15.9 "
N. 70.° W. 21 3.50 Meander Cor on line Secs 27 + 28.
Land level
Dense undergrowth + cottonwood timber
Soil 1st Rate

Meander of T. 9 S. R. 19 E of Salt Lake Mer.

Thence in sec 28

Var 16°15' E.

N. 69¾° W. 10.6 chs
S. 84¼° W 10. "
S 31° W. 17.5 "
S 8½° W. 20.2 "
S. 2¾° W. 20.0 " To meander cor on line bet Secs 28 & 33.
Land level
Timber underbrush
Soil 1st rate

Thence in Sec 33.

Var 16°15' E

S 13¼° E 20.5 chs
S 11¼° E 20.4 "
S 2° E 20.0 "
S 43¼° W. 27.1 " To meander cor on S. B'dy. of township bet Secs 4 & 33.
Land level
Timber underbrush
Soil 1st rate

Meander of Right Bank of Green River.
Down Stream

Commence at the meander cor on Sec line bet secs 1 & 12.
Thence S 22° W with meander in Sec 12

Var 16°15' E

S. 13¼° W 20.5 chs
S. 16¼° W 20.8 "
S. 13° W. 18.9 " To meander cor on line bet Secs 11 & 12.
Land level river bottom dense underbrush
Soil 1st rate alluvial
Timber

Thence in Secs 11 & 14.

Var 16°15' E

South 1.6 chs.

Meanders T. 9 S. R. 19 E. Salt Lake

S. 8½° W. 20.2 chs
S. 23° W. 21.7 "
S. 10° W. 20.3 "
S. 4¼° W. 20.0 "
S. 18° E. 21.0 " To Meander Cor on
Bet Secs 14 + 23.
Land level, dense underbrush
Soil alluvial 1st rate, alluvial
Timber

Thence in Sec 23.
Var 16° 15' E
S. 26½° W. 22.3 chs
S. 19¼° W. 21.2 "
S. 46½° W. 29.0 "
S. 33° W. 23.8 " To Meander Cor
on line Bet Secs 23 + 26.
Land level. Dense underbrush
Soil alluvial 1st rate
Timber

Thence in Sec 26.
Var 16° 15' E
S. 28¾° W. 22.8 chs
S. 60½° W. 9.2 " To Meander Cor on
line Bet. Secs 26 + 27.
Land rough. dense underbrush
Soil 1st rate alluvial

Thence in Sec 27.
Var 16° 15' E
S. 76° W. 20.6 chs
S. 88½° W. 20.0 "
N. 73¼° W. 20.9 "
N. 73° W. 13.6 "
N. 54½ W. 8.6 " To Meander Cor.
on line Bet secs 27 + 34.
Land level river bottom
Soil 1st rate alluvial
Timber cottonwood

Meanders of T. 9 S. R. 19 E. of Salt Lake Mer.

Thence in Sec 28.
Var 16°.15' E.
N. 69 3/4° W. 10.6 chs
S. 84 1/4° W. 10.0 "
S. 31.° W. 17.5 "
S. 8 1/2° W. 20.2 "
S. 2 3/4° W. 20.0 " To meander cor on line bet Secs 28 + 33.
Land level
Dense underbrush
Soil 1st Rate

Thence in Sec 33.
Var 16°.15' E
S. 13 1/4° E. 20.5 chs
S. 11 1/4° E. 20.4
S. 2.° E. 20.0
S. 43 1/4° W. 27.1 To meander cor on S. Bdy. of township bet Secs 4 + 33.
Land level
Dense underbrush
Soil 1st Rate

Meanders of Right Bank of Green River
Down Stream

Commence at the meander cor on Sec line bet Secs 1 + 12
Thence Down with meanders in Sec 12
Var 16°.15' E
S. 13 1/4° W. 20.5 chs
S. 16 1/4° W. 20.8 "
S. 13.° W. 18.9 " To meander cor on line bet Secs 11 + 12.
Land bluffs.
Soil 2nd rate
Timber dense underbrush

Thence in Secs 11 + 14.
Var 16°.15' E
South 1.6 chs

Meander T. 9 S. R. 19 E. Salt Lake

S. 8½° W. 20.2 chs
S. 23° W. 21.7 "
S. 10° W. 20.3 "
S. 4¼° W. 20.0 "
S. 18° E. 21.0 " To Meander Cor on
line Betw. Secs 14 + 23.
Land partly land river bottom
Soil alluvial
Timber Cottonwood

Thence in Sec 23.
Var 16° 15' E.
S. 26½° W. 22.3 chs
S. 19¼° W. 21.2 "
S. 46½° W. 29.0 "
S. 38° W. 23.8 " To Meander Cor on
line Betw. Secs 23 + 26.
Land river bottom
Soil alluvial 1st rate
Timber cottonwood

Thence in Sec 26.
Var 16° 15' E.
S. 28¾° W. 22.8 chs
S. 60½ W. 9.25 " to Meander Cor
on line Betw. Secs 26 + 27.
Land river bottom
Soil alluvial 1st rate

Thence in Sec 27.
Var 16° 15' East
S. 76° W. 20.6 chs
S. 88½° W. 20.0 "
N. 73¼° W. 20.9 "
N. 73° W. 13.6 "
N. 54½° W. 8.6 " To Meander Cor on
line Betw Secs 27 + 34.
Land river bottom
Soil Alluvial 1st rate
Timber cottonwood

Meanders of T. 9 S. R. 19 E of Salt Lake Mer.

Thence in Sec 24.
Var 16°.15' E.
S. 35° W. 12.2 chs to meander cor on line bet Secs 23 + 24.
Land level river bottom
Dense undergrowth
Soil 1st rate

Thence in sec 23.
Var 16°.15' E.
S. 16 3/4° W. 10.4 chs
S. 25 1/2° W. 22.1 "
S. 30° W. 23.0 "
S. 52 3/4 W. 33.0 " To the meander cor on line bet secs 23 + 26.
Land level river bottom
Dense undergrowth
Heavy cottonwood timber
Soil 1st rate alluvium

Thence in Sec 26.
Var 16°.15' E.
S. 25 3/4° W 22.2 chs
S. 53° W 25.0 " To meander cor on line bet secs 26 + 27.
Land level river bottom
Dense undergrowth
Soil 1st rate

Thence in Sec 27.
Var 16°.15' E.
S. 69 3/4° W 14.4 chs
S. 81 1/4° W. 6.5
N 88 1/2° W 20.0
N 84 1/4° W 4.9
N 71 3/4° W 15.9
N. 70° W 21.3 To meander cor on line bet Secs 27 + 28.
Land level
Dense undergrowth + cottonwood timber
Soil 1st rate

Meanders T. S. R. 19 E. Salt L.

Meanders of Left Bank of Green
Down Stream

I commence at Meander cor on left bank of Green River on E. B'dy of township bet Secs 1 & 6
Thence I run with meanders in Sec 1.
Var 16°.15' E

N. 60¼° W.
S. 59.°
S. 29¾° W.
S. 29¾° W.
S. 5¾° W.
S. 22¼° W. To meander cor on line bet Secs 1 & 12.
Land level river bottom
Dense underbrush
Heavy cottonwood timber
Soil alluvial 1st class

Thence in Sec 12.
Var 16°.15' E

S. 16¼° W
S. 1½° W
S. 26½° W
S. 24¼° W To meander cor on line bet secs 12 & 13.
Land level river bottom
Dense underbrush
Heavy cottonwood timber
Soil 1st rate alluvial

Thence in Sec 13.
Var 16°.15' E

S. 39¼° W. 25.9 chs
S. 3° W. 20.0 "
S. 11¼° E. 20.4 "
S. 5¾ E. 20.1 " To the meander cor on sec line bet Secs 13 & 24.
Land level river bottom
Dense brush heavy cottonwood timber Soil 1st Rate

We hereby Certify that we assisted D. J. Major, United States Surveyor in Surveying all those parts or portions of the Subdivision and Meander Lines of Township No. 9 South of Range 19 East, of the Salt Lake Meridian Territory of Utah, as are represented in the foregoing field Notes, as having been Surveyed by him and under his direction; And that said Survey has been in all respects, to the best of our Knowledge and belief well and faithfully Surveyed and the Corner Monuments established, according to the instructions furnished by the General Land Office at Washington D. C.

Russell J. Merrison ... Surveyor
Rudolph Neff ... Surveyor
Chas. L. Lowry ... Chainman
Robt. Shultz ... Chainman
C. E. McLean ... Chainman
B. Hohendorf ... Chainman
... Chainman

P10A

Peter Stewart Axman
Henry Raymond Axman
Edwin Bevier Axman
J. T. Jordan Axman
John Johnston Flagman
M. K. Johnson Flagman
W. T. Cowley Flagman

Subscribed and sworn to before me this thirteenth day of December 1882

L. W. Kennon,
2nd Lieut., 6th Infty.,
Comdg. Ft. Hamilton

Original

Final oath for survey.
List of Names

A list of names of the persons employed by D. G. Major U. S. Surveyor to assist in running, measuring and marking the lines and corners described in the foregoing field notes of the Survey of the Township, subdivision and meander lines of Township No. 9 South of the base line of range No. 19 East of the Salt Lake Principal Meridian Territory of Utah, showing the respective capacities in which they acted.

Russell J. Meeson	Surveyor
Rudolph H. Neff	Surveyor
Chas. L. Lowry	Chainman
Robt. Shultz	Chainman
C. E. McLean	Chainman
B. Hohendorf	Chainman
Peter Stewart	Moundsman
Henry Raymond	Moundsman
Edwin Bevier	Moundsman
J. T. Jordan	Axeman
John Johnston	Flagman
M. A. Johnson	Flagman
H. Hurley	Flagman

I, Daniel G. Major U. S. Surveyor, do solemnly swear that in pursuance of a contract with the Hon Commissioner General Land Office, bearing date Dec. 20th 1880, and in strict conformity to the laws of the United States and the special instructions furnished by the said Commissioner, I have faithfully surveyed the exterior boundaries, section and subdivisional lines of Township No. 9 South of Range No. 19 East of the Salt Lake Merid Territory of Utah, and do further solemnly swear that the foregoing are the true field notes of such surveys.

Daniel G. Major
U. S. Surveyor

Subscribed by said Daniel G. Major U. S. Surveyor, and sworn to before me this 5th day of May A. D. 1883 Washington City, D. C.

W. W. Corkwood
Notary Public

For Approval of Comr Genl Land Office
See field notes of Tp. 6 S. R 20 E. Salt Lake Meridian.

BOOK-A-266

Account sent to Indian office Sept 11, 1883

16 Examined by

Compared by

RECEIVED WITH SUR.-GENL'S LETTER OF JUL 30 1883

Original

FIELD NOTES

OF THE SURVEY OF THE

Exterior Boundaries
Sections Subdivisional
and Meander Lines

OF

Township No. 9 South
Range No. 20 East

OF THE

SALT LAKE MERIDIAN

IN

Utah Territory,

AS SURVEYED BY

DANIEL G. MAJOR,

U. S. Surveyor,

Under his Contract,

Dated December 20th, 1880.

Survey Commenced, July 17th *1882.*
Survey Completed, July 28th *1882.*

COPY OF PRELIMINARY OATHS OF ASSISTANTS.

We, the undersigned, do solemnly swear that we will well and truly perform the duties of transit and compass men according to the instructions given us, and to the best of our skill and ability, in the survey of the lands for allotment to the Uncompahgre and White River Ute Indians in the Territory of Utah.

[Signed]

RUSSELL J. MERSHON, *Transit.*
J. D. BRADFORD, *Transit.*
HARRY M. CROCKER, *Transit.*
WILLIAM J. PETERS, *Compass-man.*
CYRIL WILLIAMS, *Compass-man.*

Subscribed and sworn to before me this 19th day of June, 1882.

[Signed]

E. H. BROWNE,
2d Lieut., 4th Inf'y,
Post Adjutant.

Fort Bridger, Wyoming Ter'y.

We, the undersigned, do solemnly swear that we will well and faithfully execute the duties of chain-carriers; that we will level the chain upon even and uneven ground, and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the lands for allotment to the Uncompahgre and White River Ute Indians in the Territory of Utah.

[Signed]

EUGENE HEALY,
JOHN GLICK,
THOMAS TYRER,
R. H. JONES,
JOHN JOHNSTON,
CLARK E. McLEAN,
H. C. CARL HUIZE,
FRANK E. WHORTON,
G. A. ERIKSON,
C. W. BAKER,
PETER STEWART,
NAT. K. SEAMANS,
C. W. BOWNE,
JOSEPH H. SMITH,
W. HOWARD HAY,
JOHN DONOVAN,
W. H. HOGLE,
C. H. RAYMOND,
CHAS. C. MATTEN,
J. V. RICHARDSON,
E. S. BARNITZ,
CHARLES M. WEGSTEIN,
N. T. ANDERSON.

Sworn to and subscribed before me this 19th day of June, 1882.

[Signed]

E. H. BROWNE,
2d Lieut., 4th Inf'y,
Post Adjutant.

Fort Bridger, Wyo. Terr.

BOOK-A-266

COPY OF PRELIMINARY OATHS OF ASSISTANTS.

We, the undersigned, do solemnly swear that we will well and truly perform the duties of flag-men, axe-men, and mound-men in the establishment of the corners and the erection of posts, mounds, and other duties, according to the instructions given us and to the best of our skill and ability, in the survey of the lands for allotment to the Uncompahgre and White River Ute Indians in the Territory of Utah.

[Signed]

EUGENE HEALY,
JOHN GLICK,
THOMAS TYRER,
ROBERT H. JONES,
JOHN JOHNSTON,
CLARK E. McLEAN,
H. C. C. HUIZE,
FRANK E. WHORTON,
G. A. ERIKSON,
CHAS. W. BAKER,
PETER STEWART,
NAT. K. SEAMANS,
C. W. BOWNE,
JOSEPH H. SMITH,
W. H. HAY,
JOHN DONOVAN,
W. H. HOGLE,
C. H. RAYMOND,
CHAS. C. MATTEN,
J. V. RICHARDSON,
EDWARD S. BARNITZ,
CHAS. M. WEGSTEIN,
N. T. ANDERSON.

Sworn to and subscribed before me this 19th day of June, 1882.

[Signed]

E. H. BROWNE,
2d Lieut., 4th Inf'y,
Post Adjutant.

Fort Bridger, Wyo. Terr.

NOTE.—For preliminary oaths of other assistants see Field Notes of Uintah Special Base, 1st Standard Parallel and 1st Guide Meridian West.

Examined by

Compared by

FIELD NOTES

OF THE SURVEY OF THE

South and West

Boundaries.

OF

Township No. 9. South

Range No. 20. East.

OF THE

SALT LAKE MERIDIAN

IN

Utah Territory,

AS SURVEYED BY

DANIEL G. MAJOR,

U. S. Surveyor,

Under his Contract,

Dated December 20th, 1880.

Survey Commenced, July 17th *1882.*

Survey Completed, July 18th *1882.*

Exteriors T. 9 S. R. 20 E.

South Boundary

Survey commenced July 17, 1882 with Gurley's Transit in good adjustment for level, azimuth & collimation. Chain compared with & corrected by Stackpoles Standard Steel Tape.
I commence at the cor to Tps 9 & 10 S. Rs. 20 & 21 E. on the Green River Guide Meridian, which is a sandstone 25x10x5 ins marked with 6 notches on N. S. E. & W. edges. Thence I run

Chains

West on a random line bet secs 1 & 36.
Var 16° 15' E.

20.00 Set temporary 1/16 sec cor. Land rough & broken soil 3d rate
40.23 To a point 6 lks N of the 1/4 sec cor. on line bet secs 1 & 36 which is a sandstone 12x6x6 ins marked "1/4" in a stone mound. From this cor I run N 89° 55' E on a true line bet secs 1 & 36 with the same var.
20.11 Set a sandstone 18x12x4 ins marked on E face "1/16" in a mound of stone 30 ins diam at base & 18 ins high for 1/16 sec cor.
40.23 To the cor to Tps 9 & 10 S. Rs. 20 & 21 E.
Land mountainous & broken. Bunch grass. Soil sandy 3d rate

From the 1/4 sec cor. on line bet secs 1 & 36 I run
West on a random line bet secs 1 & 36.
Var 16° 15' E.

20.00 Set temporary 1/16 sec cor. Land rough & broken. Soil 3d rate
40.25 To a point 7 lks S of the cor to secs 1, 2, 35 & 36 which is a sandstone 14x8x6 ins marked with 1 notch on E & 5 notches on W. face, placed in a mound of stones. From this cor I run S. 89° 54' E on a true line bet secs 1 & 36 with the same var.
20.12 Set a sandstone 16x12x6 ins marked on E face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor.
40.25 To the 1/4 sec cor on line bet secs 1 & 36
Land mountainous & broken. Soil 3d rate

Exteriors T. 9. S. R. 20. E.

chains	
	From the cor to secs 1. 2. 35 & 36 Down West on a random line bet secs 2 & 35 Var 16° 15' E.
5.05	Dry wash course to N. W.
9.65	Dry creek course S. W.
19.25	Dry creek course N. W.
20.00	Set temporary 1/16 sec cor. land broken & rough Soil 3rd rate
40.30	Pass a point 3 chs N of the 1/4 sec cor on line bet secs 2 & 35 which is a sandstone 14 x 10 x 3 ins marked "1/4" in a mound of stone. From this cor Down N 89° 57' E on a true line bet secs 2 & 35 with the same var.
20.75	Set a sandstone 16 x 10 x 4 ins marked on E face "1/16" in a mound of sand & stone 30 ins diam at base & 12 ins high for 1/16 sec cor.
40.30	Pass cor to secs 1. 2. 35 & 36 Land mountainous & broken. Bunch grass in patches Soil sandy 2nd rate
	From the 1/4 sec cor on line bet secs 2 & 35 Down West on a random line bet secs 2 & 35 Var 16° 15' E.
12.15	Dry creek course N.
20.00	Set temporary 1/16 sec cor. land rough & broken Soil 3rd rate
40.50	Pass cor to secs 2. 3. 34 & 35 which is a sandstone 18 x 10 x 3 ins marked with 11 notches on E & 4 notches on W face. Placed in a stone mound. From this cor Down East on a true line bet secs 2 & 35 with the same var.
20.25	Set a sandstone 18 x 17 x 3 ins marked on E face "1/16" in a mound of sand 30 ins diam at base & 18 ins high for 1/16 sec cor.
40.50	Pass 1/4 sec cor on line bet secs 2 & 35 Land mountainous & broken. Bunch grass in places Soil sandy - 3rd rate
	From the cor to secs 2. 3. 34 & 35 Down West on a random line bet secs 3 & 34 Var 16° 15' E.
10.00	Dry creek course N.
20.00	Set temporary 1/16 sec cor. land rough & broken Soil 3rd rate
40.15	Pass a point 1 ch 50 N of the 1/4 sec cor on line bet secs

Exteriors T. 9 S. R. 19 E.

Chains	
	3 & 34 which is a Sandstone 18x10x4 ins marked "1/4" in a stone mound. From this cor I run N 89° 59' E on a true line bet secs 3 & 34 with the same var.
20.07	Set a Sandstone 12x10x5 ins marked of E face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec. cor.
40.15	To the cor to secs 2. 3. 34 & 35. Land mountainous & broken. Soil 2d rate
	From the 1/4 sec cor. on line bet secs 3 & 34 I run West on a random line bet secs 3 & 34 Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land mountainous & broken
32.50	Dry water course, drains to N.
40.25	To a point 7 lks S of the cor to secs 3. 4. 33 & 34 which is a Sandstone 16x9x5 ins marked on E face "111" & on W face "111" in a mound of stone & earth. From this cor I run S 89° 54' E on a true line bet secs 3 & 34 with the same var.
20.12	Set a Sandstone 27x14x3 ins marked on E face "1/4" in a mound of earth 30 ins diam at base & 18 ins high for 1/16 sec. cor.
40.25	To the 1/4 sec cor. on line bet secs 3 & 34 Land mountainous & broken plateau, Grazing good for winter range. Land rocky in places. Soil 3d rate
	From the cor to secs 3. 4. 33 & 34 I run West on a random line bet secs 4 & 33 Var 16° 20' E.
14.00	Dry creek. Course N. E.
20.00	Set temporary 1/16 sec cor. Land broken & rough. Soil 3d rate
31.00	Dry creek. Course N.
39.50	Dry creek. Course N.
40.25	To the 1/4 sec cor. on line bet secs 4 & 33 which is a Sandstone 16x10x5 ins marked "1/4" in a mound of stone. From this cor I run East on a true line bet secs 4 & 33 with the same

Exteriors N.9. S.R. 20 E.

	var.
20.12	Set a sandstone 18x12x7 ins marked on E face "1" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor.
40.25	To the cor to secs 3.4.33 & 34 Land broken & mountainous plateau. Good grazing for winter range. Land rocky in places. Soil 3d rate
	From the 1/4 sec cor on line bet secs 4 & 33 I run West on a random line bet secs 4 & 33 Var 16° 15' E
11.00	Dry creek. Course N
20.00	Set temporary 1/16 sec cor. Land broken & mountainous
21.00	Dry creek. Course N
40.00	To a point 4 lks N of the cor to secs 4.5.32 & 33 which is a sandstone 14x10x6 ins marked on E face "1111" & on W face with 2 notches, situated in a mound of stone. From this cor I run N 89° 57' E on a true line bet secs 4 & 33 with the same var.
20.00	Set a sandstone 22x7x6 ins marked "1/16" on E face in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor.
40.00	To the 1/4 sec cor on line bet secs 4 & 33 Land broken & mountainous plateau. Good grazing for winter range. Land rocky in places. Soil 3d rate
	From the cor to secs 4.5.32 & 33 I run West on a random line bet secs 5 & 32 Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land broken & rough. Soil 3d rate
39.98	To a point 1 lk N of the 1/4 sec cor on line bet secs 5 & 32 which is a sandstone 18x10x6 ins marked "1/4" placed in a mound of stone. From this cor I run N 89° 59' E on a true line bet secs 5 & 32 with the same var.
19.99	Set a sandstone 16x12x3 ins marked on E face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec.

Exterior T. 9 S. R. 21 E.

Chains	
39.98	To the cor to secs 4, 5, 32 & 33
	Land broken & mountainous plateau
	Soil 3d rate
	From the 1/4 sec cor on line bet secs 5 & 32 I run
	West on a random line bet secs 5 & 32
	Var 16° 15' E.
6.00	Dry creek. Course N. W.
20.00	Set temporary 1/16 sec. cor. Land broken & rough. Soil 3d rate
	Thence descend high broken bluffs to Willow creek
40.04	To a point 6 lks S of the cor to secs 5, 6, 31 & 32 which is a Sandstone 16 x 8 x 5 ins marked with 5 notches on E & 1 notch on W face in a mound of stone. From this cor I run
	S. 89° 55' W on a true line bet secs 5 & 32 with the same var.
20.02	Set a Sandstone 16 x 12 x 3 ins marked on E face "1/16" in a mound of earth 30 ins diam at base & 18 ins high for 1/16 sec. cor.
40.04	To the 1/4 sec cor on line bet secs 5 & 32
	Land broken & mountainous
	Soil 3d rate
	From the cor to secs 5, 6, 31 & 32 I run
	West on a random line bet secs 6 & 31
	Var 16° 15' E.
12.00	Willow creek, which is dry ravine or water course
20.00	Set temporary 1/16 sec. cor. Land rough & broken. Soil 3d rate
40.01	To the 1/4 sec. cor. on line bet secs 6 & 31 which is a Sandstone 12 x 8 x 6 ins in a mound of stone. From this cor I run
	East on a true line bet secs 31 & 6 with the same var.
20.01	Set a Sandstone 23 x 8 x 7 ins marked on E face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec. cor.
	Land broken & mountainous. Grazing on bluff.
40.01	To 1/4 sec cor. Cor Secs 5, 6, 31 & 32
	Soil 3d rate — Sandy
	From the 1/4 sec cor on line bet secs 6 & 31 I run
	West on a random line bet secs 6 & 31
	Var 16° 15' E.

Exteriors T 9 S R 20 E

Chains	
20.00	Set temporary 1/16 sec cor. Land broken. Soil 3d rate
56.15	To the cor to Tps 9 & 10 S R 19 & 20 E which is a sandstone 24 x 8 x 6 ins properly marked & placed in a stone mound which I rebuilt. It stands on level ground & can be seen for some distance. Thence I run East on a true line bet secs 6 & 31 with the same var.
36.15	Set a sandstone 18 x 7 x 6 ins marked "1/16" on E face in a mound of earth 30 ins diam at base & 18 ins high for 1/16 sec cor.
56.15	To the 1/4 sec cor on line bet secs 6 & 31
	Land broken & mountainous
	Soil sandy 3d rate
	Grazing on bluffs
	July 17th 1882

West Boundary.

Survey commenced July 18 1882 with Gurley's Transit in good adjustment for level, azimuth & collimation. Chain compared with & corrected by Stackpole's Standard Steel Tape.

I commence at the cor to Tps 9 & 10 S Rs 19 & 20 which is a sandstone 24 x 8 x 6 ins in a large mound of stones. Thence I run

Chains	
	North on a random line bet secs 31 & 36
	Var 16° 15' E.
7.50	Dry creek. Course N W
20.00	Set temporary 1/16 sec cor. Land broken. Soil sandy
20.18	Dry creek. Course N W
40.04	To a point 2 lks E of the 1/4 sec cor on line bet secs 31 & 36. This cor is a sandstone 24 x 12 x 3 ins marked "1/4" placed in a mound of stone which I rebuilt. From this cor I run S 00° 02' E on a true line bet secs 31 & 36 with the same var.
20.02	Set a sandstone 22 x 10 x 3 ins marked "1/16" on N face for 1/16 sec cor in a mound of earth 30 ins diam at base & 18 ins high.

Exteriors T. 9 S. R. 20 E.

Chains	
40.04	To the cor to Tps 9 & 10 Rs 19 & 20 E. Land broken & mountainous. Grazing good for upland. Soil Sandy. 2d rate.
	From the 1/4 sec cor on line bet secs 31 & 36 I run North on a random line bet secs 31 & 36 Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land broken Soil 3d rate
35.00	Dry creek. Course E.
40.08	To a point 8 lks W of the cor to secs 25.30.31 & 36 which is a sandstone boulder & mound which I rebuilt. From this cor I run S.00° 07' W on a true line bet secs 31 & 36 with the same var.
20.04	Set a sandstone 30x10x10 ins marked "1/16" on N face in a mound of earth & stone 30 ins diam at base & 20 ins high for 1/16 sec cor.
40.08	To the 1/4 sec cor on line bet secs 31 & 36 Land broken & mountainous. Good grazing for upland Soil 3d rate – Sandy
	From the cor to secs 25.30.31 & 36 I run North on a random line bet secs 25 & 30 Var 16° 15' E
2.00	Enter valley of Willow Creek
20.00	Set temporary 1/16 sec cor. Land broken & mountainous
29.00	Dry creek. Course N.E.
35.00	West side of butte & water course
40.10	To a point 17 lks W of the 1/4 sec cor on line bet secs 25 & 30 which is a sandstone 15x10x5 ins marked "1/4" in a mound of earth & stone From this cor I run S.00° 15' W on a true line same var
20.05	Set a sandstone 18x16x2 ins marked on N face "1/16" in a mound of earth 30 ins diam at base & 18 ins high for 1/16 sec cor
40.10	To the cor to secs 25.30.31 & 36. Land broken & mountainous. Good grazing for upland Soil Sandy 2d rate Numerous ledges of sandstone

B

Exteriors T. 9 S. R. 21 E.

chain	From the 1/4 sec cor on line bet secs 25
	Var 16° 15' E
3.00	To wide creek
16.80	Dry creek. Course N. E.
20.00	Set temporary 1/16 sec cor. Land broken & rough. Soil 3d rate
34.90	Dry creek. Course N. W.
40.30	To a point 10 lks E of the cor to secs 19, 24, 25 & 30 which is a sandstone 15x10x6 ins marked on N side with 4 notches & on S side with 2 notches placed in a mound of stone which I rebuilt. From this cor I run S. 00° 09' E on a true line bet secs 25 & 30 with the same var.
20.15	Set a sandstone 16x12x7 ins marked on N face "1/16" in a mound of stone & earth 30 ins diam at base & 18 ins high for 1/16 sec cor.
40.30	To the 1/4 sec cor on line bet secs 25 & 30 Land rough & mountainous. Numerous sandstone ledges. Grazing good for uplands Soil 3d rate — Sandy
	From the cor to secs 19, 24, 25 & 30 I run North on a random line bet secs 19 & 24
	Var 16° 15' E
6.00	Leave valley
20.00	Set temporary 1/16 sec cor. Land broken & rough. Soil 3d rate
	Enter valley of Willow Creek
33.00	Willow Creek. Course N. W.
40.30	To a point 5 lks W of the 1/4 sec cor on line bet 19 & 24 which is a cottonwood post mark "1/4" & placed in a mound of earth & stone. From this cor I run S. 00° 04' W on a true line bet secs 19 & 24 with the same var.
20.15	Set a sandstone 18x18x3 ins marked on N face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor.
40.30	To the cor to secs 19, 24, 25 & 30 Land broken & mountainous or Soil 1st rate in valley, 3d rate on bl[illegible] Bunch grass [illegible]

Calvin No. 1 Rod Notes

24	Thence N 0° on a line bet sec 19 & 24 to a
	North on a random line bet sec 19 & 24.
	Var 16° 15' E.
5.00	Leave willow creek valley & ascend
20.00	Set temporary 1/16 sec cor. Land mountainous, soil 3rd rate
36.50	Dry creek. Course W.
40.40	To a point 10 links W of the sec cor on lines sec 13, 18, 19 & 24
	which is a Cauldron 14x8x6 ins marked with
	3 notches on N face & 3 notches on S face in a
	mound of earth & stone. Thence cor 2 nam
	S 00° 09' W on a true line bet sec 19 & 24
	with the same cor.
30.20	Set a Cauldron 18x18x3 ins marked on N face 1/16
	in a mound of earth & stone 30 ins diam
	at base & 12 ins high for 1/16 sec cor.
40.40	Pocket 1/4 sec cor. on line bet sec 19 & 24
	Land mountainous broken or rough. Bunch grass
	soil sandy & 2nd rate
	Thence on the sec 13, 18, 19 & 24. 2 nam
	North on a random line bet sec 13 & 18.
	Var 16° 15' E
0.50	Dry creek. Course W.
30.00	Set temporary 1/4 sec cor. Land mountainous, soil 3rd rate
37.00	Dry creek. Course S.
40.16	To a point 3 links E of the 1/4 sec cor on line bet sec
	13 & 18. Thence this cor. 2 nam
	S 00° 02' E on a true line bet sec 13 & 18
	with the same cor.
20.08	Set a Cauldron 32x5x4 ins marked on N face 1/16
	in a mound of earth & stone 30 ins diam at
	base & 12 ins high for 1/16 sec cor.
40.16	Pocket cor to sec 13, 18, 19 & 24.
	Land mountainous & broken or rough. Bunch grass in places.
	Soil 1st rate
	Thence 1/4 sec cor on line bet sec 13 & 18. 2 nam
	North on a random line bet sec 13 & 18
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land rough & broken, soil 3rd rate
40.12	To a point 2 links W of the cor to sec 7, 12, 13 & 18 2 nam

Exteriors T. 9 S. R. 20 E.

chains	
	which is a sandstone 10x10x6 ins marked on N face with 2 notches & on S. face with 4 notches. From this cor. I run S. 00° 18' W. on a true line with the same var. bet secs 13 & 18.
20.06	Set a sandstone 30x6x5 ins marked on N face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec. cor.
40.12	To the 1/4 sec cor. on line bet secs 13 & 18. Land mountainous & broken. Soil 3d rate.
	From the cor to secs 7, 12, 13 & 18. I run North on a random line bet secs 7 & 12. Var 16° 20' E.
20.00	Set temporary 1/16 sec cor. Land broken & rough. Soil 3d rate.
40.03	To a point 25 lks W. of the 1/4 sec cor. on line bet secs 7 & 12 which is a sandstone boulder marked "1/4". From this cor. I run S. 00° 21' W. on a true line bet secs 7 & 12 with the same var.
20.01	Set a sandstone 36x6x5 ins marked on N face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec. cor.
40.03	To the cor. to secs 7, 12, 13 & 18. Land rough broken & mountainous. Soil 3d rate.
	From the 1/4 sec cor. on line bet secs 7 & 12 I run North on a random line bet secs 7 & 12. Var 16° 15' E.
10.00	Enter valley of Green River.
20.00	Set temporary 1/16 sec cor. Land mountainous. Soil 3d rate.
40.04	To a point 16 lks W. of the cor to secs 1, 6, 7 & 12 which is a cottonwood post in a mound. This cor. being nearly obliterated I set a new cottonwood post 4 ft long 4 ins sq. 18 ins deep in the ground & surround it with mound of earth. I also dig pits 18x12x12 in each section. Thence I run S. 00° 14' W. on a true line bet secs 7 & 12 with

Exteriors T. 9 S. R. 20 E.

Chains	
	the same var.
20.02	Set a sandstone 30 x 6 x 4 ins marked on N face 1/16 in a mound of earth 30 ins diam at base & 18 ins high for 1/16 sec. cor.
40.04	To the 1/4 sec. cor. on line bet secs. 7 & 12 Land mountainous & broken — rocky. Soil 3d rate
	From the cor to secs. 1, 6, 7 & 12 I run North on a random line bet secs 1 & 6 Var 16° 15' E.
	Through scattering timber & dense underbrush.
20.00	Set temporary 1/16 sec. cor. Land level valley. Soil 1st rate
40.01	To the 1/4 sec. cor. on line bet secs. 1 & 6 which is a cottonwood post marked "1/4" in a mound of earth. From this cor I run South on a true line bet secs 1 & 6 with the same var.
20.00	Set a cottonwood post 4 ft long 4 ins sq marked "1/16" on N face in a mound of earth 36 ins diam at base & 18 ins high for 1/16 sec cor. Dug pits 18 x 12 x 12 ins N & S of the post 5 ft dist.
40.01	To the cor to secs 1, 6, 7 & 12 Land level valley. Dense brush & scattering timber Soil 1st rate. alluvial
	From the 1/4 sec. cor. on line bet secs 1 & 6 I run North bet secs 1 & 6. Var 16° 15' E.
20.00	Set a cottonwood post 3 ft long 3 ins sq. marked "1/16" on N face 18 ins deep in the ground for 1/16 sec cor. Dug pits 18 x 18 x 12 ins N & S of post 5 ft dist & raised a mound of earth 36 ins diam at base & 18 ins high around the post.
32.00	Left bank of Green River. Course W. N. W. Set a cottonwood post 5 ft long 3 ins sq. marked "M. C." on S. face in the ground 18 ins deep for meander cor. to fractional secs 1 & 6. Raised mound of earth around. Land level river bottom. Dense brush & scattering timber. Soil 1st rate — alluvial
	July 18, 1882

Examined by .....

Compared by .....

FIELD NOTES

OF THE SURVEY OF THE

Section Lines

OF

Township No. 9 South.
Range No. 20 East.

OF THE

UINTAH SPECIAL MERIDIAN

IN

Utah Territory,

AS SURVEYED BY

DANIEL G. MAJOR,

U. S. Surveyor,

Under his Contract,

Dated February 23d, 1882.

Survey Commenced, July 19th *1882.*
Survey Completed, July 25th *1882.*

BOOK-A-2

BOOK-A-266 20

Township 9. South of R. 20 E. of Salt Lake Mer.

Terr. of Utah.

6	79	5	63	4	53	3	42	2	31	1	
78		77		62		52		41		30	
7	76	8	62	9	51	10	40	11	29	12	
75		74		61		50		39		28	
18	73	17	60	16	49	15	38	14	27	13	
72		71		59		48		37		26	
19	70	20	58	21	47	22	36	23	25	24	
69		68		57		46		35		24	
30	67	29	56	28	45	27	34	26	23	25	
66		65		55		44		33		22	
31	64	32	54	33	43	34	32	35	21	36	

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terry Con.td

Chains	
	North bet. Secs. 35 and 36 Var. 16°, 15' East.
20.00	Set a sandstone 18 x 10 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous. Soil 2nd Rate.
40.00	Set a sandstone 14 x 12 x 3 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
60.00	Set a sandstone 22 x 10 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
80.00	Set a sandstone 30 x 14 x 4 ins. 12 ins. in ground marked "1111" on N. & E. face on S. & E. face "1" ~~on S. W. face and~~ ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 25, 26, 35 & 36 Land broken and mountainous Grazing good. Soil 2nd & 3rd Rate

BOOK-A-266

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terry. Con'td

Chains	
	East on a random line bet. Secs. 25 and 36 Var. 16°, 15 East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2nd Rate.
80.70	Intersect the N. and S. line at twenty links N. of the corner to Secs. 25, 30, 31 & 36 Land broken and mountainous. Soil 2nd Rate.
	From this corner I run N. 89° 57' W. on a true line between Secs. 25 and 36 with the same var.
20.17	Set a sandstone 30 x 6 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.35	Set a sandstone 26 x 12 x 7 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.43	Set a sandstone 24 x 7 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 15 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.70	To the Corner to Secs. 25, 26, 35 & 36 Land broken and mountainous Grazing good Soil Sandy 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 10 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 25 and 26. Var. 16°, 15' East.
20.00	Set a sandstone 18 x 10 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land mountainous Soil 2nd Rate.
40.00	Set a sandstone 14 x 7 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land mountainous Soil 2nd Rate.
60.00	Set a sandstone 12 x 8 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land mountainous Soil 2nd Rate.
80.00	Set a sandstone 24 x 8 x 4 ins. 12 ins. in ground marked "1111" on N. E. face on S. E. face " " ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 23. 24. 25 & 26 Land rough & mountainous - rocky. Grazing good Soil sandy. 2nd Rate

BUCK-A-266

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 24 and 25. Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land, rough Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land, rough Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land, rough Soil 2nd Rate.
80.12	Intersect the N. and S. line at sunrise links S. of the corner to Secs. 19. 24. 25. 30 Land, rough Soil 2nd Rate.
	From this corner I run S. 89° 52' W. on a true line between Secs. 24 and 25 with the same var.
20.03	Set a sandstone 26 x 8 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.06	Set a sandstone 26 x 8 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.09	Set a sandstone 16 x 7 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 15 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.12	To the Corner to Secs. 23. 24. 25 & 26. Land, rough and mountainous Grazing good Soil Sandy 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terry Con.td

Chains	
	North bet. Secs. 23 and 24 Var. 16°; 15' East.
20.00	Set a sandstone 24 x 4 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land rough and rocky. Soil 2nd Rate.
40.00	Set a sandstone 15 x 6 x 3 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land rough and rocky. Soil 2nd Rate.
60.00	Set a sandstone 10 x 6 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land rough and rocky. Soil 2nd Rate.
80.00	Set a sandstone 24 x 8 x 8 ins. 12 ins. in ground marked "111" on N. E. face on S. E. face "1" ~~on S. W. face and~~ ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 13. 14. 23 & 24 Land rough and mountainous, rocky Grazing good Soil Sandy 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terry. Con.td

Chains	
	East on a random line bet. Secs. 13 and 24 Var. 16°, 15 East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2nd Rate.
80.36	Intersect the N. and S. line at thirteen links N. of the corner to Secs. 13. 18. 19 & 24. Land rough and rocky. Soil 2nd Rate.
	From this corner I run N. 89° 54' W. on a true line between Secs. 13 and 24 with the same var.
20.09	Set a sandstone 16 x 12 x 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.18	Set a sandstone 20 x 10 x 2 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.27	Set a sandstone 18 x 12 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 15 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.36	To the Corner to Secs. 13. 14. 23 & 24 Land rough & mountainous rocky Grazing good Soil dry 2nd Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 13 and 14 Var. 16°, 15' East.
20.00	Set a Sandstone 25 x 5 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rough. Soil 2nd Rate.
40.00	Set a Sandstone 26 x 6 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land rough. Soil 2nd Rate.
60.00	Set a Sandstone 10 x 6 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rough and rocky. Soil 2nd Rate.
80.00	Set a Sandstone 24 x 9 x 8 ins. 12 ins. in ground marked "11" on N. & E. face on S. E. face "1" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 11. 12. 13 & 14 Land rough & mountainous rocky. Grazing. Soil Sandy 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	East on a random line bet. Secs. 12 and 13 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough Soil 2nd Rate
60.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2nd Rate.
80.36	Intersect the N. and S. line at 14 links N of the corner to Secs. 7. 12. 13 & 18 Land rough. Soil 2nd Rate.
	From this corner I run N. 89° 54' W. on a true line between Secs. 12 and 13 with the same var.
20.09	Set a sandstone 16 x 13 x 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.18	Set a sandstone 16 x 14 x 10 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.27	Set a sandstone 20 x 10 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.36	To the Corner to Secs. 11. 12. 13 & 14 Land rough and mountainous Grazing good Soil sandy 2nd Rate
	July 19th 1882.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terry. Con.td

Chains	
	North bet. Secs. 11 and 12 Var. 16°, 15' East.
20.00	Set a Sandstone 18 x 12 x 6 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rough and rocky Soil 2nd Rate.
40.00	Set a Sandstone 20 x 10 x 3 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land rough and rocky Soil 2nd Rate.
60.00	Set a Sandstone 16 x 12 x 2 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rough and rocky Soil 2nd Rate.
80.00	Set a Sandstone 18 x 10 x 8 ins. 12 ins. in ground marked "1" on N. E. face on S. E. face "1" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 1, 2, 11 & 12 Land rough & mountainous rocky Grazing Soil sandy 2nd Rate * I found an old cor. at this point.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terry. Con.td

Chains	
	East on a random line bet. Secs. 1 and 12 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough.
56.00	Top of high rocky cliff. Soil 2nd Rate
60.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2nd Rate.
80.60	Intersect the N. and S. line at 23 links N. of the corner to Secs. 1. 6. 7 & 12 Land rough and rocky Soil 2d Rate.
	From this corner I run N. 89° 50' W. on a true line between Secs. 1 and 12 with the same var.
20.15	Set a Sandstone 18 x 12 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.30	Set a Sandstone 18 x 8 x 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.45	Set a Sandstone 24 x 8 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 15 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.60	To the Corner to Secs. 1. 2. 11 & 12 Land rough Grazing good Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 7 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	Northerly a random line bet. Secs. 1 and 2 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level.
26.00	Leave bluffs Soil 1st Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Soil 1st Rate.
80.72	Intersect the N. Boundary of the township at 71 links W. of the corner to Secs. 1. 2. 35 & 36 Land level Soil 1st Rate.
	From this corner I run S. 00° 09' W. on a true line bet. Secs. 1 and 2 with the same var.
20.72	Set a sandstone 18 × 5 × 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.72	Set a sandstone 14 × 8 × 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.72	Set a sandstone 18 × 14 × 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.72	To the Corner to Secs. 1. 2. 11 & 12 Land level Grazing good Soil alluvial 1st Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terry. Con.td

Chains	North bet. Secs. 34 and 35. Var. 16° 15' East.
20.00	Set a sandstone 20 x 10 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken & rough. Soil 2nd Rate.
40.00	Set a sandstone 14 x 6 x 6 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken and rough Soil 2nd Rate.
60.00	Set a sandstone 30 x 10 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and rough. Soil 2nd Rate.
80.00	Set a sandstone 28 x 10 x 6 ins. 12 ins. in ground marked "1111" on N. & E. face on S. E. face "11" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 26. 27. 34 & 35 Land broken & mountainous Grazing good Soil Sandy 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 26 and 35 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
80.26	Intersect the N. and S. line at 18 links S. of the corner to Secs. 25. 26. 35. 36 Land broken and rough Soil 2d Rate.
	From this corner I run S. 89° 52' W. on a true line between Secs. 26 and 35 with the same var.
20.06	Set a sandstone 20 X 8 X 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.13	Set a sandstone 20 X 8 X 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high, dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.19	Set a sandstone 24 X 10 X 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.26	To the Corner to Secs. 26. 27. 34 & 35 Land broken and mountainous Grazing good Soil Sandy 2nd Rate

2014

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Cont.d

Chains	
	North bet. Secs. 26 and 27 Var. 16° 15' East.
20.00	Set a Sandstone 16 x 12 x 6 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land, broken and rough. Soil 2nd Rate.
40.00	Set a Sandstone 18 x 12 x 6 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken and rough. Soil 2nd Rate.
60.00	Set a Sandstone 15 x 10 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and rough. Soil 2nd Rate.
80.00	Set a Sandstone 24 x 10 x 4 ins. 12 ins. in ground marked "1/1" on N. & E. face on S. & E. face "1/1" ~~on S. W. face and~~ ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 22, 23, 26 & 27 Land broken & mountainous Grazing good Soil sandy loam Rate 2nd.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 23 & 26 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d Rate.
80.60	Intersect the N. and S. line at 27 links S. of the corner to Secs. 23. 24. 25. 26 Land, broken Soil 2d Rate.
	From this corner Run S. 89°, 48' W. on a true line between Secs. 23 and 26 with the same var.
20.15	Set a sandstone 22 x 10 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.30	Set a sandstone 20 x 10 x 6 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.45	Set a sandstone 22 x 10 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.60	To the Corner to Secs. 22. 23. 26 & 27 Land broken and mountainous Grazing good. Soil sandy loam Rate 2nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.d

Chains	
	North bet. Secs. 22 and 23 Var. 16° 15' East.
20.00	Set a sandstone 16 x 10 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken Soil 2nd Rate.
40.00	Set a sandstone 15 x 12 x 6 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land, broken Soil 2d Rate.
60.00	Set a sandstone 15 x 12 x 6 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken & rough Soil 2d Rate.
80.00	Set a sandstone 30 x 4 x 4 ins. 12 ins. in ground marked "111" on N. & face on S. & face "11" ~~on S. W. face and~~ ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 14. 15. 22. 23 Land broken and mountainous. Grazing good Soil sandy loam Rate 2d. July 20th 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 14 & 23 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d. Rate.
80.26	Intersect the N. and S. line at 28 links S. of the corner to Secs. 13. 14. 23. 24 Land broken and rough Soil 2d. Rate.
	From this corner I run S. 89° 48' W. on a true line between Secs. 14 and 23 with the same var.
20.06	Set a sandstone 30 X 4 X 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.13	Set a sandstone 36 X 4 X 2 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.19	Set a sandstone 20 X 8 X 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.26	To the Corner to Secs. 14. 15. 22 & 23 Land broken rough mountainous Grazing good. Soil clay loam Rate 2d.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20 E. Salt Lake Mer. Utah Terry Con.td

Chains	North bet. Secs. 14 and 15 Var. 16°, 15' East.
20.00	Set a sandstone 24 x 12 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land, rough & rocky. Soil 2nd Rate.
40.00	Set a sandstone 20 x 10 x 10 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land rough and rocky. Soil 2d Rate.
60.00	Set a sandstone 16 x 8 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land rough and rocky. Soil 2d Rate.
80.00	Set a sandstone 20 x 10 x 8 ins. 12 ins. in ground marked "11" on N. & E. face on S. E. face "11" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 10. 11. 14. 15 Land rough and rocky Grazing in patches Soil sandy loam Rate 2d.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 11 & 14 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d. Rate.
80.50	Intersect the N. and S. line at 24 links S. of the corner to Secs. 11. 12. 13 & 14 Land broken Soil 2d. Rate.
	From this corner Run N. 89° 50' W. on a true line between Secs. 11 and 14 with the same var.
20.12	Set a sandstone 7 x 8 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.25	Set a sandstone 20 x 10 x 10 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.37	Set a sandstone 18 x 12 x 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.50	To the Corner to Secs. 10. 11. 14 & 15. Land broken & mountainous Grazing Secondy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains North bet. Secs. 10 and 11
Var. 16° 15 East.

20.00 Set a sandstone 20 x 12 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor.
Land very rough and rocky
Soil 2d. Rate.

40.00 Set a sandstone 18 x 12 x 12 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor.
Land very rough & rocky
Soil 2d. Rate.

60.00 Set a sandstone 16 x 10 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor.
Land very rocky
Soil 2d. Rate.

80.00 Set a sandstone 18 x 14 x 10 ins. 12 ins. in ground marked "1" on N. E. face on S. E. face "11" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 2, 3, 10, 11
Land rough & mountainous - rocky
Grazing.
Soil sandy 2d. Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	East on a random line bet. Secs. 2 and 11. Var: 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d. Rate.
80.60	Intersect the S & S line at 28 links N. of the corner to Secs. 1. 2. 11 & 12 Land broken Soil 2d. Rate
	From this corner I run N. 89° 48' W. on a true line between Secs. 2 and 11 with the same var.
20.15	Set a sandstone 12 x 12 x 12 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.30	Set a sandstone 24 x 10 x 6 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.45	Set a sandstone 30 x 10 x 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.60	To the Corner to Secs. 2. 3. 10 & 11 Land broken & mountainous Grazing Soil clay & sandy Rate 3d.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terry Con.td

Chains	
	North on a random line bet. Secs. 2 and 3. Var. 16°, 15 East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough
25.00	Foot of bluffs Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level Soil 1st Rate.
80.30	Intersect the Tp line at 20 links W. of the corner to Secs. 2. 3. 34. 35 Land level Soil 1st Rate
	From this corner I run S. 00° 09' W. on a true line between Secs. 2 and 3 with the same var.
20.30	Set a sandstone 24 x 15 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.30	Set a sandstone 38 x 18 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.30	Set a sandstone 24 x 15 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.30	To the Corner to Secs. 2. 3. 10 & 11 Land level 55 chs. 25.30 chs. mountainous Grazing along river Soil sandy 1st Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	North bet. Secs. 33 and 34 Var. 16°, 15' East.
20.00	Set a sandstone 16 x 10 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and rocky Soil 3d. Rate.
40.00	Set a sandstone 14 x 10 x 10 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken & rocky Soil 3d. Rate.
60.00	Set a sandstone 15 x 10 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken. Soil 3d. Rate.
80.00	Set a sandstone 26 x 10 x 8 ins. 12 ins. in ground marked "1111" on N. & E. face on S. E. face "111" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 27. 28. 33. 34 Land broken & mountainous rocky Grazing Soil 3d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 27 & 34 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 3d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 3d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 3d Rate.
80.64	Intersect the N. and S. line at 26 links N. of the corner to Secs. 26. 27. 34. 35 Land broken. Soil 2d. Rate.
	From this corner I run N. 89° 49' W on a true line between Secs. 27 and 34 with the same var.
20.16	Set a sandstone 22 x 10 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.32	Set a sandstone 18 x 10 x 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.48	Set a sandstone 18 x 12 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.64	To the Corner to Secs. 27. 28. 33 & 34 Land broken & mountainous Grazing in patches Soil sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 27 and 28 Var. 16°, 15' East.
20.00	Set a sandstone 18 x 12 x 10 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken Soil 2d. Rate.
40.00	Set a sandstone 14 x 12 x 10 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken Soil 2d. Rate.
60.00	Set a sandstone 15 x 8 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken. Soil 2d. Rate.
80.00	Set a sandstone 22 x 10 x 6 ins. 12 ins. in ground marked "1111" on N. E. face on S. E. face "111". ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 21, 22, 27, 28. Land broken and mountainous Grazing in patches Soil light 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terry. Con.td

Chains	
	East on a random line bet. Secs. 22 & 27 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 2d. Rate.
80.70	Intersect the N. and S. line at 38 links N. of the corner to Secs. 22. 23. 27. 28. Land rolling. Soil 2d. Rate.
	From this corner I run N. 89° 44' W. on a true line between Secs. 22 and 27 with the same var.
20.05	Set a sandstone 16 x 6 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.10	Set a sandstone 14 x 10 x 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.15	Set a sandstone 16 x 10 x 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.20	To the Corner to Secs. 21. 22. 27 & 28 Land rolling Grazing Soil Sandy 2d. Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20E. Salt Lake Mer. Utah Terry Con.td

Chains	
	North bet. Secs. 21 and 22 Var. 16° 15' East.
20.00	Set a sandstone 16 x 8 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land, rolling Soil 2d. Rate.
40.00	Set a sandstone 14 x 8 x 3 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land, rolling Soil 2d. Rate.
60.00	Set a sandstone 20 x 10 x 10 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land, rolling Soil 2d. Rate.
80.00	Set a sandstone 36 x 9 x 3 ins. 12 ins. in ground marked "111" on N. & E. face on S. E. face "111" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 15. 16. 21 & 22 Land, rolling Grazing good Soil Sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terry. Con.td

Chains	
	East on a random line bet. Secs. 15 and 22 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 2d. Rate.
80.12	Intersect the N. and S. line at 28 links N. of the corner to Secs. 14. 15. 22. 23 Land rolling Soil 2d. Rate.
	From this corner I run N. 89° 48' W. on a true line between Secs. 15 and 22 with the same var.
20.03	Set a sandstone 24 x 14 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.06	Set a sandstone 30 x 14 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.09	Set a sandstone 36 x 8 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.12	To the Corner to Secs. 15. 16. 21 & 22 Land rolling Grazing Soil sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	North bet. Secs. 15 and 16 Var. 16°, 15' East.
20.00	Set a sandstone 16 x 10 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land level Soil 2d Rate.
40.00	Set a sandstone 20 x 10 x 2 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land, level Soil 2d Rate.
60.00	Set a sandstone 14 x 12 x 2 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land level Soil 2d Rate.
80.00	Set a sandstone 24 x 14 x 4 ins. 12 ins. in ground marked "1" on N. E. face on S. E. face "111" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 9. 10. 15. 16 Land level Grazing good Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 10 and 15 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level Soil 2d. Rate.
80.70	Intersect the N. and S. line at 36 links N. of the corner to Secs. 10. 11. 14 & 15 Land, level Soil 2d. Rate.
	From this corner I run N. 89° 45' W. on a true line between Secs. 10 and 15 with the same var.
20.17	Set a sandstone 18 x 5 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.35	Set a sandstone 18 x 10 x 10 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.52	Set a sandstone 16 x 15 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.70	To the Corner to Secs. 9. 10. 15. 16. Land, level Grazing Soil Sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 9 and 10 Var. 16° 15' East.
20.00	Set a sandstone 24 x 8 x 2 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land, rough and rocky Soil 2d. Rate.
40.00	Set a sandstone 22 x 10 x 3 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land, rough and rocky Soil 2d. Rate.
60.00	Set a sandstone 18 x 10 x 2 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land, rough and rocky Soil 2d. Rate.
80.00	Set a sandstone 18 x 10 x 2 ins. 12 ins. in ground marked "1" on N. E. face on S. E. face "111" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 3. 4. 9 & 10 Land, rough and rocky Grazing Soil Sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 3 & 10 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough. Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2d Rate.
80.50	Intersect the N. and S. line at 28 links N. of the corner to Secs. 2. 3. 10 & 11 Land rough and rocky Soil 2d. Rate.
	From this corner I run N. 89° 48' W. on a true line between Secs. 3 and 10 with the same var.
20.12	Set a sandstone 18 x 6 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.25	Set a sandstone 24 x 6 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.37	Set a sandstone 15 x 12 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.50	To the Corner to Secs. 3. 4. 9. & 10 Land rough & mountainous - rocky Grazing Soil sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	North bet. Secs. 3 and 4
	Var. 16° 15' East.
20.00	Foot of bluffs
	Set a Cottonwood post 48 x 3 x 3 ins. 12 ins in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist 5 ft. from mound for 1/16 Sec. Cor.
	Land mountainous
	Soil 2d rate.
40.00	Set a sandstone 16 x 6 x 4 ins. 12 ins in ground marked "1/4" on N. face in a mound of earth 30 ins. diam at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor.
	Land level.
	Soil 2d Rate.
60.00	Set a sandstone 14 x 8 x 6 ins 12 ins in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins N. and S. dist. 5 ft from mound for 1/16 Sec. Cor.
	Land level
	Soil 1st Rate.
80.32	Left bank of White River.
	Set a Cottonwood post 36 x 3 x 3 ins. 12 ins in ground marked "M. C." on S. face in a mound of earth 36 ins. diam. at base and 30 ins. high for meander Cor.
	Land level on 61.32 chs. 20 chs. mountainous
	Grazing excellent.
	Soil Alluvial 1st Rate. ?
	July 22. 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20 E. Salt Lake Mer. Utah Terry Cont.d

Chains	North bet Secs. 32 and 33 Var. 16° 15' East
20.00	Set a sandstone 24×10×3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam at base and 18 ins. high; dug 2 pits 18×12×12 ins. N and S dist. 5 ft from mound for 1/16 Sec. Cor. Land mountainous Soil 2d Rate.
40.00	Set a sandstone 22×12×6 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins diam. at base and 20 ins. high; dug 2 pits 18×12×12 ins N and S dist. 5 ft. from mound for 1/4 Sec. Cor. Land mountainous Soil 2d Rate.
60.00	Set a sandstone 30×22×2 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam at base and 18 ins high; dug 2 pits 18×12×12 ins. N and S., dist. 5 ft from mound for 1/16 Sec. Cor. Land mountainous Soil 2d Rate.
80.00	Set a sandstone 26×12×4 ins. 12 ins. in ground marked "IIIII" on N. face and on E. face "IIII" in a mound of earth 36 ins diam. at base and 30 ins. high; dug pits 18×18×12 in each Section 5 ft dis from mound for Corner to Secs. 28, 29, 32 & 33 Land mountainous — rocky bluffs Grazing good Soil 2d Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 28 & 33 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2d Rate.
80.54	Intersect the N. and S. line at 24 links N. of the corner to Secs. 27, 28, 33 & 34 Land rough Soil 2d. Rate.
	From this corner I run N. 89° 50' W. on a true line between Secs. 28 and 33 with the same var.
20.13	Set a sandstone 16 x 14 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.27	Set a sandstone 18 x 7 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.40	Set a sandstone 20 x 17 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 15 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.54	To the Corner to Secs. 28, 29, 32 & 33 Land rough, mountainous and rocky. Grazing Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 28 and 29 Var. 16°, 30' East.
20.00	Set a sandstone 24 x 10 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land rough and rocky Soil Sc. Rate.
40.00	Set a sandstone 18 x 16 x 2 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land rough and rocky Soil Sc. Rate.
60.00	Set a sandstone 14 x 12 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land rough and rocky Soil Sc. Rate.
80.00	Set a sandstone 48 x 14 x 4 ins. 12 ins. in ground marked "1111" on N. & E. face on S. E. face "1111" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 20. 21. 28. 29 Land rough mountainous - rocky Grazing Good Soil Sandy Sc. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terry Con.td

Chains	
	East on a random line bet. Secs. 21 & 28 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2d Rate.
80.64	Intersect the N. and S. line at 12 links S. of the corner to Secs. 21. 22. 27 & 28 Land rough and rocky Soil 2d Rate.
	From this corner I run S. 89° 55' W. on a true line between Secs. 21 and 28 with the same var.
20.16	Set a sandstone 22 x 14 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.32	Set a sandstone 16 x 13 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.48	Set a sandstone 20 x 14 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.64	To the Corner to Secs. 20. 21. 28 & 29 Land rough & mountainous rocky Grazing good Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 20 and 21 Var. 16° 15' East.
20.00	Set a sandstone 15 x 6 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land gently rolling Soil 1st Rate.
40.00	Set a sandstone 30 x 8 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land gently rolling Soil 1st Rate.
58.00	Rocky ledge
60.00	Set a sandstone 20 x 18 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land gently rolling Soil 1st Rate.
80.00	Set a sandstone 20 x 14 x 8 ins. 12 ins. in ground marked "111" on N. E. face on S. E. face "1111" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 16. 17. 20 21. Land gently rolling Grazing Soil light 1st Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 16 & 21 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land gently rolling Soil 1st Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land gently rolling Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 1st Rate.
80.26	Intersect the N. and S. line at 28 links N. of the corner to Secs. 15. 16. 21 & 22 Land gently rolling. Soil 1st Rate.
	From this corner I run N. 89° 48' W. on a true line between Secs. 16 and 21 with the same var.
20.06	Set a sandstone 36 x 14 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.13	Set a sandstone 30 x 8 x 2 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.19	Set a sandstone 24 x 10 x 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.26	To the Corner to Secs. 16. 17. 20 & 21 Land gently rolling Grazing Soil 1st Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terry. Con.td

Chains	North bet. Secs. 16 and 17 Var. 16°, 15' East.
20.00	Set a sandstone 24 x 16 x 2 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land gently rolling Soil 2d. Rate.
40.00	Set a sandstone 24 x 8 x 2 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land gently rolling Soil 2d. Rate.
60.00	Set a sandstone 30 x 8 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land gently rolling Soil 2d. Rate.
80.00	Set a sandstone 24 x 6 x 6 ins. 12 ins. in ground marked "11" on N. E. face on S. E. face "1111" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 8. 9. 16 & 17 Land gently rolling Grazing good Soil sandy 2d. Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 9 & 16 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 2d Rate.
80.08	Intersect the N. and S. line at 6 links S. of the corner to Secs. 9. 10. 15. 16 Land gently rolling Soil 2d Rate.
	From this corner I run S. 89° 57' W. on a true line between Secs. 9 and 16 with the same var.
20.02	Set a sandstone 20 x 8 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.04	Set a sandstone 18 x 6 x 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.06	Set a sandstone 18 x 6 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.08	To the Corner to Secs. 8. 9. 16 & 17 Land gently rolling Grazing Soil Sandy 2d Rate July 23. 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains North bet. Secs. 8 and 9
Var. 16° 15' East.

20.00 Set a sandstone 16 x 5 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor.
Land rolling
Soil 2d. Rate.

40.00 Set a sandstone 18 x 5 x 5 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor.
Land rolling.
Soil 2d. Rate.

60.00 Set a sandstone 14 x 8 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor.
Land rolling
Soil 2d. Rate.

80.00 Set a sandstone 18 x 10 x 6 ins. 12 ins. in ground marked "/" on N. E. face on S. E. face "////" on S. W. face and on N. W. face in a mound of earth 36 ins. diam. at base and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 4. 5. 8 & 9
Land rolling 60 chs. 1. 20 chs. mountainous
Grazing good
Soil sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet Secs. 4 & 9 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough. Soil 2d rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rough Soil. 2d rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough. Soil 2d Rate.
80.54	Intersect the T. and S. line at 30 links S. of the corner to Secs. 3. 4. 9 & 10 Land rough and mountainous Soil 2d Rate
	From this corner run S. 89° 47' W. on a true line between Secs 4 and 9 with the same Var.
20.13	Set a sandstone 22 x 12 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam at base and 18 ins. high; dug 2 pits 18 x 12 x 12 E and W., dist 5 ft. from mound for 1/16 Sec. Cor.
40.27	Set a sandstone 14 x 8 x 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam at base and 20 ins high; dug 2 pits 18 x 12 x 12 ins. E and W. dist 5 ft. from mound for 1/4 Sec. Cor.
60.40	Set a sandstone 18 x 10 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins diam. at base and 18 ins high; dug 2 pits. 18 x 12 x 12 ins. E and W. dist 5 ft. from mound for 1/16 Sec. Cor.
80.54	To the Corner to Secs. 4. 5. 8 & 9 Land rough & mountainous Grazing good. Soil 2d Rate.
	North bet Secs. 4 and 5 Var. 16° 15 E.
5.00	Foot of rocky bluff
20.00	Set a sandstone 18 x 14 x 4 ins. 12 ins in ground marked "1/16" on E. face in a mound

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	of earth 30 ins. diam. at base and 18 ins high; dug 2 pits 18×12×12 ins. N. and S. dist 5 ft from mound for 1/16 Sec. Cor. Land mountainous. Soil 1st Rate.
25.00	Left bank of Green River Course S.W. Set a cottonwood post 36×3×3 ins. 12 ins in ground marked "M.C." on N. face in a mound of earth 30 ins diam. at base and 20 ins. high; Meander Cor. Land mountainous Soil 1st Rate. North bet Secs. 31 and 32. Var. 16° 15' East.
30.00	Set a sandstone 16×12×4 ins. 12 ins in ground mark "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins high; dug 2 pits 18×12×12 ins. N. and S. dist. 5 ft from mound for 1/16 Sec. Cor. situated on bluff. Land rough & mountainous. Soil 2d Rate.
40.00	Set a sandstone 20×10×6 ins 12 ins in ground marked "1/4" on N. face in a mound of earth 30 ins. diam at base and 20 ins. high dug 2 pits 18×12×12. N. and S. dist 5 ft from mound for 1/4 Sec. Cor. Land rough Soil 2d Rate.
60.00	Set a sandstone 16×8×4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18×12×12 ins. N. and S. dist 5 ft. from mound for 1/16 Sec. Cor. Land rough Soil 2d Rate.
80.00	Set a sandstone 30×8×4 ins 12 ins. in ground marked "1111" on N. face and "1111" on E. face in a mound of earth 36 ins. diam. at base and 30 ins. high; dug pits 18×18×12 ins. in each Section 5 ft d. from mound for Corner to Secs. 29. 30. 31 & 32. Land rough and mountainous Grazing good for upland. Soil Sandy 2d Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	East on a random line bet. Secs. 29 and 32. Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough. Soil 2d Rate.
80.40	Intersect the N. & S. line at 20 links N of the corner to Secs. 28. 29. 32 33 Land rough Soil 2d Rate
	From this corner I run N. 89° 57' W. on a true line between Secs. 29 and 32 with the same var.
20.10	Set a sandstone 18 x 10 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.20	Set a sandstone 16 x 8 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.30	Set a sandstone 19 x 10 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.40	To the Corner to Secs. 29. 30. 31 & 32 Land rough and mountainous Grazing Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Ferry Coy.

Chains.	
	West on a random line bet. Secs. 30 and 31 Var. 16°, 15 East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough. Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough. Soil 2d. Rate.
45.00	Water course
60.00	Set a temporary 1/16 Sec. Cor. Land rough. Soil 2d. Rate.
95.60	Intersect the T/p. line at 50 links S. of the corner to Secs 25. 30. 31. 36 Land rough. Soil 2d. Rate
	From this corner I run S. 89° 39' E. on a true line between Secs. 30 and 31 with the same var.
35.60	Set a sandstone 26 × 10 × 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
55.60	Set a sandstone 18 × 8 × 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
75.60	Set a sandstone 20 × 10 × 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
95.60	To the Corner to Secs. 29. 30. 31 & 32, Land very rough and mountainous Grazing good Soil sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 29 and 30 Var. 16° 15' East.
20.00	Set a sandstone 22 x 16 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken Soil 2d Rate.
40.00	Set a sandstone 18 x 14 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken and mountainous Soil 2d Rate.
60.00	Set a sandstone 14 x 12 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous. Soil 2d Rate.
80.00	Set a sandstone 24 x 12 x 4 ins. 12 ins. in ground marked "111" on N. & E. face on S. E. face "1111" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 19, 20, 29, 30 Land broken and mountainous. Grazing good Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 20 & 29 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Soil 2nd Rate.
80.60	Intersect the N. and S. line at 24 links N. of the corner to Secs. 20. 21. 28 & 29 Land, broken. Soil 2nd Rate.
	From this corner I run N. 89° 50' W. on a true line between Secs. 20 and 29 with the same var.
20.15	Set a sandstone 14 x 10 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.30	Set a sandstone 15 x 10 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.45	Set a sandstone 16 x 12 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 15 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.60	To the Corner to Secs. 19. 20. 29 & 30 Land broken and mountainous Grazing good for upland Soil stony 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	Nest. on a random line bet. Secs. 19 and 30 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 2d. Rate.
63.00	Water course
95.08	Intersect the W. Boundary of the township at 28 links N. of the corner to Secs. 19. 24. 25. 30 Land rolling Soil 2d. Rate.
	From this corner I run N. 89° 48' E. on a true line bet. Secs. 19 and 30 with the same var.
35.08	Set a sandstone 18 × 10 × 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
55.08	Set a sandstone 30 × 10 × 10 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
75.08	Set a sandstone 20 × 8 × 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
95.08	To the Corner to Secs. 19. 20. 29 & 30 Land rolling Grazing good for upland Soil sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 19 and 20 Var. 16° 15' East.
20.00	Set a sandstone 20 x 10 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land, rough and mountainous Soil 2d. Rate.
40.00	Set a sandstone 24 x 8 x 8 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land, rough and mountainous. Soil 2d. Rate.
60.00	Set a sandstone 12 x 10 x 6 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rough. Soil 2d. Rate.
80.00	Set a sandstone 30 x 16 x 2 ins. 12 ins. in ground marked "III" on N. & E. face on S. & E. face "IIIII" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 17. 18. 19. 20. Land broken and mountainous Grazing good Soil sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terry Con.td

Chains.	East on a random line bet. Secs. 17 and 20 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Landpough Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Landpough Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Landpough Soil 2d Rate.
78.50	Intersect the N. & S. line at 17 links W of the corner to Secs. 16. 17. 20. 21 Landpough Soil 2d Rate
	From this corner I run N. 89° 58' W. on a true line between Secs. 17 and 20 with the same var.
20.17	Set a sandstone 24 x 17 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.25	Set a sandstone 36 x 10 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.37	Set a sandstone 30 x 10 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.50	To the Corner to Secs. 17. 18. 19 & 20 Landpough and mountainous Grazing Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	West on a random line bet. Secs. 18 and 19 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 2.d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling Soil 1.st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 1.st Rate.
94.20	Intersect the W. 7 p. line at 40 links S. of the corner to Secs. 13. 18. 19. & 24 Land rolling Soil 1.st Rate
	From this corner I run S. 89° 43' E. on a true line between Secs. 18 and 19 with the same var.
34.20	Set a sandstone 20 × 4 × 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
54.20	Set a sandstone 16 × 6 × 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
74.20	Set a sandstone 18 × 10 × 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
94.20	To the Corner to Secs. 17. 18. 19 & 20 Land gently rolling. Grazing good. Soil sandy 2.d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 17 and 18 Var. 16°, 15' East.
20.00	Set a sandstone 15 x 16 x 7 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling Soil 2d Rate.
40.00	Set a sandstone 20 x 12 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land rolling Soil 2d Rate.
60.00	Set a sandstone 16 x 10 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling. Soil 2d Rate.
80.00	Set a sandstone 42 x 10 x 3 ins. 12 ins. in ground marked "1" on N. & E. face on S. E. face "1111" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 7, 8, 17 & 18 Land rolling Grazing good in patches Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Terr.y Con.td

Chains East on a random line bet. Secs. 8 and 17
Var. 16°; 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land level
Soil 2d Rate.

40.00 Set a temporary 1/4 Sec. Cor. Land rolling
Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land rolling
Soil 2d Rate.

80.30 Intersect the N. and S. line at 16
links N. of the corner to Secs. 8.9. 16 & 17
Land rolling
Soil 2d Rate.

From this corner I run N. 89° 54' W.
on a true line between Secs. 8 and 17
with the same var.

20.07 Set a sandstone 16 x 16 x 2 ins. 12 ins.
in ground marked "1/16" on E. face in a mound
of earth 30 ins. diam. at base, and 18 ins. high;
dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft.
from mound for 1/16 Sec. Cor.

40.15 Set a sandstone 7 x 12 x 10 ins. 12 ins.
in ground marked "1/4" on E. face in a mound
of earth 30 ins. diam. at base, and 20 ins. high;
dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft.
from mound for 1/4 Sec. Cor.

60.22 Set a sandstone 15 x 8 x 3 ins. 12 ins.
in ground marked "1/16" on E. face in a mound
of earth 30 ins. diam. at base, and 18 ins. high;
dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft.
from mound for 1/16 Sec. Cor.

80.30 To the Corner to Secs. 7. 8. 17 & 18
Land rolling
Grazing in patches
Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	West on a random line bet. Secs. 7 and 18 Var. 16°, 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 1st Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 1st Rate.
94.37	Intersect the W. Boundary of the township at 1/16 links S. of the corner to Secs. 7, 12, 13 & 18 Land rolling Soil 1st Rate.
	From this corner I run S. 89° 40' E. on a true line bet. Secs. 7 and 18 with the same var.
34.37	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
54.37	Set a cottonwood post 18 x 3 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
74.37	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
94.37	To the Corner to Secs. 7, 8, 17 & 18 Land rolling Grazing good Soil 1st & 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20 E. Salt Lake Mer. Utah Terry Con.td

Chains	North bet. Secs. 7 and 8 Var. 16° 15' East.
20.00	Set a sandstone 18 x 10 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land gently rolling Soil 2d Rate.
40.00	Set a sandstone 18 x 6 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land gently rolling Soil 2d Rate.
60.00	Set a sandstone 20 x 10 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land gently rolling Soil 2d Rate.
80.00	Walking on side of steep bluff at
83.00	Set a cottonwood post 48 x 4 x 4 ins. 12 ins. in ground marked "5" on N.E. face 8 on S.E. face "7" on S.W. face and "W.C." "6" on N.W. face in a mound of earth 36 ins. diam. at base and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Witness Corner to Secs. 5.6.7 & 8 Land gently rolling Grazing good Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	East on a random line bet. Secs. 5 and 8 Var. 16° 15 East.
4.00	Deep ravine.
20.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 3d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough
70.00	Descend from bluffs
76.00	Deep ravine. Soil 3d Rate.
80.06	Intersect the N S line at 17 links S. of the corner to Secs. 4. 5. 8 & 9 Land rough Soil 3d Rate
	From this corner I run S. 89° 55' W. on a true line between Secs. 5 and 8 with the same var.
20.01	Set a sandstone 20 x 10 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.03	Set a sandstone 18 x 8 x 6 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.04	Set a sandstone 16 x 14 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.06	To the Corner to Secs. 5, 6, 7 & 8 (point) Land very rough and mountainous Grazing good Soil sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	West on a random line bet. Secs. 6 and 7 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough Soil 2d. Rate.
45.00	Enter valley
60.00	Set a temporary 1/16 Sec. Cor. Land rough Soil 2d. Rate.
93.10	Intersect the N. Tp. line at 10 links S. of the corner to Secs. 1, 6, 7 & 12 Land rough Soil 2d. Rate
	From this corner I run S. 89° 56' E. on a true line between Secs. 6 and 7 with the same var.
33.10	Set a sandstone 18 x 16 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
53.10	Set a sandstone 16 x 14 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
73.10	Set a sandstone 18 x 6 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
93.10	To the Corner Point to Secs. 5, 6, 7 & 8 Land rough & very mountainous Grazing good Soil Sandy 2d. Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	North bet Secs. 5 and 6. Var. 16°, 15' East.
11.00	Left bank of Green River Comm. S. A. Set a cottonwood post 36 x 3 x 3 ins. 12 ins in ground marked "N. 6" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits. 18 x 12 x 12 ins N and S. dist 5 ft. from mound for meander Cor. Land mountainous. Soil 2d rate. July 25th 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr.y Con.td

General Description.

This Township is situated with the exception of the north tier of Sections, South of Green River, and the land varies from level bench to high rolling hills, broken by rocky bluffs and ravines. The highest ridge is about the center of the Township, beyond which the land declines both North and South.

Green river meanders through the northern tier of sections, and has a narrow valley of good farming land. There is considerable Cottonwood timber, some of large size, but most of the valley is covered with dense underbrush.

White River empties into Green, in Section 4. Water is scarce except in the rivers, still they are near enough to make the grass covered hills valuable for stock range.

Frequent out croppings of Asphaltum, is seen also specimens of float coal found in the dry ravines. The soil is generally light and sandy, except near bluffs and ravines where it is rocky.

Along the valley of Green & White rivers, some few small farms of good fertile land may be located.

Examined by.....

Compared by.....

FIELD NOTES

OF THE SURVEY OF THE

1/4 and 1/16th
Subdivisional and
Meander Lines

OF

Township No. 9 South
Range No. 20 East

OF THE

UINTAH SPECIAL MERIDIAN

IN

Utah Territory,

AS SURVEYED BY

DANIEL G. MAJOR,

U. S. Surveyor,

Under his Contract,

Dated February 23d, 1882.

Survey Commenced, July 19th *1882.*
Survey Completed, July 28th *1882.*

BOOK-A-266

BOOK-A-266

82

[4—590.]

Township No. 9 South of Range No. 20 E. of Salt Lake Mer.
Terr. of Utah

157	134	121	107	94	
6 154	5 133	4 120	3 107	2 94	1 94
156	133	119	106	93	
156	155	132	118	105	92
7 154	8 153	9 131	10 118	11 104	12 91
153	152	130	117	104	91
151	151	130	116	103	90
18 150	17 149	16 129	15 115	14 102	13 89
149	148	128	115	101	89
147	146	127	114	101	88
19 146	20 145	21 127	22 113	23 101	24 87
144	143	126	112	99	87
143	142	125	112	99	86
30 141	29 141	28 124	27 111	26 98	25 85
140	139	124	110	97	85
138	138	123	110	96	84
31 137	32 136	33 122	34 109	35 96	36 83
135	135	121	108	95	83

Scale 20 chains to an inch.

[8882—20 M.]

Chains.	Field Notes of the subdivisional 1/4 and 1/16 section lines
	From the S 1/16 sec cor on sec line bet secs 35 & 36 Town East on a random line through the middle of the S 1/2 of sec 36. Var 16° 15' E
20.00	Set temporary 1/16 sec cor Land rocky & broken. Soil 2d rate
40.00	Set temporary 1/16 sec cor Land rough & mountainous
60.00	Set temporary 1/16 sec cor. Land rocky & sandy. grass
80.42	Intersect the East Bdy of Township 16 chains N of the 1/16 sec cor Land rough & mountainous From this corner Town. N 89° 53' W on a true line through the middle of the S half of sec 36. with the same var,
20.10	Set a sandstone 22 x 10 x 3 ins marked "1/16" on E face in a mound of earth 2 ft diam at base and 12 ins high for 1/16 sec cor
40.21	Set a sandstone 28 x 10 x 6 ins marked "1/16" on E face in a mound of earth 2 ft diam at base 9 12 ins high for 1/16 sec cor.
60.32	Set a sandstone 30 x 8 x 7 ins marked "1/16" on E face in a mound of earth 2 ft diam at base 9 12 ins high for 1/16 sec cor.
80.42	To the S 1/16 sec cor on sec line bet secs 35 & 36 Land rough, broken & mountainous Sandy with bunch grass in places. Soil 2d rate.
	From the 1/4 sec cor on sec line between 35 & 36 Town East on a random line through the middle of sec 36. Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rocky & sandy. Soil 2d rate
40.00	Set temporary 1/4 sec cor. Land rough & mountainous
60.00	Set temporary 1/16 sec cor. Rocky & sandy Bunch grass
80.36	Intersect the East Bdy of the Township on mound Land rough & mountainous, bunch grass. Soil 2d rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	
	From this corner I run
	N 90°00' W on a true line through the middle of sec 36 with the same var.
20.09	Set a sandstone 24×10×5 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
40.18	Set a sandstone 16×7×4 ins marked "1/4" on E face in mound of earth 2½ ft diam at base & 18 ins high for 1/4 sec cor.
60.27	Set a sandstone 14×12×8 ins marked "1/16" on E face in a mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.36	To the 1/4 sec cor on sec line bet secs 35 & 36 Land rough & mountainous, rocky and sandy with bunch grass in places. Soil 2d rate.
	From the N 1/16 sec cor on sec line bet secs 35 & 36 I run
	East on a random line through the middle of the N half of sec 36. Var 16° 15' E
20.00	Set a temporary 1/16 sec cor. Land rough & mountainous
40.00	Set temporary 1/16 sec cor. Land rocky & sandy
60.00	Set temporary 1/16 sec cor. Land sandy bunch grass
80.24	Intersect the East Bdy of the Tp. 44 links N of the 1/16 sec cor. Land rocky & sandy. Bunch grass Soil 2d rate
	From this corner I run
	N 89° 41' W on a true line through the middle of the N half of sec 36 with the same var
20.06	Set a sandstone 18×16×3 ins marked "1/16" on E face in a mound of earth 2 ft diam at base & 12 ins high, for 1/16 sec cor.
40.12	Set a sandstone 20×10×4 ins marked "1/16" on E face in a mound of earth 2 ft diam at base & 12 ins high. for 1/16 sec cor.
60.18	Set a sandstone 24×7 ins × 3 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.24	To the N 1/16 sec cor on sec line bet sections 35 & 36.

Chains	
	Land rough mountainous. Bunch grass in places. Sandy Soil 2d rate
	From the S 1/16 sec cor on sec line bet secs 25 & 26 True. East on a random line through the middle of the S half of sec 25. Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rough, grazing.
40.00	Set temporary 1/16 sec cor. Land rough mountainous
60.00	Set temporary 1/16 sec cor. Rocky, grass. Soil 3d rate
80.70	Intersect the East side of the Tp. 28 limits S of the 1/16 sec cor. Land rough mountainous, grazing. Soil 3d rate From this corner True S 89° 45' W on a true line through the middle of the S half of sec 25 with the same var
20.17	Set a sandstone 18×12×6 ins marked "1/16" on E face in a mound of earth 2 ft deep at base & 12 ins high for 1/16 sec cor.
40.35	Set a sandstone 20×12×7 ins marked "1/16" on E face in a mound of earth 2 ft deep at base & 12 ins high for 1/16 sec cor.
60.52	Set a sandstone 24×10×3 ins marked "1/16" on E face in a mound of earth 2 ft deep at base and 12 ins high, for 1/16 sec cor.
80.70	To the S 1/16 sec cor on sec line bet secs 25 & 26 Land rough, broken & mountainous. Good upland grazing in places. Sandy Soil 2d rate
	From the 1/4 sec cor on sec line bet secs 25 & 26 True. East on a random line through the middle of sec 25. Var 16° 15' E
20.00	Set temporary 1/16 sec cor Land rough & rocky 2d rate
40.00	Set temporary 1/4 sec cor Land sandy. Bunch grass
60.00	Set temporary 1/16 sec cor Land rough & mountainous Bunch grass. Soil 2d rate

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
80.52	Intersect the East Bdy of Tp. 42 links N of the 1/4 sec cor.
	Land rough mountainous Soil 2d rate
	From this corner I run
	N 89° 42' W on a true line through the middle of sec 25 with the same var
20.13	Set a sandstone 12x12x12 ins marked "1/16" on E face in a mound of earth 2 ft diam at base & 13 ins high for 1/16 sec cor
40.26	Set a sandstone 16x14x4 ins marked "1/4" on E face in mound of earth 2 ft diam at base & 15 ins high for 1/4 sec cor.
60.39	Set a sandstone 20x12x2 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
80.52	To the 1/4 sec cor on sec line bet secs. 25 & 26. Land rough & mountainous with bunch grass grazing on uplands. Rocky Soil 2d rate.
	From the N 1/16 sec cor on sec line bet secs 25 & 26 I run East on a random line through the middle of the N half of sec 25. Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rocky. grazing
40.00	Set temporary 1/16 sec cor Rough & mountainous
60.00	Set temporary 1/16 sec cor. Rough & rocky Soil 2d rate
80.52	Intersect the East Bdy of the Tp 16 links S of the 1/16 sec cor
	From this corner I run S 89° 53' W on a true line through the middle of the N half of sec 25 with the same var
20.13	Set a sandstone 20x8x4 ins marked "1/16" on E face in a mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
40.26	Set a sandstone 16x10x8 ins marked "1/16" on E face in mound of earth 24 ins diam at base & 12 ins high for 1/16 sec cor.
60.39	Set a sandstone 12x8x6 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 13 ins high for 1/16 sec cor

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
80.52	To the N 1/16 sec. cor on sec. line bet secs 25 & 26
	Land rough, rocky, mountainous
	Upland grazing
	Soil 3d rate
	From the S 1/16 sec. cor on sec. line bet secs 23 & 24
	Run
	East on a random line through the middle
	of the S half of sec 24
	Var 16° 15' E
20.00	Set temporary 1/16 sec. cor Land rocky & broken
40.00	Set temporary 1/16 sec. cor. Land rough & mountainous
60.00	Set temporary 1/16 sec. cor. Land rough. grazing Soil 2d R
80.14	Intersect the East Bdy of Tp. 26 bears N
	of the 1/16 sec. cor.
	Land rough & mountainous. Grazing Soil 2d rate
	From this corner Run
	N 89° 49' W on a true line through the middle of
	the S half of sec. 24 with the same var
20.03	Set a sandstone 18 x 12 x 6 ins marked "1/16" on
	E face in mound of earth 2 ft deep at base
	& 12 ins high for 1/16 sec. cor.
40.07	Set a sandstone 14 x 10 x 8 ins, marked "1/16" on
	E face in a mound of earth 3 ft deep at base
	& 12 ins high for 1/16 sec. cor.
60.11	Set a sandstone 16 x 7 x 3 ins marked "1/16" on
	E face in mound of earth 3 ft deep at base
	& 12 ins high for 1/16 sec. cor
80.14	To the S 1/16 sec. cor on line bet secs 23 & 24
	Land rough & mountainous. Sandy & rocky.
	Grazing on uplands. Soil 3d rate
	From the 1/4 sec. cor on sec. line bet secs 23 & 24
	Run
	East on a random line through the middle
	of sec 24
	Var 16° 15' E
20.00	Set temporary 1/16 sec. cor Rocky & sandy Soil 2d rate
40.00	Set temporary 1/4 sec. cor Land sandy. grazing
60.00	Set temporary 3/16 sec. cor. Land rough & mountainous
	Grazing on uplands Soil 2d rate

Chains	
80.04	Intersect the East Bdy of the Township 42 links S of the 1/4 sec cor
	Land rough mountainous. Soil 2d rate
	From this corner I run
	S 89° 42' W on a true line through the middle
	of sec 24 with the same var
20.01	Set a sandstone 12 x 7 x 7 ins marked "1/16" on E
	face in mound of earth 2 ft diam at base &
	12 ins high for 1/16 sec cor
40.02	Set a sandstone 28 x 16 x 7 ins marked "1/4" on E
	face in mound of earth 2½ ft diam at base
	& 18 ins high for 1/4 sec cor
60.03	Set a sandstone 18 x 14 x 6 ins marked "1/16" on E
	face in mound of earth 2 ft diam at base &
	12 ins high for 1/16 sec cor
80.04	To the 1/4 sec cor on sec line bet secs 23 & 24
	Land rough, rocky mountainous
	Soil sandy 2d rate. Grazing
	July 19. 1882
	From the N 1/16 sec cor on sec line bet secs
	23 & 24 I run
	East on a random line through the middle
	of the N half of sec 24
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rough mountainous
40.00	Set temporary 1/16 sec cor. Grazing, rough. Soil 2d rate
60.00	Set temporary 1/16 sec cor. Land rough & sandy
80.28	Intersect the East Bdy of the Township 32 links
	N of the 1/16 sect Cor
	Land rough, sandy & mountainous. Soil 2d rate
	From this corner I run
	N 89° 46' W on a true line through the middle
	of the N half of sec 24 with the same var
20.07	Set a sandstone 14 x 8 x 3 ins marked "1/16" on E
	face in mound of earth 2 ft diam at base
	& 12 ins high for 1/16 sec cor
40.14	Set a sandstone 16 x 7 x 4 ins marked "1/16" on E
	face in mound of earth 2 ft diam at base &
	12 ins high for 1/16 sec cor
60.21	Set a sandstone 20 x 16 x 3 ins marked "1/16" on E
	face in mound of earth 2 ft diam at base &
	12 ins high for 1/16 sec cor

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
80.28	To the N 1/16 sec cor on sec line bet secs 23 & 24. Land rough, rocky & mountainous. Grazing on uplands. Soil 2d rate.
	From the S 1/16 sec cor on sec line bet secs 13 & 14 Irun. East on a random line through the middle of the Shalf of Sec 13 Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rough & mountainous Sandy. Grazing on uplands Soil 2d rate
40.00	Set temporary 1/16 sec cor. Land rough and mountainous. Rocky. Soil 2d rate
60.00	Set a temporary 1/16 sec cor. Soil 2d rate Land rough & mountainous. Grazing, Rocky
80.70	Intersect the East Bdy of the Township 16 links N of the 1/16 sec cor Soil 2d rate. Land rough & mountainous Sandy & rocky. From this corner Irun. N 89° 53' W on a true line through the middle of the Shalf of Sec 13 with the same var.
20.17	Set a sandstone 12 × 10 × 8 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high. for 1/16 sec cor.
40.35	Set a sandstone 16 × 12 × 4 ins marked "1/16" on E face in mound of earth 2 ft diam at base and 12 ins high for 1/16 sec cor.
60.53	Set a sandstone 18 × 14 × 3 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high. for 1/16 sec cor
80.70	To the S 1/16 sec cor on sec line bet secs 13 & 14 Land rough & mountainous Rocky & sandy with bunch grass on uplands. Soil 2d rate.
	From the 1/4 sec cor on sec line bet secs 13 & 14 Irun East on a random line through the middle of Sec 13. Var 16° 15' E

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	
20.00	Set temporary 1/16 sec cor Land rough & mountainous
40.00	Set temporary 1/4 sec cor Land broken & sandy 2d rate
60.00	Set temporary 1/16 sec cor Land sandy, grazing Soil 3d rate
80.32	Intersect the East B'dy of the Township. 56 links S of the 1/16 sec cor. Land rough & mountainous grazing. Soil 3d rate From this corner Trav S 89° 36' W on a true line through the middle of Section 13 with the same var.
20.08	Set a sandstone 15 x 7 x 4 ins marked "1/16" on Eface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
40.16	Set a sandstone 14 x 8 x 5 ins marked 1/4 on E face in a mound of earth 2½ ft diam at base & 18 ins high for 1/4 sec cor.
60.24	Set a sandstone 16 x 12 x 4 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.32	To the 1/4 sec cor on sec line bet Secs 13 & 14. Land rough & mountainous. Rocky & sandy Good grazing on the uplands. Soil 2d rate.
	From the N 1/16 sec cor on sec line bet Secs 13 & 14 Trav East on a random line through the middle of the N half of sec 13. Var 16° 15' E
20.00	Set temporary 1/16 sec cor Land rough & mountainous
40.00	Set temporary 1/16 sec cor Land sandy & rocky 2d rate
60.00	Set temporary 1/16 sec cor Grazing Soil 2d rate
80.46	Intersect the East B'dy of the Township. 28 links N of the 1/16 sec cor. Soil 2d rate. From this corner Trav N 89° 48' W on a true line through the middle of the N half of sec 13 with the same var
20.11	Set a sandstone 14 x 12 x 4 ins marked "1/16" on Eface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
40.23	Set a sandstone 16 x 14 x 10 ins marked "1/16" on Eface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor

Uncompahgre Ute Indian Surveys.

T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

[illegible].35	Set a sandstone 18 x 12 x 10 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.14	To the N 1/16 sec cor on sec line bet secs 13 & 14. Land rough, rocky & mountainous. Grazing sandy & rocky. Soil 1st rate.
	From the S 1/16 sec cor on sec line bet secs 11 & 12 Iron. East on a random line through the middle of the S half of sec 12. Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land rough & mountainous.
40.00	Set temporary 1/16 sec cor. Land rough & mountainous.
60.00	Set temporary 1/16 sec cor. Sandy & rocky. Soil 2d rate.
80.30	Intersect the East Bdy of the Township .54 links S of the 1/16 sec cor. Soil 2d rate. Land rough & mountainous. Grazing in places. From this corner Iron. S 89° 37' W on a true line through the middle of the S half of sec 12 with the same var.
20.07	Set a sandstone 14 x 13 x 7 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
40.15	Set a sandstone 16 x 12 x 6 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
60.23	Set a sandstone 10 x 7 x 9 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.30	To the S 1/16 sec cor on sec line bet secs 11 & 12 Land rough, rocky & mountainous. Good grazing on the uplands. Rocky & sandy. Soil 2d rate.
	From the 1/4 sec cor on sec line bet secs 11 & 12 Iron. East on a random line through the middle

Chains	
	of sec 12.
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land mountainous
40.00	Set temporary 1/4 sec cor. Rocky & sandy Soil 2d rate
60.00	Set temporary 1/16 sec cor. Land rough, grazing
80.80	Intersect the East B'dy of of the Township 28 links N of the 1/4 sec cor. Land rough and mountainous. Soil 2d rate.
	Thence this corner Drew N 89° 48' W on a true line through the middle of sec 12 with the same var.
20.20	Set a sandstone 17 x 15 x 4 ins marked "1/16 on E face in mound of earth 2 ft deep at base & 12 ins high for 1/16 sec cor.
40.40	Set a sandstone 18 x 6 x 5 ins marked "1/4" on E face in mound of earth 2½ ft deep at base & 18 ins high for 1/4 sec cor.
60.60	Set a sandstone 20 x 7 x 6 ins marked "1/16 on E face in mound of earth 2 ft deep at base & 12 ins high for 1/16 sec cor.
80.80	To the 1/4 sec cor on sec line bet secs 11 & 12 Land rough & mountainous. Grazing. Soil 2d rate. Sandy.
	Thence this N 1/16 sec cor line bet secs 11 & 12 Drew East on a random line through the middle of the N half of sec 12.
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land mountainous
40.00	Set temporary 1/16 sec cor. Land rough. Soil 2d rate.
60.00	Set temporary 1/16 sec cor. Sandy. grazing.
80.00	Intersect the East B'dy of the Tp 72 links N of the 1/16 sec cor Land rough mountainous. Upland grazing. Thence this corner Drew N 89° 29' W, on a true line through the middle of the N half of sec 12 with the same var.
20.00	Set a sandstone 20 x 8 x 8 ins marked "1/16 on E face in mound of earth 2 ft deep at base & 12 ins high for 1/16 sec cor
40.20	Set a sandstone 16 x 10 x 8 ins marked

Chains	
	1/16 on E face in mound of earth 2 ft diam at base & 12 ins high, for 1/16 sec cor.
60.30	Set a sandstone 14×12×8 ins marked 1/16 on E. face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.40	To the N 1/16 sec cor on sec line bet secs 11 & 12
	Land rough & mountainous. Grazing on the uplands. Rough & rocky. Soil 2d rate.
	From the S 1/16 sec cor on sec line bet secs 1 & 2
	Trun.
	East on a random line through the middle of the S 1/2 of sec 1.
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor Land level sandy Soil 2d rate
21.75	Enter valley
24.00	Rocky bluff.
40.00	Set temporary 1/16 sec cor. Land level Soil 1st rate
60.00	Set temporary 1/16 sec cor. Land level Soil 1st rate
80.25	Intersect the East Bdy of Tp. 42 lines S of the 1/16 sec cor.
	Land level Soil sandy 2d rate.
	From this corner Trun S 89° 42' W on a true line through the middle of the S half of sec 1 with the same var.
20.06	Set a sandstone 18×10×4 ins marked 1/16 on E face in mound of earth 2 ft diam at base & 12 ins high, for 1/16 sec cor.
40.13	Set a sandstone 20×12×3 ins marked 1/16 on E. face in a mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
60.19	Set a sandstone 20×8×2 ins marked 1/16 on E face in a mound of earth 2 ft diam at base & 12 ins high, for 1/16 sec cor.
80.25	To the S 1/16 sec cor on sec line bet secs 1 & 2
	Land level
	Sandy
	Soil 1st rate

Chains.	
	From the 1/4 sec cor on sec line bet secs 1 & 2 True East on a random line through the middle of sec 1. Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land level Soil 1st rate
40.00	Set temporary 1/4 sec cor Land level Soil 1st rate
60.00	Set temporary 1/16 sec cor Land level Soil 1st rate
80.36	Intersect the East B'dy of Tp. 54 limits N of the 1/4 sec cor. Land level. Soil 1st rate
	From this corner True N 89° 37' W on a true line through the middle of sec 1 with the same var.
20.06	Set a sandstone 24×15×3 ins marked "1/16" on Efface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
40.13	Set a sandstone 22×10×2 ins marked "1/4" on Efface in a mound of earth 2½ ft diam at base & 18 ins high for 1/4 sec cor
60.20	Set a sandstone 24×12×5 ins marked "1/16" on Efface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.36	To the 1/4 sec cor on sec line bet secs 1 & 2 Land level sandy. Soil 2d rate. July 20. 1882

	From the N 1/16 sec cor on sec line bet secs 1 & 2 True East on a random line through the middle of the N half of sec 1 Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land level, sandy Soil 1st rate
40.00	Set temporary 1/16 sec cor. Land level. Soil 1st rate.
60.00	Set temporary 1/16 sec cor. Land level. Soil 1st rate.
80.30	Intersect the East B'dy of the Tp. 40 limits S of the 1/16 sec cor Land level, sandy Soil 2d rate.

Chains	
	From this corner I run
	S 89° 43' W on a true line through the middle
	of the S Half of sec 1 with the same var.
20.00	Set a sandstone 16 x 8 x 4 ins marked 1/16 on E
	face in mound of earth 2 ft diam at base &
	12 ins high for 1/16 sec cor
40.10	Set a sandstone 16 x 6 x 5 ins marked 1/16 on E
	face in a mound of earth 2 ft diam at base
	12 ins high, for 1/16 sec cor
60.15	Set a sandstone 18 x 16 x 4 ins marked 1/16 on E
	face in mound of earth 2 ft diam at base and
	12 ins high, for 1/16 sec cor.
80.20	To the N 1/16 sec cor on sec line bet secs 1 & 2
	Land level.
	Soil 1st rate
	From the S 1/16 sec cor on sec line bet secs 34 & 35
	I run
	East on a random line through the middle of
	the S Half of sec 35.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor
	Land rolling stony Bunchgrass. Sandy soil 2d rate
40.00	Set temporary 1/16 sec cor.
	Land rolling stony Bunchgrass Sandy soil 2d rate.
60.00	Set temporary 1/16 sec cor
	Land rolling stony. Bunch grass. Sandy 2d rate.
0.32	Intersect the N & S line at the 1/16 sec corner in
	mound bet secs 35 & 36.
	From this corner I run
	N 90° 00' W on a true line through the middle
	of the S Half of sec 35 with the same var
20.05	Set a sandstone 28 x 15 x 6 ins marked 1/16 on E.
	face in a mound of earth 2 ft diam at base
	& 12 ins high, for 1/16 sec cor.
40.16	Set a sandstone 16 x 12 x 8 ins marked 1/16 on E.
	face in mound of earth 2 ft diam at base
	& 12 ins high for 1/16 sec cor.
60.24	Set a sandstone 20 x 10 x 10 ins marked 1/16
	on E face in mound of earth 2 ft diam at
	base & 12 ins high. for 1/16 sec cor

Chains	
80.32	To the S 1/16 sec cor on line bet secs 35 & 34. Land broken rolling. Sandy. Bunch grass in places. Soil 2d rate
	From the 1/4 sec cor on sec line bet secs 34 & 35 True. East on a random line through the middle of Sec 35. Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rolling & broken Sandy. bunch grass Soil 2d rate
40.00	Set temporary 1/4 sec cor Land rolling & broken Sandy bunch grass 2d Rate
60.00	Set temporary 1/16 sec cor Land rolling & broken. Sandy. bunch grass. Soil 2d rate
80.52	Intersect the N & S. line bet secs 35 & 36 36 links N of the 1/4 sec cor. Land rolling & broken Sandy. bunch grass 2d rate. From this corner True. N 89° 45' W on a true line through the middle of Sec 35 with the same var.
20.13	Set a sandstone 24 x 14 x 6 ins. marked 1/16 on E face in mound of earth 2 ft deep at base and 12 ins high for 1/16 sec cor.
40.27	Set a sandstone 14 x 14 x 12 ins marked "1/4" on E face in mound of earth 2 1/2 ft deep at base & 18 ins high for 1/4 sec cor.
60.41	Set a sandstone 16 x 10 x 6 ins marked "1/16" on E face in mound of earth 2 ft deep at base & 12 ins high for 1/16 sec cor.
80.54	To the 1/4 sec cor on sec line bet secs 34 & 35 Land rolling & broken. Sandy. Bunch grass in places. Soil 2d rate.
	From the N 1/16 sec corner on sec line bet secs 34 & 35 True. East on a random line through the middle of the N half of Sec 35 Var 16° 15' E
20.00	Set temporary 1/16 sec cor Sandy & rolling 2d rate.

Chains	
40.00	Set temporary 1/16 sec cor. Land rolling broken sandy. Bunch grass Soil 2d rate.
60.00	Set temporary 1/16 sec cor. Land rolling sandy. Bunch grass Soil 2d rate
80.20	Intersect the N & S line bet secs 35 & 36 18 links South of the 1/16 sec cor. Land rolling broken, sandy, bunch grass Soil 2d R. From this corner I run S 89° 53' W on a true line through the middle of the N half of sec 35 with the same var.
20.05	Set a sandstone 20 x 15 x 4 ins marked "1/16" on E face in a mound of earth 2 ft diam at base & 12 ins high, for 1/16 sec cor.
40.10	Set a sandstone 15 x 7 x 6 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high, for 1/16 sec cor
60.15	Set a sandstone 24 x 10 x 6 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high, for 1/16 sec cor.
80.20	To the N 1/16 sec cor on sec line bet secs 34 & 35 Land rolling broken. Bunch grass in places Sandy. Soil 2d rate.

From the N 1/16 sec cor on sec line bet secs 26 & 27 I run
East on a random line through the middle of the S half of sec 26.
Var 16° 15' E

20.00	Set temporary 1/16 sec cor. Land broken level, sandy loam grass Soil 2d rate
40.00	Set temporary 1/16 sec cor Land broken level sandy loam grass Soil 2d rate
60.00	Set temporary 1/16 sec cor. Land broken and level, Sandy loam grass Soil 2d R
80.20	Intersect the N & S line bet secs 25 & 26 at the 1/16 sec cor in mound. Land broken level Sandy loam, grass Soil 2d rate From this corner I run N 90° 00' W on a true line through the middle of the S half of sec 26 with the same var

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd

Chains	
20.05	Set a sandstone 14×12×12 ins marked "1/16 on E&S" in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
40.10	Set a sandstone 15×12×8 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
60.15	Set a sandstone 20×10×10 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
80.20	To the S. 1/16 sec corner on sec line bet secs 26 & 27 Land rolling & broken. Bunch grass Soil 2d rate Sandy loam
	From the 1/4 sec cor on sec line bet secs 26 & 27 True East on a random line through the middle of sec 26. Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land level & broken, grass. Sandy loam. Soil 2d rate
40.00	Set temporary 1/4 sec cor Land level & broken, grass sandy loam. Soil 2d rate
60.00	Set temporary 1/16 sec cor Land level & broken, grass. Sandy loam. Soil 2d rate
80.40	Intersect the N & S line bet secs 25 & 26 46 links North of the 1/4 section corner Land level & broken, grass. Sandy loam. Soil 2d rate From this corner True N 89° 40' W on a true line through the middle of sec 26 with the same var.
20.10	Set a sandstone 14×10×8 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
40.20	Set a sandstone 20×10×5 ins marked "1/4" on E face in mound of earth 2 1/2 ft diam at base & 15 ins high for 1/4 sec cor
60.30	Set a sandstone 14×12×12 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 15 ins high for 1/16 sec cor.
80.40	To the 1/16 sec cor on sec line bet secs 26 & 27 Land rolling & broken. Bunch grass Soil 2d rate Sandy loam

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	
	From the N 1/16 sec cor on sec line bet sec 26 & 27 Trees.
	East on a random line through the middle of the N half of Sec 26.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor.
	Land rolling & level. Sandy loam, grass Soil 2d rate
40.00	Set temporary 1/16 sec cor.
	Land level rolling Sandy loam, grass Soil 2d rate
60.00	Set temporary 1/16 sec cor.
	Land level rolling, Sandy loam grass. Soil 2d rate.
80.69	Intersect the N & line between Secs 25 & 26
	25 links north of the 1/16 sec cor.
	Land level & rolling Sandy loam, grass Soil 2d rate
	From the corner Trees
	N 89° 48' W on a true line through the middle of the N half of Sec 26 with the same var
20.15	Set a sandstone 15 x 12 x 6 ins marked "1/16" on E face imbedded in earth 2 ft deep at base & 12 ins high for 1/16 sec cor
40.31	Set a sandstone 15 x 10 x 6 ins marked "1/16" on E face imbedded in earth 2 ft deep at base & 12 ins high for 1/16 sec cor
60.47	Set a sandstone 14 x 10 x 8 ins marked "1/16" on E face imbedded in earth 2 ft deep at base & 12 ins high for 1/16 sec cor.
80.63	To the N 1/16 sec cor on sec line bet secs 26 & 27
	Land level & rolling Sandy loam, grass Soil 2d rate.
	From the S 1/16 sec cor on sec line bet secs 22 & 23 Trees.
	East on a random line through the middle of the S half of Sec 23.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land level & broken, grass, sandy loam. Soil 2d rate.
40.00	Set temporary 1/16 sec cor.
	Land level & broken, grass Sandy soil 2d rate.
60.00	Set temporary 1/16 sec cor
	Land level & broken, grass Sandy Soil 2d rate

hains Intersect the N & S line bet secs 23 & 24
80.36 links South of the 1/16 sec cor.
Land broken & level, Sandy, grass. Soil 2d rate
From this corner I run,
S 89° 50' W on a true line through the middle
of the S half of sec 23 with the same var.
20.09 Set a sandstone 16 x 10 x 8 ins marked "1/16" on E
face in mound of earth 2 ft diam at base & 1
ins high for 1/16 sec cor.
40.18 Set a sandstone 14 x 10 x 8 ins marked "1/16" on E
face in mound of earth 2 ft diam at base &
12 ins high for 1/16 sec cor.
60.29 Set a sandstone 20 x 10 x 8 ins marked "1/16" on E
face in mound of earth 2 ft diam at base & 12
ins high for 1/16 sec cor.
80.36 To the S 1/16 sec cor on sec line bet secs 22 & 23.
Land level & broken Sandy loam.
Soil 2d rate. Grass

21.1882

From the 1/4 sec corner on sec line bet secs 22 &
I run.
East on a random line through the middle of
Sec 23.

Var 16° 15' E

20.00 et temporary 1/16 sec cor.
Land broken & level. Sandy loam. grass Soil 1st rate
40.00 et temporary 1/4 sec cor.
Land broken & level. Sandy loam. grass Soil 1st rate
60.00 Set temporary 1/16 sec cor.
Land broken & level. Sandy loam. grass. Soil 1st rate
80.26 intersect the N & S line bet secs 23 & 24 66 links
South of the 1/4 sec cor.
Land broken & level. Sandy loam. grass. Soil 1st rate
From this corner I run
S 89° 32' W on a true line through the middle of
Sec 23 with the same var.
20.06 Set a sandstone 16 x 10 x 7 ins marked "1/16" on E
face in mound of earth 2 ft diam at base & 12
ins high for 1/16 sec cor.
40.13 Set a sandstone 16 x 10 x 7 ins marked "1/4" of E face
in mound of earth 2 1/2 ft diam at base & 18 ins
high for 1/4 sec cor.

Subdivisions of T. 9 *S. R.* 20 *E. Salt Lake Mer. Utah Terr'y, Cont'd.*

Chains.	
60.19	Set a sandstone 14×10×8 ins marked 1/16 on Eface in a mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.26	To the 1/4 sec cor on sec line bet secs 22 & 23 Land level & broken. Sandy loam. Soil 2d rate. Grass
	From the N 1/16 sec cor on sec line bet secs 22 & 23 Irun East on a random line through the middle of the N half of sec 23. Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land level & broken. Sandy loam. Soil 2d rate
40.00	Set temporary 1/16 sec cor. Land level & broken. Sandy loam. Soil 2d rate.
60.00	Set temporary 1/16 sec cor Land level & broken. Sandy loam. Grass Soil 2d rate
80.40	Intersect the N & S line bet secs 23 & 24 38 links South of the 1/16 sec cor. Land level & broken. Grass. Sandy loam. Soil 2d rate From this corner Irun S 89° 44' W on a true line through the middle of the N half of sec 23 with the same var.
20.10	Set a sandstone 18×16×8 ins marked 1/16" on Eface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
40.20	Set a sandstone 18×12×12 ins marked "1/16" on Eface in a mound of earth 2 ft diam at base and 12 ins high for 1/16 sec cor.
60.30	Set a sandstone 14×10×4 ins marked "1/16" on Eface in a mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
80.40	To the N 1/16 sec cor on sec line bet secs 22 & 23. Land level & broken. Sandy loam. Soil 2d rate. Grass
	From the S 1/16 sec cor on sec line bet secs 14 & 15 Irun. East on a random line through the middle of the S half of Sec. 14

ha Var 16° 15' E.

20.00 Set temporary 1/16 sec cor Soil 3d rate
Land rough rocky mountainous. Grazing in patches.

40.00 Set temporary 1/16 sec cor Sandy. Soil 3d rate
Land rough, rocky mountainous. Grazing

60.00 Set temporary 1/16 sec cor Sandy. Soil 3d rate
Land rough, rocky mountainous Grazing in patch

80.78 Intersect the N & S line bet Secs 13 & 14 70 links
N of the 1/16 sec cor.
Land rough mountainous. Sandy Soil 3d rate
From this corner I run
N 89° 30' W on a true line through the middle
the S half of sec 14 with the same var

20.19 Set a sandstone 22 x 10 x 8 ins marked 1/16 on
E face in mound of earth 2 ft diam at
base and 12 ins high for 1/16 sec cor

40.39 Set a sandstone 24 x 10 x 8 ins marked 1/16 on
E face in mound of earth 2 ft diam at base
& 12 ins high. for 1/16 sec cor.

60.59 Set a sandstone 30 x 10 x 8 ins marked 1/16 on
E face in mound of earth 2 ft. diam at base
& 12 ins high, for 1/16 sec cor.

80.78 To the S 1/16 sec cor on sec line bet secs 14 & 15
Land rough & mountainous. Sandy
Grazing in patches
Soil 3d rate

From the 1/4 sec cor on sec line bet secs 14 & 15
I run
East on a random line through the middle
of sec 14

Var 16° 15' E.

20.00 Set temporary 1/16 sec cor Sandy soil 3d rate
and rough & mountainous. Grazing in patches

40.00 Set temporary 1/4 sec cor. Sandy soil 3d rate
Land rough & mountainous. Grazing in patches

60.00 Set temporary 1/16 sec cor. Grass in patches
Land rough & mountainous Soil 2d rate

80.28 Intersect the N & S line between secs 13 & 14
38 links south of the 1/4 sec cor
Land rough & mountainous
Sandy. Grass in patches. Soil 3d rate

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
	From the corner I run
	S 89° 44' W on a true line through the middle
	of sec. 14 with the same var.
20.07	Set a sandstone 12×12×10 ins marked "1/16 on
	Efface in mound of earth 2 ft diam at
	base & 12 ins high for 1/16 sec cor.
40.14	Set a sandstone 26×20×10 ins marked "1/4" on
	Efface in mound of earth 2½ ft diam at
	base & 18 ins high for 1/4 sec cor.
60.21	Set a sandstone 24×20×10 ins marked "1/16"
	on Efface in mound of earth 2 ft diam at base
	& 12 ins high for 1/16 sec cor.
80.28	To the 1/4 sec cor on sec line bet secs 14 & 15.
	Land rough, mountainous. Grass in patches
	Sandy Soil 3d rate
	From the N 1/16 sec cor on sec line bet secs 14 & 15
	I run.
	East on a random line through the middle
	of the N half of sec 14.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Sandy soil 3d rate
	Land rough & mountainous Grass in patches
40.00	Set temporary 1/16 sec cor. Sandy. Soil 3d rate.
	Land rough & mountainous. Grass in patches.
60.00	Set temporary 1/16 sec cor Sandy soil 3d rate
	Land rough & mountainous Grass in patches.
80.36	Intersect the N & S line bet secs 13 and 14
	16 links South of the 1/16 sec cor
	Land rough & mountainous. Grass Soil 3d rate
	From the Corner I run
	S 89° 58' W on a true line through the middle
	of the N half of sec 14 with the same var
20.09	Set a sandstone 18×8×8 ins marked "1/16" on
	Efface in a mound of earth 2 ft diam at base
	& 12 ins high. for 1/16 sec cor.
40.18	Set a sandstone 16×10×4 ins marked "1/4" on
	Efface in a mound of earth 2 ft diam at
	base & 12 ins high. for 1/16 sec cor.
60.27	Set a sandstone 18×10×8 ins marked "1/16" on
	Efface in mound of earth 2 ft diam at
	base & 12 ins high for 1/16 sec cor.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd

Chains	
80.36	To the N 1/16 sec cor on sec line bet secs 14 & 15
	Land rough mountainous: Grass in patches
	Soil 3d rate. Sandy
	From the S 1/16 sec cor on sec line bet secs 10 & 11
	True
	East on a random line through the middle
	of the S half of sec 11.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor - Soil 3d rate.
	Land rough rocky mountainous Little grass
40.00	Set temporary 1/16 sec cor Soil 3d rate Little grass
	Land rough rocky mountainous. Soil 3d rate
60.00	Set temporary 1/16 sec cor. Soil 3d rate Little grass
	Land rocky broken mountainous.
80.69	Intersect the N & S line bet secs 11 and 12
	To which N of the 1/16 sec cor.
	Land rocky, broken & mountainous. Soil 3d rate
	From this corner True
	S 89° 47' W on a true line through the middle
	of the S half of sec 11 with the same var
20.17	Set a sandstone 18×12×6 ins marked "1/16 on E"
	face in a mound of earth 2 ft diam at base
	& 15 ins high for 1/16 sec cor.
40.34	Set a sandstone 16×10×8 ins marked "1/16 on E"
	face in mound of earth 2 ft diam at base &
	12 ins high for 1/16 sec cor.
60.52	Set a sandstone 14×10×6 ins marked "1/16" on
	E face in mound of earth 2 ft diam at base
	and 12 ins high, for 1/16 sec cor.
80.69	To the S 1/16 sec cor on sec line bet secs 10 & 11
	Land rough, rocky & mountainous
	Little grass & broken.
	Soil 3d rate
	From the 1/4 section corner on sec line bet secs 10 & 11
	True.
	East on a random line through the middle
	of sec 11.
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Soil 3d rate.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	
	Land very rough, rocky & mountainous
40.00	Set temporary 1/4 sec cor. Soil 3d rate Little grass
	Land very rough, rocky & mountainous
60.00	Set temporary 1/16 sec cor. Soil 3d rate
	Land very rough, rocky & mountainous
80.60	Intersect the N & S lines bet secs 11 & 12
	34 links South of the 1/4 sec cor.
	Land very rough, rocky & mountainous Soil 3d rate
	From this corner I run
	S 89° 45' W on a true line through the middle
	of Sec 11 with the same var.
20.15	Set a sandstone 20×10×4 ins marked "1/16"
	on Eface in mound of earth 2 ft diam at
	base & 12 ins high for 1/16 sec cor.
40.30	Set a sandstone 14×12×6 ins marked "1/4" on
	Eface in a mound of earth 2 1/2 ft diam
	at base and 18 ins high for 1/4 sec cor.
60.45	Set a sandstone 24×12×3 ins marked "1/16" on
	Eface in mound of earth 2 ft diam at base
	& 12 ins high for 1/16 sec cor.
80.60	To the 1/4 sec cor on sec line bet secs 10 & 11
	Land very rough, rocky & mountainous
	Soil 3d rate.
	July 22d 1882
	From the N 1/16 sec cor on sec line bet secs 10 & 11
	I run
	East on a random line through the middle
	of the N half of sec 11.
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Soil 3d rate.
	Land very rough, rocky & mountainous
40.00	Set temporary 1/16 sec cor. Soil 3d rate
	Land very rough, rocky & mountainous.
60.00	Set temporary 1/16 sec cor. Soil 3d rate
	Land very rough, rocky & mountainous
80.88	Intersect the N & S line between secs 11 & 12
	20 links South of the 1/16 sec cor
	Land very rough, rocky & mountainous
	From this corner I run
	S 89° 57' W on a true line through the middle
	of the N half of sec 11 with the same var
20.22	Set a sandstone 15×13×12 ins marked "1/16"

Subdivisions of T. S. R. 20 E. Salt Lake Mer. Utah Terr'y; Cont'd

Chains	
	on E face in mound of earth 2 ft. diam. at base + 12 ins high for 1/16 sec cor
40.44	Set a sandstone 14 + 12 + 6 ins marked "1/16" on E face in mound of earth 2 ft diam at base + 12 ins high for 1/16 sec cor.
60.66	Set a sandstone 12 + 10 + 8 ins marked "1/16" on E face in mound of earth 2 ft diam at base + 12 ins high. for 1/16 sec cor.
80.88	To the N 1/16 sec cor on sec line bet secs 10 + 11 Land very rough, rocky, mountainous with but little grass. Soil 3d rate
	From the S 1/16 sec cor on sec line bet secs 2 + 3. Drew East on a random line through the middle of the S half of sec 2. Var 16° 15' E
20.00	Set temporary 1/16 sec cor Soil 3d rate along bluff Land rough, rocky + mountainous
40.00	Set temporary 1/16 sec cor. Soil 3d rate. Land rough + mountainous. Rocky
60.00	Set temporary 1/16 sec cor. Soil 3d rate Land rough rocky + mountainous
80.76	Intersect the N + S line bet secs 1 & 2. 68 links N of the 1/16 sec cor Land rough + mountainous Soil 3d rate. From this corner Drew N 89° 31' W on a true line through the middle of the S half of sec 2 with the same var
20.19	Set a sandstone 42 + 7 + 3 ins marked "1/16" on E face in mound of earth 2 ft diam at base + 12 ins high for 1/16 sec cor.
40.38	Set a sandstone 20 + 14 + 7 ins marked "1/16" on E face in a mound of earth 2 ft diam at base + 12 ins high. for 1/16 sec cor.
60.57	Set a sandstone 18 + 8 + 4 ins marked "1/16" on E face in a mound of earth 2 ft diam at base & 12 ins high. for 1/16 sec cor.
80.76	To the S 1/16 sec cor on sec line bet secs 2 & 3. Land rough, rocky + mountainous Soil 3d rate

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
	From the 1/4 sec cor on sec line bet secs 2 & 3 Drew
	East on a random line through the middle of Sec 2
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land level Soil 1st R.
	Some bunch grass Sandy
40.00	Set temporary 1/4 sec cor. Land level.
	Some bunch grass. Sandy Soil 1st rate.
60.00.	Set temporary 1/16 sec cor. Land level.
	Some bunch grass. Sandy. Soil 1st rate.
80.50.	Intersect the N & S line bet secs 1 & 2 Brush
	built of the 1/4 sec cor
	Land level Soil 1st rate
	From this corner Drew
	S89° 46' 4" on a true line through the middle
	of Sec 2 with the same var
20.12	Set a sandstone 24 x 8 x 4 ins marked "1/16" on
	E face in mound of earth 2 ft diam at
	base & 12 ins high for 1/16 sec cor
40.25	Set a sandstone 12 x 12 x 4 ins marked "1/4" on
	E face in mound of earth 2 1/2 ft diam at
	base and 18 ins high for 1/4 sec cor.
60.37	Set a sandstone 20 x 18 x 7 ins marked "1/16" on
	E face in mound of earth 2 ft diam at base
	& 12 ins high for 1/16 sec cor
80.50	To the 1/4 sec cor on sec line bet secs 2 & 3
	Land level. Some bunch grass
	Soil 1st rate Sandy
	From the N 1/16 sec cor on sec line bet secs 2 & 3
	Drew.
	East on a random line through the middle
	of the N half of sec 2.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor Land level Soil 1st rate
	Good grass. Scattering timber along river.
40.00	Set temporary 1/16 sec cor. Land level. Soil 1st rate
	Good grass in patches Scattering timber along river
60.00	Set temporary 1/16 sec cor Land level Soil 1st rate
	Good grass in patches. Scattering timber
80.50	Intersect the N & S line between secs 1 & 2

hains. 70 links S of the 1/16 sec cor
Land level, grass. Scattering timber Soil 1st r
From this corner Drew
S 89° 30' W on a true line through the middle
the N half of sec 2 with the same var.
20.12 Set a sandstone 16 x 15 x 3 ins marked "1/16"
on Efface in a mound of earth 2 ft. diam at
base x 12 ins high for 1/16 sec cor.
40.25 Set a sandstone 24 x 15 x 3 ins marked "1/16"
on Efface in mound of earth 2 ft. diam at
base x 12 ins high for 1/16 sec cor.
60.38 Set a sandstone 16 x 14 x 3 ins marked "1/16"
Efface in mound of earth 2 ft. diam at
x 12 ins high for 1/16 sec cor.
80.50 To the N 1/16 sec cor on sec line bet secs 2 & 3
Land level. Good grass in patches
Scattering timber along river.
Soil 1st rate.

From the S 1/16 sec cor on sec line bet secs
33 & 34 Drew.
est on a random line through the middle
of the S half of sec 34.
Var 16° 15' E

20.00 Set temporary 1/16 sec cor. Soil 2d rate.
Land rocky rough & mountainous. Some grazing
40.00 Set temporary 1/16 sec cor. Soil 2d rate.
Land rocky rough & mountainous. Some graze
60.00 Set temporary 1/16 sec cor. Soil 2d rate.
Land rocky rough & mountainous. Grazing
80.20 Intersect the N & S line bet secs 34 & 35.
32 links N of the 1/16 sec cor.
Land rough & mountainous. Soil 2d rate.
From this corner Drew
N 89° 46' W on a true line through the middle
the S half of sec 34 with the same var.
20.0 Set a sandstone 18 x 10 x 8 ins marked "1/16"
Efface in mound of earth 2 ft diam at
base x 12 ins high for 1/16 sec cor.
40.10 Set a sandstone 16 x 10 x 10 ins marked "1/16" on
Efface in a mound of earth 2 ft. diam at base
x 12 ins high for 1/16 sec cor.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	
60.15	Set a sandstone 14×10×10 ins marked "1/16 sec" face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.20	To the S 1/16 sec cor on sec line bet secs 33 & 34
	Land rough mountainous.
	Rocky. Grazing in some places on the uplands
	Soil 2d rate
	From the 1/4 sec cor on sec line bet secs 33 & 34
	Run
	East on a random line through the middle of Sec 34.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Soil 2d rate.
	Land rocky, rough & mountainous. Some grazing
40.00	Set temporary 1/4 sec cor. Soil 2d rate.
	Land rocky, rough mountainous. Grazing
60.00	Set temporary 1/16 sec cor Soil 2d rate.
	Land rough rocky mountainous Grazing
80.30	Intersect the N & S line bet secs 34 and 35 56 links N of the 1/16 sec cor
	Land rough & mountainous Soil 2d rate
	From this corner Run.
	N 89° 36' W on a true line through the middle of sec 34 with the same var.
20.07	Set a sandstone 16×12×10 ins marked "1/16" on E face in a mound of earth 2 ft diam at base and 12 ins high for 1/16 sec cor.
40.15	Set a sandstone 16×12×4 ins marked "1/4" on E face in mound of earth 3½ ft diam at base & 18 ins high for 1/4 sec cor
60.22	Set a sandstone 16×14×12 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.30	To the 1/4 sec cor on sec line bet secs 33 & 34
	Land rough, rocky mountainous
	Some grazing in uplands in places
	Soil 2d rate

hains. From the N 1/16 sec cor on sec line bet secs 33 & 3
Drew.
East on a random line through the middle
of the N half of sec 34.
Var 16° 15' E.
20.00 Set temporary 1/16 sec cor. Soil 2d rate.
40.00 Set temporary 1/16 sec cor. Soil 2d rate.
Land rough rocky & mountainous. Graze
60.00 Set temporary 1/16 sec cor. Soil 2d rate
Land rough, rocky & mountainous. Graze.
80.50 Intersect the N & S line bet secs 34 & 35
10 links South of the 1/16 sec cor.
Land rough & mountainous Soil 2d rate.
From this corner Drew
S 89° 56' W on a true line through the middle
of the N half of sec 34 with the same var.
20.12 Set a sandstone 18 x 8 x 6 ins marked "1/16
on E face in mound of earth 2 ft deep at
base & 12 ins high for 1/16 sec cor
40.2 Set a sandstone 16 x 10 x 4 ins marked "1/16" on
E face in mound of earth 2 ft deep at
base & 12 ins high for 1/16 sec cor
60.38 Set a sandstone 14 x 14 x 12 ins marked "1/16
on E face in mound of earth 2 ft deep at
base & 12 ins high for 1/16 sec cor
80.50 To the N 1/16 sec cor on sec line bet secs 33 & 3.
Land rough, rocky & mountainous
Some grazing on the uplands in places
Soil 2d rate.

From the S 1/16 sec cor on sec line bet secs 27 & 2
Drew
East on a random line through the mid
of the S half of sec 27
Var 16° 15' E.
20.00 Set temporary 1/16 sec cor. Land level.
Bunch grass in places. Sandy. Soil 2d rate.
40.00 Set temporary 1/16 sec cor. Land level.
Bunch grass. Sandy. Soil 2d rate
60.00 Set temporary 1/16 sec cor. Land level.
Some bunch grass Sandy. Soil 2d rate.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	
80.16	Intersect the N+S line bet secs 26 + 27
	25 links South of the 1/16 sec cor
	Land level. Some bunch grass. Soil 2d rate
	From this corner I run
	S 89° 49' W on a true line through the middle of
	the S half of sec 27 with the same var
20.04	Set a sandstone 20 + 8 + 4 ins marked "1/16" on
	Efface in mound of earth 2 ft diam at base
	+ 12 ins high for 1/16 sec cor
40.08	Set a sandstone 18 + 12 + 3 ins marked "1/16" on
	Efface in mound of earth 2 ft diam at
	base + 12 ins high for 1/16 sec cor
60.12	Set a sandstone 12 + 10 + 10 ins marked "1/16" on
	Efface in mound of earth 2 ft diam at base
	+ 12 ins high for 1/16 sec cor
80.16	To the S 1/16 sec cor on sec line bet secs 27 + 28
	Land level. Some bunch grass.
	Soil 2d rate July 23. 1882

	From the 1/4 sec cor on sec line bet secs 27 + 28
	I run
	East on a random line through the middle
	of sec 27
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rolling.
	Good upland grazing. Soil sandy 1st rate
40.00	Set temporary 1/4 sec cor. Land rolling
	Good uplands grazing. Soil 1st rate Sandy
60.00	Set temporary 1/16 sec cor. Land rolling.
	Good upland grazing Soil 1st rate. Sandy
79.86	Intersect the N+S line bet secs 26 + 27
	10 links N of the 1/16 sec cor.
	Land rolling. Good upland grazing Soil 1st rate
	From this corner I run
	N 89° 56' W on a true line through the middle
	of sec 27 with the same var
19.97	Set a sandstone 16 + 12 + 4 ins marked "1/16" on
	Efface in a mound of earth 2 ft diam at
	base and 12 ins high for 1/16 sec cor.
39.93	Set a sandstone 15 + 8 + 10 ins marked "1/4"
	on Efface in mound of earth 2 1/2 ft diam at
	base + 18 ins high for 1/4 sec cor.

Chains.	
39.90	Set a sandstone 16×10×10 ins marked "1/16" on E face in mound of earth 2 ft deep at base 12 ins high for 1/16 sec cor
79.86	To the E sec cor. on sec line bet secs 27 & 28. Land rolling. Good upland grazing. Soil 1st rate.
	From the N 1/16 sec cor on sec line bet secs 27 & 28. Run East on a random line through the middle of the N half of sec 27. Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land rolling. Good upland grazing in patches. Soil 1st rate
40.00	Set temporary 1/16 sec cor. Land rolling. Good upland grazing in patches. Soil 1st rate
60.00	Set temporary 1/16 sec cor. Land rolling. Good upland grazing in patches. Soil 1st rate
80.04	Intersect the N & S line between Secs 26 & 27 16 links South of the 1/16 sec cor. Land rolling. Upland grazing. Sandy soil 1st rate. From this corner Run S 89° 00' W on a base line through the middle of the N half of sec 27 with the same var
20.01	Set a sandstone 16×10×8 ins marked "1/16" on E face in mound of earth 2 ft deep at base 12 ins high for 1/16 sec cor.
40.02	Set a sandstone 18×8×8 ins marked "1/16" on E face in mound of earth 2 ft deep at base 12 ins high for 1/16 sec cor.
60.03	Set a sandstone 26×10×10 ins marked "1/16" on E face in mound of earth 2 ft deep at base and 12 ins high for 1/16 sec cor.
80.00	To the N 1/16 sec cor on sec line between 27 & 28 Land rolling. Good grazing on uplands in patches. Soil 1st rate
	From the N 1/16 sec cor on sec line bet secs 21 & 22 Run. East on a random line through the middle.

Contd. of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

	of the Shalf of Sec 22.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor Land rolling & sandy
	Some bunch grass. Rocky. Soil 2d rate
40.00	Set temporary 1/16 sec cor Land rolling & sandy
	Some bunch grass. Rocky. Soil 2d rate
60.00	Set temporary 1/16 sec cor Land rolling & sandy
	Some bunch grass. Land rolling. Soil 2d rate
80.66	Intersect the N & S line bet secs 22 & 23
	12 links South of the 1/16 sec cor.
	Land rolling & sandy. Rocky. Soil 2d rate
	From this corner. I run.
	S 89° 55' W on a true line through the middle
	of the Shalf of Sec 22 with the same var.
20.16	Set a sandstone 22 x 8 x 3 ins marked "1/16"
	on E face in mound of earth 2 ft diam
	at base and 12 ins high for 1/16 sec cor.
40.33	Set a sandstone 20 x 10 x 2 ins. marked "1/16"
	on E face in mound of earth 2 ft diam at
	base & 12 ins high for 1/16 sec cor
60.50	Set a sandstone 16 x 12 x 12 ins marked "1/16"
	on E face in mound of earth 2 ft diam at
	base & 12 ins high for 1/16 sec cor.
80.66	To the S 1/16 sec cor on sec line bet secs 21 & 22
	Land rolling & sandy. Rocky.
	Some bunch grass.
	Soil 2d rate.
	From the 1/4 sec cor. on sec line bet secs 21 & 22
	I run
	East on a random line through the middle
	of Sec 22.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor Land rolling.
	Sandy & rocky. Some bunch grass. Soil 2d rate
40.00	Set temporary 1/4 sec cor. Land rolling & sandy
	Some bunch grass. Rocky. Soil 2d rate.
60.00	Set temporary 1/16 sec cor. Land rolling & sandy
	Some bunch grass. Rocky. Soil 2d rate.
80.30	Intersect the N & S line bet secs 22 & 23
	44 links N of the 1/4 sec cor.
	Land rolling & sandy. Rocky. Soil 2d rate

hains From this corner I run.
N 89° 41' W on a true line through the middle
of sec. 22 with the same over
20.07 Set a sandstone 29 + 18 + 12 ins marked "1/16"
Efface in mound of earth 2 ft. diam at base
+ 12 ins high for 1/16 sec cor
40.15 Set a sandstone 12 + 12 + 10 ins marked "1/4"
Efface in mound of earth 2½ ft diam at
base + 18 ins high for 1/4 sec cor
60.23 Set a sandstone 18 + 10 + 10 ins marked "1/16" on
Efface in mound of earth 2 ft. diam at base
+ 12 ins high for 1/16 sec cor
80.30 To the 1/4 sec cor on sec line bet sec. 21 + 22
Land rolling + sandy
Rocky. Some bunch grass.
Soil 2d rate

From the N 1/16 sec cor on sec line bet secs 21 & 22
I run.
East on a random line through the middle
of the N half of sec 22.
Var 16° 15' E.
20.00 Set temporary 1/16 sec cor. Land rolling and
sandy. Rocky. Some bunch grass. Soil 2d r
40.00 Set temporary 1/16 sec cor. Land rolling and
sandy. Rocky. Some bunch grass. Soil 2d rate
60.00 Set temporary 1/16 sec cor. Land rolling +
sandy. Some bunch grass. Rocky. Soil 2d rate
80.50 Intersect the N + S line bet secs 22 + 23.
20 links S of the N 1/16 sec cor
Land rolling + sandy. rocky. Soil 2d rate.
From this corner I run
89° 57' W on a true line through the middle
of the N half of sec 22 with the same over
20.12 Set a sandstone 35 + 16 + 10 ins marked "1/16"
on Efface in mound of earth 2 ft diam
at base + 12 ins high for 1/16 sec cor
40.25 Set a sandstone 20 + 8 + 7 ins marked "1/16" on
Efface in mound of earth 2 ft diam at base &
12 ins high for 1/16 sec cor
66.38 Set a sandstone 24 + 16 + 8 ins marked "1/16" on
Efface in mound of earth 2 ft diam at

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y; Cont'd.

Chains.	
	+17 lks high for 1/16 sec cor.
50.50	To the N. 1/16 sec cor on sec line bet secs. 21 & 22
	Land rolling & sandy. Rocky
	Some bunch grass.
	Soil 3d rate
	From the S 1/16 sec cor on sec line bet secs 15 & 16
	Run
	East on a random line through the middle
	of the S. half of sec 15.
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land level & sandy
	Good upland grazing. Soil 1st rate
40.00	Set temporary 1/16 sec cor. Land level.
	Good upland grazing. Soil 1st rate
60.00	Set temporary 1/16 sec cor. Land level
	Good upland grazing Soil 1st rate
80.00	Intersect the N & S line bet secs 14 & 15.
	3 links South of the S 1/16 sec cor.
	Land level Good upland grazing Soil 1st rate
	From this corner Run
	S 89° 50' W on a true line through the middle of the
	the S half of sec 15 with the same var.
20.00	Set a sandstone 3 x 12 x 12 ins marked "1/16"
	on E face in mound of earth 3 ft deep at
	base & 12 ins high for 1/16 sec cor
40.00	Set a sandstone 3 x 10 x 10 ins marked "1/16"
	on E face in mound of earth 3 ft deep at
	base & 12 ins high for 1/16 sec cor
60.00	Set a sandstone 16 x 10 x 8 ins marked "1/16"
	on E face in mound of earth 3 ft deep at
	base & 12 ins high for 1/16 sec cor.
80.00	To the S 1/16 sec cor on sec line bet secs 15 & 16
	Land level & sandy
	Good bunch grass
	Soil 1st rate
	From the 1/4 sec cor on sec line between 15 & 16
	Run
	East on a random line through the middle
	of sec 15.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'

Ch

Var 16° 15' E.

20.00 set temporary 1/16 sec cor. Land level & sandy
Good upland grazing. Soil 1st rate.
40.00 Set temporary 1/4 sec cor. Land level & sandy
good upland grazing. Soil 1st rate.
60.00 Set temporary 1/16 sec cor. Land level & sandy
Good upland grazing. Soil 1st rate.
80.10 Intersect the N & S line bet secs 14 & 15
44 links South of the 1/4 sec cor.
and level, sandy. grazing. Soil 1st rate.
From this corner I run
S 89° 41' W on a true line through the middle
of sec 15 with the same var.
20.0 Set a sandstone 20 x 10 x 10 ins. marked "1/16"
on E face in mound of earth. 2 ft drain at
base & 12 ins high. for 1/16 sec cor.
40.0 Set a sandstone 24 x 12 x 3 ins marked "1/4"
on E face in mound of earth 2½ ft drain
base & 18 ins high. for 1/4 sec cor.
60.08 Set a sandstone 30 x 8 x 5 ins marked "1/16" on
E face in mound of earth 2 ft drain at
base & 12 ins high. for 1/16 sec cor.
80.10 To the 1/4 sec cor on sec line bet secs 15 & 16
Land level & sandy.
Good upland grazing.
Soil 1st Rate.

From the N 1/16 sec cor on sec line bet secs 15 & 16
I run.
East on a random line through the middle
of the N half of sec 15.

Var 16° 15' E

20.00 set temporary 1/16 sec cor. Land level & sandy.
Good upland grazing. Soil 1st rate.
40.00 Set temporary 1/16 sec cor. Land level & sandy.
Good upland grazing. Soil 1st rate.
60.00 Set temporary 1/16 sec cor. Land level & sandy.
Good upland grazing. Soil 1st rate.
80.60 Intersect the N & S line bet secs 14 and 15
32 links South of the N 1/16 sec cor.
Land level & sandy Good upland grazing
Soil 1st rate.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
	From this corner I run
	S 89° 46' W on a true line through the middle of
	the N Half of sec 15 with the same var.
20.15	Set a sandstone 20 x 8 x 4 ins marked "1/16" on
	Efface in mound of earth 2 ft diam at base
	& 1½ ins high, for 1/16 sec cor.
40.30	Set a sandstone 16 x 7 x 5 ins marked "1/16" on
	Efface in mound of earth 2 ft diam at base
	& 1½ ins high for 1/16 sec cor.
60.45	Set a sandstone 22 x 10 x 10 ins marked "1/16"
	on Efface in mound of earth 2 ft diam at
	base & 1½ ins high, for 1/16 sec cor.
80.60	To the N 1/16 sec cor on sec line bet secs 15 & 16
	Land level & sandy
	Good upland grazing
	Soil 1st rate
	July 24, 1882
	From the S 1/16 sec cor on sec line bet secs 9 & 10
	I run
	East on a random line through the middle
	of the S Half of sec 10.
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Soil 3d rate
	Land rough, rocky & mountainous.
40.00	Set temporary 1/16 sec cor. Soil 3d rate
	Land rough, rocky & mountainous.
60.00	Set temporary 1/16 sec cor Soil 3d rate
	Land rough, rocky & mountainous
80.40	Intersect the N & S line bet secs 10 & 11
	8 links N of the 1/16 sec cor
	Land rough, rocky & mountainous. Soil 3d rate
	From this corner I run
	N 89° 57' W on a true line through the middle
	of the S Half of sec 10 with the same var
20.10	Set a sandstone 20 x 12 x 3 ins marked "1/16"
	on Efface in mound of earth 2 ft diam at
	base & 1½ ins high for 1/16 sec cor
40.20	Set a sandstone 26 x 10 x 3 ins marked "1/16" on
	Efface in mound of earth 2 ft diam at
	base & 1½ ins high, for 1/16 sec cor
60.30	Set a sandstone 24 x 8 x 4 ins marked "1/16"

Chains	
	on Eface in mound of earth 2 ft diam at base & 12 ins high, for 1/16 sec cor.
80.00	To the S 1/16 sec cor on sec line bet secs 9 & 10.
	Land rough rocky mountainous.
	Soil 3rd rate.
	From the 1/4 sec cor on sec cor bet secs 9 & 10
	Run
	East on a random line through the middle of sec 10.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rough mountainous rocky. Soil 3d rate.
40.00	Set temporary 1/8 sec cor. Soil 3d rate. Land rough mountainous rocky
60.00	Set temporary 1/16 sec cor. Land rough rocky mountainous. Soil 3d rate.
80.60	Intersect the N & S line bet secs 10 & 11 40 links N of the 1/4 sec cor. Land rough, rocky & mountainous Soil 3d rate.
	From this corner Run.
	N 89° 43' W on a true line through the middle of sec 10 with the same var
20.15	Set a sandstone 22 x 12 x 2 ins marked "1/16" on Eface in mound of earth 2 ft diam at base and 12 ins high for 1/16 sec cor.
40.30	Set a sandstone 27 x 8 x 3 ins marked "1/4" on Eface in mound of earth 2 ft diam at base & 18 ins high for 1/4 sec cor.
60.45	Set a sandstone 15 x 10 x 4 ins marked "1/16" on Eface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.60	To the 1/4 sec cor on sec line bet secs 9 & 10
	Land rough rocky mountainous.
	Soil 3d rate.
	From the N 1/16 sec cor on sec line between 9 & 10
	Run
	East on a random line through the middle of the N half of sec 10.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Soil 3d rate.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y; Cont'd.

Chains.	
	Land rough rocky + mountainous.
40.00	Set temporary 1/16 sec cor. Soil 3d rate.
	Land rough + mountainous. Sandy
60.00	Set temporary 1/16 sec cor. Soil 3d rate.
	Land rough + mountainous.
80.18	Intersect the N + S line bet secs 10 + 11
	6 links S of the 1/16 sec cor
	Land rough + mountainous. Soil 3d rate
	From this corner I run
	S 89° 57' W on a true line through the middle
	of the N half of sec 10 with the same var.
20.04	Set a sandstone 20 x 6 x 6 ins marked "1/16" on
	E face in a mound of earth 2 ft deep at
	base + 12 ins high for 1/16 sec cor
40.09	Set a sandstone 18 + 7 + 4 ins marked "1/16"
	on E face in mound of earth 2 ft deep
	at base + 12 ins high, for 1/16 sec cor
60.14	Set a sandstone 15 + 10 + 3 ins marked "1/16"
	on E face in mound of earth 2 ft deep at base
	+ 12 ins high, for 1/16 sec cor.
80.18	To the N 1/16 sec cor on sec line bet secs 9 + 10
	Land rough + mountainous.
	Soil 3d rate.
5	
	From the S 1/16 sec cor on sec line bet secs 3 & 4
	I run
	East on a random line through the middle
	of the S half of sec 3.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Soil 3d rate.
	Land rough, rocky + mountainous.
40.00	Set temporary 1/16 sec cor. Soil 3d rate
	Land rough, rocky + mountainous.
60.00	Set temporary 1/16 sec cor. Soil 3d rate.
	Land rough, rocky + mountainous.
80.86	Intersect the N + S line bet secs 2 + 3. 6 links
	South of the 1/16 sec cor.
	Land rough + mountainous Soil 3d rate
	From this corner I run
	S 89° 33' W on a true line through the middle of
	the S half of sec 3 with the same var.

Chains	
20.31	Set a sandstone 30 + 7 + 4 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
40.43	Set a sandstone 26 + 10 + 3 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
60.65	Set a sandstone 12 + 12 + 10 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
80.86	To the S 1/16 sec cor on sec line bet secs 3 & 4. Land rough & mountainous. Soil 3d rate.
	From the 1/4 sec cor on sec line bet secs 3 & 4 True. East on a random line through the middle of Sec 3. Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Sandy Land level. Soil 2d rate.
40.00	Set temporary 1/4 sec cor. Soil 2d rate. Land level. Sandy
60.00	Set temporary 1/16 sec cor Soil 2d rate Land level. Sandy.
79.98	Intersect the E & W line bet secs 2 & 3 3 links North of the 1/4 sec cor. Land level, sandy Soil 2d rate. From this corner True S 89° 46' W on a true line through the middle of Sec 3 with the same var.
19.99	Set a sandstone 14 + 16 + 4 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
39.99	Set a sandstone 20 + 10 + 4 ins marked "1/4" on E face in mound of earth 2 1/2 ft diam at base & 18 ins high. for 1/4 sec cor.
59.98	Set sandstone 18 + 8 + 4 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
79.98	To the 1/4 sec cor on sec line bet secs 3 & 4 Land level sandy Soil 2d rate

Subdivisions of T. 9 *S. R.* 20 *E. Salt Lake Mer. Utah Terr'y, Cont'd.*

Chains.	
	From the W 1/16 sec cor on sec line bet secs 3 & 4 Trun East on a random line through the middle of the N half of sec 3. Var 16° 15' E.
20.00	Set temporary 1/16 sec cor Land level good grazing. Soil 1st rate.
40.00	Set temporary 1/16 sec cor. Land level good grazing Soil 1st rate
60.00	Set temporary 1/16 sec cor. Land level good grazing Soil 1st rate.
79.70	Intersect the N & S line bet secs 2 & 3. 35 links N of the 1/16 sec cor. Land level good grazing. Soil 1st rate From the corner Trun. N 89° 45' W on a true line through the middle of N half of sec 3 with same m
19.93	Set a sandstone 18 x 8 x 4 ins marked 1/16 on E face in mound of earth 2 ft diam at base & 12 ins high, for 1/16 sec cor.
39.85	Set a sandstone 15 x 16 x 3 ins marked 1/16 on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
59.77	Set a sandstone 24 x 10 x 4 ins marked 1/16 on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
79.70	To the N 1/16 sec cor on sec line bet secs 3 & 4 Land level Good grazing Soil 1st rate.
	From the S 1/16 sec cor on sec line bet secs 32 & 33 Trun East on a random line through the middle of the S half of sec 33. Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Rough & mountainous good grazing on hills. Soil 2d rate
40.00	Set temporary 1/16 sec cor. Rough & mountainous good grazing on hills. Soil 2d rate
60.00	Set temporary 1/16 sec cor Rough & mountainous Good upland grazing. Soil 2d rate

Chains	
80.50	Intersect the N & S line bet secs 33 & 34. 26 links N of the 1/16 sec cor
	Land rough & mountainous. High bluffs.
	From this corner I run
	N 89° 49' W on a true line through the middle of the S half of sec 33 with the same var.
20.12	Set a sandstone 24 × 10 × 10 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
40.25	Set a sandstone 16 × 12 × 10 ins marked "1/16" on E face in mound of earth 2 ft. diam at base & 12 ins high for 1/16 sec cor.
60.37	Set a sandstone 20 × 10 × 4 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.50	To the S 1/16 sec cor on sec line bet secs 32 & 33
	Rough & mountainous High bluffs.
	Good grazing on hills.
	Soil 2d rate.
	From the 1/4 sec cor on sec line bet secs 32 & 33 I run
	East on a random line through the middle of Sec 33.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Soil 2d rate.
	Good upland grazing. Rough & mountainous
40.00	Set temporary 1/4 sec cor. Soil 2d rate.
	Land rough & mountainous Upland grazing
60.00	Set temporary 1/16 sec cor. Soil 2d rate
	Land rough & mountainous Upland grazing.
80.15	Intersect the N & S line bet secs 33 & 34 38 links S of the 1/4 sec cor
	Land rough & mountainous Soil 2d rate.
	From this corner I run
	S 89° 44' W on a true line through the middle of Sec 33 with the same var.
20.03	Set a sandstone 30 × 10 × 2 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
40.07	Set a sandstone 24 × 10 × 3 ins marked "1/4" on E face in mound of earth 2 1/2 ft diam at

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
	base + 18 lins high for 1/4 sec cor.
60.11	Set a sandstone 22 + 10 + 3 lins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 lins high for 1/16 sec cor.
80.15	To the 1/4 sec cor on sec line bet secs 32 & 33. Land rough & mountainous Upland grazing Soil 2d rate.
	From the N 1/16 sec cor on sec line bet secs 32 & 33 Run East on a random line through the middle of the N half of sec 33. Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land rough & mountainous Upland grazing Soil 3d rate
40.00	Set temporary 1/16 sec cor Land rough & mountainous. Upland grazing Soil 2d rate.
60.00	Set temporary 1/16 sec cor. Upland grazing Land rough & mountainous Soil 3d rate.
80.46	Intersect the N & S line bet secs 33 & 34 28 links North of the 1/16 sec cor. Land rough & mountainous Soil 2d rate From this corner Run S 59° 48' W on a true line through the middle of the N half of sec 33 with the same var
20.11	Set a sandstone 18 + 9 + 4 lins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 lins high for 1/16 sec cor.
40.23	Set a sandstone 16 + 12 + 3 lins marked "1/16" on E face in mound of earth 3 ft diam at base & 12 lins high. for 1/16 sec cor.
60.35	Set a sandstone 18 + 10 + 4 lins marked "1/16" on E face in mound of earth 2 ft diam at base + 12 lins high for 1/16 sec cor.
80.46	To the N 1/16 sec cor on sec line bet secs 32 & 33 Land rough & mountainous High rocky bluff. Upland grazing. Soil 2d rate.

July 25. 1882

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	
	From the S 1/16 sec cor on sec line bet secs 28 & 29
	I run
	East on a random line through the middle of the S half of sec 28.
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Soil 3d rate
	Land rough & mountainous. Upland grazing
40.00	Set temporary 1/16 sec cor. Soil 3d rate
	Land rough & mountainous. Upland grazing
60.00	Set temporary 1/16 sec cor. Soil 3d rate.
	Land rough & mountainous Soil 3d rate.
80.24	Intersect the N & S line bet secs 27 & 28.
	27 links N of the 1/16 sec. cor.
	Land rough & mountainous Soil 3d rate.
	From this corner I run
	N 89° 48' W on a true line through the middle of the S half of sec 28 with the same var.
20.06	Set a sandstone 20 x 10 x 3 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 2 ft high for 1/16 sec cor.
40.12	Set a sandstone 22 x 8 x 5 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
60.18	Set a sandstone 18 x 13 x 3 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high. for 1/16 sec cor.
80.24	To the S. 1/16 sec cor. on sec line bet secs 28 & 29
	Land rough rocky & mountainous
	Soil sandy. Upland grazing.
	Soil 2d rate.
	From the 1/4 sec cor on sec line bet secs 28 & 29
	I run
	East on a random line through the middle of sec 28.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Upland grazing
	Land rough, rocky & mountainous. Soil 2d rate
40.00	Set temporary 1/4 sec cor. Upland grazing
	Land rough & mountainous Sandy Soil 2d rate
60.00	Set temporary 1/16 sec cor. Upland grazing
	Land rough & mountainous Sandy soil 2d rate

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
80.48	Intersect the N & S line bet secs 27 & 28 54 links S of the 1/4 sec cor.
	Land rough & mountainous Soil 3d rate
	From this corner I run
	S 89° 37' W on a true line through the middle of sec 28 with the same var.
20.12	Set a sandstone 12 x 10 x 10 ins marked "1/16" on E face in mound of earth 2 ft deep at base & 12 ins high for 1/16 sec cor.
40.24	Set a sandstone 18 x 10 x 10 ins marked "1/4" on E face in mound of earth 2½ ft deep at base and 18 ins high for 1/4 sec cor.
60.36	Set a sandstone 12 x 12 x 12 ins marked "1/16" on E face in mound of earth 2 ft deep at base and 12 ins high for 1/16 sec cor.
80.48	To the 1/4 sec cor on sec line bet secs 28 & 29 Land rough & mountainous. Sandy Upland grazing. Soil 2d rate.
	From the N 1/16 sec cor on sec line bet secs 28 & 29 I run East on a random line through the middle of the N half of sec 28. Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Soil 2d rate. Land rough mountainous Sandy.
40.00	Set temporary 1/16 sec cor. Soil 2d rate Land rough & mountainous Sandy
60.00	Set temporary 1/16 sec cor. Sandy 2d rate Land rough & mountainous
80.12	Intersect the N & S line bet secs 27 & 28 38 links S of the 1/16 sec cor. Land rough & mountainous Soil 2d rate
	From this corner I run S 89° 43' W on a true line through the middle of the N half of sec 28 with the same var
20.03	Set a sandstone 18 x 12 x 10 ins marked "1/16" on E face in mound of earth 2 ft deep at base & 12 ins high for 1/16 sec cor.
40.06	Set a sandstone 20 x 10 x 10 ins marked "1/16" on E face in mound of earth 2 ft deep

Chains.	
	at base 4 12 ins high for 1/16 sec cor.
60.09	Set a sandstone 24 + 16 + 3 ins marked "1/16" on E face in mound of earth 2 ft diam at base + 12 ins high for 1/16 sec cor.
80.12	To the N 1/16 sec cor on sec line bet secs 28 & 29
	Land rough rocky + mountainous.
	Good upland grazing. Sandy
	Soil 2d rate.
	From the S 1/16 sec cor on sec line bet secs 20 & 21
	Run
	East on a random line through the middle of the S half of sec. 21.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land gently rolling. Bunch grass. Soil 1st rate.
40.00	Set temporary 1/16 sec cor. Land gently rolling Bunch grass. Soil 1st rate.
60.00	Set temporary 1/16 sec cor. Land gently rolling Bunch grass. Soil 1st rate.
80.24	Intersect the N + S line bet Secs 21 & 22 52 links N of the 1/16 sec cor.
	Land gently rolling Bunch grass Soil 1st rate
	From this Cor Run
	N 89° 38' W on a true line through the middle of the S half of sec. 21 with the same var.
20.06	Set a sandstone 20 + 9 + 8 ins marked "1/16" on E face in mound of earth 2 ft diam at base + 12 ins high for 1/16 sec cor
40.12	Set a sandstone 13 + 13 + 6 ins marked "1/16" on E face in mound of earth 2 ft diam at base + 12 ins high for "1/16" sec cor.
60.18	Set a sandstone 18 + 12 + 6 ins marked "1/16" on E face in mound of earth 2 ft diam at base + 12 ins high. for 1/16 sec cor
80.24	To the S 1/16 sec cor on sec line bet secs. 20 + 21.
	Land gently rolling Bunch grass.
	Sandy
	Soil 1st rate.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
	From the 1/4 sec cor on sec line bet secs 20 & 21. Iron.
	East on a random line through the middle of sec 21.
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land gently rolling. Bunch grass. Soil 1st rate. Sandy.
40.00	Set temporary 1/4 sec cor. Land gently rolling. Bunch grass. Soil 1st rate.
60.00	Set temporary 1/16 sec cor. Land gently rolling. Bunch grass. Soil 1st rate.
80.32	Intersect the N & S line bet secs 21 & 22 40 links S of the 1/4 sec cor. Land gently rolling. Bunch grass. Soil 1st rate. From this corner Iron
	S 89° 43' W on a true line through the middle of sec 21 with the same cor
20.08	Set a sandstone 16+10+4 ins marked "1/16" on E face in mound of earth 2 ft diam at base and 3 ins high for 1/16 sec cor.
40.16	Set a sandstone 18+12+6 ins marked "1/4" on E face in mound of earth 2½ ft diam at base & 18 ins high for 1/4 sec cor.
60.24	Set a sandstone 22+16+8 ins marked "3/16" on E face in mound of earth 2 ft diam at base and 3 ins high for 3/16 sec cor
80.32	To the 1/4 sec cor on sec line bet secs 20 & 21 Land gently rolling Bunch grass. Sandy Soil 1st rate
	From the N 1/16 sec cor on sec line bet secs 20 & 21 Iron.
	East on a random line through the middle of the N half of sec 21.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land gently rolling Bunch grass. Soil 1st rate.
40.00	Set temporary 1/16 sec cor. Gently rolling Bunch grass. Soil 1st rate
60.00	Set temporary 1/16 sec cor. Gently rolling Bunch grass. Soil 1st rate

Chains	
80.38	Intersect the N+S line bet secs 21 & 22
	3 links N of the 1/16 sec cor
	Land gently rolling. Bunch grass 1st rate
	From this corner I run
	N 89° 44' W on a true line through the
	middle of the N half of sec 21 with the
	same var
20.09	Set a sandstone 14 x 10 x 4 ins marked "1/16" on
	E face in mound of earth 2 ft deep at
	base & 12 ins high for 1/16 sec cor
40.19	Set a sandstone 20 x 10 x 8 ins marked "1/16"
	on E face in mound of earth 2 ft deep
	at base & 12 ins high for 1/16 sec cor
60.59	Set a sandstone 16 x 12 x 5 ins marked "1/16" on
	E face in mound of earth 2 ft deep at
	base & 12 ins high for 1/16 sec cor
80.38	To the N 1/16 sec cor on sec line bet secs 20 & 21
	Land gently rolling.
	Bunch grass.
	Soil 1st rate.
	July 26 1882
	From the S 1/16 sec cor on sec line bet secs 16 & 17
	I run
	East on a random line through the middle
	of the S half of sec 16.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor Land gently rolling
	Good upland grazing. Soil 1st rate.
40.00	Set temporary 1/16 sec cor. Land gently rolling
	Good upland grazing. Soil 1st rate.
60.00	Set temporary 1/16 sec cor Land gently rolling
	Sandy Upland grazing Soil 1st rate.
80.18	Intersect the N+S line between secs 15 & 16
	24 links South of the 1/16 sec cor
	Land gently rolling. Upland grazing
	Soil 1st rate.
	From this corner I run
	S 89° 50' W on a true line through the middle
	of the S half of sec 16 with the same var
20.04	Set a sandstone 20 x 6 x 5 ins marked "1/16"
	on E face in mound of earth 2 ft deep at
	base & 12 ins high for 1/16 sec cor

Subdivisions of T. 9 *S. R.* 20 *E. Salt Lake Mer. Utah Terr'y, Cont'd.*

Chains.	
40.09	Set a sandstone 16×7×5 ins marked "1/16" on E face in mound of earth 2 ft diam at base 12 ins high for 1/16 sec cor.
60.14	Set a sandstone 20×10×4 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.18	To the S 1/16 sec cor on sec line bet secs 16 & 17 Land gently rolling. Good upland grazing Soil 1st rate Sandy
	From the 1/4 sec cor on sec line bet secs 16 & 17 I run East on a random line through the middle of Sec 16 Var 16° 15' E
20.00	Set temporary 1/16 sec cor Land gently rolling Good upland grazing. Soil 1st rate.
40.00	Set temporary 1/4 sec cor Land gently rolling Good upland grazing. Soil 1st rate.
60.00	Set temporary 1/16 sec cor. Land gently rolling Good upland grazing. Soil 1st rate
80.70	Intersect the N & S line bet secs 15 & 16 16 links N of the 1/4 sec cor Land gently rolling. good grazing Soil 1st Rate From this corner I run N 89° 53' W on a true line through the middle of Sec 16 with the same var.
20.17	Set a sandstone 15×8×5 ins marked 1/16 on E face in mound of earth 2 ft diam at base & 12 ins high. for 1/16 sec cor.
40.35	Set a sandstone 16×7×4 ins marked "1/4" on E face in mound of earth 2½ ft diam at base & 18 ins high. for 1/4 sec cor
60.35	Set a sandstone 20×5×5 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high, for 1/16 sec cor.
80.70	To the 1/4 sec cor on sec line bet secs 16 & 17 Land gently rolling. Good upland grazing Soil 1st rate. Sandy

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
	From the N 1/16 sec cor on sec line bet secs 16 & 17 I run East on a random line through the middle of the N half of sec 16. Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land gently rolling. Good upland grazing. Soil 1st rate.
40.00	Set temporary 1/16 sec cor. Land gently rolling. Good upland grazing. Soil 1st rate.
60.00	Set temporary 1/16 sec cor. Land gently rolling. Good upland grazing. Soil 1st rate.
80.26	Intersect the N & S line bet secs 15 & 16 6 links N of the 1/16 sec cor. Land gently rolling. Sandy. grazing. Soil 1st rate.
	From this corner I run N 89° 34' W on a true line through the middle of the N half of sec 16 with the same var.
20.06	Set a sandstone 18 x 6 x 5 ins marked "1/16" on Efface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
40.13	Set a sandstone 16 x 8 x 4 ins marked "1/16" on Efface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
60.20	Set a sandstone 20 x 6 x 6 ins marked "1/16" on Efface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.26	To the N 1/16 sec cor on sec line bet secs 16 & 17. Land gently rolling. Good upland grazing. Sandy. Soil 1st rate.
	From the S 1/16 sec cor on sec line bet secs 8 & 9 I run East on a random line through the middle of the S half of sec 9. Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rough & mountainous. Rocky. Soil 3d rate.
40.00	Set temporary 1/16 sec cor. Land rough & mountainous. Rocky. Soil 3d rate.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
60.00	Set temporary 1/16 sec cor. Land rough mountainous Rocky. Soil 3d rate.
80.64	Intersect the N & S line bet secs 9 & 10 16 links S of the 1/16 sec cor.
	Land rough mountainous Soil 3d rate
	From this corner True
	S 89° 53' W on a true line through the middle
	of the S half of sec 9 with the same var
20.16	Set a sandstone 3 by 12 x 4 ins marked 1/16 on E
	face in mound of earth 2 ft diam at base &
	12 ins high for 1/16 sec cor.
40.32	Set a sandstone 20 x 8 x 6 ins marked 1/16 on E
	face in mound of earth 2 ft diam at base &
	12 ins high for 1/16 sec cor.
60.48	Set a sandstone 15 x 5 x 4 ins marked 1/16 on
	E face in mound of earth 2 ft diam at base
	& 12 ins high for 1/16 sec cor.
80.64	To the S 1/16 sec cor on sec line bet secs 8 & 9
	Land rough mountainous Rocky
	Soil 3d rate.
	From the 1/4 sec cor on S sec line bet secs 8 & 9
	True
	East on a random line through the
	middle of Sec 9
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rough rocky
	mountainous. Soil 3d rate
40.00	Set temporary 1/4 sec cor. Land rough rocky
	& mountainous. Soil 3d rate
60.00	Set temporary 1/16 sec cor Land rough rocky
	& mountainous.
80.50	Intersect the N & S line bet secs 9 and 10
	17 links N of the 1/4 sec cor.
	Land rough mountainous. Soil 3d rate
	From this corner True
	N 89° 53' W on a true line through the middle
	of Sec 9 with the same var
20.12	Set a sandstone 24 x 6 x 4 ins marked 1/16 on
	E face in mound of earth 2 ft diam at base
	& 12 ins high for 1/16 sec cor.
40.25	Set a sandstone 16 x 12 x 12 ins marked 1/4 on

Chains	
	Eface in mound of earth 2 ft diam at base & 12 ins high for 1/4 sec cor
60.37	Set a sandstone 14 x 10 x 8 ins marked 1/16 on Eface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
80.50	To the 1/4 sec cor bet secs 8 & 9
	Land rough rocky & mountainous
	Soil 3d rate
	From the N 1/16 sec cor on sec line bet secs 8 & 9
	I run
	East on a random line through the middle of the N half of Sec 9
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rough, rocky & mountainous Soil 3d rate
40.00	Set temporary 1/16 sec cor. Land rough, rocky & mountainous Soil 3d rate
60.00	Set temporary 1/16 sec cor Land rough rocky & mountainous Soil 3d rate
80.20	Intersect the N & S line bet secs 9 & 10
	62 links S of the 1/16 sec cor
	Land rough, rocky & mountainous Soil 3d rate
	From this corner I run
	S 89° 33' W on a true line through the middle of the N half of sec 9 with the same var
20.05	Set a sandstone 30 x 14 x 10 ins marked 1/16 on E face in mound of earth 2 ft diam at base & 12 ins high, for 1/16 sec cor
40.10	Set a sandstone 20 x 12 x 8 ins marked 1/16 on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
60.15	Set a sandstone 21 x 18 x 3 ins marked 1/16 on Eface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
80.20	To the N 1/16 sec cor on sec line bet secs 8 & 9
	Land rough & mountainous
	Rocky
	Soil 3d rate

Chains.	
	From the S 1/16 sec cor on sec line bet secs 4 & 5
	Trav.
	East on a random line through the middle
	of the S. half of sec 4
	Var 16° 15' E
15.00	Foot of bluffs.
20.00	Set temporary 1/16 sec cor. Land level.
	Good grass. Soil 1st rate.
40.00	Set temporary 1/16 sec cor. Land level.
	Good grass. Soil 1st rate.
60.00	Set temporary 1/16 sec cor Land level
	Good grass. Soil 1st rate.
80.40	Intersect the N & S line bet secs 3 and 4
	at the 1/16 sec cor.
	Land level. Good grass. Soil 1st rate
	From this corner Trav.
	N 90° 00' W on a true line through the middle
	of the S half of sec 4 with the same var
20.10	Set a sandstone 18 x 8 x 3 ins marked "1/16"
	on E face in mound of earth 2 ft diam
	at base and 12 ins high for 1/16 sec cor
40.20	Set a sandstone 12 x 10 x 5 ins marked "1/16"
	on E face in mound of stone 2 ft diam
	at base & 1½ ft high for 1/16 sec cor
60.30	Set a sandstone 16 x 10 x 3 ins marked "1/16"
	on E face in mound of earth 2 ft diam
	at base & 12 ins high for 1/16 sec cor
80.40	To the S 1/16 sec cor on sec line bet secs 4 & 5
	Land level. Good grass.
	Soil 1st rate.
	The line follows edge of bluffs for 61
	chains then Eustis Valley.
	Green river distant 1.50 chains

	As the 1/4 sec line in Sec 4 is fractional
	Trav from 1/4 sec cor on Secs 3 & 4
	West on a true line through the middle
	of Sec 4.
	Var 16° 15' E
20.00	Set a sandstone 30 x 6 x 4 ins marked "1/16" on
	E face in mound of earth 2 ft diam at base

Chains.	
	+ 12 ins high for 1/16 sec cor.
40.00	Set a sandstone 20 x 6 x 5 ins marked "1/4" on E face in mound of earth 2½ ft diam at base + 18 ins high for 1/4 sec cor.
54.25	To White river. Course S.W.
	Land level. good grazing
	Soil 1st rate
58.00	Right bank
60.00	Set a cottonwood post 36 x 3 x 3 ins 18 ins in ground marked "1/16" for 1/16 sec cor. Dug 2 pits 18 x 12 x 12 ins E & W 5 ft dist from post + raised mound of earth
75.00	Left bank of Green river. Course S.
	Land level river bottom. Covered with dense underbrush. cottonwood timber. Good grazing Soil 1st R.
Note	The remainder of the line in river

As the N 1/16 sec line in sec 4 is fractional
From the N 1/16 sec cor on line bet secs 3 & 4
True
West on a true line through the middle of the North half of Sec 4.
Var 16° 15' E

20.00	Set a cottonwood post 36 x 3 x 3 ins 18 ins in the ground marked "1/16" for 1/16 sec cor. Dug 2 pits E & W. 18 x 12 x 12 ins 5 ft dist from post, built mound of earth
22.00	Left bank of White river. Course S.W.
25.00	Right bank.
40.00	Set a cottonwood post 36 x 3 x 3 ins 18 ins in the ground marked "1/16" for 1/16 sec cor Dug 2 pits E & W. 18 x 12 x 12 ins 5 ft dist from post, built mound of earth.
60.00	Set a cottonwood post 36 x 3 x 3 ins 18 ins in the ground marked "1/16" for 1/16 sec cor. Dug 2 pits E & W 18 x 12 x 12 ins 5 ft dist from post, built mound of earth
77.00	Left bank of Green river. Course South
	Land level river bottom. Dense underbrush
	Cottonwood timber of large size
	Grazing excellent
	Soil alluvial 1st rate
Note	The remainder of the line in the river
	July 27. 1882

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
	From the S 1/16 sec cor on sec line bet secs 31 & 32 True.
	East on a random line through the middle of the S half of Sec 32. Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land very rough mountainous Sandy Good upland grazing. Soil 3d rate
40.00	Set temporary 1/16 sec cor Land very rough. Sandy mountainous. Upland grazing Soil 3d rate
60.00	Set temporary 1/16 sec cor. Land very rough. Sandy mountainous. Upland grazing. Soil 2d rate
80.70	Intersect the N & S line 90 links North of the 1/16 sec cor bet secs 32 & 33.
	Land very rough & mountainous. Soil 2d rate
	From this corner True
	N 89° 31' W on a true line through the middle of the S half of Sec 32 with the same var
20.17	Set a sandstone 14 x 9 x 3 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
40.35	Set a sandstone 16 x 12 x 4 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
60.53	Set a sandstone 16 x 10 x 4 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
80.70	To the S 1/16 sec cor on sec line bet secs 31 & 32 Land very rough, sandy & mountainous Sandy. Good grazing for upland Soil 2d rate.
	From the S 1/16 sec cor on sec line bet secs 31 & 32 True.
	West on a random line through the middle of the S half of Sec 31. Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land very rough. rocky & mountainous. Soil 3d rate.
40.00	Set temporary 1/16 sec cor. Land very rough. rocky & mountainous. Soil 3d rate
60.00	Set temporary 1/16 sec cor. Land very rough rocky & mountainous. Soil 3d rate.

Chains.	
64.00	Deep water course N.W.
96.50	Intersect the West Bdy of the Tp. 40 links North of the 1/16 sec cor.
	Land very rough, rocky mountainous.
	From this corner I run
	N 89° 43' E on a true line through the middle of the S half of sec 31 with the same var
36.50	Set a sandstone 30 x 8 x 4 ins marked "1/16" on Efface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
56.50	Set a sandstone 20 x 16 x 12 ins. marked "1/16" on Efface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
76.50	Set a sandstone 18 x 6 x 6 ins marked "1/16" on Efface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
96.50	To the S 1/16 sec cor on sec line bet secs 31 & 32
	Land rough, rocky mountainous, and narrow broken valley
	Soil 3rd rate.
	From the 1/4 sec cor on sec line bet secs 31 & 32
	I run
	East on a random line through the middle of sec 32.
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land rough and mountainous. Sandy upland. grazing 2nd rate.
40.00	Set temporary 1/4 sec cor. Land rough. Sandy mountainous Upland grazing. Soil 2nd rate
60.00	Set temporary 1/16 sec cor Land rough and mountainous. Upland grazing. Soil 2nd rate.
80.60	Intersect the N & S line bet secs 32 & 33 16 links West of the 1/4 sec cor.
	Land rough & mountainous Soil 2nd rate
	From this corner I run
	S 89° 53' W on a true line through the middle of sec 32 with the same var.
20.15	Set a sandstone 18 x 7 x 3 ins marked 1/16 on Efface in mound of earth 2 ft diam at base and 12 ins high for 1/16 sec cor.
40.30	Set a sandstone 16 x 10 x 4 ins marked "1/4"

Subdivisions of T. 9 S. R. 29 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
	on E face in mound of earth 3 ft diam at base 18 ins high for 1/4 sec cor.
60.45	Set a sandstone 18×10×6 ins marked "1/16" on E face in mound of earth 2 ft diam at base 12 ins high for 1/16 sec cor.
80.60	To the 1/4 sec cor on sec line bet Secs 31 & 32
	Land rough & mountainous
	Sandy. Good upland grazing.
	Soil 2d rate.
	From the 1/4 sec cor on sec line bet secs 31 & 32
	Trees
	West on a random line through the middle of Sec 31.
	Var 16° 15' E
2.00	Set temporary 1/16 sec cor. Land very rough mountainous. Grazing in hills. Soil 2d rate.
35.00	Water course.
40.00	Set temporary 1/16 sec cor. Land very rough and mountainous. Soil 2d rate. Grazing.
60.00	Set temporary 1/16 sec cor. Land very rough mountainous. Grazing in hills. Soil 2d rate.
95.50	Intersect the West Bdy of the Tp
	70 links S of the 1/4 sec cor.
	Land very rough & mountainous. Soil 2d rate
	From the corner Trees.
	S 89° 30' E on a true line through the middle of Sec 31 with the same var.
35.80	Set a sandstone 18×10×10 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
55.80	Set a sandstone 16×14×10 ins marked "1/4" on E face in mound of earth 2 1/2 ft diam at base & 18 ins high for 1/4 sec cor.
75.80	Set a sandstone 30×12×10 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
95.80	To the 1/4 sec cor on sec line bet secs 31 & 32
	Land rough mountainous.
	Grazing in hills.
	Soil 2d rate.

Chains	From the N 1/16 sec cor on sec line bet secs 31 & 32
	Trav.
	East on a random line through the middle of
	the N half of sec 32.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rough and
	mountainous. Upland grazing. Soil 3d rate
40.00	Set temporary 1/16 sec cor. Land rough and
	mountainous. Upland grazing. Sandy.
60.00	Set temporary 1/16 sec cor. Land rough and
	mountainous. Upland grazing. Soil 3d rate.
80.20	Intersect the N & S line bet secs 32 and 33
	14 links N of the 1/16 sec cor.
	Land rough & mountainous. Soil 2d rate.
	From this corner Trav.
	N 89° 52' W on a true line through the middle
	of the N half of sec 32 with the same var.
20.05	Set a sandstone 12 x 8 x 8 ins marked "1/16" on
	E face in mound of earth 2 ft deep at
	base & 12 ins high for 1/16 sec cor.
40.10	Set a sandstone 24 x 11 x 6 ins marked "1/16"
	on E face in mound of earth 2 ft deep at
	base and 12 ins high for 1/16 sec cor.
60.15	Set a sandstone 20 x 6 x 5 ins marked "1/16"
	on E face in mound of earth 2 ft deep
	at base & 12 ins high for 1/16 sec cor.
80.20	To the N 1/16 sec cor on sec line bet secs 31 & 32
	Land rough. Sandy mountainous
	Upland grazing.
	Soil 2d rate
	From the N 1/16 sec cor on sec line bet secs 31 & 32
	Trav.
	West on a random line through the middle
	of the N half of sec 31
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Soil 2d rate
	Land very rough & mountainous. grazing
33.00	Water course to N. N. W.
40.00	Set temporary 1/16 sec cor. Soil 2d rate
	Land rough & mountainous. Grazing.
60.00	Set temporary 1/16 sec cor. Soil 2d rate

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
	Land rough + mountainous. Grazing.
95.86.	Intersect the West Bdy of the Tp. at the
	N 1/16 sec cor.
	Land rough + mountainous Soil 2d rate.
	From this corner I run.
	N. 90° 00' E on a true line through the middle
	of the N half of sec 31 with the same var
35.86	Set a sandstone 12 x 12 x 8 ins marked "1/16"
	on Efface in mound of earth 2 ft deain
	at base & 12 ins high for 1/16 sec cor.
55.86	Set a sandstone 18 x 8 x 4 ins marked "1/16" on
	Efface in mound of earth 2 ft deain at base
	+ 12 ins high for 1/16 sec cor.
95.86	Set a sandstone 20 x 14 x 8 ins marked "1/16" on
	Efface in mound of earth 2 ft deain at
	base and 12 ins high for 1/16 sec cor.
95.86	To the N 1/16 sec cor on sec line bet secs 31 & 32
	Land rough + mountainous.
	Grazing on hills.
	Soil 2d rate.
	From the S 1/16 sec cor on sec line bet secs 29 & 30
	I run
	East on a random line through the middle
	of the S half of sec 29.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land level + broken
	Soil 2d rate. Sandy. good upland grazing
40.00	Set temporary 1/16 sec cor Land level + broken
	Soil 2d rate sandy Good upland grazing.
60.00	Set temporary 1/16 sec cor. Good grazing.
	Land level + broken. Sandy. Soil 2d rate.
80.20	Intersect the N + S line bet secs 28 + 29
	46 links S of the 1/16 sec cor.
	Land level + broken. Sandy. Soil 2d rate.
	From this corner I run
	S. 89° 40' W on a true line through the
	middle of the S half of sec 29. with the
	same var.
20.05	Set a sandstone 12 x 10 x 6 ins marked "1/16"
	on Efface in mound of earth 2 ft deain

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	
	at base +13 ins high for 1/16 sec. cor.
40.10	Set a sandstone 14×10×8 ins marked "1/16" on Eface in mound of earth 2 ft diam at base +12 ins high for 1/16 sec cor.
60.15	Set a sandstone 16×14×6 ins marked "1/16" on Eface in mound of earth 2 ft diam at base +12 ins high for 1/16 sec cor.
80.20	To the S 1/16 sec cor on sec line bet secs 29 & 30. Land level & broken. Good grazing. Soil 2d rate & sandy
	From the S 1/16 sec cor on sec line bet secs 29 & 30 Run West on a random line through the middle of the S half of sec 30. Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land very rough & mountainous. Fair grazing on bluffs.
40.00	Set temporary 1/16 sec cor. Rough & mountainous Fair grazing on bluffs. Soil 2d rate & sandy
58.00	Water course
60.00	Set temporary 1/16 sec cor. Land very rough & mountainous. Grazing. Soil 2d rate. Sandy
95.20	Intersect the West Bdy of the Tp. at the S 1/16 sec cor. Land rough & mountainous. Soil 2d rate. From this corner Run N 90° 00' Eas a true line through the middle of the S half of sec 30. with the same var.
35.20	Set a sandstone 30×8×6 ins marked "1/16" on Eface in mound of earth 2 ft diam at base and 12 ins high for 1/16 sec cor.
55.20	Set a sandstone 18×10×4 ins marked "1/16" on Eface in mound of earth 2 ft diam at base +12 ins high for 1/16 sec cor.
75.20	Set a sandstone 20×12×8 ins marked "1/16" on Eface in mound of earth 2 ft diam at base +12 ins high for 1/16 sec cor.
95.20	To the S 1/16 sec cor on sec line bet secs 29 & 30. Land rough & mountainous. Good grazing. Soil 2d rate. July 28. 1882

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	
	From the 1/4 sec cor on sec line bet secs 29 & 30 Trav.
	East on a random line through the middle of sec 29.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land level sandy
40.00	Set temporary 1/4 sec cor. Land level Soil 1st rate
60.00	Set temporary 1/16 sec cor. Level & grazing.
80.50	Intersect the N & S line bet secs 28 and 29 42 links S of the 1/4 sec cor.
	Land level. Uplands grazing. Soil 1st rate.
	From this corner Trav
	S 89° 42' W on a true line through the middle of sec 29 with the same var.
20.12	Set a sandstone 16 x 12 x 4 ins marked "1/16" on Eface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
40.25	Set a sandstone 18 x 12 x 5 ins marked "1/4" on Eface in mound of earth 2 1/2 ft diam at base & 18 ins high for 1/4 sec cor.
60.38	Set a sandstone 20 x 10 x 4 ins marked "1/16" on Eface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.50	To the 1/4 sec cor on sec line bet secs 29 & 30 Land level. grazing. sandy. Soil 1st rate.

	From the 1/4 sec cor on sec line bet secs 29 & 30 Trav
	West on a random line through the middle of sec 30.
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land level & broken Grazing. Soil 1st rate
40.00	Set temporary 1/4 sec cor. Land level Soil 1st rate Grazing on uplands.
43.00	Water course & valley to N.
60.00	Set temporary 1/16 sec cor. Land level 1st rate.
95.34	Intersect the West Bdy of Tp. 46 links S of the 1/4 sec cor. Land level. grazing. Soil 1st rate
	From this corner Trav
	S 89° 40' E on a true line through the middle

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	
	of sec 30 with the same var.
35.34	Set a sandstone 24+8+3 ins marked 1/16 cor.
	Efface in mound of earth 2 ft diam at base
	+12 ins high for 1/16 sec cor.
55.34	Set a sandstone 30+10+10 ins marked 1/16 cor.
	Efface in mound of earth 2½ ft diam at
	base +18 ins high for 1/16 sec cor.
75.34	Set a sandstone 16+13+10 ins marked 1/16
	cor. Efface in mound of earth 2 ft diam
	at base +12 ins high for 1/16 sec cor.
95.34	To the 1/16 sec cor on sec line bet secs 29 & 30
	Land level & broken. Upland grazing
	Soil 1st rate.
	From the N 1/16 sec cor on sec line bet secs 29 & 30
	Run
	East on a random line through the middle
	of the N half of sec 29.
	Var 16° 15' E
20.00	Set a temporary 1/16 sec cor. Land level
40.00	Set a temporary 1/16 sec cor. Land level
60.00	Set a temporary 1/16 sec cor. Land broken
80.60	Intersect the N & S line bet secs 28 & 29.
	44 links N of the N 1/16 sec cor.
	Land partly level & broken. Soil 2d rate. grass
	From this corner Run
	N 89° 41' W on a true bisect line through the middle
	of the N ½ of sec 29 with the same var.
20.15	Set a sandstone 17+10+4 ins marked 1/16 cor. Ef
	face in mound of earth 2 ft diam at base and
	12 ins high for 1/16 sec cor.
40.30	Set a sandstone 21+7+5 ins marked 1/16 cor.
	Efface in mound of earth 2 ft diam at base
	+12 ins high for 1/16 sec cor.
60.45	Set a sandstone 13+9+6 ins marked 1/16 cor
	Efface in mound of earth 2 ft diam at
	base +12 ins high for 1/16 sec cor.
80.60	To the W 1/16 sec cor on sec line bet secs 29 & 30
	Land level undulating & broken
	Soil 2d rate. Some good grazing

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
	From the N 1/16 sec cor on sec line bet secs 29 & 30 True
	West on a random line through the middle of the N half of sec 30.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land level & broken Grazing. Soil 1st rate
40.00	Set temporary 1/16 sec cor. Land level & broken Soil 1st rate. Grazing.
60.00	Set temporary 1/16 sec cor Land level & broken Soil 1st rate. Grazing.
62.00	Water course
95.30	Intersect the West Bdy. of the Tp. 28 links N of the 1/16 sec cor. Land level & broken. Grazing. Soil 1st rate. From this corner True N 89° 48' E on true line through the middle of the N half of sec 30 with the same var
35.30	Set a sandstone 16 x 10 x 7 ins marked 1/16 on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
55.30	Set a sandstone 26 x 14 x 4 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
75.30	Set a sandstone 24 x 14 x 3 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
95.30	To the N 1/16 sec cor on sec line bet secs 29 & 30 Land level & broken. Soil 1st rate. Grazing.
	From the S 1/16 sec cor on sec line bet secs 19 & 20 True East on a random line through the middle of the S half of sec 20.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor Land rough, rocky & mountainous. Bunch grass. Sandy. Soil 2d rate
40.00	Set temporary 1/16 sec cor. Land rough, rocky & mountainous. Bunch grass. Soil 2d rate.
60.00	Set temporary 1/16 sec cor. Land rough

Chains	
	+ mountainous. Bunch grass. Soil 2d rate.
80.18	Intersect the N. & S. line bet. secs. 20 & 21.
	56 links N. of the 1/16 sec. cor.
	Land rough + mountainous. Soil 2d rate.
	From this corner I run
	N 89° 36' W on a true line through the middle
	of the S. half of sec. 20 with the same var.
20.04	Set a sandstone 22 + 14 + 4 ins. marked "1/16" on
	Edge in mound of earth 2 ft. diam. at base
	+ 12 ins. high for 1/16 sec. cor.
40.09	Set a sandstone 20 + 12 + 3 ins. marked "1/16" on E.
	face in mound of earth 2 ft. diam. at base + 12
	ins. high for 1/16 sec. cor.
60.14	Set a sandstone 16 + 8 + 4 ins. marked "1/16" on
	Edge in mound of earth 2 ft. diam. at base
	+ 12 ins. high for 1/16 sec. cor.
80.18	To the S. 1/16 sec. cor. on sec. line bet. secs. 19 & 20.
	Land rough + mountainous. Bunch grass.
	Soil 2d rate.
	From the S. 1/16 sec. cor. on sec. line bet. secs. 19 & 20
	I run
	West on a random line through the middle of
	the S. half of sec. 19.
	Var. 16° 15' E.
20.00	Set temporary 1/16 sec. cor. Land rolling + sandy.
	Rocky bluffs. Good upland grazing. Soil 1st rate.
40.00	Set temporary 1/16 sec. cor. Land rolling.
	Sandy + rocky. Grazing. Soil 2d rate.
60.00	Set temporary 1/16 sec. cor. Land rolling &
	sandy. Rocky bluffs. Grazing. Soil 1st rate.
71.00	Water course to N.W.
94.50	Intersect the West Bdy. of the Tp.
	62 links S. of the 1/16 sec. cor.
	Land rolling + rocky. Grazing. Soil 2d rate.
	From this corner I run
	S 89° 33' E. on a true line through the middle
	of the S. half of sec. 19 with the same var.
34.50	Set a sandstone 20 + 8 + 8 ins. marked "1/16" on E.
	face in a mound of earth 2 ft. diam. at base +
	12 ins. high for 1/16 sec. cor.
54.50	Set a sandstone 18 + 8 + 8 ins. marked "1/16" on

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
	Efface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
74.50	Set a sandstone 12 x 10 x 10 ins marked "1/16" on
	Efface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
94.50	To the 1/16 sec cor on sec line bet secs 19 & 20
	Land rolling & sandy
	Rocky bluff. Good upland grazing
	Soil 2d rate
	From the 1/4 sec cor on sec line bet secs 19 & 20
	Run
	East on a random line through the middle of Sec 20.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rough rocky mountainous. Bunch grass. Soil 2d rate
40.00	Set temporary 1/4 sec cor Land rough rocky mountainous. Bunch grass Soil 2d rate.
60.00	Set temporary 1/16 sec cor Land rough rocky & mountainous Bunch grass Soil 2d rate
80.26	Intersect the N & S line bet secs 20 & 21
	26 links S of the 1/4 sec cor.
	Land rough, rocky & mountainous Soil 2d rate
	From this corner Run
	S 89° 49' W on a true line through the middle of Sec 20 with the same var.
20.06	Set a sandstone 26 x 10 x 4 ins marked "1/16" on
	Efface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
40.13	Set a sandstone 20 x 7 x 6 ins marked "1/4" on E face in mound of earth 2½ ft diam at base & 18 ins high. for 1/4 sec cor.
60.20	Set a sandstone 26 x 14 x 10 ins marked "1/16" on
	Efface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.26	To the 1/4 sec cor on sec line bet secs 19 & 20
	Land rough rocky & mountainous
	Bunch grass
	Soil 2d rate
	Sandy

Chains	
	From the 1/4 sec cor on sec line bet secs 19 & 20
	Trav
	West on a random line through the middle
	of sec 19.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rolling & sandy
	Rocky bluffs. Grazing. Soil 2d rate
40.00	Set temporary 1/4 sec cor. Land rolling & sandy
	Rocky bluffs. Grazing. Soil 2d rate
60.00	Set temporary 1/16 sec cor. Land rolling
	Bluffs. Grazing. Soil 2d rate
94.60	Intersect the West Bdy of the Tp. 10 links
	S of the 1/4 sec cor
	Land rolling rocky & sandy
	From this corner Trav
	S 89° 56' E on a true line through the middle
	of sec 19 with the same var
34.60	Set a sandstone 20 x 5 x 4 ins marked "1/16" on
	E face in mound of earth 2 ft diam at base
	& 12 ins high for 1/16 sec cor.
54.60	Set a sandstone 22 x 6 x 4 ins marked "1/4" on
	E face in mound of earth 2 1/2 ft diam at
	base & 18 ins high for 1/4 sec cor.
74.60	Set a sandstone 20 x 8 x 8 ins marked "1/16" on
	E face in mound of earth 2 ft diam at base
	& 12 ins high for 1/16 sec cor.
94.60	To the 1/4 sec cor on sec line bet secs 19 & 20
	Land rolling & sandy
	Rocky bluffs. Good upland grazing
	Soil 2d rate
	From the N 1/16 sec cor on sec line bet secs 19 & 20
	Trav
	East on a random line through the middle
	of the N half of sec 20.
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rough & rocky
	mountainous. Bunch grass. Soil 2d rate
40.00	Set temporary 1/16 sec cor. Land rough &
	mountainous. Bunch grass. Soil 2d rate
60.00	Set temporary 1/16 sec cor. Land rough &
	mountainous. Bunch grass. Soil 2d rate

Chains	
80.80	Intersect the N & S line bet secs 20 & 21. 14 links S of the 1/16 sec cor. Land rough & mountainous. Soil 2d rate. From this corner I run S 89° 58' W. on a true line through the middle of the N half of sec 20 with the same var
20.20	Set a sandstone 18 x 12 x 6 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
40.40	Set a sandstone 30 x 10 x 3 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
60.60	Set a sandstone 18 x 12 x 8 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.80	To the 1/16 sec cor on sec line bet secs 19 & 20 Land rough rocky & mountainous. Bunch grass. Soil 2d rate. Sandy.
	From the N 1/16 sec cor on sec line bet secs 19 & 20 I run West on a random line through the middle of the N half of sec 19. Var 16° 15' E.
20.00	Set temporary 1/16 sec cor Land rolling & sandy Good upland grazing. Rocky bluffs. Soil 2d rate.
40.00	Set temporary 1/16 sec cor. Land rolling & sandy Good upland grazing. Rocky bluffs. Soil 2d rate
60.00	Set temporary 1/16 sec cor Land rolling & sandy Good upland grazing. Rocky bluffs. Soil 2d rate
94.58	Intersect the West Bdy of Tp 16 links N of the 1/16 sec cor Land rolling & sandy. Upland grazing. Soil 2d Rate From this corner I run N 89° 58' E on a true line through the middle of the N half of sec 19 with the same var
34.58	Set a sandstone 36 x 10 x 3 ins marked "1/16" on E face in mound of earth 2 ft diam at base 11 ins high for 1/16 sec cor.
84.58	Set a sandstone 20 x 6 x 7 ins marked "1/16" on E face in mound of earth 2 ft diam at base of

Chains.	
	12 lins high for 1/16 sec cor.
94.58	Set a sandstone 20+10+3 lins marked "1/16" on
	E face in mound of earth 2 ft. diam at base &
	12 lins high for 1/16 sec. cor.
94.58	To the N 1/16 sec. cor on sec line bet secs 19+20
	Land rolling & sandy
	Rocky bluffs. Good upland grazing.
	Soil 1st rate.
	From the S 1/16 sec cor on sec. line bet secs 17+18
	Run
	East on a random line through the middle
	of the S. half of sec 17.
	Var. 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land gently rolling Grass
40.00	Set temporary 1/16 sec. cor. Land gently rolling Grass
60.00	Set temporary 1/16 sec cor. Land gently rolling Soil 1st R.
80.12	Intersect the N & S line bet secs 16 + 17.
	24 links N of the 1/16 sec. cor.
	Land gently rolling. Soil 1st rate. Grass.
	From this corner Run.
	N 89° 50' W on a true line through the middle of
	the S. half of sec 17 with the same var.
20.03	Set a sandstone 36+14+8 lins marked "1/16" on
	E face in mound of earth 2 ft diam at base &
	12 lins high for 1/16 sec cor.
40.06	Set a sandstone 23+8+4 lins marked "1/16" on E
	face in mound of earth 2 ft. diam at base &
	12 lins high for 1/16 sec cor.
60.09	Set a sandstone 16+10+4 lins marked "1/16"
	on E face in mound of earth 2 ft diam at
	base + 12 lins high. for 1/16 sec cor.
80.12	To the S 1/16 sec cor on sec line bet secs 17 & 18
	Land gently rolling. Grass.
	Soil 1st rate.
	From the S. 1/16 sec. cor on sec line bet secs 17 & 18
	Run.
	West on a random line through the
	middle of the S half of sec 18.
	Var. 16° 15' E

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 *S. R.* 20 *E. Salt Lake Mer. Utah Terr'y, Cont'd.*

Chains	
20.00	Set temporary 1/16 sec cor Land gently rolling. Soil 1st rate
40.00	Set temporary 1/16 sec cor. Land gently rolling Soil 1st rate
60.00	Set temporary 1/16 sec cor Land gently rolling Soil 1st rate
94.72	Intersect the West Bdy of the Tp. 50 links S of the 1/16 sec cor. Land gently rolling. Soil 1st rate. From this corner I run. S 89° 38' E on a true line through the middle of the S half of sec 18 with the same var.
34.72	Set a cottonwood post 3 ft long 3 ins sqr marked "1/16" on E face, built around it a mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor. with pits.
54.72	Set a cottonwood post 3 ft long by 3 ins sqr marked "1/16" on E face built around it a mound of earth 2 ft diam at base & 12 ins high with pits for 1/16 sec cor.
74.72	Set a cottonwood post 3 ft long by 3 ins square marked "1/16" on E face, built around it a mound of earth 2 ft diam at base & 12 ins high with pits for 1/16 sec cor.
94.72	To the S 1/16 sec cor on sec line bet secs 17 & 18 Land gently rolling. Grass. Soil 1st rate.
	From the 1/4 sec cor on sec line bet secs 17 & 18 I run. East on a random line through the middle of sec 17. Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land gently rolling. Sandy, grass. Soil 1st rate.
40.00	Set temporary 1/4 sec cor. Land gently rolling. Soil 1st rate. Grass. Sandy.
60.00	Set temporary 1/16 sec cor. Land gently rolling. Soil 1st rate. Sandy. grass.
80.04	Intersect the N & S line bet secs. 16 & 17 36 links N of the 1/4 sec cor. Land gently rolling. Sandy. Soil 1st rate.

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd

Chains.	
	From this corner I run.
	N 89° 45' W on a true line through the middle of sec 17 with the same var.
20.01	Set a sandstone 20+10+4 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
40.02	Set a sandstone 24+8+3 ins marked "1/4" on E face in mound of earth 2 1/2 ft diam at base & 18 ins high for 1/4 sec cor.
60.03	Set a sandstone 26+10+2 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.04	To the 1/4 sec cor on sec line between 17 + 18 Land gently rolling. Grass. Soil 1st rate.
	From the 1/4 sec cor on sec line between 17 + 18 I run. West on a random line through the middle of sec 18. Var 16° 15' E
20.00	Set temporary 1/16 sec cor Land gently rolling Soil 1st Rate
40.00	Set temporary 1/4 sec cor Land gently rolling Soil 1st Rate
60.00	Set temporary 1/16 sec cor gently rolling Soil 1st Rate
94.45	Intersect the West Bdy of Tp. 30 links S of the 1/4 sec cor. From this corner I run. S 89° 47' E on a true line through the middle of Sec 18 with the same var.
34.45	Set a cottonwood post 3 ft long by 3 ins sqr marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high with pits for 1/16 sec cor.
54.45	Set a cottonwood post 3 ft. long by 3 ins sqr marked "1/4" on E face in mound of earth 2 ft diam at base & 12 ins high with pits for 1/4 sec cor.
74.45	Set a cottonwood post 3 ft long by 3 ins sqr marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high with pits for 1/16 sec cor.
94.45	To the 1/4 sec cor on sec line bet sec 17 + 18 Land gently rolling. Soil 1st rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 *S. R.* 20 *E. Salt Lake Mer. Utah Terr'y, Cont'd.*

Chains	
	From the N 1/16 sec cor on sec line bet secs 17 & 18 Iron.
	East on a random line through the middle of the N half of sec 17 Var 16° 15' E.
20.00	Set temporary 1/16 sec cor Gently rolling Soil 1st rate
40.00	Set temporary 1/16 sec cor Gently rolling Soil 1st rate
60.00	Set temporary 1/16 sec cor Gently rolling Soil 1st rate
80.22	Intersect the N & S line bet secs 17 & 18 36 links S of the 1/16 sec cor. Land gently rolling. Soil 1st rate. From this corner Iron
	S 89° 44' W on a true line through the middle of the N half of sec 17 with the same var
20.05	Set a sandstone 20 x 12 x 10 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
40.11	Set a sandstone 24 x 12 x 2 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
60.17	Set a sandstone 18 x 16 x 5 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
80.22	To the N 1/16 sec cor on sec line bet secs 17 & 18 Land gently rolling. Soil 1st rate.
	From the N 1/16 sec cor on sec line bet secs 17 & 18 Iron
	West on a random line through the middle of the N half of sec 18 Var 16° 15' E.
20.00	Set temporary 1/16 sec cor Land gently rolling Soil 1st rate
40.00	Set temporary 1/16 sec cor. Land gently rolling Soil 1st rate
60.00	Set temporary 1/16 sec cor. Land gently rolling Soil 1st rate
94.30	Intersect the West Bdy of the Township 10 links N of the 1/16 sec cor. From this corner Iron.
	N 89° 58' E on a true line through the middle

Chains.	
	of the N half of sec 18 with the same var. Land gently rolling. Soil 1st rate.
34.30	Set a cottonwood post 3 ft long by 3 ins square marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor with pits.
54.30	Set a cottonwood post 3 ft long by 3 ins sq. marked "1/16" on E face, built mound of earth around it 2 ft diam at base & 12 ins high for 1/16 sec cor with pits.
74.30	Set a cottonwood post 3 ft long by 3 ins square marked "1/16" on E face, built mound of earth around it 2 ft diam at base & 12 ins high for 1/16 sec cor.
94.30	To the N 1/16 sec cor on sec line bet secs 17 & 18. Land gently rolling. Soil 1st rate.
	From the S 1/16 sec cor on sec line bet secs 7 & 8 Trav. East on a random line through the middle of the S half of sec 8. Var 16° 15' E
20.00	Set temporary 1/16 sec cor. Land rolling & sandy Soil 1st rate
40.00	Set temporary 1/16 sec cor. Land rolling & sandy Soil 1st rate
60.00	Set temporary 1/16 sec cor. Land rolling & sandy Soil 1st rate
79.75	Intersect the N & S line bet secs 8 & 9 15 links N of the 1/16 sec cor Land rolling & sandy. Soil 1st rate. From the corner Trav. N 89° 55' W on a true line through the middle of the N half of sec 8 with the same var.
19.93	Set a sandstone 16 x 12 x 10 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
39.85	Set a sandstone 16 x 10 x 4 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
59.77	Set a sandstone 30 x 6 x 6 ins marked "1/16" on

Chains	
	Efface in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
79.70	To the S 1/16 sec cor on sec line bet secs 7 & 8
	Land rolling. Sandy. Bunch grass
	Soil 1st rate. Sloping to the West
	From the S 1/16 sec cor on sec line bet secs 7 & 8
	Irun.
	West on a random line through the middle of the S half of sec 7.
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land gently rolling. Soil 1st rate
40.00	Set temporary 1/16 sec cor. Land gently rolling. Soil 1st rate
60.00	Set temporary 1/16 sec cor. Land gently rolling. Soil 1st rate
94.62	Intersect the West Bdy of the Tp.
	80 links S of the 1/16 sec cor.
	Land gently rolling. Soil 1st rate. Grazing.
	From this corner. Irun.
	S 89° 26' E on a true line through the middle of the S half of sec 7 with the same var.
34.62	Set a cottonwood post 3 ft long by 3 ins square marked "1/16" on Efface, built mound of earth around it 1 ft high by 2 ft diam at base with pits for 1/16 sec cor.
54.62	Set a cottonwood post 3 ft long by 3 ins square marked "1/16" on Efface in mound of earth 2 ft diam at base & 12 ins high with pits for 1/16 sec cor.
74.62	Set a cottonwood post 3 ft long by 3 ins sqr marked "1/16" on Efface, built around it a mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
94.62	To the S 1/16 sec cor on sec line bet secs 7 & 8.
	Land gently rolling. Grazing
	Soil 1st rate.
	From the 1/4 sec cor on sec line bet secs 7 & 8
	Irun.
	East on a random line through the middle of sec 8.
	Var 16° 15' E.
20.00	Set temporary 1/16 sec cor. Land rolling. Soil 1st rate

Subdivisions of T. 9 S. R. 20 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
40.00	Set temporary 1/4 sec cor Land rolling Soil 1st rate
60.00	Set temporary 1/16 sec cor Land rolling Soil 1st rate
79.86	Intersect the N & S line bet secs 8 & 9 54 links S of the 1/4 sec cor. Land rolling. Soil 1st rate. Grazing. From this corner Trun. S 89° 37' W on a true line through the middle of Sec 8 with the same var.
19.97	Set a sandstone 24 x 4 x 3 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
39.93	Set a sandstone 15 x 12 x 4 ins marked "1/4" on E face in mound of earth 2 1/2 ft diam at base & 18 ins high for 1/4 sec cor.
59.89	Set a sandstone 12 x 10 x 7 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
79.86	To the 1/4 sec cor on sec line bet secs 7 & 8. Land rolling grazing. Soil 1st rate. Bunch grass.
	From the 1/4 sec cor on sec line bet secs 7 & 8. Trun. West on a random line through the middle of sec 7. Var 16° 15' E
20.00	Set temporary 1/16 sec cor Land gently rolling. Grazing sandy. Soil 1st rate.
40.00	Set temporary 1/16 sec cor Land gently rolling. Grazing sandy. Soil 1st rate.
60.00	Set temporary 1/16 sec cor Land gently rolling. Grazing sandy. Soil 1st rate.
93.68	Intersect the West Bdy of the Tp. 12 links S of the 1/4 sec cor. Land gently rolling. Grazing Soil 1st rate. From this corner Trun. S 89° 55' E on a true line through the middle of sec 7 with the same var.
33.68	Set a sandstone 30 x 12 x 4 ins marked "1/16" on E face in mound of earth 2 ft diam & 12 ins high for 1/16 sec cor.
53.68	Set a sandstone 12 x 12 x 3 ins marked "1/4" on E

Subdivisions of T. 9 *S. R.* 20 *E. Salt Lake Mer. Utah Terr'y, Cont'd.*

Chains.	
	face in mound of earth 2½ ft diam & 18 ins high for ¼ sec cor.
73.65	Set a sandstone 30 x 12 x 5 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
93.65	To the ¼ sec cor on sec line bet secs 7 & 8. Land gently rolling. Grazing. Sandy Soil 1st rate.
	From the N 1/16 sec cor on sec line bet secs 7 & 8 Iron. Eastern a random line through the middle of the N half of sec 8
	Var 16° 15' E
20.00	Set the temporary 1/16 sec cor. Land gently rolling Soil 1st rate. Good grazing.
40.00	Set temporary 1/16 sec cor. Land gently rolling Soil 1st rate. Good grazing.
60.00	Set temporary 1/16 sec cor. Land gently rolling Soil 1st rate Good grazing.
79.60	Intersect the N & S line bet secs 8 & 9 48 links N of the 1/16 sec cor Land gently rolling Soil 1st rate. Grazing. From this corner Iron. N 89° 39' W on a true line through the middle of the N half of sec 8 with the same cor.
19.90	Set a sandstone 14 x 8 x 8 ins marked "1/16" on E face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor
39.80	Set a sandstone 18 x 16 x 3 ins marked "1/16" on E face in mound of earth 2 ft diam at base and 12 ins high for 1/16 sec cor.
59.70	Set a sandstone 16 x 12 x 5 ins marked "1/16" on E. face in mound of earth 2 ft diam at base & 12 ins high for 1/16 sec cor.
79.60	To the N 1/16 sec cor on sec line bet secs 7 & 8 Land gently rolling. Good grazing. Soil 1st Rate

Chains.	
	From the N 1/16 sec cor on sec line bet secs 7 & 8
	Irun
	West on a random line through the middle
	of the N half of sec 7
	Var 16° 15' E
20.00	Set temporary 1/16 sec cor Land rolling Soil 1st rate
	Good grazing. Sandy
40.00	Set temporary 1/16 sec cor Land rolling Soil 1st rate
	Good upland grazing. Sandy
60.00	Set temporary 1/16 sec cor Land rolling
	Soil 1st rate. Good upland grazing. Sandy
93.60	Intersect the West Bdy of the Tp
	40 links N of the 1/16 sec cor
	Land rolling good grazing Soil 1st rate
	From this corner Irun
	N 89° 43' E on a true line through the middle
	of the N half of sec 7 with the same var.
33.60	Set a sandstone 24 x 12 x 4 ins marked "1/16"
	on E face in mound of earth 2 ft diam at
	base & 12 ins high for 1/16 sec cor.
53.60	Set a sandstone 15 x 5 x 5 ins marked "1/16"
	on E face in mound of earth 2 ft diam at base
	& 12 ins high for 1/16 sec cor.
73.60	Set a sandstone 16 x 6 x 3 ins marked "1/16" on E
	face in mound of earth 2 ft diam at base &
	12 ins high, for 1/16 sec cor
93.60	To the N 1/16 sec cor on sec line bet secs 7 & 8
	Land rolling Good upland grazing.
	Soil 1st rate Sandy.
	The S 1/16 sec line being fractional & striking Green
	river, Irun from the S 1/16 sec cor on West Bdy
	of Tp East on a true line through the middle
	of the S half of sec 6.
	Var 16° 15' E.
20.00	Set a cottonwood post 3 ft long by 3 ins sq.
	marked "1/16" on E face built mound of earth
	around it 2 ft diam at base & 12 ins high
	for 1/16 sec cor.
	Land level scattering cottonwood. Soil 1st rate
40.00	Set a cottonwood post 3 ft long by 3 ins sq.
	marked "1/16" on E face in mound of earth 2 ft diam

Subdivisions of T. 9 *S. R.* 20 *E. Salt Lake Mer. Utah Terr'y, Cont'd.*

Chains	+12 ins high with pits for 1/16 sec cor.
48.50	Green river. Course N. W.
M.C	Set a cottonwood post 3ft long by 3 ins sqr marked "M.C" on Eface, built mound of earth 2 ft diam at base +12 ins high around it with pits for meander Cor.
	Land level. Scattering cottonwood. Soil 1st rate.
	As the 1/4 sec line is fractional, it striking Green river, Irun,
	East on a true line through the middle of Sec 6.
	Var 16° 15' E
20.00	Set a cottonwood post 3ft long by 3 ins sqr marked "1/16" on Eface in mound of earth 2 ft diam at base +12 ins high with pits for 1/16 sec cor
	Land level, abundant grass Soil 1st rate
28.00	Green river Course N. W.
M.C.	Set a cottonwood post 3ft long by 3 ins sqr marked "M.C" on Eface, built mound of earth around it 2 ft diam at base +12 ins high with pits for meander Cor.
	Land level, abundant grass, dense brush Soil 1st rate.
	As the N 1/16 sec line is fractional, it striking Green river, Irun.
	East on a true line through the middle of the N half of sec 6.
	Var 16° 15' E
19.00	Green river. Course N. W.
	Set a cottonwood post 3ft long by 3 ins sqr marked "M.C" on Eface, built mound of earth around it 2 ft diam at base +12 ins high with pits for meander cor.
	Land level. Good grass. Dense underbrush. Scattering cottonwood. Sandy Soil 1st rate.
	July 28. 1882

Meander of T. 9 S. R. 20 E. Salt Lake Mer.

Meander of Left Bank of Green River up stream

I commenced at the meander cor. to fractional Secs. 1 & 6 on the W. Bdy. of the Tp. on left bank of Green River
Thence I run with meanders in Sec. 6
(Var. 16° 15' E.

S. 74½° E.	19.7 chs	
S. 24¼° E.	21.9 "	
S. 38° E.	26.1 "	S 33 E 8.20
S. 48¾° E.	20.4 "	
S. 49° E.	6.0 "	
S. 59° E.	23.3 "	
N. 59° E.	11.6 "	
N. 84½° E.	10.0 "	To the meander cor. on line bet. Secs. 5 & 6

Land level river bottom
Dense underbrush
Some large cottonwood timber
Soil 1st Rate - alluvial.

Thence in Sec 5
Var. 16° 15" E.

S. 78¾° E.	20.4 chs	
S. 85¾° E.	20.0 "	
S. 88½° E.	20.0 "	
N. 45° E.	28.3 "	To the meander cor. on Sec. line bet. Secs 4 & 5

Land mountainous.
Soil 2d & 3d Rate

Thence in Sec. 4
(Var. 16° 15' E.

N. 66¼° E. 5.4 chs. to junction of Green & White Rivers
Land level river bottom
Dense underbrush
Cottonwood timber
Soil 1st Rate

Meander of T. 9 S. R. 20 E. Salt Lake Mer.

Commencing at the meander cor. on N. B'dy of T'p bet. Secs. 4 & 33 Run with meander on Sec. 4

Var. 16° 15' E.

S. 10° W. 20.3 chs.
S. 7° E. 20.1 "
South 9.0 " To junction of White & Green Rivers
Land level, river bottom
Dense underbrush & heavy timber
Soil 1st Rate — alluvial

Meanders of Right Bank of White River
Down Stream

Commence at the meander cor. on the N. B'dy of the township bet. Secs. 4 & 33
Thence Run with meanders on Sec. 4

Var. 16° 15' E.

S. 51¾° W. 24.2 chs.
S. 43¾° W. 7.3 "
S. 42½° W. 22.1 "
S. 87¼° W. 15.0 "
S. 75° W. 4.2 "
S. 10¼° W. 11.2 "
N. 7½ W. 15.1 " To junction of White & Green Rivers
Land level, river bottom, dense underbrush — Cottonwood timber
Soil 1st Rate — alluvial

N 82° 30' W ?

Meanders of Left Bank of White River
Down Stream

Commence at the meander Cor. on N. B'dy of township bet. Secs. 3 & 34
Thence Run with meanders in Sec. 3

Var. 16° 15' E.

S. 76° W. 21 chs to line bet. Secs. 3 & 4.
Thence in Sec. 4
S. 43¾° W. 28.1 chs.
S. 36½° W. 8.3 "

Meanders of T. 9 S. R. 20 E. Salt Lake Mer.

S. 43½° W. 26.2 chs.
S. 86° W. 14.3 "
S. 23¼° W. 14.7 "
West 5.0 "
N. 82¾° W. 15.1 " to junction of White & Green Rivers.
Land level river bottom Dense underbrush Cottonwood timber
Soil 1st Rate - alluvial

Commencing at the S. meander Cor. on N. Bdy of Tp. Sum with meanders in Sec. 1
Var 16° 15' E.
N. 45° W. 4.0 chs.
N. 69¾° E. 3.2 " to meander cor. on N. Bdy.
Commencing at meander cor. on N. Bdy of Tp. bet Secs 1 & 6 3.10 chs. S. of the Tp cor. Sum
N. 66° W. 7.6 chs. to meander cor. on N. Bdy bet. Secs 1 & 36
Beginning at meander Cor. on N. Bdy of Tp. bet Secs 1 & 36 which is 34 chs. W. of Tp. Cor. Sum
S. 38¾° W. 9.6 chs.
N. 38¾° W. 9.6 " to meander cor. on N. Bdy of Tp bet Secs 1 & 36
Land level river bottom.
Dense underbrush.
Cottonwood timber some of large size
Soil 1st Rate alluvial
Excellent grazing.

We hereby Certify that we assisted D. G. Major, United States Surveyor in Surveying all those parts and portions of Township No. 9 South of Range 20 East of the Salt Lake Meridian, Territory of Utah as Represented in the foregoing field Notes, as having been Surveyed by him and under his direction; and that said Survey has been in all respects to the best of our knowledge and belief well and faithfully Surveyed and the Corner Monuments established according to the instructions furnished by the General Land Office at Washington D. C.

Russell J. Mershon — Surveyor
Rudolph Neff — Surveyor
Chas. L. Lowry — Chainman
Robt. Shultz — Chainman
C. E. McLean — Chainman
B. Hohendorf — Chainman
Peter Stewart — Axman

Henry Raymond — Axman
Edwin Baker — Axman
John Johnston — Flagman
M. K. Johnson — Flagman
W. Harley — Flagman

Subscribed and Sworn to before me this thirteenth day of December 188[illegible]

L. W. V. Kennon,
2nd Lieut., 6th Infty.,
Comdg. Ft. Thornburgh

Original

Final oaths for surveys.

List of Names

A list of names of the persons employed by D. G. Major U. S. Surveyor to assist in running, measuring and marking the lines and corners described in the foregoing field notes of the survey of the Township, subdivision and meander lines of Township No. 7 South of the base line of range No. 23 East of the Salt Lake Principal Meridian, Territory of Utah, showing the respective capacities in which they acted

Russell J. Mershon	Surveyor
Rudolph Neff	Surveyor
Chas. L. Lowry	Chainman
Robt. Shultz	Chainman
C. E. McLean	Chainman
B. Hohendorp	Chainman
Peter Stewart	Moundsman
Henry Bevier	Moundsman
J. F. Jordan	Moundsman
John J. Anston	Axeman
M. R. Johnson	Flagman
W. Harley	Flagman
	Flagman

I, Daniel G. Major, U. S. Surveyor do solemnly swear that in pursuance of a contract with the Hon. Commissioner General Land Office bearing date Dec. 20th 1880, and in strict conformity to the laws of the United States and the special instructions furnished by the said Commissioner, I have faithfully surveyed the exterior boundaries, section & subdivisional lines of Township No. 9 South of Range No. 20 East of the Salt Lake Meridian, Territory of Utah, and do further solemnly swear that the foregoing are the true field notes of such surveys.

Daniel G. Major.
U. S. Surveyor

Subscribed by Said Daniel G. Major U. S. Surveyor and sworn to before me this 5th day of May A. D. 1883 Washington City, D. C.

G. W. McKwood
Notary Public

For approval of Comr's Genl Land Office
See Field Notes of T. 6. S. R 20 E. Salt Lake Meridian

BOOK-A-266

L 331

Account sent to Indian Office Dept 11, 1883

RECEIVED WITH SUR.-GEN'L'S LETTER OF JUL 30 1883

Examined by

Compared by

Original

FIELD NOTES

OF THE SURVEY OF THE

Exterior Boundaries
Sections Subdivisional
and Meander Lines

OF

Township No. 9 South
Range No. 21 East

OF THE

SALT LAKE MERIDIAN

IN

Utah Territory,

AS SURVEYED BY

DANIEL G. MAJOR,

U. S. Surveyor,

Under his Contract,

Dated December 20th, 1880.

Survey Commenced, June 26th. *1882.*
Survey Completed, July 6th *1882.*

COPY OF PRELIMINARY OATHS OF ASSISTANTS.

We, the undersigned, do solemnly swear that we will well a truly perform the duties of transit and compass men according to instructions given us, and to the best of our skill and ability, in the s vey of the lands for allotment to the Uncompahgre and White R Ute Indians in the Territory of Utah.

[Signed]

RUSSELL J. MERSHON, *Transit.*
J. D. BRADFORD, *Transit.*
HARRY M. CROCKER, *Transit.*
WILLIAM J. PETERS, *Compass-man.*
CYRIL WILLIAMS, *Compass-man.*

Subscribed and sworn to before me this 19th day of June, 1882

[Signed]

E. H. BROWNE,
2d Lieut., 4th Inf'y,
Post Adjutan

Fort Bridger, Wyoming Ter'y.

We, the undersigned, do solemnly swear that we will well a faithfully execute the duties of chain-carriers; that we will level the ch upon even and uneven ground, and plumb the tally-pins, either sticking or dropping the same; that we will report the true distance to visible objects and the true length of all lines that we assist in meas ing, to the best of our skill and ability, and in accordance with instructi given us, in the survey of the lands for allotment to the Uncompah and White River Ute Indians in the Territory of Utah.

[Signed]

EUGENE HEALY,
JOHN GLICK,
THOMAS TYRER,
R. H. JONES,
JOHN JOHNSTON,
CLARK E. McLEAN,
H. C. CARL HUIZE,
FRANK E. WHORTON,
G. A. ERIKSON,
C. W. BAKER,
PETER STEWART,
NAT. K. SEAMANS,
C. W. BOWNE,
JOSEPH H. SMITH,
W. HOWARD HAY,
JOHN DONOVAN,
W. H. HOGLE,
C. H. RAYMOND,
CHAS. C. MATTEN,
J. V. RICHARDSON,
E. S. BARNITZ,
CHARLES M. WEGSTEIN,
N. T. ANDERSON.

Sworn to and subscribed before me this 19th day of June, 1882.

[Signed]

E. H. BROWNE,
2d Lieut., 4th Inf'y,
Post Adjutant

Fort Bridger, Wyo. Terr.

COPY OF PRELIMINARY OATHS OF ASSISTANTS.

We, the undersigned, do solemnly swear that we will well and truly perform the duties of flag-men, axe-men, and mound-men in the establishment of the corners and the erection of posts, mounds, and other duties, according to the instructions given us and to the best of our skill and ability, in the survey of the lands for allotment to the Uncompahgre and White River Ute Indians in the Territory of Utah.

[Signed]

EUGENE HEALY,
JOHN GLICK,
THOMAS TYRER,
ROBERT H. JONES,
JOHN JOHNSTON,
CLARK E. McLEAN,
H. C. C. HUIZE,
FRANK E. WHORTON,
G. A. ERIKSON,
CHAS. W. BAKER,
PETER STEWART,
NAT. K. SEAMANS,
C. W. BOWNE,
JOSEPH H. SMITH,
W. H. HAY,
JOHN DONOVAN,
W. H. HOGLE,
C. H. RAYMOND,
CHAS. C. MATTEN,
J. V. RICHARDSON,
EDWARD S. BARNITZ,
CHAS. M. WEGSTEIN,
N. T. ANDERSON.

Sworn to and subscribed before me this 19th day of June, 1882.

[Signed]

E. H. BROWNE,
2d Lieut., 4th Inf'y,
Post Adjutant.

Fort Bridger, Wyo. Terr.

NOTE.—For preliminary oaths of other assistants see Field Notes of Uintah Special Base, 1st Standard Parallel and 1st Guide Meridian West.

Examined by .....

Compared by .....

FIELD NOTES

OF THE SURVEY OF THE

South and East Boundaries.

OF

Township No. 9 South.
Range No. 21 East.

OF THE

SALT LAKE MERIDIAN

IN

Utah Territory,

AS SURVEYED BY

DANIEL G. MAJOR,

U. S. Surveyor,

Under his Contract,

Dated December 20th, 1880.

Survey Commenced, June 26th *1882.*
Survey Completed, June 27th *1882.*

Exteriors
~~Subdivisions~~ of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	South Boundary.
	Survey commenced June 26 1882 with Gurley's Transit in good adjustment for level azimuth & collimation. Chains compared with & corrected by Stackpoles Standard steel tape. I commence at the cor on Green river Guide meridian common to Tps 9 & 10 S. R 20 & 21 E. Thence I run.
Chains	East on a true line bet secs 6 & 31. Var 16° 15' E.
	Allowing for convergency at
19.40	Set a sandstone 20×10×6 ins marked on E face "1/16" in a mound of earth 30 ins diam at base & 18 ins high for 1/16 sec cor Land broken & rough. Soil 3d R.
39.40	Set a sandstone 14×14×8 ins marked on E face "1/4" in a mound of earth & stone 36 ins diam at base & 18 ins high for 1/4 sec cor. Land broken & rough. Soil 2d rate.
59.40	Set a sandstone 16×10×8 ins marked on E face "1/16" in a mound of earth & stones 30 ins diam at base & 18 ins high for 1/16 sec cor. Land broken & rough. Soil 3d rate.
79.40	Set a sandstone 22×16×3 ins marked on E face "IIIII" & on W face "IIIIII" in a mound of earth & stone 36 ins diam at base & 18 ins high for cor to secs 5. 6. 31 & 32. Land broken & mountainous. Grazing good. Soil 2d rate.
	East on a true line bet secs 5 & 32. Var 16° 30' E.
20.00	Set a sandstone 24×10×5 ins marked on E face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor. Land rough & broken Soil 1st rate.
40.00	Set a sandstone 18×14×6 ins marked on E face "1/4" in a mound of earth & stone 36 ins diam at base & 18 ins high for 1/4 sec cor Land rough & broken Soil 1st rate.
60.00	Set a sandstone 20×12×4 ins marked "1/16" on E face in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor. Land rough & broken Soil 1st rate.
80.00	Set a sandstone 24×12×3 ins marked on E face "IIII" and on W face "IIIIII" in a mound of earth & stone 36 ins diam at

Exterior Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains	at base + 15 ins high for cor to secs 4. 5. 32 & 33. Land broken + mountainous. good grazing Soil 1st rate
	East on a true line bet secs 4 + 33 Var 16° 30' E.
20.00	Set a sandstone 20 + 10 + 3 ins marked on E face "1/16" in a mound of earth + stone 30 ins diam at base + 18 ins high for 1/16 sec cor Land rough + broken Soil 2d rate.
40.00	Set a sandstone 20 + 10 + 3 ins marked on E face "1/4" in a mound of earth + stone 36 ins diam at base + 18 ins high for 1/4 sec cor Land rough + broken Soil 2d rate
60.00	Set a sandstone 20 + 12 + 4 ins marked on E face "1/16" in a mound of earth + stone 30 ins diam at base + 18 ins high for 1/16 sec cor. Land rough + broken
80.00	Set a sandstone 36 + 18 + 3 ins marked on E face "111" & on W face "11111" in a mound of earth + stone 36 ins diam at base + 18 ins high for cor to secs 3. 4. 33 + 34. Land broken + mountainous, bench land Soil sandy 2d rate Good grazing
	East on a true line bet secs 3 + 34 Var 16° 30' E.
20.00	Set a sandstone 20 + 10 + 4 ins marked on E face "1/16" in a mound of earth + stone 30 ins diam at base + 18 ins high for 1/16 sec cor Land rough Soil 2d rate
40.00	Set a sandstone 18 + 6 + 5 ins marked on E face "1/4" in a mound of earth + stone 36 ins diam at base + 18 ins high for 1/4 sec cor. Land rough Soil 2d rate
60.00	Set a sandstone 14 + 12 + 5 ins marked on E face "1/16" in a mound of earth + stone 30 ins diam at base + 18 ins high for 1/16 sec cor Land rough Soil 2d rate
80.00	Set a sandstone 33 + 20 + 3 ins marked on E face "111" & on W face "11111" in a mound of earth + stone 36 ins diam at base + 18 ins high for cor to secs 2. 3. 34 + 35 Land mountainous high rolling benches. Soil sandy 2d rate Good grazing
	East on a true line bet secs 2 + 35 Var 16° 15' E.
20.00	Set a sandstone 20 + 12 + 4 ins marked on E face "1/16" in

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr'y, Cont'd.

Chains.	
	in a mound of earth & stone 30 ins diam at base & 18 ins high, for 1/16 sec cor Land rough. Soil 3d rate.
40.00	Set a sandstone 16 x 4 x 3 ins marked on face 1/16 in a mound of earth & stone 36 ins diam at base & 18 ins high for 1/4 sec cor Land rough Soil 2d rate.
60.00	Set a sandstone 18 x 10 x 10 ins marked on face 1/16 in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor Land rough. Soil 2d rate
80.00	Set a sandstone 20 x 16 x 3 ins marked on face 1/16 & on face 1/16 in a mound of earth & stone 36 ins diam at base & 18 ins high. for cor to secs 1, 2, 35 & 36 Land mountainous. high rolling benches Soil sandy 2d rate. good grazing. Formation indicating Coal & asphaltum. Some float was found.
	East on a true line bet secs 1 & 36 Var 16° 30' E
20.00	Set a sandstone 16 x 14 x 3 ins marked on face 1/16 in a mound of earth 30 ins diam at base & 18 ins high for 1/16 sec cor. Land rough. Soil 2d rate
40.00	Set a sandstone 14 x 8 x 8 ins marked on face 1/16 in a mound of earth & stone 36 ins diam at base & 18 ins high. for 1/4 sec cor Land rough Soil 2d rate
60.00	Set a sandstone 20 x 12 x 10 ins marked on face 1/16 in a mound of earth & stone 30 ins diam at base & 18 ins high. for 1/16 sec cor Land rough. Soil 2d rate
80.00	Set a sandstone 30 x 20 x 6 ins marked with 6 notches on N.E. & W. faces in a mound of stone 36 ins diam at base & 18 ins high for cor to Tps 9 & 10 S. R. 21 & 22 E. Land mountainous, high rolling benches Soil sandy 2d rate. Good grazing for upland.
	East Boundary.
	From the cor to Tps 9 & 10 S. Rs 21 & 22 E. Run North bet secs 31 & 36 Var 16° 15' E.
20.00	Set a sandstone 12 x 12 x 4 ins marked on N face 1/16 in a mound of earth & stone 30 ins diam at base & 18 ins high. for 1/16 sec cor. Land rough. Soil 2d rate

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr'y, Cont'd

Chains.
40.00 Set a sandstone 18×6×4 ins marked on N face "1/16" a mound of earth & stone 36 ins diam at base & 18 ins high for 1/4 sec cor. Land rough & broken. Soil 2d rate.
60.00 Set a sandstone 20×10×3 ins marked on N face "1/16" mound of earth & stone 30 ins diam at base & 18 high for 1/16 sec cor. Land rough & level. Soil 2d rate.
80.00 Set a sandstone 14×12×3 ins marked on N face "IIIII" & on E face "IIIII" in a mound of earth & stone 36 ins diam at base & 18 ins high for cor to secs 25. 30. 31 & 36 and mountainous. high rolling benches. Grazing good for upland.
Soil sandy 2d rate.

North bet secs 25 & 30

Var 16° 30' E

20.00 Set a sandstone 16×12×3 ins marked on N face "1/16" a mound of earth & stone 30 ins diam at & 18 ins high for 1/16 sec cor. Land rough. Soil 2d &
40.00 set a sandstone 20×8×8 ins marked on N face "1/4" in a mound of earth & stone 36 ins diam at base & 18 ins high for 1/4 sec cor Land rough Soil 2d rate.
60.00 Set a sandstone 20×20×2 ins marked on N face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor. Land rough Soil 2d rate.
80.00 Set a sandstone 30×12×4 ins marked on N face "IIIII" & on E face "IIIII" in a mound of earth & stone 36 ins diam at base & 18 ins high for cor to secs 19. 24. 25 & 30 Land mountainous. high rolling benches & bluffs. with narrow level summits. Grazing good.
Soil sandy 2d rate.

North bet secs 19 & 24.

Var 16° 30' E

20.00 set a sandstone 18×12×6 ins marked on N face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor Land rough. Soil 1st rate.
40.00 Set a sandstone 20×12×4 ins marked on N face "1/4" in a mound of earth & stone 36 ins diam at base & 18 ins high for 1/4 sec cor Land rough. Soil 2d rate.
60.00 set a sandstone 16×10×5 ins marked on N face "1/16" in a mound of earth & stone 30 ins diam at base and 18 ins

Chains	
	ins high for 1/16 sec cor. Land rough. Soil 3d rate.
80.00	Set a sandstone 20×14×6 ins, marked on N face "III" & on E face "IIIIII" in a mound of earth & stone 36 ins diam at base & 18 ins high, for cor to secs 13. 18. 19 & 24. Land mountainous, high rolling benches & high bluffs with narrow level summits. Soil sandy. 3d rate. Good grazing.
	North bet secs 13 & 18.
	Var 16° 15' E
20.00	Set a sandstone 18×10×8 ins marked on N face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor. Land rough & broken. Soil 3d rate.
40.00	Set a sandstone 16×12×5 ins marked on N face "1/4" in a mound of earth & stone 36 ins diam at base & 18 ins high for 1/4 sec cor. Land rough & broken. Soil 3d rate.
60.00	Set a sandstone 23×18×4 ins marked on N face "1/16" in a mound of earth & stone 30 ins dia at base & 18 ins high for 1/16 sec cor. Land rough & broken. Soil 3d rate.
80.00	Set a sandstone 13×10×3 ins marked "W. C. 7. 12. 13. 18" for witness cor to secs 7. 12. 13 & 18. 10 chs S of true cor point which falls on steep side of hill. Land mountainous & broken. Good grazing. Soil sandy. 3d rate.
	North bet secs 7 & 12
	Var 16° 15' E.
20.00	Set a sandstone 18×12×6 ins marked on N face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor. Land rough & broken. Soil 3d rate.
40.00	Set a sandstone 24×8×5 ins marked on N face "1/4" in a mound of earth & stone 36 ins diam at base & 18 ins high for 1/4 sec cor. Land rough & broken. Soil 3d rate.
60.00	Set a sandstone 14×12×4 ins marked on N face "1/16" in a mound of earth & stone 30 ins diam at base & 18 ins high for 1/16 sec cor. Land rough & broken. Soil 3d rate.
80.00	Set a sandstone 23×26×4 ins marked on W face "1" & on E face "IIIIII" in a mound of earth & stone 36 ins diam at base & 18 ins high for cor to secs 1. 6. 7 & 12. Land mountainous & broken. Grazing good. Soil sandy. 3d rate.

Uncompahgre Ute Indian Surveys

[illegible] Salt Lake Mer. Utah Terry, Conf.

Examined by .....

Compared by .....

FIELD NOTES

OF THE SURVEY OF THE

Section Lines

OF

Township No. 9 South

Range No. 21 East

OF THE

SALT LAKE MERIDIAN

IN

Utah Territory,

AS SURVEYED BY

DANIEL G. MAJOR,

U. S. Surveyor,

Under his Contract,

Dated December 20th, 1880.

Survey Commenced, June 26th *1882.*

Survey Completed, July 2d *1882.*

14 BOOK-A-266

Township 9 South R. 21 E Salt Lake Mer.
Terr. of Utah

6	74	5	58	4	47	3	36	2	25	1
73		72		57		46		35		24
7	71	8	56	9	45	10	34	11	23	12
70		69		55		44		33		22
18	68	17	54	16	43	15	32	14	21	13
67		66		53		42		31		20
19	65	20	52	21	41	22	30	23	19	24
64		63		51		40		29		18
30	62	29	50	28	39	27	28	26	17	25
61		60		49		38		27		16
31	59	32	48	33	37	34	26	35	15	36

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 35 and 36 Var. 16° 15' East.
20.00	Set a Sandstone 15 x 10 x 6 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land gently rolling Soil 2nd Rate.
40.00	Set a Sandstone 20 x 15 x 2 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
60.00	Set a Sandstone 24 x 12 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken & mountainous Soil 2nd Rate.
80.00	Set a Sandstone 20 x 12 x 8 ins. 12 ins. in ground marked ___ on N. face "11111" on E. face "1" ~~on S.W. face and~~ ___ ~~on N.W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 25. 26. 35. 36 Land Mountainous & broken Grazing Good Soil 2nd Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains	
	East on a random line bet. Secs. 25 & 36 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
80.45	Intersect the N. and S. line at 24 links N. of the corner to Secs. 25. 30. 31. 36 Land broken and mountainous. Soil 2nd Rate.
	From this corner I run N. 89° 50' W. on a true line between Secs. 25 and 36 with the same var.
20.11	Set a Sandstone 15 x 15 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.23	Set a Sandstone 14 x 12 x 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.34	Set a Sandstone 18 x 10 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 15 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.45	To the Corner to Secs. 25, 26, 35, 36 Land broken and mountainous. Grazing Good Soil 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	North bet. Secs. 25 and 26 Var. 16° 15' East.
20.00	Set a sandstone 14 x 12 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
40.00	Set a sandstone 16 x 12 x 3 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
60.00	Set a sandstone 10 x 8 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous. Soil 2nd Rate.
80.00	Set a sandstone 30 x 12 x 2 ins. 12 ins. in ground marked on N. face "1111" on E. face "/" ~~on S. W. face and~~ ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 23. 24. 25. 26 Land broken and mountainous Grazing good in places. Soil 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chains	
	East on a random line bet. Secs. 24 & 25 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous. Soil 2nd Rate.
80.26	Intersect the N. and S. line at 40 links N of the corner to Secs. 25, 19, 24, 30 Land broken and mountainous. Soil 2nd Rate.
	From this corner I run N 89° 43' W on a true line between Secs. 24 and 25 with the same var.
20.16	Set a Sandstone 14 x 16 x 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.13	Set a Sandstone 18 x 10 x 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.19	Set a Sandstone 20 x 12 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.26	To the Corner to Secs. 23, 24, 25, 26 Land broken and mountainous Grazing good in patches Soil 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 23 and 24 Var. 16° 15' East.
20.00	Set a sandstone 12 x 12 x 10 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous. Soil 2d & 3d Rate.
40.00	Set a sandstone 16 x 15 x 7 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken and mountainous Soil 2nd & 3d Rate.
60.00	Set a sandstone 24 x 20 x 2 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous Soil 2d & 3d Rate.
80.00	Set a sandstone 20 x 12 x 8 ins. 12 ins. in ground marked "111" on N. E. face, on S. E. face "1" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 13. 14. 23. 24 Land broken and mountainous. Grazing good in patches Soil 2nd & 3d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 13 & 24 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 2d & 3d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken and mountainous Soil 2d & 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken Bluffs, mountainous Soil 2d & 3d Rate.
81.74	Intersect the N. and S. line at 38 links N. of the corner to Secs. 13. 18. 19 & 24 Land broken & mountainous Soil 2d & 3d Rate.
	From this corner I run N. 89° 44' W. on a true line between Secs. 13 and 24 with the same var.
20.18	Set a Sandstone 14 X 16 X 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
41.37	Set a Sandstone 14 X 12 X 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.56	Set a Sandstone 16 X 12 X 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.74	To the Corner to Secs. 13. 14. 23 & 24 Land broken and mountainous Grazing good. Soil 2nd & 3rd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 13 and 24 Var. 16° 15' East.
20.00	Set a sandstone 18 x 10 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land mountainous and broken Good grazing. Sandy Soil 2nd Rate.
40.00	Set a sandstone 15 x 14 x 5 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken and mountainous. Good grazing. Sandy Soil 2nd Rate.
60.00	Set a sandstone 16 x 10 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous Good grazing. Sandy Soil 2nd Rate.
80.00	Set a sandstone 18 x 16 x 12 ins. 12 ins. in ground marked "11" on N. & E. face on S. E. face " " ~~on S. W. face and~~ ——— ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 11. 12. 13. 14 Land broken and mountainous, bluffs Grazing good Soil Sandy 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains East on a random line bet. Secs. 12 & 13
Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 2nd Rate.

40.00 Set a temporary 1/4 Sec. Cor. Land broken and mountainous Soil 2nd Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 2nd Rate.

80.32 Intersect the N. and S. line at 46 links N. of the corner to Secs. 7. 12. 13. 18
Land broken and mountainous
Soil 2nd Rate.

From this corner I run N. 89° 40' W. on a true line between Secs. 12 and 13 with the same var.

21.08 Set a sandstone 24 x 10 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

41.16 Set a sandstone 18 x 12 x 2 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.

61.24 Set a sandstone 12 x 12 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

80.32 To the Corner to Secs. 11. 12. 13. 14
Land broken and mountainous.
Grazing good
Soil Second Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chains	North bet. Secs. 11 and 12 Var. 16° 15' East.
20.00	Set a sandstone 20 x 10 x 2 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land gently rolling Soil 1st Rate.
40.00	Set a sandstone 18 x 8 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land gently rolling Soil 1st Rate.
60.00	Set a sandstone 15 x 12 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land gently rolling Soil 1st Rate.
80.00	Set a sandstone 16 x 12 x 3 ins. 12 ins. in ground marked "1" on N.E. face on S.E. face "1" on S.W. face and _____ on N.W. face in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 1. 2. 11. 12. Land gently rolling Grazing good Soil ~~first~~ Rate June 26th 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 1 & 12 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land gently rolling Soil 1st Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land gently rolling, intervalling Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land gently rolling Soil 1st Rate.
80.15	Intersect the N. and S. line at two links N. of the corner to Secs. 1. 6. 7 & 12 Land gently rolling Soil 1st Rate.
	From this corner I run N. 89° 59' W. on a true line between Secs. 1 and 12 with the same var.
20.04	Set a sandstone 15 x 12 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.08	Set a sandstone 16 x 10 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.12	Set a sandstone 12 x 12 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 15 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.15	To the Corner to Secs. 1. 2. 11. 12 Land gently rolling Grazing good Soil First Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	North on a random line bet. Secs. 1 and 2 Var. 16° 15' East.
18.00	Enter valley
20.00	Set a temporary 1/16 Sec. Cor. Land gently rolling Soil 1st Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land gently rolling Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level river bottom. Soil 1st Rate. Dense underbrush
80.08	Intersect the N. Boundary of the township at 10 links East of the corner to Secs. 1. 2. 35 & 36 Land level river bottom, Soil 1st Rate. Dense underbrush
	From this corner I run S 0° 04' E on a true line bet. Secs. 1 and 2 with the same var.
20.08	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.08	Set a cottonwood post 48 x 3 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.08	Set a sandstone 24 x 8 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.08	To the Corner to Secs. 1. 2. 11. & 12 Land level river bottom, dense brush Grazing good Soil alluvial 1st Rate. Scattering timber

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 34 and 35 Var. 16° 15' East.
20.00	Set a sandstone 20 x 10 x 6 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling Soil 2nd Rate.
40.00	Set a sandstone 18 x 10 x 10 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land rolling Soil 2nd Rate.
60.00	Set a sandstone 20 x 16 x 2½ ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling Soil 2nd Rate.
80.00	Set a sandstone 20 x 12 x 6 ins. 12 ins. in ground marked "11111" on N. E. face on S. E. face "11" ~~on S. W. face and~~ ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 26. 27. 34 & 3 Land rolling, rocky in places Grazing in patches Soil Sandy 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains	
	East on a random line bet. Secs. 26 & 35 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 2nd Rate.
80.38	Intersect the N. and S. line at 56 links S. of the corner to Secs. 25. 26. 35 & 36 Land rolling Soil 2nd Rate.
	From this corner I run S 89° 36' W on a true line between Secs. 26 and 35 with the same var.
20.19	Set a sandstone 14 X 10 X 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.19	Set a sandstone 16 X 10 X 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.28	Set a sandstone 20 X 12 X 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.38	To the Corner to Secs. 26. 27. 34 & 35 Land rolling; rocky in places. Grazing in patches Soil Sandy 2nd Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 26 and 27 Var. 16° 15' East.
20.00	Set a sandstone 20 x 12 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous Soil 3.d Rate.
40.00	Set a sandstone 18 x 16 x 12 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken & mountainous Soil 3.d Rate.
60.00	Set a sandstone 20 x 10 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous Soil 3.d Rate.
80.00	Set a sandstone 26 x 15 x 5 ins. 12 ins. in ground marked "111" on N. E. face on S. E. face " 11 " ~~on S. W. face and~~ ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dis. from mound for Corner to Secs. 22. 23, 26, Land broken and mountainous. Rocky Grazing in patches Soil Sandy 3.d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 23 & 26 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 3d " Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken and mountainous Soil 2nd " Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 2nd " Rate.
80.38	Intersect the N. and S. line at 16 links N of the corner to Secs. 23, 24, 25, 26 Land broken and mountainous Soil 2nd " Rate.
	From this corner I run N 89° 53' W. on a true line between Secs. 23 and 26 with the same var.
20.19	Set a sandstone 12 x 10 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.19	Set a sandstone 14 x 12 x 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.29	Set a sandstone 20 x 16 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.38	To the Corner to Secs. 22. 23. 26. 27 Land broken and mountainous. Rocky Grazing in patches Soil 2nd & 3d " Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains	North bet. Secs. 22 and 23 Var. 16° 15' East.
20.00	Set a sandstone 14 x 12 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous. Soil 2nd Rate.
40.00	Set a sandstone 16 x 12 x 8 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
60.00	Set a sandstone 16 x 8 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
80.00	Set a sandstone 17 x 10 x 8 ins. 12 ins. in ground marked "111" on N.E. face ——— on S.E. face "11" ~~on S.W. face and~~ ——— ~~on N.W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 14. 15. 22. 23 Land broken and mountainous, Rocky Grazing in patches. Soil ~~Sandy~~ 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 22 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 14 & 23 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 2nd Rate.
80.70	Intersect the N. and S. line at 62 links N of the corner to Secs. 13. 14. 23 & 24 Land broken and mountainous. Soil 2nd Rate.
	From this corner I run N 89° 33' W on a true line between Secs. 14 and 23 with the same var.
20.17	Set a sandstone 18 X 5 X 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.35	Set a sandstone 14 X 12 X 6 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.53	Set a sandstone 14 X 12 X 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.70	To the Corner to Secs. 14. 15. 22. & 23 Land broken and mountainous. Rocky Grazing in patches Soil Sandy. 2nd Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 14 and 15' Var. 16° 15' East.
20.00	Set a sandstone 16 x 12 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling Soil 2nd Rate.
40.00	Set a sandstone 30 x 16 x 3 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land rolling Soil 2nd Rate.
60.00	Set a sandstone 12 x 12 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling Soil 2nd Rate.
80.00	Set a sandstone 12 x 10 x 8 ins. 12 ins. in ground marked "11" on N. & E. face ——— on S. & E. face "11" ~~on S. W. face and~~ ——— ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 10. 11. 14. 15 Land rolling. Grazing good Soil Sandy 2nd Rate June 27th 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 11 & 14 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 1st Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 1st Rate.
80.30	Intersect the N. and S. line at 34 links N of the corner to Secs. 11. 12. 13. & 14 Land rolling. Soil 1st Rate.
	From this corner I run N 89° 45' W on a true line between Secs. 11 and 14 with the same var.
0.07	Set a sandstone 14 X 12 X 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
0.15	Set a sandstone 20 X 10 X 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.22	Set a sandstone 16 X 12 X 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.30	To the Corner to Secs. 10. 11. 14. 15 Land rolling Grazing good Soil Sandy 1st Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chains	North bet. Secs. 10 and 11. Var. 16° 15' East.
20.00	Set a sandstone 20 x 14 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling. Soil 2nd Rate.
40.00	Set a sandstone 12 x 12 x 6 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land rolling. Soil 2nd Rate.
60.00	Set a sandstone 14 x 12 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling. Soil 2nd Rate.
80.00	Set a sandstone 25 x 8 x 4 ins. 12 ins. in ground marked "/" on N. & E. face on S. & E. face "//" ~~on S. W. face and~~ _____ ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 2. 3. 10 & 11. Land rolling. Grazing good on bluffs. Soil Sandy 2nd Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	East on a random line bet. Secs. 2 and 11 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 2nd Rate.
80.26	Intersect the T. & S. line at 14 links N. of the corner to Secs. 1. 2. 11. 12 Land rolling Soil 2nd Rate
	From this corner I run N. 89° 54' W. on a true line between Secs. 2 and 11 with the same var.
20.06	Set a sandstone 16 x 12 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.13	Set a sandstone 16 x 6 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.20	Set a sandstone 14 x 7 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.26	To the Corner to Secs. 2. 3. 10 & 11 Land rolling Grazing good on bluffs Soil Sandy 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	North on a random line bet. Secs. 2 and 3 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling Soil 2nd Rate.
35.20	Left bank of White River, Course N.N.W.
42.00	Leave river, Course N.N.E. Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level
64.30	Left bank White Riv. Course E. Soil 1st Rate.
80.20	Intersect the E. & W. line at 16 links N of the corner to Secs. 2.3.34 & 35 Land level, river bottom Soil 1st Rate Dense underbrush
	From this corner I run S 0° 07' W. on a true line between Secs. 2 and 3
13.70 M.C.	Set a post marked M.C for meander Cor. in grou
20.20	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
38.20 W.C.	Set a cottonwood post 48 x 3 x 3 ins. 12 ins. in ground marked "W.C. 1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.2	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.20	To the Corner to Secs. 2. 3. 10 & 11 Land level, river bottom, dense brus Grazing excellent Soil alluvial 1st Rate Scattering cottonwood timber

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 33 and 34 Var. 16° 15' East.
20.00	Set a sandstone 20 x 10 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling, broken and mountainous Light Soil 2nd Rate.
40.00	Set a sandstone 20 x 16 x 2 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken and mountainous Light Soil 2nd Rate.
60.00	Set a sandstone 24 x 10 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land Broken and mountainous Light Soil 2nd Rate.
80.00	Set a sandstone 24 x 12 x 8 ins. 12 ins. in ground marked "IIIII" on N. & E. face on S. & E. face "III" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 27. 28. 33. 34. Land broken and mountainous. Grazing good Soil ~~Light~~ Sandy Rate 2nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 27 and 34 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Rolling broken and mountainous Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Rolling broken and mountainous Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Rolling broken and mountainous Soil 2nd Rate.
80.70	Intersect the N. and S. line at 60 links S. of the corner to Secs. 26. 27. 34. 35 Land Rolling, broken and mountainous Soil 2nd Rate.
	From this corner I run S 89° 34' W on a true line between Secs. 27 and 34 with the same var.
20.17	Set a sandstone 20 x 6 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.35	Set a sandstone 20 x 11 x 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.53	Set a sandstone 16 x 12 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.70	To the Corner to Secs. 27. 28. 33. 34 Land Rolling, broken and mountainous. Grazing good Soil Light Sandy Rate 2nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 27 and 28 Var. 16° 15' East.
20.00	Set a sandstone 20 x 16 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling, rocky and mountainous grazing fair. Sandy Soil 2nd Rate.
40.00	Set a sandstone 15 x 12 x 2 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land rolling, rocky and mountainous grazing fair. Sandy Soil 2nd Rate.
60.00	Set a sandstone 14 x 10 x 2 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling, rocky and mountainous grazing fair. Sandy Soil 2nd Rate.
80.00	Set a sandstone 24 x 12 x 5 ins. 12 ins. in ground marked "1111" on N. E. face on S. E. face "111" ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 21. 22. 27. 28 Land rolling, rocky and mountainous Grazing fair Soil Sandy 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Ch East on a random line bet. Secs. 22 & 27
Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land, Rolling rocky and mountainous Soil 2nd Rate.

40.00 Set a temporary 1/4 Sec. Cor. Land Rolling rocky and mountainous Soil 2nd Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land Rolling rocky and mountainous Soil 2nd Rate.

80.4 Intersect the N. and S. line at 12 links N. of the corner to Secs. 22, 23, 26, 27
Land Rolling, rocky and mountainous
Soil 2nd Rate.

From this corner I run N. 89° 55' W.
on a true line between Secs. 22 and 27
with the same var.

20.11 Set a sandstone 14 x 12 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

40.23 Set a sandstone 24 x 10 x 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.

60.3 Set a sandstone 30 x 12 x 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

80.46 o the Corner to Secs. 21. 22. 27. 28
and Rolling, rocky and mountainous
Grazing fair
Soil Sandy 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 21 and 22 Var. 16° 15' East.
20.00	Set a sandstone 32 x 16 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling, broken and mountainous Good grazing. Sandy Soil 2nd Rate.
40.00	Set a sandstone 22 x 16 x 3 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land rolling, broken and mountainous Good grazing. Sandy Soil 2nd Rate.
60.00	Set a sandstone 20 x 14 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling, broken and mountainous Good grazing. Sandy Soil 2nd Rate.
80.00	Set a sandstone 20 x 8 x 4 ins. 12 ins. in ground marked "111" on N. E. face on S. E. face "111" ~~on S. W. face and~~ ~~on N. W. face~~ in a mound of ~~stone~~ 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 15. 16. 21. 22 Land rolling, broken and mountainous Grazing good Soil Sandy 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	East on a random line bet. Secs. 15 & 22 Var. 16° 15 East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling broken and mountainous Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling broken and mountainous. Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling broken and mountainous Soil 2nd Rate.
80.04	Intersect the N. and S. line at 32 links N of the corner to Secs. 14. 15. 22. 23 Land rolling, broken and mountainous grazing fair. Soil 2d Rate.
	From this corner I run N 89° 46' W. on a true line between Secs. 15 and 22 with the same var.
20.01	Set a sandstone 14 x 10 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.02	Set a sandstone 14 x 9 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.03	Set a sandstone 22 x 5 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 15 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.04	To the Corner to Secs. 15. 16. 21. 22 Land rolling, broken and mountainous Grazing fair Soil Light & Sandy 2d Rate

June. 28" 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 15 and 16 Var. 16° 15' East.
20.00	Set a sandstone 16 x 8 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of stone 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous. Good grazing. Sandy Soil 2nd Rate.
40.00	Set a sandstone 20 x 5 x 3 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken & mountainous, good grazing
41.00	Abrupt rocky bluff 50 ft. high Soil 2d Rate.
52.00	Enter basin
60.00	Set a sandstone 30 x 4 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous Good grazing. Sandy Soil 2d Rate.
80.00	Set a sandstone 8 x 8 x 8 ins. 12 ins. in ground marked "11" on N. E. face on S. E. face "111" ~~on S. W. face and~~ ——— ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 9. 10. 15 & 16 Land broken and mountainous Grazing good Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Ch.	
	East on a random line bet. Secs. 10 & 15 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Sandy Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken and mountainous Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous, Sandy Soil 2d Rate.
80.20	Intersect the N. and S. line at 20 links N of the corner to Secs. 10. 11. 14. 15 Land broken and mountainous. Grazing fair. Sandy Soil 2d Rate.
	From this corner I run N 89° 51' W. on a true line between Secs. 10 and 15 with the same var.
20.05	Set a sandstone 15 x 10 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.10	Set a sandstone 20 x 16 x 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.15	Set a sandstone 16 x 12 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.20	to the Corner to Secs. 9. 10. 15 & 16 and broken and mountainous Grazing fair Soil Light sandy Rate 2d.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 9 and 10 Var. 16° 15' East.
20.00	Set a sandstone 14 x 14 x 6 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous. Grazing good Sandy Soil 2d Rate.
40.00	Set a sandstone 15 x 8 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken and mountainous Grazing Good Light Sandy Soil 2d Rate.
60.00	Set a sandstone 16 x 6 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous Grazing good. Sandy Soil 2d Rate.
80.00	Set a cottonwood post 48" x 3" x 3" ins. 12 ins. in ground marked "3" on N. E. face 10 on S. E. face "9" on S. W. face and 4 on N. W. face in a mound of stone 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 3. 4. 9. 10 Land broken and mountainous. Grazing good Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Ch East on a random line bet. Secs. 3 & 10
Var. 16°15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land broken and mountainous. Soil 2d Rate.

40.00 Set a temporary 1/4 Sec. Cor. Land broken Good grazing, Mountainous Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land broken mountainous, good grazing Soil 2d Rate.

80.36 Intersect the N. and S. line at 14 links S. of the corner to Secs. 2. 3. 10 & 11 Land broken and mountainous. Good grazing Sandy Soil 2d Rate.

From this corner I run S 89°54' W on a true line between Secs. 3 and 10. with the same var.

20.09 Set a sandstone 12 X 8 X 6 ins. 12 ins. in ground marked "1/16" on E. face in a earth 30 ins. diam. at base, and 18 ins. dug 2 pits 18 X 12 X 12 ins. E. and W, dist. 5 ft. from mound for 1/16 Sec. Cor.

40.11 Set a sandstone 14 X 8 X 5 ins. 12 ins. in ground marked "1/4" on E. face in a earth 30 ins. diam. at base, and 20 ins. hig dug 2 pits 18 X 12 X 12 ins. E. and W, dist. 5 ft. mound for 1/4 Sec. Cor.

60.27 Set a sandstone 30 X 8 X 4 ins. 12 ins. in ground marked "1/16" on E. face in a earth 30 ins. diam. at base, and 18 ins. hig dug 2 pits 15 X 12 X 12 ins. E. and W, dist. 5 ft. from mound for 1/16 Sec. Cor.

80.36 To the Corner to Secs. 3. 4. 9. 10
Land broken and mountainous
Grazing good
Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	North on a random line bet. Secs. 3 and 4 Var. 16° 15' East.
5.00	Descend to White River bottom
20.00	Set a temporary 1/16 Sec. Cor. Land broken bluffs Soil 2nd & 3rd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level river bottom Soil 1st " Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level
62.22	White River left bank. Course W. Soil 1st " Rate.
66.50	Leave River
80.04	Intersect the Ute Boundary of the township at 30 links W of the corner to Secs. 3. 4. 33 & 34 Land level River bottom. Alluvial Soil 1st Rate.
	From this corner I run S 0° 13' W. on a true line bet. Secs. 3 and 4 with the same var.
20.04	Set a cottonwood post 36 × 3 × 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.04	Set a sandstone 24 × 12 × 7 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.04	Set a sandstone 16 × 5 × 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 × 12 × 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.04	To the Corner to Secs. 3. 4. 9. 10 Land level, river bottom Grazing good Soil alluvial 1st Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 2 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 32 and 33 Var. 16° 15' East.
20.00	Set a sandstone 20 x 16 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. & S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous. Good grazing. Sandy Soil 2.d Rate.
40.00	Set a sandstone 12 x 10 x 5 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. & S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken and mountainous Good grazing. Sandy Soil 2.d Rate.
60.00	Set a sandstone 14 x 12 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. & S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous Good grazing. Sandy Soil 2.d Rate.
80.00	Set a sandstone 24 x 15 x 3 ins. 12 ins. in ground marked "11111" on N. & E. face on S. E. face "1111" ~~on S. W. face and~~ ——— ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dis from mound for Corner to Secs. 28. 29. 32. 33 Land broken and mountainous Grazing good Soil Sandy 2.d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains	East on a random line bet. Secs. 28 & 33 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Sandy Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken and mountainous. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous. Sandy Soil 2d Rate.
80.16	Intersect the N. and S. line at 12 links N. of the corner to Secs. 27. 28. 33. 34 Land broken and mountainous. Good graging. Sandy Soil 2d Rate.
	From this corner I run N 89° 55' W. on a true line between Secs. 28 and 33 with the same var.
20.04	Set a sandstone 20 X 14 X 12 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.08	Set a sandstone 16 X 10 X 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.12	Set a sandstone 20 X 10 X 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.16	To the Corner to Secs. 28. 29. 32 & 33. Land broken and mountainous Grazing good Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 28 and 29 Var. 16° 15' East.
20.00	Set a sandstone 16 x 12 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. & S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land rough, broken and mountainous. Good graging on bluffs. ~~Sandy~~ Soil 2.d Rate.
40.00	Set a sandstone 12 x 10 x 3½ ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. & S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land Rough & mountainous. good graz on bench land & bluffs. ~~Sandy~~ Soil 2.d Rate.
60.00	Set a sandstone 20 x 16 x 15 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. & S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land Rough & mountainous. Good graz on bluffs. Sandy Soil 2.d Rate.
80.00	Set a sandstone 20 x 8 x 4 ins. 12 ins. in ground marked "1111" on N. E. face on S. E. face "1111" ~~on S. W. face and~~ ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dis. from mound for Corner to Secs. 20. 21. 28. 29 Land Rough and mountainous. Grazing good on bluffs & bench lands Soil Sandy 2.d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chains	
	East on a random line bet. Secs. 21 & 28 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Rough & mountainous. Sandy Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Rough & mountainous Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Rough & mountainous. Sandy Soil 2d Rate.
80.24	Intersect the N. and S. line at 24 links S. of the corner to Secs. 21. 22. 27 & 28 Land Rough and mountainous. Sandy Soil 2d Rate.
	From this corner run S. 89° 50' W. on a true line between Secs. 21 and 28 with the random line.
20.06	Set a sandstone 24 x 15 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.12	Set a sandstone 12 x 8 x 3 1/2 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high, dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.18	Set a sandstone 20 x 16 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.24	To the Corner to Secs. 20. 21. 28 & 29. Land Rough and mountainous Grazing good on bluffs & bench lands Soil Sandy 2d Rate.
	June 29, 1882.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 27 E. Salt Lake Mer. Utah Terry Con.td

Chains	North bet. Secs. 20 and 21 Var. 16° 15' East.
20.00	Set a sandstone 20 x 14 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. & S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land Rough and mountainous. Grazing good. Rocky Soil 2nd Rate.
40.00	Set a sandstone 22 x 14 x 3 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. & S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land Rough and mountainous. Grazing good. Rocky Soil 2nd Rate.
60.00	Set a sandstone 24 x 12 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land Rough and mountainous Grazing good. Rocky Soil 2nd Rate.
80.00	Set a sandstone 42 x 6 x 4 ins. 12 ins. in ground marked "111" on N. & S. face on S. & E. face "1111" ~~on S. W. face and~~ ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dis. from mound for Corner to Secs. 16. 17. 20. & Land Rough and mountainous. Grazing Good Soil Rocky. 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 2 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	East on a random line bet. Secs. 16 & 21 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough
24.00	Rocks & bluffs. mountainous Soil 3d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough
51.00	Rocky butte 50 ft. high Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough and mountainous. Soil 3d Rate.
79.80	Intersect the N. and S. line at 20 links S. of the corner to Secs. 15. 16. 21. 22 Land Rough and mountainous Rocky Soil 3d Rate.
	From this corner I run S 89° 51' W. on a true line between Secs. 16 and 21 with the same var.
19.95	Set a sandstone 24 X 16 X 14 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
39.90	Set a sandstone 36 X 6 X 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
59.85	Set a sandstone 18 X 5 X 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
79.80	To the Corner to Secs. 16. 17. 20. 21 Land rough, broken & mountainous Grazing fair in patches Soil 3d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 16 and 17 Var. 16° 15' East.
20.00	Set a sandstone 20 x 10 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous Sandy and rocky Soil 2d & 3d Rate.
40.00	Set a sandstone 24 x 14 x 7 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken & mountainous, Grass in patches. Sandy & Rocky Soil 2d & 3d Rate.
60.00	Set a sandstone 20 x 14 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken & mountainous. Grass in patches. Sandy & rocky Soil 2d & 3d Rate.
80.00	Set a sandstone 36 x 5 x 5 ins. 12 ins. in ground marked "11" on N. E. face on S. E. face "1111" ~~on S. W. face and~~ ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dis. from mound for Corner to Secs. 8. 9. 16 & 17. Land broken and mountainous Grazing in patches Soil Sandy & rocky Rate 2d & 3d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chains	East on a random line bet. Secs. 9 & 16 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous. Sandy Soil 2d & 3d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rough & mountainous. Rocky Soil 2d & 3rd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous. Sandy Soil 2d & 3rd Rate.
80.46	Intersect the N. and S. line at 12 links S. of the corner to Secs. 9. 10. 15. 16 Land rough and mountainous. Grass in patches. Rocky & Sandy Soil 2d & 3d Rate.
	From this corner I run S 89° 55' W. on a true line between Secs. 9 and 16 with the same var.
20.11	Set a sandstone 18 x 15 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.23	Set a sandstone 22 x 8 x 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.35	Set a sandstone 16 x 10 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of stone 30 ins. diam. at base, and 18 ins. high; dug 2 pits 15 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.46	To the Corner to Secs. 8. 9. 16 & 17. Land rough & mountainous. Grazing in patches Soil Rocky & Sandy Rate 2d & 3d

BOOK-A-

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 8 and 9 Var. 16° 15' East.
20.00	Set a sandstone 18 x 10 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. & S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous. Grazing good - Sandy Soil 2nd Rate.
40.00	Set a sandstone 20 x 8 x 6 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. & S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken and mountainous Grazing good. Sandy Soil 2nd Rate.
60.00	Set a sandstone 12 x 10 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken and mountainous Grazing good. Sandy Soil 2nd Rate.
80.00	Set a cottonwood post 4 ft x 3 x 3 ins. 12 ins. in ground marked "4" on N. E. face "9" on S. E. face "8" on S. W. face and "5" "5" on N. W. face in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dis. from mound for Corner to Secs. 4. 5. 8. 9. Land broken and mountainous Grazing good Soil Sandy Rate 2nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	East on a random line bet. Secs. 4 & 9 Var: 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Sandy Soil 2d Rate
40.00	Set a temporary 1/4 Sec. Cor. Land broken and mountainous Sandy Soil 2d Rate
60.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Sandy Soil 2d Rate
80.26	Intersect the N & S line at 12 links N of the corner to Secs. 3 4 9 & 10 Land broken and mountainous Sandy Soil 2d Rate
	From this corner I run N 89° 55' W. on a true line between Secs. 4 and 9 with the same var.
20.06	Set a sandstone 12 x 10 x 5 ins. 12 ins. in ground marked 1/16 on E face in a mound of earth 30 ins diam. at base and 18 ins high; dug 2 pits 18 x 12 x 12 ins E. and W. dist. 5 ft from mound for 1/16 Sec. Cor.
40.13	Set a sandstone 18 x 13 x 8 ins 12 ins. in ground marked 1/4 on E face in a mound of earth 30 ins diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft from mound for 1/4 Sec. Cor.
60.21	Set a sandstone 16 x 10 x 11 ins 12 ins. in ground marked 1/16 on E face in a mound of earth 30 ins diam. at base and 18 ins high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft from mound for 1/16 Sec. Cor.
80.26	To the Corner to Secs. 4. 5. 8. 9 Land rough and mountainous Grazing good Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	North on a random line bet. Secs. 4 and 5. Var. 16°15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous. Rocky Soil 2nd Rate.
29.64	Descend bluffs to River course N.N.W.
40.00	Set a temporary 1/4 Sec. Cor. Land rough & mountainous. Alluvial Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land:
71.00	Left bank White River. West Soil 1st Rate.
72.90	Right bank White River.
80.20	Intersect the N. Tp line at 40 links W of the corner to Secs. 4. 5. 32 & 33. Land and underbrush Soil 1st Rate
	From this corner I run S 0° 17' W. on a true line between Secs. 4 and 5 with the same var.
20.20	Set a cottonwood post 36 x 3 x 3 ins. 12" in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. C.
40.20	Set a cottonwood post 48 x 3 x 3 ins. 12" in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. C.
60.20	Set a sandstone 16 x 5 x 5 ins. 12" in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. C.
80.20	To the Corner to Secs. 4. 5. 8. 9
	Land generally level except South of Grazing good Soil 1st Rate - Alluvial.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 31 and 32 Var. 16° 15' East.
20.00	Set a sandstone 14 x 8 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land rough in places. Good grazing. Sandy Soil 1st Rate.
40.00	Set a sandstone 18 x 10 x 5 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land rough in places Good grazing. Sandy Soil 1st Rate.
60.00	Set a sandstone 14 x 12 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land level & partly undulating Good grazing. Sandy Soil 1st & 2d Rate.
80.00	Set a sandstone 20 x 8 x 8 ins. 12 ins. in ground marked "11111" on N. & E. face on S. E. face "11111" ~~on S. W. face and~~ ——— ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 29. 30, 31. 32 ✓ Land partly rough & partly level Grazing good. Soil Sandy 1st & 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 2 E. Salt Lake Mer. Utah Terry. Con.td

Chains	
	East on a random line bet. Secs. 29 & 32 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough Good grazing Sandy Soil 1st Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land undulating. Good grass. Sandy Soil 1st & 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land undulating: Grass in places. Sandy Soil 2d Rate.
80.60	Intersect the N. and S. line at 40 links N. of the corner to Secs. 28. 29. 32. 33 Land partly level bench Good grass. Sandy Soil 2d Rate.
	From this corner I run N 89° 45' W. on a true line between Secs. 29 and 32 with the same var.
20.15	Set a sandstone 16 x 7 x 7 ins. 12 ins. in ground marked "1/16" on E. face in a pit of earth 30 ins. diam. at base, and 18 ins. dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.30	Set a sandstone 14 x 8 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a pit of earth 30 ins. diam. at base, and 20 ins. hig dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.45	Set a sandstone 12 x 10 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a pit of earth 30 ins. diam. at base, and 18 ins. hig dug 2 pits 15 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.60	To the Corner to Secs. 29. 30. 31. 32 Land generally bench with Grazing - Soil Sandy 1st & 2d Rate.

June. 30. 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	West on a random line bet. Secs. 30 and 31 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land undulating. Good grass. Sandy Soil 2.d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land undulating. Good grass. Sandy Soil 2.d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land undulating. Good grass. Sandy Soil 2.d Rate.
79.40	Intersect the W. Boundary of the township at 30 links N of the corner to Secs. 30. 31. 25. 36 Land undulating Good grass. Light Soil 2.d Rate.
	From this corner I run N 89° 47' E on a true line bet. Secs. 30 and 31 with the same var.
19.40	Set a sandstone 14 x 8 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
39.40	Set a sandstone 16 x 8 x 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
59.40	Set a sandstone 20 x 12 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
79.40	To the Corner to Secs. 29. 30. 31. 32 Land undulating Grazing good Soil Light Rate 2.nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains	North bet. Secs. 29 and 30 Var. 16° 15' East.
20.00	Set a sandstone 16 x 10 x 8 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. & S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling, sandy & rocky in plc Good grass Soil 2d Rate.
40.00	Set a sandstone 18 x 16 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. & S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land rolling, sandy & rocky in place Good grass Soil 2d Rate.
60.00	Set a sandstone 32 x 15 x 2 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. & S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land rolling and rocky in places Good grass Sandy Soil 2d Rate.
80.00	Set a sandstone 24 x 8 x 4 ins. 12 ins. in ground marked "1111" on N. & E. face on S. & E. face "11111". ~~on S. W. face and on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dis from mound for Corner to Secs. 19. 20. 29. 30 Land undulating and rocky in pla Grazing good Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	East on a random line bet. Secs. 20 and 29 Var. 16° 15 East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling good grass Sandy Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling rocky, good grass. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling rocky, good grass. Sandy Soil 2d Rate.
80.12	Intersect the N. & S. line at 22 links S. of the corner to Secs. 20. 21 28 29 Land rolling rocky, good grass. Sandy Soil 2d Rate
	From this corner I run S 89° 57' W. on a true line between Secs. 20 and 29 with the same cor.
20.03	Set a sandstone 20 x 5 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.07	Set a sandstone 16 x 11 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.11	Set a sandstone 11 x 12 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.14	To the Corner to Secs. 19. 20. 29. 30 Land undulating rocky in places Grazing good Soil Light Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chains.	
	West - on a random line bet. Secs. 19 and 30 Var. 16° 15 East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough mountainous. Good grazing Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land, hilly good grazing. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land hilly good grass. Sandy Soil 2d Rate.
79.28	Intersect the Tp. line at 44 links S. of the corner to Secs. 19.24.25.30 Land hilly good pasturage. Sandy Soil 2d Rate
	From this corner I run S 89° 41' E. on a true line between Secs. 19 and 30 with the same var.
19.28	Set a sandstone 15 x 7 x 7 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
39.28	Set a sandstone 14 x 6 x 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
59.28	Set a sandstone 20 x 5 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
79.28	To the Corner to Secs. 19. 20. 29. 30 Land Mountainous Grazing good in the hills Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 19 and 20 Var. 16° 15' East.
20.00	Set a sandstone 12 x 7 x 5 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land Rough & mountainous & rocky in places. Good grazing Sandy Soil 2nd Rate.
40.00	Set a sandstone 16 x 8 x 4 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/4 Sec. Cor. Land Rough & mountainous & rocky in places Good grazing. Sandy Soil 2nd Rate.
60.00	Set a sandstone 14 x 12 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S. dist. 5 ft. from mound for 1/16 Sec. Cor. Land Rough & mountainous. Rocky in places. Good grazing. Sandy Soil 2nd Rate.
80.00	Set a sandstone 48 x 12 x 6 ins. 12 ins. in ground marked III on N. & S. face on E. & W. face "IIIII" ~~on S. W. face and~~ ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 17. 18. 19. 20 Land Rough and mountainous. Grazing Good Soil Sandy 2nd Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	East on a random line bet. Secs. 17 & 20 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Rough & mountainous. Sandy Soil 2.d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountain
59.00	Rocky cañon - Sandy Soil 2.d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Rough & mountainous. Sandy Soil 2.d Rate.
80.20	Intersect the N. and S. line at 8 links N. of the corner to Secs. 16. 17. 20. 21 Land Rough & mountainous. Rocky in places. Good Grass. Sandy Soil 2.d Rate.
	From this corner I run N. 89° 57' W. on a true line between Secs. 17 and 20 with the same var.
20.05	Set a sandstone 18 x 14 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a of Stones 30 ins. diam. at base, and 18 ins. dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.10	Set a sandstone 15 x 5 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high, dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.15	Set a sandstone 16 x 8 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a of Stones 30 ins. diam. at base, and 18 ins. hig dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.20	To the Corner to Secs. 17. 18. 19. 20 Land rough & mountainous. Grazing good Soil Sandy 2.d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	West on a random line bet. Secs. 18 and 19 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken rough & mountainous. Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken rough & mountainous Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken rough & mountainous. Soil 2d Rate.
79.64	Intersect the W Boundary of the township at 30 links N of the corner to Secs. 13. 18. 19. 24 Land broken, rough & mountainous. Soil 2d Rate.
	From this corner I run N 89° 47' E on a true line bet. Secs. 18 and 19 with the same var.
19.64	Set a sandstone 14 x 8 x 6 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
39.64	Set a sandstone 14 x 10 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
59.64	Set a sandstone 16 x 8 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
79.64	To the Corner to Secs. 17. 18. 19. 20 Land Rough, broken & mountainous. Grazing fair in patches Soil 2d & 3d Rate. Croppings of asphaltum

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chain North bet. Secs. 17 and 18
Var. 16° 15' East.

20.00 Set a sandstone 20 x 18 x 2 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken, rocky & mountainous. Grazing good. Sandy Soil 2d Rate.

40.00 Set a sandstone 16 x 16 x 3 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken, rocky & mountainous. Grazing good. Sandy Soil 2d Rate.

60.00 Set a sandstone 20 x 18 x 2 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken, rocky & mountainous. Grazing good. Sandy Soil 2d Rate.

80.00 Set a sandstone 30 x 8 x 4 ins. 12 ins. in ground marked "11" on N. E. face on S. E. face "11111" ~~on S. W. face and~~ ~~on N. W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound for Corner to Secs. 7. 8. 17. 18 Land rough, broken & mountainous. Grazing good
Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 4 S. R. 2 E. Salt Lake Mer. Utah Terry Con.td

Chains.	East on a random line bet. Secs. 8 and 17 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Sandy Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken & mountainous. Sandy Soil 2d Rate.
52.00	Rocky butte
60.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Sandy Soil 2d Rate.
81.28	Intersect the T. 4 S. line at 22 links S of the corner to Secs. 8. 9. 16 & 17 Land broken & mountainous. Sandy Soil 2d Rate
	From this corner I run S. 89° 51' W on a true line between Secs. 8 and 17 with the same var.
20.07	Set a sandstone 15 x 6 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.14	Set a sandstone 16 x 8 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.21	Set a sandstone 18 x 12 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.28	To the Corner to Secs. 7. 8. 17. 18 Land Mountainous. Grazing Good Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	West on a random line bet. Secs. 7 and 18 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land brot mountainous. Sandy Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land mountainous. Good grazing Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land mountainous. Good grazing Soil 2d Rate.
79.36	Intersect the W. T. p line at 24 links N of the corner to Secs. 7. 12. 13. 18 Land mountainous. Good grazing Soil 2nd Rate
	From this corner I run N 89° 50' E. on a true line between Secs. 7 and 18 with the same var.
19.36	Set a sandstone 22 x 20 x 8 ins. 12" in ground marked "1/16" on E. face in a mound of stone 30 ins. diam. at base 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. C.
39.36	Set a sandstone 15 x 10 x 5 ins. 12" in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. C.
59.36	Set a sandstone 16 x 8 x 8 ins. 12" in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. C.
79.36	To the Corner to Secs. 7. 8. 17. 18 Land broken & mountainous. Grazing good Soil Sandy 2nd Rate

July 1st 1882.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	North bet. Secs. 7 and 8 Var. 16° 15' East.
20.00	Set a sandstone 20 x 8 x 4 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken & mountainous. Grass in patches. Sandy Soil 2d Rate.
40.00	Set a sandstone 18 x 12 x 3 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/4 Sec. Cor. Land broken & mountainous. Grass in patches. Sandy Soil 2d Rate.
60.00	Set a sandstone 18 x 12 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. and S., dist. 5 ft. from mound for 1/16 Sec. Cor. Land broken & mountainous. Grass in patches. Sandy Soil 2d Rate.
78.00	Enter valley of White River.
80.00	Set a ~~sandstone~~ post 15 x 4 x 4 ins. 12 ins. in ground marked "1" on N.E. face on S.E. face "IIIII" ~~on S.W. face and~~ ——— ~~on N.W. face~~ in a mound of earth 36 ins. diam. at base, and 30 ins. high; dug pits 18 x 18 x 12 ins. in each Section 5 ft. dist. from mound & Cor. Corner to Secs. 5. 6. 7. 8 Land broken & mountainous. Grazing good Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains	East on a random line bet. Secs. 5 & 8 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land gener level or slightly rolling Soil 1st Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level
50.00	Leave valley. Sandy Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling slightly level. Sandy Soil 1st Rate.
70.00	High sharp pointed butte about 10 chs S
80.19	Intersect the N. and S. line at 24 links S. of the corner to Secs. 4. 5. 8. 9. Land generally level or slightly rolling. Good grazing Sandy Soil 1st Rate.
	From this corner I run S 89° 50' W. on a true line between Secs. 5 and 8 with the same var.
20.04	Set a sandstone 18 x 4 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.09	Set a sandstone 12 x 10 x 4½ ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base, and 20 ins. high, dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.15	Set a sandstone 12 x 10 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base, and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.19	To the Corner to Secs. 5. 6. 7. 8 Land generally level or slightly roll Grazing good Soil Sandy loam Rate 1st

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	West on a random line bet. Secs. 6 and 7 Var. 16° 15 East.
20.00	Set a temporary 1/16 Sec. Cor. Land gently rolling, grass. Sandy Soil 1st Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land gently rolling, grass. Sandy Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling Good grass. Sandy Soil 2d Rate.
78.25	Intersect the W. Boundary of the township at 54 links N. of the corner to Secs. 1. 6. 7. 12 Land mostly level Light Sandy Soil 1/2 Rate.
	From this corner I run N 89° 37' E on a true line bet. Secs. 6 and 7 with the same var.
18.85	Set a sandstone 20 x 6 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
38.85	Set a sandstone 16 x 12 x 2 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
58.85	Set a sandstone 14 x 8 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
78.85	To the Corner to Secs. 5. 6. 7 8 Land gently rolling and level Grazing First rate Soil Light Sandy Rate 1st & 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chai North bet. Secs. 5 and 6
Var. 16° 15' East.

20.00 Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. S. dist. 5 ft. from mound for 1/16 Sec. Cor.
Land level river bottom
Good grass Alluvial Soil 1st Rate.

40.00 Set a cottonwood post 48 x 3 x 3 ins. 12 ins. in ground marked "1/4" on N. face in a mound of earth 30 ins. diam. at base and 20 ins. high; dug 2 pits 18 x 12 x 12 ins. N. S. dist. 5 ft. from mound for 1/4 Sec. Cor.
Land level river bottom.
Good grass. Alluvial Soil 1st Rate.

60.00 Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in ground marked "1/16" on N. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. N. S. dist. 5 ft. from mound for 1/16 Sec. Cor.
Land level river bottom. Good grass
61.36 White River Course N. Soil 1st Rate.
Offset 10 chs East. thence N. to N. Bdy of T.
80.60 North Boundary of Township.
Land level river bottom.
Soil 1st rate arable. Dense
underbrush. July 2d 1882

Examined by .....

Compared by .....

FIELD NOTES

OF THE SURVEY OF THE

1/4 and 1/16
Subdivisional and
Meander Lines.

OF

Township No. 9 South.
Range No. 21 East.

OF THE

SALT LAKE MERIDIAN

IN

Utah Territory,

AS SURVEYED BY

DANIEL G. MAJOR,

U. S. Surveyor,

Under his Contract,

Dated December 20th, 1880.

Survey Commenced, June 28th *1882.*
Survey Completed, July 6th *1882.*

BOOK-A-266

76

[4—590.]

Township No. 9 South Range No. 21 E Salt Lake Mer.
Terr. of Utah

184	183	158	130	112	94
6 182	5 181	4 149	3 129	2 111	1 93
180	179	146	128	110	92
178	177	145	127	109	91
7 176	8 175	9 144	10 126	11 108	12 90
174	173	143	125	107	89
172	171	142	124	106	88
18 170	17 169	16 141	15 123	14 105	13 87
168	167	140	122	104	86
166	165	139	121	103	85
19 164	20 163	21 138	22 120	23 102	24 84
162	161	137	119	101	83
160	159	136	118	100	82
30 158	29 157	28 135	27 117	26 99	25 81
156	155	134	116	98	80
154	153	133	115	97	79
31 152	32 151	33 132	34 114	35 96	36 78
150	149	131	113	95	77

True Meridian

Scale 80 chains to an inch
20 40 60 80

[8882—20 M.]

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 35 and 36 I run East on a random line through the middle of the S. half of Sec. 36
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Good grass Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Good grass Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Sandy Soil 2d Rate.
80.28	Intersect the N. & S. line bet. Secs. 31 and 36 at 10 links S. of the S 1/16 Sec. Cor. Land Mountainous Soil 2d Rate.
	From this corner I run S 89° 56' W. on a true line through the middle of the South half of Sec. 36 with the same var.
20.07	Set a sandstone 12 X 12 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.14	Set a sandstone 16 X 10 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.21	Set a sandstone 14 X 12 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.28	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 35 and 36
	Land broken & mountainous
	Grazing good
	Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Me. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 35 and 36 I run East on a random line through the middle of Sec. 36
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Good grass Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken & mountainous. Good grass Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Sandy Soil 2d Rate.
80.24	Intersect the N. and S. line bet. Secs. 3 & 3 at 20 links S. of the 1/4 Sec. Cor. Land broken & mountainous Soil 2d Rate.
	From this corner I run S. 89° 47' W. on a true line through the middle of Sec. 36 with the same var.
20.06	Set a sandstone 17 X 12 X 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.12	Set a sandstone 20 X 10 X 6 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.18	Set a sandstone 24 X 12 X 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 X 12 X 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.24	To the 1/4 Sec. Cor. on Sec. line between Secs. 35 and 36
	Land broken & mountainous
	Grazing good
	Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N. 1/16 Sec. Cor. on Sec. line between Sections 35 and 36 I run East on a random line through the middle of the N half of Sec. 36
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land mountainous. Good graging Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Good grass Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Good grass Soil 2d Rate.
80.18	Intersect the N. & S. line bet. Secs. 31 and 36 at 12 links N of the N. 1/16 Sec. Cor. Land mountainous. Sandy Soil 2d Rate. From this corner I run N 89° 55' W. on a true line through the middle of the North half of Sec. 36 with the same var.
20.04	Set a sandstone 20 X 12 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.09	Set a sandstone 16 X 12 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.14	Set a sandstone 15 X 7 X 7 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.18	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 35 and 36
	Land broken & mountainous
	Grazing good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 25 and 26 I run East on a random line through the middle of the S half of Sec. 25
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. grazing Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land mountainous. grazing in patches Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land mountainous. grass in patches Soil 2d Rate.
80.40	Intersect the N. & S. line bet. Secs. 25 + and 30 at 78 links N. of the S 1/16 Sec. Cor. Land broken & mountainous Soil 2d Rate.
	From this corner I run N 89° 27' W. on a true line through the middle of the South half of Sec. 25 with the same var.
20.10	Set a sandstone 14 X 12 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.20	Set a sandstone 14 X 12 X 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.30	Set a sandstone 20 X 10 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.40	To the S. 1/16 Sec. Cor. on Sec. line between Secs 25 and 26
	Land broken and mountainous
	Grazing good in patches.
	Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E Salt Lake Mer. Utah Terry Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec line between Sections 25 and 26 I run East on a random line through the middle of Sec. 25
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land mountainous. grazing in patches Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land mountainous. grazing in patches Soil 2d Rate.
60.00	Set a temporary 1/16. Sec. Cor. Land mountainous. Good grass Sandy Soil 2d Rate.
80.60	Intersect the N. and S. line bet. Secs. 25 & 30 at 12 links S. of the 1/4 Sec. Cor. Land mountainous. Sandy Soil 2d Rate. From this corner I run S. 89° 55' W. on a true line through the middle of Sec. 25 with the same var.
20.15	Set a sandstone 18 x 10 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.30	Set a sandstone 16 x 8 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.45	Set a sandstone 20 x 12 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.60	To the 1/4 Sec. Cor. on Sec. line between Secs. 25 and 26 Land Mountainous & broken Grazing good in patches Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 25 and 26 I run East on a random line through the middle of the N. half of Sec. 25
	Var. 16° East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mount some grass. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land. brok & mountainous. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rough, some grass. Sandy Soil 2d Rate.
80.20	Intersect the N. & S. line bet. Secs. 25 and 30 at 4 links N. of the N. 1/16 Sec. Cor. Land Mountainous. Sandy Soil 2d Rate.
	From this corner I run N 89° 58' W on a true line through the middle of the North half of Sec. 25 with the same var.
20.05	Set a sandstone 20 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.10	Set a sandstone 16 x 8 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.15	Set a sandstone 18 x 10 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.20	To the N 1/16 Sec. Cor. on Sec. line between Secs. 25 and 26
	Land Mountainous.
	Grazing good in places.
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 23 and 24 I run East on a random line through the middle of the S. half of Sec. 24
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling & broken, bench land Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Some grass Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land mountainous. Grazing in patches Soil 2d Rate.
80.54	Intersect the N. & S. line bet. Secs. 19 and 24 at 12 links N. of the S 1/16 Sec. Cor. Land Mountainous Soil 2d Rate.
	From this corner I run N. 89° 55' W. on a true line through the middle of the South half of Sec. 24 with the same var.
20.13	Set a sandstone 16 x 10 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.27	Set a sandstone 12 x 12 x 3½ ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.41	Set a sandstone 15 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.54	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 19 and 24
	Land generally mountainous
	Grazing good in patches
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 23 and 24 I run East on a random line through the middle of Sec. 24
	Var. 16°15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. grass Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous. Grass in patches Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grazing in patches Soil 2d Rate.
80.40	Intersect the N. and S. line bet. Secs. 19 & 24 at 24 links N of the 1/4 Sec. Cor. Land Mountainous — Soil 2d Rate. From this corner I run N 89° 50' W on a true line through the middle of Sec. 24 with the same var.
20.10	Set a sandstone 12 x 11 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W, dist. 5 ft. from mound for 1/16 Sec. Cor.
40.20	Set a sandstone 16 x 14 x 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W, dist. 5 ft. from mound for 1/4 Sec. Cor.
60.30	Set a sandstone 12 x 12 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W, dist. 5 ft. from mound for 1/16 Sec. Cor.
80.40	To the 1/4 Sec. Cor. on Sec. line between Secs. 23 and 24 Land Mountainous Grazing good in patches. Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N. 1/16 Sec. Cor. on Sec. line between Sections 23 and 24 I run East on a random line through the middle of the N. half of Sec. 24
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grazing in patches Soil 2d. Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grazing in patches Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grazing in patches Soil 2d. Rate.
80.34	Intersect the N. & S. line bet. Secs. 19 and 24 at 10 links N. of the N. 1/16 Sec. Cor. Land Mountainous Soil 2d. Rate.
	From this corner I run N 89° 56' W. on a true line through the middle of the North half of Sec. 24 with the same var.
20.18	Set a sandstone 20 x 14 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.17	Set a sandstone 14 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.26	Set a sandstone 16 x 14 x 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.34	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 23 and 24
	Land generally broken & mountainous. Grazing good in patches Soil Sandy Rate 2d
	June 28. 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 4 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 13 and 14 I run East on a random line through the middle of the S. half of Sec. 13 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grazing Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good pasturage Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grazing Soil 2d Rate.
80.24	Intersect the N. & S. line bet. Secs. 13 and 18 at 18 links N. of the S 1/16 Sec. Cor. Land Mountainous Soil 2d Rate. From this corner I run N 89° 52' W. on a true line through the middle of the South half of Sec. 13 with the same var.
20.06	Set a sandstone 16 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.12	Set a sandstone 14 x 10 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.18	Set a sandstone 20 x 15 x 2½ ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.24	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 13 and 14 Land broken & mountainous Grazing good Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 13 and 14 I run East on a random line through the middle of Sec. 13
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous - Good grazing Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous - Good grazing Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grazing Soil 2d. Rate.
80.14	Intersect the N. and S. line bet. Secs. 13 & 18 at 28 links S. of the 1/4 Sec. Cor. Land Mountainous. Soil 2d. Rate. From this corner I run S 89° 48' W on a true line through the middle of Sec. 13 with the same var.
20.03	Set a sandstone 13 x 13 x 7 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.07	Set a sandstone 40 x 8 x 2 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.11	Set a sandstone 20 x 12 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.14	To the 1/4 Sec. Cor. on Sec. line between Secs. 13 and 14 Land broken & mountainous. Grazing good Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chains.	
	From the N. 1/16 Sec. Cor. on Sec. line Sections 13 and 14 I run East on a random line through the middle the N. half of Sec. 13
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grazing Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grazing Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grazing Soil 2d Rate.
80.36	Intersect the N. & S. line bet. Secs. 13 and 18 at 16 links S of the N 1/16 Sec. Cor. Land Mountainous. Soil 2d Rate. From this corner I run S 89° 53' W. on a true line through the middle of the North half of Sec. 13 with the same var.
20.09	Set a sandstone 12 x 5 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.18	Set a sandstone 16 x 15 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.27	Set a sandstone 20 x 10 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.36	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 13 and 14 Land broken and mountainous. Grazing Good Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	From the S 1/16 Sec. Cor. on Sec. line between Sections 11 and 12 I run East on a random line through the middle of the S. half of Sec. 12
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land gently rolling. Good grazing Soil 1st Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land gently rolling. Good grazing Soil 1st " Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land gently rolling. Good grazing Soil 1st " Rate.
80.22	Intersect the N. & S. line bet. Secs. 7 and 12 at 28 links S. of the S 1/16 Sec. Cor. Land gently rolling Soil 1st " Rate. From this corner I run S 89° 48' W. on a true line through the middle of the South half of Sec. 12 with the same var.
20.05	Set a sandstone 10 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.11	Set a sandstone 20 x 8 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.17	Set a sandstone 12 x 10 x 3½ ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.22	To the S 1/16 Sec. Cor. on Sec. line between Secs. 11 and 12 Land gently rolling Grazing good Soil Sandy Rate 1st "

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. From the 1/4 Sec. Cor. on Sec. line between Sections 11 and 12 I run East on a random line through the middle of Sec. 12

Var. 16° 15 East.

20.00 Set a temporary 1/16 Sec. Cor. Land rolling. Good grazing Soil 1st Rate.

40.00 Set a temporary 1/4 Sec. Cor. Land rolling. Good grazing Soil 1st Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land rolling Good grazing Soil 1st Rate.

80.30 Intersect the N. and S. line bet. Secs. 7 & 1 at 8 links E. of the 1/4 Sec. Cor. Land gently rolling Soil 1st Rate. From this corner I run S 89° 57' W. on a true line through the middle of Sec. 12 with the same var.

20.07 Set a sandstone 20 x 15 x 2½ ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

40.15 Set a sandstone 15 x 10 x 4 ins. 12 ins. ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.

60.23 Set a sandstone 14 x 12 x 5 ins. 12 ins. ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.

80.30 To the 1/4 Sec. Cor. on Sec. line between secs. 11 and 12 and gently rolling Grazing Good oil Sandy 1st Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 11 and 12 I run East on a random line through the middle of the N half of Sec. 12
	Var. 16° 15′ East.
20.00	Set a temporary 1/16 Sec. Cor. Land gently rolling - Good grazing Soil 1st Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land gently rolling. Good grazing Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land gently rolling, good grazing Soil 1st Rate.
80.48	Intersect the N. & S. line bet. Secs. 7 & 12 ~~and~~ at 20 links S. of the N 1/16 Sec. Cor. Land gently rolling Soil 1st Rate.
	From this corner I run S 89° 50′ W. on a true line through the middle of the North half of Sec. 12 with the same var.
20.12	Set a sandstone 16 x 14 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.24	Set a sandstone 14 x 8 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.36	Set a sandstone 16 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.48	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 11 and 12
	Land gently undulating
	Grazing good
	Soil 1st Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 1 and 2 I run East on a random line through the middle of the S. half of Sec. 1
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land River bottom. level Alluvial Soil 1st Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land River bottom, level. Alluvial Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land River bottom, level, Alluvial Soil 1st " Rate.
80.60	Intersect the N. & S. line bet. Secs. 1 and 6 at 44 links N. of the S 1/16 Sec. Cor. Land River bottom. Soil 1st " Rate.
	From this corner I run N 89° 41' W on a true line through the middle of the South half of Sec. 1 with the same var.
20.15	Set a sandstone 16 X 14 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.30	Set a cottonwood post 48 X 3 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.45	Set a sandstone 18 X 14 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.60	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 1 and 2
	Land River bottom
	Grazing excellent
	Soil 1st " Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 1 and 2 I run East on a random line through the middle of Sec. 1
14.00	White river Course N. Var. 16° 15' East.
16.00	width 7.00 lks. Leave River
20.00	Set a temporary 1/16 Sec. Cor. Land River bottom. Good grazing alluvial Soil 1st Rate.
24.10	White River, Course S.W. 2 chs wide
40.00	Set a temporary 1/4 Sec. Cor. Land River bottom, good grazing Soil 1st Rate.
	White River
60.00	Set a temporary 1/16 Sec. Cor. Land level
61.00	Leave White River Course W.S.W Soil 1st Rate.
80.60	Intersect the N. and S. line bet. Secs. 1 & 6 at 40 links N of the 1/4 Sec. Cor. Land River bottom Rich Soil 1st Rate. From this corner I run N. 89° 43' W. on a true line through the middle of Sec. 1 with the same var.
20.15	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.30	Set a cottonwood post x 48 x 3 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.45	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.60	To the 1/4 Sec. Cor. on Sec. line between Secs. 1 and 2 Land rich bottom of river Grazing good Soil 2nd Rate.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. From the N. 1/16 Sec. Cor. on Sec. line between Sections 1 and 2 I run East on a random line through the middle, the N. half of Sec. 1

Var. 16° 15' East.

17.00 White River Course S. 2 chs in width

20.00 Set a temporary 1/16 Sec. Cor. Land River bottom. good pasturage Soil 1st Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land River bottom, good grass Soil 1st Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land R. bottom, good grass Soil 1st Rate.

80.40 Intersect the N. & S. line bet. Secs. 1 and 6 at 35 links S. of the N. 1/16 Sec. Cor. Land river bottom, grass &c Soil 1st Rate. From this corner I run S 89° 45' W on a true line through the middle of the North half of Sec. 1 with the same var.

20.10 Set a cottonwood post 36 X 3 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.20 Set a cottonwood post 18 X 3 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.20 Set a cottonwood post 36 X 3 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.40 To the N. 1/16 Sec. Cor. on Sec. line between Secs. 1 and 2

Land River bottom

Grazing good. Scattering timber

Soil alluvial Rate 2nd

June 29. 1882.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 34 and 35 I run East on a random line through the middle of the S half of Sec. 35
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough & mountainous, some grass Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous grass in patches Soil 2d Rate.
80.16	Intersect the N. & S. line bet. Secs. 35 and 36 at 24 links S of the S 1/16 Sec. Cor. Land Mountainous Soil 2d Rate. From this corner I run S 89° 50' W. on a true line through the middle of the South half of Sec. 35 with the same var.
20.04	Set a sandstone 10 x 8 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.08	Set a sandstone 16 x 15 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.12	Set a sandstone 14 x 10 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.16	To the S 1/16 Sec. Cor. on Sec. line between Secs. 34 and 35 Land Rocky broken & mountainous Grazing good in patches. Soil Sandy Rate 2d.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 34 and 35 I run East on a random line through the middle of Sec. 35
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. grass in patches Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous, Grass in patches Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2d Rate.
80.30	Intersect the N. and S. line bet. Secs. 35 & at 14 links N of the 1/4 Sec. Cor. Land Mountainous Soil 2d Rate. From this corner I run N 89° 54' W on a true line through the middle of Sec. 35 with the same var.
20.07	Set a sandstone 14 x 10 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.15	Set a sandstone 12 x 8 x 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.23	Set a sandstone 16 x 10 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.30	To the 1/4 Sec. Cor. on Sec. line between Secs. 34 and 35 Land Mountainous & rocky Grazing good in patches. Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 34 and 35 I run East on a random line through the middle of the N. half of Sec. 35
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, Grass in patches Soil 2d Rate.
80.10	Intersect the N. & S. line bet. Secs. 35 & 36 at 14 links S of the N 1/16 Sec. Cor. Land Mountainous Soil 2d Rate.
	From this corner I run S 89° 54' W. on a true line through the middle of the North half of Sec. 35 with the same var.
20.02	Set a sandstone 14 x 12 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.05	Set a sandstone 16 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.08	Set a sandstone 20 x 16 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.10	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 34 and 35
	Land Rocky, rough & mountainous
	Grazing Good in patches
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 26 and 27 I run East on a random line through the middle of the S. half of Sec. 26 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous Grass in patches Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2d Rate.
80.12	Intersect the N. & S. line bet. Secs. 25 and 26 at 20 links N of the S 1/16 Sec. Cor. Land Mountainous Soil 2d Rate. From this corner I run N 89° 51' W on a true line through the middle of the South half of Sec. 26 with the same var.
20.00	Set a sandstone 14 x 16 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.01	Set a sandstone 15 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.02	Set a sandstone 16 x 10 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.02	To the S 1/16 Sec. Cor. on Sec. line between Secs 26 and 27 Land Rough, rocky & mountainous Grazing good in patches. Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.d

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 26 and 27 I run East on a random line through the middle of Sec. 26
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches. Soil 2.d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous. Grass in patches Soil 2.d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2.d Rate.
79.84	Intersect the N. and S. line bet. Secs. 25 & 26 at 8 links N. of the 1/4 Sec. Cor. Land Mountainous Soil 2.d Rate. From this corner I run N 89° 57' W. on a true line through the middle of Sec. 26 with the same var.
19.96	Set a sandstone 20 x 14 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
39.92	Set a sandstone 16 x 8 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
59.88	Set a sandstone 24 x 11 x 10 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
79.84	To the 1/4 Sec. Cor. on Sec. line between Secs. 26 and 27 Land rough, rocky & mountainous. Grazing good in patches Soil Sandy 2.d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 26 and 27 I run East on a random line through the middle of the N half of Sec. 26
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2d Rate.
80.16	Intersect the N. & S. line bet. Secs. 25 and 26 at 20 links S of the N 1/16 Sec. Cor. Land Mountainous Soil 2d Rate. From this corner I run S 89° 51' W. on a true line through the middle of the N 1/16 half of Sec. 26 with the same var.
211.04	Set a sandstone 18 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.08	Set a sandstone 16 x 12 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.12	Set a sandstone 20 x 8 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.16	To the N 1/16 Sec. Cor. on Sec. line between Secs. 26 and 27 Land rocky, rough & mountainous. Grazing good in patches Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 22 and 23 I run East on a random line through the middle of the S. half of Sec. 23
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough & Rocky. grass in patches Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, grass in patches Soil 2d " Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2d " Rate.
80.50	Intersect the N. & S. line bet. Secs. 23 and 24 at 72 links S of the S 1/16 Sec. Cor. Land Mountainous Soil 2d " Rate.
	From this corner I run S 89° 27' W on a true line through the middle of the South half of Sec. 23 with the same var.
20.12	Set a sandstone 16 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.25	Set a sandstone 14 x 8 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.38	Set a sandstone 20 x 7 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.50	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 22 and 23
	Land rough, rocky in places, Mountainous Grazing good in patches.
	Soil Sandy Rate 2d

OK-A-266

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 22 and 23 I run East on a random line through the middle of Sec. 23
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in places Soil 2.d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous - Grass in patches Soil 2.d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous - Grass in patches Soil 2.d Rate.
80.58	Intersect the N. and S. line bet. Secs. 23 & 24 at 54 links N. of the 1/4 Sec. Cor. Land Mountainous Soil 2.d Rate. From this corner I run N 89° 37' W. on a true line through the middle of Sec. 23 with the same var.
20.14	Set a sandstone 16 x 12 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.29	Set a sandstone 20 x 10 x 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.44	Set a sandstone 16 x 10 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.58	To the 1/4 Sec. Cor. on Sec. line between Secs. 22 and 23. Land rough, rocky & mountain Grazing good in patches Soil Sandy 2.d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	From the N. 1/16 Sec. Cor. on Sec. line between Sections 22 and 23 I run East on a random line through the middle of the N. half of Sec. 23
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grass in patches Soil 2d Rate.
80.42	Intersect the N. & S. line bet. Secs. 23 and 24 at 8 links S. of the N. 1/16 Sec. Cor. Land Mountainous. Soil 2d Rate. From this corner I run S 89° 57' W. on a true line through the middle of the North half of Sec. 23 with the same var.
20.10	Set a sandstone 14 x 12 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.21	Set a sandstone 16 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.32	Set a sandstone 18 x 15 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.42	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 22 and 23
	Land rocky, rough & mountainous Grazing good in patches. Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 14 and 15 I run East on a random line through the middle of the S. half of Sec. 14. Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Rolling Good grazing. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Rolling Good grazing. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Rolling Good grazing. Sandy Soil 2d Rate.
80.36	Intersect the N. & S. line bet. Secs. 13 and 14 at 16 links N of the S 1/16 Sec. Cor. Land Undulating Soil 2d Rate. From this corner I run N 89° 53' W. on a true line through the middle of the South half of Sec. 14 with the same var.
20.09	Set a sandstone 15 x 15 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.18	Set a sandstone 16 x 14 x 12 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.27	Set a sandstone 10 x 10 x 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.36	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 14 and 15 Land generally rolling Grazing good Soil Sandy Rate 2d June 30. 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 14 and 15 I run East on a random line through the middle of Sec. 14
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling Grazing good. Sandy Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling Grazing good. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling Grazing good. Sandy Soil 2d Rate.
80.40	Intersect the N. and S. line bet. Secs. 13 & 14 at 18 links S. of the 1/4 Sec. Cor. Land rolling - Sandy Soil 2d Rate.
	From this corner I run S. 89° 52' W on a true line through the middle of Sec. 14 with the same var.
20.10	Set a sandstone 18 x 10 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.20	Set a sandstone 14 x 10 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.30	Set a sandstone 16 x 12 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.40	To the 1/4 Sec. Cor. on Sec. line between Secs. 14 and 15 Land rolling Grazing good Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. From the N 1/16 Sec. Cor. on Sec. line between Sections 14 and 15 I run East on a random line through the middle the N half of Sec. 14

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land rolling good grass. Sandy Soil 2d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land rolling good grass. Sandy Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land rolling good grass. Sandy Soil 2d Rate.

80.22 Intersect the N. & S. line bet. Secs. 13 & 11 and at 20 links S of the N 1/16 Sec. C. Land rolling. Sandy Soil 2d Rate.

From this corner I run S 89° 51' W. on a true line through the middle of the North half of Sec. 14 with the same var.

20.05 Set a sandstone 14 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.11 Set a sandstone 16 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.17 Set a sandstone 18 x 14 x 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.22 To the N 1/16 Sec. Cor. on Sec. line between Secs. 14 and 15

Land rolling

Grazing good

Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 10 and 11 I run East on a random line through the middle of the S. half of Sec. 11
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling Good grazing on bluffs Soil 2d. Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rolling Good grazing on bluffs Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling Good grazing on bluffs Soil 2d. Rate.
80.48	Intersect the N. & S. line bet. Secs. 11 and 12 at 20 links S of the S 1/16 Sec. Cor. Land rolling. good grazing Soil 2d. Rate. From this corner I run S 89° 57' W. on a true line through the middle of the South half of Sec. 11 with the same var.
20.12	Set a sandstone 14 X 10 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.24	Set a sandstone 16 X 8 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.36	Set a sandstone 14 X 10 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.48	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 10 and 11. Land Rolling Grazing good on bluffs Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Terry Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 10 and 11 I run East on a random line through the middle of Sec. 11
	Var. 16°15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling grazing good on bluffs Soil 2° Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling grazing good on bluffs Soil 2° Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling grazing good on bluffs Soil 2°. Rate.
80.38	Intersect the N. and S. line bet. Secs. 11 & 1 at 14 links S. of the 1/4 Sec. Cor. Land rolling. Sandy Soil 2° Rate. From this corner I run S 89° 54' W on a true line through the middle of Sec. 11 with the same var.
20.09	Set a sandstone 24 x 10 x 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.19	Set a sandstone 15 x 8 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.29	Set a sandstone 14 x 8 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.38	To the 1/4 Sec. Cor. on Sec. line between Secs. 10 and 11 Land Rolling Grazing good on bluffs Soil Sandy 2° Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Terry Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 10 and 11 I run East on a random line through the middle of the N half of Sec. 11
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling grazing good on bluffs Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rolling grazing good on bluffs Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling grazing good on bluffs Soil 2d Rate.
80.04	Intersect the N. & S. line bet. Secs. 11 and 12 at 22 links N of the N 1/16 Sec. Cor. Land rolling. Sandy Soil 2d Rate. From this corner I run N 89° 51' W. on a true line through the middle of the North half of Sec. 11 with the same var.
20.01	Set a sandstone 14 x 6 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.02	Set a sandstone 18 x 8 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.03	Set a sandstone 20 x 12 x 2½ ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.04	To the N 1/16 Sec. Cor. on Sec. line between Secs. 10 and 11 Land rolling Grazing good on bluffs Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 2 and 3 I run East on a random line through the middle of the S. half of Sec. 2
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling and bench land. grass Soil 1st Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rolling and bench land. Grass Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling and bench land. grass Soil 1st Rate.
80.16	Intersect the N. & S. line bet. Secs. 1 and 2 at 20 links S. of the S. 1/16 Sec. Cor. Land rolling, bench grass Soil 1st Rate. From this corner I run S. 89° 51' W. on a true line through the middle of the South half of Sec. 2 with the same var.
20.04	Set a sandstone 16 x 5 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of stone 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.08	Set a sandstone 10 x 8 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of stone 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.12	Set a sandstone 10 x 9 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of stone 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.16	To the S 1/16 Sec. Cor. on Sec. line between Secs 2 and 3
	Land table and rolling
	Grazing good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 2 and 3 I run East on a random line through the middle of Sec. 2
	Var. 16° 15' East.
18.00	White River. Course S. 5 W. width 1.75 chs
20.00	Set a temporary 1/16 Sec. Cor. Land level River bottom. Alluvial Soil 1st Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level River bottom. cottonwood Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level valley of river, alluvial Soil 1st Rate.
80.24	Intersect the N. and S. line bet. Secs. 1 & 2 at 20 links N of the 1/4 Sec. Cor. Land river bottom. Soil 1st Rate.
	From this corner I run N 89° 51' W. on a true line through the middle of Sec. 2 with the same var.
20.06	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.12	Set a sandstone 12 x 12 x 4 1/2 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.18	Set a sandstone 15 x 10 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.24	To the 1/4 Sec. Cor. on Sec. line between Secs. 2 and 3
	Land level river bottom
	Grazing good. Scattering cottonwood
	Soil Alluvial Rate 1st

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 2 and 3 I run East on a random line through the middle the N half of Sec. 2
	Var. 16° 15' East.
13.00	White River, course W.N.W. width 1.60 ch
20.00	Set a temporary 1/16 Sec. Cor. Land level
25.00	White River, Course S.S.W. 1.50 ch wide Soil 1st Rate.
30.10	White River. N.N.W. 1.60 ch wide
40.00	Set a temporary 1/16 Sec. Cor. Land river bottom. grass. Alluvial Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land river bottom. level. grass. Alluvial Soil 1st Rate.
80.44	Intersect the N. & S. line bet. Secs. 1 and 2 at 20 links N of the N 1/16 Sec. Cor. Land level Alluvial Soil 1st Rate.
	From this corner I run N 89° 57' W on a true line through the middle of the N " half of Sec. 2 with the same var.
20.11	Set a cottonwood 36 x 3 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.22	Set a cottonwood 48 x 3 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.33	Set a cottonwood 36 x 3 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.44	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 2 and 3
	Land river bottom. scattering c-
	Grazing good
	Soil Alluvial Rate 1st

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 33 and 34 I run East on a random line through the middle of the S half of Sec. 34
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous and broken. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grass. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. good grass. Sandy Soil 2d Rate.
80.24	Intersect the N. & S. line bet. Secs. 34 and 35 at 28 links S of the S 1/16 Sec. Cor. Land Mountainous Sandy Soil 2d Rate. From this corner I run S. 89° 48' W on a true line through the middle of the South half of Sec. 34 with the same var.
20.16	Set a sandstone 14 x 10 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.12	Set a sandstone 12 x 8 x 3½ ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.18	Set a sandstone 15 x 8 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.24	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 33 and 34
	Land Mountainous
	Grazing good
	Soil Sandy Rate 2d

July 1st 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 33 and 34 I run East on a random line through the middle of Sec. 34
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grazing Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous, good grazing Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grazing Soil 2d Rate.
80.54	Intersect the N. and S. line bet. Secs. 34 & 3 at 86 links N of the 1/4 Sec. Cor. Land Mountainous. Soil 2d Rate.
	From this corner I run N 89° 23' W on a true line through the middle of Sec. 34 with the same var.
20.13	Set a sandstone 16 x 10 x 2½ ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.27	Set a sandstone 15 x 12 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.41	Set a sandstone 14 x 10 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.54	To the 1/4 Sec. Cor. on Sec. line between Secs. 34 and 33
	Land broken and mountainous
	Grazing good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the T 1/16 Sec. Cor. on Sec. line between Sections 33 and 34 I run East on a random line through the middle of the N half of Sec. 34 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. grazing good Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. grazing good Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. grazing good Soil 2d Rate.
80.38	Intersect the N. & S. line bet. Secs. 34 and 35 at 4 links S of the T 1/16 Sec. Cor. Land Mountainous, Sandy Soil 2d Rate. From this corner I run S. 89° 58' W on a true line through the middle of the North half of Sec. 34 with the same var.
20.09	Set a sandstone 16 x 10 x 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.19	Set a sandstone 20 x 12 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.29	Set a sandstone 20 x 5 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.38	To the T 1/16 Sec. Cor. on Sec. line between Secs. 33 and 34 Land broken and mountainous. Grazing good Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains. From the S 1/16 Sec. Cor. on Sec. line between Sections 27 and 28 I run East on a random line through the middle of the S. half of Sec. 27

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land rolling rocky in places. good grass Soil 2d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land rolling rocky in places. Good grass Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land rolling rocky in places, good grass Soil 2d Rate.

80.6 Intersect the N. & S. line bet. Secs. 26 and 27 at 52 links S. of the S. 1/16 Sec. Cor. and Rolling rocky Soil 2d Rate.

From this corner I run S. 89° 38' W. on a true line through the middle of the South half of Sec. 27 with the same var.

20.16 Set a sandstone 12 x 10 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 8 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.3 Set a sandstone 20 x 20 x 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 8 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.48 Set a sandstone 34 x 20 x 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 8 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.64 To the S. 1/16 Sec. Cor. on Sec. line between Secs. 27 and 28

Land rolling and rocky in places Grazing good

Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 27 and 28 I run East on a random line through the middle of Sec. 27
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling & rocky, grass good in patches Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land rolling & rocky, grass good in places Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling & rocky, grass Good. Sandy Soil 2d Rate.
80.46	Intersect the N. and S. line bet. Secs. 26 & 27 at 38 links N. of the 1/4 Sec. Cor. Land rolling. Sandy Soil 2d Rate. From this corner I run N 89° 44' W on a true line through the middle of Sec. 27 with the same var.
20.11	Set a sandstone 24 x 6 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.23	Set a sandstone 20 x 15 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.35	Set a sandstone 20 x 16 x 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.46	To the 1/4 Sec. Cor. on Sec. line between Secs. 27 and 28 Land Rolling and rocky in places Grazing good Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the T. 1/16 Sec. Cor. on Sec. line between Sections 27 and 28 I run East on a random line through the middle the T. half of Sec. 27
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling & rocky - Grass good Soil 2.d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rolling & rocky. Grazing good Soil 2.d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling & rocky, grazing good Soil 2.d Rate.
80.32	Intersect the N. & S. line bet. Secs. 26 and 27 at 24 links S. of the T. 1/16 Sec. Cor. Land rolling. Good grass Soil 2.d Rate. From this corner I run S. 89° 50' W. on a true line through the middle of the North half of Sec. 27 with the same var.
20.08	Set a sandstone 14 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.16	Set a sandstone 20 x 10 x 2½ ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.24	Set a sandstone 16 x 10 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.32	To the T. 1/16 Sec. Cor. on Sec. line between Secs. 27 and 28 Land rolling and rocky Grazing good Soil Sandy Rate 2.d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terry Cont.d

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 21 and 22 I run East on a random line through the middle of the S half of Sec. 22
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grass. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grass. Sandy Soil 2d Rate. Intersect the N. & S. line bet. Secs. 22
80.20	and 23 at 34 links S. of the S. 1/16 Sec. Cor. Land Mountainous Sandy Soil 2d Rate. From this corner I run S. 89° 15' W. on a true line through the middle of the South half of Sec. 22 with the same var.
20.05	Set a sandstone 14 x 8 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.10	Set a sandstone 20 x 6 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.15	Set a sandstone 20 x 12 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.20	To the S 1/16 Sec. Cor. on Sec. line between Secs. 21 and 22
	Land broken and mountainous
	Grazing good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 21 and 22 I run East on a random line through the middle of Sec. 22
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass Sandy Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous, good grass. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass. Sandy Soil 2d Rate.
80.16	Intersect the N. and S. line bet. Secs. 22 & 23 at 40 links N of the 1/4 Sec. Cor. Land Mountainous. Sandy Soil 2d Rate.
	From this corner I run N 89° 45' W on a true line through the middle of Sec. 22 with the same var.
20.04	Set a sandstone 20 x 10 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.08	Set a sandstone 22 x 12 x 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.12	Set a sandstone 14 x 8 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.16	To the 1/4 Sec. Cor. on Sec. line between Secs. 21 and 22
	Land broken and mountainous
	Grazing good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 21 and 22 I run East on a random line through the middle of the N half of Sec. 22 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. good grass Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. good grass. Sandy Soil 2d Rate.
80.24	Intersect the N. & S. line bet. Secs. 22 and 23 at 14 links S. of the N 1/16 Sec. Cor. Land Mountainous. Sandy Soil 2d Rate. From this corner I run S. 89° 54' W. on a true line through the middle of the North half of Sec. 22 with the same var.
20.06	Set a sandstone 14 X 10 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.12	Set a sandstone 14 X 10 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.18	Set a sandstone 20 X 12 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.24	To the N 1/16 Sec. Cor. on Sec. line between Secs. 21 and 22 Land rough, broken and mountainous Grazing good Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 15 and 16 I run East on a random line through the middle of the S half of Sec. 15
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. grazing good Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. good grass. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass. Sandy Soil 2d Rate.
80.28	Intersect the N. & S. line bet. Secs. 14 and 15 at 4 links N of the S. 1/16 Sec. Cor. Land Mountainous. Sandy Soil 2d Rate. From this corner I run N. 89° 58' W. on a true line through the middle of the South half of Sec. 15 with the same var.
20.07	Set a sandstone 14 x 7 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.14	Set a sandstone 16 x 5 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.21	Set a sandstone 20 x 10 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.28	To the S. 1/16 Sec. Cor. on Sec. line between Secs 15 and 16
	Land rough, broken and mountainous
	Grazing good
	Soil Sandy Rate 2d July 2. 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 15 and 16 Run East on a random line through the middle of Sec. 15
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass. Sandy Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous, good Grass Sandy Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass Sandy Soil 2nd Rate.
80.11	Intersect the N. and S. line bet. Secs. 14 & 15 at 10 links S of the 1/4 Sec. Cor. Land Mountainous. Sandy Soil 2nd Rate. From this corner Run S 89° 56' W on a true line through the middle of Sec. 15 with the same var.
20.11	Set a sandstone 20 x 10 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist 5 ft. from mound for 1/16 Sec. Cor.
40.22	Set a sandstone 16 x 12 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.33	Set a sandstone 16 x 8 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.111	To the 1/4 Sec. Cor. on Sec. line between Secs. 15 and 16
	Land rough, broken and mountainous Grazing good
	Soil Sandy Rate 2nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 15 and 16 I run East on a random line through the middle the N half of Sec. 15
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land. Mountainous. good grass. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass. Sandy Soil 2d Rate.
80.38	Intersect the N. & S. line bet. Secs. 14 and 15 at 32 links S of the N 1/16 Sec. Cor. Land Mountainous. Sandy Soil 2d Rate.
	From this corner I run S. 89° 46' W. on a true line through the middle of the North half of Sec. 15 with the same var.
20.09	Set a sandstone 16 x 8 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.19	Set a sandstone 20 x 10 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.29	Set a sandstone 14 x 10 x 2½ ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.38	To the N 1/16 Sec. Cor. on Sec. line between Secs. 15 and 16
	Land rough, broken and mountainous
	Grazing good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S. 1/16 Sec. Cor. on Sec. line between Sections 9 and 10 I run East on a random line through the middle of the S. half of Sec. 10
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Grazing good. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. grazing good. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. grazing good. Sandy Soil 2d Rate.
80.39	Intersect the N. & S. line bet. Secs. 10 and 11 at 44 links N. of the S. 1/16 Sec. Cor. Land Mountainous. Sandy Soil 2d Rate. From this corner I run N. 89° 41' W. on a true line through the middle of the South half of Sec. 11 with the same var.
20.10	Set a sandstone 20 x 18 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.19	Set a sandstone 16 x 12 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.29	Set a sandstone 15 x 15 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.39	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 9 and 10
	Land rough, broken and mountainous
	Grazing good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the 1/4 Sec. Cor. on Sec. line between Sections 9 and 10 I run East on a random line through the middle of Sec. 10
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. good grazing Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous. good grass Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass. Sandy Soil 2d Rate.
80.07	Intersect the N. and S. line bet. Secs. 10 & 1 at 22 links S. of the 1/4 Sec. Cor. Land Mountainous. Sandy Soil 2d Rate. From this corner I run S. 89° 51' W. on a true line through the middle of Sec. 10 with the same var.
20.12	Set a sandstone 18 x 8 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.12	Set a sandstone 16 x 8 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.05	Set a sandstone 14 x 12 x 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.07	To the 1/4 Sec. Cor. on Sec. line between Secs. 9 and 10 Land rough, broken and mountainous Grazing good Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 9 and 10 I run East on a random line through the middle of the N half of Sec. 10 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grazing. Sandy Soil 2nd Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. good grass. Sandy Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass. Sandy Soil 2nd Rate.
80.30	Intersect the N. & S. line bet. Secs. 10 and 11 at 38 links N of the N 1/16 Sec. Cor. Land Mountainous. Sandy Soil 2nd Rate. From this corner I run N 89° 44' W. on a true line through the middle of the North half of Sec. 10 with the same var.
20.07	Set a sandstone 20 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.15	Set a sandstone 16 x 12 x 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.23	Set a sandstone 14 x 12 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.30	To the N 1/16 Sec. Cor. on Sec. line between Secs 9 and 10 Land rough, broken and mountainous Grazing good Soil Sandy Rate 2nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 3 and 4 I run East on a random line through the middle of the S half of Sec. 3
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rough and broken ascend to bench Soil 1st 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level good grazing. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level good grazing. Sandy Soil 2d Rate.
80.44	Intersect the N. & S. line bet. Secs. 2 and 3 at 32 links S. of the S 1/16 Sec. Cor. Land generally level bench Soil 2d Rate. From this corner I run S. 89° 46' W on a true line through the middle of the South half of Sec. 3 with the same var.
20.11	Set a sandstone 16 X 8 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.22	Set a sandstone 18 X 6 X 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.33	Set a ~~cottonwood~~ stone 14 X 10 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.44	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 3 and 4 Land generally level. Dense underbrush Grazing good. Thick cottonwood Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 3 and 4 I run East on a random line through the middle of Sec. 3
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level river bottom, alluvial Soil 1st Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level river bottom, alluvial Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land bluffs of river, rough, Sandy Soil 3d Rate.
80.24	Intersect the N. and S. line bet. Secs. 2 & 3 at 39 links S of the 1/4 Sec. Cor. Land generally level Soil 2d Rate. From this corner I run S. 89° 43' W on a true line through the middle of Sec. 3 with the same var.
20.06	Set a sandstone 14 x 9 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.12	Set a sandstone 15 x 6 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.18	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.24	To the 1/4 Sec. Cor. on Sec. line between Secs. 3 and 4 Land 1st part level & 2d over bluffs of river Grazing good Soil 1st 2d & 3d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 2 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 3 and 4 I run East on a random line through the middle of the N half of Sec. 3
	Var. 16° 15' East.
15.50	White River Course N. N. W. 1.50 chs wide
20.00	Set a temporary 1/16 Sec. Cor. Land river bottom. dense underbrush Soil 1st Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land bottom, dense cottonwood Soil 1st Rate.
57.00	White River course S. W. width 1.50 chs
60.50	White River left bank Land river bottom. dense underbrush Soil 1st Rate.
80.48	Intersect the N. & S. line bet. Secs. 2 and 3 at 44 links N of the N 1/16 Sec. Cor. Land river bottom. Alluvial Soil 1st Rate.
	From this corner I run N 89° 41' W on a true line through the middle of the North half of Sec. 3 with the same var.
23.12 W.C.	Set a W.C. Cottonwood 36 x 3 x 3 ins. 12 ins. in the ground, marked "W.C." on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for "W.C." to "1/16" Sec. Cor
40.24	Set a cottonwood post 48 x 3 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.36	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.48	To the N 1/16 Sec. Cor. on Sec. line between Secs. 3 and 4
	Land River bottom, cottonwood, dense brush
	Grazing good
	Soil Alluvial Rate 1st

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 32 and 33 I run East on a random line through the middle of the S. half of Sec. 33
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grazing Soil 1.nd Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grazing Soil 2.d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grazing Soil 2.d Rate.
80.42	Intersect the N. & S. line bet. Secs. 33 and 34 at 20 links S of the S 1/16 Sec. Cor. Land Mountainous. Sandy Soil 2.d Rate.
	From this corner I run S. 89° 51' W. on a true line through the middle of the South half of Sec. 33 with the same var.
20.10	Set a sandstone 16 X 12 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.11	Set a sandstone 20 X 16 X 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.32	Set a sandstone 12 X 12 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.42	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 32 and 33
	Land broken and mountainous
	Grazing good in the uplands
	Soil Sandy Rate 2.d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Cont.d

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 32 and 33 I run East on a random line through the middle of Sec. 33.
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous good grazing Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous, good grazing Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good pasturage Soil 2nd Rate.
80.40	Intersect the N. and S. line bet. Secs. 33 & 3 at 16 links S of the 1/4 Sec. Cor. Land Mountainous. Sandy Soil 2nd Rate. From this corner I run S. 89° 53' W. on a true line through the middle of Sec. 33 with the same var.
20.10	Set a sandstone 14 x 12 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.20	Set a sandstone 16 x 8 x 8 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.30	Set a sandstone 20 x 14 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.40	To the 1/4 Sec. Cor. on Sec. line between Secs. 32 and 33
	Land rough, broken and mount— Grazing good on upland
	Soil Sandy Rate 2nd July. 3rd 1883

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 32 and 33 I run East on a random line through the middle of the N half of Sec. 33 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good graging Soil 2nd Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good graging Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good graging Soil 2d Rate.
80.20	Intersect the N. & S. line bet. Secs. 33 and 34 at 114 links S of the N 1/16 Sec. Cor. Land Mountainous Soil 2nd Rate. From this corner I run S. 89° 41' W. on a true line through the middle of the North half of Sec. 33 with the same var.
20.05	Set a sandstone 12 x 12 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.10	Set a sandstone 14 x 8 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.15	Set a sandstone 16 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.20	To the N 1/16 Sec. Cor. on Sec. line between Secs. 32 and 33 Land rough, broken and mountainous Grazing good Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Terry Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 28 and 29 I run East on a random line through the middle of the S half of Sec. 28
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. good grazing Soil 2nd Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grass. Sandy Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass. Sandy Soil 2nd Rate.
80.30	Intersect the N. & S. line bet. Secs. 27 and 28 at 52 links N. of the S 1/16 Sec. Cor. Land Mountainous. Sandy Soil 2nd Rate.
	From this corner I run N. 89° 38' W. on a true line through the middle of the South half of Sec. 28 with the same var.
20.07	Set a sandstone 10 x 8 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.15	Set a Sandstone 20 x 15 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.23	Set a sandstone 16 x 10 x 2½ ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.30	To the S. 1/16 Sec. Cor. on Sec. line between Secs 28 and 29
	Land breaks into bluffs, mountainous. Grazing good on bluffs Soil Sandy Rate 2nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 4 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 28 and 29 I run East on a random line through the middle of Sec. 28 Var. 16°15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. good grazing Sandy Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous. Good grass Sandy Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grass. Sandy Soil 2nd Rate.
80.32	Intersect the N. and S. line bet. Secs. 27 & 28 at 30 links N. of the 1/4 Sec. Cor. Land Mountainous Sandy Soil 2nd Rate. From this corner I run N. 89° 47' W. on a true line through the middle of Sec. 28 with the same var.
20.08	Set a sandstone 30 x 12 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.16	Set a sandstone 16 x 14 x 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.24	Set a sandstone 12 x 10 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.32	To the 1/4 Sec. Cor. on Sec. line between Secs. 28 and 29 Land rough, broken and mountainous Grazing good on bluffs Soil Sandy Rate 2nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 28 and 29 I run East on a random line through the middle of the N half of Sec. 28
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grass. Sandy Soil 2nd Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grass Sandy Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grass. Sandy Soil 2nd Rate.
80.14	Intersect the N. & S. line bet. Secs. 27 and 28 at 54 links N. of the N 1/16 Sec. Cor. Land Mountainous. Sandy Soil 2nd Rate. From this corner I run N 89° 37' W. on a true line through the middle of the North half of Sec. 28 with the same var.
20.03	Set a sandstone 16 x 8 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.17	Set a sandstone 12 x 8 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.11	Set a sandstone 20 x 5 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.14	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 28 and 29
	Land rough, broken and mountainous
	Grazing good on bluffs
	Soil Sandy Rate 2nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 20 and 21 I run East on a random line through the middle of the S half of Sec. 21
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grazing. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. good grass. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass. Sandy Soil 2d Rate.
80.00	Intersect the N. & S. line bet. Secs. 21 and 22 at 20 links N of the S. 1/16 Sec. Cor. Land Mountainous Soil 2d Rate.
	From this corner I run N 89° 51' W. on a true line through the middle of the South half of Sec. 21 with the same var.
20.00	Set a sandstone 16 x 8 x 7 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.00	Set a sandstone 14 x 6 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.00	Set a sandstone 20 x 10 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.00	To the S 1/16 Sec. Cor. on Sec. line between Secs. 20 and 21
	Land rough, rocky and mountainous
	Grazing Good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. S.R. E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 20 and 21 I run East on a random line through the middle of Sec. 21
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. good grass Sandy Soil 2nd Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous, good grass. Sandy Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass. Soil 2nd Rate.
80.10	Intersect the N. and S. line bet. Secs. 21 & 16 at 46 links S of the 1/4 Sec. Cor. Land Mountainous Soil 2nd Rate.
	From this corner I run S 89° 40' W on a true line through the middle of Sec. 21 with the same var.
20.02	Set a sandstone 20 x 10 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.05	Set a sandstone 12 x 4 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.08	Set a sandstone 18 x 14 x 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.10	To the 1/4 Sec. Cor. on Sec. line between Secs. 20 and 21
	Land rough, rocky & mountainous
	Grazing good
	Soil Sandy Rate 2nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 20 and 21 I run East on a random line through the middle of the N half of Sec. 21
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grazing Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grass. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grass Soil 2d Rate.
79.96	Intersect the N. & S. line bet. Secs. 21 and 22 at 32 links N of the N 1/16 Sec. Cor. Land Mountainous. Soil 2d Rate.
	From this corner I run N 89° 46' W. on a true line through the middle of the North half of Sec. 21 with the same var.
19.99	Set a sandstone 20 x 10 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
39.98	Set a sandstone 14 x 12 x 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
59.97	Set a sandstone 16 x 10 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
79.96	To the N 1/16 Sec. Cor. on Sec. line between Secs. 20 and 21
	Land rough, broken & mountainous. Grazing good
	Soil Poor Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 2 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 16 and 17 I run East on a random line through the middle of the S half of Sec. 16
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous Grass in patches Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous grass in patches. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous grass in patches. Sandy Soil 2d Rate.
80.07	Intersect the N. & S. line bet. Secs. 15 and 16 at 78 links S. of the S 1/16 Sec. Cor. Land Mountainous Sandy Soil 2d Rate.
	From this corner I run S 89° 27' W. on a true line through the middle of the South half of Sec. 16 with the same var.
20.02	Set a sandstone 20 x 10 x 9 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.03	Set a sandstone 20 x 14 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.05	Set a sandstone 12 x 10 x 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.07	To the S 1/16 Sec. Cor. on Sec. line between Secs. 16 and 17
	Land rocky, broken and mountainous. Grazing in patches. Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 16 and 17 I run East on a random line through the middle of Sec. 16
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land mountainous grass in patches. Sandy Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land mountainous grass in patches. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land, mountainous grass in patches. Sandy Soil 2d Rate.
80.38	Intersect the N. and S. line bet. Secs. 15 + 16 at 10 links N of the 1/4 Sec. Cor. Land Mountainous. Soil 2d Rate.
	From this corner I run N 89° 56' W. on a true line through the middle of Sec. 16 with the same var.
20.09	Set a sandstone 15 x 12 x 2 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.19	Set a sandstone 22 x 8 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.29	Set a sandstone 20 x 16 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.38	To the 1/4 Sec. Cor. on Sec. line between Secs. 16 and 17. Land rocky, rough & mountainous. Grazing good in patches Soil Sandy Rate 2d July 4, 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 16 and 17 I run East on a random line through the middle of the N half of Sec. 16
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous grass in patches. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous grass in patches. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous Grass in patches. Sandy Soil 2d Rate.
80.28	Intersect the N. & S. line bet. Secs. 15 and 16 at 42 links S of the N 1/16 Sec. Cor. Land Mountainous. Soil 2d Rate.
	From this corner I run S. 89° 42' W. on a true line through the middle of the North half of Sec. 16 with the same var.
20.07	Set a sandstone 20 x 14 x 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.14	Set a sandstone 30 x 10 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.21	Set a sandstone 16 x 8 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.28	To the N 1/16 Sec. Cor. on Sec. line between Secs. 16 and 17
	Land rough, rocky & mountainous
	Grazing good in patches
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. From the S 1/16 Sec. Cor. on Sec. line between Sections 8 and 9 I run East on a random line through the middle of the S. half of Sec. 9

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land Mountainous. Grazing good Soil 2d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land Mountainous. grazing good Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land Mountainous, grazing good Soil 2d Rate.

80.40 Intersect the N. & S. line bet. Secs. 9 and 10 at 50 links S of the S. 1/16 Sec. Cor. Land Mountainous Soil 2d Rate.

From this corner I run S. 89° 39' W. on a true line through the middle of the South half of Sec. 9 with the same var.

20.10 Set a sandstone 20 X 10 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

40.20 Set a sandstone 14 X 8 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

60.30 Set a sandstone 16 X 12 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

80.40 To the S. 1/16 Sec. Cor. on Sec. line between Secs. 8 and 9

Land rough, broken & mountainous.
Grazing good
Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 8 and 9 I run East on a random line through the middle of Sec. 9
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. grazing good Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous, grazing good Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. grazing good Sandy Soil 2d Rate.
80.34	Intersect the N. and S. line bet. Secs. 9 & 10 at 26 links N. of the 1/4 Sec. Cor. Land Mountainous. Soil 2d Rate.
	From this corner I run N 89° 49' W. on a true line through the middle of Sec. 9 with the same var.
20.08	Set a sandstone 20 x 12 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.17	Set a sandstone 14 x 6 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.26	Set a sandstone 16 x 12 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.34	To the 1/4 Sec. Cor. on Sec. line between Secs. 8 and 9. Land rough, broken & mountainous. Grazing good Soil Sandy Rate 2d.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 24 E. Salt Lake Mer. Utah Terry Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 8 and 9 I run East on a random line through the middle of the N half of Sec. 9 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. Good grazing Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grazing Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, good grazing Soil 2d Rate.
80.42	Intersect the N. & S. line bet. Secs. 9 and 10 at 52 links N of the N 1/16 Sec. Cor. Land Mountainous Soil 2d Rate. From this corner I run N 89° 38' W. on a true line through the middle of the North half of Sec. 9 with the same var.
20.10	Set a sandstone 16 x 8 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.21	Set a sandstone 20 x 6 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.32	Set a sandstone 40 x 12 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.42	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 8 and 9 Land rough, broken and mountainous Grazing good Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 4 and 5 I run East on a random line through the middle of the S half of Sec. 4
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous bluffs of White River Soil 3d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous bluffs of White River Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous bluffs of White River. Soil 3d Rate.
80.32	Intersect the N. & S. line bet. Secs. 3 and 4 at 56 links S of the S 1/16 Sec. Cor. Land bluffs of White River Soil 3d Rate.
	From this corner I run S. 89° 36' W on a true line through the middle of the South half of Sec. 4 with the same var.
20.08	Set a sandstone 14 x 13 x 9 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.16	Set a sandstone 16 x 5 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.24	Set a sandstone 24 x 12 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.32	To the S 1/16 Sec. Cor. on Sec. line between Secs 4 and 5
	Land over rough bluffs of river. Mountainous Grazing on bluffs fair Soil 3d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 4 and 5 I run East on a random line through the middle of Sec. 4
	Var. 16° 15' East.
19.00	White River, left bank. Course N. N. W.
21.00	White River right bank Land level river bottom. Alluvial Soil 1st Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land
49.00	White Riv. E. S. E. width 15c Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level Good grazing. Alluvial Soil 1st Rate.
80.40	Intersect the N. and S. line bet. Secs. 3 & 4 at 19 links S of the 1/4 Sec. Cor. Land river bottom Rich Soil 1st Rate. From this corner I run S. 89° 52' W. on a true line through the middle of Sec. 4 with the same var.
20.10	Set a sandstone 16 x 12 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.20	Set a cottonwood post 4 ft x 3 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
59.00	Set a cottonwood post 3 ft x 3 x 3 ins. 12 ins. in ground marked "W.C. 1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for W.C. 1/16 Sec. Cor
80.40	To the 1/4 Sec. Cor. on Sec. line between Secs. 4 and 5 Land level river bottom Grazing good Soil Alluvial Rate 1st

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 2 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 4 and 5 I run East on a random line through the middle, the N half of Sec. 4
	Var. 16° 15' East.
16.80	White River course N.W. width 1.50 chs
20.00	Set a temporary 1/16 Sec. Cor. Land level river bottom Alluvial Soil 1st Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level river bottom Alluvial Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level
63.00	White River N.E.S.W. Soil 1st Rate.
80.16	Intersect the N. & S. line bet. Secs. 4 and 3 at 32 links N of the N 1/16 Sec. Cor. Land river bottom Soil 1st Rate.
	From this corner I run N 89° 46' W on a true line through the middle of the North half of Sec. 4 with the same var.
20.14	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.08	Set a cottonwood post 48 x 3 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.12	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.16	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 4 and 5
	Land rich bottom of river
	Grazing good
	Soil Alluvial Rate 1st

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 31 and 32 I run East on a random line through the middle of the S half of Sec. 32
	Var. 16 & 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, grazing good Sandy Soil 2nd Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, grazing good Sandy Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, grazing good. Sandy Soil 2nd Rate.
80.28	Intersect the N. & S. line bet. Secs. 32 and 33 at 20 links N of the S 1/16 Sec. Cor. Land Mountainous Soil 2nd Rate.
	From this corner I run N 89° 51' W. on a true line through the middle of the South half of Sec. 32 with the same var.
20.07	Set a sandstone 20 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.14	Set a sandstone 16 x 8 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.21	Set a sandstone 15 x 6 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.28	To the S 1/16 Sec. Cor. on Sec. line between Secs. 31 and 32
	Land broken Mountainous.
	Grazing Good
	Soil Sandy. Rate 2nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 31 and 32 I run West on a random line through the middle of the S half of Sec. 31
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling good grazing. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rolling good grazing. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Rolling good grazing Sandy Soil 2d Rate.
79.39	Intersect the N. & S. line bet. Secs. 31 and 36 at 40 links N of the S 1/16 Sec. Cor. Land Rolling. Sandy Soil 2d Rate.
	From this corner I run N 89° 43' E. on a true line through the middle of the South half of Sec. 31 with the same var.
19.39	Set a sandstone 14 x 14 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
39.39	Set a sandstone 14 x 6 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
59.39	Set a sandstone 20 x 15 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
79.39	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 31 and 32
	Land Rolling
	Grazing good
	Soil Sandy Rate 2d

July. 5. 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E Salt Lake Me. Utah Terry Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 31 and 32 I run East on a random line through the middle of Sec. 32
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. grazing good Sandy Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous, grazing good. Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous & rough, grazing good Soil 2d Rate.
80.34	Intersect the N. and S. line bet. Secs. 32 & 33 at 32 links N. of the 1/4 Sec. Cor. Land Mountainous Soil 2d Rate.
	From this corner I run N. 89° 46' W. on a true line through the middle of Sec. 32 with the same var.
20.08	Set a sandstone 24 x 12 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.17	Set a sandstone 20 x 8 x 5 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.26	Set a sandstone 20 x 14 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.34	To the 1/4 Sec. Cor. on Sec. line between Secs. 31 and 32 Land rough, bench land & Mountainous Grazing good Soil Sandy 2d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line betwee. Sections 31 and 32 I run West on a random line through the middle of Sec 31
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Rolli. good grazing. Sandy Soil 2.d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Rolling, good grazing. Sandy Soil 2.d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Rolli. good grazing. Sandy Soil 2.d Rate.
79.34	Intersect the N. & S. line bet. Secs. 31 and 36 at 20 links S of the 1/4 Sec. Cor. Land Rolling. Sandy Soil 2.d Rate. From this corner I run S. 89° 51' E. on a true line through the middle of Sec-tion 31 — with the same var.
19.34	Set a sandstone 10 x 8 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
39.34	Set a sandstone 20 x 8 x 8 ins. 12 ins. in the ground, marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/4 Sec. Cor.
59.34	Set a sandstone 16 x 8 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
79.34	To the 1/4 Sec. Cor. on Sec. line between Secs. 31 and 32
	Land Rolling
	Grazing good
	Soil Sandy Rate 2.d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 31 and 32 I run East on a random line through the middle of the N half of Sec. 32
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. good grass. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. good grass. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. grazing good Sandy Soil 2d " Rate.
80.50	Intersect the N. & S. line bet. Secs. 32 and 33 at 28 links S. of the N 1/16 Sec. Cor. Land Mountainous Soil 2d " Rate.
	From this corner I run S 89° 48' W. on a true line through the middle of the North half of Sec. 32 with the same var.
20.12	Set a sandstone 10 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.25	Set a sandstone 18 x 12 x 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.38	Set a sandstone 14 x 8 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.50	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 31 and 32
	Land, rough, bench land, mountainous
	Grazing good
	Soil Sandy Rate 2d "

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 31 and 32 I run West on a random line through the middle of the N half of Sec. 31
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Rolling Good grazing. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Rolling Good grazing. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Rolling Good grazing. Sandy Soil 2d Rate.
79.54	Intersect the N. & S. line bet. Secs. 31 and 36 at 26 links N of the N 1/16 Sec. Cor. Land Rolling Sandy Soil 2d Rate.
	From this corner I run N 89° 49' E. on a true line through the middle of the North half of Sec. 31 with the same var.
19.54	Set a sandstone 15 X 10 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
39.54	Set a sandstone 14 X 12 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
59.54	Set a sandstone 14 X 8 X 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
79.54	To the N 1/16 Sec. Cor. on Sec. line between Secs 31 and 32
	Land Rolling
	Grazing good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chains	
	From the S. 1/16 Sec. Cor. on Sec. line between Sections 29 and 30 I run East on a random line through the middle of the S half of Sec. 29
	Var. 16°15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Rolling & rocky, graging in patches Soil 2nd Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Rolling & rocky graging in patches Soil 2nd Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Rolling & rocky graging in patches Soil 2nd Rate.
80.52	Intersect the N. & S. line bet. Secs. 28 and 29 at 22 links S of the S 1/16 Sec. Cor. Land Rolling. Sandy Soil 2nd Rate. From this corner I run S 89°51' W. on a true line through the middle of the South half of Sec. 29 with the same var.
20.13	Set a sandstone 20 x 12 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.26	Set a sandstone 16 x 3 x 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.39	Set a sandstone 18 x 11 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.52	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 29 and 30
	Land Rolling and rocky
	Grazing good in places
	Soil Sandy Rate 2nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 1 E. Salt Lake Mer. Utah Terry Con.td

Chains. From the S 1/16 Sec. Cor. on Sec. line between Sections 29 and 30 I run West on a random line through the middle of the S. half of Sec. 30

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land Mountainous. good grass on hills Soil 2d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land Mountainous. good grass on hills Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land Mountainous. good grass on hills Soil 2d Rate.

79.20 Intersect the N. & S. line bet. Secs. 25 and 30 at 40 links N of the S 1/16 Sec. Cor. Land Mountainous. Sandy Soil 2d Rate. From this corner I run N 89° 43' E. on a true line through the middle of the South half of Sec. 30 with the same var.

19.20 Set a sandstone 20 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

39.20 Set a sandstone 14 x 7 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

59.20 Set a sandstone 10 x 8 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

79.20 To the S 1/16 Sec. Cor. on Sec. line between Secs 29 and 30

Land broken and mountainous
Grazing good on hills
Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Me. Utah Terry Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 29 and 30 I run East on a random line through the middle of Sec. 29
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Rolling & rocky, grass in patches Soil 2" Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Rolling & rocky, grass in patches Soil 2" Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Rolling & rocky, grass in patches Soil 2" Rate.
80.26	Intersect the N. and S. line bet. Secs. 29 & 28 at 30 links N of the 1/4 Sec. Cor. Land Rolling. Sandy Soil 2" Rate. From this corner I run N 89° 47' W. on a true line through the middle of Sec. 29 with the same var.
20.06	Set a sandstone 16 x 8 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.13	Set a sandstone 12 x 10 x 4 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.20	Set a sandstone 20 x 12 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.26	To the 1/4 Sec. Cor. on Sec. line between Secs. 29 and 30 Land rocky and rolling Grazing in patches Soil Sandy Rate 2"

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 29 and 30 I run West on a random line through the middle of Sec 30
	Var. 16°15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. grazing on hills Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land Mountainous. grazing on hills Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land Mountainous, grazing on hills Soil 2d Rate.
79.36	Intersect the N. & S. line bet. Secs. 25 and 30 at 33 links S of the 1/4 Sec. Cor. Land Mountainous Land Soil 2d Rate.
	From this corner I run S. 89° 46' W. on a true line through the middle of Section 30 with the same var.
19.36	Set a sandstone 15 x 10 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
39.36	Set a sandstone 18 x 8 x 8 ins. 12 ins. in the ground, marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/4 Sec. Cor.
59.36	Set a sandstone 12 x 10 x 2 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
79.36	To the 1/4 Sec. Cor. on Sec. line between Secs. 29 and 30
	Land broken and mountainous. Grazing good on hills Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chains	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 29 and 30 I run East on a random line through the middle of the N half of Sec. 29
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling & rocky, grass in patches Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land rolling & rocky, grass in patches Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land rolling & rocky, grass in patches Soil 2d Rate.
80.24	Intersect the N. & S. line bet. Secs. 28 and 29 at 22 links N of the N 1/16 Sec. Cor. Land rolling. Sandy Soil 2d Rate. From this corner I run N 89° 51' W. on a true line through the middle of the North half of Sec. 29 with the same var.
20.06	Set a sandstone 20 x 12 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.12	Set a sandstone 16 x 8 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.18	Set a sandstone 20 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.24	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 29 and 30
	Land rocky and rolling
	Grazing in patches
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains. From the N 1/16 Sec. Cor. on Sec. line between Sections 29 and 30 I run West on a random line through the middle of the N half of Sec. 30

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land Mountainous. grass on hills. Soil 2d Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land Mountainous, grass on hills Soil 2d Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land Mountainous, grass on hills Soil 2d Rate.

79.20 Intersect the N. & S. line bet. Secs. 25 and 30 at 16 links S of the N. 1/16 Sec. Cor. and Mountainous Soil 2d Rate.

From this corner I run S 89° 55' E on a true line through the middle of the Nor'l half of Sec. 30 with the same var.

19.20 Set a sandstone 14 x 8 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

39.20 Set a sandstone 14 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

59.20 Set a sandstone 16 x 8 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

79.20 To the N. 1/16 Sec. Cor. on Sec. line between Secs 29 and 30.

Land broken and mountainous.
Grazing good on hills
Soil Sandy Rate 2d

July. 4th 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 19 and 20 I run East on a random line through the middle of the S half of Sec. 20
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. grass good Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous grass good Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. grass good Soil 2d Rate.
80.56	Intersect the N. & S. line bet. Secs. 20 and 21 at 60 links S of the S. 1/16 Sec. Cor. Land Mountainous Sandy Soil 2d Rate. From this corner I run S 89° 34' W. on a true line through the middle of the South half of Sec. 20 with the same var.
20.14	Set a sandstone 13 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.28	Set a sandstone 14 x 8 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.42	Set a sandstone 10 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.56	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 19 and 20
	Land broken, rocky & mountainous Grazing good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 19 and 20 I run West on a random line through the middle of the S half of Sec. 19
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land Mountainous. asphaltum. Soil 3d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land Mountainous and broken Soil 3d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 3d Rate.
79.31	Intersect the N. & S. line bet. Secs. 19 and 24 at 36 links S of the S. 1/16 Sec. Cor. Land Mountainous Soil 3d Rate.
	From this corner I run S 89° 45' E. on a true line through the middle of the South half of Sec. 19 with the same var.
19.31	Set a sandstone 20 x 5 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
39.31	Set a sandstone 14 x 8 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
59.31	Set a sandstone 16 x 10 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
79.31	To the S. 1/16 Sec. Cor. on Sec. line between Secs 19 and 20
	Land Mountainous. croppings of asphalt
	Grazing in patches
	Soil Sandy Rate 3d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Me. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 19 and 20 I run East on a random line through the middle of Sec. 20
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Grass Good Soil 2.d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken & mountainous. grass good Soil 2.d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous, grass good Soil 2.d Rate.
80.35	Intersect the N. and S. line bet. Secs. 20 & 21 at 24 links N of the 1/4 Sec. Cor. Land Mountainous. Sandy Soil 2.d Rate. From this corner I run N. 89° 50' W. on a true line through the middle of Sec. 20 with the same var.
20.08	Set a sandstone 16 x 8 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.17	Set a sandstone 16 x 8 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.26	Set a sandstone 20 x 10 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.35	To the 1/4 Sec. Cor. on Sec. line between Secs. 19 and 20 Land broken, rocky & mountainous. Grazing good Soil Sandy 2.d Rate

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the 1/4 Sec. Cor. on Sec. line between Sections 19 and 20 I run West on a random line through the middle of Sec 19
	Var. 16°15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Sandy Soil 3d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken and mountainous Sandy Soil 3d " Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous - Sandy Soil 3d " Rate.
79.20	Intersect the N. & S. line bet. Secs. 19 and 24 at 19 links N of the 1/4 Sec. Cor. Land broken & mountainous Soil 3d " Rate. From this corner I run N 89° 52' E on a true line through the middle of Section 19 with the same var.
19.20	Set a sandstone 20 x 5 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
39.20	Set a sandstone 14 x 6 x 3 ins. 12 ins. in the ground, marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/4 Sec. Cor.
59.20	Set a sandstone 16 x 8 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
79.20	To the 1/4 Sec. Cor. on Sec. line between Secs. 19 and 20
	Land broken and mountainous. Grazing in patches Soil Sandy Rate 3d "

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry Con.td

Chains	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 19 and 20 I run East on a random line through the middle of the N. half of Sec. 20
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. grass good Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous, grass good Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous, grass good Soil 2d Rate.
80.54	Intersect the N. & S. line bet. Secs. 20 and 21 at 54 links S of the N 1/16 Sec. Cor. Land Mountainous. Sandy Soil 2d Rate.
	From this corner I run S 89° 37' W. on a true line through the middle of the North half of Sec. 20 with the same var.
20.13	Set a sandstone 14 x 12 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.27	Set a sandstone 16 x 8 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.41	Set a sandstone 20 x 10 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.54	To the N 1/16 Sec. Cor. on Sec. line between Secs. 19 and 20
	Land broken, rocky & mountainous. Grazing good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains. From the N 1/16 Sec. Cor. on Sec. line between Sections 19 and 20 I run West on a random line through the middle of the N. half of Sec. 19

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land broken mountainous. Sandy Soil 3rd Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land brok & mountainous. Sandy Soil 3rd Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land brok & mountainous. Sandy Soil 3rd Rate.

79.44 Intersect the N. & S. line bet. Secs. 19 and 24 at 24 links N of the N 1/16 Sec. Cor. Land Mountainous. Sandy Soil 3rd Rate. From this corner I run N 89° 50' E on a true line through the middle of the North half of Sec. 19 with the same var.

19.4 Set a sandstone 16 x 8 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

39.4 Set a sandstone 14 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

59.44 Set a sandstone 16 x 8 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

79.44 To the N 1/16 Sec. Cor. on Sec. line between Secs 19 and 20

Land broken and mountainous.
Grazing in patches
Soil Sandy Rate 3rd.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 17 and 18 I run East on a random line through the middle of the S. half of Sec. 17
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. ~~Sandy~~ Soil 2d Rate.
80.34	Intersect the N. & S. line bet. Secs. 16 and 17 at 50 links S of the S 1/16 Sec. Cor. Land Mountainous. Soil 3d Rate.
	From this corner I run S 89° 39' W. on a true line through the middle of the South half of Sec. 17 with the same var.
20.08	Set a sandstone 14 x 15 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.17	Set a sandstone 18 x 14 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.26	Set a sandstone 16 x 8 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.34	To the S 1/16 Sec. Cor. on Sec. line between Secs. 17 and 18
	Land broken & mountainous.
	Grazing good
	Soil Sandy Rate 2d.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 17 and 18 I run West on a random line through the middle of the S. half of Sec. 18
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 2d. Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 2d. Rate.
79.60	Intersect the N. & S. line bet. Secs. 13 and 18 at 28 links N of the S 1/16 Sec. Cor. Land Mountainous Soil 2d. Rate.
	From this corner I run N. 89° 48' E. on a true line through the middle of the South half of Sec. 18 with the same var.
19.60	Set a sandstone 10 x 8 x 6½ ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
39.60	Set a sandstone 18 x 8 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
59.60	Set a sandstone 14 x 8 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
79.60	To the S 1/16 Sec. Cor. on Sec. line between Secs. 17 and 18
	Land broken & mountainous.
	Grazing good in the upland
	Soil Sandy Rate 2d.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Me. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 17 and 18 I run East on a random line through the middle of Sec. 17
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land rolling broken and mountainous Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken and mountainous. Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous Soil 2d Rate.
80.22	Intersect the N. and S. line bet. Secs. 16 & 17 at 20 links N of the 1/4 Sec. Cor. Land Mountainous Soil 2d Rate. From this corner I run N 89° 51' W on a true line through the middle of Sec. 17 with the same var.
20.05	Set a sandstone 20 x 5 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.11	Set a sandstone 14 x 10 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.17	Set a sandstone 16 x 8 x 8 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.22	To the 1/4 Sec. Cor. on Sec. line between Secs. 17 and 18
	Land rolling, broken & mountainous
	Grazing good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. From the 1/4 Sec. Cor. on Sec. line between Sections 17 and 18 I run West on a random line through the middle of Sec. 18.

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Sandy Soil 2nd Rate.

40.00 Set a temporary 1/4 Sec. Cor. Land broken & mountainous. Sandy Soil 2nd Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Sandy Soil 2nd Rate.

79.65 Intersect the N. & S. line bet. Secs. 13 and 18 at 31 links S. of the 1/4 Sec. Cor. Land Mountainous Sandy Soil 2nd Rate. From this corner I run S 89° 47' E. on a true line through the middle of Section 18 — with the same var.

19.65 Set a sandstone 12 x 5 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

39.65 Set a sandstone 14 x 11 x 11 ins. 12 ins. in the ground, marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/4 Sec. Cor.

59.65 Set a sandstone 16 x 12 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E. & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

79.65 To the 1/4 Sec. Cor. on Sec. line between Secs. 17 and 18

Land broken and mountainous

Grazing good on the hills

Soil Sandy Rate 3d

July. 5. 188

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 2 E. Salt Lake Mer. Utah Terry Con.td

Chains	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 17 and 18 I run East on a random line through the middle of the N half of Sec. 17
	Var. 16°15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous. Sandy Soil 2d Rate.
35.00	Rocky gulch & water course
40.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous. Sandy Soil 2d " Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous. Sandy Soil 2d " Rate.
80.40	Intersect the N. & S. line bet. Secs. 16 and 17 at 28 links S of the N 1/16 Sec. Cor. Land Mountainous Sandy Soil 2d Rate.
	From this corner I run S. 89° 48' W on a true line through the middle of the North half of Sec. 17 with the same var.
20.10	Set a sandstone 10 x 10 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.20	Set a sandstone 20 x 8 x 6 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.30	Set a sandstone 18 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.40	To the N 1/16 Sec. Cor. on Sec. line between Secs. 17 and 18
	Land rough, broken & mountainous. Grazing good
	Soil Sandy Rate 2d.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 4 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains. From the N 1/16 Sec. Cor. on Sec. line between Sections 17 and 18 Run West on a random line through the middle of the N half of Sec. 18

Var. 16° 15' East.

20.00 Set a temporary 1/16 Sec. Cor. Land broken mountainous. Sandy Soil 2nd Rate.

40.00 Set a temporary 1/16 Sec. Cor. Land broken mountainous Sandy Soil 2nd Rate.

60.00 Set a temporary 1/16 Sec. Cor. Land broken mountainous. Sandy Soil 2nd Rate.

79.70 Intersect the N. & S. line bet. Secs. 13 and 18 at 41 links W of the N 1/16 Sec. Cor. Land Mountainous Soil 2nd Rate. From this corner Run S 89° 42' W on a true line through the middle of the North half of Sec. 18 with the same var.

79.70 Set a Sandstone 12 x 8 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

39.70 Set a Sandstone 11 x 8 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

59.70 Set a Sandstone 15 x 16 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.

79.70. To the N 1/16 Sec. Cor. on Sec. line between Secs 17 and 18

Land broken and mountainous

Grazing good on the hills

Soil Sandy Rate 2nd

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 7 and 8 I run East on a random line through the middle of the S half of Sec. 8
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous Sandy Soil 2d Rate.
80.62	Intersect the N. & S. line bet. Secs. 8 and 9 at 60 links S of the S 1/16 Sec. Cor. Land Mountainous. Soil 2d Rate. From this corner I run S 89° 34' W. on a true line through the middle of the South half of Sec. 8 with the same var.
20.15	Set a sandstone 14 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
39.31	Set a sandstone 20 x 8 x 11 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
59.47	Set a sandstone 24 x 5 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.62	To the S 1/16 Sec. Cor. on Sec. line between Secs. 7 and 8
	Land rolling, broken & mountainous
	Grazing good in places
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terry. Con.td

Chains.	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 7 and 8 I run West on a random line through the middle of the S half of Sec. 7
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land gently rolling, good grazing Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land gently rolling, good grazing Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land gently rolling, good grazing Soil 2d Rate.
78.80	Intersect the N. & S. line bet. Secs. 7 and 12 at 24 links N of the S 1/16 Sec. Cor. Land gently rolling Sandy Soil 2d Rate.
	From this corner I run N 89° 50' E. on a true line through the middle of the South half of Sec. 7 with the same var.
18.80	Set a sandstone 24 x 10 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
38.80	Set a sandstone 15 x 5 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
58.80	Set a sandstone 16 x 5 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
78.80	To the S 1/16 Sec. Cor. on Sec. line between Secs 7 and 8
	Land gently rolling
	Grazing good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E Salt Lake Me. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 7 and 8 I run East on a random line through the middle of Sec. 8
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous Sandy Soil 2d. Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land broken & mountainous. Sandy Soil 2d. Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Sandy Soil 2d. Rate.
80.56	Intersect the N. and S. line bet. Secs. 8 & 9 at 40 links N of the 1/4 Sec. Cor. Land Mountainous Sandy Soil 2d. Rate. From this corner I run N 89° 45' W on a true line through the middle of Sec. 8 with the same var.
20.14	Set a sandstone 14 x 5 x 5 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
40.28	Set a sandstone 20 x 10 x 2½ ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/4 Sec. Cor.
60.42	Set a sandstone 24 x 8 x 4 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W., dist. 5 ft. from mound for 1/16 Sec. Cor.
80.56	To the 1/4 Sec. Cor. on Sec. line between Secs. 7 and 8 Land broken & mountainous. Grazing good in patches Soil Sandy Rate 2d.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 2 E. Salt Lake Mer. Utah Terr.y Cont.d

Chains	
	From the 1/4 Sec. Cor. on Sec. line between Sections 7 and 8 Run West on a random line through the middle of Sec 7
	Var. 16°15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land gently rolling, good grazing Soil 2d Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land gently rolling, good grazing Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land gently rolling, good grazing Soil 2d Rate.
78.92	Intersect the N. & S. line bet. Secs. 7 and 12 at 29 links S of the 1/4 Sec. Cor. Land gently rolling Soil 2d Rate.
	From this corner Run S 89° 48' E on a true line through the middle of Section 7 with the same var.
18.92	Set a sandstone 16 x 8 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
38.92	Set a sandstone 14 x 12 x 3 ins. 12 ins. in the ground, marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/4 Sec. Cor.
58.92	Set a sandstone 16 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
78.92	To the 1/4 Sec. Cor. on Sec. line between Secs. 7 and 8
	Land gently rolling
	Grazing good
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	From the N 1/16 Sec. Cor. on Sec. line between Sections 7 and 8 I run East on a random line through the middle of the N. half of Sec. 8
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Sandy Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land broken and mountainous. Sandy Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land broken & mountainous. Sandy Soil 2d Rate.
80.40	Intersect the N. & S. line bet. Secs. 8 and 9 at 58 links S of the N. 1/16 Sec. Cor. Land Mountainous Soil 2d Rate.
	From this corner I run S 89° 35 ft. on a true line through the middle of the North half of Sec. 8 with the same var.
20.10	Set a sandstone 18 x 10 x 10 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.20	Set a sandstone 16 x 12 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.30	Set a sandstone 16 x 12 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.40	To the N 1/16 Sec. Cor. on Sec. line between Secs. 7 and 8
	Land broken and mountainous.
	Grazing good in places
	Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the N. 1/16 Sec. Cor. on Sec. line between Sections 7 and 8 I run West - on a random line through the middle of the N. half of Sec. 7 Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land gently rolling. good grazing Soil 2d Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land gently rolling, good grazing Soil 2d Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land gently rolling, good grazing Soil 2d Rate.
79.00	Intersect the N. & S. line bet. Secs. 7 and 12 at 31 links S of the N. 1/16 Sec. Cor. Land gently rolling Soil 2d Rate.
	From this corner I run S 89° 47' W. on a true line through the middle of the North half of Sec. 7 with the same var.
19.00	Set a sandstone 16 x 16 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
39.00	Set a sandstone 14 x 8 x 8 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
59.00	Set a sandstone 16 x 8 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
79.00	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 7 and 8 Land gently rolling Grazing good Soil Sandy Rate 2d

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 5 and 6 I run East on a random line through the middle of the S. half of Sec. 5
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land generally level, splendid grazing Soil 1st Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level rich bottom. good grass Soil 1st Rate.
41.00	Ascend small ridge N. & S.
60.00	Set a temporary 1/16 Sec. Cor. Land level Descend small ridge Soil 1st Rate.
80.24	Intersect the N. & S. line bet. Secs. 4 and 5 at 28 links N of the S. 1/16 Sec. Cor. Land level bottom Rich Soil 1st Rate.
	From this corner I run N 89° 48' W. on a true line through the middle of the South half of Sec. 5 with the same var.
20.06	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.12	Set a sandstone 24 x 8 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.18	Set a sandstone 16 x 12 x 4 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.24	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 5 and 6
	Land generally level river bottom Grazing first class Soil Alluvial Rate 1st
	July 2nd 1882

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Mer. Utah Ferr.y Coq.ns

Chains	
	From the S 1/16 Sec. Cor. on Sec. line between Sections 5 and 6 I run West on a random line through the middle of the S half of Sec. 6
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level river bottom, grass Rich Soil 1st Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level river bottom, grass, Rich, Soil 1st Rate.
58.00	Water course from South
60.00	Set a temporary 1/16 Sec. Cor. Land level river bottom. good grass Soil 1st Rate.
78.80	Intersect the N. & S. line bet. Secs. 1 and 6 at 38 links S of the S 1/16 Sec. Cor. Land rich river bottom Soil 1st Rate. From this corner I run S 89° 44' E on a true line through the middle of the South half of Sec. 6 with the same var.
18.80	Set a cottonwood post 36 x 3 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
38.80	Set a cottonwood post 48 x 3 x 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
58.80	Set a sandstone 20 x 8 x 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 x 12 x 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
78.80	To the S. 1/16 Sec. Cor. on Sec. line between Secs. 5 and 6
	Land level river bottom
	Grazing first class
	Soil Alluvial Rate 1st

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 21 E. Salt Lake Me. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 5 and 6 I run East on a random line through the middle of Sec. 5
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level river bottom valley Soil 1st Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level valley of river. Alluvial Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level river bottom Alluvial Soil 1st Rate.
80.08	Intersect the N. and S. line bet. Secs. 4 & 5 at 35 links N of the 1/4 Sec. Cor. Land river bottom Soil 1st Rate. From this corner I run N 89° 45' W on a true line through the middle of Sec. 5 with the same var.
20.02	Set a sandstone 18 x 4 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.04	Set a sandstone 18 x 6 x 3 ins. 12 ins. in ground marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/4 Sec. Cor.
60.06	Set a ~~sandstone~~ post 36 x 3 x 3 ins. 12 ins. in ground marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high; dug 2 pits 18 x 12 x 12 ins. E. and W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.08	To the 1/4 Sec. Cor. on Sec. line between Secs. 5 and 6 Land valley of White river. Grazing first class Soil Alluvial Rate 1st.

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S. R. 2 E. Salt Lake Mer. Utah Terr.y Con.td

Chains.	
	From the 1/4 Sec. Cor. on Sec. line between Sections 5 and 6 I run West on a random line through the middle of Sec 6
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land level
22.00	White River. Way S. 1.50c wide Soil 1st " Rate.
40.00	Set a temporary 1/4 Sec. Cor. Land level
	River bottom. Alluvial Soil 1st " Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level
64.50	White River. Course North Soil 1st " Rate.
78.72	Intersect the N. & S. line bet. Secs. 1 and 6 at 44 links N of the 1/4 Sec. Cor. Land river bottom Soil 1st " Rate.
	From this corner I run N 89° 41' E. on a true line through the middle of Section 6 with the same var.
18.72	Set a cottonwood post 36 X 3 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
38.72	Set a cottonwood post 48 X 3 X 3 ins. 12 ins. in the ground, marked "1/4" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/4 Sec. Cor.
58.72	Set a cottonwood post 36 X 3 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
78.72	To the 1/4 Sec. Cor. on Sec. line between Secs. 5 and 6
	Land river bottom
	Grazing first class
	Soil Alluvial Rate 1st

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 2 E. Salt Lake Mer. Utah Terr.y Con.td

Chains	
	From the N 1/16 Sec. Cor. on Sec. line between Sections 5 and 6 I run East - on a random line through the middle of the N half of Sec. 5
	Var. 16° 15' East.
20.00	Set a temporary 1/16 Sec. Cor. Land, river bottom, good grass Soil 1st Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land, river bottom, good grass Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land, river bottom, good grass Soil 1st Rate.
80.16	Intersect the N. & S. line bet. Secs. 4 and 5 at 36 links S of the N. 1/16 Sec. Cor. Land valley of river Soil 1st Rate. From this corner I run S. 89° 45' W. on a true line through the middle of the North half of Sec. 5 with the same var.
20.04	Set a sandstone 24 X 12 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
40.18	Set a sandstone 24 X 8 X 5 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
60.12	Set a cottonwood post 36 X 3 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
80.16	To the N 1/16 Sec. Cor. on Sec. line between Secs. 5 and 6 Land valley of river Grazing first class Soil Alluvial Rate 1st

Uncompahgre Ute Indian Surveys.

Subdivisions of T. 9 S.R. 21 E. Salt Lake Mer. Utah Terry Con.td.

Chains.	
	From the T 1/16 Sec. Cor. on Sec. line between Sections 5 and 6 I run West on a random line through the middle of the N half of Sec. 6
	Var. 16°15 East.
17.00	White River course S by W. 1.50 chs wide
20.00	Set a temporary 1/16 Sec. Cor. Land level river bottom. Alluvial Soil 1st Rate.
40.00	Set a temporary 1/16 Sec. Cor. Land level river bottom Alluvial Soil 1st Rate.
60.00	Set a temporary 1/16 Sec. Cor. Land level
62.00	White River. W. by N. 1.50 chs wide Soil 1st Rate.
78.64	Intersect the N. & S. line bet. Secs. 1 and 6 at 40 links S of the N. 1/16 Sec. Cor. Land river bottom Soil 1st Rate.
	From this corner I run S 89° 45' E on a true line through the middle of the North half of Sec. 6 with the same var.
18.64	Set a ~~cottonwood~~ post 36 X 3 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
38.64	Set a cottonwood post 36 X 3 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
58.64	Set a cottonwood post 36 X 3 X 3 ins. 12 ins. in the ground, marked "1/16" on E. face in a mound of earth 30 ins. diam. at base and 18 ins. high, dug 2 pits 18 X 12 X 12 ins. E & W. dist. 5 ft. from mound for 1/16 Sec. Cor.
78.64	To the N. 1/16 Sec. Cor. on Sec. line between Secs. 5 and 6
	Land valley of river
	Grazing first class
	Soil Alluvial Rate 1st

Chains.

Meanders of Right Bank of White River.
Down Stream

I commence at the meander cor on the W Bdy of the Tp. bet secs 1 & 6.

Thence Arm with Meanders in Sec 1
Var 16°15' E

N	58° W	21.8	chs
N.	53¾° W	25.1	"
S.	51½° W	20.8	"
S.	46½° W	5.1	"
N	46½° W	5.1	"
N	6¼° W	20.1	"
N.	25¼° W.	22.1	" To the meander

cor on line bet secs 1 & 36 on N. Tp line
Land level river bottom, covered with dense underbrush - Cottonwood timber
Soil 1st rate, alluvial

I begin at Meander Cor on N. Tp line.
Thence in Sec 2
Var 16°15' E

S.	71° W	11.7	chs
S	32¾° W	19.2	
S.	52° W	12.1	
N	50½° W	11.8	
N	26½° W	2.2	
S.	67¾° W	5.3	
S.	53½° W	6.1	
S.	24¾° W	17.9	
S.	60½° W	7.1	
N	61° W	7.2	
N	37° E	25.0	
N.	67¼° W	16.2	To meander cor on

line 2 & 3.

Land level river bottom covered with a dense growth of underbrush - Cottonwood timber
Soil 1st rate Width of river 150 lks.

Chains.

Thence in Sec 3.
Var 16°15' E

S. 81½° W 20.0 chs
S. 26½° W 6.7 "
S. 74¼ W 17.7 "
S. 11° W 10.4 "
N. 56¼° W 21.6 "
N. 45° W 4.2 "
N. 69° W 18.2 " To meander cor on line Bet Secs 3 & 4.
Land level river bottom covered with a dense growth of brush cottonwood timber. Soil 1st rate alluvial
Width of river 150 links

Thence in Sec 4.
Var 16°15' E

S. 69° W 18.2 chs
S. 45° W 4.2
S. 69½ W 21.3
S. 6° W 9.5
S. 45° E 1.4
S. 53° E 25.0
West 20.0
S. 87¼° W 20.0
N. 63° W 19.5
N. 69° E 18.2
N. 45° E 1.4
N. 73¾° W 20.2
N. 59° W. 21.3 To meander cor on line Bet Secs 4 & 5
Land level river bottom
Dense under brush
Soil alluvial cottonwood timber
Width of river 150 links

Thence in Sec 5.
Var 16°15' E

N. 84¼° W. 20.0 chs
N. 48¾° W. 10.6 " To meander cor on

Chains.

N. Bdy of of Township bet Secs 5 & 32.
Land level - Soil 1st rate Dense brush
Commencing at Meander cor of
N. Bdy bet Secs 5 & 32.
I run with meanders in Sec 5
S. 15¼° W. 15.5 chs
N. 25.° W 16.5 " To line bet Secs 5 & 6
Land level river bottom
Dense underbrush
Some large timber
Soil alluvial 1st Rate
Width of river 150 links

Thence in Sec 6
Var 16°30" E
S. 5.° W 17.0 chs
S 80¾ W 18.7 "
S 4¾ W 18.0 "
S 82. W 15.1 "
S 78¾ W 5.1 "
S 80 W 20.3 "
N 45. W 6.3 "
N 7 W 20.1 "
N 53¾ W 20.1 " To meander cor on
W. Bdy of Township, bet Secs 1 & 6.
Commencing at meander cor on W.
Township bet Secs 1 & 6. I run
N 48° E 4.0 chs
N. 59 W. 3.5 " To meander cor on
W. Bdy of Township bet Secs 1 & 6
Land level river bottom Dense under
brush & some large cottonwood timber
- Grazing excellent
Soil alluvial 1st Rate
Width of River - 150 links

July 6" 1882

Chains.

General Description

White River traverses the entire Northern tier of Sections and has an average width of 1.50 chs. at right angles to its course with plenty of water the year around affording ample facilities for irrigation. Since the completion of the survey of this Township a ditch was laid out and operations started under the supervision of the Hon Frank Gar and Henry Page, Ute Commissioners, commencing in Sec. 4. through Sec. 5 & 6 & thence through Township 9 Range 20. East. The river is clothed on both banks with cottonwood timber of large size. The Township is mostly high, rolling and broken, rocky in places trending to the North and river.

Croppings of asphaltum were discovered in the most South of the Township & from the indications of the float I judge it to be of an excellent quality. In the most portions the grass is good and interspersed with White sage and well adapted for pasturage being close to the river and the herds of cattle are well sheltered from winter storms by the timber & brush.

The soil throughout the valley is a rich alluvial deposit and when cultivated will produce magnificent results.

Original

Final oaths for surveys.
List of Names.

A list of names of the persons employed by D. G. Major, U. S. Surveyor to assist in running, measuring and marking the lines and corners described in the foregoing field notes of the Survey of the Township, subdivision and meander lines of Township No. 9 South of the base line of range No. 21 East of the Salt Lake Principal Meridian showing the respective capacities in which they acted —

Russell J. Wesshon	Surveyor
Rudolph Neff	Surveyor
Chas L. Lowry	Chainman
Robt. Shultz	Chainman
C. E. McLean	Chainman
B. Hohendorf	Chainman
Peter Stewart	Moundsman
Henry Raymond	Moundsman
Edwin Bevis	Moundsman
J. T. Jordan	Axeman
John Johnston	Flagman
M. R. Johnson	Flagman
H. Hurley	Flagman

We hereby Certify that we assisted D. J. Major, United States Surveyor in Surveying all those parts or portions of the Subdivision and Meander Lines of Township 7 South of Range 21 East of the Salt Lake Meridian, Territory of Utah, as represented in the foregoing field Notes, as having been Surveyed by him and under his direction; and that said Survey has been in all respects to the best of our Knowledge and belief well and faithfully Surveyed, and the Corner Monuments established according to the instructions furnished by the General Land Office at Washington D. C.

Russell O Mershon Surveyor
Rudolph Neff Surveyor
Chas L. Lowry Chainman
Robt Shultz Chainman
C. E. McLean Chainman
B. Hohendorf Chainman

Peter Stewart — Axman
Henry Raymond — Axman
Edwin Benin — Axman
J. T. Jordan — Axman
John Johnston — Flagman
M. K. Johnson — Flagman
W. Harley — Flagman

Subscribed and sworn to before me this thirteenth day of December 188

L. W. V. Kennon
2nd Lieut. 6th Infty.
Cmndg. Ft. Hamburg.

Volume
#
R0266

I, Daniel G. Major, U. S. Surveyor do solemnly swear that in pursuance of a contract with the Hon. Commissioner General Land Office bearing date Dec. 20th 1880, and in strict conformity to the laws of the United States and the special instructions furnished by the said Commissioner, I have faithfully surveyed the exterior boundaries section & subdivisional lines of Township No. 9 South of Range No. 21 East of the Salt Lake Meridian, Territory of Utah, and do further solemnly swear that the foregoing are the true field notes of such surveys.

Daniel G. Major.
U. S. Surveyor

Subscribed by said Daniel G. Major U. S. Surveyor and sworn to before me this 5th day of May A.D. 1883 Washington City, D. C.

Notary Public.

For approval of Commissioner Genl L. Office, see Field Notes of Township 6 S. R 20 E. Salt Lake Meridian